

**TASK GROUP INSTRUCTION**  
**AIM REV 20.11.4.0 (OCTOBER 2020)**

|                                                                                                                                                                          |                                                   |                            |                                     |                                   |                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|----------------------------|-------------------------------------|-----------------------------------|----------------------------|
| <b>TGI NO.:</b>                                                                                                                                                          | <b>COMPONENT NAME:</b><br><b>FWD UPTAKE SPACE</b> | <b>TYPE:</b><br><b>AY</b>  | <b>PHASE:</b><br><b>A</b>           | <b>REPEAT:</b><br><b>0</b>        | <b>CHANGE:</b><br><b>0</b> |
| <b>SHIP/HULL NO.:</b><br><b>DDG-76</b>                                                                                                                                   | <b>SHIP/HULL NAME:</b><br><b>USS HIGGINS</b>      | <b>SYSTEM:</b>             |                                     | <b>PROJ/WO NO:</b><br><b>KB3</b>  | <b>CASREP CAT:</b>         |
| <b>CU PHASE TITLE:</b><br><b>F/O - INSPECT, REPAIR, AND PRESERVE FWD UPTAKE SPACE</b>                                                                                    |                                                   |                            |                                     |                                   |                            |
| <b>PREPARING ACTIVITY:</b>                                                                                                                                               |                                                   |                            |                                     |                                   |                            |
| <b>PREPARED BY:</b><br><b>KAZUMI WATANABE</b>                                                                                                                            |                                                   | <b>CODE</b><br><b>231A</b> | <b>PHONE</b><br><b>315-243-4518</b> | <b>DATE</b><br><b>19-DEC-2025</b> |                            |
| <b>APPROVED BY:</b><br><b>YUUJI NAKAMURA</b>                                                                                                                             |                                                   | <b>CODE</b><br><b>231A</b> | <b>PHONE</b><br><b>315-243-6041</b> | <b>DATE</b><br><b>19-DEC-2025</b> |                            |
| <b>CONCURRED BY:</b>                                                                                                                                                     |                                                   | <b>CODE</b>                | <b>PHONE</b>                        | <b>DATE</b>                       |                            |
| <b>CONCURRED BY:</b>                                                                                                                                                     |                                                   | <b>CODE</b>                | <b>PHONE</b>                        | <b>DATE</b>                       |                            |
| <b>CONCURRED BY:</b>                                                                                                                                                     |                                                   | <b>CODE</b>                | <b>PHONE</b>                        | <b>DATE</b>                       |                            |
| <b>CONCURRED BY:</b>                                                                                                                                                     |                                                   | <b>CODE</b>                | <b>PHONE</b>                        | <b>DATE</b>                       |                            |
| <b>REASON FOR WORK/NEED FOR CHANGE:</b>                                                                                                                                  |                                                   |                            |                                     |                                   |                            |
| <b>CHANGE INSTRUCTIONS:</b>                                                                                                                                              |                                                   |                            |                                     |                                   |                            |
| <b>SPECIAL REQUIREMENTS:</b><br><br><b>SURFMEPP</b><br><b>This work affects a fire zone boundary. Fabrication and/or staging of a non-flammable closure is required.</b> |                                                   |                            |                                     |                                   |                            |

**WORK CERTIFICATION SIGNATURES**

|                                                                                                             |                                       |                   |                   |               |              |
|-------------------------------------------------------------------------------------------------------------|---------------------------------------|-------------------|-------------------|---------------|--------------|
| <b>COMPLETION OF WORK REVIEW:</b>                                                                           |                                       | <b>BADGE NO.:</b> | <b>SHOP/CODE:</b> | <b>PHONE:</b> | <b>DATE:</b> |
| <b>ACCEPTANCE OF COMPLETED WORK</b>                                                                         |                                       |                   |                   |               |              |
| <b>PHYSICAL INSPECTION</b><br>REQUIRED: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | <b>PHYSICAL INSPECTION COMPLETED:</b> | <b>BADGE NO.:</b> | <b>SHOP/CODE:</b> | <b>PHONE:</b> | <b>DATE:</b> |
| <b>RECORDS REVIEW:</b>                                                                                      |                                       | <b>BADGE NO.:</b> | <b>SHOP/CODE:</b> | <b>PHONE:</b> | <b>DATE:</b> |



| LIST OF EFFECTIVE PAGES |         |         |         |         |         |         |         |         |         |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| SHT NO.                 | CHG NO. | SHT NO. | CHG NO. | SHT NO. | CHG NO. | SHT NO. | CHG NO. | SHT NO. | CHG NO. |
| 1-7                     |         |         |         |         |         |         |         |         |         |
| J1-2                    |         |         |         |         |         |         |         |         |         |
| M1-4                    |         |         |         |         |         |         |         |         |         |
|                         |         |         |         |         |         |         |         |         |         |

## 1. SCOPE/PURPOSE

1.1 Title: Inspection, Repair, and Preservation of Forward Uptake Space; accomplish

1.2 Location of Work:

1.2.1 05 Level Weather, Frames between 189 and 216, Port and Starboard (Stbd)

1.2.2 Uptake Engine Room No. One (02-186-0-Q)

1.2.3 Intake/Uptake Engine Room No. One (01-174-0-Q)

1.2.4 Ships Service Gas Turbine Generator (SSGTG) Exhaust Trunk (2-166-2-Q)

1.2.5 Intake/Uptake Engine Room No. One (1-174-3-Q)

1.2.6 Passage (01-118-1-L)

1.2.7 SSGTG Intake Trunk (2-161-2-Q)

1.2.8 Fan Room Radio Transmitter Room Communication Center, Combat Information Center (01-158-0-Q)

1.2.8.1 Vent Plenum for HVAC Recirculating System (RS) 01-169-1

1.2.9 Halon Cylinder Room No. One (1-186-1-A)

1.2.10 Administer Office (1-158-4-Q)

1.2.11 Tomahawk Equipment Room (2-153-2-C)

1.2.12 Auxiliary Machinery Room No. One (4-126-0-E)

1.3 Identification:

1.3.1 Quantity (One Lot), Exterior Surface of 05 Level Deck Plating, Frames between 189 and 216, including vertical surface up to height of top of shroud from above 76 feet 5 inches above base line, Port and Stbd

1.3.2 Quantity (One EA), Boundary Layered Infrared Suppression System (BLISS) Cap, 1A Propulsion Gas Turbine Exhaust

1.3.3 Quantity (One EA), BLISS Cap, 1B Propulsion Gas Turbine Exhaust

1.3.4 Quantity (One EA), BLISS Cap, No. One SSGTG Exhaust

1.3.5 Quantity (One EA), 1A Propulsion Gas Turbine Exhaust Duct

1.3.6 Quantity (One EA), 1B Propulsion Gas Turbine Exhaust Duct

1.3.7 Quantity (One EA), SSGTG No. One Exhaust Duct

2 TGI NO.:

SHIP:

|                  |          |   |     |
|------------------|----------|---|-----|
| FWD UPTAKE SPACE | AY       | A | 0   |
| DDG-76           | CHG/VER: |   | 0/0 |

1.3.8 Quantity (One EA), 02 Level, 1A Module Gas Turbine Engine Deck Foundation and Bolting Ring

1.3.9 Quantity (One EA), 02 Level, 1B Module Gas Turbine Engine Deck Foundation and Bolting Ring

1.3.10 Quantity (One EA), 02 Level, Engine Room No. One SSGTG Deck Foundation and Bolting Ring

1.4 Security Classification:

1.4.1 Spaces - 1.2.11

1.5 Initial Condition: None.

1.6 Contractor work start date: 29/JUN/2026

1.7 Contractor work completion date: 8/DEC/2026

## 2. REFERENCES:

| REF. NO. | DOCUMENT /DRAWING NUMBER  | DOCUMENT/DRAWING TITLE                                                       | REV | CHG NO. | COPY REQ'D (Y/N) | SOURCE DOC (Y/N) | PARA | SEC | PG      | CHP |
|----------|---------------------------|------------------------------------------------------------------------------|-----|---------|------------------|------------------|------|-----|---------|-----|
| 1        | NSI FY-26                 | NAVSEA Standard Items                                                        | -   | 1       | N                |                  |      |     |         |     |
| 2        | LI FY-26                  | Local Standard Items                                                         | -   | ORG     | N                |                  |      |     |         |     |
| 3        | MP AL14-KB312386-CF03ZBM0 | NO.1 SSGTG INTAKE SYSTEM FOD PROTECTION FOR UPTAKE PRESERVATION IN 2-166-2-Q | -   |         | Y                |                  |      |     | ALL     |     |
| 4        | DWG 180-6219046           | Fdn Arr Dwg Dsgn Zone 4420 Bkit No.1                                         | R   |         | Y                |                  |      |     | SEENOTE |     |
| 5        | DWG 100-6218913           | UNIT STRL ARR DWG ASSY UNIT 2130                                             | W   |         | Y                |                  |      |     | 3-10    |     |
| 6        | DWG 100-6218918           | UNIT STRL ARR DWG ASSY UNIT 2230                                             | R   |         | Y                |                  |      |     | 3-11    |     |
| 7        | DWG 100-6218914           | UNIT STRL ARR DWG ASSY UNIT 2140                                             | W   |         | Y                |                  |      |     | SEENOTE |     |
| 8        | DWG 100-6218919           | UNIT STRL ARR DWG ASSY UNIT 2240                                             | V   |         | Y                |                  |      |     | SEENOTE |     |
| 9        | DWG 100-6218915           | UNIT STRL ARR DWG ASSY UNIT 2150                                             | V   |         | Y                |                  |      |     | SEENOTE |     |
| 10       | DWG 100-6218920           | UNIT STRL ARR DWG ASSY UNIT 2250                                             | V   |         | Y                |                  |      |     | SEENOTE |     |
| 11       | DWG 150-6218955           | UNIT STRL ARR DWG ASSY UNIT 4210                                             | Y   |         | Y                |                  |      |     | SEENOTE |     |

| REF. NO. | DOCUMENT /DRAWING NUMBER     | DOCUMENT/DRAWING TITLE                                              | REV | CHG NO. | COPY REQ'D (Y/N) | SOURCE DOC (Y/N) | PARA | SEC | PG                          | CHP |
|----------|------------------------------|---------------------------------------------------------------------|-----|---------|------------------|------------------|------|-----|-----------------------------|-----|
| 12       | DWG 150-6218962              | UNIT STRL ARR DWG ASSY UNIT 4310                                    | V   |         | Y                |                  |      |     | SE<br>E<br>N<br>O<br>T<br>E |     |
| 13       | DWG 150-6218964              | UNIT STRUCTURAL ARR DWG ASSY UNIT 4410                              | W   |         | Y                |                  |      |     | SE<br>E<br>N<br>O<br>T<br>E |     |
| 14       | DWG 150-6218965              | UNIT STRL ARR DWG ASSY UNIT 4420                                    | U   |         | Y                |                  |      |     | SE<br>E<br>N<br>O<br>T<br>E |     |
| 15       | DWG 259-6218406              | FAB & INSTL OF GTRB UPTAKE & AIR INTAKE ENG RM NO.1 & ABOVE         | W   |         | N                |                  |      |     |                             |     |
| 16       | DWG 259-6218421              | FAB & INSTL of SS GTRB Uptake & Air Intakes AUX MCHRY RM NO.1 & ABV | AB  |         | N                |                  |      |     |                             |     |
| 17       | DWG 259-8436353              | SHIPALT DDG-51-76087 GTRB & SS GTRB BLISS CAP MODS & ML             | A   |         | Y                |                  |      |     | AL<br>L                     |     |
| 18       | LAR 76087/DDG7 2/1141796     | EXHAUST ANCHOR FDN CHOCK NOT CONFIGURED LIKE DRAWING                | -   |         | Y                |                  |      |     | AL<br>L                     |     |
| 19       | TM SYSTEMS & SPECIFICAT IONS | SSPC Painting Manual Volume 2                                       | -   |         | N                |                  |      |     |                             |     |
| 20       | TM T9074-AS-GIB-010/271      | Requirements for Nondestructive Testing Methods                     | 1   |         | N                |                  |      |     |                             |     |
| 21       | TM S9086-DA-STM-010/CH-100   | Hull Structures                                                     | 4   |         | N                |                  |      |     |                             |     |
| 22       | MIL MIL-STD-2035             | Nondestructive Testing Acceptable Criteria                          | A   |         | N                |                  |      |     |                             |     |

### 3. APPENDICES:

- 3.1 Appendix "J" TGI Job Summary Information Sheet
- 3.2 Appendix "M" TGI Material List
- 3.3 Appendix "D" Deficiency Form

### 4. GENERAL REQUIREMENTS:

- 4.1 Not Applicable.

### 5. PROCEDURE:

- 5.1 Accomplish the requirements of 2.3.

(V)(G) "GAS TURBINE MAINTENANCE PROCEDURE"

- 5.2 Accomplish a visual inspection of the current ship condition, listed in 1.3.1 through 1.3.10, located in 1.2.1 through 1.2.5, using 2.4 through 2.18 for guidance, and as designated by the SUPERVISOR.

4 TGI NO.:

SHIP:

|                  |          |   |     |
|------------------|----------|---|-----|
| FWD UPTAKE SPACE | AY       | A | 0   |
| DDG-76           | CHG/VER: |   | 0/0 |

5.2.1 Ensure to inspect each exterior vertical, horizontal, step platform, deck, and foundation surface, and each interior exhaust stack, uptake duct, anchor foundation, eductor, eductor nozzle, eductor foundation, flange joint, overhead, bulkhead, deck, restraint, steel channel, penetration, deck spool, ladder foundation, bolting ring, and pipe hanger.

5.2.2 Mark each identified and designated area requiring repair.

5.2.3 Submit one legible copy, in hard copy or approved transferrable media, of a report with a sketch listing results of the requirements of 5.2 to the SUPERVISOR.

5.3 Remove each BLISS cap listed in 1.3.2 through 1.3.4, located in 1.2.1, using 2.17 and 2.18 for guidance.

5.4 Power tool clean to bare metal for each location reported in 5.2.3, listed in 1.3.1 through 1.3.10, located in 1.2.1 through 1.2.5, to include each exposed longitudinal, vertical, and transverse stiffener, for up to 3,578 square feet. Accomplish each requirement of Surface Preparation Specification SSPC-SP 11 of 2.19, as designated by the SUPERVISOR.

5.5 Accomplish a visual inspection in each location for coating removed in 5.4, listed in 1.3.1 through 1.3.10, located in 1.2.1 through 1.2.5 for structural integrity, deterioration, pitting, each crack, and area of damage or distortion, using 2.4 through 2.18 for guidance.

5.5.1 Mark each corroded, damaged and/or deteriorated area.

5.5.2 Submit one legible copy, in hard copy or approved transferable media, of a report with a sketch listing results of the requirements of 5.5 to the SUPERVISOR.

5.6 Accomplish each ultrasonic thickness measurement (UTM) up to 100 locations in each location reported in 5.5.2, listed in 1.3.1 through 1.3.10, located in 1.2.1 through 1.2.5 in accordance with Paragraph 6.7 of 2.20 and 2.21, as designated by the SUPERVISOR, using 2.4 through 2.18 for guidance. The acceptance criteria must be in accordance with 2.22.

5.6.1 Submit one legible copy, in hard copy or approved transferable media, of a report listing results of the requirements of 5.6 to the SUPERVISOR.

5.6.2 Ensure a sketch showing each location of each UTM reading, original material thickness, existing material thickness, and percentage of material thickness reduction.

5.7 Accomplish the following repairs to each BLISS Cap listed in 1.3.2 through 1.3.4, located in 1.2.1, in accordance with 2.15 through 2.18 as designated by the SUPERVISOR. See 5.15.4 and 5.15.5.

5.7.1 Remove existing and install new, up to 30 square feet of BLISS Cap.

5.8 Accomplish the following repairs reported in 5.2.3, 5.5.2, and 5.6.1, listed in 1.3.1 and 1.3.5 through 1.3.10, located in 1.2.1 through 1.2.5, using 2.4 through 2.18 for guidance, as designated by the SUPERVISOR. See 5.15.4 and 5.15.5.

5.8.1 Base metal weld build-up, up to 160 square inches.

5.8.1.1 Ensure each base metal buildup area does not exceed 2 inches in diameter.

5.8.1.2 Estimate the base metal buildup repair to be one quarter inch thick for pricing purposes.

5.8.1.3 Fill each local pit and groove with weld metal prior to the application of each principal build-up layer.

5.8.1.4 Ensure each surface is ground smooth to metal.

|                  |          |   |     |
|------------------|----------|---|-----|
| FWD UPTAKE SPACE | AY       | A | 0   |
| DDG-76           | CHG/VER: |   | 0/0 |

- 5.8.2 Remove existing and install new, up to 94 square feet of plate for each bulkhead, overhead, and deck plate.
- 5.8.3 Remove existing and install new, up to 75 linear feet of longitudinal, vertical, and traverse stiffener.
- 5.8.4 Remove existing and install new, up to 5 square feet of eductor foundation and flange joint.
- 5.8.5 Remove existing and install new each deck spool, gasket and bolting ring.
- 5.8.6 Vee out and weld up to 25 linear feet of cracked, split, broken or damaged weld.
- 5.8.7 Chip and grind each surface flush in way of each repair.
- 5.8.8 Template exact size, configuration, and location from each existing shipboard condition.
- 5.8.9 Accomplish the requirements of 009-012 of 2.1, including Table 2, Columns A, B, and D, Lines One through 7.
- 5.8.10 Accomplish the requirements of 009-025 of 2.1 for a local air hose test of each new weld seam. Allowable leakage: None.
- 5.9 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 3, for coating removed in 5.4, listed in 1.3.1.
- 5.10 Accomplish the requirements of 009-032 of 2.1, including Table 3, Line(s) 22A, for coating removed in 5.4, located in 1.2.2 through 1.2.5.
- 5.11 Accomplish the requirements of 009-032 of 2.1, including Table 5, Line(s) 15A, for each Bliss Cap listed in 1.3.2 through 1.3.4.
- 5.12 Install each BLISS cap listed in 1.3.2 through 1.3.4, located in 1.2.1, in accordance with 2.17 and 2.18.
- 5.13 Confirm that all personnel have exited the space prior to closure of the space listed in 1.2.3 through 1.2.5, and 1.2.8.1. Designate one person to account for all personnel who may have entered the space.
- 5.14 Accomplish the requirements of 009-032 of 2.1 for each new and disturbed surface.
- 5.15 Notes:
- 5.15.1 Planner: Code 231A K. Watanabe, 243-4518  
Planner: Code 234 T. Tsunoi, 070-7787-2058
- 5.15.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560
- 5.15.3 This TGI meets the intent of DDG CSWT File No. 259-089.
- 5.15.4 Removal and installation of interferences, and gas free operation, preservation of boundary spaces relating to front loading structure repair in 5.7 and 5.8 are not included in this TGI. They will be covered by a DL in the future based on Contractor submitted condition report.
- 5.15.5 Materials for structural members relating to front loading repair will be provided in the future as a DL based on Contractor submitted condition report.
- 5.15.6 Work per this instruction involves cutting an access (or removal of a door) through a fire zone bulkhead, through the hull of the ship above the turn of the bilge, through ventilation components (ducting, plenums, etc.), or through any air-tight, fume-tight or watertight bulkheads normally used to control air flow in the event of a shipboard fire. A nonflammable closure is required in accordance with COMNAVSEASYS COM MSG R 261400Z JUL 12. The

|                  |          |   |     |
|------------------|----------|---|-----|
| FWD UPTAKE SPACE | AY       | A | 0   |
| DDG-76           | CHG/VER: |   | 0/0 |

closure, if not continuously in use, shall be staged near the access, readily visible and accessible, so that any emergency responder can install the closure to affect proper air flow onboard the ship.

5.15.7 WPC will copy the following pages in reference.

REF. 2.4: Pages 4, 4A-5, 5A1-9, 5B1-9, 5C1-9, 5D1-9, 5E1-9, 5F1-9, 7A1-7, 7B1-7, and 7C1-7.

REF. 2.7: Pages 5B-9, 7-11, 3-11, and 6-9.

REF. 2.8: Pages 5-11 and 3-10.

REF. 2.9: Pages 3-11, 5A-11, and 6-11.

REF. 2.10: Pages 3-11, 3A-11, and 5-11.

REF. 2.11: Pages 3-11, 5B-11, 7-11, and 5C-7.

REF. 2.12: Pages 7-1, 3-5, 6-5, 6A-5, 7B-10, and 5-5.

REF. 2.13: Pages 7-5, 6A-9, 3-11, and 5A-11.

REF. 2.14: Pages 3B-9, 3-7, 3D-7, 3A-10, and 3H-10.

5.15.8 JCNs CF03-ZBM0, EM01-ZCJ1, EM01-ZCJ2, EM01-ZCJ3, and EM01-ZCJ4 are related to this TGI.

5.16 Government Furnished Material (GFM):

5.16.1 SRF-JRMC will provide GFM listed in Appendix "M".

5.17 SRF-JRMC will provide the following service work: (TGI No. 38KB312386S02).

5.17.1 [C740] Crane and crane rigging service.

5.17.2 [X99E] Utility service, electrical.

5.17.3 [X99M] Utilities service, including water supply, steam supply, and low pressure air supply except onboard blasting work.

5.17.4 [C106.1] Safety inspection for SRF-JRMC employees.

5.17.5 [C106.2] Gas free inspection for SRF-JRMC employees.

5.17.6 [C133] QA Inspection for (G) symbol(s).

5.17.7 [C285] Inspection for (G) symbol(s).

|                  |          |     |   |
|------------------|----------|-----|---|
| FWD UPTAKE SPACE | AY       | A   | 0 |
| DDG-76           | CHG/VER: | 0/0 |   |

## APPENDIX "J"

### TGI JOB SUMMARY INFORMATION SHEET

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                   |                                            |                    |                    |                      |                               |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------|--------------------|--------------------|----------------------|-------------------------------|----------------|
| SYSTEM:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | PLANT NO.:        | COMPONENT NAME:<br><b>FWD UPTAKE SPACE</b> | TYPE:<br><b>AY</b> | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b>  | CU PH<br>VERSION:<br><b>0</b> | CASREP<br>CAT: |
| CU PHASE TITLE:<br><b>F/O - INSPECT, REPAIR, AND PRESERVE FWD UPTAKE SPACE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                   |                                            |                    |                    |                      |                               |                |
| PRIMARY COMPONENT:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                   |                                            |                    |                    |                      |                               |                |
| COMPONENT UNIT LIST (FOR ASSEMBLIES):<br><b>CMPT 01-174-0-Q MS #1 SSGTG UPTAKE UT 05LVL &amp; ABV EXTERIOR MS CMPT 2-166-2-Q</b><br><b>MS CMPT 1-174-3-Q MS #1 SSGTG INTAKE IT VNT RS 01-169-1 DT #1A GTM</b><br><b>UPTAKE UT #1B GTM UPTAKE UT CMPT 02-186-0-Q MS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                   |                                            |                    |                    |                      |                               |                |
| ATTACHMENT LIST:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                   |                                            |                    |                    |                      |                               |                |
| ZONE MANAGER:<br><b>YAGINUMA ,TAKEHIDE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                   | ZONE:                                      | COMPARTMENT:       | LEVEL:             | FRAME:               | SIDE:                         |                |
| JO:<br><b>38KB312386</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | KO:<br><b>A01</b> | TOTAL MAN HRS:                             | TOTAL MAT'L COST   | TOTAL DURATION:    | PLANNING ACCEPTANCE: |                               |                |
| CU PHASE DESCRIPTION:<br><b>The purpose of this TGI is to inspect, repair, and preserve forward uptake space.</b><br><br><b>Location of Work:</b><br><b>05 Level Weather, Frames between 189 and 216, Port and Starboard (Stbd)</b><br><b>Uptake Engine Room No. One (02-186-0-Q)</b><br><b>Intake/Uptake Engine Room No. One (01-174-0-Q)</b><br><b>Ships Service Gas Turbine Generator (SSGTG) Exhaust Trunk (2-166-2-Q)</b><br><b>Intake/Uptake Engine Room No. One (1-174-3-Q)</b><br><b>Passage (01-118-1-L)</b><br><b>SSGTG Intake Trunk (2-161-2-Q)</b><br><b>Fan Room Radio Transmitter Room Communication Center, Combat Information Center (01-158-0-Q)</b><br><b>Vent Plenum for HVAC Recirculating System (RS) 01-169-1</b><br><b>Halon Cylinder Room No. One (1-186-1-A)</b><br><b>Administer Office (1-158-4-Q)</b><br><b>Tomahawk Equipment Room (2-153-2-C)</b><br><b>Auxiliary Machinery Room No. One (4-126-0-E)</b> |                   |                                            |                    |                    |                      |                               |                |

J-1 TGI NO.:

SHIP:

|                         |                 |          |            |
|-------------------------|-----------------|----------|------------|
| <b>FWD UPTAKE SPACE</b> | <b>AY</b>       | <b>A</b> | <b>0</b>   |
| <b>DDG-76</b>           | <b>CHG/VER:</b> |          | <b>0/0</b> |



|     |          |                  |          |   |     |
|-----|----------|------------------|----------|---|-----|
| J-2 | TGI NO.: | FWD UPTAKE SPACE | AY       | A | 0   |
|     | SHIP:    | DDG-76           | CHG/VER: |   | 0/0 |

## APPENDIX "M"

### TGI MATERIAL LIST

|         |            |                         |           |          |          |                |             |
|---------|------------|-------------------------|-----------|----------|----------|----------------|-------------|
| SYSTEM: | PLANT NO.: | COMPONENT NAME:         | TYPE:     | PHASE:   | REPEAT:  | CU PH VERSION: | CASREP CAT: |
|         |            | <b>FWD UPTAKE SPACE</b> | <b>AY</b> | <b>A</b> | <b>0</b> | <b>0</b>       |             |

CU PHASE TITLE:

**F/O - INSPECT, REPAIR, AND PRESERVE FWD UPTAKE SPACE**

#### MATERIAL REFERENCES

| REF NO.  | DOCUMENT/DRAWING NUMBER | DOCUMENT/DRAWING TITLE | REV |
|----------|-------------------------|------------------------|-----|
| <b>1</b> | <b>259-8436353</b>      |                        |     |

JOB ORDER:

**38KB312386**

KEY OP:

**A01**

#### MATERIAL LIST

| ITEM NO.   | PC NO. | REF NO. | M / C    | DESCRIPTION                                                                                                                                                                                                                                                      | STOCK NUMBER             | GENERIC MATL TYPE | LVL       | QA       | HAZ MAT  | DOC NO. | QTY REQD/ UNIT | QTY USED/ UNIT |
|------------|--------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------|-----------|----------|----------|---------|----------------|----------------|
| <b>400</b> |        |         | <b>M</b> | <b>GASKET,FIBROUS GLASS,<br/>GASKET, FIBROUS GLASS,<br/>WIRE-REINFORCED PLAIN,<br/>TAPE,<br/>SPEC: HH-P-31, TYPE I, CLASS 2,<br/>SIZE: 1/2"W X 1/8"THK X 20FT L,<br/>REMARKS: NON ASBESTOS REQUIRED,<br/><br/>C234 T.TSUNOI, 070-7787-2058<br/>ORDER FOR KTR</b> | <b>9B 5330 LL4924382</b> |                   | <b>NA</b> | <b>4</b> | <b>N</b> |         | <b>13/RO</b>   |                |

NOTES:

M-1

|          |                         |           |            |          |
|----------|-------------------------|-----------|------------|----------|
| TGI NO.: | <b>FWD UPTAKE SPACE</b> | <b>AY</b> | <b>A</b>   | <b>0</b> |
| SHIP:    | <b>DDG-76</b>           | CHG/VER:  | <b>0/0</b> |          |

## MATERIAL LIST

| ITEM NO. | PC NO. | REF NO. | M / C | DESCRIPTION                                                                                                                                                                                                                                                                                                                       | STOCK NUMBER      | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO.  | QTY REQD/ UNIT | QTY USED/ UNIT |
|----------|--------|---------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-----|----|---------|----------|----------------|----------------|
| 401      |        |         | M     | GASKET,FIBROUS GLASS, WIRE-REINFORCED PLAIN, CLOTH, SPEC: HH-P-31, TYPE I, CLASS 1, MATERIAL: FIBER GLASS, WIRE INSERT, FIBER GLASS SIZE: 81-11/16" OD X 76-7/16" ID X 3/8" THK, BOLT CIRCLE DIA: 79-11/16" , 36 BOLT HOLES, 25/32 DIA HOLES, HOLES EQUALLY SPACED BIW CAT# 52248-469, C234 T.TSUNOI, 070-7787-2058 ORDER FOR KTR | 9B 5330 LL9810157 |                   | NA  | 4  | N       |          | 4/EA           |                |
| 402      |        |         | M     | FERRULE, FERRULE, FIBROUS GLASS, WIRE-REINFORCED PLAIN, CLOTH, SPEC: HH-P-31, TYPE I, CLASS 1, SIZE: 31/32"OD X 21/32"ID X 1/2" THK, REMARKS: NON ASBESTOS REQUIRED, BIW CAT NO. 54638-027, C234 T.TSUNOI, 070-7787-2058 ORDER FOR KTR                                                                                            | 9B 5340 LL4941032 |                   | NA  | 4  | N       |          | 350/EA         |                |
| 403      |        |         | M     | WASHER,2, WASHER, FIBROUS GLASS, WIRE-REINFORCED PLAIN, CLOTH, SPEC: HH-P-31, TYPE I, CLASS 1 SIZE: 2" OD X 21/32" ID, 3/8" THK. BIW CAT#: 52419-026 C234 T.TSUNOI, 070-7787-2058 ORDER FOR KTR                                                                                                                                   | 9Z 5310 LL4917124 |                   | NA  | 4  | N       | 53467404 | 420/EA         |                |
| 404      |        |         | M     | GASKET,FIBROUS GLASS, GASKET, FIBROUS GLASS, WIRE-REINFORCED PLAIN, CLOTH, SPEC: HH-P-31, TYPE I, CLASS 1, SIZE: 88-11/16" OD X 83-7/16" ID X 3/8" THK, BOLT CIRCLE DIA: 86-11/16", 40 BOLT HOLES, 25/32" DIA HOLES, HOLES EQUALLY SPACED, BIW CAT# 52248-442 C234 T.TSUNOI, 070-7787-2058 ORDER FOR KTR                          | 9B 5330 LL9810187 |                   | NA  | 4  | N       |          | 2/SH           |                |

M-2

|          |                  |          |     |   |
|----------|------------------|----------|-----|---|
| TGI NO.: | FWD UPTAKE SPACE | AY       | A   | 0 |
| SHIP:    | DDG-76           | CHG/VER: | 0/0 |   |

## MATERIAL LIST

| ITEM NO. | PC NO. | REF NO. | M / C | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                         | STOCK NUMBER      | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO. | QTY REQD/ UNIT | QTY USED/ UNIT |
|----------|--------|---------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-----|----|---------|---------|----------------|----------------|
| 405      |        |         | M     | GASKET,FIBROUS GLASS,<br>GASKET, FIBROUS GLASS,<br>WIRE-REINFORCED PLAIN,<br>CLOTH,<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 53-11/16"OD X 48-7/16"ID X 3/8"THK,<br>REMARKS:BOLT CIRCLE DIA 51-11/16" (24) 25/32"DIA HOLES* HOLES EQUALLY SPACED*<br>BIW CAT NO. 52248-434<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR                                      | 9B 5330 LL9604082 |                   | NA  | 4  | N       |         | 3/EA           |                |
| 406      |        |         | M     | FERRULE, FERRULE, FIBROUS GLASS, WIRE-REINFORCED PLAIN, CLOTH,<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 31/32"OD X 21/32"ID X 3/8"LG,<br>REMARKS: NON ASBESTOS REQUIRED,<br>BIW CAT#: 54638-035,<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR                                                                                                                | 9B 5340 LL4941033 |                   | NA  | 4  | N       |         | 120/EA         |                |
| 407      |        |         | M     | GASKET,FIBROUS GLASS,<br>GASKET, FIBROUS GLASS,<br>WIRE-REINFORCED PLAIN,<br>CLOTH<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 62-11/16"OD X 57-7/16"ID X 3/8"THK,<br>BOLT CIRCLE DIA: 60-11/16",<br>30 BOLT HOLES, 25/32" DIA HOLES, EQUALLY SPACED,<br>REMARKS: NON ASBESTOS REQUIRED,<br>BIW CAT NO. 52248-426,<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR | 9B 5330 LL4941030 |                   | NA  | 4  | N       |         | 1/EA           |                |
| 408      | 105    | 1       | M     | GASKET,FIBROUS GLASS,<br>GASKET, FIBROUS GLASS,<br>WIRE-REINFORCED PLAIN,<br>CLOTH,<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 104-7/8" OD X 95-1/8" ID X 3/8" THK,<br>BOLT CIRCLE DIA: 102-3/8", 40 BOLT HOLES, 9/16" DIA HOLES, EQUAL SPACED,<br>BIW CAT#: 52248-710 (OLD: 88033-507),<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR                          | 9B 5330 LL7051201 |                   | NA  | 4  | N       |         | 2/EA           |                |

M-3

|          |                  |          |     |   |
|----------|------------------|----------|-----|---|
| TGI NO.: | FWD UPTAKE SPACE | AY       | A   | 0 |
| SHIP:    | DDG-76           | CHG/VER: | 0/0 |   |

MATERIAL LIST

| ITEM NO. | PC NO. | REF NO. | M / C | DESCRIPTION                                                                                                                                                                                                                                                                                                                                      | STOCK NUMBER      | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO. | QTY REQD/ UNIT | QTY USED/ UNIT |
|----------|--------|---------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-----|----|---------|---------|----------------|----------------|
| 409      | 119    | 1       | M     | GASKET,FIBROUS GLASS,<br>GASKET, FIBROUS GLASS,<br>WIRE-REINFORCED PLAIN,<br>CLOTH,<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 60-7/8" OD X 51-1/8" ID X 3/8" THK,<br>BOLT CIRCLE DIA: 58-3/8", 24<br>BOLT HOLES, 9/16" DIA<br>HOLES, EQUALLY SPACED,<br>BIW CAT#: 52248-728 (OLD: 88033-493),<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR | 9B 5330 LL7051200 |                   | NA  | 4  | N       |         | 1/EA           |                |
| 410      |        |         | M     | GASKET,FIBROUS GLASS,<br>GASKET, FIBROUS GLASS,<br>WIRE-REINFORCED PLAIN,<br>CLOTH,<br>SPEC: HH-P-31, TYPE I, CLASS 1,<br>SIZE: 106-11/16"OD X 101-7/16"ID X 3/8"THK,<br>BOLT CIRCLE DIA: 104-11/16",<br>40 BOLT HOLES, 25/32" DIA<br>HOLES, HOLES EQUALLY SPACED,<br>BIW CAT NO. 52248-451<br>C234 T.TSUNOI, 070-7787-2058<br>ORDER FOR KTR     | 9B 5330 LL4941031 |                   | NA  | 4  | N       |         | 2/EA           |                |

M-4

|          |                  |          |     |   |
|----------|------------------|----------|-----|---|
| TGI NO.: | FWD UPTAKE SPACE | AY       | A   | 0 |
| SHIP:    | DDG-76           | CHG/VER: | 0/0 |   |

☐ NUCLEAR☐ NON-NUCLEAR

## APPENDIX "D"

### DEFICIENCY FORM

|                               |                                  |                           |                         |           |            |               |
|-------------------------------|----------------------------------|---------------------------|-------------------------|-----------|------------|---------------|
| 1. SHIP/HULL NO.:             | 2a. DL or DR No.<br>(Circle One) | 2b. REVISION:             | 3a. COMPONENT NAME:     | 3b. TYPE: | 3c. PHASE: | 3d. REPEAT:   |
| <b>DDG-76</b>                 |                                  |                           | <b>FWD UPTAKE SPACE</b> | <b>AY</b> | <b>A</b>   | <b>0</b>      |
| 4a. ICN:<br><b>38KB312386</b> |                                  | 4b. KEY OP:<br><b>A01</b> | 5. LOC SPACE/LVL:       | FRAME:    | P/S/C:     | 6. CAUSED BY: |

7. DESCRIPTION:

|                |       |        |            |       |            |
|----------------|-------|--------|------------|-------|------------|
| 8. ORIGINATOR: | NAME: | BADGE: | SHOP/CODE: | DATE: | PHONE NO.: |
|----------------|-------|--------|------------|-------|------------|

9. CORRECTIVE ACTION:

|                |       |        |            |       |            |
|----------------|-------|--------|------------|-------|------------|
| 10. EVALUATOR: | NAME: | BADGE: | SHOP/CODE: | DATE: | PHONE NO.: |
|----------------|-------|--------|------------|-------|------------|

#### FOR NON-NUCLEAR USE ONLY

|                                            |                                    |                                             |
|--------------------------------------------|------------------------------------|---------------------------------------------|
| 11. RFD/RFW REQ'D <input type="checkbox"/> | LAR REQ'D <input type="checkbox"/> | SRD/PLAN REV REQ'D <input type="checkbox"/> |
| ILS MOD REQ'D <input type="checkbox"/>     | DWG NO.: _____                     | S/A NO.: _____                              |

|                                |       |        |            |       |            |
|--------------------------------|-------|--------|------------|-------|------------|
| 12. ISOLATION<br>SATISFACTORY: | SIGN: | BADGE: | SHOP/CODE: | DATE: | PHONE NO.: |
|--------------------------------|-------|--------|------------|-------|------------|

|                                                          |       |        |            |       |           |
|----------------------------------------------------------|-------|--------|------------|-------|-----------|
| 13. SUBSAFE OQE RECORD?                                  | SIGN: | BADGE: | SHOP/CODE: | DATE: | PHONE NO. |
| YES <input type="checkbox"/> NO <input type="checkbox"/> |       |        |            |       |           |

|                                    |       |        |            |       |           |
|------------------------------------|-------|--------|------------|-------|-----------|
| 14. CORRECTIVE ACTION<br>COMPLETE: | SIGN: | BADGE: | SHOP/CODE: | DATE: | PHONE NO. |
|                                    |       |        |            |       |           |

|                                                           |                           |        |            |       |           |
|-----------------------------------------------------------|---------------------------|--------|------------|-------|-----------|
| 15. INSPECTION REQ'D?                                     | INSPECTION COMPLETE/SIGN: | BADGE: | SHOP/CODE: | DATE: | PHONE NO. |
| :YES <input type="checkbox"/> NO <input type="checkbox"/> |                           |        |            |       |           |

|                                          |       |        |            |       |           |
|------------------------------------------|-------|--------|------------|-------|-----------|
| 16. RECORDS REVIEW<br>COMPLETE (DR ONLY) | SIGN: | BADGE: | SHOP/CODE: | DATE: | PHONE NO. |
|                                          |       |        |            |       |           |

DL's ISSUED  
(DR ONLY)

☐ NON-NUCLEAR

|                   |                                  |               |                     |           |            |             |
|-------------------|----------------------------------|---------------|---------------------|-----------|------------|-------------|
| 1. SHIP/HULL NO.: | 2a. DL or DR No.<br>(Circle One) | 2b. REVISION: | 3a. COMPONENT NAME: | 3b. TYPE: | 3c. PHASE: | 3d. REPEAT: |
| DDG-76            |                                  |               | FWD UPTAKE SPACE    | AY        | A          | 0           |

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.