

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

1.0 ABSTRACT

The purpose of this SOR is to provide technicians to perform preventative maintenance in the [REDACTED] Radio Suite for PoP [REDACTED]

2.0 REFERENCES/ENCLOSURES

2.1 References

- 2.1.1 Navy PMS MIP 4402/002 MRC CYP9 Dated May 2025
- 2.1.2 Navy PMS MIP 4402/002 MRC EPA1 Dated May 2025
- 2.1.3 Navy PMS MIP 44117/203 MRC 97 FUA2 N Dated September 2017
- 2.1.4 Navy PMS MIP 4412/018 MRC 53 DTWO N Dated March 2025
- 2.1.5 Navy PMS MIP 4415/032 MRC 43 FTD0 N Dated April 2023
- 2.1.6 Navy PMS MIP 4415/032 MRC 43 FTD1 N Dated April 2023
- 2.1.7 Navy PMS MIP 4417/203 MRC DMZ5 Dated February 2024
- 2.1.8 Navy PMS MIP 4417/203 MRC EXLO Dated March 2024
- 2.1.9 Navy PMS MIP 4417/203 MRC EYB1 Dated May 2025
- 2.1.10 US Navy MIP 4415/032 Dated May 2023
- 2.1.11 US Navy MIP 4415/032-90 Dated September 2020
MRC 97 ETB3 N MEASURE-SYSTEM MODULATION FUNCTIONS
- 2.1.12 US Navy MIP 4415/032-90 Dated September 2020
MRC ETB2 N MEASURE-SYSTEM RECEIVER FUNCTIONS

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

2.2 Enclosures

2.2.1 SAMM Maintenance Items

3.0 ITEM LOCATION/DESCRIPTION/QUANTITY

3.1 Location

3.1.1 Pilot House, Fr. 04-128-0

3.2 Description/Quantity

Equipment	Quantity
• AN/WSC-3(V) LOS	8
• AS-3018A/WSC-1	1
• OA-9123/SRC ANTENNA COUPLER	1
• RT-1107A(V)/WSC-3(V) SATCOM	2
• CBSP Antenna	1

4.0 GOVERNMENT FURNISHED EQUIPMENT/MATERIAL/SERVICE: None

5.0 NOTES

5.1 The contractor and all subcontractors, regardless of tier must consult the General Technical Requirements (GTR) to determine applicability to this work item. In performance of this work item, the contractor and all subcontractors regardless of tier must comply with the requirements of all applicable GTRs including but not limited to GTRs 1 through 7, 22, 23, 24, 28, and 29.

[REDACTED]		
(TAOE [REDACTED])		
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX
ITEM NO. 0404	CATEGORY "A"	2026-02-11
Radio Suite Maintenance		[REDACTED]

5.2 Perform this work item in conjunction with work item 451 Annual RADAR Service.

6.0 QUALITY ASSURANCE REQUIREMENTS: None additional

7.0 STATEMENT OF WORK REQUIRED

7.1 Provide and operate equipment and supply all services, material and assistance to accomplish the servicing of the systems using References 2.1.1 through 2.1.12 and Enclosures 2.1.1 as guidance.

7.2 Coordinate with ship's force to have associated equipment locked and/or tagged out per ship's lock out/tag out policy. When the maintenance is complete, coordinate with ship's force to have associated equipment unlocked and/or tagged in per ship's lock out/tag out policy.

7.3 All work shall only be accomplished by trained, experienced and authorized service personnel for the specific system. They are also to be trained in electrical safety to avoid personnel injury. As such the worker must be fully aware of the risks associated with his surroundings and be fully knowledgeable of health and safety standards. The equipment may contain Electrostatic Sensitive Devices (ESSDs). Take care not to damage these devices by discharge of electrostatic voltages.

7.4 Temporarily remove access panels for cleaning and inspection, where applicable. Retain and mark all fasteners for reinstallation.

7.5 Record the Manufacturer's name, Model and Serial number including revision of software of the equipment identified in section 3.0.

7.6 Visually inspect the physical condition of the equipment and systems identified in section 3.0 including associated antennas and wiring for any damage, corrosion, contamination, deterioration or signs of overheating.

7.6.1 Check the systems for loose connections and contacts and plugs for proper seating. Verify all grounds straps

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

and cable shielding are secure and in good condition.

7.6.2 Check all foundations, bracing, fittings, wireways, bolts and clamps for condition and tightness.

7.6.3 Check all stuffing tubes and cable transits verifying all penetrations are watertight.

7.7 Clean the system components of all dirt, salt and debris using a soft cloth, fresh water and mild soap detergent. Do not use acetone, solvents or chemical-based cleaners.

7.7.1 Test, inspect and verify proper operation of all features, warnings and alarms of the systems using Manufacturer and IMO requirements as guidance.

7.7.2 The inspection is also to ensure emergency sources of power, antennas, batteries, hydrostatic releases, enclosures and location aids are in periodicity, good condition and operational. This should be undertaken using the manufacturer's instructions as guidance by qualified, trained and experienced personnel. Successful completion of the maintenance should be recorded in the ship's onboard planned maintenance log.

7.7.3 Check that emergency sources of power and batteries have capacity to operate the basic equipment for a minimum of 1 hour per SOLAS IV/3. Check that the chargers are the automatic type and can recharge the reserve batteries within 10 hrs.

The contractor shall perform maintenance on:

Line#	Equipment Name	Procedure Title	Task Code
1	NO.1 AN/WSC-3(V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	285498- FTD0

(TAOE ■)			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		
Radio Suite Maintenance			

2	NO.1 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	285498- FTD1
3	NO.1 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	285498- ETB3
4	NO.1 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	285498- ETB2
5	NO.1 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	285498- ETB4
6	NO.1 AS-3018A/WSC-1	MEASURE - RF TRANSMISSION LINE LOSSES	170757- CYP9
7	NO.1 AS-3018A/WSC-1	PERFORM OE-82()/WSC RF POWER ARC TEST	170757- 9895
8	NO.1 OA-9123/SRC ANTENNA COUPLER	SELF-TEST ALARM FUNCTION & MEAS INS LOSS VSWR	260514- DTW0
9	NO.1 RT- 1107A (V) /WSC-3 (V) SATCOM	MEASURE - RECEIVER SENSITIVITY	3677- DMZ5
10	NO.1 RT- 1107A (V) /WSC-3 (V) SATCOM	TEST - SYSTEM FUNCTIONS	3677- EYB1
11	NO.1 RT- 1107A (V) /WSC-3 (V) SATCOM	POWER OUT TEST OF COMB CKTS IN OK-326 RACK	3677- FUA2
12	NO.1 RT- 1107A (V) /WSC-3 (V) SATCOM	TEST - TRANSMITTER AND COMBINER CIRCUIT POWER OUT	3677- EXL0
13	NO.2 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	285499- FTD1

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

14	NO.2 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	285499- ETB2
15	NO.2 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	285499- ETB3
16	NO.2 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	285499- ETB4
17	NO.2 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	285499- FTD0
18	NO.2 AS-3018A/WSC-1	PERFORM OE-82 () /WSC RF POWER ARC TEST	170758- 9895
19	NO.2 AS-3018A/WSC-1	MEASURE - RF TRANSMISSION LINE LOSSES	170758- CYP9
20	NO.2 RT- 1107A (V) /WSC-3 (V) SATCOM	POWER OUT TEST OF COMB CKTS IN OK-326 RACK	301326- FUA2
21	NO.2 RT- 1107A (V) /WSC-3 (V) SATCOM	MEASURE - RECEIVER SENSITIVITY	301326- DMZ5
22	NO.2 RT- 1107A (V) /WSC-3 (V) SATCOM	TEST - SYSTEM FUNCTIONS	301326- EYB1
23	NO.3 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	285500- FTD1
24	NO.3 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	285500- ETB2
25	NO.3 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	285500- FTD0

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

26	NO.3 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	285500-ETB3
27	NO.3 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	285500-ETB4
28	NO.3 AN/WSC-3 (V) LOS	MEASURE SYSTEM FREQUENCY OUTPUT & CONTROL VOLTAGE	285500-ETA0
29	NO.3 RT-1107A (V) /WSC-3 (V) SATCOM	MEASURE - RECEIVER SENSITIVITY	301327-DMZ5
30	NO.3 RT-1107A (V) /WSC-3 (V) SATCOM	TEST - SYSTEM FUNCTIONS	301327-EYB1
31	NO.3 RT-1107A (V) /WSC-3 (V) SATCOM	TEST - TRANSMITTER AND COMBINER CIRCUIT POWER OUT	301327-EXL0
32	NO.4 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	285501-ETB4
33	NO.4 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	285501-FTD0
34	NO.4 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	285501-ETB2
35	NO.4 AN/WSC-3 (V) LOS	MEASURE SYSTEM FREQUENCY OUTPUT & CONTROL VOLTAGE	285501-ETA0
36	NO.4 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	285501-FTD1
37	NO.4 RT-1107A (V) /WSC-3 (V) SATCOM	TEST - TRANSMITTER AND COMBINER CIRCUIT POWER OUT	301328-EXL0

(TAOE ■)			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		
Radio Suite Maintenance			

38	NO.4 RT- 1107A(V) /WSC-3 (V) SATCOM	MEASURE - RECEIVER SENSITIVITY	301328- DMZ5
39	NO.4 RT- 1107A(V) /WSC-3 (V) SATCOM	TEST - SYSTEM FUNCTIONS	301328- EYB1
40	NO.5 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	62123- ETB3
41	NO.5 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	62123- ETB2
42	NO.5 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	62123- ETB4
43	NO.5 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	62123- FTD1
44	NO.5 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	62123- FTD0
45	NO.5 AN/WSC-3 (V) LOS	MEASURE SYSTEM FREQUENCY OUTPUT & CONTROL VOLTAGE	62123- ETA0
46	NO.6 AN/WSC-3 (V) LOS	MEASURE SYSTEM FREQUENCY OUTPUT & CONTROL VOLTAGE	62124- ETA0
47	NO.6 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	62124- ETB2
48	NO.6 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	62124- ETB2
49	NO.6 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	62124- ETB4

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

50	NO.6 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	62124- FTD1
51	NO.6 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	62124- FTD0
52	NO.7 AN/WSC-3 (V) LOS	MEASURE SYSTEM FREQUENCY OUTPUT & CONTROL VOLTAGE	285496- FTD1
53	NO.8 AN/WSC-3 (V) LOS	MEASURE - TRANSMIT DEVIATION	285497- ETB4
54	NO.8 AN/WSC-3 (V) LOS	MEASURE - SYSTEM RECEIVER FUNCTIONS	285497- ETB2
55	NO.8 AN/WSC-3 (V) LOS	MEASURE LOS AM NARROWBAND AND WIDEBAND MODULATION	285497- FTD1
56	NO.8 AN/WSC-3 (V) LOS	MEASURE RECEIVER AM, FM, SQUELCH SENSITIVITY	285497- FTD0
57	NO.8 AN/WSC-3 (V) LOS	MEASURE - SYSTEM MODULATION FUNCTIONS	285497- ETB3
58	Power Switch on CBSP Antenna Pedestal	Replace power switch (VR21-0147)	N/A

7.8 Provide a condition report to the OMT REP summarizing all as found conditions and any recommended parts and repairs.

7.9 Upon approval, reinstall all access panels and covers using existing fasteners leaving the systems in a ready for service condition.

7.10 Upon completion of repairs, adjustments and tests optimize and tune the system, as applicable. Demonstrate satisfactory operation of the ship's systems to the OMT REP, Captain and Navigator.

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"	[REDACTED]	
Radio Suite Maintenance		[REDACTED]	

7.11 Verify all shipboard and equipment manuals required to be on board with latest revisions.

7.12 Provide four (4) hours of onboard training to the ship's Crew.

7.13 Reports

7.13.1 When inspection, service and testing reveal any deficiency a condition report is to be submitted to the OMT REP with recommended repairs and parts required. Submit one (1) electronic copy in Portable Document Format (PDF).

7.13.2 All reports and checklists are to be completed and signed by the person who carried out the inspection and maintenance work and countersigned by the Company's representative.

7.14 Painting

7.14.1 Prepare, prime, paint and restore all new, soiled, and disturbed surfaces to match surrounding surfaces.

7.15 Manufacturer's Representative

7.15.1 Provide the services of a Manufacturer's Authorized Technical Representative to perform any and all system tests, adjustments and maintenance to ensure full and complete operation of the systems using IMO and manufacturer's performance specifications as guidance. In addition, the Technical Rep is to be an ABS recognized External Specialist for the specific system.

[REDACTED]			
(TAOE [REDACTED])			
COMMUNICATION AND NAVIGATION		CONTRACT NO. XXXXXXXX	
ITEM NO. 0404	CATEGORY "A"		[REDACTED]
Radio Suite Maintenance		[REDACTED]	

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

7.15.2 Provide the OMT REP with a signed letter of qualification from the original equipment manufacturer, certificate of training for the system identified in section 3.0 and ABS Certificate # prior to the start of any work.

7.16 Preparation of Drawings: None additional

8.0 GENERAL REQUIREMENTS: None additional