

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LPD-22	USS SAN DIEGO		38DX258301	03	A04

TITLE:

(FOA)~ SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD; accomplish

JOB SPECIFICATION

Anticipated Award Date: <u>04/24/2026</u>		Production Completion Date: <u>07/04/2026</u>		PREPARING ACTIVITY: SASEBO	
POP Start Date: <u>04/27/2026</u>		POP End Date: <u>09/30/2026</u>			
PREPARED BY: M.NOGUCHI			CODE P NM	DATE 4/16/2026	
APPROVED BY: S.MURAKAMI <i>S.M</i>			CODE S225		
CONCURRED BY: T.TAKAMASU <i>Ta</i>			CODE S234		
ASSIST PLANNER'S NAME:			CODE		
ASSIST PLANNER'S NAME:			CODE		
ASSIST PLANNER'S NAME:			CODE		
DESCRIPTION:					
JSN(S): EXSA-ZCC6		CASREP #			
S/F CONTACT: CIV		CWP #		CCNS #	
Approved by S300/S900 <i>[Signature]</i> Date: <u>4/16/26</u> Avl: <u>6C1</u>					
LWC: _____					
Work Completed					
S/Force: _____		Rate: _____		Date: _____	
SHIPSUPT: _____		Date: _____		SRF CONTROL NO.: <u>1301359170</u>	
WORK CERTIFICATION SIGNATURES					
COMPLETION OF WORK REVIEW:		BADGE NO.:	SHOP/CODE:	PHONE	DATE:

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LPD-22	USS SAN DIEGO		38DX258301	03	A04

TITLE:

(FOA)~ SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD; accomplish

1. SCOPE:

1.1 (FOA)~ SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD; accomplish

1.2 Location of Work:

1.2.1 01 Level Weather Deck, Frames 85 through 92.5, Boat Valley

1.3 Identification:

1.3.1 Listed in 2.2 for Countermeasure Washdown System Modification, Located in 1.2.1

2. REFERENCES:

2.1 Standard Items (FY 26)

2.2 671-8676974 Rev A, SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD

2.3 S9AA0-AB-GOS-010 REV 12, General Specifications for Overhaul of Surface Ships (GSO)

3. REQUIREMENTS:

3.1 Accomplish the requirements of 2.2 for modification of countermeasure washdown system, including each note.

3.1.1 Accomplish the requirements of **009-012** of 2.1 including Table One, Column A, Lines One through 10.

3.1.2 Accomplish the Requirements of **009-012** of 2.1 including Table 2, Column A, Lines one through 7.

(V) (G) "RUNNING AIR TEST"

3.1.3 Accomplish the running air test of countermeasure washdown piping affected by this work item to verify no leakage, using Section 192f of 2.3 for guidance. - **S130**

3.1.3.1 Apply a soapy solution to the outside of the welded joint and inspect for leaks.

3.1.3.2 Inspect joint for leakage by observing for formation of bubbles. Allowable leakage: None.

(V) (G) "OPERATING PRESSURE TEST AT SEA"

3.2 Ensure to obtain the test results of the operational test of countermeasure washdown piping to verify tightness of each welded joint

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38DX258301	Rev: 03	Key Op: A04
LPD-22	USS SAN DIEGO				

TITLE:

(FOA)~ SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD; accomplish

affected by this work item during the ship's underway witnessed by SRF - **S246 Coordinated SRF Representative** (See Note 4.3).

3.3 Accomplish the requirements of **009-032** of 2.1 for cleaning and preservation of each new and disturbed surface to match surrounding areas.

4. NOTES:

4.1 Modification initiated by condition report Serial No. HOS-002, date: 3/26/2026, Contractor name: HOSEI CO.LTD..

4.2 Each pipe (Item No.101 of 5.2) and reducing tee fitting (Item No.102 of 5.2) are used instead of each pipe (PC No.P4 of 2.2) and reducing tee fitting (PC No.F8 of 2.2) with design section concurrence under ELM-255125.

4.3 SRF (S246 Coordinated SRF Representative) will witness operational test specified in 3.2 for countermeasure washdown piping when ship is underway. Contractor does not need to witness operational test.

4.4 SRF Tool Room will issue pressure gauges.

4.5 The kitted materials on 2.2 and each material in 5.2 will be received from the project team.

5. GOVERNMENT FURNISHED MATERIAL:

5.1 Material on 2.2 will be provided by Project Team as kitted material (See 4.5).

5.2 Following Materials are ordered by 38DX258301-A01 (See 4.5).

MATERIAL LIST									
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY REQD/ UNIT	PARA NO.
101	P4	2.2	M	PIPE, 3/4"IPS, 1.050"OD X 0.065"WT, MIL-T-16420, CNA 90/10	9B 4710 002774656	N	5195B178	10/FT	3.1
102	F8	2.2	M	TEE, REDUCING, 400 PSI, SWLDG, 1-1/2 NPS X 1 NPS X 3/4 NPS, CUNI 90/10, 803-6397430, P/N 640121R.277	9B 4730 SAPNM0095	N	5196CS08	2/EA	3.1
103			M	WELDING ELECTRODE, 1/16" X 36", MIL-RN67, MIL-E-21562, CL.2, GTAW	9B 3439 000888988	Y	5220B028	2/BX	3.1
104			M	ROD,WELD, 1/16 X 36, MIL-RN60, MIL-E-21562, CL.2, GTAW	9B 3439 000887791	Y	5196B085	1/BX	3.1
105			M	ROD,WELD, 3/32 X 36, MIL-70S-2, MIL-E-23765/1, CL.6, GTAW	9B 3439 010172792	Y	5196B086	1/CO	3.1
106			C	PIPE, 1-1/2"IPS, 1.900"OD X 0.072"WT, MIL-T-16420, CNA 90/10	3B 4710 002898005	N	5195B180	10/FT	
107			C	PIPE, 1"IPS, 1.315"OD X 0.065"WT, MIL-T-16420, CNA 90/10	9B 4710 002774657	N	5195B179	10/FT	
108			C	ELBOW, 3/4"IPS, 90 DEG, LR, SW, 400#, 803-6397430, CNA 90/10	9B 4730 SA4462495	N	5196CS03	2/EA	

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LPD-22	USS SAN DIEGO		38DX258301	03	A04

TITLE:

(FOA)~ SHIPALT LPD17-92168 Countermeasure Washdown SYS MOD; accomplish

MATERIAL LIST									
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY REQD/ UNIT	PARA NO.
109			C	ELBOW, 1-1/2"IPS, 90 DEG, LR, SW, 400#, 803-6397430, CNA 90/10	9B 4730 SA4462498	N	5196CS04	2/EA	
110			C	BHD/DK SLEEVE, LEEVE, 3/4"IPS, 810-2145801, C-STEEL	9B 2040 002730686	N	5195B175	1/PG	
111			C	BHD/DK SLEEVE, 1"IPS, 810-2145801, C-STEEL	9B 2040 002730687	N	5195B176	1/EA	
112			C	BULKHEAD SLEEVE, 1-1/2"IPS, 810-2145801, C-STEEL	9B 2040 002730689	N	5195B177	1/EA	
113			C	TEE, RDCG, 1 X 3/4 X 3/4"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 SA4462528	N	5196CS05	1/EA	
114			C	TEE, RDCG, 1 X 1 X 3/4"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 SA4598192	N	5196CS06	1/EA	
115			C	TEE, RDCG, 1-1/2 X 1-1/2 X 1/2"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 SA4462547	N	5196CS07	1/EA	
116			C	COUPLING, 1"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 014635857	N	5196B033	1/EA	
117			C	COUPLING, 3/4"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 014635878	N	5196B035	2/EA	
118			C	BHD/DK SLEEVE, BHD/DK SLEEVE, 1/2"IPS, 810-2145801, C-STEEL	9B 2040 002730685	N	5195B174	1/EA	
119			C	REDUCER, BUSHING, 1" X 1/2"IPS, SW, 400#, 803-6397430, CNA 90/10	9B 4730 014834422	N	5196B038	1/EA	

5.3 SRF will provide following materials.

MATERIAL LIST									
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY REQD/ UNIT	PARA NO.
001			M	PLATE, METAL, 1/4"THK X 60"W X 20FT LG, STEEL, MIL-S-22698 GRADE DH-36	9B 9515 002243086	N		1/PM	3.1