

# **USCG TRACEN Cape May Stormwater Pollution Prevention Plan**

## Table of Contents

|                                                                                                      |           |
|------------------------------------------------------------------------------------------------------|-----------|
| <b>Form 1 – Team Members .....</b>                                                                   | <b>3</b>  |
| <b>Form 2 – Revision History .....</b>                                                               | <b>4</b>  |
| <b>Form 3 – Public Announcements .....</b>                                                           | <b>5</b>  |
| <b>Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment.....</b>    | <b>6</b>  |
| <b>Form 5 – Regulatory Mechanisms .....</b>                                                          | <b>7</b>  |
| <b>Form 6 – Monthly Street Sweeping.....</b>                                                         | <b>8</b>  |
| <b>Form 7 – MS4 Infrastructure .....</b>                                                             | <b>9</b>  |
| <b>Form 8 – Good Housekeeping .....</b>                                                              | <b>12</b> |
| <b>Form 9 – Best Management Practices at Maintenance Yards &amp; Other Ancillary Operations.....</b> | <b>14</b> |
| <b>Form 10 – Training .....</b>                                                                      | <b>19</b> |
| <b>Form 11 – MS4 Mapping.....</b>                                                                    | <b>21</b> |
| <b>Form 12 – Watershed Improvement Plan .....</b>                                                    | <b>22</b> |

## Form 1 – Team Members

| Stormwater Program Coordinator (SPC)                                                 |                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name and Title</b>                                                                | <p>Mr. Vincent Perez, Environmental Protection and Safety Specialist (EPS)</p> <p>PEREZ.VINCENT.FRAN<br/>X K.1235263099</p> <p>Digitally signed by PEREZ.VINCENT.FRANK.1235263099<br/>Date: 2024.08.01 13:45:16 -04'00'</p> <p>Vincent.F.Perez2@uscg.mil</p>    |
| Individual(s) Responsible for Major Development Project Stormwater Management Review |                                                                                                                                                                                                                                                                 |
| <b>Name and Title</b>                                                                | <p>LT Wesley Russell, Facilities Engineering Maintenance Branch Chief</p> <p>RUSSELL.WESLEY.BRA<br/>X DFORD.1523589497</p> <p>Digitally signed by RUSSELL.WESLEY.BRADFORD.1523589497<br/>Date: 2024.08.01 14:53:15 -04'00'</p> <p>Wesley.B.Russell@uscg.mil</p> |
| <b>Name and Title</b>                                                                | <p>LCDR Niles Pierson, Facilities Engineer</p> <p>PIERSON.NILES.CHRISTIAN.<br/>X 1283556138</p> <p>Digitally signed by PIERSON.NILES.CHRISTIAN.1283556138<br/>Date: 2024.08.06 16:23:47 -04'00'</p> <p>Niles.C.Pierson@uscg.mil</p>                             |
| TRACEN Cape May Commanding Officer                                                   |                                                                                                                                                                                                                                                                 |
| <b>Name and Title</b>                                                                | <p>CAPT Warren Judge, Commanding Officer</p> <p>JUDGE.WARREN.D.1<br/>X 068419120</p> <p>Digitally signed by JUDGE.WARREN.D.1068419120<br/>Date: 2024.08.14 15:06:14 -04'00'</p> <p>Warren.D.Judge@uscg.mil</p>                                                  |

## Form 2 – Revision History

| Revision Date | Form # Changed | Reason for Revision<br>(Updates to staff, policy, webpage, etc.) |
|---------------|----------------|------------------------------------------------------------------|
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |
|               |                |                                                                  |

**Form 3 – Public Announcements**  
*Part IV.B. and C.*

|                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1. Provide the link to the dedicated stormwater webpage for your Public Complex.</b>                                                                                                                                                                                                                                               |
| <a href="https://www.forcecom.uscg.mil/Our-Organization/FORCECOM-UNITS/TraCen-Cape-May/Public-Affairs/">https://www.forcecom.uscg.mil/Our-Organization/FORCECOM-UNITS/TraCen-Cape-May/Public-Affairs/</a>                                                                                                                             |
| <b>2. List the name and title of person(s) responsible for stormwater webpage postings/updates.</b>                                                                                                                                                                                                                                   |
| Mr. Vincent Perez, EPS; GS-12 Supervisor, Environmental Protection and Safety Section (EPSS)                                                                                                                                                                                                                                          |
| <b>3. Only for colleges, universities, and military bases with dependents living on base: List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.</b> |
| <a href="https://www.forcecom.uscg.mil/Our-Organization/FORCECOM-UNITS/TraCen-Cape-May/Public-Affairs/">https://www.forcecom.uscg.mil/Our-Organization/FORCECOM-UNITS/TraCen-Cape-May/Public-Affairs/</a><br><br>USCG Training Center Cape May (Official) Facebook Page                                                               |

**Form 4 – Post-Construction Stormwater Management in New Development  
and Redevelopment**  
*Part IV.E.*

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>1. How does the permittee define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.</b></p>                                                                                                                                                                                                                                                                                                                                                                              |
| <p>Major Development is defined in accordance with (IAW) N.J.A.C. 7:8: as an individual development or multiple developments that result(s) in the disturbance of one or more acres of land to include the creation of one quarter acre or more of “regulated impervious surface or regulated motor vehicle surface.”</p>                                                                                                                                                                                                        |
| <p><b>2. Describe the process for reviewing and approving major development project applications for compliance with the Stormwater Management Rules at N.J.A.C. 7:8.</b></p>                                                                                                                                                                                                                                                                                                                                                    |
| <p>Prior to implementing a project or action, a National Environmental Policy Act (NEPA) review is conducted to ensure compliance by means of pre-construction or operating permits, with the Coastal Zone Management Act, in addition to Land Resource Protection and Pollution Prevention plans for air emissions, stormwater/wastewater and oil/chemical spill control measures. Additionally, all plans are reviewed for impact to Natural Resource management and Historic Preservation federal and state requirements.</p> |
| <p><b>3. Did the permittee request a variance from the design and performance standards for the stormwater measures? Describe the process of developing a mitigation plan.</b></p>                                                                                                                                                                                                                                                                                                                                               |
| <p>No variances from the design and performance standards for stormwater measures have been requested by TRACEN Cape May. If a variance is requested, TRACEN Cape May will identify measures that are specific to future individual projects to offset the deficit. Upon approval of a variance, TCCM will submit the respective records to the New Jersey Department of Environmental Protection (NJDEP) and the Stormwater County Planning Board and retain copies of the records electronically for reference.</p>            |
| <p><b>4. Indicate the physical location of approved applications for major development projects and Major Development Summary Sheets.</b></p>                                                                                                                                                                                                                                                                                                                                                                                    |
| <p>Approved applications for major development projects are maintained through the TRACEN Cape May Facilities Engineer, as well as the Coast Guard Office of Environmental Management (CG-47) and the Assistant Commandant for Engineering and Logistics (CG-4).</p>                                                                                                                                                                                                                                                             |

**Form 5 – Regulatory Mechanisms**  
*Part IV.F.1.*

| <b>Regulatory Mechanism</b>                                                                                                                                                                                                                       | <b>Date Adopted</b> | <b>Was the DEP model adopted without change? If not, explain how the Public Complex's Regulatory Mechanism is more stringent.</b> | <b>Entity Responsible for Enforcement</b> | <b>Fees &amp; Fines</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------|
| 1. Pet Waste Control                                                                                                                                                                                                                              | 01/01/24            | Yes                                                                                                                               | Code Enforcement                          | \$0                     |
| 2. Wildlife Feeding Control                                                                                                                                                                                                                       | 01/01/24            | Yes                                                                                                                               | Code Enforcement                          | \$0                     |
| 3. Litter Control                                                                                                                                                                                                                                 | 01/01/24            | Yes                                                                                                                               | Code Enforcement                          | \$0                     |
| 4. Improper Disposal of Waste                                                                                                                                                                                                                     | 01/01/24            | Yes                                                                                                                               | Code Enforcement                          | \$0                     |
| 5. Yard Waste                                                                                                                                                                                                                                     | 01/01/24            | Yes                                                                                                                               | Code Enforcement                          | \$0                     |
| <b>List any additional stormwater-related regulations the permittee has adopted that address issues beyond the scope of the MS4 permit, if applicable. Include adoption date, entity responsible for enforcement, and related fees and fines.</b> |                     |                                                                                                                                   |                                           |                         |
| TRACEN Cape May has not adopted any additional regulatory mechanisms that address issues beyond the scope of the MS4 permit.                                                                                                                      |                     |                                                                                                                                   |                                           |                         |
| <b>Indicate the location of records associated with regulations and related violations and enforcement actions below.</b>                                                                                                                         |                     |                                                                                                                                   |                                           |                         |
| The location of records associated with regulations and related violations and enforcement actions are maintained in the TRACEN Cape May Safety and Environmental Teams page and monitored by the TRACEN Cape May EPSS staff.                     |                     |                                                                                                                                   |                                           |                         |

**Form 6 – Monthly Street Sweeping**  
*Part IV.F.2.c.*

- 1. Provide a written description and/or attach a map outlining all paved parking lots and streets on your property that have storm drain inlets that direct stormwater runoff into an MS4 or discharge directly to surface water.**

*Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.*

Paved roadways and parking lots for residents and workforce running parallel to Cape May Harbor include located on TRACEN Cape May with storm drain inlets consist of:

- Chase Ave., Delaware Ave., Diligence Ave., Dobbin Ave., Munro Ave., Pennsylvania Ave., Pickering Ave., Rittchier Rd., South Carolina Ave., Vigilant Ave., and Virginia Ave.

Paved roadways and available parking for residents and workforce running perpendicular to Cape May Harbor consist of:

- Arcus Rd., Baltimore Ave., Bear Ave., Brooklyn Ave., Commander's Way, Eagle Ave., Massachusetts Ave., Perchard Ave., Princeton Ave., St. Louis Ave., Wilmington Ave., and Yeaton Ave.

- 2. Indicate if sweeping work is outsourced and if so, describe the arrangement.**

Street sweeping work onboard TRACEN Cape May is not outsourced.

**Form 7 – MS4 Infrastructure**  
***Part IV.F.2.d-f. and Part IV.F.3.***

**1. Storm Drain Inlets**

- a. Describe how inlets owned or operated by the permittee that do not have a permanent wording cast into the design have been properly labelled.**
- b. Describe how you ensure that Public Complex owned storm drain inlets have been retrofitted.**
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.**
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.**

- a. Inlets that do not have permanent wording cast into the design have been labeled using buttons or stencils that we spray paint to ensure it is known that the storm drain leads to a waterway.
- b. Once TRACEN Cape May receives funding from the US Coast Guard Shore Infrastructure Logistics Center, TRACEN Cape May will complete a project to replace all of our storm drain inlets with inlets that comply with the standards set forth in Attachment B (Design Standards for Storm Drain Inlets) of our New Jersey Pollutant Discharge Elimination System permit.
- c. Plans for newly installed/constructed storm drain inlets include a catch basin and/or some sort of BMP, such as an oil-water separator net, installed directly below the inlet grate to collect both solids and free-floating particulates that could potentially drain to and contaminate surface waters.
- d. TRACEN Cape May's Most Efficient Organization (MEO) and EPSS staff inspect all storm drains at least annually. This is achieved by driving or walking by an inlet and ensuring there are no solids or particulates clogging the drain. If debris is found to be clogging the inlet grate, staff remove the debris and dispose of it properly.

**2. Catch Basins**

- a. Describe when and how you conduct inspections of catch basins.**
- b. Describe the criteria used to determine when catch basins need to be cleaned. Include a description of the equipment and techniques used.**

- a. Catch basins are inspected annually by MEO and/or EPSS staff. Additionally, catch basins are monitored following any heavy weather event that may cause debris to accumulate in or near catch basins.
- b. Work orders are placed through Facilities Engineering to clean out catch basins. Cleaning is conducted via a trailer mounted vacuum and clean-out unit.

### **3. Conveyance System**

- a. Describe when and how inspections of MS4 conveyance systems are conducted.**
- b. Describe the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.**

- a. TRACEN Cape May inspects the MS4 conveyance systems on base following severe rain and thunderstorms. When trash and debris are noticed in conveyance systems, TRACEN Cape May MEO staff clean the affected conveyance system within five days. Additionally, all conveyance systems are inspected daily by the TRACEN Cape May Officer of the Day.
- b. MS4 conveyance system clean outs are conducted on an as needed basis. When clean outs occur, TRACEN Cape May MEO staff visually inspect the conveyance system but can utilize cameras when needed. TRACEN Cape May MEO staff use hand tools and vacuum equipment to assist with the clean out process.

### **4. Outfall Inspections**

- a. Structural Integrity – Describe the program in place to check the overall condition of stormwater outfalls. Include a description of the equipment and techniques used.**
- b. Stream Scouring – Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.**
- c. Illicit Discharge Detection and Elimination – Describe the program in place for conducting visual dry weather inspections of Public Complex owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.**

TRACEN Cape May has adopted the inspection and maintenance requirements IAW section F.3.b of our MS4 Permit. This is used in conjunction with the record keeping requirements of TRACEN Cape May’s Spill Prevention, Control, and Countermeasure Plan (SPCC) and stormwater inspection requirements at semi-annual and annual intervals, respectively.

- a. Structural Integrity is conducted using the NJDEP Outfall Inspection Form annually; this form is located on the NJDEP Public Complex MS4 Stormwater Permit website.
- b. Upon discovery of stream scouring, TRACEN Cape May utilizes the NJDEP Stream Scouring Investigation Recordkeeping Form to document the situation; this form is located on the NJDEP Public Complex MS4 Stormwater Permit website.
- c. Currently there are no records of illicit connections or discharges on the public complex. Upon discovery of an illicit connection or discharge, TRACEN Cape May will activate components of the approved SPCC and contracted Oil Spill Response Organization (OSRO). TRACEN Cape May will also utilize the NJDEP Illicit Connection Inspection Report Form to record any cases of illicit connections or discharges; this form is located on the NJDEP Public Complex MS4 Stormwater Permit website.

**5. Other Infrastructure – List the types of MS4 infrastructure on the Public Complex property that requires inspection but are not noted above in items 1-4. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.**

N/A

**6. Infrastructure Records – Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.**

All records pertaining to inspections are maintained through the TRACEN Cape May EPSS.

All cleaning, maintenance and repair logs are maintained through the Shore Asset Management (SAM) system and available for review through the Facilities Engineering Division.

## Form 8 – Good Housekeeping

### *Part IV.F.2.g-l.*

#### **1. Herbicide Application Management – Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.**

All herbicides and pesticides are applied IAW with F.2.f. of our MS4 Permit and are utilized as follows:

- a. In a manner that prevents the herbicides from being washed into storm drains or surface water.
- b. Applied only along curb lines and unobstructed shoulders containing unwanted vegetation.
- c. Applied within a 2-foot radius of structures where overgrowth presents a safety hazard or where mowing is not possible.
- d. Herbicides and pesticides are not applied on any sloped ground that leads to storm drains or surface water access.

#### **2. Excess De-icing Material Management – Describe your program for ensuring that excess piles of salt and de-icing/anti-icing materials are removed in a timely manner after storm events.**

All Excess De-icing material is managed IAW with F.2.g of our MS4 Permit as follows:

- a. TRACEN Cape May snow removal crews have been trained to apply salt and de-icing media only after roadways have been plowed following heavy winter weather.
- b. The use of de-icing media is then applied to areas with a greater chance of ice formation rather than throughout the entire roadway system.
- c. Media is collected no more than 72 hours from a winter weather event and disposed of either as solid waste or hazardous waste based on the material being applied.

#### **3. Vegetative Waste Management – Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated at the Public Complex, such as trimming trees, mowing, etc.**

Vegetative Waste is managed IAW F.2.h of our MS4 Permit as follows:

- a. All vegetative waste is collected in a dedicated area greater than 100 ft from storm drain inlets and surface water access.
- b. Waste removal is conducted through a contract managed by Waste Management Inc. and regularly removed at the intervals specified by the service contract.

**4. Tree Replacement Management – Describe your program for ensuring the proper removal and replacement of trees at your Public Complex.**

Tree Replacement Management is conducted IAW F.2.i. of our MS4 Permit as follows:

- a. Trees are removed if they are determined to be a hazard or diseased tree that could cause harm to personnel, property, or planned civil engineering projects. If a tree is to be removed, it is removed by either the MEO staff or, if a serious hazard exists, by a licensed and insured contractor, who is also responsible for the disposal of the removed tree sections.
- b. IAW with the Cape May Shade Tree Commission, if a tree is removed, it will be replaced in kind, with a healthy tree, as close to the point of removal as allowed.

**5. Roadside Erosion Control – Describe your program to detect and repair erosion along Public Complex owned driveways, streets, and parking areas.**

Facilities Engineering staff conduct annual routine inspections in conjunction with outfall inspections along waterfront and roadside infrastructure to assess structural integrity and erosion that may impact or impede stormwater flow or introduce pollutants to the watershed.

**6. Outdoor Refuse Containers and Dumpsters – Describe your program to ensure that outdoor dumpsters and refuse containers on Public Complex property are covered and not discharging pollutants to stormwater or surface water.**

TRACEN Cape May Quality Assurance staff conducts regularly scheduled inspections of outdoor refuse containers for general use to ensure they are covered, and appropriate materials are placed within.

The use of three 30 cubic yard open top bulk dumpsters are available to tenant commands and contained inside a locked, fenced yard greater than 50 feet from the closest storm drain on Munro Avenue. Only nonhazardous solid material is permitted in the dumpsters, which are controlled by the TRACEN Cape May Quality Assurance staff.

The use of one 30 cubic yard open top dumpster is available for scrap metal disposal and is contained inside a locked, fenced yard greater than 50 feet from the closest storm drain on Perchard Avenue.

All hazardous materials ready for transport and disposal are maintained within a designated Central Accumulation Area (CAA). The CAA is outfitted with containment berms around waste disposal areas and are monitored weekly by EPSS staff as part of TRACEN Cape May's SPCC. Additionally, the CAA is monitored following a heavy weather event, with appropriate response action taken as necessary. Any materials that are deemed to be a threat to storm or surface water are pumped into containment totes and disposed of by certified hazardous waste haulers.

**Form 9 – Best Management Practices at Maintenance Yards & Other Ancillary Operations**  
*Part IV.F.4.*

*Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the Public Complex owns or operates: 2*

| 1. Site Name and Address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| Training Center Cape May Facilities Maintenance and Repair Yard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |
| 2. Monthly Site Inspections – Describe the nature of inspections conducted at this site and the location of inspection logs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |
| <p>Maintenance personnel assigned to the Facilities Engineering motor pool are responsible for weekly and monthly preventative maintenance inspections on listed mechanical equipment. Visual examination of hoses, tubing, and piping are conducted to ensure there are no drips or leaks while equipment is in use or during layup.</p> <p>EPSS staff conduct monthly inspections of grounds and catch basins within the site in addition to required SPCC inspections of above ground storage tanks, associated piping, and containment structures.</p> <p>Equipment inspection records are maintained within TRACEN Cape May's SAM database. All records pertaining to SPCC inspections are maintained electronically with the EPSS Office.</p> |                         |
| 3. Inventory List – List all materials and machinery that are potentially exposed to stormwater.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                         |
| Materials                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Machinery/Equipment     |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Kubota RTV-X1100C       |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Kubota RTV-X1100C       |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Bobcat 5600             |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Bobcat 5600             |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Kubota L3240 Tractor    |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Kubota MF091 Tractor    |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Fire Rescue Engine 5971 |

**Form 9 – Best Management Practices at Maintenance Yards & Other Ancillary Operations**  
*Part IV.F.4.*

*Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the Public Complex owns or operates: 2*

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>1. Site Name and Address</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                            |
| Training Center Cape May Demobilization Yard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                            |
| <b>2. Monthly Site Inspections – Describe the nature of inspections conducted at this site and the location of inspection logs.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                            |
| <p>Prior to the disposition or demobilization of unused or end of service equipment, each item is inspected and certified clear of any associated operating fluids and chemicals. Used fluids, lubricants, and chemicals are processed by the hazardous materials coordinator, and equipment is placed for transfer or disposal with the real property manager.</p> <p>Storage areas for landscaping use are monitored and maintained by the MEO staff. Landscaping materials are separated within concrete constructed containment berms IAW section F.2.g. I-III and F.4.1.I-II of our MS4 Permit.</p> <p>The area is monitored for excess vegetative growth and cleared as needed via the use of approved pesticides and herbicides IAW section F.2.f. I-VII of our MS4 Permit.</p> |                            |
| <b>3. Inventory List – List all materials and machinery that are potentially exposed to stormwater.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                            |
| <b>Materials</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Machinery/Equipment</b> |
| Sand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Cummins- C6006R            |
| Pea Gravel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Harper Turf Sweeper TV60R  |
| Small River Rock                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Izuzu Street Sweeper A400  |
| Wood Mulch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | John Deer Tractor A41      |
| Loose Gravel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Fire Engine 5932           |

**4. Discharge of Stormwater from Secondary Containment – Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.**

The CAA is inspected weekly IAW the approved SPCC. If any containment is compromised or spilled into secondary containment and mixed with stormwater, all water is pumped into an approved hazardous waste tote and prepped for disposal via a certified hazardous waste hauler.

The containment is also monitored and maintained free of contaminants prior to any forecasted heavy weather event to safely be pumped free of any rainwater collected over a period of heavy precipitation.

**5. Fueling Operations – Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.**

Fueling does occur on site. TRACEN Cape May and tenant commands conduct fueling operations IAW the approved SPCC. The plan requires the use of secondary containment, where applicable, and the use of emergency stops and spill kits in the event of an accidental discharge.

**6. Vehicle/Equipment Maintenance and Repair – Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.**

Vehicle maintenance and repairs are completed on site; however, they are completed indoors or under cover without being exposed to stormwater.

If a vehicle will be exposed to stormwater, fluid containment is placed to collect any discharge and monitored by MEO and EPSS staff.

In the event of forecasted heavy weather, all efforts are made to move any vehicles under repair to minimize stormwater intrusion/contamination.

**7. Wash Wastewater Containment – Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.**

Vehicles at TRACEN Cape May are washed on site next to the Garage. TRACEN Cape May currently does not have an on-site containment structure, but vehicles are washed approximately 50 feet from the nearest storm drain inlet to help prevent wash water from entering the stormwater system. Currently no onsite containment structures exist for the storage of wash wastewater.

|                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>8. Salt and Other Granular De-icing/Anti-icing Materials – Do you store salt and other granular de-icing/anti-icing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p> |
| <p>Salt and other granular deicing/anti-icing materials are stored on site IAW section F.4.k. of our MS4 Permit.</p>                                                                                                                                                                                                           |
| <p><b>9. Aggregate Material, Wood Chips, and Finished Leaf Compost – Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p>                                   |
| <p>Aggregate material is stored on site IAW F.4.l. of our MS4 Permit.</p>                                                                                                                                                                                                                                                      |
| <p><b>10. Cold Patch Asphalt – Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p>                                                                         |
| <p>Cold patch asphalt is stored on site at Building 19 – Facilities Engineering Storage Warehouse IAW with F.4.m. of our MS4 Permit.</p>                                                                                                                                                                                       |
| <p><b>11. Street Sweepings and Storm Sewer Clean-out Materials – Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p>                                       |
| <p>These materials are stored on site IAW section F.4.n. of our MS4 Permit.</p>                                                                                                                                                                                                                                                |
| <p><b>12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings – Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p>                          |
| <p>Construction and demolition waste, wood waste, and yard trimmings are kept on site, prior to disposal, IAW with section F.4.o. of our MS4 Permit.</p>                                                                                                                                                                       |
| <p><b>13. Scrap Tires – Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</b></p>                                                                                |

Scrap tires are not kept on site. Any scrap tires that are ready for disposal are transferred to:

Cape May County Solid Waste and Recycling Sanitary Landfill  
2050 Route 610, Woodbine, NJ 08270

**14. Inoperable Vehicles and Equipment – Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.**

Inoperable vehicles are stored on site IAW section F.4.q. of our MS4 Permit.

**Form 10 – Training**  
*Part IV.F.5-8.*

| <b>Stormwater Program Coordinators</b>                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Describe the training provided for the Stormwater Program Coordinator.</b>                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                         |
| <p>Persons responsible for the management and implementation of TRACEN Cape May's stormwater pollution prevention and management plans attend the NJDEP's virtual and annual required training each permit cycle.</p> <p>Additionally, any updates to the required training are communicated through TRACEN Cape May's NJDEP Stormwater Regional Case Manager.</p> |                                                                                                                                                                                                         |
| <b>Topic</b>                                                                                                                                                                                                                                                                                                                                                       | <b>Public Complex Employees</b><br><br><b>Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos</b>                                                                    |
| <b>Describe the training provided for staff.</b>                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                         |
| <b>SPPP</b>                                                                                                                                                                                                                                                                                                                                                        | Any personnel assigned to maintain, inspect, or aid with discharge response are trained on the SPPP including permit requirements and best management practices.                                        |
| <b>Construction Site Stormwater Runoff</b>                                                                                                                                                                                                                                                                                                                         | Personnel responsible for inspections of major projects are trained annually during each permit cycle.                                                                                                  |
| <b>Post-Construction Stormwater Management in New and Redevelopment</b>                                                                                                                                                                                                                                                                                            | Personnel responsible for compliance with permitting requirements are trained annually during each permit cycle. Additional updates are coordinated through the NJDEP Stormwater Regional Case Manager. |
| <b>Regulatory Mechanisms</b>                                                                                                                                                                                                                                                                                                                                       | Personnel responsible for regulatory mechanisms are trained annually each permit cycle.                                                                                                                 |
| <b>Good Housekeeping</b>                                                                                                                                                                                                                                                                                                                                           | Maintenance staff and site managers are trained annually each permit cycle on best management practices and requirements to prevent unauthorized discharges IAW our MS4 permit.                         |

|                                                         |                                                                                                                                                                                                                                                  |
|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stormwater Facilities</b>                            | Maintenance staff and site managers are trained annually each permit cycle on best management practices and requirements to prevent unauthorized discharges IAW our MS4 permit.                                                                  |
| <b>Maintenance Yards and Other Ancillary Operations</b> | Maintenance staff and site managers are trained annually each permit cycle on best management practices and requirements to prevent unauthorized discharges IAW our MS4 permit.                                                                  |
| <b>MS4 Mapping</b>                                      | Electronic mapping is done through the Assistant Commandant for Engineering and Logistics (CG-4). Any concerns with MS4 mapping are addressed through TRACEN Cape May's EPSS if updates are needed.                                              |
| <b>Outfall Stream Scouring</b>                          | Personnel who conduct inspections and repairs for outfalls are trained on how to identify stream scouring and how to coordinate remediation of the issue. This includes best management practices, safety, and proper documentation of findings. |
| <b>Illicit Discharge Detection and Elimination</b>      | Personnel who conduct inspections and repairs for outfalls are trained on how to identify illicit discharges, properly report discharges, and coordinate remediation of the discharge.                                                           |

| <b>Stormwater Management Design Reviewers</b>                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs and any amendments to N.J.A.C. 7:8 if applicable.</b>                                                                  |
| Personnel who review and approve stormwater management designs for major projects must complete this course each permit cycle. Additional training for updates to 7:8 ruling is coordinated through the NJDEP Stormwater Regional Case Manager. |

| <b>Training Records</b>                                                           |
|-----------------------------------------------------------------------------------|
| <b>Indicate the location of training records for the above required training.</b> |
| Training records are maintained with TRACEN Cape May's EPSS staff.                |

**Form 11 – MS4 Mapping**  
*Part IV.G.1.*

|                                                                                                                                                                                                                                                               |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>1. Provide a link to the most current MS4 outfall/infrastructure map.</b>                                                                                                                                                                                  |           |
| <a href="https://sextant.uscg.mil/arcgis/apps/webappviewer/index.html?id=290f5fdbfc734569a65ccea52f1393e6">https://sextant.uscg.mil/arcgis/apps/webappviewer/index.html?id=290f5fdbfc734569a65ccea52f1393e6</a>                                               |           |
| <b>2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).</b>                                                                                                                                                               |           |
| a. MS4 outfalls                                                                                                                                                                                                                                               | 21        |
| b. MS4 ground water discharge points (basins or overland flow infiltration areas)                                                                                                                                                                             | 20        |
| c. MS4 interconnections                                                                                                                                                                                                                                       | 150       |
| d. MS4 storm drain inlets                                                                                                                                                                                                                                     | 333       |
| e. MS4 manholes                                                                                                                                                                                                                                               | 79        |
| f. Length of conveyance (channels, pipes, ditches, etc.)                                                                                                                                                                                                      | 6.6 miles |
| g. MS4 pump stations                                                                                                                                                                                                                                          | 0         |
| h. MS4 stormwater facilities (any that are not listed above)                                                                                                                                                                                                  | 0         |
| i. Maintenance yard(s) and other ancillary operations                                                                                                                                                                                                         | 2         |
| <b>3. Describe how the Public Complex's outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.).</b> |           |
| <p>TRACEN Cape May coordinates with the Assistant Commandant for Engineering and Logistics (CG-4) to address any new major development projects that affects MS4 infrastructure mapping.</p>                                                                  |           |
| <b>4. Describe how the Public Complex will create and update its MS4 Infrastructure Map.</b>                                                                                                                                                                  |           |
| <p>TRACEN Cape May coordinates with the Assistant Commandant for Engineering and Logistics (CG-4) to address any new major development projects that affects MS4 infrastructure mapping.</p>                                                                  |           |

**Form 12 – Watershed Improvement Plan**  
*Part IV.H.*

**1. Describe how your Public Complex is developing or helping to develop a Watershed Improvement Plan.**

Currently, TRACEN Cape May implements a port services agreement for homeported and visiting vessels that prevents the use of soaps, detergents, or materials that are not included on the US Coast Guard's authorized chemical list or may pose a threat to the aquatic/marine ecosystem in Cape May Harbor.

Additionally, TRACEN Cape May is researching methods to implement the practice of vessel containment (booming) of any vessel prior to the transfer of hazardous materials, fueling, water washing, etc. with appropriate oleophilic/oleophobic materials that will prevent any discharge or free-floating pollutant material from being introduced into the environment surrounding the vessel.

**2. Describe any regional projects or collaboration efforts with municipalities.**

TRACEN Cape May's EPSS staff maintains site visits and planned response exercises with the local OSRO, as well as state and local emergency planning offices, to maintain response capabilities in the event of a discharge that could impact Cape May Harbor, local marinas, and watershed quality.

**3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.**

All records pertaining to watershed improvement and public information are maintained digitally with TRACEN Cape May's EPSS staff.