

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-01-029-1095 X2	PIPE, 4.0" NOM	20240207125535	9AX88274020001
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT23226CL4GR304SCH120	A

1.0 SCOPE

THIS IRPOD SATISFIES THE REQUIREMENTS FOR

* LEVEL I *

ORDERING DATA

ADDITIONAL IDENTIFYING INFORMATION:

THE DRAWING/PART NUMBER REFERENCED IN THE HEADER ABOVE IS FOR IDENTIFICATION PURPOSES ONLY. ALL INFORMATION NEEDED TO MANUFACTURE THE SUBJECT ITEM IS CONTAINED ON DOCUMENTS AND REQUIREMENTS INVOKED HEREIN.

THIS IRPOD PROVIDES THE REQUIREMENTS FOR A REPAIR PART CONSISTING OF ONE PIECE.

2.0 LIST OF APPLICABLE DOCUMENTS

IF A SUPPLIER QUOTES TO A LATER REVISION OF THE DRAWING (OR CATALOG ITEM) THAN SPECIFIED BELOW, SUBMITTAL OF QUOTE SHALL INCLUDE TWO (2) COPIES OF THE REVISED DOCUMENT AND AN EVALUATION OF THE INTERCHANGEABILITY. THE FOLLOWING DOCUMENTS AND CHANGE DATA ARE APPLICABLE TO THE EXTENT SPECIFIED IN THIS IRPOD, THE DRAWINGS, OR OTHER DOCUMENTS INVOKED BY THIS IRPOD. CONTRACTING AGENCY APPROVAL IS REQUIRED TO USE EARLIER SPECIFICATION VERSIONS THAN THOSE LISTED HEREIN, EXCEPT AS IDENTIFIED BELOW. IF NO DOCUMENT VERSION IS LISTED, THEN ANY VERSION OF THE DOCUMENT MAY BE USED.

RAW MATERIAL REQUIRED HEREIN MAY HAVE BEEN PROCESSED OR TESTED (FOR EXAMPLE, HEAT TREATED OR ULTRASONICALLY TESTED) AS REQUIRED BY THE RAW MATERIAL SPECIFICATION PRIOR TO RECEIPT OF THIS ORDER USING PREVIOUS VERSIONS OF PROCESSING OR TESTING SPECIFICATIONS. THIS PROCESSING AND TESTING NEED NOT BE REPEATED IF:

1. IT COMPLIED WITH THE APPLICABLE REQUIREMENTS OF THE PROCESSING/TESTING SPECIFICATION VERSIONS IN EFFECT AT THE TIME OF THE ACTUAL PROCESSING OR TESTING AND;

2. ALL REQUIREMENTS OF THE RAW MATERIAL SPECIFICATION VERSION LISTED HEREIN HAVE BEEN SATISFIED.

SECTION 6.0 IDENTIFIES SPECIAL REQUIREMENTS FOR SUBMITTAL OF THE PROCEDURES USED FOR COMPLETED PROCESSING AND TESTING. ALL PROCESSING AND TESTING PERFORMED AFTER RECEIPT OF THIS ORDER SHALL CONFORM TO THE PROCESSING/TESTING SPECIFICATION VERSIONS LISTED HEREIN.

DOCUMENT NUMBER	VERSION	TITLE
-----------------	---------	-------

MILITARY SPECIFICATIONS

*+ MIL-DTL-23226	F	TUBE AND PIPE, CORROSION RESISTANT STEEL, SEAMLESS
------------------	---	--

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-01-029-1095 X2	PIPE, 4.0" NOM	20240207125535	9AX88274020001
DRAWING PREPARER/MANUFACTURER	MILITARY SPECIFICATION	MANUFACTURER'S PART NO./DRAWING NO.	RSP
		MILT23226CL4GR304SCH120	A
MIL-I-45208	A	INSPECTION SYSTEM REQUIREMENTS	
AM 1	07/24/81	INSPECTION SYSTEM REQUIREMENTS	
MILITARY STANDARDS			
+ MIL-STD-129	H, NOT. 1-2	MARKING FOR SHIPMENT AND STORAGE	
+ MIL-STD-2132 (NOFORN)	F	NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS	
PUBLICATIONS			
STR-ISO 9000 SUPP C	4	SUPPLEMENT C REVISION 4 TO ISO 9000 (ANSI/ISO/ASQ Q9000) QUALITY SYSTEMS FOR BASIC PROCUREMENTS AND COMPLEX PROCUREMENTS.	
*+ STR-505	3	SUPPLEMENTARY TECHNICAL REQUIREMENTS; MATERIAL IDENTIFICATION AND CONTROL REQUIREMENTS FOR MANUFACTURERS OF LEVEL I MATERIAL	
OTHERS			
ANSI/ASQC Q9001	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN DESIGN, DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING	
		OR	
		QUALITY MANAGEMENT SYSTEM REQUIREMENTS-ANSI/ISO/ASQ Q9001 VERSION 2000 OR 2008	
ANSI/ISO/ASQ Q9002	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION, AND SERVICING	
ANSI/ISO/ASQ Q9003	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST	
* DOCUMENTS IDENTIFIED BY THIS SYMBOL MAY BE OBTAINED FROM CONTRACT ISSUING AGENCY.			
+ LATER VERSIONS (IE: REVISIONS, AMENDMENTS, CHANGE NOTICES AND/OR INTERIM CHANGES) OF DOCUMENTS IDENTIFIED BY THIS SYMBOL MAY BE USED IN THE PERFORMANCE OF THE CONTRACT. WHICHEVER VERSION IS USED MUST BE USED IN ITS ENTIRETY. THE LATER VERSION MAY BE IDENTIFIED AS "MIL-DTL-" OR "MIL-PRF-" AS APPLICABLE, WHICH IS EQUIVALENT TO "MIL-#-" (WHERE # IS AN ALPHA CHARACTER).			

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-01-029-1095 X2	PIPE,4.0" NOM	20240207125535	9AX88274020001
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT23226CL4GR304SCH120	A

PIPE.4.0" NOM MILT23226CL4GR304SCH120
NON-DEFINITIVE UNIT OF ISSUE
FOOT - 12 INCH

3.1 MATERIAL REOUIREMENTS

PIPE.4.0" NOM MILT23226CL4GR304SCH120
SPECIAL MATERIAL CONTROL REQUIREMENTS-
APPLICABLE LEVEL I MATERIAL, PER STR-505, IS INVOKED.
MATERIAL SPECIFICATION: MIL-DTL-23226 CL 4 MATERIAL DESIGNATOR: SA

TYPE 1, TYPE 2 OR TYPE 3 ARE MIL-DTL-23226
ACCEPTABLE.

THE SUBJECT PIPE SHALL BE 4" NOMINAL, SCHEDULE 120, TY 2, OR 3 CL 4, FINISH A, B,
C OR E 304 CRES PER MIL-DTL-23226.

3.2 MANUFACTURING AND PROCESS REOUIREMENTS

PIPE.4.0" NOM MILT23226CL4GR304SCH120
CLEANLINESS REQUIREMENTS:
PART(S) SHALL BE CLEANED BY ANY PROCESS OR COMBINATION OF
PROCESSES WHICH WILL ACCOMPLISH THOROUGH CLEANING WITHOUT
DAMAGE TO THE PART(S). SURFACES SHALL BE EXAMINED VISUALLY
TO DETERMINE FREEDOM FROM DIRT, CORROSION, OIL, GREASE OR
FOREIGN RESIDUE. PRESERVATIVES SHALL NOT BE USED ON PART(S)
WHICH ARE VULNERABLE TO DAMAGE BY CONTACT PRESERVATIVES.

THE SUBJECT PIPE SHALL BE SCH 120 HAVING AN 4.5 INCH OD AND A WALL THICKNESS OF
.438 INCHES AND 12 FT. LENGTH, WITH DIMENSIONAL TOLERANCES PER TABLE VI OF
MIL-DTL-23226.

FOR SPECIAL QUALITY CONTROL, IDENTIFICATION AND MARKING
REQUIREMENTS SEE STR-505.

MERCURY CONTAMINATION:THIS ITEM SHALL NOT CONTAIN AND SHALL NOT BE CONTAMINATED BY
MERCURY OR MERCURY COMPOUNDS. THIS REQUIREMENT MUST BE PASSED ON TO ALL
SUBCONTRACTORS. (FOR PROCURING ACTIVITY USE ONLY,INCLUDE MERCURY CONTROL CLAUSE
FROM NAVSEAINST 5100.3 (SERIES)).

4.0 OUALITY ASSURANCE PROVISIONS

PIPE.4.0" NOM MILT23226CL4GR304SCH120

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-01-029-1095 X2	PIPE, 4.0" NOM	20240207125535	9AX88274020001
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT23226CL4GR304SCH120	A

AS A MINIMUM THE SUPPLIER SHALL PROVIDE AND MAINTAIN AN INSPECTION SYSTEM WHICH MEETS THE REQUIREMENTS OF ONE OF THE FOLLOWING:

(A) ISO 9003 (ANSI/ISO/ASQ Q9003) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.

(B) ISO 9002 (ANSI/ISO/ASQ Q9002) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.

(C) ISO 9001 (ANSI/ISO/ASQ Q9001) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.

(D) MIL-I-45208

(E) EXISTING INSPECTION SYSTEMS MEETING THE MORE STRINGENT REQUIREMENTS OF STR-ISO 9000 SUPPLEMENTS A OR B ARE ACCEPTABLE IN LIEU OF SUPPLEMENT C FOR LINES (A), (B) AND (C) ABOVE.

5.0 PREPARATION FOR DELIVERY

PIPE, 4.0" NOM MILT23226CL4GR304SCH120

MARKING REQUIREMENTS:

MARKING AND LABELING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

BAR CODE MARKING SUITABLE FOR HAND SCANNING IS REQUIRED.

IN ADDITION TO THE STANDARD MARKING REQUIREMENTS OF MIL-STD-129, THE SELLER SHALL INCLUDE THE MANUFACTURER'S COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE AND THE MANUFACTURER'S REFERENCE/ PART NUMBER (MFR/PN) ON INTERMEDIATE AND UNIT PACKS.

PACKAGING AND PACKING REQUIREMENTS: PACKAGING CODES FOR MIL-STD-2073-1 SHALL BE AS SPECIFIED ELSEWHERE IN THE CONTRACT.

6.0 CONTRACT DATA REQUIREMENTS

THE SELLER MUST PROVIDE THE CONTRACTING AGENCY WITH ALL OF THE SUBMITTALS LISTED BELOW. SUBMITTALS WHICH ARE REQUIRED BY A SPECIFICATION, BUT WHICH ARE NOT LISTED BELOW, NEED NOT BE SUBMITTED. ONLY THOSE SUBMITTALS LISTED BELOW ARE REQUIRED.

HOWEVER, IF THE SELLER CONSIDERS A REQUIRED SUBMITTAL INAPPLICABLE TO THIS PROCUREMENT, THE SELLER MUST SUBMIT A STATEMENT JUSTIFYING THE EXCLUSION OF THE REQUIRED SUBMITTAL.

REQUESTS FOR APPROVAL OF PROCEDURES USED PRIOR TO RECEIPT OF THIS ORDER SHALL IDENTIFY THE PROCESSING/TESTING SPECIFICATION VERSION APPLICABLE AND STATE THAT THE PROCESSING AND/OR TESTING WAS PERFORMED PRIOR TO RECEIPT OF THE ORDER. IF THE PROCEDURE THAT WAS USED IS NOT COMPLETE, TEST REPORTS, HEAT TREATMENT RECORDS, OR OTHER DOCUMENTATION SHALL BE SUBMITTED WITH THE PROCEDURES TO SUBSTANTIATE THAT ALL SPECIFICATION REQUIREMENTS WERE MET.

6.1 PROCEDURES AND REPORTS

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-01-029-1095 X2	PIPE,4.0" NOM	20240207125535	9AX88274020001
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT23226CL4GR304SCH120	A

THE SELLER SHALL PROVIDE THE FOLLOWING PROCEDURE(S) AND REPORT(S) TO THE PROCURING ACTIVITY. CONTRACTOR PROCEDURE SUBMITTALS REQUIRED BY MATERIAL AND PROCESS SPECIFICATIONS NEED NOT BE RESUBMITTED FOR APPROVAL EACH TIME AN ORDER IS PLACED FOR THE SAME IRPOD ITEM TO THE SAME VERSION (I.E., REVISION, AMENDMENT, CHANGE NOTICE OR INTERIM CHANGE) OF THE SPECIFICATION OR STANDARD INVOKED. THE SELLER NEED ONLY SUBMIT PROOF OF THE PRIOR APPROVAL FOR THAT ITEM AND SPECIFICATION REVISION. ACCEPTABLE PROOF OF PRIOR APPROVAL WILL CONSIST OF A COORDINATED PROCEDURE REVIEW SYSTEM (CPRS) APPROVAL LETTER. CPRS APPROVAL DOES NOT RELIEVE THE SELLER OF THE RESPONSIBILITY TO COMPLY WITH ALL REQUIREMENTS IMPOSED ON ANY CURRENT AND FUTURE PURCHASE ORDERS.

IF FIRST-TIER MANUFACTURER RETESTING OF MATERIAL IS NECESSARY, USE OF BUYER APPROVED PROCEDURES APPLICABLE TO THE SAME VERSION OF THE SPECIFICATION OR STANDARD INVOKED ON THE IRPOD IS ACCEPTABLE IN LIEU OF OBTAINING THE RAW MATERIAL MANUFACTURER OR MATERIAL INSPECTION AND TEST PROCEDURES FOR APPROVAL.

WHERE ALTERNATIVE SPECIFICATIONS ARE SHOWN FOR A GIVEN ITEM, ONLY THE DATA FOR THE SPECIFICATION USED IS REQUIRED. THE SELLER SHALL SPECIFY THE FOLLOWING ON PROCEDURE(S)/REPORT(S) REQUIRING SUBMITTAL, AS APPLICABLE, IN ORDER THAT THE PROCEDURE/REPORT CAN BE READILY REVIEWED AGAINST THE APPROPRIATE ACCEPTANCE CRITERIA: SPECIFICATION AND REVISION, INCLUDING AMENDMENTS, NOTICES, ETC., APPLICABLE PARAGRAPH OF THE SPECIFICATION, THE NAME OF THE SUBMITTAL, THE MATERIAL CONDITIONS (I.E., MATERIAL GRADE, CLASS, TYPE, SIZE, COMPOSITION, ETC.).

6.1.1 PRIOR TO MANUFACTURE, FOR APPROVAL:

PIPE.4.0" NOM MILT23226CL4GR304SCH120
MIL-STD-2132

ALLOY IDENTITY TEST PROCEDURE

ULTRASONIC INSPECTION PROCEDURE

6.1.3 PER CONTRACT DELIVERY SCHEDULE:

PIPE.4.0" NOM MILT23226CL4GR304SCH120
MIL-DTL-23226

CERTIFICATION OF QUALITY CONFORMANCE

STR-505

OBJECTIVE QUALITY EVIDENCE REPORT(S)

6.2 OTHER CONTRACT DATA REQUIREMENTS
 INTENTIONALLY LEFT BLANK