

Specifications
**F-35 Wheel and Tire Shipping/Storage
Container Support Kits**

15 Jan 2026

1. Scope

This specification document addresses the purchase of eight F-35 Wheel and Tire Shipping/Storage Container Support Kits for Tyndall Air Force Base, Florida.

1.1. Background

Tyndall Air Force Base requires the purchase of new F-35 Wheel and Tire Shipping/Storage Container Support Kits to provide support to the F-35 Sustainment Center for local daily operations, TDYs, and deployment readiness for the 325th Fighter Wing mission support.

2. Requirements

2.1. General

This requirement is for the purchase of eight F-35 Wheel and Tire Shipping/Storage Container Kits to be delivered by 01 Jul 2026 to DoDAAC FB4819.

2.2. Specifications and Characteristics

2.2.1. Description

F-35 Wheel and Tire Shipping/Container Support Kits are designed to provide safe, efficient and reliable shipping and storage containers that allow for ease of stowing and removal of F-35 mated wheels, tires, rims and wheel accessories for daily operations and secure/safe transport for TDY and Deployment operations.

2.2.2. F-35 Specification and Requirements

The requirements package consists of eight tactical i90 lockers, two mobile container loading ramps and sixteen Wheel Storage Transportation (WST XS) units.

2.2.2.1 Eight Tactical i90 ISU Lockers:

- Must fit inside standard ISU-90 4-door container (108" W x 88" L).
- Must have capability of being secured by standard padlock.
- Must be made of rugged high-grade steel.
- Must have minimum capacity of 3000 lbs. with minimum shelf capacity of 750 lbs. each.

2.2.2.2 Two Mobile Container Ramps:

- Must be capable of supporting minimum of 3000 lbs.
- Must come with wheels and handles of ease of transport for daily F-35 operations.
- Should be lightweight aluminum for ease of transport.

2.2.2.3 Sixteen Wheel Storage Transportation (WST) Units:

- Must be capable of storage and transportation of two rows of wheels in diameter of 15" to 18" or one

- row of wheels from 19” to 33”.
- Must be tested and approved for F35 wheel storage and transportation.
- Must be made of rugged high-grade steel.
- Must fit within standard ISU-90.
- All sides and dividers must be padded to prevent scratches to the F-35 rims.
- Prefer to have retractable wheels on the bottom of cage.

3. Warranty

- 3.1.** One year, parts only.
- 3.2.** Vendor will promptly expedite warranted parts to 325th Logistics Readiness Squadron.
- 3.3.** The warranty start date will commence upon completed delivery.

4. Installation and Delivery Address

- 4.1.** Installation is not required. Items are mobile and will be stored at the F-35 Sustainment Center.
- 4.2.** The F-35 Sustainment Center contact information will be SSgt Kristian Green
Comm: 850-283-9656 or email kristian.green@us.af.mil.
- 4.3.** Delivery Address: 325th LRS /F-35 Sustainment Center/ 340 Checker Tail Way /
Tyndall AFB, FL 32403-5208.

Tactical i90 Lockers:



Mobile Container Ramp:



Wheel Storage and Transportation (WST) Units:

