

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

1.0 SCOPE

THIS IRPOD SATISFIES THE REQUIREMENTS FOR

* LEVEL I *

ORDERING DATA

THIS IRPOD PROVIDES THE REQUIREMENTS FOR A REPAIR PART CONSISTING OF ONE PIECE.

2.0 LIST OF APPLICABLE DOCUMENTS

IF A SUPPLIER QUOTES TO A LATER REVISION OF THE DRAWING (OR CATALOG ITEM) THAN SPECIFIED BELOW, SUBMITTAL OF QUOTE SHALL INCLUDE TWO (2) COPIES OF THE REVISED DOCUMENT AND AN EVALUATION OF THE INTERCHANGEABILITY. THE FOLLOWING DOCUMENTS AND CHANGE DATA ARE APPLICABLE TO THE EXTENT SPECIFIED IN THIS IRPOD, THE DRAWINGS, OR OTHER DOCUMENTS INVOKED BY THIS IRPOD. CONTRACTING AGENCY APPROVAL IS REQUIRED TO USE EARLIER SPECIFICATION VERSIONS THAN THOSE LISTED HEREIN, EXCEPT AS IDENTIFIED BELOW. IF NO DOCUMENT VERSION IS LISTED, THEN ANY VERSION OF THE DOCUMENT MAY BE USED.

RAW MATERIAL REQUIRED HEREIN MAY HAVE BEEN PROCESSED OR TESTED (FOR EXAMPLE, HEAT TREATED OR ULTRASONICALLY TESTED) AS REQUIRED BY THE RAW MATERIAL SPECIFICATION PRIOR TO RECEIPT OF THIS ORDER USING PREVIOUS VERSIONS OF PROCESSING OR TESTING SPECIFICATIONS. THIS PROCESSING AND TESTING NEED NOT BE REPEATED IF:

- 1.IT COMPLIED WITH THE APPLICABLE REQUIREMENTS OF THE
PROCESSING/TESTING SPECIFICATION VERSIONS IN EFFECT AT THE TIME OF
THE ACTUAL PROCESSING OR TESTING AND;
- 2.ALL REQUIREMENTS OF THE RAW MATERIAL SPECIFICATION VERSION LISTED
HEREIN HAVE BEEN SATISFIED.

SECTION 6.0 IDENTIFIES SPECIAL REQUIREMENTS FOR SUBMITTAL OF THE PROCEDURES USED FOR COMPLETED PROCESSING AND TESTING. ALL PROCESSING AND TESTING PERFORMED AFTER RECEIPT OF THIS ORDER SHALL CONFORM TO THE PROCESSING/TESTING SPECIFICATION VERSIONS LISTED HEREIN.

* * * ADDITIONAL ORDERING REQUIREMENTS (AOR'S) * * *

AOR'S ARE ATTACHED FOR ONE OR MORE OF THE DOCUMENTS IDENTIFIED ON THIS IRPOD

* * * * *

DOCUMENT NUMBER	VERSION	TITLE
-----------------	---------	-------

MILITARY SPECIFICATIONS

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

+ MIL-T-16420	K	TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706)
AM 1	09/16/1988	TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706)
MIL-I-45208	A	INSPECTION SYSTEM REQUIREMENTS
AM 1	07/24/81	INSPECTION SYSTEM REQUIREMENTS

MILITARY STANDARDS

MIL-STD-129	R AND R (CH. 2)	MARKING FOR SHIPMENT AND STORAGE
-------------	-----------------	----------------------------------

PUBLICATIONS

T9074-AS-GIB-010/271	1, 9/11/2014	NAVSEA TECHNICAL PUBLICATION REQUIREMENTS FOR NON DESTRUCTIVE TESTING METHODS
*+ STR-505	3	SUPPLEMENTARY TECHNICAL REQUIREMENTS; MATERIAL IDENTIFICATION AND CONTROL REQUIREMENTS FOR MANUFACTURERS OF LEVEL I MATERIAL

OTHERS

ANSI/ASQC Q9001	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN DESIGN, DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING
		OR
		QUALITY MANAGEMENT SYSTEM REQUIREMENTS-ANSI/ISO/ASQ Q9001 VERSION 2000 OR 2008
ANSI/ISO/ASQ Q9002	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION, AND SERVICING
ANSI/ISO/ASQ Q9003	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST

* DOCUMENTS IDENTIFIED BY THIS SYMBOL MAY BE OBTAINED FROM CONTRACT ISSUING AGENCY.

+ LATER VERSIONS (IE: REVISIONS, AMENDMENTS, CHANGE NOTICES AND/OR INTERIM CHANGES) OF DOCUMENTS IDENTIFIED BY THIS SYMBOL MAY BE USED IN THE PERFORMANCE OF THE CONTRACT. WHICHEVER VERSION IS USED MUST BE USED IN ITS ENTIRETY. THE LATER VERSION MAY BE IDENTIFIED AS "MIL-DTL-" OR "MIL-PRF-" AS APPLICABLE, WHICH IS EQUIVALENT TO "MIL-#-" (WHERE # IS AN ALPHA CHARACTER).

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

3.0 TECHNICAL REQUIREMENTS

3.1 MATERIAL REQUIREMENTS

3/8 OD TUBE MILT16420J,0.375OD

MATERIAL SHALL BE IN ACCORDANCE WITH MIL-T-16420, COMPOSITION:70-30, TEMPER:
ANNEALED, TYPE: I, CLASS: 3300, GRADE: 2.

MATERIAL IDENTIFICATION AND CONTROL REQUIREMENTS: FOR SPECIAL QUALITY CONTROL,
IDENTIFICATION AND MARKING REQUIREMENTS, SEE STR-505. THESE REQUIREMENTS APPLY TO
THE ITEM(S) IDENTIFIED BELOW.

LEVEL I	ITEM NUMBER	MATERIAL	MATERIAL
ITEM	IDENTIFICATION	SPECIFICATION	DESIGNATOR
-----	-----	-----	-----
TUBE SEAMLESS		MIL-T-16420	CNA

3.2 MANUFACTURING AND PROCESS REQUIREMENTS

3/8 OD TUBE MILT16420J,0.375OD

THE TUBE SHALL HAVE AN ACTUAL OUTSIDE DIAMETER OF 0.375 AND A WALL THICKNESS OF
0.049 MINIMUM.

CLEANLINESS REQUIREMENTS:

PART(S) SHALL BE CLEANED BY ANY PROCESS OR COMBINATION OF
PROCESSES WHICH WILL ACCOMPLISH THOROUGH CLEANING WITHOUT
DAMAGE TO THE PART(S). SURFACES SHALL BE EXAMINED VISUALLY
TO DETERMINE FREEDOM FROM DIRT, CORROSION, OIL, GREASE OR
FOREIGN RESIDUE. PRESERVATIVES SHALL NOT BE USED ON PART(S)
WHICH ARE VULNERABLE TO DAMAGE BY CONTACT PRESERVATIVES.

MERCURY CONTAMINATION:THIS ITEM SHALL NOT CONTAIN AND SHALL NOT BE CONTAMINATED BY
MERCURY OR MERCURY COMPOUNDS. THIS REQUIREMENT MUST BE PASSED ON TO ALL
SUBCONTRACTORS. (FOR PROCURING ACTIVITY USE ONLY,INCLUDE MERCURY CONTROL CLAUSE
FROM NAVSEAINST 5100.3 (SERIES)).

4.0 QUALITY ASSURANCE PROVISIONS

3/8 OD TUBE MILT16420J,0.375OD

AS A MINIMUM THE SUPPLIER SHALL PROVIDE AND MAINTAIN AN INSPECTION SYSTEM WHICH
MEETS THE REQUIREMENTS OF ONE OF THE FOLLOWING:

- (A) ISO 9003 (ANSI/ISO/ASQ Q9003) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR
A ARE ALSO ACCEPTABLE.
- (B) ISO 9002 (ANSI/ISO/ASQ Q9002) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR
A ARE ALSO ACCEPTABLE.
- (C) ISO 9001 (ANSI/ISO/ASQ Q9001) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR
A ARE ALSO ACCEPTABLE.
- (D) MIL-I-45208
- (E) EXISTING INSPECTION SYSTEMS MEETING THE MORE STRINGENT REQUIREMENTS OF STR-ISO
9000 SUPPLEMENTS A OR B ARE ACCEPTABLE IN LIEU OF SUPPLEMENT C FOR LINES (A), (B)
AND (C) ABOVE.

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

THE RESULTS OF MATERIAL INSPECTION/TESTING SHALL BE DOCUMENTED ON THE "CERTIFICATION OF QUALITY CONFORMANCE", FIGURE 4 OF MIL-T-16420. NOTE: THIS CERTIFICATION OF QUALITY CONFORMANCE, WHICH INCLUDES THE HEAT NUMBER, ALSO SATISFIES THE REQUIREMENT FOR SUBMITTAL OF "OBJECTIVE QUALITY EVIDENCE" PER STR-505.

T9074-AS-GIB-010/271 SUPERSEDES MIL-STD-271, WHICH HAS BEEN CANCELLED. ALL REFERENCES TO MIL-STD-271 SHOULD BE REPLACED WITH T9074-AS-GIB-010/271.

ULTRASONICALLY INSPECT IN ACCORDANCE WITH T9074-AS-GIB-010/271 WITH ACCEPTANCE CRITERIA IN ACCORDANCE WITH MIL-T-16420.

HYDROSTATIC TEST OF NO LESS THAN 150 PERCENT OF WORKING PRESSURE (3300PSI) AND NOT GREATER THAN 165 PERCENT OF THE WORKING PRESSURE . LEAKAGE, WEEPAGE, OR PERMANENT DEFORMATION SHALL BE CAUSE FOR REJECTION.

5.0 PREPARATION FOR DELIVERY

3/8 OD TUBE MILT16420J,0.375OD

MARKING REQUIREMENTS:

MARKING AND LABELING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

BAR CODE MARKING SUITABLE FOR HAND SCANNING IS REQUIRED.

IN ADDITION TO THE STANDARD MARKING REQUIREMENTS OF MIL-STD-129, THE SELLER SHALL INCLUDE THE MANUFACTURER'S COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE AND THE MANUFACTURER'S REFERENCE/ PART NUMBER (MFR/PN) ON INTERMEDIATE AND UNIT PACKS.

PACKAGING AND PACKING REQUIREMENTS: PACKAGING CODES FOR MIL-STD-2073-1 SHALL BE AS SPECIFIED ELSEWHERE IN THE CONTRACT.

6.0 CONTRACT DATA REQUIREMENTS

THE SELLER MUST PROVIDE THE CONTRACTING AGENCY WITH ALL OF THE SUBMITTALS LISTED BELOW. SUBMITTALS WHICH ARE REQUIRED BY A SPECIFICATION, BUT WHICH ARE NOT LISTED BELOW, NEED NOT BE SUBMITTED. ONLY THOSE SUBMITTALS LISTED BELOW ARE REQUIRED.

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

HOWEVER, IF THE SELLER CONSIDERS A REQUIRED SUBMITTAL INAPPLICABLE TO THIS PROCUREMENT, THE SELLER MUST SUBMIT A STATEMENT JUSTIFYING THE EXCLUSION OF THE REQUIRED SUBMITTAL.

REQUESTS FOR APPROVAL OF PROCEDURES USED PRIOR TO RECEIPT OF THIS ORDER SHALL IDENTIFY THE PROCESSING/TESTING SPECIFICATION VERSION APPLICABLE AND STATE THAT THE PROCESSING AND/OR TESTING WAS PERFORMED PRIOR TO RECEIPT OF THE ORDER. IF THE PROCEDURE THAT WAS USED IS NOT COMPLETE, TEST REPORTS, HEAT TREATMENT RECORDS, OR OTHER DOCUMENTATION SHALL BE SUBMITTED WITH THE PROCEDURES TO SUBSTANTIATE THAT ALL SPECIFICATION REQUIREMENTS WERE MET.

6.1 PROCEDURES AND REPORTS

THE SELLER SHALL PROVIDE THE FOLLOWING PROCEDURE(S) AND REPORT(S) TO THE PROCURING ACTIVITY. CONTRACTOR PROCEDURE SUBMITTALS REQUIRED BY MATERIAL AND PROCESS SPECIFICATIONS NEED NOT BE RESUBMITTED FOR APPROVAL EACH TIME AN ORDER IS PLACED FOR THE SAME IRPOD ITEM TO THE SAME VERSION (I.E., REVISION, AMENDMENT, CHANGE NOTICE OR INTERIM CHANGE) OF THE SPECIFICATION OR STANDARD INVOKED. THE SELLER NEED ONLY SUBMIT PROOF OF THE PRIOR APPROVAL FOR THAT ITEM AND SPECIFICATION REVISION. ACCEPTABLE PROOF OF PRIOR APPROVAL WILL CONSIST OF A COORDINATED PROCEDURE REVIEW SYSTEM (CPRS) APPROVAL LETTER. CPRS APPROVAL DOES NOT RELIEVE THE SELLER OF THE RESPONSIBILITY TO COMPLY WITH ALL REQUIREMENTS IMPOSED ON ANY CURRENT AND FUTURE PURCHASE ORDERS.

IF FIRST-TIER MANUFACTURER RETESTING OF MATERIAL IS NECESSARY, USE OF BUYER APPROVED PROCEDURES APPLICABLE TO THE SAME VERSION OF THE SPECIFICATION OR STANDARD INVOKED ON THE IRPOD IS ACCEPTABLE IN LIEU OF OBTAINING THE RAW MATERIAL MANUFACTURER OR MATERIAL INSPECTION AND TEST PROCEDURES FOR APPROVAL.

WHERE ALTERNATIVE SPECIFICATIONS ARE SHOWN FOR A GIVEN ITEM, ONLY THE DATA FOR THE SPECIFICATION USED IS REQUIRED. THE SELLER SHALL SPECIFY THE FOLLOWING ON PROCEDURE(S)/REPORT(S) REQUIRING SUBMITTAL, AS APPLICABLE, IN ORDER THAT THE PROCEDURE/REPORT CAN BE READILY REVIEWED AGAINST THE APPROPRIATE ACCEPTANCE CRITERIA: SPECIFICATION AND REVISION, INCLUDING AMENDMENTS, NOTICES, ETC., APPLICABLE PARAGRAPH OF THE SPECIFICATION, THE NAME OF THE SUBMITTAL, THE MATERIAL CONDITIONS (I.E., MATERIAL GRADE, CLASS, TYPE, SIZE, COMPOSITION, ETC.).

6.1.3 PER CONTRACT DELIVERY SCHEDULE:

3/8 OD TUBE MILT16420J,0.375OD
MIL-T-16420

CERTIFICATION OF QUALITY CONFORMANCE INSPECTION

STR-505

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-455-0193 X2	3/8 OD TUBE	20240222112329	9G293260020113
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MILT16420J,0.375OD	G

CHEMICAL REQUIREMENTS

MECHANICAL PROPERTIES

6.2 OTHER CONTRACT DATA REOUIREMENTS

INTENTIONALLY LEFT BLANK