



Design-Build
Statement of Work (SOW)

Project Title: 548-26-104 Remove and
Replace Nurse Call System

Veterans Administration Health Care System (VAHCS)
West Palm Beach
7305 N. Military Trail, West Palm Beach, FL 33410

<u>1</u>	<u>DEFINITIONS AND ACRONYMS</u>	<u>3</u>
<u>2</u>	<u>SCOPE OF WORK</u>	<u>4</u>
<u>3</u>	<u>CHANGES TO THE STATEMENT OF WORK</u>	<u>127</u>
<u>4</u>	<u>PROMOTE UNIFORMITY:</u>	<u>127</u>
<u>5</u>	<u>GENERAL REQUIREMENTS</u>	<u>129</u>
<u>6</u>	<u>SCHEDULING, PHASING, AND WORKING HOURS</u>	<u>130</u>
<u>7</u>	<u>INFECTION CONTROL AND SAFETY MEASURES</u>	<u>132</u>
<u>8</u>	<u>DESIGN REQUIREMENTS</u>	<u>133</u>
<u>9</u>	<u>CONSTRUCTION REQUIREMENTS</u>	<u>141</u>
<u>10</u>	<u>ESTIMATE REQUIREMENTS</u>	<u>145</u>
<u>11</u>	<u>REPORTING REQUIREMENTS</u>	<u>145</u>
<u>12</u>	<u>GOVERNMENT FURNISHED INFORMATION</u>	<u>145</u>
<u>13</u>	<u>RESOURCES</u>	<u>145</u>
<u>14</u>	<u>CONFIDENTIALITY AND NONDISCLOSURE</u>	<u>147</u>
	<u>APPENDIX A – CONCEPT LAYOUTS</u>	<u>149</u>
	<u>APPENDIX B – PG 18-15 VOLUME C</u>	<u>150</u>
<u>15</u>	<u>TABLE-OF-CONTENTS</u>	<u>2</u>

1 Definitions and Acronyms

- **Design-Build (DB):** as defined by the Department of Veterans Affairs (DVA) is the procurement by the Government, under one contract, with one firm (which may be a joint venture) for both design and construction services on a specific project.
- **Contracting Officer (CO):** The services to be performed under this contract are subject to the general supervision, direction, control and approval of the Contracting Officer.
- **Project Manager (PM)/Contracting Officers Representative (COR):** The Contracting Officer's representative responsible for administering contracts under the immediate direction of the Contracting Officer.
- **Design Build Contract:** This term, as used herein, refers to the Contract(s) to perform the design and construction of the project.
- **Contractor:** This term, as used herein, refers to the contractor under this contract.
- **A/E:** This term, as used herein, refers to the Architect Engineer firm(s) that are a part of the DB team, also referred to as DB A/E.
- **Design-Build Team A/E:** This term, as used herein, to refer to the entire Design-Build Team (Contractor, A/E and any sub-contractors) all inclusive.
- **OPR:** This term as used herein, refers to the Commissioning Document Created in Pre-Design stating the requirements
- **Pre-Construction Risk Assessment (PRCA):** Used to identify potential risks associated with the renovation, construction, and some maintenance & repair activities and to develop risk mitigation strategies to minimize these risks. Prior to beginning work this assessment will be completed.
- **Interim Life Safety Measures (ILSM):** Measures that are instituted to compensate for significant hazards posed by existing life safety (fire) code deficiencies or construction/renovation activities.
- **Request for Proposal (RFP):** Is a solicitation made, often through a bidding process, by an agency or company interested in procurement of a commodity or service, to potential suppliers to submit proposals.
- **Certified Independent Third-Party Safety Professional (CITP):** Certified Independent Third-Party Safety Professional for the review of the design documents for compliance with national and local codes, standards, federal and state regulations.
- **National Fire Protection Association (NFPA):** The world's leading advocate of fire prevention and an authoritative source on public safety, NFPA develops, publishes, and disseminates codes and standards intended to minimize the possibility and effects of fire and other risks.
- **The Joint Commission (TJC):** The Joint Commission provides evaluation, accreditation, and disease-specific certification programs for healthcare facilities.
- **Competent Person (CP):** One who is capable of identifying existing and predictable hazards in the surroundings or working conditions which are unsanitary, hazardous, or dangerous to employees, and who has authorization to take prompt corrective measures to eliminate them.

2 Scope of Work

- 2.1 The contractor will provide all Design, Labor, Materials, Tools, and associated equipment necessary for the installation and delivery of the service for the areas of work of this project as listed below. All proposals should include all stages of services for this project.
- 2.2 They are, but may not be limited to the following:

Room	Devices	New Component
1A102	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A103	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A105	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A107	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	37 Pin Wall Plate	37 Pin Wall Plate
	Code Blue	Code Station

1A108	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	37 Pin Wall Plate	37 Pin Wall Plate
	Code Blue	Code Station
1A109	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A112	Master Station	VoIP Nurse Console
1A113	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A116	Duty station	Duty Station
1A117	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A119	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A120	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	37 Pin Wall Plate	37 Pin Wall Plate

1A127	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
1A129	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
1A131	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A132	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A134	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A138	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A163	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A164	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

Front Desk	Master Station	VoIP Nurse Console
1A15	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A16	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A17	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A20	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A21	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A22	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A221	Master Station	VoIP Nurse Console
1A222	Dome Light	Corridor Light

	Bath call	Pull Cord Station W/Audio
1A224	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A225	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A226	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A227	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A228	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A230	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A231	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A232	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A233	Dome Light	Corridor Light

	Bath call	Pull Cord Station W/Audio
1A234	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A235	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A237	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A239	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A240	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A242	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A244	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A245	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A246	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1A247	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A248	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A250	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A251	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A255	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A257	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A260	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A261	Master Station	VoIP Nurse Console
1A262	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1A264	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A267	Bath call	(2) Pull Cord Station W/Audio
	Bath call	Pull Cord Station W/Audio
1A268	Dome Light	Corridor Light
	Bath call	(2) Pull Cord Station W/Audio
	Bath call	Pull Cord Station W/Audio
1A270	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A272	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A273	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A274	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A278	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A279	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1A280	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A281	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A283	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A284	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A285	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A286	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A287	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A288	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A289	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1A290	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1A292	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A294	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1A30	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A31	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
1A33	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate

1A41	Master Station	VoIP Nurse Console
1B209	Master Station	VoIP Nurse Console
1B213	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B221	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B221A	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B221B	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B223	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B225	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B227	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B227A	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1B236	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B284	Duty station	Duty Station
	Code Blue	Code Station
1B284A	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B284D	Duty station	Duty Station
	Code Blue	Code Station
1B284E	Duty station	Duty Station
	Code Blue	Code Station
1B284F	Duty station	Duty Station
	Code Blue	Code Station
1B291	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B291A	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B291B	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B293A	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio

1B346B	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1B346D	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
1C201	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C203	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C204	Master Station	VoIP Nurse Console
1C205	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C210	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C211	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C212	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station

1C213	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C219	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C295	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1C297	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
1H01	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H02	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H03	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H04	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H05	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H06	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station

	37 Pin Wall Plate	37 Pin Wall Plate
1H07	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H08	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H09	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H10	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H11	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H12	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1H116	Duty station	Duty Station
	Staff Presence Switch	Staff Registration Station
1H117	Duty station	Duty Station
1H119	Duty station	Duty Station
1H125	Duty station	Duty Station

	Dome Light	Corridor Light
	Bath call	Pull Cord Station W/Audio
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
1H124	Bath call	Pull Cord Station W/Audio
1H125	Bath call	Pull Cord Station W/Audio
1H125	Bath call	Pull Cord Station W/Audio
1J101	Bath call	(7) Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
1J102	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J103	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J104	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J105	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J106	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate

1J107	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J108	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J109	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J110	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J112	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J115	Patient Emergency	Staff Assist Station
1J116	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J117	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J118	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J119	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J120	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate

1J121	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J122	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J123	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J124	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J125	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J126	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J127	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J128	Bath call	Waterproof pull cord Station
	Pull cord	Pull Cord Station W/Audio

1J129	Patient Emergency	Staff Assist Station
1J133	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J134	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J135	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J136	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J137	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J138	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J139	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate

1J140	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J141	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1J142	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1K112	Dom light	Corridor Light
1K125	Pull cord	Pull Cord Station W/Audio
	Dom light	Corridor Light
1K126	Patient Emergency	Staff Assist Station

1K126#2	Patient Emergency	Staff Assist Station
1K126 Patio	Patient Emergency	Staff Assist Station
1K127	Pull cord	Pull Cord Station W/Audio
1K131	Duty Station	Duty Station
1L107	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L108	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L109	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L110	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L111	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L112	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L113	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L114	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L115	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L116	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate

1L120	Patient Emergency	Staff Assist Station
1L122	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L123	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L124	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L125	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L126	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L1127	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L128	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L129	Single Patient	(2) Enhanced Single Patient Station

	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L130	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L131	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L132	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station

	37 Pin Wall Plate	37 Pin Wall Plate
1L133	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L134	Patient Emergency	Staff Assist Station
1L137	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L138	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L139	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L140	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L141	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L142	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L143	Single Patient	(2) Enhanced Single Patient Station

	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L144	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L145	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L146	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station

	37 Pin Wall Plate	37 Pin Wall Plate
1L147	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
1L148	Bath Call	(7) Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
	Bath Call	Waterproof pull cord Station
2A201	Dome Light	Corridor Light
	Duty Station	Duty Station
2A203	Dome Light	Corridor Light
	Duty Station	Duty Station
2A207	Dome Light	Corridor Light
	Duty Station	Duty Station
2A209	Dome Light	Corridor Light
	Duty Station	Duty Station

2A211	Dome Light	Corridor Light
	Duty Station	Duty Station
2A213	Dome Light	Corridor Light
	Duty Station	Duty Station
2A225	Dome Light	Corridor Light
	Duty Station	Duty Station
2A320A	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320B	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320C	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320D	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320E	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320F	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320G	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station

	37 Pin Wall Plate	37 Pin Wall Plate
2A320H	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A320J	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2A238	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Code Blue	Code Station
	Duty Station	Duty Station
2A242	Dome Light	Corridor Light
	Duty Station	Duty Station
2A257	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

2A258	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Master station	VoIP Nurse Console
2A259#1	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#2	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#3	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Staff Presence Switch	Staff Registration Station
2A259#4	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#5	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#6	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#7	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#8	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#9	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#10		
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#11	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#12	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#13	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#14	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#15	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#16	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#17	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A259#18	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2A266	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
2A270	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2A277	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

2A280	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2A321	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2A327	Duty Station	Duty Station
2A329A	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B106	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B107	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B111	Dome Light	Corridor Light
	Duty Station	Duty Station

2B121	Dome Light	Corridor Light
	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2B131	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Staff Presence Switch	Staff Registration Station
2B133	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B135	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B137	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B139	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B141	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B143	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B145	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B147	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	37 Pin Wall Plate	37 Pin Wall Plate
2B149	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B150	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	37 Pin Wall Plate	37 Pin Wall Plate
2B153	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B154	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B253	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2B267	Dome Light	Corridor Light
	Code Blue	Code Station
2B269	Dome Light	Corridor Light
	Code Blue	Code Station

2B278	Dome Light	Corridor Light
	Code Blue	Code Station
2B280	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2B285	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B287	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B289	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B291	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station

	37 Pin Wall Plate	37 Pin Wall Plate
2B293	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B294	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B326	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B327	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
2B328	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B330	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B331	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2B332	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B334	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate
2B336A	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	37 Pin Wall Plate	37 Pin Wall Plate

2C212	Dome Light	Corridor Light
	Code Blue	Code Station
2C230A	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230B	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230C	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230D	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230E	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230F	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230G	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Code Blue	Code Station
2C230H	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230J	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230K	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230L	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C230M	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Code Blue	Code Station
2C231	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
2C233	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station

2C234	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
2C238	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2C247	Master station	VoIP Nurse Console
	Duty Station	Duty Station
2C254	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
2C340	Dome Light	Corridor Light
	Duty Station	Duty Station
2C351	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
2C352	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station

2C356	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
2C358	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
2C360	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Code Blue	Code Station
	Duty Station	Duty Station
3C sally port N	Duty Station	Duty Station
3C sally port S	Duty Station	Duty Station
3C Patio	Duty Station	Duty Station
3C119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
3C202	Duty Station	Duty Station
3C203	Duty Station	Duty Station
3C204	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C205	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C206	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C207	Single Patient	(2) Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C208	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

3C209	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C210	Single Patient	(2)Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C211	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C212	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C213	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C214	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C221	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
3C222	Master station	VoIP Nurse Console
	Duty Station	Duty Station
3C228	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C230	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station

	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C231	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C232	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C233	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C235	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Duty Station	Duty Station
3C237	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
3C238	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
3C239	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
4B212	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B213	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light

	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B214	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
4B216	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B218	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B220	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B222	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B223	Dome Light	Corridor Light
	Duty Station	Duty Station

4B231	Master station	VoIP Nurse Console
	Duty Station	Duty Station
4B231A	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B231B	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B231C	Single Patient	(2)Enhanced Single Patient Station
	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
	37 Pin Wall Plate	37 Pin Wall Plate
4B234	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
4C203	Dome Light	Corridor Light
	Duty Station	(2)Duty Station
	Duty Station	Duty Station

4C204	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	(2) Duty Station
	Duty Station	Duty Station
4C205	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C206	Dome Light	Corridor Light
	Duty Station	Duty Station
4C207	Dome Light	Corridor Light
	Duty Station	(2)Duty Station
	Duty Station	Duty Station
4C208	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C209	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	(2)Waterproof pull cord Station

	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C210	Dome Light	Corridor Light
	Duty Station	Duty Station
4C211	Dome Light	Corridor Light
	Duty Station	Duty Station
4C212	Dome Light	Corridor Light
	Duty Station	Duty Station
4C213	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C222	Master station	VoIP Nurse Console
	Duty Station	(2)Duty Station
	Duty Station	Duty Station
4C228	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C230	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Duty Station	Duty Station
4C231	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C232	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C233	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C235	Dome Light	Corridor Light
	Duty Station	Duty Station
4C236	Dome Light	Corridor Light
	Duty Station	Duty Station
4C237	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
4C238	Dome Light	Corridor Light

	Duty Station	Duty Station
4C239	Dome Light	Corridor Light
	Duty Station	Duty Station
5A103	Duty Station	Duty Station
5A111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A115	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Duty Station	Duty Station
5A119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A123	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A210	Master station	VoIP Nurse Console
	Duty Station	Duty Station

5A211	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A213	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A215	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A217	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A251	Dome Light	Corridor Light
	Duty Station	Duty Station
5A253	Dome Light	Corridor Light
	Duty Station	Duty Station

5A320	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A322	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5A324	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A326	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5A328	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5A330	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light

	Duty Station	Duty Station
5A332	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B115	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

5B119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B123	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B211	Master station	VoIP Nurse Console
	Duty Station	Duty Station
5B212	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

5B214	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B216	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B218	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B221	Dome Light	Corridor Light
	Duty Station	Duty Station
5B251	Dome Light	Corridor Light
	Duty Station	Duty Station
5B253	Dome Light	Corridor Light
	Duty Station	Duty Station
5B320	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

5B322	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B324	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B326	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
5B328	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B330	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
5B332	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Duty Station	Duty Station
6A111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A115	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

6A121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A123	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A127	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A211	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A213	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A215	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A217	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A219	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A320	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A322	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station

6A324	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A326	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A328	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6A330	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6A332	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B115	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B123	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B211	Master station	VoIP Nurse Console
	Duty Station	Duty Station
6B212	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B214	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B216	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B218	Dual Patient	Dual Patient Station

	Dome Light	Corridor Light
	Duty Station	Duty Station
6B221	Dome Light	Corridor Light
	Duty Station	Duty Station
6B223	Master station	VoIP Nurse Console
	Duty Station	Duty Station
6B320	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B322	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B324	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B326	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station

6B328	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
6B330	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
6B332	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A115	Single Patient	Enhanced Single Patient Station

	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A123	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

7A125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A127	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A210	Master station	VoIP Nurse Console
	Duty Station	Duty Station
7A211	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A213	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A215	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A216	Duty Station	Duty Station
7A217	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A219	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A320	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A322	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station

7A324	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A226	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A328	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A330	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7A332	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station

	Duty Station	Duty Station
7B111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B115	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B121	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B123	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B125	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B127	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B211	Master station	VoIP Nurse Console
	Duty Station	Duty Station

7B212	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B214	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
7B216	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B218	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
7B220	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B314	Dome Light	Corridor Light
	Duty Station	Duty Station

7B320	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B322	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
7B324	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B326	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
7B328	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
7B330	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light

	Duty Station	Duty Station
7B332	Dual Patient	Dual Patient Station
	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Bath call	Waterproof pull cord Station
	Duty Station	Duty Station
8A117	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A121	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A123	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A125	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A127	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A129	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A133	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A135	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A137	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A139	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A141	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A143	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A145	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
8A147	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A149	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A151	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A153	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A155	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A157	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A161	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8A203	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A206	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A208	Master station	VoIP Nurse Console
	Duty Station	Duty Station
8A210	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A211	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A212	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A213	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A214	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A218	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A219	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A223	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A226	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A227	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A320	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A322	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
8A328	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A330	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A332	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A334	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A340	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A342	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A344	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8A352	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8A354	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B103	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B105	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B107	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B109	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B111	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8B113	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B115	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B117	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B119	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B121	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B123	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B125	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B127	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B129	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B131	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B133	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B135	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B137	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B139	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B141	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
8B143	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B145	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B147	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B149	Master station	VoIP Nurse Console
	Duty Station	Duty Station
8B151	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B153	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B155	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8B157	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B208	Master station	VoIP Nurse Console
	Duty Station	Duty Station
8B212	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B213	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B214	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B215	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B234	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B236	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
8B320	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B322	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B324	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B326	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B328	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B330	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B332	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8B334	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B336	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B338	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B340	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B342	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B344	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B346	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

8B348	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
8B350	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A103	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A105	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A109	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A111	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A113	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A115	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A117	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A121	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A123	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A125	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A127	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A129	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A133	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
9A135	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A137	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A139	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A141	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A145	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A147	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A149	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9A151	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A153	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A155	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A163	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A165	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A203	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A206	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9A210	Master station	VoIP Nurse Console
	Duty Station	Duty Station
9A213	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A214	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A215	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A216	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A217	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A218	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A220A	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
9A220B	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A222	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A223	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A231	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A233	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A320	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A321	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9A322	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A324	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A328	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A330	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A332	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A334	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A336	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9A340	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A342	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A344	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A346	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A348	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A352	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A354	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9A356	Duty Station	Duty Station

9B103	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B105	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B109	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B111	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B113	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B115	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B117	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9B121	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B123	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B125	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B127	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B129	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B133	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B135	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B137	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B139	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B141	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B145	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B147	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B149	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B151	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B153	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
9B155	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B157	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B159	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B203	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B208	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B211	Master station	VoIP Nurse Console
	Duty Station	Duty Station
9B215	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9B216	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B217	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B218	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B219	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B220	Dome Light	Corridor Light
	Duty Station	Duty Station
9B222	Dome Light	Corridor Light
	Duty Station	Duty Station
9B222A	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B222B	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9B224	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B225	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B231	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B233	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B235	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B320	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B322	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station

9B324	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B328	Dome Light	Corridor Light
	Duty Station	Duty Station
9B330	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B332	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B334	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B336	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B340	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B342	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio

	Duty Station	Duty Station
9B344	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B346	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B348	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B352	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
9B354	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
BG111	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG112	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station

BG113	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG117	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG118	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG119	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG120	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
BG128	Single Patient	Enhanced Single Patient Station
	Dome Light	Corridor Light
	Duty Station	Duty Station
C1-20A	Master station	VoIP Nurse Console
	Duty Station	Duty Station
C1-8A	Master station	VoIP Nurse Console

	Duty Station	Duty Station
CATH Control	Master station	VoIP Nurse Console
	Duty Station	Duty Station
Solarium	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
1A162	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
1A163	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
1A164	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
1A174	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
	Duty Station	Duty Station
1C251	Master station	VoIP Nurse Console
	Duty Station	Duty Station
1C295	Dome Light	Corridor Light
	Pull cord	Pull Cord Station W/Audio
1C297	Dome Light	Corridor Light

	Pull cord	Pull Cord Station W/Audio
--	-----------	---------------------------

- 2.3 The above schedule shall be verified by the contractor and follow the intent as follows:
- 2.4 All devices must be supervised by the system and send visual and audible alerts of specific device if communications are lost or fault is active.
- 2.5 All devices and software must be capable of being completely installed, programmed, configured, maintained, repaired, and managed by local facility staff. No aspect of the system may be restricted in any way by the manufacturer, vendor or contractor after project completion.
- 2.6 Devices must be in compliance with VA mental health regulations and guidelines such as: tamper resistant and ligature resistant. (3C) (Not sure on the impact to the budget but 4C and Emergency department may want to also be considered)
- 2.7 All pillow speaker, pull cord, bed, and code blue nurse call activations must do the following:
 - 2.7.1 Send notification to the local nurse call master console with audible and visual
 - 2.7.2 Send notification to remote nurse call consoles (PBX office, Police dispatch, Emergency Department, and the electronic shop) with audible and visual. Facility must have the capability to add, remove, or silence these notifications and shall indicate the configuration for initial install.
 - 2.7.3 Include room number, call type, and duration of call on nurse call console notifications
 - 2.7.4 Illuminate nurse call dome light above the associated room entry door and associated hallway dome light indicating the active call type
 - 2.7.5 Send notification through the vocera system
 - 2.7.6 Activate audible and visual at local associated duty station
- 2.8 All calls must maintain the following information for history report generation and review within the system:
 - 2.8.1 Room number
 - 2.8.2 Call type
 - 2.8.3 Zone area (ex: 6A, 6B, 7A, 7B, etc.)
 - 2.8.4 Duration of specific call in hour/min/sec format
 - 2.8.5 Specific call start time and date
 - 2.8.6 Specific call end time and date
 - 2.8.7 Average response times for room
 - 2.8.8 Average response times for zone
- 2.9 Pillow speaker with 8' cord

- 2.9.1 Nurse call button
- 2.9.2 Getwellnetwork TV controls (pro:idiom compatible)
- 2.9.3 Power on/off button
- 2.9.4 Audio from TV
- 2.9.5 Channel up and down
- 2.9.6 Volume up and down
- 2.9.7 Channel number keypad
- 2.9.8 Mute button
- 2.9.9 Menu button
- 2.9.10 Menu up, down, left, and right button
- 2.9.11 OK button
- 2.9.12 Back button
- 2.9.13 Home button
- 2.9.14 CC button
- 2.9.15 Exit button
- 2.9.16 Upper light on/off button
- 2.9.17 Lower light on/off button
- 2.9.18 Microphone for nurse call
- 2.9.19 Audio for nurse call
- 2.9.20 Nurse call master console
- 2.9.21 VoIP device
- 2.9.22 Integrated color screen for monitoring all active nurse call system notifications, alerts and calls.
- 2.9.23 Integrated microphone and speaker for two-way communication with dedicated rooms, or paging zones.
- 2.9.24 Hand set with microphone and speaker for two-way communication with dedicated rooms, or paging zones.
- 2.9.25 Mute function for silencing notifications.
- 2.9.26 Volume adjustment for notifications and calls.
- 2.9.27 Touch screen or scroll buttons for selecting specific calls
- 2.9.28 Touchscreen or keypad for dialing specific devices for calls
- 2.9.29 Day or Night tone selection
- 2.9.30 Single patient station
- 2.9.31 VoIP device
- 2.9.32 One pillow speaker connection and one pillow speaker
- 2.9.33 Nurse call reset/cancel button with visual indicator if active
- 2.9.34 Output options for high voltage lighting controls
- 2.9.35 Code blue switch

2.9.36 Visual indicator if active

2.9.37 Reset limited to code blue switch only

2.10 Dual patient station

- 2.10.1 VoIP device
- 2.10.2 Two pillow speaker connections and two pillow speakers
- 2.10.3 Nurse call reset/cancel button with visual indicator if active
- 2.10.4 Output options for high voltage lighting controls
- 2.10.5 Code blue switch
- 2.10.6 Visual indicator if active
- 2.10.7 Reset limited to code blue switch only
- 2.10.8 Pull cord station
- 2.10.9 Must use ligature resistance cord and be within 6" of floor
- 2.10.10 Reset limited to pull cord station only
- 2.10.11 Bath call station
- 2.10.12 Must use ligature resistance cord and be within 6" of floor
- 2.10.13 Reset limited to bath call station only
- 2.10.14 Code blue station
- 2.10.15 Reset limited to code blue station only
- 2.10.16 Clear cover to prevent accidental calls
- 2.10.17 Room dome light
- 2.10.18 Illuminates based on call types per assigned room
- 2.10.19 Programmable color LED's
- 2.10.20 Hallway dome light
- 2.10.21 Illuminates based on call types per assigned hallway
- 2.10.22 Programmable color LED's
- 2.10.23 Supports at least 16 stations
- 2.10.24 Duty/Staff station
- 2.10.25 Visual indicator for each associated call types
- 2.10.26 Speaker for audible alert for associated calls
- 2.10.27 Staff Terminal (outside each patient room)
- 2.10.28 VoIP device
- 2.10.29 Color touchscreen to provide visual notifications of active call types for the associated room
- 2.10.30 Speaker for audio notifications of active call types
- 2.10.31 Silence button for silencing audio notifications
- 2.10.32 Programmable touchscreen icons for facility designation functions
- 2.10.33 Speaker and microphone for two-way communication to associated room
- 2.10.34 Bed Plug connection
- 2.10.35 Must be compatible with facility bed brand and models (currently Hil-Rom and Umano)

- 2.10.36 Must at least single bed connection for single patient rooms and double bed connection for dual patient rooms
- 2.10.37 Must allow current beds to place nurse call request if available
- 2.10.38 Must allow current beds to utilize bed alarms to notify nurse call master console if patient leaves, or falls out of bed if available
- 2.11 Work includes but not limited to:
 - 2.11.1 Replacement of Nurse Call system – Contractor to Design, Deliver, Replace, Install, Verify cabling. Verify power requirements, and program the equipment/software needed to accommodate the implementation of the items listed above. The Contractor is responsible to verify that the above list is complete and accurate and incorporate all items listed below in this SOW. Items shall be installed by certified technicians. Contractor is responsible for all material, tools, and equipment needed to install and ensure the proper operation of the above items. All items listed above will require to be verified working at the same time before the completion of the project. Work needs to include any software installation, programming, configuration and testing. All designs shall incorporate the necessary electrical, mechanical, structural, and architectural components required for the installation of complete systems that function as designed. Designs shall be in accordance with applicable codes as listed in NFPA, EPA, OSHA, National Electrical Code, National Safety Code, VA Master Specifications, VA Standard Details, VA Construction Standards, Applicable Design Guides, and municipal, state, and federal regulations.
 - 2.11.2 Existing as-built drawings will be provided to the A/E (as required), however, no guarantee is made as to the accuracy of these plans. All features and conditions indicated therein must be verified by the A/E as inclusive of the scope of the design services they provide. The A/E shall perform all necessary site surveys to verify conditions in the field to confirm the accuracy of the as-built plans provided.

3 Changes to the Statement of Work

- 3.1 Any changes to this SOW shall be authorized and approved only through written correspondence from the CO. A copy of each change will be kept in a project folder along with all other products of the project. Costs incurred by the contractor through the actions of parties other than the CO shall be borne by the contractor.

4 Promote uniformity:

- 4.1 Increase system coverage: Evaluate areas that are currently not covered and add/expand systems where needed.
- 4.2 Replace outdated Nurse Call and Code Blue Systems.
- 4.3 Systems will interface effectively with various medical equipment.
- 4.4 Minimize maintenance and downtime.
- 4.5 Maximize patient safety and improve outcomes and response times.

4.6 NURSE CALL SYSTEM COMPONENTS

- 4.7 Manufacturer of system must have at least 2 separate existing vendors or office locations within 150 mile radius of facility address for 24/7 emergency repairs.
- 4.8 Provide VoIP Nurse Call Master Console in the nurse station.
- 4.9 Provide Duty Stations with speaker and microphone in the following rooms:
 - 4.10 Staff lounge
 - 4.11 Clean Linen.
 - 4.12 Dirty Linen.
 - 4.13 Medicine room.
 - 4.14 Open area nursing station.
 - 4.15 At the end of corridor if nurse station is too far.
 - 4.16 Clean supplies
- 4.17 Provide Enhanced Single Patient Station with 2 buttons (can be programmed as directed by VA) with Code Blue, and with one DIN receptacle for pillow speaker and ¼ auxiliary jacks.
- 4.18 Provide 37 PIN Patient Bed Receptacle with break out patch cord but want to update out of 37 PIN arrangement if possible. Currently using Hill-Rom Centrella beds. There will be a 37 PIN receptacle along with a breakaway cable will be specific to the HillRom beds that the VA currently has on campus in area 7A and would like to have the same type of bed for this project.
- 4.19 Provide patient room enhanced pillow speaker.
- 4.20 Wireless Handheld (pickle) phones by VA.
- 4.21 Provide Bathroom Pull Cord Station with Audio (speaker and microphone).
- 4.22 Provide Shower Pull Cord Station.
- 4.23 Provide LED Dome Corridor Light at patient room door.
- 4.24 Provide LED Dome Corridor Light at patient restroom door.
- 4.25 Provide Staff Terminal at entrance of each patient room next to the door with color touch screen, full duplex and two-way communications.
- 4.26 Provide Code station as directed by VA (Code Blue, Condition A, C or Emergency).
- 4.27 Provide emergency pull or push button in each special procedure room
- 4.28 Nurse Call Equipment Cabinets shall be connected with either copper or Fiber Optic Cable based on the distance.

- 4.29 Provide patient room lighting interface with nurse call pillow speakers if needed.
- 4.30 Provide patient room TV interface with nurse call pillow speakers if needed.
- 4.31 Nurse Call will be integrated with other hospital systems.
- 4.32 Nurse Call will have remote enunciation points in the telephone operator room, Police dispatch and 24/7/365 fully manned locations.
- 4.33 The software shall be TRM approved. Hospital phone system (CISCO)
- 4.34 Nurse call system managing software:
- 4.35 Must have simple sign-in options for standard user accounts, manager accounts and maintenance staff accounts.
- 4.36 Room, zones, and areas but be capable of being partitioned and assigned to groups.
- 4.37 Must have a reports section that is easily capable of running historical or trending reports and filtering based on devices, rooms, zones, areas, call types, or time periods. Reports must be exportable to excel spreadsheets, and other formats.
- 4.38 System must be capable of allowing staff assignments for rooms to forward calls or escalate calls as designated
- 4.39 Clinical phone system (Vocera)
- 4.40 Real Time Location System-RTLS
- 4.41 Cabling: The VA requires labeling of cables on both ends of each cable indicating either the telephone closet room number and patch port/switch port, or the device room number and ID. Each device should have a local visible label at the facilities discretion (based on the contracted systems best way to troubleshoot those devices such as IP address, device address, ID, etc.)
- 4.42 All devices with power supplied by facility electrical circuits must be labeled with the associated branch circuit on the device or the enclosure if located within.
- 4.43
- 4.44 *Nurse Call System Integration:* The new nurse call system will be integrated with the following hospital systems
- 4.45 Wireless
- 4.46 Patient Beds

Other systems as required by the VA

5 General Requirements

5.1 General

- 5.1.1 All designs shall incorporate the necessary electrical, mechanical, structural, and architectural components required for the installation of complete systems that function as designed. Designs shall be in accordance with applicable codes as listed in NFPA, EPA, OSHA, National Electrical Code, National Safety Code, VA Master Specifications, VA Standard Details, VA Construction Standards, Applicable Design Guides, and municipal, state, and federal regulations.
- 5.1.2 Existing as-built drawings will be provided to the A/E (as required), however, no guarantee is made as to the accuracy of these plans. All features and conditions indicated therein must be verified by the A/E as inclusive of the scope of the design services they provide. The A/E shall perform all necessary site surveys to verify conditions in the field to confirm the accuracy of the as-built plans provided.
- 5.2 Protection of Existing Work
 - 5.2.1 The Contractor shall preserve and protect all structures, equipment, and vegetation (such as trees, shrubs, and grass on or adjacent to the work site and which do not interfere with the work required under this contract. If any limbs or branches are broken during the contract performance by careless operation of equipment or employees, the contractor shall clean cut and paint the cut with a tree-pruning compound approved by the COR
 - 5.2.2 The Contractor shall protect from all damage of improvements and utilities at or near the work site and on adjacent property including those that are the property of a third party from failure to comply with the requirements and reasonable care while performing the work.
 - 5.2.3 The contractor shall under regulations prescribed by the Contracting Officer to use only the established approved roadways. When materials or equipment are transported, vehicles must not exceed loading capacity recommended by manufacturer and local or state laws to include the load limit on the upper parking garage deck. When it is necessary for the contractor to cross curbs or sidewalks the contractor shall protect them from damage.
 - 5.2.4 It is the responsibility of the contractor to repair suitably or replace all damaged property due to contractors' negligence.
- 5.3 Changes to the Statement of Work
 - 5.3.1 Any changes to this SOW shall be authorized and approved only through written correspondence from the CO. A copy of each change will be kept in a project folder along with all other products of the project. Costs incurred by the contractor through the actions of parties other than the CO shall be borne by the contractor.

6 Scheduling, Phasing, and Working Hours

6.1 Schedule of Contract

- 6.1.1 Contractor shall submit a Critical Path Method (CPM) schedule for BOTH Design phase and Construction phase with estimated dates and itemized cost of work to the Contracting Officer for review and approval before Notice to proceed.
- 6.1.2 The contractor will be required to provide the Contracting Officer with a comprehensive phasing plan to perform this contract. The contractor will be required to update this plan on a weekly basis to provide the VAMC management team with an accurate status of the work. A two-week notice to the Contracting Officer will be needed for approval prior to acceptance and authorization of all changes to the project schedule.

6.2 Performance Period

- 6.2.1 The contractor shall complete the work required under this scope in **365** calendar days or less from date of award. Extensions may be granted as directed by project VAMC management team. If the contractor proposes an earlier completion date, and the Government accepts the contractor's proposal, the contractors proposed completion date shall prevail.
- 6.2.2 Work at the Government site shall not take place on Federal holidays or weekends unless authorized by the VAMC project management team.
 - 6.2.2.1 We are expecting to need off hour work on this project during various stages and shutdowns so the contractor shall
- 6.2.3 The contractor shall not commence performance of the tasks in this scope until the VAMC has conducted a kickoff meeting or has advised the contractor that such a meeting has been waived.

6.3 Design Schedule

- 6.3.1 Design schedules shall be submitted to the VA as a Microsoft Projects file at the beginning of the Notice to Proceed, with each invoice for payment and shall never be more than 4 weeks old. Time frames below are calendar days. Any requested adjustment to timeline shall be submitted to Contracting in writing:
- 6.3.2 Phase 1
 - 6.3.2.1 Design Development (DD) 65%: NTP + 32 days
 - 6.3.2.2 DD Review Meeting: NTP + 46 days
 - 6.3.2.3 Construction Documents (CD1) 95%: NTP + 76 days
 - 6.3.2.4 CD Review Meeting: NTP + 90 days
 - 6.3.2.5 Construction 100%: NTP + 120 days
- 6.3.3 Design-Build Team A/E will schedule a Pre-Construction Meeting with all pertinent VA personnel for final drawing approval before construction start, within 14 calendar days of receiving Government acceptance of 100% drawings.

6.4 Phasing of Construction

- 6.4.1 Project construction phase 1 will begin AFTER Design phase 1 completion and Government acceptance. Phase 2 start shall be determined by the coordination with the other project and the expressed consent of the COR
- 6.4.2 The contractor will be required to provide the Contracting Officer a comprehensive schedule to perform this project. A two week notice to the Contracting Officer will need to be approved prior to any changes affecting the schedule.
- 6.4.3 Seventeen (**17**) Days' notice is also required for any closures, disruptions installation, etc. that will impact normal daily operations such as blocking off areas. Utility Outages, including disruption of fire alarms, must be requested by the Contractor at least 17 calendar days in advance.
- 6.4.4 During the construction phase the Contractor shall perform the work at the site from Monday through Friday DURING normal business hours, 7:00 AM to 3:30 PM. The contractor shall have access to the site for performance of the work beyond these hours, during Federal Holidays and weekends with prior approval by COR. All work hours beyond these hours MUST be coordinated with the project's COR. All work performed during WHEN hours (Weekends, Holidays, Evenings and Nights) so as not to interfere with normal Hospital functions. Since all shutdowns or outages will be during WHEN hours and when there are no OR procedures taking place the contractor shall include these hours in the proposal. The contractor shall provide a detailed schedule of all shutdowns and outages that are expected and include the labor at the appropriate rates for this time.
- 6.4.5 During all shutdowns, the contractor shall be prepared with the proper equipment and manpower for emergency's and backup plans to ensure the safety of all areas and patients affected by the work.
- 6.4.6 All submittals will be returned to the Contractor within two (2) weeks of submission. Disapproved submittals are not reason for additional time or delay claim for the Contract.

7 Infection control and Safety Measures

7.1 Infection Control Risk Assessment

- 7.1.1 The A/E Firm will be responsible to work with the VA COR / Safety Department / and Infection. Prevention to develop the "Construction Safety, Infection Prevention and Control Risk Assessment", as required by VHA Directive 7715 "SAFETY AND HEALTH DURING CONSTRUCTION" The A/E will be given blank Risk Assessment forms to be completed and will allow for review and discussion at each design phase of the project. If the design has multiple phases, or work performed in multiple areas, a separate Assessment needs to be completed for each phase or area. These forms will be included in the specifications and are a part of the design submission requirements.

7.2 Interim Life Safety Measures Evaluations

- 7.2.1 The A/E firm will be responsible to identify areas in their design that will require Interim Life Safety Measures in accordance with the latest - The Joint Commission (TJC) Hospital Standard LS.01.02.01. The A/E will clearly define areas requiring Interim Life Safety Measures and the necessary precautions needed. Along with the requirement for Interim Life Safety Measures, the A/E will work with the COR and Safety Department to identify the needs, as well as identify the responsibilities of the Interim Life Safety Measures. These will be clearly defined in both the Specifications and on the Drawings.
- 7.2.2 The Project Superintendent can provide the services of SSO & QC provided the proper certifications are in place and active. The COR will give final approval upon reviewing the individuals credentials.

8 Design Requirements

8.1 Codes and Standards

- 8.1.1 WPB VAHCS is a smoke free campus.
 - 8.1.2 Project design shall be in compliance with applicable standards and codes described in VA Program Guides and design materials included or referenced in the solicitation materials. See Resources.
 - 8.1.3 In the design of new building and alteration work under this contract, the Design-Build Team A/E shall consider all requirements (other than procedural requirements) of:
 - 8.1.3.1 Zoning laws
 - 8.1.3.2 Environmental and erosion control regulations
 - 8.1.3.3 Laws relating to landscaping, open space, minimum distance of a building from the property line, maximum height of a building, historic preservation, and esthetic qualities of a building. Also similar laws, of the State and local political division, which would apply to the building if it, were not to be constructed or altered by the U.S. Government.
 - 8.1.4 The design-build team a/e shall provide prompt, written notification to the contracting officer concerning conflicts with, or recommended deviations from codes, laws, regulations, standards, and opinions of review officials. No work altering or increasing the scope of this contract shall be undertaken prior to receipt of written approval from the contracting officer
 - 8.1.5 The Design-Build Team A/E shall advise the Contracting Officer of any variances with the applicable Department of Labor, Occupational Safety and Health Standards, for occupancy requirements.
 - 8.1.6 The Design-Build Team A/E shall consult with appropriate officials of the Federal, state, and political subdivision, and submit plans under the rules prescribed by those reviewing authorities. The A/E and VA shall give due consideration to the recommendations of the referenced building officials. VA will also permit inspection by the officials described above during the construction period in accordance with the customary schedule of inspections in the locality of the building construction. Such officials shall provide VA with a copy of the schedule before construction begins or give reasonable notice of their intention to inspect before conducting an inspection.
 - 8.1.7 No action may be brought against the Design-Build Team A/E or VA and no fine or penalty may be imposed for failure to carry out any of the previously described recommendations of Federal, state, or local officials. The VA and its contractors, shall not be required to pay any amount for any action taken by a state or political division of a state in carrying out functions described in this article, including reviewing plans, carrying out on-site inspections, issuing permits, and making recommendations.
- 8.2 Certified Independent Third-Party Safety Professional (CITP):

8.2.1 The Design Build Contractor is responsible to obtain a CIP to review drawings in reference to NFPA Life Safety and Fire Protection Compliance per VHA Directive 7712. The CIP must be approved by the COR

8.2.1.1 In each submission, the DB Contractor shall incorporate all material specified and all revisions according to comments made by the Department of Veterans Affairs, as well as the CIP.

8.2.1.2 For the final construction documents, the DB Contractor will be required to submit written documentation, signed by the CIP that the design has been reviewed to be compliant with Statement of Work

8.3 Professional Licensing

8.3.1 The Design-Build Team A/E who prepares the construction documents shall be a professional architect or engineer licensed in the State of Florida.

8.3.2 The professional seal indicating such license by the state shall appear on the final construction documents. The architect whose seal is shown will be known as the Architect of Record. The Design-Build Team A/E shall certify compliance with the VA RFP and all applicable codes.

8.4 Review Meetings

8.4.1 A review meeting to resolve design issues will be held for each design review package submitted. The meeting will include discussion of VA comments on functional relationships and technical peer review comments (by others).

8.4.2 Participants will include VAH Staff and Design-Build Team A/E members as appropriate for the specific package to be reviewed and others. The Design-Build Team A/E members will each allow for (1) full day for each package design review meeting.

8.4.3 The DB team shall allow a minimum of fourteen (14) calendar days for each review cycle. A cycle includes:

8.4.3.1 The VA's receipt of the design review submission package.

8.4.3.2 The review meeting.

8.4.3.3 DB teams receipt of comments from the VA, either electronically, by fax, or by hard copy delivery.

8.4.4 Coordination of the review meeting schedules will be the responsibility of the VAH PM/COR (for the VA) and the Design-Build Team A/E Project Manager (for the Design-Build Team A/E). See Quality Assurance/Quality Control.

8.5 Review Submissions

Reference Program Guide, **PG-18-15, Volume C** for minimal submission requirements for contract documents specified in the Design Build A/E contract. **See Appendix B.**

8.5.1 Design Development (DD) 65%

- 8.5.1.1 Design Development (DD) 65% Submission package shall meet the minimum requirements set forth in Program Guide, PG-18-15, Volume C, of both Schematic and Design Development.
- 8.5.1.2 Submission package shall include Basis of Design description for each area of work.
- 8.5.1.3 Submission package shall include proposed phasing of construction work for each area of work.
- 8.5.1.4 Submission shall include all Sequences of Operation from the control contractors. The screenshots of the graphics package shall also be provided at this point.
- 8.5.1.5 Submission package shall include Specifications Index and each specification proposed to be used. Specifications shall be edited to the proper level of development.
- 8.5.1.6 Drawings
- 8.5.1.7 Estimate

8.5.2 Construction Documents (CD1) 95%

- 8.5.2.1 Final approved Design Development documents shall be the basis for the development of the Construction Documents phase.
- 8.5.2.2 Submission package shall meet the minimum requirements set forth in Program Guide, PG-18-15, Volume C, for Construction Documents.
- 8.5.2.3 Specifications Index and each specification proposed to be used shall be fully edited. See Construction Specifications.
- 8.5.2.4 Drawings
- 8.5.2.5 Estimate

8.5.3 Construction Documents (CD2) 100%

- 8.5.3.1 The final construction document submission package will be submitted by the Design-Build Team A/E for approval by the VA after completion of the 95% review cycle. The VA will have 14 calendar days to take approval action.
- 8.5.3.2 The final construction documents submission package will include a full set of construction documents including all disciplines/packages.
- 8.5.3.3 The final construction documents submission package will incorporate all VA supplied comments from the earlier 65%, and 95% submission package reviews and will comply with the VA requirements.

- 8.5.3.4 If the final construction documents submission package is not complete a post submittal may be required, the cost of which will be borne by the Design-Build Team A/E.
- 8.5.3.5 The approved final construction documents include such details that the project can be constructed and will be used for construction of the project.
- 8.5.3.6 The (100%) set of drawings will be the final set of drawings that will be used for construction and stamped by engineer and architect of record, licensed in the State of Florida.

8.6 Construction Drawings Preparation

- 8.6.1 The Design-Build Team A/E shall prepare and submit complete construction documents for review and approval by the VA in accordance with standard professional practice and prevailing codes.
- 8.6.2 The documents may be divided into multiple review submission packages. The VA will review as many as six (6) package submissions (examples: demolition, civil, architectural, structural, mechanical, Electrical, plumbing etc.) To facilitate the start of construction.
- 8.6.3 All submission packages will be reviewed at Design Development (65%), Construction Documents (95%) and Final Documents (100%) completion stages. The (100%) review submission packages will incorporate the final review comments from the (95%) review. If any package is not complete for the required stage a post review may be required, the cost of which will be borne by the DB Team.
- 8.6.4 Each review submission package shall include 3 hard copy sets (2 Full Size & 1 Half Size) and 1 PDF set on CD-ROM. The package will include an index of drawings (by sheet number and title) and specifications (by section number and title) submitted. The packages will be distributed to the VA Project's COR, the VA CO. And others as determined to be appropriate by the VA.
- 8.6.5 Particular attention is called to CD4, Symbol Identification of Contract Drawings. Equipment symbols shall be in accordance with PG-18-6, Equipment Reference Manual (previously List of Equipment Symbols, H-08-6).
- 8.6.6 Standard Drawing Details, in accordance with PG-18-4, shall be utilized to the greatest extent practicable.
- 8.6.7 Drawings General Requirements: Mandatory material and equipment schedules and details may be indicated either on the drawings or in the specifications, at the option of the Design-Build Team A/E. The construction drawings shall include a coordinated set of the following. (Reference Program Guide, PG-18-15, Volume C).
 - 8.6.7.1 Structural drawings: including foundation plans, framing plans, schedules, and details, including general notes and all calculations.
 - 8.6.7.2 Architectural drawings: including floor plans, building sections, wall sections, reflected ceiling plans, and other details.
 - 8.6.7.3 Fire protection drawings: including floor and roof plans, riser diagrams, equipment schedules, and details, including general notes calculations and all related calculations.
 - 8.6.7.4 Plumbing drawings: including floor and roof plans, riser diagrams, equipment schedules, plumbing fixture schedules, and details, including general notes, and all related calculations.
 - 8.6.7.5 HVAC drawings: including floor and roof plans, one-line flow diagrams, equipment schedules, and details, including general notes and all related calculations. Also provide sections for mechanical equipment rooms and sequence of operation for all HVAC equipment.

- 8.6.7.6 Electrical drawings: including site demolition plans, site, floor and roof plans (power, lighting, and other systems), one-line diagrams, panel schedules, equipment schedules, light fixture schedules calculations and details

8.7 Construction Specifications

- 8.7.1 Project specifications shall include specifications for all products, materials, equipment, methods, and systems shown on the construction drawings in accordance with standard professional practice and the VA requirements. AE shall create a submittal register in excel format identifying all submittal requirements called out in the specs. The specification submitted for review shall include:
 - 8.7.1.1 The name of the manufacturer, the product name, model number, or other identification as appropriate to clearly identify the product that will be used in the construction of the project;
 - 8.7.1.2 Other data as appropriate to clearly identify the product that will be used in the construction of the project i.e. shop drawings, product data, and samples as required by the VA documents; and
 - 8.7.1.3 The required stamp of the licensed architect or engineer of record will be considered as certification of compliance with the project's requirements.
- 8.7.2 Upon Contractor review of the TIL Specifications and Design Guidelines associated with the Project Scope of Work, the Design-Build Team A/E shall be responsible to prepare and submit for Government review and acceptance a full set of specifications (2 hard copies, 2 electronic), specific to the project, from the Master Specifications located in the TIL. The Specifications shall be contractor modified to include VA Guidelines and Code requirements consistent with NFPA, IBC, FBC, FGI Guidelines for Design and Construction of Health Care Facilities.
- 8.7.3 In addition to the Project Specific Specifications, the Contractor shall submit a binder of product cut sheets, MSDSs, and all required Contract submittals.

8.8 Electronic Media

- 8.8.1 Design review submission drawings and final Construction Document submission drawings will be executed in electronic format AutoCAD version 2020 or backwards compatible format. They will also be provided in REVIT
- 8.8.2 The drawings included will be available to the Design-Build Team A/E team in electronic format in AutoCAD version 2020, REVIT, and PDF format for use in preparing the construction drawings if possible. Since data stored on electronic media can deteriorate undetected or be modified without the Architect/Engineer's knowledge, the CAD drawing files are provided without warranty or obligation on the part of the Architect/Engineer as to accuracy or information contained in the files. The user shall independently verify all information in the files. Any user shall agree to indemnify and hold the Architect Engineer harmless from any and all claims, damages, losses, and expenses including, but not limited to, attorney's fee arising out of the use of the CAD drawing files.
- 8.8.3 Design review submission specifications, final Construction Document submission specifications and other 8 1/2 by 11 formatted material will be executed in electronic format Microsoft Word.
- 8.8.4 The specifications included shall be available to the Design-Build Team A/E in electronic format in Microsoft Word, for use in preparing the construction specifications. Since data stored on electronic media can deteriorate undetected or be modified without the Architect/Engineer's knowledge, the CAD version 2018 drawing files are provided without warranty or obligation on the part of the Architect/Engineer as to accuracy or information contained in the files. The design builder shall independently verify all information in the files and shall agree to indemnify and hold the Architect Engineer harmless from any and all claims, damages, losses, and expenses including, but not limited to, attorney's fee arising out of the use of the electronic files.
- 8.8.5 The construction record drawings shall be completed in Revit and AutoCAD version 2025 including backward compatible format. Designer/contractor will submit an AUTOCAD copy (as build drawings) after the completion of the project and before close out to the VA for engineering records and update tracking purposes. AutoCad and Revit files must conform to VA naming conventions, line weights, colors etc.
- 8.8.6 Construction shop drawings are required to be completed in AutoCAD.
- 8.9 Quality Assurance/Quality Control

- 8.9.1 To reduce design errors and omissions, the Design-Build Team A/E shall develop and execute a QA/QC plan that demonstrates the project plans and specifications have gone through a rigorous, thorough review and coordination effort.
- 8.9.2 Within 2 weeks of receipt of Notice to Proceed, the Design-Build Team A/E will submit a detailed QA/QC plan describing each QA/QC task that will be taken during the development of the various design submission packages and the name of the Design-Build Team A/E member responsible for QA/QC.
- 8.9.3 Upon its completion each task shall be initialed and dated by the responsible Design-Build Team A/E member.
- 8.9.4 A 100% completed QA/QC plan shall be submitted with the final construction document submission package.

9 Construction Requirements

9.1 Quality Control Plan:

- 9.1.1 The contractor shall prepare establish and maintain an effective quality control (QC) system. QC consists of plans, procedures, and organization necessary to produce an end product which complies with the Contract requirements.
- 9.1.2 The project superintendent will be held responsible for the quality of work and is subject to removal by the Contracting Office or Authorized designee for non-compliance with the quality requirements specified in the Contract.

9.2 DB A/E Construction Period Services

9.2.1 Pre-Construction Meeting

- 9.2.1.1 The DB A/E, as part of the Design-Build Team A/E, shall participate in the pre-construction meeting with the VA and DB Contractor. The DB A/E shall be prepared to respond to the VA concerns and shall provide overview of the design.

9.2.2 Site Visits & Inspections

- 9.2.2.1 During Construction Period Services, the DB A/E shall visit the job site as appropriate to the stage of construction to determine in general if the work is being performed in a manner indicating that the work, when completed, will be in accordance with the working drawings.
- 9.2.2.2 During the construction period the DB A/E shall make weekly visits to the project site when requested by the COR. The COR may also request visits for special purposes. Only registered architects and engineers thoroughly familiar with the project may make these site visits. The COR has the prerogative to determine the professional discipline(s) required for any visit. The DB A/E shall observe the construction, advise the COR of any deviations or deficiencies or solutions to issues discussed. A site inspection report which includes the purpose of the inspection, items reviewed, deficiencies observed, recommendations and additional actions required, shall be furnished to the COR within three (3) workdays following the site visit date.

9.2.3 Project Record Drawings

- 9.2.3.1 The Design-Build Team A/E will maintain a set of construction documents (field as-built drawings) to record actual construction changes during the construction process. The project record drawings will be always available for review by the VA.

9.2.4 Shop Drawings and Submittals

- 9.2.4.1 The DB A/E shall check government furnished and/or the contractor's shop drawings, detail drawings, schedules, descriptive literature and samples, testing labor-laboratory reports, field test data and review the color, texture and suitability of materials for conformity with construction documents. The DB A/E shall recommend approval, disapproval, or other suitable disposition to the VA. The VA will have final approval authority.

- 9.2.4.2 The DB A/E shall evaluate the submittals with reference to any companion submittals that constitute a system. When necessary, the DB A/E will request the Contractor to submit related components of a system before acting on a single component. Should this procedure be inappropriate, the DB A/E shall review all prior submittals for related components of the system before acting on a single component.
- 9.2.4.3 The DB A/E may be required to hold joint reviews with the VA technical staff and /or the Contractor on complicated system submittals. The DB A/E shall notify the VA COR in writing of any and all deviations from the requirements of the construction documents that he has found in the submittals.

9.2.5 Inspections and Testing

- 9.2.5.1 DB A/E shall be present during one (1) pre-Final inspection and one (1) Final inspection of Work and shall generate Punch List and forward the list to the VA with explanations of found deficiencies and/or omissions in work, and recommended correctives.
- 9.2.5.2 DB A/E shall review and approve or take other appropriate action on test reports and Punch List items to be completed or corrected. DB A/E shall approve or disapprove test reports and forward findings to the VA for final disposition. DB Team shall forward approved inspection and testing document or lists to the VA for final disposition.

9.3 Submittals and Shop Drawings

- 9.3.1 A submittal is information submitted for VA review, to establish compliance with the contract documents.
- 9.3.2 Submittals are to be scheduled, submitted, reviewed, and approved prior to the acquisition of the material or equipment. Coordinate scheduling, sequencing, preparing, and processing of submittals with performance of work so that work will not be delayed by submittal processing. Allow time for potential resubmittal.
- 9.3.3 All submittals are required to be approved prior to the start of the specified work activity.
- 9.3.4 All submittals will be returned to the Contractor within two (2) weeks of submission. Disapproved submittals are not reason for additional time or delay claim for the Contract.
- 9.3.5 Submittals shall be reviewed and then signed by each contractor involved. If it is apparent that the submittals have not been reviewed, they will be returned to be resubmitted.

9.4 Safety

- 9.4.1 Contractors' personnel are required to have completed up to date OSHA-approved 10-hour construction worker course. The onsite general superintendent/supervisor is required to have completed up to date 30-hour OSHA-approved construction course prior to working on site.
- 9.4.2 Contractor to provide the Contracting Officer with a copy of the OSHA certificates prior to executing work for the Veterans Administration. In addition, Contractor shall provide submittals for contract construction or renovation work which includes the names, qualifications, and training dates for Contractors Competent Persons (CP), who has been designated to administer the site-specific safety program as well as the CP for all other activities as required by OSHA regulation 29 CFR 1926.32 (such as scaffolds, cranes, etc. The VA's CP does not take the place of Contractors CP nor act in its behalf. The VA CP determines if the Contractor is meeting the VA standards and contractual requirements for safety and OSHA compliance. When these standards and contract requirements are not being met, the VA COR and or CP will take immediate action to prevent injury, non-compliance, and or property damage and the Contracting Officer will be notified immediately. The Contractor shall submit an Activity Hazard Analysis and an Accident Prevention Plan as per FAR 52.236-13 prior to commencement of site activities. The government Shall have 21 calendar days to review the AHA and APP. Contractor is to provide Safety personnel (flagman), safety signs, cones, etc. during any activity within the of the normal traffic pattern or when deemed necessary by the COR.
- 9.4.3 Contractor employees shall be required to maintain their appearance, including a shirt bearing a company logo.
- 9.4.4 Contractor to adhere to the latest COVID precautions as directed by the VA Medical Center West Palm Beach.
- 9.4.5 The contractor shall be required on a daily basis to apply for and utilize permits for all work associated with:
 - 9.4.5.1 Hot Work
 - 9.4.5.2 Above ceiling work
 - 9.4.5.3 Confined space
- 9.4.6 The contractor shall be required to schedule and comply with inspections as necessary for the following work. Work may not proceed without following these guidelines and work that has been covered up may be recalled by the COR
 - 9.4.6.1 In wall plumbing
 - 9.4.6.2 Electrical
 - 9.4.6.3 Studs and framing
 - 9.4.6.4 HVAC ducting and boxes
 - 9.4.6.5 Fire sprinkler piping systems
 - 9.4.6.6 Room Finishes prior to casework

- 9.4.7 The contractor shall be required to create a checklist for these inspection items and get proper sign offs throughout the project. The checklist shall be provided at the end of the project before closeout can take place.

10 Estimate Requirements

10.1 Cost Estimates

- 10.1.1 Cost estimates shall be developed in strict conformance with VA's Manual for Preparation of Cost Estimates & Related Documents for VA Facilities (March 8, 2011). <http://www.cfm.va.gov/til/dManual/dmCost.pdf>

11 Reporting Requirements

11.1 Progress Reports

- 11.1.1 The contractor shall provide the COR with weekly written progress reports. These are due to the COR by the second workday following the end of each calendar month, throughout the project's duration.
- 11.1.2 The progress report shall cover all work completed during the preceding week and shall present the work to be accomplished during the subsequent month. This report shall also identify any problems that arose, along with a statement explaining how the problem was resolved.

11.2 Progress Meetings

- 11.2.1 Contractor weekly meetings shall begin during all construction phases. Construction meetings shall be on site or virtual and will consist of a 3 week look ahead schedule. Contractor shall create minutes and those minutes shall be reviewed weekly as well as the schedule.

12 Government Furnished Information

As referenced in FAR 52.236-4 and VAAR 852.236-71 of the solicitation all available record drawings will be provided upon request to the Design-Build Team A/E. They should not however, be considered "as-built". These drawing files are provided without warranty or obligation as to the accuracy or information contained in the files. All information in the files shall be independently verified by the user. Any user shall agree to indemnify and hold the VA harmless from any and all claims, damages, losses, and expenses, including, but not limited to, attorney fees arising out of the use of the Computer Aided Design and Drafting (CADD) drawing files.

13 Resources

13.1 VA standards and Publications

All designs shall comply with applicable sections of VA standards and publications, and all references therein. Ensure that construction documents comply with the latest edition of these VA construction and design standards. VA standards can be found on the World Wide Web at <http://www.cfm.va.gov/TIL/>. VA publications and standards shall include but shall not be limited to the following:

13.1.1 Office of Construction & Facilities Management Site Map:

<http://www.cfm.va.gov/sitemap.asp>

13.1.2 The Technical Information Library (TIL): <http://www.cfm.va.gov/TIL/>

- 13.1.2.1 Master Construction Specifications Index (PG-18-1)
- 13.1.2.2 Design and Construction Procedures (PG-18-3)
- 13.1.2.3 VA Standard Details and CAD Standards (PG-18-4)
- 13.1.2.4 Equipment Guide List (PG-18-5)
- 13.1.2.5 Equipment Inspection Manual (Program Guide 7610.2)
- 13.1.2.6 Equipment Reference Manual (PG-18-6)
- 13.1.2.7 Space Planning Criteria (PG-18-9)
- 13.1.2.8 Design Manuals (by discipline) (PG-18-10)
- 13.1.2.9 Design Guides (graphical, by function) (PG-18-12)
- 13.1.2.10 Barrier Free Design Guide (PG-18-13)
- 13.1.2.11 Room Finishes, Door and Hardware Schedules (PG-18-14)
- 13.1.2.12 Minimum Requirements for A/E Submissions (PG-18-15)
- 13.1.2.13 Environmental Planning Guidance (PG-18-17)
- 13.1.2.14 HVAC Design Manual for Hospitals Amendment B
- 13.1.2.15 Lighting Study
- 13.1.2.16 Design Alerts
- 13.1.2.17 Quality Alerts
- 13.1.2.18 VA Signage Design Guide
- 13.1.2.19 Fire Protection Design Manual – Latest Edition
- 13.1.2.20 Cost Estimating
- 13.1.2.21 Physical Security Design Manuals for VA Facilities – Mission Critical Facilities (VA Handbook 0730)
- 13.1.2.22 Information Security Handbook VA 6500
- 13.1.2.23 Energy Reduction Manual (First Draft)
- 13.1.2.24 VA Office of Facilities Management citations of the AIA design standards

13.1.3 VA Office of Health and Safety (OHS): <http://www1.va.gov/vasafety/>

13.1.3.1 Construction Infection Control Risk Assessment Memorandum

13.1.4 Other design and construction standards and publications that shall be applied to this work includes, but are not limited to:

- 13.1.4.1 American Society of Heating, Refrigerating and Air-Conditioning Engineers Manual (ASHRAE)
- 13.1.4.2 National Fire Protection Association (NFPA) Codes & Standards - www.nfpa.org
- 13.1.4.3 OSHA Rules and Regulations
- 13.1.4.4 International Building Code (ICC) latest edition

- 13.1.4.5 Life Safety Code (NFPA 101) latest edition
- 13.1.4.6 The Joint Commission (TJC) Accreditation manual (latest edition)
- 13.1.4.7 Sustainable Design Requirements (01 81 11)
- 13.1.4.8 Construction Waste Management (01 74 19)
- 13.1.5 Guidelines for Design and Construction of Health Care Facilities, Latest Edition, published by The Facilities Guidelines Institute (FGI). <http://www.fgiguideelines.org/>
- 13.1.6 Physical Security Standard, compliance with Medical Center Policy 138-3 and VHA Handbook 0730/2 dated May 27, 2010 "Space Key Control".
- 13.1.7 Plumbing System Design & Water Treatment/Design to prevent Legionnaires. VA Plumbing Design Manual and VHA Directive 2008-010, PREVENTION OF LEGIONELLA DISEASE, and VHA Directive 2009-009, DOMESTIC HOT WATER TEMPERATURE LIMITS FOR LEGIONELLA PREVENTION AND SCALD CONTROL.
- 13.2 Code Notes
 - 13.2.1 NFPA 101 primarily addresses life safety and fire protection features while the IBC addresses a wide range of considerations, including, but not limited to, structural strength, stability, sanitation, adequate light and ventilation, and energy conservation. VA buildings must meet the requirements of NFPA 101 and documents referenced by NFPA 101 in order to comply with the accreditation requirements of the joint Commission. Therefore, systems shall comply with the requirements of the latest edition of NFPA 101 and documents referenced therein.
 - 13.2.2 Conflicts between Nationally Recognized Codes and Standards and VA Requirements: Should a conflict exist between VA requirements and VA adopted nationally recognized codes and standards, the conflict shall be brought to the attention of the VA. The resolution of the conflict shall be made by the authority having jurisdiction for the VA to ensure a consistency system wide.
 - 13.2.3 Design Deviations from VA Standards: When proposing a variation, deliver a written request to the Contracting Officer who will render decision after discussing with COR. Documentation will include the nature and features of the variation and why the variation is desirable and beneficial to the Government. If lower cost is a benefit, also include a high magnitude cost comparison.

14 Confidentiality and Nondisclosure

It is agreed that the preliminary and final deliverables, and all associated working papers, application source code, and other material deemed relevant by VA which have been generated by the contractor in the performance of this task order, are the exclusive property of the U.S. Government and shall be submitted to the CO at the conclusion of the task order.

The CO will be the sole authorized official to release, verbally or in writing, any data, draft deliverables, final deliverables, or any other written or printed materials pertaining to this task order. No information shall be released by the contractor. Any request for information relating to this task order, presented to the contractor, shall be submitted to the CO for response.

Press releases, marketing material, or any other printed or electronic documentation related to this project, shall not be publicized without the written approval of the CO.

Appendix A – Concept Layouts

Plan PDF is attached for better viewing

VA Medical Center Projects

A/E Submission Instructions for Minor and NRM Construction Program:

- **Schematics**
- **Design Development**
- **Construction Documents**

Department of Veterans Affairs
Washington, DC 20420

● **FOREWORD**

This document states the minimum requirements for each submission in the production of VA Schematics, Design Development, and Construction Documents for Minor and NRM Construction Program for Medical Center Projects. It will give VA reviewers and the A/E a clear understanding of what is required of the A/E at each stage of design.

This document does not relieve the A/E firms of their professional responsibility to produce a correct, complete, and fully coordinated set of construction documents.

Lloyd H. Siegel
Director, Facilities Quality Office

William W. Graham
(Acting) Director,
Engineering Management and
Field Support Office

A/E SUBMISSION INSTRUCTIONS FOR MINOR AND NRM CONSTRUCTION PROGRAM MEDICAL CENTER PROJECTS

15 Table-of-Contents

I.	<u>GENERAL</u>	<u>1</u>
A.	<u>INTRODUCTION</u>	<u>1</u>
B.	<u>A/E RESPONSIBILITIES.....</u>	<u>2</u>
C.	<u>SUBMISSION POLICY</u>	<u>3</u>
D.	QUALITY ASSURANCE/QUALITY CONTROL	3
E.	<u>ADDITIONAL SERVICES.....</u>	<u>4</u>
F.	CRITICAL PATH METHOD	4
II.	SUBMISSIONS	5
A.	SITE DEVELOPMENT.....	5
B.	ARCHITECTURAL	7
C.	FIRE PROTECTION	11
D.	INTERIOR DESIGN.....	15
E.	STRUCTURAL	17
F.	PLUMBING.....	19
G.	SANITARY	21
H.	HVAC	23
I.	ELECTRICAL	27
J.	EQUIPMENT	29
K.	STEAM GENERATION	30
L.	STEAM DISTRIBUTION (OUTSIDE).....	32
M.	<u>SOLID WASTE DISPOSAL SYSTEM (INCLUDING INCINERATION)</u>	<u>33</u>
N.	AUTOMATIC TRANSPORT	35

O. ASBESTOS ABATEMENT.....	37
P. <u>SPACE PLANNING.....</u>	<u>39</u>
Q. CRITICAL PATH METHOD (CPM).....	39

Table of Contents (Cont.)

R. ESTIMATING.....	40
S. <u>SPECIFICATIONS.....</u>	<u>40</u>
T. <u>FINAL BID DOCUMENTS.....</u>	<u>42</u>
III. <u>DISTRIBUTION OF A/E MATERIAL.....</u>	<u>43</u>
A. <u>SYMBOL IDENTIFICATION OF CONTRACT DRAWINGS</u>	<u>43</u>
B. <u>GENERAL NOTES.....</u>	<u>43</u>

**● A/E SUBMISSION INSTRUCTIONS FOR
MINOR AND NRM CONSTRUCTION PROGRAM
MEDICAL CENTER PROJECTS**

I. GENERAL

A. INTRODUCTION

1. This document contains information and minimal submission requirements for contract documents specified in the A/E contract.

2. The Department of Veterans Affairs (VA) may contract with an Architect/Engineer (A/E) for any portion of a design: Schematics, Design Development, Construction Documents, or a combination of these.

a. For projects where the VA is contracting for Schematics Documents only, Schematics and Design Development Documents only, or Schematics, Design Development, and Construction Documents, the VA will provide the Design Program (if available), Facility Development Plans (if available), and VA design standards to accompany the Scope of Work for the project.

b. For projects where the VA is contracting for Design Development and Construction Documents only, the VA will provide the Schematics Plans and VA design standards to accompany the Scope of Work for the project.

c. For projects where the VA is contracting for Construction Documents only, the VA will provide the Design Development Plans and VA design standards to accompany the Scope of Work for the project.

3. Coordinate all activities with the VA Medical Center (VAMC). Hold informal meetings (upon mutual consent of the VA and the A/E) at the VAMC to discuss the design and related issues. Continue to expand contacts by telephone, rough sketch studies and other means of communication with the purpose of finalizing a general design approach to be followed.

4. Final approved Schematic documents shall be the basis for the development of the Design Development phase. Likewise, final approved Design

Development documents shall be the basis for the development of the Construction Documents phase. The VAMC must approve any changes from each set of documents before the A/E proceeds to the next phase.

5. VA will review all submittals for functional and aesthetic relationships. However, no further functional decisions are anticipated after the Design Development phase.

6. Provide a design narrative/analysis for each technical discipline (e.g., architectural, mechanical, fire protection, etc.) which describes the intent of each discipline with schematic and/or design development submission.

7. Provide computations and sizing calculations for electrical, mechanical (HVAC, plumbing, and steam), sanitary, structural and fire protection designs. For computerized calculations, submit complete and clear documentation of computer programs, interpretation of input/output, and description of program procedures.

8. Provide individually packaged drawings for each submission to each unit specified in the "Distribution of A/E Materials" section.

9. Submit a complete set of final approved drawings incorporating all revisions, within 30 days after completion of the Schematics and Design Development stages.

10. At each review stage, the VA's technical reviewer, a value-engineering consultant, or a construction manager will perform a value engineering review.

11. Submit final drawings (Bid Documents) in 3 1/2" floppy disks to be used with the AutoCAD version at the VAMC. Submit instructions on the use of the disks along with a complete listing of all layers that are used.

B. A/E RESPONSIBILITIES:

1. Contract documents shall meet or exceed the requirements of this document.

2. The A/E is responsible for producing a complete set of drawings, design narrative/analysis, calculations, sample boards, and specifications in accordance with professional standard practices and VA criteria. Each A/E discipline shall receive a copy of their respective VA design manuals, standard details, construction standards, and VA National CAD Standard Application Guide. The AE is responsible for obtaining the NCS.

3. A/E shall conduct coordination meetings between A/E technical disciplines before submitting material for each VA review and provide minutes of the meetings to VAMC.

4. A/E shall adhere to the approved Memorandum of Agreement (MOA).

5. A/E shall provide a checklist of all submittals, certifications, tests, and inspections required per drawing and specification section.

6. In addition, the A/E shall conduct interim fire protection installation inspections and witness final fire protection equipment testing.

C. SUBMISSION POLICY:

1. There is a Schematic* submission, a Design Development (DD**) submission, and a Construction Document (CD***) submission indicated in this guide. The VAMC may alter the submission requirements depending upon the complexity of the project by adding or deleting certain reviews. Where additional reviews might be required, the VAMC will issue, at their discretion, a detailed "Statement of Task" or supplemental instructions to the A/E, which would be provided at the time of solicitation for a fee proposal.

2. At each submission, the A/E shall date all material and present the designs on VA standard size drawings that are appropriately labeled, "SCHEMATIC SUBMISSION", "DESIGN DEVELOPMENT SUBMISSION", OR "CONSTRUCTION DOCUMENT SUBMISSION", in large block letters above or beside the VA standard drawing title block. In each submission, the A/E shall incorporate the corrections, adjustments, and changes made by VA at the previous review.

D. QUALITY ASSURANCE/QUALITY CONTROL (QA/QC):

In an effort to reduce construction change orders due to design errors and omissions, the Office of Facilities Management has initiated a Quality Assurance/Quality Control program. The A/E shall develop, execute, and demonstrate that the project plans and specifications have gone through a rigorous review and coordination effort. The requirements are as follows:

1. Fee Proposal: Provide an outline of the actions that your firm will take during the design process along with an associated fee.

2. Two Weeks after Receipt of the Notice To Proceed: Submit a detailed QA/QC Plan describing each step that will be taken during the development of the various phases of design. Each step should have an appropriate space where a senior member of the firm can initial and date when the action has been completed.

3. 100% Submittal: Submit the completed QA/QC Plan along with the latest marked-up documents (plans, specifications, etc.) necessary to ensure that a thorough review and coordination have been completed.

E. ADDITIONAL SERVICES:

If additional services (i.e. surveys, soil borings, asbestos surveys, water flow testing, or lead surveys), are necessary to be performed by consultants, submit criteria for the work to be performed to the VAMC Contracting Officer as soon as possible. Upon approval of the criteria, submit proposals and qualifications of at least three firms being considered for the work in accordance with the contract procedures (CP1) of the contract, together with a proposal from the recommended firm and a brief justification for its selection, for VA approval. A/E should submit survey information for the Schematic Review.

F. CRITICAL PATH METHOD PHASING MEETINGS

A. If required and prior to submission of Schematic material, the A/E shall meet with the VAMC's Project Manager to discuss and outline phasing requirements for the project. These phasing requirements shall describe the general sequence of the project work, estimated project duration, and what Government constraints will exist that will influence the Contractor's approach to the construction project. The A/E shall be responsible for recording the phasing requirements.

B. Submit a phasing narrative and phasing plans (on reduced size plans) within two weeks after each phasing meeting to the VAMC Project Manager. VA will review these submission(s) and return comments to the A/E within two weeks of receipt. The A/E will then use this information in preparing their schematic, design development, and construction document submissions.

A. SITE DEVELOPMENT: Submit the following:

Site Development:	Schematics*	DD**	CD***
Narrative	✓		
Analysis of site	✓		
Circulation study	✓		
Phasing analysis	✓		
Parking analysis	✓		
Development concept showing proposed buildings and structures	✓		
Landscape drawings with plant groupings	✓		
Topographic, utility, and landscape survey		✓	✓
Demolition plan	✓	✓	✓
Layout plan showing location of:			
• Building and structures	✓	✓	✓
• Roads	✓	✓	✓
• Fire Access		✓	✓
• Parking	✓	✓	✓
• Accessible spaces		✓	✓
• Van spaces		✓	✓
• Mechanical and electrical equipment on grade	✓	✓	✓
• Future expansion	✓		
• Off-site roads	✓	✓	✓
• Off-site utilities	✓	✓	✓
• Service area(s)		✓	✓
• Entrances and exits		✓	✓
• Walks		✓	✓
• Inlets		✓	✓
• Contractor's staging area		✓	✓
• Vertical and horizontal road alignment		✓	✓
• Paving joint patterns		✓	✓
Grading plan showing:			
• Existing contours		✓	✓
• Proposed contours		✓	✓
• Spot elevations at structure corners, entrances, equipment pads, etc.		✓	✓
• First floor elevations		✓	✓

B. ARCHITECTURAL: Submit or show the following:

Architectural:	Schematics*	DD**	CD***
Location of:			
• Rooms ¹	✓	✓	✓
• Doors ²	✓	✓	✓
• Corridor(s) ³	✓	✓	✓
• Basic column grid/sizes	✓	✓	✓
• Expansion and seismic joints	✓	✓	✓
• Electrical closets	✓	✓	✓
• Equipment rooms	✓	✓	✓
• Signal and telephone closets	✓	✓	✓
• Mechanical shafts and space	✓	✓	✓
• Stair(s)		✓	✓
• Ramp(s)		✓	✓
• Elevator(s)	✓	✓	✓
• Automatic Conveyances	✓	✓	✓
Floor Plans/Drawings:			
• All floors (new and renovated)	✓	✓	✓
• Penthouse	✓	✓	✓
• Roof plan	✓	✓	✓
• Pipe basement	✓	✓	✓
• Pipe tunnel		✓	✓
• Reflected ceiling ⁴		✓	✓
• Equipment floor plans 1:50 (1/4 inch) scale ⁵		✓	✓
• Demolition plans ⁶		✓	✓
Room names and numbers ⁷		✓	✓
Program net/designed net	✓	✓	✓
Exterior dimensions/total building gross area	✓	✓	✓
Size and shape of all departmental functions and services ⁹	✓	✓	✓
Exterior building elevations ¹⁰	✓	✓	✓
Finish floor elevations ¹¹	✓	✓	✓
Door locations, sizes, and swings		✓	✓
Wall thickness and chase walls		✓	✓
Handrail location/dimensions		✓	✓
Fixed equipment		✓	✓
Equipment elevations and details			✓
Plumbing fixtures		✓	✓
Wheelchair accessible facilities		✓	✓

Architectural:	Schematics*	DD**	CD***
Wall sections ¹²		✓	✓
Building sections ¹³		✓	✓
Finish grades at corners, entrances, exits, platforms and ramps		✓	✓
Fire and smoke rated partitions ¹⁴	✓	✓	✓
Lead-lined and radio-frequency-shielded partitions ¹⁴		✓	✓
Fire extinguisher cabinets ¹⁴		✓	✓
Spray-on fire proofing (see fire protection)			
Construction details ¹⁵		✓	✓
Drafting symbols, abbreviations, and general notes		✓	✓
Door, window, and louver schedules			✓
Interior details, elevations, sections			✓
Finish schedule ¹⁶		✓	✓
Graphics and signage ¹⁷			✓
Color rendering			✓
Specifications		✓	✓
Lead abatement ¹⁸	✓		
Lead abatement specification ¹⁹			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). A scale of 1:200 (1/16 inch) is acceptable for architectural floor layout if an entire floor cannot be shown on one sheet. Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

B. NOTES:

1. Use lines between spaces to indicate the centerline of the partition (for schematics only).
2. Indicate doors with a slash mark.
3. Along the corridor, the line shall represent the corridor side of the partition.

4. Indicate ceiling mounted equipment, lighting fixtures, air diffusers, registers, tracks, and other significant elements.
5. Identify all equipment for each room. Indicate and coordinate all equipment with the Equipment Guide List (Program Guide 7610) and Activated Equipment List. Use VA standard symbols and notation to distinguish between contractor-furnished and installed (CC), VA-furnished contractor-installed (VC), VA-furnished and installed (VV), VA-furnished with construction funds [VC(CF) and VV(CF)], and relocated (R) equipment. Equipment floor plans are not required for the offices, consultation rooms, classrooms, conference rooms, and waiting rooms within the above departments. Draw equipment details which are necessary for major decisions, though complete detailing is not required for this submittal.
6. Indicate existing finish schedule and notes on plan.
7. Label as required for schematic drawings. Coordinate new room numbering with medical center.
8. Use the same names on drawings as those used in the space program. Provide area figures in fractional form, e.g., 400/390. Indicate space provided, but not called for in the space program, as: -/390.
9. Label each service or activity listed in the Project Scope Data of the Design Program and indicate boundaries with a distinctive line. Include the activity code number (see Handbook 7610).
10. If the project requires exterior work, show all facades indicating massing, proposed fenestration and the building relationship to adjacent structures and the finish grade. Show all significant building materials, including their colors, any proposed roof top mechanical equipment, architectural screens, skylights, and stacks on the elevation drawings. If building is designed for future expansion (vertical and/or horizontal), delineate elevations with and without the future expansion. If project is an addition, show elevations of the existing building in sufficient detail to illustrate the relationship between the new and existing in terms of scale, material, and detail.
11. Define the relationship of the finish ground floor to finish grade at major entrances and docks.
12. Indicate construction including fire resistance rating, building materials and systems, and proposed sill and head heights of openings. Indicate both new and renovated areas on form provided by VA.

13. Define building configuration. Draw sections at the same scale as floor plans, normally 1:100 (1/8 inch). If the building abuts an existing structure, indicate in the section how the new floor elevations align with existing.
14. Identify psychiatric areas where special considerations are required to ensure the safety of patients (e.g. hard ceilings, safety glazing, etc.).
15. Indicate new building components and systems, such as window design, roofing system, special entryways, building "skin", and any special architectural elements for the project. Complete detailing of miscellaneous items is not required for this submission.
16. Indicate all building systems, materials, and future expansion, if applicable.
17. Submit a drawing for all which is part of the construction contract.
18. Provide square meters (feet) of lead paint and x-ray shielding to be removed.
19. Format provided in SPECIFICATIONS. If there is no VA master specification, develop contract specification that is in compliance with regulations of the Environmental Protection Agency.

C. FIRE PROTECTION: Submit the following:

Fire Protection:	Schematics*	DD**	CD***
Fire protection narrative: ¹			
• Fire and smoke separation	✓		
• Fire sprinkler/standpipe system	✓		
• Size of fire pumps	✓		
• Water supply available/max. demand	✓		
• Water flow testing results	✓		
• Fire alarm systems ²	✓		
Existing to be modernized	✓		
Base loop system for interface of new construction	✓		
• Kitchen extinguishing systems	✓		
• Size of air handling unit	✓		
• Exit paths from each zone	✓		
• Distances to stairs	✓		
• Occupancy of each area	✓		
• Exit calculations for each floor	✓		
• Smoke control features	✓		
Floor Plans/Drawings: ^{3 & 4}			
• Sprinkler zones	✓		
• Fire alarm zones	✓		
• Smoke zones	✓		
• Building water supply	✓		
• Interior sprinkler supply lines	✓		
• Standpipes	✓		
• Fire extinguisher cabinets	✓	✓	✓
• Fireproofing of structural members	✓		
• Sprinkler/standpipe riser supply piping		✓	✓
• Termination of sprinkler main and inspector test drains		✓	✓
• Sprinkler alarm valves		✓	✓
• Waterflow and tamper switches		✓	✓
• Sprinkler system fire department connections		✓	✓
• Sprinkler design hazards per NFPA 13		✓	✓
• Exit signs and emergency lighting		✓	✓

Fire Protection:	Schematics*	DD**	CD***
• Occupied areas not protected by automatic sprinklers		✓	✓
Calculations	✓	✓	✓
Estimated capacities for proposed air handling units in cubic meters (cubic feet) per minute		✓	✓
Location of:			
• Fire alarm system		✓	✓
• Annunciator panels		✓	✓
• Pull stations		✓	✓
• Flow switches		✓	✓
• Audio-visual devices		✓	✓
• Smoke detectors		✓	✓
• Duct smoke detectors		✓	✓
• Smoke dampers		✓	✓
• Fire dampers		✓	✓
• Fire alarm risers ⁵		✓	✓
• Exit signs		✓	✓
• Emergency lighting		✓	✓
• Fire sprinklers		✓	✓
• Standpipes		✓	✓
• Fire hydrants		✓	✓
• Fire pumps		✓	✓
• Post indicator valves		✓	✓
• Sectional valves		✓	✓
• Fire extinguisher cabinets		✓	✓
• Electromagnetic door hold open devices		✓	✓
Wall sections indicating fire resistive ratings		✓	✓
Staff sleeping rooms		✓	✓
Excavation plan signage		✓	✓
Door and window schedule with fire rating or fire rated glazing			✓
Zoning of each fire alarm initiating device			✓
Details:			
• Fire pump system (capacity and pressure)			✓
• Elevation and isometric view of fire pump			✓

Fire Protection:	Schematics*	DD**	CD***
• Stairwell sign			✓
• Annunciator panel			✓
Interconnection of fire alarm system with:			
• Smoke dampers			✓
• Air handlers			✓
• Elevator controls			✓
• Kitchen fire extinguishing and fire pump system			✓
• HVAC system with smoke duct detectors			✓
Single line riser diagram for fire alarm system			✓
Height/configuration of storage racks and shelving			✓
Specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● **C. NOTES:**

1. Indicate NFPA 220 and UBC fire resistive rating of the building, NFPA 101 occupancy type, and fire protection code analysis to access compliance with NFPA 101.
2. Determine type, features, age, reliability, compliance with present day codes, capacity, zoning, supervision, control panel and power supplies, initiating devices and circuits, and auxiliary functions for existing fire alarm system. Indicate manufacturer, model number, voltage, and wiring style of existing alarm systems and devices. Provide recommendations for the proposed fire alarm work.
3. Provide information to meet JCAHO requirements; e.g. location of all fire rated barriers, smoke barriers, exit signs, fire extinguishers, manual pull stations, smoke detectors, and sprinkler flow switches. Show all interim life safety measures such as temporary systems Fire Alarm, Sprinkler, and Smoke.
4. At DD Submission, add room names, room numbers, door locations and swings, smoke and fire rated partitions, sprinkler/standpipe risers to floor plans. Identify psychiatric areas on drawings so areas for institutional type heads are identified. Add location of all valves (post indicator, sectional) and backflow preventer if provided.
5. Show new equipment and/or the necessary changes involved if modification to the existing system is required. Include any recommendations where certain requirements of VA criteria might be waived, in order to allow the existing equipment to be reused.

D. INTERIOR DESIGN: Submit the following:

Interior Design:	Schematics*	DD**	CD***
Written interior design concept ¹	✓		
Illustrate overall design solution ²	✓		
Material and finish samples	✓		
Sketches	✓		
Design solution for interior spaces:			
• Perspectives		✓	✓
• Plans		✓	✓
• Details		✓	✓
• Elevations		✓	✓
• Sections		✓	✓
• Wayfinding		✓	✓
• Floor patterns		✓	✓
• Wall patterns		✓	✓
• Lighting		✓	✓
• Signage		✓	✓
• Handrails		✓	✓
• Bumper guards		✓	✓
Specification section 09050		✓	✓
Finish schedule		✓	✓
Exterior colors and materials		✓	✓
Sample boards for interior and exterior materials, products, and finishes		✓	✓
Edited carpet and wallcovering specifications		✓	✓
Specifications			✓
Keyed Finnish plans			✓
Interior design details, elevations, and sections			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● **D. NOTES:**

1. Provide a document of data collected in interior design programming. Include collection and analysis of data from the VAMC project coordinator and interior designer. Data includes, but is not limited to the following: existing interior and exterior design and materials, light, safety, patient profile, customer's "vision" or desired image, public vs. private spaces, complete signage package, goals of customer, relationship to existing facilities, future expansion/renovation plans, regional influences, etc.
2. Discuss and illustrate the overall design solution for the primary areas of the project using marked-up floor plans, loose sketches, and material and finish samples. Use broad categories of materials, finishes, color palettes, patterns, textures, and scales. Separately group all major neutral background materials and finishes that will be used and discuss how they will be integrated with all other materials and finishes on the project. Include all primary and secondary corridors, typical patient and toilet rooms, lobbies, atriums, eating spaces, chapels, waiting rooms, and exam rooms. Show the relationship among departments and functions, and between public and private spaces.

E. STRUCTURAL: Submit the following:

Structural:	Schematics*	DD**	CD***
Three alternative structural systems for typical bays ¹	✓		
Supporting calculations ²	✓	✓	✓
Cost estimates for each system ³	✓		
Recommend preferred system	✓		
Column locations	✓		
Shear load resisting elements ⁴	✓		
Boring location plan ⁵	✓		
Structural plans ⁶		✓	✓
Sections		✓	✓
Details		✓	✓
Size/location of:			
• Columns		✓	✓
• Beams		✓	✓
Lateral load resisting elements		✓	✓
Load bearing walls		✓	✓
Slabs		✓	✓
Foundations		✓	✓
Elevations			✓
Schedules			✓
General notes			✓
Boring logs			✓
Subsurface investigation report			✓
Estimated quantity of rock			✓
Specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● **E. NOTES:**

1. When only one structural system is possible due to other project requirements, include an explanatory statement and submit only that structural system.
2. Include vertical and lateral load design for CD submission.
3. Include foundation and fireproofing.
4. Indicate existing utilities and structures within, adjacent, or contiguous to the new construction.
5. Upon approval of the subsurface investigation criteria, submit qualifications of at least three consultants being considered for the work together with the proposal of the consultant recommended as most qualified.
6. If there is only a CD submission, provide a Structural Engineering Analysis Submission within six weeks from the notice to proceed including sketches, calculations, and cost estimates of three alternative structural systems for typical bays, boring location plan for subsurface investigation, and consultant qualifications. For vertical expansion projects, analyze existing structure for structural feasibility.

F. PLUMBING: Submit the following:

Plumbing:	Schematics*	DD**	CD***
Narrative:			
• Existing plumbing systems to be used and necessary modifications	✓	✓	✓
• New plumbing systems	✓	✓	✓
• New or modified water treatment	✓	✓	✓
Floor Plans/Drawings:			
• Room names	✓	✓	✓
• Identify			
Existing plumbing fixtures w/VA numbering system	✓	✓	✓
New plumbing fixtures w/VA numbering system	✓	✓	✓
Existing equipment	✓	✓	✓
New equipment	✓	✓	✓
New medical gas outlets		✓	✓
New laboratory gas outlets		✓	✓
Plumbing piping	✓	✓	✓
• Size of pipe		✓	✓
• Equipment schedule		✓	✓
• Fire & smoke partitions	✓	✓	✓
• Demolition plans		✓	✓
• Riser diagrams			✓
• Legend, notes, and details			✓
Location and size of sprinkler riser, standpipes, and fire pumps (see fire protection)		✓	✓
Location of emergency eyewash and shower equipment		✓	✓
Calculations (equipment & piping)		✓	✓
List of Required Contract Specifications		✓	
Contract Specifications			✓

F. PLUMBING (cont.):

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch).

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics phase.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase. Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch).

G. SANITARY: Submit the following:

Sanitary:	Schematics*	DD**	CD***
Narrative:			
• Existing sanitary systems: underground water, sanitary sewers, storm sewers, & fuel gas with sources, disposal methods, storage pressures, condition, etc.		✓	✓
• New sanitary systems	✓	✓	✓
• Provide water analysis & expected yield if well required	✓	✓	✓
• Circulation study to assess emergency vehicle access	✓	✓	✓
Install test well, if well is required.	✓		
Utility Plans/Drawings showing existing and new sanitary systems:			
• Size of pipes	✓	✓	✓
• Invert elevations of sewers	✓	✓	✓
• Locate/size			
Pumps	✓	✓	✓
Storage facilities	✓	✓	✓
Treatment equipment	✓	✓	✓
Fire hydrants		✓	✓
Sectional and post indicator valves		✓	✓
Backflow preventer		✓	✓
• Areas of new irrigation system	✓		
• New irrigation system			✓
• Profiles of sanitary & storm sewers			✓
• Demolition Plans		✓	✓
• Legend, notes, and details			✓
Point of connection to sprinkler system	✓	✓	✓
Calculations		✓	✓
List of specifications		✓	
Contract Specifications			✓

● **G. SANITARY (cont.):**

* Submit utility drawings at same scale as provided for Site Development drawings.

** Submit utility drawings at same scale as provided for Site Development drawings, incorporating all of the revisions required by comments from the schematics phase.

*** Submit utility drawings at same scale as provided for Site Development drawings, incorporating all of the revisions required by comments from the design development phase. Submit legend, notes, and details at a scale not less than 1:100 (1/8 inch).

H. HVAC: Submit the following:

HVAC:	Schematics*	DD**	CD***
Description of HVAC systems			
Equipment for each functional space	✓		
Life cycle cost analysis ¹	✓		
Tentative location/sizes:			
• Mechanical equipment room	✓		
• Principal vertical shafts	✓		
Block layout of equipment	✓		
Louvers: ²			
• Outside air	✓	✓	✓
• Exhaust air	✓	✓	✓
• Relief air	✓	✓	✓
Engineering calculations ³	✓	✓	✓
Selection of HVAC equipment		✓	✓
Catalog cuts of equipment		✓	✓
Room by room heating and cooling loads		✓	✓
Zone by zone heating & cooling loads		✓	✓
Building block heating & cooling loads		✓	✓
Tabulation of steam consumption		✓	✓
Psychometric chart for air handling unit		✓	✓
Coil entering and leaving conditions		✓	✓
Fan motor heat gains		✓	✓
Consumption of humidification loads		✓	✓
Sound/acoustic analysis		✓	✓
Room-by-room air balance charts ⁴		✓	✓
Chilled water plant: ⁵			
• Quantity and type of chillers		✓	✓
• Capacity in tons of refrigeration		✓	✓
• Electrical equipment		✓	✓
Heating system:			
• Total heating load		✓	✓
• Domestic hot water load		✓	✓
• Humidification load		✓	✓
• Equipment steam demand		✓	✓
• Zoning of heating system		✓	✓
HVAC floor plan: ⁶			

HVAC:	Schematics*	DD**	CD***
• Main supply, return and exhaust ductwork		✓	✓
• Volume dampers		✓	✓
• Fire and smoke partitions		✓	✓
• Fire and smoke dampers		✓	✓
• Smoke detectors		✓	✓
• Automatic control dampers		✓	✓
• Air quantities for each room		✓	✓
• Air inlets/outlets		✓	✓
• Rises and drops in ductwork		✓	✓
• Expansion loops		✓	✓
• Anchors		✓	✓
• Vales		✓	✓
• Drip assemblies		✓	✓
• Balancing fittings		✓	✓
Interconnection of HVAC equipment with fire protection equipment (see fire protection)		✓	✓
Plan/section of mechanical equipment rooms		✓	✓
Schematic flow and riser diagrams ⁷		✓	✓
Schematic control diagrams ⁸		✓	✓
HVAC demolition drawings		✓	✓
Phasing plan		✓	✓
Equipment schedule		✓	✓
Seismic bracing		✓	✓
VA symbols and abbreviation		✓	✓
Selection of			
• Pumps			✓
• Fans			✓
Sizing and selection of			
• Expansion tanks			✓
• Steam to hot water convertor			✓
• Heat exchangers			
Sound analysis			✓
Complete selection data			✓
Outside chilled water and condenser water distribution ⁹			✓
Standard detail drawings			✓
Automatic temperature control drawings ¹⁰			✓

HVAC:	Schematics*	DD**	CD***
HVAC specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● H. NOTES:

1. Provide specific design recommendations and full back-up data. Include the heating and cooling capacities of each functional area and the block cooling and heating loads for each new and/or existing building.
2. The locations of these louvers must not allow short circuiting of air from emergency generator exhaust or truck waiting and loading dock areas into air intake etc. Consider factors affecting louver location such as visibility, historical considerations, wind direction, nuisance and health hazard odors (from emergency generator or truck exhausts).
3. Include room-by-room, peak zone-by-zone, and building block heating and cooling loads. Provide a tabulation of steam consumption based on data from all sources. Show correlation between each HVAC zone boundary and architectural floor area correlation between the architectural room numbers and abbreviated/coded room numbers used with computer input data sheets.
4. Show supply, return, exhaust, make-up, and transfer quantities with intended pressure relationships, i.e. positive, negative, or zero with respect to adjoining spaces.
5. Provide pertinent data on accessories such as pumps and cooling tower etc. Show the extent of the outside chilled water and condenser water piping. Clearly show how the piping will be laid in tunnels, trenches, or by direct burial.
6. Show ceiling clearances, at locations where ducts cross each other, by providing 1:50 (1/4 inch) scale local sections. Show all ductwork, and piping 150 mm (6 inch) and larger in double line. Show separate floor plans for air distribution and piping unless waived by VA. Show clearances required for access and maintenance with coil and tube pull.

7. Show typical air handling systems and all hydronic systems with existing capacities and new estimated loads. Verify actual operating conditions and capacities of HVAC systems prior to design.
8. Show control devices, such as, thermostats, humidistats, flow control valves, dampers, freezestats, operating and high limit sensors for all air systems and fluids, smoke dampers, duct detectors etc. Provide a written description of the sequence of operation on the floor plans. Detail the scope of work involved with the Central Engineering Center (ECC) and address if enough spare capacity is available or a new ECC is required. Show a point schedule for analog/digital input/output to be included in ECC.
9. Show pipe sizes and insulation with plans, profile, sections, details, and all accessories, such as, anchors, expansion loops/joints, valves, manholes, capped and flanged connections, interface between the new and existing work (if any). Clearly indicate interferences (if any) with the existing utilities and/or landscape elements on outside piping layout drawings. Show rerouting any utilities, cuttings of roads, pavements, trees, etc., and the extent of new and demolition work. Outside utility drawings shall be based on the study of the latest site drawings, discussions with engineering personnel, and actual site inspection of the existing utility.
10. Show all duct detectors, control valves/dampers static pressure sensors, differential pressure control assemblies, etc., whose actual physical location is critical for the intended sequence of operation on floor plans.

I. ELECTRICAL: Submit the following:

Electrical:	Schematics*	DD**	CD***
Narratives:			
• Design ¹	✓		
• Life cycle analysis for electrical systems	✓		
Location and size of:			
• Electrical equipment ²	✓		
• Electric closets ³	✓		
• Telephone closets ³	✓		
• Signal closets ³	✓		
• Electrical distribution equipment			
Drawings showing:			
• Electrical plot plan of existing and proposed underground power (including manholes)	✓	✓	✓
• Telephone systems	✓	✓	✓
• Signal inter-building systems	✓	✓	✓
• Proposed electrical system ⁴	✓	✓	✓
• Electric symbols	✓	✓	✓
• Lighting fixture schedule	✓	✓	✓
• Emergency Life Safety Equipment (see fire protection)			
• Symbols, note, abbreviations		✓	✓
List of specialty areas	✓		
Method of short-circuit calculations	✓		
Method of voltage drop and demand calculations	✓		
Utility company correspondence	✓		
Utility company requirements		✓	✓
Load calculations for normal & emergency use	✓	✓	✓
Drawings:			
• Lighting layouts		✓	✓
• Power layouts		✓	✓
• Signal layouts		✓	✓
• Specialty area layouts		✓	✓
• Demolition plans		✓	✓
Riser diagrams		✓	✓
Branch circuit wiring (typ.)		✓	✓

Electrical:	Schematics*	DD**	CD***
Location and size of:			
• Primary distribution switchgear/switchboard		✓	✓
• Engine-generator sets		✓	✓
• Substation/padmounted transformer		✓	✓
• Manholes		✓	✓
Location of smoke dampers and duct smoke detectors			✓
Interconnection of electrical control equipment with HVAC equipment (see fire protection)			✓
Smoke partitions and fire alarm zones	✓	✓	✓
Fire alarm and signal riser diagrams (see fire protection)		✓	✓
Calculations for emergency generator(s)		✓	✓
Phasing scheme		✓	✓
Electrical details			✓
Specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

I. NOTES:

1. Include basic assumptions, points of interconnection, impact of new construction to existing electrical distribution system, current demand loading (high voltage switchgear and primary feeder), and projected load of new construction. Propose various feasible electrical systems for project and provide advantages/disadvantages.
2. Include means and clearances for installation, maintenance, and removal/replacement of equipment.
3. Electrical, signal and telephone closets must stack vertically.
4. Include high voltage and low voltage switchgear, transformers and low voltage main and/or distribution panels, branch panels and methods of feeding 277/480 volt and 120/208 volt normal and emergency panels.

J. EQUIPMENT: Submit the following:

Equipment:	Schematics*	DD**	CD***
Equipment (on architectural drawing)	✓	✓	✓
Activation Equipment List (Excel format)		✓	✓
Specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

K. STEAM GENERATION: Submit the following:

Steam Generation:	Schematics*	DD**	CD***
Report on new and existing steam loads ¹	✓		
Life-cycle cost analysis of steam supply alternatives	✓		
Analysis of alternate plant locations	✓		
Life-cycle cost analysis for alternative types of equipment	✓		
Life-cycle cost analysis for heat recovery alternatives	✓		
Data on emissions regulations	✓		
Data on methods of compliance	✓		
Selection of major equipment	✓		
Plot plan with new and existing plant locations	✓		
Fuel related storage and handling facilities	✓		
Alternate plan view layouts of new and existing plant	✓		
Plot plan of steam generating facility ²		✓	✓
Catalog cuts on equipment from two manufacturers		✓	✓
Plans/sections/locations of:			
• Equipment		✓	✓
• Major piping		✓	✓
• Pipe supports		✓	✓
Demolition		✓	✓
Schematic flow diagrams of all piping systems		✓	✓
Calculations:			
• Equipment sizing	✓	✓	✓
• Major piping systems		✓	✓
• Steam load		✓	✓
• Control and regulating valve		✓	✓
• Flowmeter systems		✓	✓
• Steam trap		✓	✓
• Heating and ventilating system		✓	✓
• Steam piping		✓	✓
Schedules		✓	✓
Equipment lists		✓	✓
Verification of emission regulations		✓	✓

Steam Generation:	Schematics*	DD**	CD***
List of standards and details		✓	
Specifications		✓	✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

K. NOTES:

1. Include maximum and minimum summer and winter demands and total annual production. Provide break-down of new steam loads into categories of end use such as building heating, humidification, reheat, domestic hot water, sterilization, line losses, kitchen, and laundry.
2. Show boilers, pumps, heat recovery devices, tanks, and emission control devices.

L. STEAM DISTRIBUTION (OUTSIDE): Submit the following:

Steam Distribution (Outside):	Schematics*	DD**	CD***
Estimate steam and condensate loads	✓	✓	✓
Life-cycle cost analysis of steam distribution system	✓		
Calculations of pipe sizing	✓	✓	✓
Steam distribution plot plan	✓	✓	✓
Existing underground utilities			
Soil conditions report	✓	✓	✓
Performance requirements for steam traps		✓	✓
Calculate pipe stress		✓	✓
Select expansion facilities for piping		✓	✓
Location of:			
• Manholes		✓	✓
• Pipe expansion devices		✓	✓
Profile drawings including existing utilities		✓	✓
Plan views/sections/dimensions for major piping, pipe layout and pipe supports of:			
• Manholes		✓	✓
• Trenches		✓	✓
• Tunnels		✓	✓
Demolition Plans		✓	✓

* Submit outside steam generation plans at an appropriate scale to show all work involved.

** Submit outside steam generation plans at same scale as topographic/utility survey incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated outside steam generation plans incorporating all revisions required by comments from the design development phase.

M. SOLID WASTE DISPOSAL SYSTEM INCLUDING INCINERATION:

Submit the following:

Solid Waste Disposal System Including Incineration:	Schematics*	DD**	CD***
Incineration report including: 1. amount and type of waste (new & existing) 2. emissions regulations and types of emissions controls required 3. life-cycle cost analysis on alternatives for waste disposal 4. calculations of equipment sizing and description of types of equipment 5. viable alternatives for waste disposal	✓		
Evaluation of capability of existing incinerator	✓		
Complete description of existing processing system	✓		
Tests to determine remaining service life and capacity of system	✓		
Plot plan with new plant location and location of existing plant	✓		
Plan view layout of new system or existing system showing new equipment location	✓		
Load calculations on amount and types of waste		✓	✓
Plot plan with location of new processing system		✓	✓
Plans/sections showing locations of:			
• Equipment			
• Major piping		✓	✓
Demolition		✓	✓
Catalog cuts (2 min.) of equipment selections		✓	✓
Emissions control devices		✓	✓
Schedules		✓	✓
Equipment lists		✓	✓
List of standards to be furnished later		✓	✓
List of special details to be furnished later		✓	✓

Solid Waste Disposal System Including Incineration:	Schematics*	DD**	CD***
Verification of applicable emissions regulations affecting design or operation			✓
Specifications			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

N. AUTOMATIC TRANSPORT: Submit the following:

Automatic Transport:	Schematics*	DD*	CD*
Automatic transport systems (ATS):			
• Narrative w/ recommended improvements for exiting system	✓	✓	✓
• Traffic study including existing and proposed ATS w/ alternate methods of distribution	✓	✓	✓
Changes to existing systems (arch. dwgs.)		✓	✓
Hoistway (arch. dwg.)		✓	✓
Machine room vents (arch. dwg.)		✓	✓
Type of ventilation (mech. dwg.)		✓	✓
Electrical requirements (elect. dwg.)		✓	✓
Drawings: ^{1, 2, & 3}			
• Automatic Transport Systems		✓	✓
• Elevators		✓	✓
• Dumbwaiters		✓	✓
• Other ATS systems		✓	✓
Sizes/dimensions/details:			
• Hoistway enclosures		✓	✓
• Pits		✓	✓
• Pit ladders		✓	✓
• Machine area ladder and railings		✓	✓
• Entrances		✓	✓
• Machine rooms		✓	✓
Locations/dimensions:			
• Elevator cars		✓	✓
• Entrances		✓	✓
• Counterweights		✓	✓
• Trap doors		✓	✓
Location of hoistway vents		✓	✓
Location of steel hoisting beams		✓	✓
Size of machine beams		✓	✓
Size of end reactions		✓	✓
Location/detail of machine beam pockets		✓	✓
Rail loadings		✓	✓
Hydraulic elevator piston pit loads		✓	✓

Automatic Transport:	Schematics*	DD*	CD*
Details			
• Hoistway entrances for elevators		✓	✓
• Carlifts		✓	✓
• Dumbwaiters		✓	✓
• Trash chutes		✓	✓
• Linen chutes		✓	✓
• ETVS		✓	✓
Elevator machine room equipment layout		✓	✓
Interface with automatic recall and shutdown (see fire protection)			✓
Specifications		✓	✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● N. NOTES:

1. Include tracking, piping, battery charging areas, blower rooms, queuing areas, cart holding areas, cart washer, central control area, and floor or wall recessed transport control units. Indicate architectural features in areas to be utilized for these systems. Indicate on architectural drawings all the major equipment located in machine rooms, secondary levels, pits, and the areas pertaining to ATS, AGVS and ETVS.
2. Indicate changes required on the architectural drawings where existing transport systems are retained and modified to serve new and existing areas.
3. Provide all electrical criteria (per basic electrical notes and Automatic Transport Design Manual) on electrical drawings.

O. ASBESTOS ABATEMENT: Submit the following:

Asbestos Abatement:	Schematics*	DD**	CD***
Asbestos abatement report including: 1. Summary results of building records 2. Summary results of station personnel interview 3. determination of materials known to contain asbestos 4. visual inspection of building to determine location and condition of asbestos 5. sample strategy on the extent of asbestos present	✓		
Name and location of qualified laboratory for sample analysis	✓		
Asbestos abatement drawing		✓	
Major Decontamination Areas showing: 1. Limits of sealing off the location 2. Quantities of asbestos material 3. Arrangements for auxiliary rooms 4. Engineering of negative air systems 5. Path of asbestos to loading platform 6. Location and connection to required utilities		✓	
Minor Decontamination Areas showing: 1. location, type, and length of pipe element to be abated by "Glove and Bag" approach 2. Other abatement features		✓	
Summary of: ¹			
• Square meter (feet) of floor space for abatement		✓	✓
• Total linear and square meter (feet) of asbestos to be abated		✓	✓
• Total cost of abatement ²		✓	✓

Asbestos Abatement:	Schematics*	DD**	CD***
Asbestos abatement drawings including: 1. restoration of impacted building sub-systems 2. integrated phasing on execution of abatement			✓

* Submit, as a minimum, a single line layout for at a scale not less than 1:100 (1/8 inch). Submit a complete double line layout of areas of critical importance, at a scale of 1:50 (1/4 inch) including equipment.

** Submit minimum 1:100 (1/8 inch) scale floor plans, new and renovated, incorporating all of the revisions required by comments from schematics.

*** Submit fully dimensioned, complete, and coordinated 1:100 (1/8 inch) scale floor plans, incorporating all revisions required by comments from the design development phase.

● O. NOTES:

1. Provide a copy of the summary to the construction cost estimator for inclusion as a separate bid item in the project estimate.
2. Include any cost for decontamination of equipment and fixtures.

● **P. SPACE PLANNING**

	Schematics	DD	CD
Space-Accounting Summary Table	✓ ¹	✓ ²	✓ ³

P. NOTES:

1. Provide a tabular table with columns entitled Departmental Function, H-7610 Requirements, Approved Space Program [Net Square Meters (Net Square Feet)], Variance Between H-7610 and Approved Space Program, Departmental Conversion Factor, Planned Departmental Gross Square Meters (Feet); column totals; and a Total Project Net to Gross Factor. Also, list separately the area required for additions to the program, unassigned space, major circulation (inter-departmental corridors, stairs, elevators), major mechanical and electrical spaces, exterior walls, connecting corridors to other buildings, space for future mechanical system expansion, and similar special requirements.
2. Update table. Justify in writing substantial deviations from the approved space program.
3. Update table.

Q. CRITICAL PATH METHOD (CPM): Submit the following:

Critical Path Method (CPM):	Schematics	DD	CD
Phasing Narrative	✓	✓	✓
Phasing Plans (on reduced site plans)	✓		
Phasing Diagram	✓		
Phases (marked on full size drawing)	✓		
Written list of systems ¹	✓	✓	✓
Phasing Diagram (drawn on Phasing Plan) ¹		✓	✓
CPM Phasing Plans (full size contract drawings) ²		✓	✓

● **O. NOTES:**

1. Include temporary system by phase, and separate by technical discipline.
2. One drawing may reflect several reduced site plans.

R. ESTIMATING: Submit the following:

Estimating:	Schematics	DD	CD
Cost estimate in compliance with Manual for Preparation of Estimates (separate estimates for new construction and alteration work)	✓	✓	✓
Level "A" Summary Sheets for building	✓	✓	
Level "A" Summary Sheets for sitework	✓	✓	
Building gross area computation (new)	✓	✓	
Building gross area computation (alteration work)	✓	✓	
Project Data Sheet 1	✓		
Project Data Sheet 1 and 2		✓	✓
Asbestos abatement		✓	✓
Detailed estimate take-off sheets			✓
Level "B" Summary Sheets for buildings			✓
Level "B" Summary Sheets for sitework			✓
Supplement A to SF 252			✓
Detail Market Analysis			✓

S. SPECIFICATIONS

	Schematics	DD	CD
Specifications (All Disciplines)		✓ 1, 2. & 3	✓ 4 & 5

1. Submit for all technical disciplines the original VA Master Specification section drafts marked-up with pencil showing the editing for the project. Clearly identify modifications, deletions and insertions. Assure the specification drafts have been edited and tailored in their application to represent accurate coordination between drawings and specifications.
2. When no VA Master Construction Specification exists for a "unit of work", prepare the specification section consistent with VA Master Construction Specifications format.
 - a. Use generic or non-proprietary specifications describing the minimal acceptable product criteria level where no "Standard" exists to define quality and workmanship levels.
 - b. Use applicable "Standards" to define quality and workmanship when these publications exist. List complete designation and title of each publication used in Part 1; follow format in VA Master Construction Specifications for Applicable Publications.
 - c. Do not use proprietary specifications or systems that restrict competition unless authorization in writing has been received from the VA Project Manager for such proprietary specification. See the Federal Acquisition Regulation (FAR) Part 10, Part 14, and Part 36.
 - d. Do not use trade names or manufacturers brand names, except as previously noted.
 - e. When a deviation is requested, define and specify the minimum acceptable levels of essential criteria in descriptive, physical, functional, or performance requirements.
4. Type specifications in final format and content including any desk copy changes made by the VAMC staff at the previous review. Submit a complete set of the typed specifications for review. Include one set of full size final drawings of all disciplines, fully coordinated.
5. Return all draft specifications reviewed at DD review to aid the final bid document review. These draft specifications will later be returned to the A/E.

T. FINAL BID DOCUMENTS

- a. Place the seal of the Registered Architect, Registered Landscape Architect, and Professional Engineer responsible for the design and the VAMC Project Director's signature on the Construction Documents. A stamp of the VAMC Project Director's signature will be furnished.
- b. Submit updated Department Ratio Chart of Final Bid stage to the VAMC Project Manager.

III. DISTRIBUTION OF A/E MATERIAL

SYMBOL IDENTIFICATION OF CONTRACT DRAWINGS

- AS** - Architectural Drawings (Numbered Only)
- HA** - Asbestos Removal Drawings
- BI** - Boring Log Drawings
- ES** - Electrical Drawings
- FA** - Fire Protection Drawings
- MH** - Heating, Ventilating, and Air Conditioning Drawings
- PL** - Plumbing Drawings
- GS** - Site Development and Environmental Drawings
- CU** - Sanitary and Irrigation Drawings
- MU** - Steam Distribution Drawings
- MP** - Steam Generation Drawings
- SS** - Structural Drawings

GENERAL NOTES

1. Bond prints shall be full-sized.
2. Bind all drawings into sets in the order of their above classification symbol.
3. All submitted specifications shall be original, unbound, and marked-up VA Master Specifications. Where no VA Master Specification is available, submit a developed specification.
4. Submit all materials, packaged and clearly marked by discipline, to the VA's Contracting Officer. However, where a small amount of material is submitted, the drawings may be packaged together for all disciplines as long as the drawings are separated and tagged with the discipline name. Other material may also be consolidated provided they are labeled and can easily be identified and separated.
5. Material provided unbound will be returned to the A/E. All resubmission costs will be the responsibility of the A/E

Distribution of A/E Material

Schematic Submission:

VA Medical Center (VAMC)	Appropriate Network Office*
3 complete sets	1 complete set

Design Development Submission:

VA Medical Center (VAMC)	Appropriate Network Office*
3 complete sets	1 complete set

Construction Documents Submission:

VA Medical Center (VAMC)	Appropriate Network Office*
3 complete sets	1 complete set

*Network Office will coordinate the necessary review with the responsible safety and fire protection person in their network.