

Performance Work Statement (PWS)

For

Overhead Doors Repair

Serv C26-017

19 November 2025

PREPARED BY:

OC-ALC/OBCA

TINKER AFB 73145

Commanders Safety Intent: The safety of everyone on Tinker AFB is our top priority. All Individuals must accept personal responsibility for safety and seek opportunities for improving the safety of our work environment. Everyone working on Tinker AFB is challenged to find, fix (if able) and report all hazards and near-misses. It is our shared duty to take every reasonable step and precaution to prevent accidents and preserve the health/safety of each contractor and government employee.

Section One

Description of Services

1.1 Scope: The Contractor shall provide all labor, tools, equipment, test equipment, material, parts, quality control, transportation and inspection manuals necessary to perform a one-time repair of the southwest overhead roll-up door (Cookson Brand) located at Tinker AFB, Bldg. 9001, Col J-40 for the Oklahoma City Air Logistics Complex (OC-ALC). The equipment is listed in Appendix A.

1.1.1 The Contractor shall be responsible for ensuring all services, parts and Original Equipment Manufacturer (OEM) components provided under this contract are in accordance with (IAW) the terms and conditions outlined herein, conform to the manufacturer's equipment specifications and this PWS.

1.2 Known Problems: Southwest overhead roll-up door is out of service and needs repaired. A boom lift is required to service the doors on the booth, since there is a ramp in front of the doors.

1.3 Requested Services: In accordance with Original Equipment Manufacturer (OEM) specifications, the contractor shall provide a one-time repair on the Southwest overhead roll-up door. Work includes replacement of damaged slats, Liftmaster limit assembly, bottom bar, and bottom seal.

- Contractor shall repair the southwest overhead roll-up door - 15ft x 18ft – Cookson brand, serial number - AA14001567 L4
- Contractor shall replace QTY three (3) damaged slats on the Cookson overhead roll-up door
- Contractor shall replace the damaged slats with the same color (grey)
- Contractor shall provide replacement parts that are compatible with the existing overhead door configuration.
- Contractor shall replace the 2 Piece 14ft bottom bar
- Contractor shall replace the bottom seal
- Contractor shall supply their own tools and equipment.
- Contractor shall provide the boom lift or other type of lifts required to perform the service.
- Contractor shall repair the overhead roll-up door to a fully functional state, ensuring it operates smoothly, safely, and according to the manufacturer's specifications
- Contractor shall remove and haul away old material.

1.3.1 The contractor shall certify that all required parts and/or compatible equivalents are procurable. As part of their bid, the contractor shall provide a Sourcing Plan that details the following for all critical components:

1. A list of required parts currently held in the contractor's own inventory.
2. For all parts not in inventory, the contractor must identify the proposed supplier(s).
3. Confirmation of stock availability and lead times from the identified supplier(s).

1.3.2 Technical and Performance Specifications:

- In the case of the replacement slats, compatible parts shall fit to the existing slats with no gaps or deficiencies.
- In the case of the limit assembly, compatible parts shall connect to the door operator with no deficiencies and allow the door to open and close to the set limits.
- The door shall raise and lower to the set limits using both button and manual controls after slat replacement.

1.4 Over and Above (O&A): O&A is defined as work discovered during the course of performing the repair efforts that is within the scope of the contract and necessary in order to satisfactorily complete the contract. The Contractor shall complete O&A requirements In Accordance With (IAW) Defense Federal Acquisition Regulation Supplement (DFARS) 252.217-7028. PGI 217.77.

1.5 Authorizations for Repair Actions: Only the Contracting Officer (CO) can authorize repair actions. The GPOC will coordinate any repair actions with the Government Subject Matter Expert (SME) and the CO in order to obtain the approval to proceed. The Contractor shall ensure all repair actions have the documented CO approval, in writing, before initiating any repair or ordering parts. The Contractor shall demonstrate to the Government SME that the repairs have been completed.

1.5.1 Once the authorization for repair action has been received from the CO, the Contractor shall order any required parts within two (2) business days and notify the GPOC, in writing, of the estimated arrival date of the parts. Upon the receipt of the parts, the Contractor shall perform the repair within five (5) business days. The GPOC will verify the receipt of the parts with the Contractor to ensure the repair is performed in a timely manner.

1.6 Service Report: Immediately upon completion of any maintenance and before leaving the OC-ALC, the Contractor shall provide a draft, written Service Report to the SME. When necessary, the SME will forward the draft service report to the GPOC within 2 business days of receipt. The Contractor shall provide, by fax or email, the final service report within 5 business days to the GPOC. As a minimum, the final service report shall contain the following information:

- Company Name
- Requested service date
- Contract #
- Equipment ID #
- Description of Services provided
- Additional Services recommended (if any)

- Printed Name and Signature of Technician who performed the Services (electronic signatures are acceptable)
- Printed Name and Signature of on-site SME or GPOC (electronic signatures are acceptable)
- Start and Completion dates
- Complete Breakdown of the Labor Cost (hours and rate)
- Materials and Parts used
- Details of any other charges
- Printed Name and Signature stating only new parts and materials were used (electronic signatures are acceptable)
- Written verification statement that a performance check to verify operational condition was performed and that the equipment is in working order. (electronic signatures are acceptable)

1.7 Quality Assurance: According to the contract's inspection clause, the Government will evaluate the Contractor's performance under this contract. The GPOC will participate in the administration of this contract. Any matter concerning a change to the scope, prices, terms, or conditions of this contract shall be referred to the CO. All services to be performed by the Contractor during the period of this contract will be subject to review by the CO or GPOC.

1.8 Maintenance Documentation: The Contractor shall notify the Government Subject Matter Expert (SME) upon completion of the Repair, IAW OC-ALC Operating Instruction (OI) 21-203, Chapter 1, 2, and 3, as applicable.

1.9 Red Tagged Items: Red Tagged items create unsafe conditions for the workplace and are noted by the annotation of a Red X in the Facilities and Equipment Management Web-Based (FEMWEB) system. A Red X indicates the equipment is considered unsafe or unserviceable and will not be used until the unsatisfactory condition is corrected and the Red X is cleared. The Contractor shall not authorize, use or direct equipment to be used until the Red "X" has been properly cleared IAW OC-ALC OI 21-203, Chapter 2.

1.10 Red X Clearance: The Contractor shall ensure the Red X's are cleared IAW OC-ALC OI 21-203, Chapter 2. The Contractor shall immediately notify the shop supervisor or work leader in any instance where the Contractor clears a Red X in his or her assigned work area.

1.11 Red X Clearance on Equipment: Red X on Equipment will be cleared in FEMWEB by the shop supervisor, work leader, or supervisor's designee.

1.12 Corrective Action Report (CAR)/Complaint Contractor Response Time: The Contractor shall provide a written response within two (2) business days which addresses the root cause, corrective action, and preventive actions in relation to the submitted CAR or Customer Complaint.

1.13 Continuation of Essential Department of Defense (DoD) Contractor Services During Crisis: This requirement has been determined not to be essential and does not require continued support during a crisis as defined in DFARS 252.237-7023.

1.14 Hours of Operation: The Contractor shall perform the work required under this contract during the following days and hours: Monday through Friday, **6:00AM to 4:00PM**. If work hours are required outside the hours stated, the Contractor shall contact the GPOC for approval from the CO. Upon approval from the CO, the Government Subject Matter Expert (SME) or GPOC must be present with the Contractor.

1.14.1 These dates and hours exclude Federal Holidays, base closures due to inclement weather, and furlough days, as applicable.

1.15 Special Qualifications: The Contractor shall provide documented evidence/proof personnel has the following special qualifications:

- Qualified overhead door technician required (Industrial preferred)

1.16. Contractor Personnel: The Contractor shall provide the name of the Contract Manager (CM) and any alternates who shall act for the Contractor when the CM is absent. They shall be designated to the CO and GPOC, in writing, within ten (10) business days after the contract award date. The Contractor shall provide telephone numbers and email addresses where the CM and alternates may be contacted at any time. The CM or alternate shall have full authority to act for the Contractor on all matters relating to operation of this contract at the OC-ALC on Tinker Air Force Base (AFB). The CM or alternate shall be available to meet on the installation with Government personnel designated by the CO to discuss problem areas. The Contractor shall provide a CM who can read, write, speak, and understand English fluently.

1.16.1 The Contractor and Contractor personnel shall be required to identify themselves as contractor personnel by introducing themselves or being introduced as Contractor personnel. The Contractor personnel shall also display distinguishing badges or other visible identification for meetings with Government personnel or while performing work for the OC-ALC on Tinker AFB. The Contractor and Contractor personnel shall identify themselves as Contractor employees in telephone conversations and in formal and informal written correspondence.

1.17 Listing of Contractor Employees: The Contractor shall provide an initial listing of names and position titles of employees who will come to Tinker Air Force Base to the GPOC within five (5) business days after the contract award date. Within ten (10) business days, the Contractor shall also provide an updated listing of personnel to the GPOC when employees affecting the work of this contract change status or position.

1.17.1 The Contractor shall not employ persons on this contract if such employee is identified to the Contractor as a potential threat to the health, safety, security, and/or general well-being, or operational mission of the installation and its population. The Contractor shall not employ any person who is an employee of the United States (US) Government if the employment of the person would create a conflict of interest. The Contractor shall not employ any person who is an employee of the Department of the Air Force (AF), either military or civilian, unless such person seeks and receives approval according to the DoD 5500.7-R Joint Ethics Regulations (JER). In addition, the Contractor shall not employ any person who is an employee of the Department of the AF if such employment would be contrary to the policies contained in Air Force Instruction (AFI) 64-106, *Air Force Industrial Labor Relations Activities*. The Contractor shall be prohibited from

employing off-duty GPOCs who are providing surveillance on any contracts/sub-contracts awarded to the Contractor. All contract personnel, depending on particular condition, occasion, or place or job assignment shall be required to wear professional and suitable attire. All Contractor personnel shall conduct themselves in a professional and courteous manner. The selection, assignment, reassignment, transfer, supervision, management, and control of contractor personnel in performance of this PWS shall be the responsibility and prerogative of the Contractor; however, the Contractor shall comply with the requirements set forth in this PWS and Tinker AFB regulations concerning the conduct of employees as referenced herein. The Contractor shall employ and maintain a technically trained and experienced work force.

1.18 Environmental Certification: The Government will ensure the part or equipment is clean, drained and purged before it is transferred to the Contractor for repair. The Government will provide written certification of such to the Contractor prior to shipment or pick up of the part or equipment. Certification will be by official correspondence with a statement which specifies the part or equipment is certified to be clean, drained and purged. In addition, as a minimum, said certification will contain description of the part or equipment, make, model, serial number, and OC number (if applicable). This certification will be provided to the GPOC three (3) business days prior to the pick-up or shipment of the part or equipment. The GPOC will, in turn, provide it to the Contractor within two (2) business days prior to the pick-up or shipment of the part or equipment.

1.18.1 The Contractor shall ensure and provide written certification that the repaired part or equipment is cleaned to remove all hazardous contaminants, dirt, shavings, oil, or grease, and drained and purged to remove all fluids, oils and liquids before returning to Tinker AFB. Certification shall be by official correspondence with a statement which specifies the part or equipment is certified to be clean, drained and purged. In addition, as a minimum, said certification shall contain description of part or equipment, make, model, serial number, and OC number (if applicable). This certification shall be provided to the GPOC two (2) business days prior to the return of the part or equipment.

1.19 Environmental Protection & Safety: The Contractor shall be knowledgeable of and comply with all applicable federal, state and local laws, regulations, instructions and requirements regarding environmental protection and occupational safety and health. The Contractor shall comply with any laws, instructions or regulation changes during the term of this contract.

1.19.1 Contractors shall be compliant Tinker Air Force Base (TAFB) Supplement to Air Force Manual (DAFMAN) 32-7002, "*Environmental Compliance and Pollution Prevention*", Tinker AFB procedures per Tinker Air Force Base Hazardous Waste Management Plan (TAFB HWMP), and Complex procedures per Oklahoma City Air Logistics Complex (OC-ALC) Supplement to DAFMAN 32-7002, "*Environmental Compliance and Pollution Prevention*" and OC-ALCI 32-101 "Air Quality ReGPOCd Keeping Procedure". Publications are available digitally on e-Publishing website at www.e-publishing.af.mil for downloading or ordering."

1.20 Hazardous Material (HAZMAT): If no HAZMAT will be brought on base or used in performance on this contract, the contractor shall certify "No HAZMAT will be brought on base" or "No HAZMAT Usage" by official correspondence. This certification shall be provided to the GPOC within ten (10) days after award. Upon GPOC receipt of the certification, the requirements

of this section no longer apply. Appropriate penalties for the contractor shall be assessed if found in violation of above certification.

1.20.1 The Contractor shall comply with applicable federal and military procurement policies IAW OC-ALC Supplement to DAFMAN 32-7002, “*Environmental Compliance and Pollution Prevention*”. The Contractor shall obtain access to the standardized Air Force HAZMAT tracking system and manage HAZMAT within the system or have a government designated HAZMART comply. The Contractor shall establish and reconcile the inventory, print the standardized Air Force HAZMAT tracking system bar code labels, and apply the labels to containers of HAZMAT so that the Occupational Safety and Health Administration (OSHA) compliant labels are not covered. Any failure to comply with proper HAZMAT management procedures shall be reported to the CO and GPOC who will notify 76 MXSG/MXDEU, *OC-ALC Environmental Compliance*.

1.21 Safety Data Sheet (SDS) and Labeling: Upon GPOC receipt of the “No HAZMAT Usage” certification, the requirements of this section no longer apply.

1.21.1 The Contractor shall not transport, ship or use any chemical, material or substance used in the performance of this PWS on Tinker AFB before written approval is provided by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. The Contractor shall submit to the GPOC, ten (10) calendar days after contract award date all Safety Data Sheets (SDSs). The Contractor shall receive approval from the GPOC prior to shipping any chemical, material or substance to Tinker AFB. A copy of the manufacturer SDS shall accompany the shipment. Contractor shall comply with the effective dates for SDS requirements IAW the Occupational Safety and Health Administrations (OSHA) Hazardous Communication Standard, Title 29, Code of Federal Regulation (CFR) Part 1910.1200. The Contractor shall ensure containers of hazardous chemicals are labeled with the following information, prior to shipping to Tinker AFB IAW OSHA Hazardous Communication Standard, Title 29, CFR Part 1910.1200 (2012): product identifier; signal word; hazard statement(s); precautionary statement(s); pictogram(s); and name, address and telephone number of the chemical manufacturer, importer, or other responsible party. The GPOC will forward all SDS submittals to 72 ABW/CEIE for approval. A current manufacturer SDS shall be submitted to the GPOC if the Contractor changes manufacturer or vendor for any chemicals that were prior approved. The Contractor shall maintain copies of manufacturer SDSs for all chemicals and SDSs shall be readily accessible at all times by Contractor personnel as well as government employees.

1.22 Hazardous Waste: If no HAZWASTE will be generated during performance of this contract, the Contractor shall certify “NO Hazardous Waste Generation” by official correspondence. This Certification shall be provided to the GPOC within ten (10) business days after award. After the GPOC receives the “No Hazardous Waste Generation” Certification, the requirements of this section no longer apply. Appropriate penalties for the Contractor shall be assessed if found in violation of the above Certification.

1.23.1 The Contractor shall dispose of contaminated solid waste, spent or processed chemical solutions, used rags and hazardous waste in government furnished waste containers located in the shop or area the work is being performed. The Contractor shall notify the GPOC if the required waste containers are not available on site.

1.24 Discharges: Any discharges into Tinker's industrial waste treatment plant (IWTP) or sanitary sewer shall be approved and done IAW Tinker Industrial Wastewater Discharge Permit as instructed by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. Notice of intent documentation shall be provided to the GPOC within ten (10) days after award. The GPOC will submit the required notice of intent documentation to the UEC for 72 ABW/CEIE approval. The Contractor shall not discharge into IWTP and sanitary sewer prior to approval issued by 72 ABW/CEIE. The Contractor shall maintain records of written approval issued by 72 ABW/CEIE for discharges into IWTP and sanitary sewer.

1.25 Off-Site Discharges: For discharges outside of Tinker AFB, the Contractor shall ensure wastewater discharges, that may contain pollutants resulting from any contracted service, go to a state or federal permitted treatment facility such as a municipal Publicly Owned Treatment Works (POTW). The Contractor shall provide official correspondence ten (10) calendar days after contract award date to the GPOC from the POTW that states the POTW is permitted for all pollutants that the Contractor may discharge during the contracted service.

1.26 Spills: Upon occurrence of any spill that could enter the storm system or cause any harmful environment effects, the Contractor shall immediately call 911 to report the incident. When possible, the Contractor shall use a base telephone to receive help from Tinker AFB 911. If using a cell phone, the Contractor shall request Tinker AFB 911. The Contractor shall immediately report all environmental violations to the GPOC and UEC. The Contractor shall provide five (5) copies of a typed or written report about the incident within four (4) clock hours as follows:

1.26.1 One (1) copy to CO, two (2) copies to the GPOC, a copy for UEC and one (1) copy for record. The format of the report shall be left up to the Contractor, but the report shall contain the following information:

- 1.) Name and contact number of person reporting the spill
- 2.) Date and time of incident
- 3.) Location and source of spill
- 4.) Substance or pollutant spilled
- 5.) Amount spilled and rate of discharge
- 6.) Any damages or injuries involved
- 7.) Extent of area impacted
- 8.) Potential hazards
- 9.) Actions taken
- 10.) Organizations contacted
- 11.) Remarks Section - that addresses the cause of the spill (e.g. human error, equipment, etc.) and whether 911 was called and which agencies responded.

1.27 Environmental Training: Upon GPOC receipt of the "No Hazardous Waste Generation" certification, the requirements of this section no longer apply.

1.27.1 Contractor personnel performing duties in the service of this PWS shall have training that acquaints the person with the details of Resource Conservation Recovery Act (RCRA) regulations in 40 CFR 260 through 279; applicable State Laws and regulations; DoD, Air Force and local requirements. This training can be obtained through creditable training institutions or

companies. All training shall be approved by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. RCRA training is available at <http://www.natlenytrainers.com/RCRA-hazardous-waste.htm>; http://www.skillsoft.com/catalog/detail.asp?CourseCode=esh_sah_a34_sh_enus000000 and <http://www.lion.com/Storing-Hazardous-Waste-for-LQGs> at the Contractor's expense. Prior to obtaining training, the Contractor shall provide the name of the training institution or company and course description to the GPOC for approval within ten (10) calendar days after contract award date. Once written approval is received from the GPOC, the Contractor shall provide the environmental training certificates for employees performing duties in the service of this PWS to the GPOC, within thirty (30) calendar days after contract award date. In addition to the required environmental training, Contractors shall be compliant with Tinker AFB procedures per TAFB HWMP, "*Hazardous Waste Management*".

1.28 Forms, Technical Orders (T.O.), AFI, Air Force Material Command Instructions (AFMCI), and Publications: The Contractor shall obtain the forms and publications expressly required to perform the work in this contract via the internet at www.e-publishing.af.mil. In the event a form or publication is not available online, the GPOC will provide the form, instruction, or publication to the Contractor upon the Contractor's written request (e-mail is acceptable). In the event, laws, regulations, T.O.'s, AFI's, or AFMCI's change during the term of this contract, the Contractor shall be required to comply as the changes come into effect. Contractors delivering or handling official United States Air Force (USAF) records shall comply with the applicable records management regulations in AFI 33-322, Chapter 3, in its entirety.

1.29 OC-ALC Security and OPSEC briefing: All Contractor personnel working on base in the OC-ALC shall be required to read the OC-ALC Security and OPSEC briefings. The GPOC will ensure the Security and OPSEC briefings are available for review by the Contractor. The Contractor shall provide the GPOC with a report within five (5) business days after receiving the briefings. The report shall contain the employee's name and the date of review. These requirements are IAW AFI 16-1404, "Information Security", Chapter 6, Paragraph 6.2-6.2.3, 6.4-6.4.4.; DoDI 5220.22 "Industrial Security", Section 9, Paragraph 9.2(6).; AFI 10-701, "Operations Security", Chapter 4, Paragraph 4.4. and OC-ALC 16-1404, "OC-ALC Security", Paragraph 7.

1.30 Housekeeping: The Contractor shall keep the work areas clean and neat IAW industry standards, OSHA, fire and safety standards, and this PWS.

1.31 Foreign Object Damage (FOD) and Dropped Object Prevention: Contractor personnel who work in or travel through areas near operational and production aircraft, engines, munitions, missiles, drones, space systems, support equipment, Aerospace Ground Equipment (AGE), trainers, and the Contractor personnel operating vehicles and equipment on flight lines, runways, taxiways, parking ramps, and in aircraft hangers and maintenance areas are required to receive the FOD/DOP training and to comply with AFI 36-2650, AFMC Supplement 1, paragraph 9.2., and A4.4.4. (Initial)/A4.4.5. (Refresher). The Contractor and Contractor personnel shall acknowledge the FOD/DOP training by viewing the Digital Versatile Disc (DVD) provided by the GPOC.

1.31.1 The Contract Manager shall provide written certification to the GPOC for each employee prior to the employees starting work in the OC-ALC shops. The certification shall have the title of the training, the name of the person who received the training, and the date of the training. The

Contractor shall also ensure all new employees view the FOD/DOP training and provide written certification of training to the GPOC prior to the employees starting work in the OC-ALC shops. Every 36 Months, the Contractor and Contractor personnel shall be required to review the FOD/DOP training and to provide written certification to the GPOC.

1.32 Tool Control and Accountability: While performing contract services in or around Maintenance Production Shops, which includes ramp areas, the Contractor shall comply with AFI 21-101_AFMC Supplement 1, 21-101, Chapter 10 (all paragraphs) and OC-ALCI 21-112, paragraph 14.1. and 14.5.3. The Contractor shall provide the completed MXRIWRS Form 032 prior to performing work in the OC-ALC industrial areas. The MXRIWRS Form 032 is available from the GPOC. The Contractor shall provide a Contractor Tool Listing, MXRIWRS Form 032, to the GPOC within five (5) business days after the one-time repair. actions. The Contractor or Contractor's personnel shall inventory the container or bag of tools at the beginning of each workday and at the end of each workday. The Contractor personnel shall immediately notify the GPOC of any tools that are missing or lost from the work area or container (e.g. tool or job box or tool bag). The GPOC will report any missing Contractor's tools which have not been located within one (1) hour after notification to the appropriate Government personnel. The Contractor shall obtain the Form 32 from the GPOC. The CM shall ensure each employee on the job site receives a briefing from the GPOC about Housekeeping, FOD/DOP, and Tool Control prior to starting work in OC-ALC Industrial Areas.

1.33 Privately Owned Motor Vehicles (POV): Contractor personnel shall comply with the directives pertaining to the operation of POVs on Tinker AFB, per DAFMAN 31-116, in its entirety, "Motor Vehicle Traffic Supervision". The Contractor shall comply with Tinker AFBI 24-302, in its entirety for the operation of POVs within Tinker AFB.

1.34 Visitors Pass: The Contractor shall contact the GPOC seven (7) business days before arriving on Tinker AFB in order to make arrangements for Visitors Passes. The GPOC will assign a sponsor for the Contractor from within the organization. The Contractor and the sponsor shall arrange to meet at Pass and Registration, Building 6611 at the Tinker Gate which is South of I-40 off of Air Depot. The Contractor shall provide two (2) forms of identification, one of which shall be a picture ID, to the 72 SFS. The 72 SFS will provide an AF Form 75, *Visitors Pass*, which will be valid for up to thirty (30) calendar days.

1.35 Foreign Nationals: The Contractor shall notify the GPOC before sending a Foreign National representative to perform services. Special rules apply for foreign nationals visiting a US Government facility.

1.36 ISO 50001 – Energy Management System. The OC-ALC is certified to ISO 50001 Energy Management Systems. All contractors are subject to the Energy Management System (EnMS) requirements and shall abide by certification guidelines whenever applicable.

- a) EnMS Training. All Contractors servicing OC-ALC facilities, systems, and equipment at Tinker AFB shall complete Air Force provided initial EnMS Training. It is the responsibility of the Prime Contractor to ensure that all sub-contractors, vendors, and employees complete this training prior to beginning work on Tinker AFB.

- b) The Contractor shall complete the required training and provide the completion notification to the GPOC within five (5) business days of contract award or before arriving on base.

1.37 Safety and Health on Government Installations: While performing work under this contract on a Government installation, the Contractor shall comply with federal, state and local regulations, and DAFMAN 91-203, “*Air Force Manual*”, as established by this contract and Appendix C. The Contractor shall notify the CO, GPOC, and Government Contract Administrator (CA) within one (1) business day of any injuries that occur to contractor personnel while they are on the installation. The Contractor shall notify the CO, GPOC, and Government CA within one (1) business day of damage to Government property or equipment during the execution of the contract.

1.38 Communicating Hazards Of Workplace (CHOW): Contractor’s onsite representative communicates all hazards being introduced to the worksite by the Contractor. This is accomplished prior to commencement of work and refreshed daily during performance, IAW Contractor’s Site Safety Plan.

1.39 Safety and Health Plan: The Contractor shall be responsible for compliance with the OSHA Public Law 91-596. The Contractor shall submit a Safety and Health Plan (SHP) and corresponding site safety checklist to the CO and the GPOC (see Appendix C).

1.40 Combating Trafficking in Persons: IAW DFARS PGI 222.17, the GPOC shall pursue, as appropriate, the following methods of monitoring the Contractor’s performance regarding trafficking in persons such that non-compliances with FAR clause 52.222-50 are brought to the immediate attention of the Contracting Officer:

- a. Keep the lines of communication open with the Contractor. At the Post-Award conference, remind the Contractor of his contractual responsibilities to notify the government if the Contractor receives notification of any alleged violations to this policy or if actions have been taken against the Contractor employees, subcontractor’s or subcontractor employees pursuant to the clause.
- b. When appropriate, encourage Contractor to complete Human Trafficking Awareness Training.
- c. Encourage the Contractor to take steps to investigate and eliminate slavery and human trafficking in their supply chains and to publish information for consumer awareness.
- d. Periodically access the Department of State’s Trafficking in Person (TIP) website for updates and to view the latest reports. <http://www.state.gov/g/tip>

1.41 Speak Up for Safety: Safety surety is an integral part of our overall goal of establishing a world class safety and health program. Our “Speak Out for Safety” initiative ensures a partnership with contractors and government employees to further enhance safety to ensure we are looking out for all our partners and empowers all employees to actively participate in each other’s safety.

1.41.1 A safe workplace is everyone's business. As part of the contract team, military, civilian and contractor personnel are empowered to Speak Out for Safety (S.O.S.) when they observe an unsafe act.

1.41.2 Government personnel are empowered to intercede in events that pose imminent danger to personnel or catastrophic damage to property.

1.42 Emergency Procedures: The Contractor personnel shall follow the direction of the Government personnel with regard to emergency procedures, such as fire, tornado, active shooter, bomb threats, or other emergency. It is the responsibility of the Contractor to provide guidance and to establish procedures for its employees to respond to an emergency. It is the Contractor's responsibility to account for their employees following an emergency evacuation. The Contractor personnel shall participate with the Government personnel in all fire and tornado drills at no additional cost to the Government.

1.43 Training – General (including but not limited to): The Government GPOC will provide training via slides, video, or classroom prior to the Contractor performing work at the OC-ALC. The Government will be responsible for all approved costs associated with the training identified below. The GPOC will document training on and maintain copies of the completed AF IMT 2426,

1.43.1 Training Attendance and Rating, as part of the contract surveillance file. The Government will add or remove training as required per Air Force Regulation.

1.43.2 The Contractor shall contact the GPOC prior to work being performed in order to accomplish the required training or to verify the required training as listed below has been completed:

Contractor Required Courses	Course Number
FOD and DOP Awareness Training Course Initial	CHPMAS0000400SU
AFMC FOD and DOP Awareness Training Refresher	CHPMAS0001301CB
Initial Fire Safety and Prevention Training	CTESAF0000100SU
Refresher Fire Safety and Prevention Training, Computer Based Training (CBT)	CTEMAS0002900CB
OC-ALC Environmental Accountability/Solid Waste Training, CBT	MTEMAS9713800BR
OC-ALC Human Factors Training, CBT	MTEPDV9775100BR
Environmental Management Systems (EMS) - General Awareness Training	MTEENV9733070BR
ISO 50001 – Energy Management Training	
Records Management - User Training	MLMW0188
Controlled Unclassified Information (CUI) Training_2022BG	ZZZ2021CUI
Controlled Area Training	MTEMAS9712900BR
OC-ALC/OB Initial Workplace Specific FOD/DOP Briefing	MTEMAS0002011BR
Lockout/Tagout Initial and Refresher Course for Affected Personnel, CBT	CTEMAS0003001CB
Lockout/Tagout Initial Course	TE00141
Lockout/Tagout Refresher Course for Authorized Personnel, CBT	CTEMAS0003000CB

CUI

Section Two: Reserved

SECTION THREE

3. GOVERNMENT FURNISHED PROPERTY AND SERVICES.

3.1 Government Furnished Property (GFP).

3.1.1. Government Property Repair/Maintenance (or Similar Requirement) On-Base.

Note: Same as Government Property Incidental to Government Installation or Site.

3.1.2 Government Property Repair/Maintenance On-Base is not considered GFP in accordance with (IAW) Federal Acquisition Regulation (FAR) Parts 45 and 52.245 plus supplements. The responsible Government Organizations (CMXG) for Government Property Repair/Maintenance On-Base will be responsible for the Government Property inventory, record keeping, reporting requirements (including Report of Survey), and disposal during the performance of this contract.

3.2 GFP - Repair/Maintenance Off-Base.

Not Applicable

3.3. Government Furnished Services (GFS) are applicable during the performance of this contract. The Government will furnish the following services at Tinker AFB (TAFB), OK:

3.4 Security Forces. The Government will provide general on-base security forces' service. The security forces' telephone numbers are 911 for emergencies, 405-734-2000 for crimes in progress and 405-734-3737 for non-emergency calls. **The off-base 911 center receives 911 cell phone calls. Cell phone callers need to advise the 911 off-base center they are on TAFB in order to be connected with the on-base 911 center.**

3.5 Fire Emergency and Routine Services. The Government will provide general on-base fire protection services. The Contractor shall comply with fire prevention rules and regulations enforced by the TAFB Fire Prevention Branch. Call 911 for emergencies. For routine fire prevention matters call 405-734-3981 or 405-734-3982 and 405-734-7964 for after hours and weekends. For routine calls to dispatch call 405-734-7964.

3.6 Utilities. The Government will provide utility services. These utilities include natural gas, electricity, water, and sewer for the sole purpose of accomplishing this contract. If the contractor

requires additional utility services, it shall be the contractor's responsibility to provide. Contractor shall use due care and diligence in efforts to conserve utilities to reduce utility costs.

3.7 Workspace. The Government will provide access to the equipment and adequate workspace around the equipment.

3.8. Government Property Incidental to the Government Installation or Site.

Note: Formerly termed Shared Property of the Government.

Not Applicable

3.9. Intangible Government Property.

Not Applicable

3.10. Contractor Acquired Property (CAP), Time & Material (T&M), Labor Hour (LH), Cost, or Travel Contract Line Item Numbers (CLINS).

Not Applicable