

PERFORMANCE WORK STATEMENT (PWS)

*Operational Evaluation Command (OEC) Base Test Support Services (BTSS) FY26-31
28 AUG 2026*

Part 1 General Information

1. General: This is a non-personal service contract under which the personnel rendering the services are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the United States (U.S.) Government and its employees. Accordingly, the U.S. Government shall not exercise supervision or control over the Contractor's employees performing the tasks herein. Such contract employees shall be accountable solely to the Contractor who, in turn shall be responsible to the U.S. Government.

1.1 Description of Services/Introduction: This is a non-personal service(s) contract to provide data management, document preparation, data collection, database development, data entry, reports, off-the-shelf instrumentation, and logistics support to operational tests events conducted by the U. S. Army Operational Evaluation Command (OEC). The Contractor shall be required to perform field test support, data collection, data base management, data entry, and technical input to some test planning documents in support of operational test mission that includes:

- Preparation and maintenance of test sites, supplies, and use of Government Furnished Property (GFP) Technical Exhibit (TE D) will be provided to the Contractor and Inventory Management List (IML) will be made available to the Contractor in Technical Exhibit (TE F).
- Maintenance, dispatch services, recovery, and operators for test support vehicles, generators and other equipment required.
- Providing data entry, and data visualization.
- Operating Government provided off-the-shelf instrumentation.
- Perform supply actions in support of the contracted mission and testing.

Primary locations of performance are Fort Hood, Texas, and Airborne and Special Operations Test Directorate (ABNSOTD) at Fort Bragg, North Carolina, with additional support for motor pool operations at Fort Bliss, Texas. Additional locations of performance include, but are not limited to Fort Huachuca, Arizona, and Fort Sill, Oklahoma. Locations for performance will be identified in the individual Task Order (TO) Statement of Work (SOW) and may require the delivery of test support services at locations within the Continental United States (CONUS) and Outside the Continental United States (OCONUS). BTSS Contract place of performance is further detailed at 1.5.6 below. Requirements will be issued in accordance with (IAW) the procedures set forth in the Government's PWS.

1.2 Background: The OEC mission is to plan for, conduct, and report on independent operational tests, experiments, and assessments of Army materiel and information mission area systems to inform acquisition and fielding decisions for Army and select multi-service Warfighting systems.

1.2.1 OEC is headquartered at Fort Hood, Texas and is a subordinate command of the U.S. Army Test and Evaluation Command (ATEC) located at Aberdeen Proving Ground, Maryland.

1.2.2 Testing of material and major acquisition systems is complex. Operational testing involves a major effort in the integration of data management, data collection, logistics and field services documentation support. Operational testing requires the flexibility and depth of professional and technical expertise, professional managers with a technical staff capable of modifying and operating complex databases.

1.3 Scope: The Contractor shall provide non-personal service(s). The Contractor shall provide all labor, management, supervision, supplies, materials, equipment, training, and tools, not otherwise provided as Government Furnished Property (GFP), to perform non-personal services required to support the operational test, data collection, and experimentation mission of OEC.

1.3.1. Period of Performance: The period of performance shall be a five-year ordering period with a six (6) month extension period, in accordance with FAR 52.217-8. The Period of Performance reads as follows:

Ordering Period	Timeframe	Projected Dates
Phase-In	1 Month, (30 Days)	01 Sep 2026 through 30 Sep 2026
Base Period	4 Years, 11 Months	01 Oct 2026 through 31 Aug 2031
Total Contract	5 Years*	Contract End 31 Aug 2031*

*Excludes any Government determination to exercise FAR 52.217-8.

1.4 Objectives: The Contractor shall provide specific technical requirements in support of data management, data collection, logistics, and field operations to support the test missions of OEC to include Joint and Multi-Service tests, combined Developmental and Operational Test, training activities, and other Department of Defense (DoD) Organizations.

1.5 General Information:

1.5.1 Quality Control Plan (QCP): The Contractor shall develop and maintain a QCP to ensure services are performed IAW this PWS. The Contractor's proposed QCP shall be submitted to the Contracting Officer (KO) through the Contracting Officer's Representative (COR) for review within thirty (30) days after contract award in accordance with Contract Data Requirements List (CDRL) A017.

The Government will review and either notify the Contractor in writing of acceptance of the plan or return their comments to the Contractor within 20 calendar days prior to the effective date of the change. If the Government has provided comments, the Contractor shall then have 5 calendar days to submit a Final QCP. After receipt of the Final QCP, the Contractor may receive the Contracting Officer's acceptance in writing. Any proposed changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than 30 calendar days prior to the anticipated change and before implementation by the Contractor. The timeline noted above will apply

for review and acceptance of proposed changes. At a minimum, the QCP must include and answer the following to be acceptable:

(a) A chart showing the organizational structure and lines of authority, the names, qualifications, duties, responsibilities, and classification of each member of the Contractor's Quality Control Team;

(b) How the Contractor will monitor work to ensure performance complies with all deliverables (etc. timelines, deadlines, and goals);

(c) How the Contractor will monitor work to ensure performance complies with all specifications and requirements of the contract, including the contract's clauses;

(d) How the Contractor will monitor and ensure staff qualifications remain current and valid including Department of Defense (DoD) Contractor Personnel Office (DOCPER) processes/approvals throughout contract performance;

(e) How the Contractor will ensure all keys issued will remain controlled items (Paragraph 1.7 Key Control);

(f) How the Contractor will inventory and track maintenance of all Government Provided Equipment / Materials.

(g) How the Contractor will identify, investigate, and correct any non-conforming performance and prevent similar deficiencies in the future; and

(h) How the Contractor will file and save all Quality Control related documents for the life of the contract plus 5 years.

1.5.2 Quality Assurance: The Government will evaluate the Contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government must do to ensure that the Contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the acceptable quality levels (performance thresholds).

1.5.3 Recognized Holidays: The following provides information on recognized holidays for the purpose of the PWS. If submittal of any documentation (e.g. deliverables, submittals, etc.) deadlines fall on a holiday, the closest workday prior to the holiday will apply as the deadline for submittal.

1.5.3.1 U.S. Holidays: Work shall not be performed on U.S. federally recognized holidays occurring during the normal workweek unless otherwise directed by the Contracting Officer. When a U.S. holiday occurs on a Saturday or a Sunday, the holiday is observed on the preceding Friday or following Monday, respectively.

New Year's Day January 1st
Presidents' Day 3rd Monday in February
Juneteenth June 19th
Labor Day 1st Monday in September
Veteran's Day November 11th

M. L. King Memorial Day 3rd Monday in Jan
Memorial Day last Monday in May
Independence Day July 4th
Columbus Day 2nd Monday in October
Thanksgiving Day 4th Thursday in November

Christmas Day December 25th

1.5.3.2 Host Nation Holidays: RESERVED

1.5.4 Operating Hours: The Government facility office hours, facility operating hours, and the Contractor support hour requirements often coincide, however, they may differ. Please refer to the following:

1.5.4.1 Government Facility Office Hours: The Government facility office hours are Monday through Friday 0730 to 1630 except U.S. Holidays identified in paragraph 1.5.3.1 above or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

1.5.4.2 Government Facility Operating Hours: The Government facility office hours are Monday through Friday 0730 to 1630 except U.S. Holidays identified in paragraph 1.5.3.1 above. The Government facility may close due to local or national emergencies, administrative closings, or similar Government directed facility closings and will be communicated by the Contracting Officer to the Contractor.

1.5.4.3 Contractor Support Hours: Continuous Contractor service may be required for one or more test operations, running sequentially or concurrently, day or night, or in any combination. The Government may require the Contractor to provide services on weekends or holidays and may require an extended workday that could require two or more work shifts or adjusted workweeks. Overtime may be required for one or more of the shifts. The Contractor shall maintain an adequate workforce at all times, for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce is essential. For other than firm fixed price contracts, the Contractor will not be reimbursed when the Government facility is closed for the above reasons unless the KO instructs them to work per para 1.5.3.1 as listed above.

1.5.5 Training Holidays: USAOEC has historically granted military personnel training holidays as compensation for time that they spent in field training. These are typically combined with regular holiday leave schedules (for example, Christmas half days or day on day off schedules). Training holidays may affect access to military operated facilities. If scheduled work or access to facilities is required, coordination with occupants will be necessary or the work in affected facilities shall be rescheduled after the training holiday. However, announced training holidays or exodus of military personnel may provide the Contractor with an opportunity for unrestricted access to facilities and areas. The Contractor shall take full advantage of such opportunities by planning maintenance or actions that are better accomplished when such areas are vacant.

1.5.6 Place of Performance: The work to be performed under this contract will primarily be performed at Fort Hood, Texas, Fort Bragg, North Carolina, and Fort Bliss (Base operations requirements) with additional test support operation locations at Fort Huachuca, Arizona, and Fort Sill, Oklahoma. Other locations will be identified in individual TO SOW and may require the delivery of test support services at locations CONUS and OCONUS. Exact test support locations are not known or forecastable, however, a complete list of potential testing locations is provided at TE G.

1.6 Security Requirements: The following information is provided on security related matters:

1.6.2 Personnel Security Clearance Requirements: When the services and support being performed require access to security controlled or classified information, the Contractor shall obtain and provide personnel with the appropriate security clearance. The classification of the work to be performed and the items to be delivered under this contract will be determined and handled IAW the DD Form 254 pertaining to this contract. Contractor personnel shall comply with AR 25-2 and AR 380-5 to include the security training requirements in AR 380-5, Chapter 8, Section II, and AR 380-49, Chapter 3, Section 3, as mandatory training for Contractor employees who handle classified materials. The Contractor shall also comply with the Industrial Security Program IAW DoD 5220.22-M, National Industrial Security Program Operating Manual (NISPOM). See Section 6.0 for location of memorandums and policies. See DD Form 254 (TE E).

Contractor personnel performing work under this contract must have at minimum an active personnel security clearance at the Tier 3 (T3) level in the Defense Information System for Security (DISS) at time of the proposal submission and must maintain the level of security required for the life of the contract. The security requirements are IAW with the attached DD Form 254, "Department of Defense (DOD) Security Classification Specification" (The unit security monitor is responsible for initiating this form). The Contractor shall ensure that contractor employees and subcontractor employees performing services under this contract comply with FAR 52.204-2, Security Requirements when the employee has access to information classified "Confidential," "Secret," or "Top Secret."

1.6.2.1 The Program Manager (PM), Logistics Manager (LM) and Security Manager (SM) shall possess a Top Secret clearance. The Information Technology Lead shall possess a Secret clearance. Other personnel may require clearances based upon classification of test events being supported and positions held in this contract. Contractor shall be prepared to provide personnel with clearances when required by a task order to handle classified information to include Top Secret. At a minimum, interim clearances shall be required at contract start date for key personnel and for those personnel required to support tests. A request for clearance shall be made within five (5) working days after hiring and shall contain a request for an interim clearance. It is the responsibility of the Contractor to ensure updates are provided to the KO and COR once appropriate security clearances have been obtained. Compliance by the Contractor's personnel with AR 25-2 and AR 380-5 is required. See Section 6.0 for location of memorandums and policies. As stated, the approved DD Form 254 will be incorporated as part of this contract (TE E).

1.6.2.2 All personnel hired under this contract who do not require a security clearance must have a Tier 1 (T1), formerly known as National Agency Check with Inquiries (NACI). IAW AR 25-2, "Contractor personnel without a security clearance shall have a favorable investigation on file, a favorable review of local personnel, base and military, medical, other security records as appropriate, and have a T1 investigation initiated or on file (Contractor) for access to the Government computer network."

1.6.2.3 Denial of Access. Contractor personnel who have not received required security clearance shall not be granted access to classified information nor allowed to perform classified work.

1.6.2.4 Tier III or Tier III-R LAN Access Requirement. All Contractor personnel requiring access to the OEC LAN and other Information Technology (IT) systems involving sensitive information with higher-level access shall be required to have a Tier III.

1.6.3 Access and general protection/security policy and procedures: Contractor and all associated subcontractor employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services, Security Office or host nation equivalent. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA, local policy and OEC Memorandum 190-2. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in Contractor security matters or processes.

1.6.3.1 Escorts The Contractor and all associated subcontractor employees performing services under this contract shall be escorted at all times by host nation security personnel or by an individual designated by the COR while accessing U.S. facilities or activities.

1.6.3.3 Individual Termination or Expiration of Employment: The Contractors CAC shall be returned to the COR or Acquisition Specialist when the employee no longer performs work for under this contract.

1.6.3.4 Common Access Cards (CAC) and CAC Log: Mission Partner Identity, Credential and Access Management (MP ICAM) will be used to register applicants, administer and manage personnel. The CAC will be issued for a period not to exceed three (3) years from the date of issuance. If the contract is for a period of one year, then the CAC shall only be issued for one year. New CACs will be issued for the remaining performance periods that are longer than three years. All Contractor employees requiring a CAC must have at least a Tier 1 for minimum access (previously the National Agency Check with Inquiries or NACI) trustworthy investigation submitted through the Office of Personnel Management to receive a CAC through the MP ICAM. National Agency Check investigations with current/valid dates are accepted investigations for Contractor employees requiring a CAC. Industry/Company background investigations are unacceptable to receive a CAC or to have access to the LAN. The Contractor employee will be issued a CAC only if duties involve one of the following:

- (1) Both physical access to a DoD facility and access, via logon, to DoD networks on-site or remotely
- (2) Remote access, via logon, to a DoD network using DoD-approved remote access procedures

(3) Physical access to DoD facilities or non-DoD federally controlled facilities on behalf of the DoD. All Contractor personnel requiring access to the OEC LAN and other IT systems shall have a favorable background investigation for trustworthiness determination initiated or on file as verified on the digitally signed DD Form 2875 by an appointed Security Manager IAW AR 25-2 and Cyber Security for USAOEC, OEC Memorandum 25-2. At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled NACI at the Office of Personnel Management. Contractor personnel shall return CAC to appropriate U.S. Government authorities within five (5) days of the end of their contractual duties.

1.6.4 RESERVED

1.6.5 Background Checks: The Contractor shall ensure contractor employees and subcontractor employees performing services under this contract have passed a security check conducted by the State Police Department of their U.S. residence. Security checks that have been completed as part of a personnel security clearance background investigation, or a previous background check that was a condition of employment, meet this requirement. Documentation of these checks will be made available to the KO or COR upon request. The Government retains the right to exclude any employee from performance of duties under this contract if a background security check reveals an employee is a security risk. The exclusion of an employee for security reasons will not relieve the Contractor from performance of services required under this contract. If the Government determines additional background checks are required, at a minimum, and upon request from the Government, the Contractor shall provide to the KO or COR, the following information on any contractor or subcontractor employee performing services under this contract:

- Full birth name
- Married name (if applicable)
- SSN or local equivalent (ID card number)
- Date of birth
- Place of birth (city, country)

1.6.5.1 Background Check Notification Requirements: If a background check on any employee or subcontractor employee performing services under this contract, whether the check was conducted as a condition of employment or as part of the contract with the Government, reveals any information from any source (including host country law enforcement) of criminal activity by Contractor employees, subcontractors, or subcontractor employees, the Contractor shall immediately notify the KO and COR of that information. The Contractor shall make notification of:

(1) Traffic violations, other than parking, will be reported to the KO or COR only if the contract is for drivers for the Government;

(2) Any suspicious activity by Contractor employees, subcontractors, or subcontractor employees the Contractor believes may pose a risk to U.S. or host nation national security or imminent risk of deadly bodily harm to any person; and

(3) Any actions taken against Contractor employees, subcontractors, or subcontractor employees pursuant to this requirement.

1.6.5.2 Remedies. In addition to other remedies available to the Government, the Contractor's failure to comply with the requirements of this paragraph may result in requiring the Contractor to remove a contractor employee or employees from the performance of the contract.

1.6.5.3 Subcontracts. The Contractor shall include the substance of this paragraph and the preceding paragraph in all subcontracts.

1.6.6 Uncleared Contractor Common Access Card (CAC) Credentialing and Access Procedures

1.6.6.1 Federal Installation/Facility Access: Contractor and all associated subcontractor employees shall comply with applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative). The employee performing services under this contract shall also provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services, Security Office or the host nation equivalent. In addition to the changes other authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Governments Security Officer may require changes in Contractor security matters or processes.

1.6.6.2. Contractor Non CAC Eligible Requirements for DOD Facility and Installation Access: Contractor and all associated subcontractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations.

1.6.7 Access to Government Information Systems: All Contractor employees and subcontractor employees performing services under this contract who have access to a government information system must be registered in the ATCTS (Army Training Certification Tracking System) at commencement of services and must successfully completed the DoD Information Assurance Awareness training prior to access to the information system and then annually thereafter.

1.6.8 Physical Security: The Contractor shall safeguard all Government equipment, information, and property provided for Contractor use. At the close of each work period, Government facilities, equipment, and materials shall be secured IAW the Army Physical Security Program (AR 190-13). The Contractor shall implement and maintain a Physical Security Standard Operating Procedure (SOP). The Physical Security SOP shall be submitted to the COR for KO review and approval within thirty (30) calendar days of contract award. Changes to the SOP shall be submitted to the KO for review and acceptance not later than ten (10) working days prior to the effective date of change. The Physical Security SOP must be capable of responding to both internal and external attack situations in the realm of physical security and shall provide the maximum elements necessary to ensure the safety and security of the facilities and the critical assets within, without interfering with day-to-day operational procedures. It shall address critical elements, such as Deterrence, Detection, Response, and Recovery. The Physical Security SOP will be IAW all OEC policies, ATEC, III Corps, and Fort Cavazos Physical Security procedures and regulations. All Government facilities, equipment, and materials shall be secured at all times in compliance with the Badge Access System installed on the facilities.

1.6.9 Operations Security (OPSEC) Requirements: Contractor personnel shall adhere to facility security policies and restrictions. The Contractor shall develop and submit an OPSEC Standard Operating Procedure (SOP)/plan within 90 calendar days of contract award to the Contracting Officer Representative (COR) or Contracting Officer (KO) in accordance with CDRL A012, Operational Security (OPSEC)/Physical Security SOP.

1.6.9.1 Operations Security (OPSEC) SOP/Plan Requirements: The Contractor shall implement and maintain an OPSEC program for preventing the disclosure of critical information or sensitive

information which could jeopardize the Government's ability to execute its mission or to adequately protect its personnel and/or equipment. The Contractor shall develop an OPSEC Standard Operating Procedure (SOP)/plan within 90 calendar days of contract award to the Contracting Officer Representative (COR) or Contracting Officer (KO) to be reviewed and approved by the Government OPSEC Officer on the supporting installation (CDRL A012). The SOP must contain a training plan that includes an initial OPSEC brief, continuous awareness, and annual OPSEC training. This plan will include a process to identify critical information, where it is located, who is responsible for it, how to protect it and why it needs to be protected. The contractor shall implement OPSEC measures as ordered by the commander. Awareness/training shall include, but not be limited to information disclosure via letters, conversations, photographs, resumes, electronic mail (e-mail), Social media/networking sites, dissemination of information and documents disposal. OPSEC Program shall fully comply with the provisions of AR 530-1, Operations Security shall have an identified certified Level II OPSEC coordinator.

1.7 Key Control: The Contractor shall establish and implement methods of making sure all keys issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Contractor's Security Plan (CDRL A012) and the Quality Control Plan (CDRL A017). Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The Contractor shall immediately report any incidents of lost or duplicate keys to the Contracting Officer. In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the Contracting Officer, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from payment due to the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the payment due to the Contractor. The Contractor shall prohibit the use of Government issued keys by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the Contracting Officer. The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The Contractor shall ensure that lock combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Contractor's QCP.

1.8 Post Award Conference/Periodic Progress Meetings: The Contractor shall attend post award conference convened by the contracting activity or contract administration office in accordance with FAR Subpart 42.5. The Contracting Officer, COR, and other Government personnel, as appropriate, may meet periodically with the Contractor to review the Contractor's performance. At these meetings the Contracting Officer will apprise the Contractor of how the Government views the Contractor's performance and the Contractor shall apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the Government.

1.8.1 The Contractor shall attend, participate in, and furnish input to scheduled and unscheduled meetings, conferences, and briefings that relate to the functions and services herein as required by

the Government to provide effective communication and impart necessary information. The Contract Manager or designated representative shall attend meetings as requested by the Government. Meeting attendees shall at times include Contractor managerial, supervisory, and other personnel knowledgeable of the subject matter. Meetings may start or end outside of regular duty hours.

1.9 Contracting Officer's Representative (COR): Refer to Part 2 of this PWS for the definition of a COR. As determined by the Contracting Officer, a COR will be appointed and identified by letter of designation, a copy of which will be provided to the Contractor by the Contracting Officer. The designation letter states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates, or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is not authorized to obligate the Government. If the work is not written in the contract, the COR is not authorized to request new work. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract, perform inspections necessary in connection with contract performance, maintain written and oral communications with the Contractor concerning technical aspects of the contract, issue written interpretations of technical requirements, including Government drawings, designs, specifications, monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies, coordinate availability of Government property, and coordinate site entry of Contractor personnel.

1.10 Key Personnel: Skilled/experienced professional and/or technical personnel are essential for successful Contractor accomplishment of the work to be performed under this contract. Key personnel are those individuals designated by the Government and/or Contractor as persons in the Contractor's organization who provide in-depth operational testing and management experience. The following personnel are considered key personnel by the Government: Program Manager (PM), Logistics Manager (LM) and Security Manager (SM). The Contractor shall provide a PM who shall have full autonomy and shall be responsible for the total management and coordination of the contract. The PM shall act as the central point of contact for the Contractor with the KO and COR on all contractual matters relating to the daily operation of the contract. In the absence of any employee classified as key personnel, another employee shall be designated as the acting PM with a notification provided to the KO and the COR indicating absence duration. The key personnel or any employee designated as acting PM, shall have full authority to act for the Contractor on all contract matters relating to daily operation and shall be available between 0730 and 1630; Monday through Friday except federal holidays or when the Government facility is closed unless otherwise required per the Task Order – Request for Proposal (TO-RFP).

a. Program Manager (PM): The PM shall possess a minimum of a bachelor's degree plus ten (10) years' experience with military systems and five (5) years' experience in operational test and evaluation. There is no substitution or equivalence for education OR experience. This position must hold a Top-Secret security clearance.

b. Logistics Manager (LM): The LM shall possess a minimum of a bachelor's degree plus ten (10) years of experience in logistics operations management. Must be knowledgeable of and able to work a variety of automated systems, processes and procedures, and database formats to include Global Combat Support Systems - Army (GCSS-Army). There is no substitution or equivalence for education OR experience. This position must hold a Top-Secret security clearance.

c. Security Manager (SM): The Security Manager shall possess a bachelor's degree and a minimum of five (5) years of related work experience and practical knowledge of and experience with JPAS and e-QIP. The SM must have a minimum of five (5) years' experience with personnel security, and security management. There is no substitution or equivalence for education OR experience. This position must hold a Top-Secret security clearance.

1.10.1 The Contractor shall notify the KO, in writing, at least two (2) weeks in advance of replacing Key Personnel. Review of replacement personnel qualifications shall occur prior to employment/utilization on the duties of the key personnel being replaced. All requests for approval of substitutions hereunder shall be in writing with a detailed explanation of the circumstances necessitating the proposed substitution(s). The request shall contain a complete resume for the proposed substitute, and any other information requested by the KO to approve or disapprove the proposed substitution. The KO will evaluate such requests and promptly notify the Contractor of the approval or disapproval thereof in writing before key personnel are removed, reassigned, or replaced. A temporary replacement shall be assigned when Key Personnel are unavailable for a continuous period expected to exceed fifteen (15) workdays or reassigned to different work within the contract for a continuous period expected to exceed fifteen (15) workdays. The Contractor shall provide an Emergency Contact List for key personnel upon contract award and provide updates quarterly IAW CDRL A005 Emergency Contact List.

1.11 Identification of Contractor Employees: All Contractor personnel attending meetings, answering Government telephones, and working in other situations where their Contractor status is not obvious to third parties must identify themselves, to include proper marking of signature blocks in correspondence, to avoid creating an impression in the minds of members of the public that they are Government officials. The Contractor shall ensure that all documents or reports, produced by Contractors are suitably marked as Contractor products or that Contractor participation is appropriately disclosed.

1.11.1 Contractor workspace (staging site, on-site office, desk or work area, etc.) shall contain a sign signifying the space is occupied by Contractor employee(s) to ensure that Government employees and the public know that they are not Government employees. The proposed sign shall be submitted to the Contracting Officer via the COR for review and acceptance ten (10) calendar days after contract award. Workspace sign location shall be coordinated with the COR. Contractor employees shall identify themselves by name and company affiliation when answering the telephone, presenting briefings, conducting or attending meetings, and seminars. All Contractor correspondence (written, facsimile, and email display) shall include their company name. Requirements for Contractor vehicles is addressed under Part 4 paragraph 4.4.

1.11.2 Contractor Identification Badges: Contractor personnel shall be easily identifiable through the display of badges IAW Contractor Identification (AE Reg. 27-715). (For services at Child, Youth, and School Services where children are present, recommend personnel wear identification when children are present.) If required by the Government, Contractor personnel and all associated subcontractor's employees accessing U.S. facilities or activities, shall present a valid picture ID provided by the Government while accessing Government owned or contracted facilities and shall adhere to facility security policies and restrictions. If applicable, Government issued access badges will not be worn outside designated facility where visible to the general public. Contractor personnel shall return all U.S. Government issued identification to appropriate U.S. Government authorities within five (5) days of the end of their contractual duties.

1.11.3 Appearance of Personnel: Contractor personnel working under this contract shall practice high standards of personal hygiene and maintain a clean, neat appearance while on duty.

1.12 Contractor Travel: The Contractor shall be required to travel during the performance of this contract to attend meetings, conferences, support test execution at various locations, and training for other DoD test/training ranges/sites from CONUS to OCONUS as defined herein and specified in the individual TO SOW requirements. The Contractor shall be required to travel to off-site training locations and to ship training aides to these locations in support of the task order. All travel requests require COR concurrence prior to receiving approval/authorization by the KO. The Contractor is authorized travel expenses consistent with the substantive provisions of the Joint Travel Regulation (JTR), IAW FAR Part 31.205-46, and the limitation of funds specified in this contract TO-RFP. The Contractor shall be required to make all travel arrangements to include transmitting clearances/visit requests, arranging for transportation, lodging, and any other necessary arrangements to meet the travel requirement IAW the JTR. All travel requires Government approval and authorization seven (7) calendar days prior to scheduled travel.

1.13 Other Direct Costs (ODCs): This includes travel, materials, and supplies associated with the PWS, and test TO-RFPs. The Contractor shall obtain approval from the KO and concurrence from the COR for these costs. This category includes shipping expenses associated with repairs, upgrades, and visits to Contractor facilities.

1.14 Data Rights: The KO retains the authority to release or deny access to the information. The Contractor shall be responsible for search and submission of records under the Contractors control upon the KO or COR request. The Contractor shall provide the Government with unlimited rights in all work, including, but not limited to, intellectual property and data rights produced under this contract.

1.14.1 In accordance with DFARS 252.227-7013, 7014, 7016, 7017, 7019, 7028, 7030, 7037, the Government obtains under this TO “Unlimited Rights” to all non-commercial computer software, software source code, computer software documentation, enhancements, technical data, and similar non-commercial data developed exclusively at Government expense and delivered to the Government under this contract. “Unlimited Rights” means rights to use, modify, reproduce, release, perform, display, or disclose in whole or in part, in any manner and for any purpose whatsoever, and to have the ability to authorize others to do so.

1.14.2 For all non-commercial software provided by Contractor, Contractor shall ensure that any individual who creates any of the computer software provides an assignment of any and all proprietary rights in the computer software including all copyrights and patent rights to the software so that the Government has unlimited rights to the software specified above. It is the contractor's obligation to ensure compliance with all open-source covenants or requirements if any open-source software is included in any deliverable.

1.14.3 The Contractor shall embed the following Code Header in all software components delivered to the Government:

```
////////////////////////////////////  
/// SECURITY CLASSIFICATION: UNCLASSIFIED  
////////////////////////////////////
```

/// UNLIMITED RIGHTS

/// DFARS Clause reference: 252.227-7013 (a)(16) and 252.227-7014 (a)(16)

/// Unlimited Rights. The Government has the right to use, modify, reproduce, release, perform, display or disclose this (technical data or computer software) in whole or in part, in any manner, and for any purpose whatsoever, and to have or authorize others to do so.

///

/// Distribution Statement D. Distribution authorized to the Department of Defense and U.S. DoD contractors only in support of US DoD efforts. Other requests shall be referred to the Program Executive Officer, USTRANSCOM.

///

/// Warning: This document contains data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C., Section 2751, et seq.) as amended, or the Export Administration Act (Title 50, U.S.C., App 2401 et seq.) as amended. Violations of these export laws are subject to severe criminal and civil penalties. Disseminate in accordance with provisions of DoD Directive 5230.25.

1.14.4 The Contractor agrees that regardless of how Contractor-provided data/software is developed or modified during Task Order performance, the Contractor shall deliver data/software marked IAW requirements in DFARS 252.227-7013, 252.277-7014, or other applicable DFARS references. All documentation provided under this TO is a deliverable to the Government, and the Government has Unlimited Rights to said documentation.

1.14.5 For commercial data delivered under this contract, the Government has the right to use, modify, reproduce, release, display, or disclose, in whole or in part, in any manner and for any purpose whatsoever, and to have or authorize others to do so. (Refer to DFARS 252.227-7015 Technical Data, Commercial Items). All deliverables shall be made electronically via email to transcom.scott.tcj3.mbx.sms@mail.mil. If a delivery is submitted via email and the size or the firewall prevents its delivery, the Contractor shall provide a Secure File Transfer Protocol site that allows the Government to download the deliverable. If a site is not available or not feasible, the Government will make one available to the Contractor. In case no sites are available, the Contractor shall deliver via compact disk/digital videodisk (CD/DVD). The CD/DVD must be properly labeled to identify the content to include classification, version number, and date.

1.14.6 TE B identifies contract deliverables for this PWS. Data items shall be prepared in accordance with the most recent version of the applicable Data Item Description (DID), tailored to the Government requirement herein. DIDs are available at the "Assist Quick Search" website, <http://quicksearch.dla.mil/qsSearch.aspx>.

1.14.7 The Contract Data Requirements List (CDRL) associated DID is contained in at TE C. Where not specified by the Government, the Contractor shall prepare deliverables in Contractor format.

1.15 Non-Disclosure Requirements: Performance under this contract may require the Contractor to access data and information proprietary to a Government agency, another Government Contractor, or of such nature that its dissemination or use other than as specified in this work statement would be adverse to the interests of the Government or others. The Contractor and Contractor personnel shall not divulge or release data or information developed, or obtained under performance of this PWS, except to authorized Government personnel or upon written approval of the Contracting Officer. The

Contractor shall not use, disclose, or reproduce proprietary data, which bears a restrictive legend, other than as specified in this PWS. All documentation showing individual names or other personal information shall be controlled and protected under the provisions of the Privacy Act of 1974, Public Law 93-579, 5 United States Code (U.S.C.) Section 552a.

The KO retains the authority to release or deny access to the information. The Contractor shall be responsible for search and submission of records under the Contractors control upon the KO or COR request. The Contractor shall provide the Government with unlimited rights in all work, including, but not limited to, intellectual property and data rights produced under this contract.

1.16 Protection of Government and Contract Information: Per Public Use Notice of Limitations stated by Defense imagery Management operations Center and contained at <https://www.dma.mil/> the Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any hard copy or digital marketing tools to include its company website.

1.17 RESERVED

1.18 Advertisement and Social Media: The Contractor shall NOT post information to public website or social media locations, personal or professional, that in any way disclose names, locations, locations, hotel data, participants, discussions, pictures, etc. before, during or after the contract period of performance without the express consent of the Government. The use of propaganda violates DOD Commercial Use of Imagery Guidelines stated at (<https://www.dma.mil/>).

1.19 Information Assurance: At no time will the Contractor or associated subcontractor employees transmit government documents or information over using methods that do not meet the security requirements specified in the National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171, "Protecting Controlled Unclassified Information (CUI) in Nonfederal Information Systems and Organizations" such as personal electronic mail accounts, public digital data storage sites (cloud storage), social media platforms or instant messaging. Approved government sites such as DoD SAFE at <https://safe.apps.mil>, or All Partners Access Network (APAN) at <https://community.apan.org/>, or other transmission means determined by the government must be used.

1.20 Organizational Conflict of Interest (OCI): Contractor and subcontractor personnel performing work under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent OCI as defined in FAR Subpart 9.5. The Contractor shall notify the Contracting Officer immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the Contracting Officer to avoid or mitigate any such OCI IAW CDRL A016. The Contractor's OCI Mitigation Plan will be determined to be acceptable solely at the discretion of the Contracting Officer. In the event the Contracting Officer unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the Contracting Officer may affect other remedies as he or she deems necessary, including prohibiting the Contractor from participation in subsequent contracted requirements which may be affected by the OCI.

1.20.1 The Contractor shall not employ off-duty Government personnel that represent the KO or that perform contract surveillance, nor any other person who is an employee of the United States Government or the Department of Defense, either military or civilian, if such employment would create a conflict of interest or be contrary to the OEC Memorandum 600-4 regarding off duty employment. The Contractor shall not employ any person who is an employee of the Department of Army, military or civilian, to perform work under this contract without first obtaining approvals required by DoD 5500.07-R, Joint Ethics Regulation (JER), and implementing Army regulations. In no event shall such personnel be utilized in a supervisory capacity in the performance of this contract. The Contractor shall not employ any person who is a family member of either current Contractor employees or current ATEC employees (either military or civilian) without first providing personnel qualifications, supervisory chain, and proposed employment duration to the KO for review and approval.

1.21 Phase In /Phase Out Period: To minimize decreases in productivity and to prevent possible negative impacts on additional services, the Contractor shall have personnel on board, during the thirty-day transition period.

1.21.1 Phase In Period:

- a. Transition Plan:** The Contractor's transition plan, submitted as part of their proposal, shall be updated and resubmitted immediately upon contract award, as required at CDRL A019. The Plan shall outline the various elements of and procedural approaches to address a smooth and seamless transition, including both phase-in and phase-out procedures. The Contractor shall complete phase-in procedures within thirty (30) calendar days from date of award. The phase-in shall require coordination with the incumbent Contractor for acceptance of the project. The Contractor shall address the following areas during phase-in and keep the Government fully informed of status throughout the transition period.
- b. Continuity Of Operations:** Transition planning shall consider and document approaches for personnel recruitment, retention, and transfer (e.g., benefits, security clearances, training records, etc.). The Contractor shall work with the phasing-out Contractor and COR(s) to ensure a smooth transition of personnel through the recruitment, hiring, and reassignment/realignment of personnel necessary to provide continuity of operations. It is essential that the Contractor minimize interruption to services or delays in work progress that would impact the overall mission. The transition period, in which high turnover has potentially devastating results on mission execution, demonstrates the effectiveness of the Contractor's recruiting and retention plan. The Contractor shall plan for the transfer of work control, delineating the method for processing and assigning tasks during contract phase-in or phase-out periods.
- c. Initial Requirements:** During the transition period, the Government will provide all applicable governing directives, a technical requirements overview, a tour of facilities, and procedural review for day-to-day operations. The Contractor shall transition personnel to obtain base passes, obtain CACs as required, conduct 100% joint inspection and inventory and sign for facilities at Fort Hood, TX, Fort Bliss, TX and Fort Bragg, NC (Base Operations and Motor Pool locations). At the end of the transition period, the Contractor will receive and perform supporting services under the initial or initial set of PSCs.

- d. Workload Transition:** The Contractor shall identify the process and communication method and frequency and transition the following critical activities and documents:

Training status and completeness records; certifications/licenses/permits; customer, test, or local military organizational information; SOPs; workload data (databases, logs, checklists, smart books, plans, procedures, etc.); maintenance records; work-in progress and test execution hand-off; and administrative hand-off procedures,

COR signatures shall be required for handoffs of various processes and documentation. The Contractor shall develop procedures for phasing in Contractor performance within the time allowed under and to the prescribed level IAW the terms and conditions of the contract.

Pursuant to the property clauses in this contract, the plan shall address transition of property between contract organizations and a joint Government/Contractor inspection of all GFP to be completed during this phase-in period. This inspection is intended to establish a mutual agreement as to the condition of GFP provided to the Contractor for use in performance under this contract

- e. Procurements:** In cases where on-going contracts/procurements exist, the Contractor shall coordinate with the incumbent Contractor to address handoff to ensure continuity of services, support, or contract requirements. This includes long-lead items, service agreements, warranties, and leases or rentals. These items shall be identified and presented to the COR for concurrence of continuation and documentation of hand-off procedures.
- f. Knowledge Transfer:** The Contractor shall coordinate with the incumbent to obtain all required and necessary documentation to ensure a smooth phase-in process to include, but not limited to, training documents, certifications/licenses/permits, miscellaneous information, SOPs, workload data (databases, logs, checklists, smart books, plans, procedures, and related documents), work-in progress status, test hand-off, administrative hand-off. The Contractor shall coordinate with the incumbent, requesting to observe functions, procedures, and operations under this contract during incumbent Phase-Out. The Contractor shall track ongoing incumbent work and otherwise prepare for an orderly transition. During transition, the outgoing Contractor shall coordinate and participate orientation sessions with the incumbent especially for highly technical, unique, or heavily customized functions or requirements. Any communication or transition challenges with the incumbent shall be communicated to the COR for resolution.

1.21.2 Phase Out Period/Separation Procedures: Thirty (30) calendar days prior to contract termination or completion will constitute the phase-out period. The Contractor shall permit the successor Contractor to observe Contractor personnel in performance of contract requirements and ensure a smooth and orderly transfer of performance responsibilities to a successor. During the phase-out period, the Contractor is still responsible for performing IAW the contract. The Contractor shall perform an inventory of all GFP, which shall be coordinated with the KO and the Property Administrator. The Contractor shall clean-up all work areas and correct any damage to Government-owned property caused by employee negligence or mistake, intentional or otherwise. All Contractor occupied work areas returned to the Government in the same condition as received. This is to include

but not limited to the following: labs, offices, vehicles, or instrumentation sites shall be cleaned out of paperwork, shredding shall be completed, archival documents submitted to the successor or the COR, proper destruction of media adhered to, personal items removed, and facilities returned to the conditions they were in when the incumbent arrived on station. The Contractor shall submit termination Visitor Access Requests (VARs) for prime and subcontracts at least 48 hours prior to vacating premises. The Contractor shall clear the installation by turning in keys, CACs, access badges, and other accountable items to the COR. The Contractor shall receive KO release prior to submitting their final invoice.

1.22 Safety: The following provides information pertaining to Safety and Accident Prevention: The Contractor shall safeguard and maintain all Government Furnished Property IAW FAR 45 as well as provide for the safety and well-being of Contractor personnel. The Contractor shall develop and implement a Safety Program/Plan for its employees. The Contractor shall submit the safety plan IAW CDRL A018 to the COR and the KO thirty (30) days prior to the start of contract performance for acceptance and approval. Revisions shall be submitted ten (10) days prior to the effective date of the change. The Contractor shall implement and maintain the safety program as approved by the KO. Safety rules that are or may be imposed upon the Contractor by Federal, State, or municipal code, and the applicable installation regulations, shall be effectively carried out in the performance of the service contemplated herein.

1.22.1 Safety Laws and Regulations: The Contractor shall comply with FAR 52.236-13, Accident Prevention (November 1991), the references contained therein (e.g. *U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)*), and applicable Host Nation Safety Laws and Regulations. The Contractor shall submit the safety plan to the KO thirty (30) days prior to the start of contract performance for acceptance and approval in accordance with CDRL A018. The Safety Plan shall be delivered as a distinct appendix to the Contractor Work Plan.

The requirements under FAR 52.236-13 and specifically of the EM 385-1-1 include, but are not limited to the following:

(a) Before initiation of work at the job site, an Accident Prevention Plan to be included as part of the Contractors Safety Plan required via CDRL A018, written by the Contractor for the specific work and hazards of the contract and implementing in detail the pertinent requirements of EM 385-1-1; will be reviewed for acceptance by designated Government personnel. Specific requirements for development of the Accident Prevention Plan are found in 01.A and Appendix A of EM 385-1-1. EM 385-1-1 is available online at www.usace.army.mil.

(b) Before beginning each activity involving a type of work presenting hazards not experienced in previous project operations or where a new work crew or subcontractor is to perform work, activity hazard analysis (AHA) shall be prepared by the Contractor performing the work activity (See paragraph 01.a.09 of EM 385-1-1);

(c) The Contractor shall require subcontractors to submit their plan of operations showing methods they propose to use in accomplishing major phases of work;

(d) The Contractor shall discuss the plans in conferences convened by the Contracting Officer prior to starting work on each major phase of operation. Plans shall include all pertinent information such as layout of haul roads, access roads, storage areas, electrical distribution lines, methods of

providing minimum exposure to overhead loads, and methods of access to work areas. The plan for accomplishing the initial work phase shall be submitted within fifteen (15) calendar days after award of the contract. Plans for subsequent major phases of work shall be submitted no later than fifteen (15) calendar days prior to initiation of work on each major phase; and

(e) In all areas where construction, demolition, alteration, building, or similar related activities take place, the Contractor shall have the following minimum personal protective clothing and equipment requirements in place for any person working on or visiting the site:

- (i) Short sleeve shirt;
- (ii) Long trousers;
- (iii) Steel-toed safety boots; and
- (iv) Hard hat.

1.22.1.1 In addition to other requirements for accident prevention specified in this contract, the Contractor shall comply with all Federal and State requirements governing safety and health protection on construction sites and other applicable occupational safety codes.

The Contractor shall indicate its plan for compliance considering conditions of the work described by the design, technical proposal, operational activities of the Government or others in the area of the work, identification of the coordinator, and implementation of all other accident prevention provisions of this contract.

1.22.1.2 The Contractor shall complete and provide a copy of the safety notifications as required (per federal and local regulations) and indicated in the Contractors Safety Plan. The Contractor shall provide documented proof to the Contracting Officer via the COR, upon receipt of such notifications.

1.23 Environmental Compliance: The following provides information on Environmental Compliance.

1.23.1 Environmental Compliance Plan and Program: The Contractor shall appoint in writing an Environmental Compliance Officer (ECO) to establish an environmental program IAW AR 200-1 and OEC Memorandum 200-1. The ECO shall also comply with Hazardous Materials Management. The ECO shall provide research, coordination, and preparation of National Environmental Policy Act (NEPA) documentation to support test events for all OEC Test Directorates as depicted in the individual test statements of work.

1.24 Required Training: The following provides information on training requirements: Contractor personnel shall complete the mandatory training and for any required refresher training to support the current assigned mission. Any other training of contractor personnel must be directly related to the current assigned mission and shall be approved in advance by the KO or designated representative for each contractor employee. The Contractor shall obtain approval prior to expending any funds for Direct Cost training opportunities. Written justification for training must be provided. OEC Administrative Handbook utilized when approving rental cars associated with training and travel. The

Contractor shall provide a monthly report listing all Contractor personnel and their training status IAW CDRL A009, Personnel and Training Status.

1.24.1 Anti-Terrorism (AT) Level I Training: All Contractor employees, to include subcontractor employees, requiring access to Army installations, facilities, and controlled-access areas shall complete AT Level I awareness training within thirty-(30) calendar days after reporting to duty. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee, to the COR through e-mail within fifteen (15) calendar days after completion of training for all employees and subcontractor personnel. AT Level I awareness training is available at the following website: Joint Knowledge Online, <http://jko.jten.mil>. Training must be completed annually.

1.24.1.1 If training cannot be conducted on the website, the Contractor shall coordinate with the COR who will contact the local AT Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the AT Officer. Verification of the training shall be provided to the COR within seven (7) after completion of the training (CDRL A009).

1.24.2 OPSEC Training: All Contractor employees, including subcontractor employees, requiring access to Army installations, facilities and controlled access areas shall complete four (4) OPSEC classes: OPSEC 1301 Fundamentals, OPSEC Awareness for Military Members, DoD Employees, and Contractors; social media and Operations Security Training; and Social Networking as referenced in paragraph 1.6.12.1 and 1.6.12.3. These shall be completed within fifteen (15) calendar days after contract start date. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee to the COR within fifteen (15) calendar days after completion by e-mail (CDRL A009). These courses are available online at the following websites: <https://securityawareness.usalearning.gov/opsec/index.htm>

a. OPSEC 1301 OPSEC Fundamentals (4 Hours)

b. OPSEC Awareness for Military Members, DoD Employees, and Contractors (45 minutes)

1.24.2.1 If training cannot be conducted on the website, the Contractor shall coordinate with the COR, who will contact the local OPSEC Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the OPSEC Officer. Verification of the training shall be provided to the COR within seven (7) calendar days after completion of the training (CDRL A009). Per AR 530-1, Operations Security, new Contractor employees must complete Level I OPSEC training within thirty (30) calendar days of reporting for duty (TE K DID 009). All Contractor employees must complete annual OPSEC awareness training.

1.24.3 iWATCH Training: The Contractor and all subcontractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity antiterrorism officer). This locally developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within fifteen (15) calendar days after contract start date and the certificates of completion submitted to the COR through e-mail within fifteen (15) calendar days after completion (TE B DID 009). New

employees shall complete training and submit results to the COR before commencing work under the contract.

1.24.4 Information Assurance (IA) / Information Technology (IT) Training All Contractor employees and associated subcontractor employees must complete the DoD Cyber Awareness Challenge training before issuance of network access and annually thereafter. All Contractor employees working in IA/IT functions must comply with DoD and Army training requirements in DoD 8570.01, DoD 8570.01-M and AR 25-2 upon hire. Training is available at <https://cs.signal.army.mil/>. In addition to the training, the Contractor shall review, sign and provide a copy of the LAN agreement to the COR and KO prior to receiving a network account (CDRL A009). Use <https://cs.signal.army.mil/login.asp> for access to OEC LAN and maintain privileged accounts.

1.24.4.1 All Contractor employees, including subcontractors, working information technology functions shall comply with DoD and Army training requirements per Information Assurance Training Certification and Workforce Management DoD Directive (DoDD) 8570.01, Information Assurance Workforce Improvement Program DoD 8570.01-M, and Information Assurance AR 25-2 within thirty (30) calendar days of employment (TE B DID 009). <https://learn.atis.army.mil/moodle/>.

1.24.4.2 All Contractor employees, including subcontractors, performing services under this contract with access to a government information system must be registered in the Army Training Certification Tracking System (ATCTS). Verification of registration shall be provided to the COR within *five (5) calendar days* after registration (CDRL A009). Contractor personnel must complete refresher training every twelve (12) months. Verification of the training shall be provided to the COR within *5 calendar days* after completion of the training (CDRL A009).

1.24.5 Personally Identifiable Information (PII): Contractor employees, including subcontractors, performing services under this contract with access to PII and Government information shall complete "Identifying and Safeguarding PII" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion (CDRL A009). Training is available at <https://securityawareness.dcsa.mil/piiv2/index.htm>.

1.24.6 Threat Awareness Reporting Program (TARP Training): Within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or 30 calendar days after employment of new personnel, all Contractor employees, including subcontractor employees, who are employed under the contract and require a security clearance, shall complete TARP training within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee to the COR within ten (10) calendar days after completion of training by all employees and subcontractor personnel (CDRL A009). TARP training is available at the Army Learning Management System (ALMS) <https://www.lms.army.mil/>. Training must have been completed within the last 12 months and maintained yearly thereafter. If training cannot be conducted on the website, the Contractor will coordinate with the local Counterintelligence (CI) Officer at their assigned location for classroom training and a copy of either the training certificate or the training attendance roster signed by the CI Officer will be maintained by the Contractor. Verification of the training will be provided to the KO or COR within ten (10) calendar days after completion of the training.

1.24.7 GCSS-Army/GCSS-Army Training and Certification System (GTRAC): The Contractor and all associated subcontractors shall use, operate, and maintain the latest version of software for Standard Army Management Information Systems (STAMIS). GCSS-Army training consists of web-based and formal courses. Web-based and Formal Net training shall be completed within thirty (30) calendar days after contract start date and the certificates of completion submitted to the COR by e-mail within fifteen (15) calendar days after completion (CDRL A009). A personnel list of whom will be using GCSS-Army shall be provided to the COR prior to start of training. Personnel using GCSS-Army shall only complete the training associated with their duty position. New employees shall complete training and submit results to the COR before commencing work under the contract. Web Based Training is available at <http://www.gcass.army.mil/GTRAC/Account/Login.aspx>.

1.24.8 Contractor Personnel Traveling Overseas: As United States based Contractor employees and associated subcontractor employees will receive Government provided area of operations specific Anti-Terrorism (AT) awareness training as directed by AR 525-13, Antiterrorism. Specific operations training content is directed by the combatant commander with the unit Antiterrorism Training Officer (ATO) being the local point of contact. Completing an Isolated Personnel Report and having it on file is also a mandatory requirement for all personnel traveling overseas IAW AR 525-28 and all other requirements established by the traveled country. Contractor shall meet OCONUS travel requirements specified in AR 380-67 and OEC Memorandum 55-1.

1.24.9 Combating Trafficking in Persons: Compliance with FAR 52.222-50 is required. Contractor employees, including subcontractors, performing services under this contract shall complete "Combating Trafficking in Persons (CTIP) General Awareness" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion (CDRL A009). Training is available at <https://jkodirect.jten.mil/Atlas2/page/desktop/DesktopHome.jsf>

1.24.10 In-Service Training: The Government may periodically provide in-service training to Contractor personnel on a space available basis. The Contractor shall submit a written request for space for Contractor personnel attendance at Government conducted training to the Government for KO approval. Government training to Contractor personnel may be provided when one of the following criteria is met:

a. The training is only available from Government sources and will be provided to the contractor. Specialized training is required by this contract in order for the Contractor to perform the requirements in the contract.

1.25 Government Property and Services: Refer to Part 3 of this PWS for Government property (GP) for this contract. The Property Management Plan (PMP) shall be submitted thirty (30) days after contract award and shall detail Contractor activities concerning the outcomes described in FAR 52.245-1(f) (CDRL A002)

1.26 Safety Requirements:

- a. Comply with and cooperate in all corrective and preventative measures or controls prescribed by the State or the Federal Government for protection of life and health of

persons as required by Occupational Safety and Health Administration (OSHA), or for the prevention of damage to property and material

- b. Participate fully in any safety or accident prevention program of any Government installation that the Contractor, or its agents, servants, or employees, may be required to enter during the life of this contract. This includes required safety training, e.g., the use of night vision goggles, range safety briefings, and driver's training for operating in tactical black-out conditions
- c. Comply with the safety standards, regulations, directives, and requirements of the local commander, or his authorized representative, applicable to the site of work and to perform such work in a safe manner.
- d. Exercise care and precautions that commensurate with the dangers or hazards of the work being performed with considerations of physical surroundings, equipment, facilities, personnel and other factors involved. Each individual TO SOW will provide a list of known hazards (e.g., radio frequencies, fire ranges, terrain, environmental, etc.).
- e. Report immediately, prior to the close of business on the day of the occurrence, to the local commander, or the authorized representative with notification to the KO and COR, all accidents involving the Contractor, or its agents, servants or employees, which occur on a Government installation or other premises under the direct control of the Government.
- f. Provide a safe and healthful work environment for their employees as prescribed in FAR 52.236-13, 29 CFR Part 1910 Subpart G, Occupational Safety and Health Standards pertinent provisions of AR 385-10, and local regulations, policies, and SOPs. They shall safeguard public and Government personnel, property, and equipment, and avoid interruption of Government operations. The Contractor shall report accidents or losses to the KO and the COR as specified in relevant regulations and standards. Whenever the Contractor becomes aware of serious or imminent danger to Government, civilian or Contractor personnel, the Contractor shall take immediate corrective action.
- g. No later than five (5) business days before initiation of work at the job site, an Accident Prevention Plan, written by the Contractor for the specific work and hazards of the contract and implementing in detail the pertinent requirements of EM 385-1-1 as part of its Safety Plan (CDRL A018); will be reviewed for acceptance by designated Government personnel. Specific requirements for development of the Accident Prevention Plan are found in 01.A and Appendix A of EM 385-1-1. EM 385-1-1 is available online at www.usace.army.mil.
- h. Before beginning each activity involving a type of work presenting hazards not experienced in previous project operations or where a new work crew or subcontractor is to perform work, activity hazard analysis (AHA) shall be prepared by the Contractor performing the work activity (See paragraph 01.a.09 of EM 385-1-1);
- i. The Contractor shall require subcontractors to submit their plan of operations showing methods they propose to use in accomplishing major phases of work

1.26.1 Occupational Safety and Health Act (OSHA): The Contractor shall comply with Fort Hood (or applicable base/site of performance) and OSHA safety regulations. Contractor personnel shall wear safety items required by OSHA during the performance of tasks requiring protective equipment or clothing.

1.26.1.2 Compliance with Laws and Regulations: The Contractor shall fully comply with local Military installation, city, state and federal laws, regulations, and/or ordinances pertinent to performance of the contractual services required under this contract. It is the responsibility of the Contractor to perform services only after necessary permits and/or clearances have been provided. The Contractor and his employees shall observe all rules and regulations issued by the installation Commanding Officer pertaining to fire, safety, security, sanitation, severe weather, tobacco use control, admission to the installation, conduct of operations, and so forth. The Contractor shall be in compliance with all Army, ATEC, OEC, test installation, and Fort Hood (or applicable installation) regulations, policies and procedures. Compliance shall be required where services are provided under this contract, as they apply to the following: Information Security, Operations Security (OPSEC), Physical Security, Personnel Security, Public Affairs, Cybersecurity, Foreign Disclosure and Contact, and Arms, Ammunition, and Explosives.

1.26.1.3 Contractor Use of Government Dining Facility: The Contractor may be involved in tests/exercises where Government dining facilities are available. The Contractor may be authorized to use the Government dining facilities.

1.26.1.4 Responsibility for Loss, Damage, and Personal Injury of Contractor Personnel: The Government will not be responsible for or held liable for any loss, damage, personal injury, or loss of life of Contractor personnel not caused by the fault, negligence, or wrongful omission of the Government, its agents, or its employees, occurring at any time such personnel are entering, exiting, using, or occupying Government property in performance of this contract. The Contractor shall be liable and shall indemnify and hold harmless the Government, its agents, and employees against all action or claims for all damages to persons or property, including death arising or resulting from the fault, negligence, wrongful act, or wrongful omission of the Contractor personnel IAW the Federal Tort Claim Act (28 U.S.C. 2671-2680).

1.26.1.5 Hazardous Duty: Contractor personnel may be exposed to hazardous duty while performing services and support for this contract. Such hazardous duties may include: being passengers in Government vehicles; the operation of instrumentation equipment; the handling and use of pyrotechnics or blank ammunition; the operation of, or exposure to high-powered lasers, and stimulants, as well as working on or around tactical and combat vehicles or aircraft in a field environment, flight simulators, and potentially include working and collecting data in an simulated combat environment. Contractor personnel will need to meet physical demands that vary from one requirement to another. Some requirements include walking in excess of 250 meters over rough, uneven, or rocky terrain and standing longer than 2 hours at a time. Requirements may also include bending, crouching, stooping, stretching, or reaching. Work may require climbing into or onto specific equipment (such as tanks, armored personnel carriers, helicopters, flight simulators, etc.) requiring mobility, agility, and dexterity.

1.26.1.5.1 Hazardous Materials Management: During contract performance, the Contractor shall be required to deal with hazardous materials. The Contractor shall provide IAW CDRL A010, Hazardous Materials Inventory.

1.26.1.6 Sensitive Items Storage: The Contractor shall operate a Sensitive Item Storage Area IAW AR 190-11, AR 190-13, and AR 190-51 for the purpose of storing sensitive items. Specific guidance is provided in CDRL A006, Sensitive Item Report, required monthly, no later than the fifth working day after the reporting month ends. The Sensitive Item Storage area is part of the facilities provided by the government with KO approval. The Sensitive Item Storage Area is equipped with an Integrated Commercial Intrusion Detection System (ICIDS).

1.26.1.7 Fire Protection: The Contractor shall comply with all applicable fire prevention and protection regulations wherever work is performed under this contract. The Fort Hood fire prevention and protection regulations are OEC Fire Prevention, Protection, and Emergency Evacuation, OEC Memorandum 420-2, and Fort Cavazos 420-1. The Contractor shall observe all rules and regulations issued by the National Board of Fire Underwriter covering storage and use of flammable mixtures that might constitute a fire hazard. Additional guidance for other military installations will be provided as required.

1.26.1.8 Accident Reporting: The Contractor shall report all accidents resulting in injury, death or property damage IAW the Fort Hood and other military installation policy outside the primary locations, regulations and Safety Program OEC Memorandum 385-1. In addition, the Contractor is responsible for providing information to COR, KO, OEC Safety and Security IAW OEC Memorandum 190-1, Commander's Critical Information Requirements (CCIR) and Serious Incident Reporting (SIR), to include any updates required to keep the Command informed of accidents.

PART 2 DEFINITIONS & ACRONYMS

2. Definitions and Acronyms

2.1 Definitions: Although not inclusive of every term used within this PWS, the following provides a list of definitions used throughout this PWS and commonly used in the acquisition field.

Contracting Officer– means a person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

Contracting Officer's Representative– As defined in DFARS 202.101, means an individual designated and authorized in writing by the Contracting Officer to perform specific technical or administrative functions. DoD Instruction (DoDI) 5000.72, Part II Definitions states the following when defining a COR: “Defined in subpart 202.101 of Reference (f). Any individual delegated responsibilities pursuant to subpart 1.602-2 of Reference (e), regardless of local terminology, must be certified in accordance with this instruction. For example, local terminology can be COR, Contracting Officer’s technical representative, technical point of contact, technical representative, alternate COR, administrative COR, assistant COR, line item manager, task order manager, quality assurance personnel, quality assurance evaluator, or COR management.” In addition, Army Regulation 70-13, Chapter 2, paragraph 2-2g, states, in part, the following when providing other surveillance support personnel to assist the COR when needed, “...These other surveillance support personnel may serve as on-site representatives of the COR in performance of actual contract surveillance if they meet all COR requirements and have been appointed by the Contracting Officer as alternate CORs.”

Contractor– means a supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

Contractor-acquired Property - means property acquired, fabricated, or otherwise provided by the Contractor for performing a contract and to which the Government has title.

Day – means, unless otherwise specified, a calendar day.

Defective Service – means a service output that does not meet the standard of performance associated with the Performance Work Statement.

Deliverable – means anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

Government-furnished Property – As reflected in FAR 52.245-1, Government-furnished Property “means property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished property includes, but is not limited to, spares and property furnished for repair, maintenance, overhaul, or modification. Government-furnished property also includes contractor-acquired property if the contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract

Government Property - means all property owned or leased by the Government. Government property includes both Government-furnished and Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

Property Administrator - means an authorized representative of the Contracting Officer appointed in accordance with agency procedures, responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor.

High Level Objective (HLO) – means a key overarching result-based objective for a project necessary to achieve the project’s vision. HLOs are similar to Level 2 in a Work Breakdown Structure. Each HLO may contain several statements to flesh out the areas necessary to meet the objective.

Physical Security – means that part of security concerned with physical measures designed to safeguard personnel; to prevent unauthorized access to equipment, installations, material, and documents; and to safeguard against espionage, sabotage, damage, and theft.

Quality Assurance – (or Government contract quality assurance) means the various functions, including, inspection, performed by the Government to determine whether a Contractor has fulfilled the contract obligations pertaining to quality and quantity.

Quality Assurance Surveillance Plan (QASP) – means the key Government-developed surveillance process document and is applied to Performance-Based Service Contracting (PBSC). The QASP is used for managing Contractor performance assessment by ensuring that systematic quality assurance methods validate that Contractor quality control efforts are timely, effective, and are delivering the results specified in the contract or task order. The QASP directly corresponds to the performance objectives and standards (i.e., quality, quantity, timeliness) specified in the Performance Work Statement (PWS). It provides specific details on how the Government will survey, observe, test, sample, evaluate, and document Contractor performance results to determine if the Contractor has met the required standards for each objective in the PWS. The QASP with very few if any exceptions, is an internal to Government document.

Quality Control – means all necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

Statement – means the specific results-based activities required to satisfy HLOs. A statement contains a result, the context of the statement, and the required action(s). Statements focus on “what” is to be accomplished; however, they are not prescriptive in describing “how” the outcome is to be achieved. Each HLO may have several statements to flesh out the areas necessary to meet the objective. Statements are similar to Level 3 in a Work Breakdown Structure.

Subcontractor – means one that enters a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

Work Day - The number of hours per day the Contractor provides services in accordance with the contract.

Work Week - Monday through Friday, unless otherwise specified.

2.2 Acronyms: Although not inclusive of every term used within this PWS, or that may be included in an acquisition, the following provides a list of acronyms commonly used in the acquisition field.

ABNSOTD	Airborne Special Operations Test Directorate
ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement
AHA	Activity Hazard Analysis
AMC	Army Material Command
AO	Area of Operation
AOR	Area of Responsibility
AR	Army Regulation
ARIMS	Army Records Information Management System
AT	Anti-terrorism
ATCTS	Army Training Certification Tracking System
ATEC	U.S. Army Test and Evaluation Command
CAC	Common Access Card
CAP	Contractor Acquired Property
CAR	Corrective Action Request
CCE	Contracting Center of Excellence
CCIR	Commander's Critical Information Requirements
CDR	Contract Deficiency Report
CDRL	Contract Data Requirements List
CFR	Code of Federal Regulations
CIMS	Cost Information Management System
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer's Representative
COTS	Commercial-Off-the-Shelf
CPAR	Contractor Performance Assessment Rating
CPC	Corrosion Prevention Control.
CPFF	Cost Plus Fixed-Fee
CUI	Controlled Unclassified Information
DA	Department of the Army
DAG	Data Authentication Group
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DFARS	Defense Federal Acquisition Regulation Supplement
DID	Data Item Description
DMDC	Defense Manpower Data Center
DMP	Data Management Plan
DoD	Department of Defense
DOL	Directorate of Logistic
DTP	Detailed Test Plan
ECOD	Estimated Cost of Damages
ECMR	Enterprise Contractor Manpower Reporting
FAR	Federal Acquisition Regulation
FPCON	Force Protection Condition

FOIA	Freedom of Information Act
FSC	Federal Service Code
FTC	Forward Test Center
GCSS-Army	Global Combat Support System-Army
GFP	Government Furnished Property
GP	Government Property
GPM	Ground Precautionary Messages
GPS	Global Positioning System
HLO	High Level Objective
HIPAA	Health Insurance Portability and Accountability Act of 1996
IA	Information Awareness
IAC	Installation Access Control
IACO	Installation Access Control Office
IAW	In Accordance With
ICIDS	Integrated Commercial Intrusion Detection System
ID	Identification
IGCE	Independent Government Cost Estimate
IML	Inventory Management List
IT	Information Technology
ITR	Information Technology Resource
IUID	Item Unique Identification
JER	Joint Ethics Regulation
JFTR	Joint Federal Travel Regulation
JTR	Joint Travel Regulation
JPAS	Joint Personnel Adjudication System
KO	Contracting Officer
LRC	Logistics Readiness Center
MICC	Mission Installation Contracting Command
MIL-STD	Military Standard
MP ICAM	Mission Partner Identity, Credential and Access Management
MWO	Modification Work Order
NACI	National Agency Check with Inquiries
NVD	Night Vision Device
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
OEC	U.S. Army Operational Evaluation Command, formerly U.S. Army Operational Test Command
OPSEC	Operations Security
ORSA	Operations Research Systems Analysts
OSHA	Occupational Safety and Health Administration
OTA	Operational Test Agency
OTP	Operational Test Plan
PA	Property Administrator
PII	Personally Identifiable Information
PIPO	Phase In/Phase Out
PMS	Property Management System
POC	Point of Contact

POI	Program of Instruction
POL	Petroleum, Oils, and Lubricants
POV	Privately Owned Vehicle
PPE	Personnel Protective Equipment
PQDR	Product Quality Discrepancy Report
PR&C	Purchase Request and Commitment
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
RA	Requiring Activity
RMF	Risk Management Framework
RSC	RAM Scoring Conference
SOUM	Safety of Use Message
SCI	Sensitive Compartmented Information
SN	Serial Number
SOP	Standing Operating Procedure
SOW	Statement of Work
STIG	Security Technical Implementation Guide
SDR	Supply Discrepancy Report
TASC	Training Audio-Visual Support Center
TB	Technical Bulletin
TC	Training Circular
TE	Technical Exhibit
TMDE	Test Measurement and Diagnostic Equipment
TO	Task Order
TSO	Test Support Officer
UIC	Unit Identification Code
UID	Unique Identification
USAG	United States Army Garrison
UOM	Unit of Measure

PART 3

GOVERNMENT PROPERTY (GP) AND SERVICES

3. Government Furnished Property

3.1 GFP Contractual Guidance. All Government Property and CAP shall be managed in accordance with FAR 52.245-1.

3.1.1 The Contractor shall develop a Property Control Process IAW FAR 52.245-1(b)(1). The Contractor shall submit their Property Management Plan (PMP) no later than thirty (30) days after award as part of its Property Management System (PMS) (CDRL A002). The PMP shall contain the intricate details of the inner workings of the Contractor's Property Management System and associated PMP and how it will meet the ten (10) established outcomes described in FAR 52.245-1(f) (i.e. Acquisition, Receipt (includes Identification), Records, Physical Inventory, Subcontractor Control, Reports, Relief of Stewardship Responsibility/Liability, Utilization (includes Consumption, Movement, and Storage), Maintenance and Property Close-Out (includes Disposition). This written document is known as the contractor's Property Management Plan/System/Procedures. These plans and procedures are used by the Contractor's operational personnel as their daily SOP for the management of Government Property. The Plan shall cover all property management as outlined in this PWS in support of OEC BTSS mission support both on and offsite. The PM shall be held responsible for the Contractor PMP and overall adherence to the requirements as outlined in this PWS. The PMP shall be reviewed by the Government Property Administrator (GPA) and Contracting Officer, who makes the final determination of sufficiency. The Contractor's PMP are working document(s) that may require updates as processes change; however, the Contractor cannot change its procedures unilaterally. Proposed changes to the Contractor's processes shall be submitted to the Property Administrator for review/concurrence, and then the Contracting Officer, prior to the implementation of the changes.

3.1.2 A joint inventory of Government-furnished property must be completed within fourteen (14) days after the contract effective date. The Government will create a property transfer shipment in the GFP Module of Procurement Integrated Enterprise Environment (PIEE) (<https://piee.eb.mil/>), for all GFP provided, and the Contractor will confirm the items as received within that system. The Contractor will require PIEE roles of Contractor Property Shipper/Receiver to conduct property transfers in the GFP Module. Items or equipment missing or not in working order shall be recorded and the COR shall be notified in writing. The Contractor and the Government representative shall jointly determine the working order and condition of all equipment and document their findings. Rejection of GFP by the Contractor shall not relieve the Contractor of responsibility in performance of this contract but will relieve the Government from the obligation of providing the same or similar GFP at a future date. The Contractor shall not use property provided by the Government for any purpose other than the performance of this contract. The Contractor shall conduct 100% inventories of Government property at a minimum, annually, IAW Contractor's approved PMP and provide results IAW the DFARS PGI 245.103-72 format.

3.1.2.1 Final Inventory. At the completion of the contract, the Contractor and Government representative(s), shall conduct a joint inventory.

3.1.3 The Contractor shall not mark, affix any decals, emblems or signs portraying the contractor's name on Government property. The Contractor shall not remove GFP from the Installation or other supported areas without written approval of the KO.

3.1.4 The Contractor shall track and maintain warranty records for all Contractor property and supplies for use under this contract – both Government furnished and CAP. The Contractor shall enforce all warranties when applicable. The Contractor shall ensure no unnecessary expenditure of Government funds, either direct or through cost reimbursement, for repair or maintenance of warranted items. The Contractor shall inform the Government of difficulties encountered in the enforcement of warranties and of instances in which the costs of enforcement would exceed the benefits derived.

3.1.5 The Contractor shall not modify or cannibalize, any GFP/CAP without prior written approval of the KO.

3.1.6 The Government may choose to withdraw or replace GFP at any time during the contract. The KO will provide a written 30-day notice of the impending withdrawal of GFP for use on this contract and provide direction to the contractor as to the method(s) by which the Government may replace GFP. The Contractor shall ensure all IT equipment is purged of proprietary data prior to turn-in or disposal IAW the PLCO/KO.

3.1.7 Contractor may be held liable for the loss, damage or destruction of Government property in event of negligence or willful misconduct. The utmost care will be given to the preservation of Government property. The Contractor will implement a system in which employees can report fraud waste and abuse to their supervisors without fear of retribution. Contractor will also brief all employees on the procedures for reporting via the Governmental programs.

3.1.8 Loss of any sensitive item will indicate a material weakness in the Contractor's method of accounting for equipment and will revoke the Government's assumption of risk. Additionally, the KO may revoke the Government's assumption of risk (see FAR 45.104) if the GPA determines that the Contractor's property management practices are inadequate and/or present an undue risk to the Government. In the event that any sensitive or CCI Government property furnished to, or acquired by the contractor is lost, damaged, destroyed or stolen, the Contractor shall notify the COR in writing within one hour of discovery of loss. The notification must contain a description of the item, serial number and last known location. All losses shall be reported IAW 52.245-1 and approved Contractor procedures.

3.2 Emergency and Rescue

3.2.1 The Government will furnish emergency medical and rescue services to prevent loss of life, limb, or undue suffering within the areas serviced by the applicable installation emergency services provider. The Government will seek reimbursement for medical services rendered, as appropriate.

3.2.2 The Government will provide installation fire services to include firefighting, fire prevention inspections and investigations; Installation security services; confined space rescue; and Hazardous Material (HAZMAT) first response.

3.3 Telecommunications/Utilities:

3.3.1 The Government will provide reasonable access to Government-furnished telecommunications for official use related to this effort. Line service will include on-post service, and Defense Switched Network (DSN). The cost of unofficial telephone service (e.g., telephone service not incidental to performance of the contract) shall be reimbursed to the Government. The Contractor shall ensure compliance with AR 25-1 Information Assurance as related to telecommunications use and access. The Government will not provide reimbursement for additional services or special connectivity relative to Contractor-unique equipment, software, or corporate requirements.

3.3.2 The Government will furnish appropriate amounts of heat, heating fuels, gas, electricity, sewage, and water utilities, as currently installed in GFF, for use under this contract. All facilities do not receive the same utility services. The Contractor shall not change or modify any Government provided utility systems or components or install any CFE components or system without prior KO or designated representative written approval as coordinated through the Department of Public Works (DPW).

3.3.3 The Government will provide limited access to the existing Local Area Network (LAN) to include electronic mail (e-mail). The number of active LAN drops and e-mail accounts available will be determined by the Government. The Contractor shall not use the LAN or e-mail for purposes other than official Government work required under this contract.

3.3.4 Radio frequency assignments and authorization will be controlled and furnished by the Government. The contractor will not operate any radio (e.g. FMS/GMRS [Family Radio Service / General Mobile Radio Service] typically commercially available with frequencies in the 450-470 MHz band and less than 50 watts) on the installation without proper authorization.

3.4 Government Owned Vehicles:

3.4.1 The Contractor shall abide by the Federal Management Regulation (FMR) § 102-34 restrictions and requirements governing the management, operation, and maintenance of Government Owned vehicles. Vehicles provided to support this effort are listed in TE D, GFP Listing, and TE F, IML.

3.5 GFE Tools, Hand Tools, Equipment; Test, Measurement and Diagnostic Equipment (TDME) Calibration Services

3.5.1 The Government will provide special tools, hand tools and equipment that are not included in a general mechanic's tool set.

3.5.2 The Government will provide calibration and repair services for Government provided TMDE as prescribed by applicable AMC program.

3.5.3 Property, equipment, hand tools, tools, parts, furnished materials, and scrap metals resulting from or furnished under this contract shall remain the property of the Government. Unserviceable non-repairable equipment, hand tools, tools, parts, scrap metals and materials shall be disposed of by the contractor in accordance with DFARS 252.245-7005, Management and Reporting of Government Property. Contractors are required to complete inventory disposal schedules in the Government Furnished Property (GFP) Module of the Procurement Integrated Enterprise Environment, in lieu of

the Defense Contract Management Agency (DCMA) Plant Clearance Automated Reutilization Screening System eTool software application.

3.6 Government Furnished Facilities and Real Property:

3.6.1 The Government will provide the facilities listed in TE H Government Furnished Facilities (GFF) including installed equipment listed in TE D Government Furnished Equipment. Some facilities may be jointly occupied by Contractor and Government personnel or other third-party contractor personnel.

3.6.2 The Contractor shall not make alterations to GFF without the prior written approval of Department of Public Works (DPW).

3.6.3 The Contractor is directly responsible to coordinate for all facility repairs with the local DPW Work Order Section (emergency or normal work orders) for required repairs.

3.6.4 The Contractor shall submit all other facility maintenance, repair, new construction, and major equipment installation requests using DA Form 4283 to the appropriate Facility Coordinator for processing.

3.6.5 The Contractor shall establish and maintain an up-to-date GFF work order log on-site for each major functional area and equipment maintenance shop for all DPW work and service orders submitted. The Contractor shall ensure the DPW work order logs contain the following information: work order number, date and time work order(s) submitted, name of person initiating work order(s), reason for work order(s), any follow-up data and date of work order closeout.

3.6.6 The Government will provide parking areas for privately owned vehicles (POV). Contractor personnel shall comply with all local regulations and directives concerning POV traffic and parking.

3.6.7 The Contractor shall ensure areas are properly being mowed in accordance with DPW provided common levels of service. The Contractor shall keep all areas controlled and occupied by the Contractor free from over-grown vegetation. The Contractor may be responsible for incidental grass (weed) trimming / mowing not provided under the DPW common level of service as directed by the KO.

3.6.8 The Contractor shall clear areas adjacent to GFF as required to gain safe access to facilities from parking areas. This may include sidewalks, walkways, or other incidental areas.

3.7 Government Furnished Services:

3.7.1 The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-1. The contractor shall provide the name and telephone number of its designated point of contact that will be requesting repairs / opening work orders to the appropriate Facility Coordinator during the transition-in period.

3.7.2 The Government may provide scheduled custodial services for contractor operated administrative areas on a limited basis in accordance with the current DPW contract. The contractor shall report to the Government, any discrepancies in performance of Government provided services.

3.7.3 The Government will provide pest control services as required.

3.7.4 The Government will provide grass cutting in accordance with the current post-wide grass cutting contract.

3.7.5 The Government will provide snow removal outside the contractor's area of responsibility at contractor-occupied facilities.

3.7.6 The Government will provide available containers at specific contractor occupied facilities for collection of recyclable paper and cardboard, on-hand scrap metal, non-hazardous waste wood and wood by-products, and trash pickup.

PART 4
CONTRACTOR FURNISHED ITEMS AND SERVICES

4. Contractor Furnished Property and Services

4.1 General: The Contractor shall furnish all supplies, materials equipment, facilities, and services required to perform work under this contract that are not listed under TE D, GFP Listing and TE F, Inventory Management Listing. The Contractor shall not acquire facilities or other real estate that will be charged to the contract without prior, written authorization of the KO.

4.2 Facility Clearance: The Contractor shall possess no less than a Top-Secret facility clearance (FCL) from the Defense Counterintelligence and Security Agency (DCSA) in order to execute the BTSS requirement herein. If the contract awardee does not possess TS FCL at time of award, the Contractor shall provide all application documents required for sponsorship within five (5) business days of Government personnel request for both initial application submission (at contract award) and any required follow-on requests. The Contractor shall obtain TS FCL within 180 days of contract award and maintain TS FCL throughout the life of the contract.

The Contractor's employees, performing work in support of this contract shall have been granted a TOP SECRET or SECRET security clearance from the DCSA. The DD 254 is provided as TE E.

4.3 Materials: The Contractor shall obtain all office supplies and materials required to meet the copying, printing, and reproduction requirements necessary for support of the PWS. The Contractor shall obtain all badge-making supplies and materials necessary to identify all personnel IAW paragraph 1.11.2 of the PWS.

4.4 Vehicles and Equipment: RESERVED

4.5 Background Checks: The Contractor shall provide Background Checks in accordance with this PWS and as determined by the Government.

PART 5

SPECIFIC TASKS

5.1 Basic Services: The Contractor shall provide all labor, management, supervision, supplies, materials, equipment, training, and tools, not otherwise provided as GFP, required to support operational test missions for OEC. The Contractor shall be required on to perform data management, data collection, and logistics in support of Operational Tests, Joint and Multi-Service Tests, training activities, and other DoD organization. Primary location of performance is Fort Hood, Texas. Base operations and test support shall be provided at Fort Hood, Texas and test support operations shall be provided at Fort Bragg, North Carolina. Other locations will be identified in individual TO SOW and may require delivery of test support services at locations within the CONUS and OCONUS.

5.1.1 Base Operations: The Contractor shall provide personnel to support functions of management, information technology, environmental services, logistics that includes supply operations, vehicle maintenance, purchasing, facility, motor pool operations (Fort Hood, and Fort Bliss), and field test services required to support operational test events in data collection, data entry, test documentation. The Contractor's management and supervision include key personnel and an administrative staffing level with appropriate skill mix to maintain the continuity of base operations. Additional requirements of the base operation support are defined in the base TO SOW. Contractor performance shall be measured against successful continuity of all base services to include services for management (i.e., staffing), information technology, logistics maintainability, facilities maintainability, and supply operations at Fort Hood and Fort Bliss.

5.2 Tasks: Tasks consist of the following:

5.2.1 Test Support Services: This section provides information that the Contractor is required to provide the Government based on the specific test requirements as written in a TO-RFP. The Contractor shall provide test support services to OEC. The term "test" as used herein is a generalized term to mean all operational test events, or experiments. Test support consists of planning, test execution, and recovery phases. Contractor task requirements shall assimilate to rapid response, short notice, and dynamic changes in test requirements, schedule, scope, and funding levels. The category of testing effort and the test support required will be defined in a TO-RFP. The Contractor shall identify significant efforts for which it desires to appoint a Team Leader, thereby providing the Government test team and COR with a single point of contact. The Contractor shall provide test support services and support in many diverse environments and circumstances, ranging from government provided facilities, located at Fort Hood FTC and West Fort Hood, Texas, to field test sites at various CONUS and OCONUS locations and installations. Tests may encompass planning (pre-test), test execution, and recovery (post-test) phases that is depicted below and follows or spans the entire test effort (e.g., logistics, field operations, and data management). The Contractor shall have the flexible capability to expand and contract rapidly to support test requirements that shall require an influx of personnel. The influx will range from increases or decreases in the current requirements to several new requirements conducted simultaneously. The Contractor shall maintain the level of skill mix of personnel required to maintain continuity of the mission.

5.2.1.1 Planning Phase: The Contractor shall provide pre-test support that includes:

- (a) Preparing input to the Data Management Plans (DMPs), programs of instruction (POIs), and data dictionaries, draft Operational Test Agency Test Plan, draft Detailed Test Plans (DTPs), Pattern of Analysis (POA), and test event and design documents IAW the TO-RFP.
- (b) Communications. Planning and coordinating test communications, logistical support, data entry, data processing, data management, personnel and administrative test support requirements.
- (c) TO SOW Concerns. Provide any issues or concerns of requirements identified in the TO SOW in relationship to data management, field operations, and logistics and identify potential problem areas to the COR
- (d) Provide a weekly status/progress report for each Task Order to the specific Test Officer (TO) and the COR. The report shall include the pay labor code, and overtime hours estimated and expended. In addition, the report shall synopsise weekly activities, deliverables, milestones, for that week IAW CDRL A004, Task Order Weekly Status Report.
- (e) Provide a Quarterly Task Order Cost Revision report for each Task Order IAW CDRL A007, Quarterly Task Order Revision. The Contractor shall provide the revision by the 5th working day following the end of each quarter.
- (f) Provide a monthly progress and financial report to convey technical progress, financial status, planning, action items, travel activities, and related details of assigned TO SOW accomplishments by the 10th working day of each month IAW CDRL A001, Monthly Progress and Financial Report.
- (g) Ensure equipment needed for test is inspected IAW applicable Technical Manual (TM) or Original Equipment Manufacturer (OEM) manual and is fully mission capable. Contractor will ensure equipment is current on all preventative maintenance or services during tests. Contractor shall make equipment selected for use on test available for inspection by the government at least two (2) weeks prior to the beginning of a test.

5.2.1.2 Test Execution Phase: The complexity of test support ranges from tests requiring limited logistics support to large tests requiring equipment, data management/collection, field operations, data entry, and logistics support. The Contractor shall provide the following test support IAW the TO-RFP and will be measured against successful completion of the technical approach(es) during test execution and deliverables IAW the applicable task order. All initial setup, data management, field maintenance, test execution, logistics support, IT support and deliverable requirements are successfully completed on time IAW requirements specified in the individual TO.

- (a) **Personnel** - Provide qualified personnel to meet TO SOW requirements.
- (b) **Logistics** - Provide logistical support, to include automotive maintenance, motor pool and recovery operations, transportation, and GFP to meet TO SOW requirements.
- (c) **Talking Groups Communications Support** - Contractor shall install, maintain, operate, program, and remove test support tactical and non-tactical radio communications systems,

other than commercial telephone equipment and service. These Talking Groups are a specific type of Radio Frequency (RF) used for the purpose of private communications with those participating in the test. Systems may be located in buildings, vehicles, or other locations.

(d) Data Management Support - The Contractor shall provide support to data management, data processing, data management plans, and training from test data collection activities through data harvesting and delivery. Data management support may include:

1. Planning - Provide plans necessary to provide data required by test teams and evaluators.
2. Execute Data Collection Plans for Manual and Electronic Data - Data collection plans shall specify personnel, resources, surveys, forms, schedules, computers, instrumentation, and facilities needed to collect data IAW with each TO-RFP.
3. Data formatting - Provide data in formats required by the test teams and evaluators. Modify and tailor data products to meet the requirements specified in the TO-RFP.
4. Data transmission and delivery - Develop and implement tools and techniques to store, review, move, display, and store data. Data may be reviewed at the test site, sent to a distant location, or placed on a web-based application that allows remote access to data files and reduction tools.
5. Data security and control for manual and electronic data - Include protection from electronic threats and recovery from physical and electronic security breaches.
6. Database design and development - Provide tailored databases that meets tester and evaluator requirements IAW the TO-RFP.
7. Provide database delivery format and documentation - Style, data format, data products, delivery schedule, and technical support needed by testers and evaluators shall be designed for each test and may require modification during a test IAW the TO-RFP.

(e) Data Dictionary Design and Development

1. Reduce manually and electronically collected data to levels and formats specified by the evaluator IAW the TO-RFP.
2. Provide data quality assurance tools and support - Use data quality assurance tools and quick look tools provided by the Government test team to ensure quality from the collection point to the final reduced database.
3. Provide and use data visualization tools to better manage and understand the collected data.

4. Data management status reporting - Provide daily and weekly test data status reports during test events as required by the TO-RFP. Status, issues, and anomalies shall be reported to the testers.
5. Data archiving services - Data archiving shall be established at Fort Cavazos and at most test locations. The Contractor shall control and manage the data. The testers and evaluators shall receive the data at the conclusion of a test.
6. Data Authentication Group (DAG) and RAM Scoring Conference (RSC) support - Provide technical support, data visualization, research assistance, and data management support.
7. Data Reduction - The Contractor shall collect and reduce instrumented data as required by the specific TO-RFP.

(f) IT Support - The Contractor shall be responsible for the operation and administration of the IT equipment identified in the GFP listing. Analyze, test IT capabilities, and recommend IT resource augmentation needed to meet test requirements. The Contractor shall ensure interoperability compatibility of IT support IAW DoDI 8330.01 and ITR Event Pool and Support Fee Programs, OEC Memorandum 25-3.

1. Cybersecurity shall be always maintained and shall be IAW regulations outlined in PWS.

(g) The Contractor shall support incidental requirements in the TO SOW which include:

1. Design, fabricate, and install signs.
2. Set-up computers, and communications support needed to meet requirements identified in the TO-RFP.
3. Test site positioning, maintain, repairs, and removal of wheeled semi-trailers. This includes:
 - Open, close, and secure facilities IAW TO-RFPs.
 - Configure facilities with equipment and supplies as required by TO-RFPs.
 - Install, service, repair, and remove air conditioners and heaters in semi-trailers/temporary buildings.

Note: Repairs and maintenance include, but is not limited to; carpentry, minor plumbing and electrical as well.

5.2.1.3 Recovery Phase: The Contractor shall provide post-test support, IAW the applicable TO-RFP, to include such actions as the following:

(a) Recovery Maintenance - All equipment shall be de-installed, reconditioned, or restored to operational status or condition prior to closure of the applicable TO-RFP. Recovery maintenance cost estimate shall be included in the test support TO SOW. No later than

three weeks following a test all equipment faults requiring repair will have work orders initiated through GCSS-A or other applicable system. Cost to repair these faults will be calculated and charged to the test prior to test close out.

- (b) **Post-test Data Management Functions** - Ensure data products meet test team requirements prior to delivery, and/or transfer of custody of the data to the Government as outlined in the Task Order.
- (c) **Documentation** - Provide finalized documents and data for archival and delivery to the Government test team.

(d) Prepare After-Action Reports

5.2.2 Technical Support: The TO SOW will be issued to the Contractor in the form of a Task Order – Request for Proposal (TO-RFP) from the contracting office. The TO SOW will identify Government requirements within the scope of the PWS, Section 5. The COR will assign TO SOW numbers to each requirement.

- (a) A TO-RFP is issued to the Contractor by the Contracting Officer. The TO-RFPs will be within the general scope of the contract.
- (b) The Government test team may issue requirements in the TO SOW for services or support that could exceed the Contractor's existing staffing level.
- (c) The Contractor shall respond to a TO-RFP with a Task Order Proposal (TOP) IAW CDRL A003 no later than seven (7) working days after receipt. The Contractor shall respond with an Immediate Resource Requirement (IRR) if required by mission timeframes or other requirements. The TOP or the IRR shall include the Contractor's technical approach and all technical resources to accomplish the requirement. The TOP or the IRR shall also include detailed estimates of all resources required to accomplish the required work. The Contractor shall identify if resources (man hours, equipment, time) are available within the existing resources (core personnel) or need to be acquired. Costs for tests crossing fiscal years will be segregated.
 1. TOP Approval - All TOPs and IRRs will be reviewed by the COR and Government test team and approved by the Contracting Officer. The TOP or IRR will be incorporated into a task order. The Contractor shall commence work upon receipt of the task order. On occasion, the Contractor may be required to proceed prior to issuance of a task order. Under such circumstances, a “notice to proceed” within specified dollar limitations and technical areas will be issued by the KO.
 2. Point Changes - The COR may initiate changes or updates to a TO. These changes or updates will be called “point changes”. Point changes will use the task order number followed by a decimal identifier. Changes will be sequentially numbered. Point changes shall be processed and responded to by the Contractor in the same manner as a TO-RFP, unless otherwise instructed.

3. TO SOW Updates - Point changes and TO SOW revisions will be incorporated into the task order upon approval by the KO via TO modification.
4. Closure - Task orders will be officially closed out upon completion. "Request for Incurred Cost" memo will be issued to the Contractor by the Government stating the effective date of the closure, and the notification date. The Contractor shall complete costing actions and forward a final TOP no later than (NLT) 60 days from closure date. Consideration of indirect adjustments in costs must be taken when providing final costs estimates. Unless specific KO approval is granted, no costs, other than authorized rate adjustments, will be allowed once final costs have been approved.

(d) Data Collector Skills and Attributes: The Contractor shall ensure temporary personnel hired to support operational tests receive familiarization training with the tools necessary to support data collection. Training should be conducted as part of the onboarding process and be tailored as applicable in support of the government's task order. Training requirements may include but are not limited to data collection fundamentals and basic data literacy; Reliability, Availability, & Maintainability (RAM) performance data; data domain basics and conducting and conducting surveys. Data collection tools may include but are not limited to Microsoft Office, cloud based data storage, Open Artificial Intelligence tools approved for DoD use, e.g. Azure, and Advancing Operational Testing Infrastructure (AOTI) tools.

5.2.3 Document Repository: All test support and contract documents shall be stored electronically in a repository online database or electronic archives for Government administration access. The repository shall be in the form of an electronic file (SharePoint) and provided to the KO and COR at the end of each performance year. The repository shall list in detail the document number, title, TO SOW number if any, completion date. Exceptions shall be noted and approved by the KO and COR.

5.2.4 Technical Information: Electronic documents and information provided by the Government personnel on the contract shall be stored by the Contractor in an electronic format. Backups shall be maintained for electronically stored information. The Contractor shall maintain the following information:

5.2.4.1 The Government's policies, guidelines, methodologies, and all CDRL documents submitted for this contract.

5.2.4.2 All electronic copies of all documents produced by the Contractor in performance of this contract.

5.2.4.3 Use military and commercial standards, technical manuals, appropriate technical bulletins, technical publications, or documentation pertaining to contract performance of the operational testing mission.

5.2.4.4 All technical information generated in support of this requirement is the property of this contract. The Contractor is to provide the authorized Government personnel unlimited access to this technical information. When required, the Contractor shall provide technical information that includes but not be limited to, photocopies, and data on electronic media.

5.2.5 Information Technology Management

5.2.5.1 System of Record: GCSS-Army is the system of record for maintaining property, supply, repair parts, requisitions, and vehicle and equipment maintenance management. The GCSS-Army will work in conjunction with the other Army systems of record. Contractor will use existing U.S. Army Logistics Information Systems (LIS) to manage other sustainment functions such as TMDE calibrations, MMIS message updates, or AOAP samples. Contractor will follow U.S. Army policies for management of data within these systems.

5.2.5.2 Configuration Management: The Contractor shall provide and maintain configuration management and documentation for off the shelf instrumentation, computer, and software systems. The COR will review and accept the configuration management process and any subsequent changes. Changes to the configuration management process shall be submitted to the KO not later than ten (10) working days prior to the effective date of the change. Configurations shall be reported in test plans and reports. System configurations shall be fixed for acceptance to support OEC tests. The Contractor shall obtain COR concurrence of system configurations using existing baseline applications prior to use on operational tests, or system modifications.

5.2.5.3 Server Access: Should the Contractor require the use of Government-furnished server access; the Contractor shall maintain its applications, and firmware to include latest patches and updates, register all assigned servers and always maintain appropriate certifications IAW OEC security regulations. All IT equipment and programs shall comply with Government security requirements including RMF and Army Golden Master compliance. This includes verification and validation of STIGs associated with each Government furnished server and Contractor application. These applications shall be existing baseline applications approved by the Government Information Technology representative prior to use. The Contractor shall provide updated master copies of all contractor software applications using a Government server.

5.2.5.4 Information Technology Resource (ITR) (Hardware or Software): The Government will make available ITR equipment needed in performance of this contract and is listed in A0, GFP Listing. Any additional ITR acquired by the Contractor for performance of this contract shall be pre-approved through the Government G6 and COR (IAW OEC Memorandum OEC-25-3) before being put on the network and acquired as CAP.

5.2.5.5 Lifecycle Replacement: The Contractor shall provide an inventory of all IT type equipment under the contract by the end of the third quarter of each fiscal year IAW CDRL A011, Information Technology Fiscal Year Inventory. The inventory shall include disposition recommendations of obsolete hardware and software to include lifecycle replacements. Guidelines are listed in Accountability of ITR, OEC Memorandum 710-5.

5.2.5.6 Software Application all servers: The Contractor shall monitor the usage of general application software to ensure licensing Risk Management Framework (RMF) and Security Technical Implementation Guide (STIG) requirements are met.

5.2.6 Logistics

5.2.6.1 Property Management GFP: Contractor shall maintain GFP provided to the Contractor in TE D IAW FAR 52.245-1. The Contractor shall establish and maintain an acceptable Property Management System (PMS) IAW DFARS 252.245-7003 and FAR 52.245-1. The Contractor shall use

GCSS-Army for all property management. The Property Management Plan (PMP), required at CDRL A002 shall be submitted thirty (30) days after contract award for KO review and approval. The Contractor plans, systems, and procedures at the contract, level shall enable the outcomes as specified at FAR 52.245-1(f).

5.2.6.2 The Contractor shall submit changes to the PMP to the KO not later than ten (10) calendar days prior to the effective date of the change. The KO and PA will make the final review and acceptance of any subsequent changes. Failure to maintain an acceptable PMS may result in a disapproval of the system from the PA and the KO. The KO reserves the right to furnish parts, supplies, materials, and equipment when deemed to be in the best interest of the Government.

5.2.6.3 Tagging, Labeling, and Marking of GFP. The Contractor shall tag, label, or mark GFP items identified in the contract as serially managed items (as required by DFARS 252.245-7001). The Contractor is not required to tag, label, or mark GFP previously tagged, labeled, or marked.

5.2.6.4 Managed Property GFP and IML no longer required shall be reported to the PA IAW approved PMS procedures and DFARS 252-245-7004 within 10 calendar days of the date of loss.

5.2.6.5 Reporting Loss of Government Property. The Contractor shall report the loss of Government property as required by DFARS 252.245-7002. The Contractor shall ensure that its PMS provides the adequate management control measures, e.g. statistical process controls, as a means of managing such variation. Loss of Government property includes all lost, damaged, destroyed, and theft of GFP. the contractor shall report the loss of Government property in the Government-Furnished Property (GFP) Module of the Procurement Integrated Enterprise Environment.” <https://piee.eb.mil/>. Reporting value shall be at unit acquisition cost. The Contractor shall report losses of Government property outside normal process variation, e.g., losses due to theft, inadequate storage, lack of physical security or “Acts of God.” This reporting requirement does not change any liability provisions or other reporting requirements that may exist under this contract.

5.2.6.6 Contractor-Acquired Property (CAP). The Contractor shall acquire only those items needed to perform tasks under this PWS. CAP will be reported to the KO and Property Administrator. All CAP shall be Item Unique Identification marked and registered IAW Defense Federal Acquisition Regulation Supplement (DFARS) 252.211-7003. Contractors shall be required to identify the Government’s unit acquisition cost for all deliverable end items to which item unique identification applies IAW 252-245-7002 and FAR 52-245-1. If CAP items are subsequently delivered to the KO and COR under terms of the contract, via a contract line-item number (CLIN), then the requirements imposed on the Contractor for both DFARS 252.211-7003 and 252.211-7007 apply to GFP, and CAP. The CAP listing shall be included with the annual inventory submission via CDRL A008 Government Property Master Report.

5.2.6.7 Reporting, Reutilization, and Disposal. The Contractor shall not use property provided on the contract for any purpose other than in the performance of the contract. The contractor shall include within its property management system, a process for the accountability and management of all GFP. Contractors in possession of classified or Controlled Cryptographic Item (CCI) GFP shall dispose of the classified inventory IAW applicable security guides and regulations or as directed by the KO IAW DFARS 252.245-7004. Contractor GFP identified as inherently dangerous to public health or safety shall not be disposed of unless rendered innocuous or until adequate safeguards are provided.

Identify and dispose of obsolete and unused Inventory Management List. Evaluate and report findings on a minimum of 10% of end items per month for potential suitability as disposal candidates to the Property Administrator that exceed 60% of Maintenance Expenditure List (MEL) IAW Technical Bulletin TB 43-0002-1. The Property Administrator will make the final disposition decision and provide the disposition instructions.

5.2.6.8 Upon the end date of the task order the GFP is no longer required to support contract requirements, the Contractor shall turn in the GFP IAW its approved PMS. Contractor shall also turn-in serviceable excess and unserviceable reparable parts and components IAW AR 750-1, Chapter 4, paragraph 7.

5.2.6.9 The Contractor shall include within its property management procedure, a process for the accountability and management of Government-owned scrap. The process shall, at a minimum, provide for the effective and efficient disposition of scrap, including sales to scrap dealers, to minimize costs, maximize sales proceeds, and contain the necessary internal controls for mitigating the improper release of non-scrap property. The Contractor may commingle government and contractor-owned scrap and provide routine disposal of scrap, with plant clearance officer concurrence, when determined to be effective and efficient.”

5.2.7 GFP and IML Inventory

5.2.7.1 Initial Inventory: The Contractor shall perform a joint inventory of all GFP with the Government. During joint inventory, the Contractor shall inspect all GFP and identify all property missing or not in working order. The Contractor and the Government representative shall jointly determine the working order and condition of all property and document their findings. All GFP missing or not in working order shall be recorded and the COR shall be notified in writing. Both parties will sign a DD Form 1149, Requisition and Invoice Shipping Document to identify and acknowledge an inventory was conducted. Rejection of GFP by the Contractor shall not relieve the Contractor of responsibility in performance of this contract. The Contractor shall not use GFP for any purpose other than the performance of this contract. The Contractor shall perform a joint inventory of all IML provide in TE F with the Government. During this joint inventory, the Contractor shall inspect all IML and identify all property missing or not in working order. The Contractor and the Government representative shall jointly determine the working order and condition of all property and document their findings. All IML missing or not in working order shall be recorded and the COR shall be notified in writing.

5.2.7.2 Annual Inventory: The Contractor shall conduct an annual inventory for all GFP and CAP, IAW CDRL A008, Government Property Master Report (TE B). The annual GFP and CAP inventory shall be completed and results submitted IAW FAR 52.245-1 and a copy provided to the COR no later than thirty (30) days prior to end of each period of performance year, and ninety (90) days prior to the end of the period of performance. The Contractor shall conduct a quarterly inventory for all IML provided in TE F and provide a copy to the COR no later than five (5) days after each quarter IAW CDRL A015.

5.2.7.3 Closeout Inventory: At the completion of the contract, the Contractor and Government representative(s) shall conduct a joint inventory. The Government will not waive the inventory closeout for GFP. If the Contractor is determined liable for loss or damage to GFP beyond normal wear and tear IAW FAR 52-245-1, the Contractor shall be financially responsible for repair or

replacement costs. The final inventory report shall be provided to the COR and the PA IAW CDRL A008, Government Property Master Report (TE B). IAW DFARS 252.211-7007, Closeout Reporting of GFP, a master property report (GFP and CAP) shall be submitted to the COR forty-five (45) days prior to end of the contract and IAW CDRL A008.

5.2.7.4 Sensitive item inventory: Sensitive Items are listed under the Inventory Management List. The Contractor shall conduct sensitive items and unclassified Controlled Cryptographic Item (CCI) inventory quarterly (no more than one quarter of a year between inventories) IAW DA PAM 710-2-1. Sensitive items and CCI are identified with a Controlled Inventory Item Code (CIIC) of 1–6, 8, 9, N, P, Q, R, night vision devices (NVDs), and navigation systems (for example, global positioning systems). Conduct causative research for all inventory discrepancies. The CIIC is shown in the AMDF. Inventory sensitive items as follows:

- (1) Count each sensitive item for which you have responsibility. Make a list of any overages or shortages.
- (2) Make a visual check of the condition of the items. Make a list of any damaged property.
- (3) Check end items for completeness. Use the proper Technical Manual (TM) or Supply Catalog (SC) to identify components. Make sure that component shortages are listed on hand-receipt shortage annexes. Make a list of any component shortages not listed on hand-receipt shortage annexes. Make a list of any component overages.
- (4) Check the serial number (SN) on the item with the SN recorded on the record of responsibility. Make a list of SN differences.
- (5) Report damaged equipment to unit maintenance personnel for repair

5.2.8 Property Management for Inventory Management List: The Contractor shall manage, issue, account for, turn-in Government Property identified as Inventory Management List per TE F IAW OEC Memorandum 735-2 and Government Accountable Property System of Record (AR 735-5, Chapters 2-5, 2-, 14-13; AR 710-4 Chapters 1-21, 9-2, 10). The Contractor shall have a system of internal controls to manage (control, use, preserve, protect, repair and maintain) Government property in its possession.

5.2.8.1 The Contractor shall provide a copy of the Inventory Management List as part of the monthly logistics report submitted IAW CDRL A001, Monthly Progress and Financial Report.

5.2.8.2 Identify and dispose of obsolete and unused (IML): Evaluate and report findings on a minimum of 10% of end items per month for potential suitability as disposal candidates to the GPA that exceed 60% of Maintenance Expenditure List (MEL) IAW Technical Bulletin TB 43-0002-1. The GPA will make the final disposition decision and provide the disposition instructions through the Contracting Officer.

5.2.8.3 The Contractor shall conduct inventories of all IML on a quarterly basis IAW CDRL A015 and provide a copy to the COR no later than five (5) days after quarter ends.

5.2.8.4 Shop Stocks and Bench Stocks: The Contractor shall maintain repair parts, packaged POL products, and consumable supplies IAW Army policies. The Contractor shall conduct quarterly inventory and demand analysis of repair parts and report completion to the COR. Bench Stocks will be inventoried at least semiannually. Excess repair parts will be turned in according to Army policies.

5.2.9 GFP and Inventory Management List Maintenance Requirements

5.2.9.1 The Contractor shall provide preventive maintenance of all property assigned to the contract as GFP (TE D) and IML (TE F). Provide a detailed Maintenance Management Plan as part of the PMS procedure to the KO not later than thirty (30) days after contract award. The plan shall include how the Contractor shall establish a maintenance program for routine, preventative maintenance, unscheduled maintenance, dispatch, and MILSTRIP. For repairs above preventative maintenance, the Contractor shall determine the serviceability, economic reparability, and Estimated Cost of Damages (ECOD) for GFP and IML IAW AR 750.1, Army Materiel Maintenance Policy. The Contractor shall prepare cost estimates and determination of repair eligibility and level of maintenance for Government approval.

5.2.9.2 The Contractor shall use GCSS-ARMY to manage, track, and report all GFP and IML actions for repair parts, work orders, purchase orders, scheduled maintenance, and technical inspections.

5.2.10 Equipment Maintenance: Provide GFP and IML Maintenance services for base operations support and field locations during pre-test, test, and post-test mission requirements. Field locations may be at Fort Hood, TX or other CONUS or OCONUS locations. Timelines, limits, and constraints will be established in the specific TO-RFP.

5.2.10.1 The Contractor shall use GCSS-Army to dispatch all equipment. Contractor will follow ATEC and OEC equipment utilization policies.

5.2.10.2 Field and Sustainment Level Maintenance for equipment as provided for GFP and IML under TE D and TE F GFP and IML Listing. Contractor shall perform preventative maintenance on GFP IAW AR 750-1 for equipment. Logistics Readiness Center (LRC) or other Government Depot Organizations shall perform all other repairs past this level. As state above, the Contractor shall prepare the ECOD and cost estimate for GFP and IML IAW AR 750-1, Army Materiel Maintenance Policy for Government approval prior to sending the vehicle to LRC or other government locations. For IML, TE F, the Contractor shall perform field level maintenance IAW AR 750-1 for Army standard equipment. Repairs above this level will be performed at the Logistics Readiness Center (LRC) or other Government Depot Organizations authorized to perform all other repairs past that level. As required, the Contractor shall prepare the ECOD and/or cost estimate for GFP IAW AR 750.1, Army Materiel Maintenance Policy for Government approval prior to sending the vehicle to LRC or other government locations.

5.2.10.3 Field and Sustainment Level Maintenance for Commercial Off The Shelf (COTS) equipment provided in IML TE F. Perform maintenance and repairs up to non-dealership capability (proprietary TO-RFP) for commercial/non-tactical vehicles and equipment. The manufacturer shall perform all other repairs past this level. The Contractor shall provide an equipment utilization report for each month IAW AR 710-2 (CDRL A014). The Contractor will utilize GSA Fleet for selected management actions of NTVs (vehicles and commercial trailers).

- (a) Ensure administrative data accuracy and update as changes occur, e.g. disposal (NTV turned into other Agency or DLA-DS).
- (b) Ensure all NTVs maintain valid and current federal license plates attached to the appropriate vehicles.
- (c) Utilize published GSA Fleet processes to order and return federal license plates when no longer required.
- (d) Update NTV records when open recalls are completed
- (e) Upload NTV mileage and expenses (fuel and maintenance) NLT 10th of each month utilizing GCSS-A data for mileage and completed maintenance data and the Government provided monthly DLA fuel report for fuel quantities and cost. Provide verification of the monthly NTV data update via CDRL A014 to COR upon completion.

5.2.10.4 The Contractor will perform annual FAST (Federal Automotive Statistical Tool) reporting for all FAST reportable vehicles. The Contractor will establish and maintain fuel accounts at installation fuel points as required.

- (a) All fuel powered equipment will have either a unique coded fuel key or QR code decal and maintain an accurate and up to date listing of equipment and assigned fuel key/codes.
- (b) Fuel usage will be captured and reported in GCSS-A for all fueled equipment regardless to the source of the fuel, e.g. commercial, fuel point, bulk to retail distribution, etc.
- (c) Using the government provided DLA fuel report provide the corresponding TO SOW for the transactions to enable billing to the appropriate activity NLT 10th of each month.

5.2.10.5 The Contractor shall perform and maintain up to Fully Mission Capable Standards services for all vehicles/equipment under the Preventative Maintenance Checks and Services (PMCS), MISSION CAPABLE COLUMN for all vehicles listed under TE D (GFP), and TE F (IML).

5.2.10.6 Provide battery maintenance services. Provide vehicle battery maintenance services to meet the requirements of this contract. Batteries shall be maintained IAW applicable technical manuals or documents. Disposal shall be IAW federal, state, and installation hazardous waste disposal procedures.

5.2.10.7 Obtain KO approval prior to cannibalizing GFP and IML for component salvage operations. Cannibalization procedures will follow AR 750-1. Controlled exchanges will follow AR 750-1 and be approved by OEC G4 Director.

5.2.10.8 Provide maintenance for firmware, such as radios, cameras, and position location devices.

5.2.10.9 User Responsibilities: The equipment user is responsible for cleaning the interior and exterior of the dispatched equipment, prior to turn-in. User will provide completed PMCS prior to closing dispatch with the Contractor. The Contractor shall not accept the turn-in of a vehicle that does

not have a clean interior and exterior. Vacuums are provided at the maintenance facility for interior cleaning.

5.2.11 Test, Measurement, and Diagnostic Equipment (TMDE) Calibration Services: The Government provided Calibration Lab is equipped to handle up to Level T calibrations and is accredited by United States Army Test Measurement, and Diagnostic Equipment Activity (USATA). All equipment listed in the TB 43-180 Series, Calibration and Repair Requirements for the Maintenance of Army Materiel, shall be properly calibrated prior to use. The Contractor shall conform to the calibration requirements and scheduled intervals as outlined in AR 750-43. The Contractor shall appoint an Army Test, Measurement, and Diagnostic Equipment Coordinator responsible for controlling the identification of all TMDE items that are eligible for the TMDE Program and ensuring all items in the program are calibrated IAW TB 750-25, Maintenance of Supplies and Equipment, TMDE, Calibration and Repair Support (C&RS) Program. Calibration records shall be maintained by the TMDE Coordinator and available for inspection. Ensure Test, Measurement, and Diagnostic Equipment (TMDE) is enrolled, turned in, maintained, and calibrated through the Army Materiel Command (AMC) IAW the Army TMDE Program.

5.2.11.1 The Contractor shall use TMDE-Integrated Materiel Management System (TIMMS) for calibration status, and maintenance actions in a manner that captures the cost of repairs (labor and parts) monthly, reports equipment requiring maintenance, and a database for generating reports on TMDE.

5.2.11.2 TMDE that is not in use shall be placed in administrative storage. Include in the Maintenance Management Plan (referenced in 5.10.) procedures for storing and bringing TMDE out of storage and into serviceable condition.

5.2.11.3 The Contractor shall provide a monthly report depicting the status of all TMDE equipment IAW CDRL A001, Monthly Progress & Financial Report.

5.2.12 Automotive Maintenance and Motor Pool Operations: Provide the following maintenance and motor pool operations for automotive items for OEC equipment located at Fort Hood and Fort Bliss Texas and at locations stated in the applicable TO-RFP:

1. Vehicle and equipment storage, and motor pool parking.
2. Vehicle dispatch procedures IAW DA Pamphlet 750-8, using GCSS-Army database in support of base and test operations. This includes dispatching GSA vehicles through GCSS-A.
3. Contractor will create an equipment notification for any equipment used on a test or sent to a location other than Fort Hood, TX.
4. Vehicles shall be dispatched within thirty (30)-minutes for emergency requests made during the normal duty day.
5. Vehicles shall be dispatched within ninety (90)-minutes for emergency requests made during non-duty hours.

6. Submit monthly fuel and mileage reports on all vehicles under CDRL A001, Monthly Progress and Financial Report. Submit an annual vehicle inventory to include Fort Bliss and Fort Bragg per AR 735-5 and DA Pamphlet 710-2.
7. Establish an account and complete the GSA Fleet reporting that requires vehicle mileage, fuel usage, fuel type and cost, vehicle type and category, depreciation, maintenance, and repair costs at a minimum and notify the COR for review and approval. The Government representative will make sure to provide information to establish an account upon contract award.
8. Obtain repair parts, spares, equipment, software, and raw materials to meet the requirements of this contract. Items having a history of high demand or long lead-time shall be stocked at a higher level than other supplies IAW Army policies. Repair parts must be inputted and managed as shop stock in GCSS-ARMY and a quarterly inventory provided to the COR IAW 710-2-1, Chapter 8-19, Quarterly Repair Parts Inventory CDRL A013.
9. Maintain records in GCSS-Army that reflect technical inspections, service, repairs, and related costs for each item of equipment IAW FAR 45.5 and applicable technical manuals. When an estimate for repair of equipment exceeds the maintenance expenditure limit, provide documentation and request disposition instructions from the COR, KO and the PA.
10. Perform preventative maintenance checks, services, and equipment operation for vehicles/equipment and maintain documentation IAW ATEC Regulation 750-1, applicable technical manuals, and lubrication orders. Standardized maintenance, safety and operation of motor vehicles shall be maintained IAW AR 58-1, Management, Acquisition, and Use of Motor Vehicles, AR 385-10, Army Safety Program, and AR 600- 55, The Army Driver and Operation Standardization Program (Selection, Training, Testing and Licensing). All this information shall be uploaded into GCSS-Army upon completion of services.
11. ALL Safety of Use Message (SOU) and Ground Precautionary Messages (GFPs) shall be maintained IAW ATEC Regulation 750-1 and AR 750-6. Contractor shall adhere to the Ground Safety Notification System IAW AR 750-1, Army Materiel Maintenance Policy. In making this determination, the Contractor shall adhere to all warranties and applications of the latest version of Modification Work Order (MWO) and any SOU applicable to the end item. These messages include the SOUs and GFPs and are issued when a materiel defect or hazard condition that can cause death/injury to personnel or damage to equipment is discovered.
12. All emergency, urgent, and routine MWO shall be applied IAW AR 750-10 and recorded and reported to the Modification Management Information System.
13. The Contractor shall perform MWO requests and dispose of all repair parts IAW the most current DA Pamphlets, ARs, TMs, and FMs applicable to that particular system or commodity as found in the publication repository DA-PAM 25-30.
14. Commercial Equipment. Verify in the manufacturers web link for recalls and safety usage messages of any deficiencies. Open recalls shall be checked and actioned on to return

equipment to the manufacturers recommended safe operating criteria as part of the annual services conducted on Government commercial vehicles.

- 15.** Contractor shall complete all maintenance, repairs, and services to the standard outlined in the most current supporting Maintenance Allocation Chart, ARs, MWO, TMs, and DA Pamphlets applicable to that particular system, end item, or component as found in the USG publication repository, DA Pamphlets 25-30, Consolidated Index of Army Publications and Blank Forms.
- 16.** Transfer Army equipment identified for transfer to an activity outside of ATEC at TM -10/-20 standards, the standard prescribed in the lateral transfer directive, or the standard negotiated with the gaining activity.
- 17.** Prior to issue, all safety and operation of motor vehicles shall be brought into compliance IAW Technical-10 manuals, AR 58-1, Management, Acquisition, and Use of Motor Vehicles, AR 385-10, Army Safety Program, and AR 600-55, The Army Driver and Operation Standardization Program (Selection, Training, Testing and Licensing).
- 18.** Submit all maintenance job orders for LRC work to the COR and Budget Analysts for funding and approval prior to evacuation of equipment to installation maintenance facilities. Provide the DOL work order numbers to the Government for tracking of costs and status.
- 19.** The Contractor shall maintain documentation IAW Army Regulation 750-1, applicable technical manuals for all assigned vehicles/equipment to include operator, repair, lubrication orders, and technical bulletins and parts manuals in the motor maintenance area.
- 20.** The Contractor shall maintain the most current forms and publications applicable to the contract and post changes. The Contractor shall maintain a set of Army maintenance references and publications including the most current Army Regulations, DA Pamphlets, Technical Manuals, MIL-STD and Specifications. The Contractor shall be in compliance with the Army Filing System (currently ARIMS), which is used to maintain maintenance records. The Contractor must have accounts with Logistics Information Warehouse (LIW) Electronic Technical Manual (ETM) online library and the Army Publishing Directorate (APD) to request and download publications. The Contractor shall submit a System Access Request (SAR) for access to the LIW ETMs online library at <https://liw.logsa.army.mil/> and establish a publications account with the Army Publishing Directorate (APD) at <http://www.apd.army.mil>.
- 21.** The Contractor shall maintain historical files for each piece of equipment IAW the most current DA Pamphlet applicable to that specific system or commodity IAW DA Pamphlet 25-30. Files shall be filed IAW ARIMS or later approved DA Filing Systems.
- 22.** The Contractor shall verify that equipment damaged by other than Fair Wear and Tear (FWT) has been properly released from investigation or Financial Liability Investigation of Property Loss prior to acceptance. The Contractor shall ensure that the COR is informed within three (3) days of any incidents or accidents. The Contractor shall ensure that the

provided document of release from the customer is reviewed and approved for disposition actions by the COR.

23. Army Warranty Program. The Contractor shall provide all necessary skilled personnel required to maintain the Army Warranty Program IAW AR 700-139, Army Warranty Program. The Contractor shall obtain COR approval before repair of equipment under warranty.
24. Submit all maintenance job orders for LRC work above the field maintenance level for OEC equipment to the Government for funding and approval prior to evacuation of equipment to installation maintenance facilities. Provide the DOL work order numbers to the COR and Budget Analysts for tracking of costs and status.
25. Ensure employees operating equipment, machinery, tools, and military vehicles in the performance of this contract possess the minimum necessary licenses and/or certifications as set forth in applicable USG standards prior to operating any shop equipment, tools, special tools, and machinery required to meet the standards.
26. Contractor will establish appropriate accounts with the Installation Supply Support Activity to receive and turn in supplies.
27. Contractor will establish accounts with the LRC to submit equipment for repair.
28. Corrosion Prevention Control (CPC) Support. The Contractor shall appoint in writing a Unit Corrosion Monitor and establish a CPC program IAW AR 750-59. The CPC Unit Corrosion Monitor shall complete training from an AMC endorsed CPC Unit Corrosion Monitor course. The contractor shall incorporate CPC procedures into their PMS.

5.2.13 Transportation Services: The Contractor shall ship, transport, and move equipment listed in TE D (GFP) and TE F (IML) to test events at various locations throughout CONUS and OCONUS. Provide packaging, shipping, and receiving services using the most efficient and economical modes of transportation. The LRC is the preferred means of transportation. The Contractor shall have Government Bill of Lading (GBL) capabilities.

5.2.13.1 The Contractor shall practice using reduced rates for Air Shipments. GSA has a contract with an airfreight carrier that provides reduced rates to DoD for air shipments. Contractors performing cost reimbursable contracts for DoD are encouraged to use the reduced rates for shipments that are in support of Government business. The policy and procedures governing the use of Government sources in Part 51 of FAR and DFARS apply. Further details on the GSA contract, and a rate schedule, are in the GSA Freight Management <https://www.gsa.gov/portal/category/21192>.

5.2.14 Fabrication Services: The Contractor shall have the ability to build shipping crates, framing, and signs.

5.2.15 Supply Services: Provide quality and responsive supply support IAW the approved PMS.

5.2.16 Supply Discrepancy Report (SDR) and Product Quality Discrepancy Report (PQDR): The Contractor shall order and manage the delivery of all required repair parts using standard U.S. Army

automated requisitioning systems or use the Purchase Request and Commitment (PR&C) process through the COR. All repair part demands shall be captured in supporting GCSS- ARMY. The Contractor shall submit SDR and PQDR IAW AR 735-11-2, Reporting of Supply Discrepancies.

5.2.16.1 Provide both consumable and durable supplies (Class II, III, IV, VII, and IX only).

5.2.16.2 Obtain and provide training aids, devices, and other required support from the Training Aid Support Center (TASC). Obtain accounts with the Fort Hood Self Help Store and Self Help Stores at test sites. Maintain the monthly Self-Help Bulletin and Volumes I and II of the Fort Cavazos Self Help Catalog.

5.2.16.3 Provide logistics, supply planning, and operational support to sustain test operations. This support includes, but is not limited to, copier paper, toner, and other administrative supplies. Establish accounts with DoD E-mail and the GSA Customer Support Center.

5.2.17 Subcontracting Instructions

5.2.17.1 Subcontract includes any supplier, distributor, vendor, or firm that furnishes supplies or services for the prime contractor or another subcontractor. The Contractor shall furnish all material and services required for performance of this contract, which is not Government-furnished.

5.2.17.2 The Contractor shall utilize the Government supply system as the primary source for acquiring material. When requisitioning procedures reveal that required material is not available from the Government supply system, the Contractor shall, after adherence to applicable statutes, regulations, and procedures, acquire such material from commercial sources. Likewise, required services that are not available from Government sources and are beyond the capabilities of the Contractor's staffing resources shall be subcontracted IAW applicable statutes, regulations, and procedures.

5.2.17.3 All subcontracts that fall within the simplified acquisition threshold shall comply with FAR Part 8 or FAR Part 13 as appropriate. The contractor shall acquire commercial items or non-developmental items when they are available to meet the requirement. Subcontracts for supplies or services that are not commercial items shall include a performance work statement, statement of work or performance characteristics sufficient to maximize competition.

5.2.17.4 Unless Contracting Officer relief is given, all subcontracts, changes, and modifications thereto, are subject to review and consent by the Contracting Officer, and/or the COR as designated herein. Those subcontracts selected for consent shall be submitted IAW FAR Part 44. The Contractor shall maintain documentation required to the subcontract, including a contract performance statement of need and that the items are not available through Government sources of supply.

5.2.17.5 All prospective subcontractors contracted by the prime in any manner should be expressly advised in writing that no solicitation on your behalf shall be construed in any manner to be an obligation on your part to enter a subcontract with said subcontractor. Nor shall any subcontract result in any claim whatsoever against the United States Government for reimbursement of costs for any efforts expended by said subcontractor.

5.2.17.6 The Contractor shall obtain advance Government consent/approval for subcontracts IAW the following:

1. The following thresholds apply to those items or services that have been identified in an approved TO SOW. ALL purchases for Information Technology (IT) software and hardware must be submitted to the COR for G6 review and concurrence regardless of dollar value.
2. The Contractor may subcontract for any single item/service or total purchase up to \$25,000.
3. The Contractor must obtain COR approval for any single item/ service or total purchase between \$25,000 and \$100,000.
4. The Contractor must obtain COR technical concurrence and Contracting Officer approval for any single item/service or total purchase in excess of \$100,000.
5. The Contractor shall provide advance notification to the Contracting Officer of its intent to subcontract for services or research and development requirements regardless of the dollar amount.

5.2.17.7 Without regard to dollar value, the Contractor shall obtain Contracting Officer consent to purchases and subcontracts involving the following categories of services and supplies:

1. Vehicles
2. Pyrotechnics and Simulators Consulting Services Facilities
3. Bottled Water
4. Technical and Engineering Support, Research and Development, and Instrumentation

5.2.18 ABNSOTD Test Operations

5.2.18.1 The Contractor shall provide Airborne Base Operations with the support to test types including low velocity airdrop, personnel airdrop (both static line and freefall), internal and external air transport and technical support requirements at ABNSOTD. Contractor performance shall be measured against successful continuity of all Airborne Base Operations and execution of support to Test Operations with required services to include staffing, data management/data collection/data reduction, instrumentation, surveys, technical data, training, RAM, reporting, meeting attendance, and videography.

5.2.18.2 As part of Airborne functions listed below, the Contractor shall provide and maintain a staffing level, skill mix, and resources to assure continuity of Airborne operations:

5.2.18.3 Data Management/Data Collection/Data Reduction Requirements. Develop data collections forms and the database dictionaries and queries using Microsoft Access, perform data collection

efforts during testing, perform data reduction, and formulate and provide databases to the Government test team to be used in test reports.

5.2.18.4 Instrumentation. Provide support to configure, transport, install, calibrate, operate, maintain, remove, repair, and recover instrumentation systems.

5.2.18.5 Surveys must be created for each of the following phases of testing: new equipment training, equipment loading, equipment rigging, pre-jump, post-jump, and post-airdrop inspection.

5.2.18.6 Technical data collection includes numerical data, such as data from inspections, function checks, rigging, collimation, drop zone, aircraft, and hit/miss data.

5.2.18.7 Provide training for data collection and data entry personnel.

5.2.18.8 Carry out the data collection functions to include collection and initial QC of field test data (including pre-test rigging and simulated airdrop impact testing) in conjunction with other test team personnel.

5.2.18.9 Execute the data reduction plan.

5.2.18.10 Input all manual data into a database collected from surveys, technical function checks, testing, and data from other departments, such as photos and instrumented data (accelerometers).

5.2.18.11 Provide a scored Reliability, Availability, and Maintainability (RAM) database and resulting reports.

5.2.18.12 Prepare Test Incident Reports as needed.

5.2.18.13 Provide DAG and RAM scoring conference (RSC) support, as required.

5.2.18.14 Prepare final reports for test officer to use in test report. Turn databases over to ORSA to do a final authentication.

5.2.18.15 Provide an authenticated database on a government approved share drive or repository.

5.2.18.16 Meetings. Attend Test and Integration Integrated Process Team (T&I IPT) meetings, ATEC Systems Team meetings, Threat Working Groups (TWGs), Test Event Planning meetings, and specific Contractor meetings at various locations conducted/coordinated by Government agencies to provide operational test technical clarification during the meetings. Provide personnel for travel to T&I IPT working groups and coordination conferences, scenario development and validation activities, technical interchange meetings, in-progress reviews, and other events which are held in support of test scenario development.

5.2.18.17 Videographer Requirements (on-call). Provide photographic support on a variety of directorate tests as needed. Support encompasses capturing test data on digital still cameras and digital video cameras. It is estimated that the Contractor shall support up to four active aircraft test days per month and shall include:

1. Provide video and stills of up to eight individual low velocity airdrop test missions and the subsequent derigging and operational use of the pieces of test equipment on test days.
2. Provide video and stills of up to four individual personnel airdrop test missions (both static line and freefall) including the operational use of the pieces of test equipment on test days.
3. Each test day shall require pretest setup time and post-test processing time for videos and stills.

5.2.19 Instrumentation Systems. Operate Government provided instrumentation.

5.2.19.1 Provide planning and coordination of test instrumentation, communications, software, logistical support, data reduction, data processing, data management, personnel, and administrative test support requirements. ABNSOTD instrumentation systems include contractor operated Mobile Boresight Collimator, Trimble Survey Equipment, and Vaisala Meteorological Systems.

5.2.19.2 Identify instrumentation availability and conflicts. Reserve instrumentation for test support when directed by the Government test team. Provide instrumentation configuration and availability when directed by Task Order.

5.2.19.3 Provide maintenance and Non-Developmental Item (NDI) enhancement to existing Government furnished test instrumentation systems.

5.2.20 Instrumentation Certification Accreditation: Assist the Government test team in obtaining and maintaining ATEC instrumentation accreditation and Risk Management Framework (RMF) certification for contractor assigned instrumentation. Adhere to ABNSOTD RMF controls when operating contractor assigned instrumentation. Provide instrumentation certification test plans.

5.2.20.1 The Contractor shall assist with System Integration Testing (SIT) of instrumentation and other products which interact with the Systems Under Test (SUT). The Government test team will provide technical guidance to the contractor throughout the test. The Contractor may be required to provide software code analysis, test plan development, and documentation. During SIT test execution, the contractor activities shall be continuously open to Government review to include data (electronic, manual, photographic, drawings, etc.) collection, reduction, management, and analysis.

5.2.20.2 The Contractor shall analyze software code/interfaces in order to identify interface issues or integration discrepancies residing with the current software code, documentation, and/or actual system performance. Findings and recommended corrective action(s) shall be documented, and upon Government test team approval, accomplished. Requirements changes resulting in changes to existing software shall be documented. After testing and validation, the changes shall be approved by the ABNSOTD Configuration Control Board (CCB), documented, and integrated into the software baseline.

5.2.20.3 Conduct tests to certify that instrumentation meets operational test requirements and report certification test results.

5.2.20.4 Maintain configuration management of all software, firmware, and mechanical, electrical, and signal interfaces.

5.2.20.5 Document systems configurations used during testing. Configuration changes during testing shall require test director review and approval for use in test events

5.3 Service Contract Reporting:

5.3.1 System for Award Management (SAM) Service Contract Report (SCR): The Contractor shall report on ALL Contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the Operational Test Command via a secure data collection site established as CDRL A020. The Contractor is required to completely fill in all required data fields through the following web address: www.sam.gov. Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs from October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk by clicking “View Assistance for SAM.gov” which is located at the top of the SAM.gov website. From there, select “Contact Our Service Desk” to contact SAM.gov support directly. If the contract period of performance ends prior to September 30, the Contractor has 30 calendar days from end date of the contract to complete the SAM SCR requirement.

Steps for Submitting a Service Contract Report (SCR)

1. Go to www.sam.gov and log in.
2. Select Entity Registrations and then select Service Contract Reporting.
3. SAM displays your entities which have service contracts and meet the reporting criteria. Select View by entity to see the service contracts for each entity.
4. Next, select Add for the service contract against which you want to create a Service Contract Report. Each service contract which meets the FAR Subpart 4.1703 reporting thresholds is displayed.
5. You will be taken to the Complete Service Contract Report page. SAM displays the contract details and allows you to report. You are required to enter the following information:
 - **Total Amount Invoiced:** Total dollar amount invoiced for services performed during the previous Government fiscal year under the contract (this amount should include the prime and any subcontract amount).
 - **Prime Contractor Hours Expended:** Prime contractor direct labor hours expended on the services performed during the previous Government fiscal year. The amount you enter is automatically divided by 2,080 hours to calculate a Full Time Employee (FTE) equivalent, displayed under the Prime Contractor Hours Expended as Prime Contractor FTEs.
6. Report any required Tier 1 subcontractor information by selecting the Add Tier 1 Subcontract Information button.
7. When you are ready to submit the report, select Submit. This saves your report and returns you to the Select Service Contract page where you can create other SCRs or edit an existing SCR.

Steps for Editing a Submitted Report

1. Follow steps 1-4 above. Any previously submitted SCR will have a View/Edit button instead of an Add button.

2. Select View/Edit. You will be able to view the current SCR, edit available fields, and resubmit the record. You can also delete previously entered information altogether.

Standard (STD): All information provided by the Contractor shall be accurate, complete, and not exceed suspense dates noted in corresponding paragraph above.

Acceptable Quality Level (AQL): 100% Compliant

PART 6 APPLICABLE PUBLICATIONS

6. Applicable Publications (Current Editions)

6.1 The Contractor (to include subcontractors) must abide by all applicable regulations, publications, manuals, local policies and procedures in performance of this contract and as outlined within the PWS and listed below.

- 6.1.1** Department Of Defense Contract Security Classification Specification (DD Form 254)
- 6.1.2** Department of Defense Security Agreement (DD Form 441)
- 6.1.3** National Industrial Security Program Operating Manual (DoD 5220.22-M)
- 6.1.4** Installation Access Control (AE Reg 190-16)
- 6.1.5** The Army Physical Security Program (AR 190-13)
- 6.1.6** Contractor Identification (AE Reg 27-715)
- 6.1.7** U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)
- 6.1.8** Information Assurance Workforce Improvement Program (DoD 8570-M)
- 6.1.9** Information Assurance Training Certification and Workforce Management Directive (DoDD 8570.01)
- 6.1.10** Information Assurance (AR 25-2)
- 6.1.11** Electromagnetic Compatibility Directive (2004/108/EC)
- 6.1.12** Policies and Procedures for Property Accountability (AR 735-5)
- 6.1.13** Military Standards (MIL-STD) and Military Specifications (MIL-SPEC).

The following documents are applicable when special test requirements, as specified by a specific technical requirement, are designated to verify acceptable levels of operations. The Government may add documents to this list for specific technical requirements.

- 6.1.14** MIL-STD-461 Electromagnetic Emission and Susceptibility Requirements for Control of Electromagnetic Interference
- 6.1.15** MIL-STD-462 Measurement of Electromagnetic Interference Characteristics
- 6.1.16** MIL-STD-463 Definition and System of Units Electromagnetic Interference Technology
- 6.1.17** MIL-STD-490 Specification Practices Equipment
- 6.1.18** MIL-STD-756-A Reliability Prediction
- 6.1.19** MIL-STD-810C Environmental Test Methods
- 6.1.20** MIL-STD-45562A Calibration Systems Requirements
- 6.1.21** MIL-T-31000 Technical Data Packages, General Specifications
- 6.1.22** DOD 5220.22-M National Industrial Security Program Operating Manual With Directive-Type Memorandum (DTM) 09-019
- 6.1.23** DODD 4630.5 Information Technology Compatibility
- 6.1.24** DODD 5000.01 Defense Acquisition System
- 6.1.25** DODD 5205.02E DOD Operations Security Program
- 6.1.26** DODD 5700.7-e Joint Ethics Regulation
- 6.1.27** DODI 5000.02 Operation of the Defense Acquisition System With DTM-09-027 and DTM-11-003
- 6.1.28** DODI 3020.41 Operational Contract Support
- 6.1.29** AR 5-11 Management of Army Models and Simulations
- 6.1.30** RESERVED
- 6.1.31** AR 25-1 The Army Knowledge Management and Information Technology
- 6.1.32** AR 25-2 Information Assurance

6.1.33 AR 58-1, Management, Acquisition, and Use of Motor Vehicles
6.1.34 AR 70-1 Army Acquisition Policy
6.1.35 AR 70-62 Airworthiness Qualification of U.S. Army Aircraft Systems
6.1.36 AR 71-32 Force Development and Documentation-Consolidated Policies
6.1.37 AR 73-1 Test and Evaluation Policy
6.1.38 AR 190-11 Physical Security of Arms, Ammunition and Explosives
6.1.39 AR 190-13 The Army Physical Security Program
6.1.40 AR 190-14 Carrying of Firearms and Use of Force for Law Enforcement and Security Duties
6.1.41 AR 190-16 Physical Security
6.1.42 AR 190-51 Security of Unclassified Army Property (Sensitive and Nonsensitive)
6.1.43 AR 200-11 Environmental Protection and Enhancement
6.1.44 AR 360-1 The Army Public Affairs Program
6.1.45 AR 380-5 Department of the Army Information Security Program
6.1.46 AR 380-10 Foreign Disclosure and Contacts With Foreign Representatives
6.1.47 AR 380-49
6.1.48 AR 380-67 The Department of the Army Personnel Security Program
6.1.49 AR 385-10 Army Safety Program
6.1.50 AR 420-1 Army Facilities Management
6.1.51 AR 525-13 Antiterrorism
6.1.52 AR 600-20 Army Command Policy
6.1.53 AR 600-55, The Army Driver and Operator Standardization Program (Selection, Training, Testing and Licensing)
6.1.54 AR 602-2 Manpower and Personnel Integration (MANPRINT) in the System Acquisition Process
6.1.55 AR 702-17 Quality Improvement and Product Nonconformance Reduction
6.1.56 AR 710-4 Property Accountability
6.1.57 AR 710-3 Asset and Transaction Reporting System
6.1.58 AR 715-9 Operational Contract Support Planning and Management
6.1.59 AR 725-50 Requisition, Receipt and Issue System
6.1.60 AR 750-1 Army Materiel Maintenance Policy
6.1.61 AR 750-6 Army Equipment Safety and Maintenance Notification System
6.1.62 AR 750-43 Army Test, Measurement and Diagnostic Equipment Program
6.1.63 DA PAM 5-11 Verification, Validation, and Accreditation of Army Models and Simulations
6.1.64 DA PAM 5-12 Simulation Support Planning and Plans
6.1.65 DA PAM 73-1 Test and Evaluation in Support of System Acquisition
6.1.66 DA PAM 750-8 The Army Maintenance Management System (TAMMS) User's Manual
6.1.67 TB 43-180 Calibration Requirements for the Maintenance of Army Material
6.1.68 TB 750-25 Maintenance of Supplies and Equipment TMDE Calibration and Repair Support Program
6.1.69 ATEC Policy 5-1 Teamwork for Quality Mission Performance (TQMP)
6.1.70 ATEC Regulation 25-1 ATEC Information Resources Management Program
6.1.71 ATEC Regulation 25-2 ATEC Information Assurance Program
6.1.72 ATEC Regulation 25-6 OPTEC Information Technology Resource (ITR) Standards
6.1.73 ATEC Regulation 72-21 Modeling and Simulation
6.1.74 ATEC Regulation 73-1 System Test and Evaluation Policy
6.1.75 ATEC Regulation 73-21 Accreditation of Models and Simulations for Test and Evaluation
6.1.76 ATEC Regulation 700-1 Support Contractor and DA Civilian (DAC) Field Dress Uniform, OPT7C

6.1.78 ATEC Regulation 750-1 Maintenance of Test Support Equipment
6.1.79 ATEC PAM 73-1 System Test and Evaluation Procedures
6.1.80 USAOEC Memo 73-Series USAOEC Test Officer's Planning Manual
6.1.81 USAOEC Policy CG-9 Commander's Critical Information Requirements (CCIR) and Serious Incident Reporting (SIR)
6.1.82 USAOEC Policy G6-1 Use of Government Communications and Information Technology Resources
6.1.83 USAOEC Physical Security Plan
6.1.84 USAOEC Standing Operating Procedure (SOP) G4-3 DAC and TSC Testing Uniform
6.1.85 USAOEC SOP 97-418 Safety Policy
6.1.86 USAOEC SOP G3-9 Security Awareness and Access Control
6.1.87 USAOEC SOP G4-7 Fire Prevention, Protection & Emergency Evacuation
6.1.88 USAOEC SOP G6-5 Information Assurance
6.1.89 USAOEC SOP G6-9 Information Assurance Certification and Accreditation
6.1.90 FH Reg 56-6 Management and Use of Non-Tactical Vehicles
6.1.91 FH Reg 190-5 Fort Cavazos Traffic Code
6.1.92 FH Reg 190-8 Administration and Management of Physical Security
6.1.93 FH Reg 190-11 Weapons
6.1.94 FH Reg 200-10 Spill Prevention Control and Countermeasure Plan
6.1.95 FH Reg 210-18 Bomb Threat Bomb Explosion Plan
6.1.96 FH Reg 380-4 Industrial Security
6.1.98 FH Reg 385-Series General Safety
6.1.99 FH Reg 420-1 Fire Prevention and Safety
6.1.100 FH Reg 420-6 Recycle Program
6.1.101 FH Reg 420-9 Energy Efficiency Program
6.1.102 FH Reg 420-27 Care, Maintenance, and Alterations of Facilities
6.1.103 FH Reg 420-36 Chemical Latrine use at Fort Cavazos
6.1.104 FH Reg 755-725 Procedures for Turn in and Withdrawal from Defense Reutilization and Marketing Office (DRMO)

6.2 Location of Publications and Forms: Army Regulations, DoD Forms, and DA Forms referenced throughout the PWS are available at the following public sites, respectively:

<https://armypubs.army.mil/ProductMaps/PubForm/AR.aspx>
https://www.esd.whs.mil/Directives/forms/dd0001_0499/
https://armypubs.army.mil/ProductMaps/PubForm/DAForm1_1000.aspx
Fort Hood publications can be accessed at <https://home.army.mil/hood/>

6.3 Abbreviations Associated with Publications:

DOD – Department of Defense
DODD – Department of Defense Directive
DODI – Department of Defense Instruction
AR – Army Regulation
DA – Department of the Army
DA Pam – Department of the Army Pamphlet
FAR – Federal Acquisition Regulation
FH – Fort Hood
OSHA – Occupational Safety & Health Admin.

SF – Standard Form

PART 7
TECHNICAL EXHIBIT LISTING

7. Technical Exhibit List

7.1 Technical Exhibit A – Performance Requirements Summary*

7.2 Technical Exhibit B – Deliverables Schedule*

7.3 Technical Exhibit C – CDRLs**

7.4 Technical Exhibit D – GFP Listing**

7.5 Technical Exhibit E – DD 254**

7.6 Technical Exhibit F – IML**

7.7 Technical Exhibit G – Potential Testing Locations**

7.8 Technical Exhibit H – Government Furnished Facilities**

* Embedded in PWS

**Separate File

TECHNICAL EXHIBIT A
Performance Requirements Summary (PRS)

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
PRS #1 PWS 1.24.9 Combating Trafficking in Persons: Compliance with FAR 52.222-50 is required. Contractor employees, including subcontractors, performing services under this contract shall complete "Combating Trafficking in Persons (CTIP) General Awareness" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion (CDRL A009). Training is available at https://jkodirect.jten.mil/Atlas2/page/desktop/DesktopHome.jsf	Contractor employees, including subcontractors, performing services under this contract shall complete "Combating Trafficking in Persons (CTIP) General Awareness" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion (CDRL A009).	100% Compliance	Trends of less than 100% performance could result in Government Corrective Action Reports. Could affect CPARS rating in a Negative or Positive way.
PRS #2 PWS 5.3 Service Contract Reporting The Contractor shall report on ALL Contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the Operational Test Command via a secure data collection site established as CDRL A020. The Contractor is required to completely fill in all required data fields through the following web address: www.sam.gov .	Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs from October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. If the contract period of performance ends prior to September 30, the Contractor has 30 calendar days from end date of the contract to complete the SAM SCR requirement.	100% Compliance	Compliance of less than 100% performance could result in Government Corrective Action Reports. Could affect CPARS rating in a Negative or Positive way.
PRS #3 PWS 1.5.1, 1.7 Quality Control Plan The Contractor shall develop and maintain a QCP to ensure services are performed IAW this PWS.	The Contractor's proposed QCP shall be submitted to the KO/COR for review within thirty (30) days after contract award IAW CDRL A017. Any proposed	100% Compliance	Contractor compliance rate shall be utilized as objective evidence of

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
	changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than 30 calendar days prior to the anticipated change and before implementation by the Contractor.		contract compliance and documented into the CPAR system; contractor shall re-perform the service
PRS #4 PWS 1.24. Required Training Contractor personnel shall complete* the mandatory training and for any required refresher training to support the current assigned mission.	The Contractor shall provide a monthly report listing all Contractor personnel and their training status IAW CDRL A009, Personnel and Training Status. *Mandatory training and applicable timeframes are specified for each training from 1.24.1 through 1.24.10.	Acceptable quality level no more than 3 incidents of deviation per month	Performance exceeding allowable deviation may result in Government Corrective Action Reports. Could affect CPARS rating in a Negative or Positive way.
PRS #5 PWS 1.23 Environmental Control The Contractor shall appoint in writing an Environmental Compliance Officer (ECO) to establish an environmental program IAW AR 200-1 and OEC Memorandum 200-1. The ECO shall also comply with Hazardous Materials Management. The ECO shall provide research, coordination, and preparation of National Environmental Policy Act (NEPA) documentation to support test events for all OEC Test Directorates as depicted in the individual test statements of work.	The ECO shall provide research, coordination, and preparation of National Environmental Policy Act (NEPA) documentation to support test events for all OEC Test Directorates as depicted* in the individual test statements of work. *Timeframes for ECO coordination and NEPA documentation are subject to individual test TO SOWs.	100% Compliance	Contractor compliance rate shall be utilized as objective evidence of contract compliance and documented into the CPAR system; contractor shall re-perform the service
PRS #6 PWS 1.26 Safety Requirements (a) through (i)	e. Report immediately, prior to the closure of business on the day of the occurrence, to the local commander, or the authorized representative	100% Compliance	Contractor compliance rate shall be utilized as objective evidence of

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
	with notification to the KO and COR, all accidents involving the Contractor, or its agents, servants or employees, which occur on a Government installation or other premises under the direct control of the Government. g. No later than five (5) business days before initiation of work at the job site, an Accident Prevention Plan, written by the Contractor for the specific work and hazards of the contract and implementing in detail the pertinent requirements of EM 385-1-1 as part of its Safety Plan (CDRL A018); will be reviewed for acceptance by designated Government personnel.		contract compliance and documented into CPARS.
PRS #7 PWS 5.2.11 TMDE Calibration Services The Contractor shall appoint an Army Test, Measurement, and Diagnostic Equipment Coordinator responsible for controlling the identification of all TMDE items that are eligible for the TMDE Program and ensuring all items in the program are calibrated IAW TB 750-25, Maintenance of Supplies and Equipment, TMDE, Calibration and Repair Support (C&RS) Program. Calibration records shall be maintained by the TMDE Coordinator and available for inspection. Ensure Test, Measurement, and Diagnostic Equipment (TMDE) is enrolled, turned in, maintained, and calibrated through the Army Materiel Command (AMC) IAW the Army TMDE Program.	The Contractor shall conform to the calibration requirements and scheduled intervals as outlined in AR 750-43	IAW AR 750-43, the Contractor shall achieve no more than 2% delinquency rate and no less than 95% for availability rate per month (as calculated at AR 750-43).	Contractor compliance delinquency rate shall be recorded for CPARS reporting periods and the results of the data shall be used to substantiate objective ratings of contractor performance. One or more may occur: if the contractor fails to meet the Governments stated specifications

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
			and timeline for this task, Contractor could receive a Government Corrective Action Report.
PRS # 8 PWS 1.26.1.6 Sensitive Item Storage The Contractor shall operate a Sensitive Item Storage Area IAW AR 190-11, AR 190-13, and AR 190-51 for the purpose of storing sensitive items.	Specific guidance is provided in CDRL A006, Sensitive Item Report, required monthly, no later than the fifth working day after the reporting month ends.	100% Compliance	Contractor compliance rate shall be utilized as objective evidence of contract compliance and documented into the CPAR system; contractor shall re-perform the service
PRS #9 PWS 5.1.1 Base Operations The Contractor shall provide personnel to support functions of management, information technology, environmental services, logistics that includes supply operations, vehicle maintenance, purchasing, facility, motor pool operations (Fort Hood, and Fort Bliss), and field test services required to support operational test events in data collection, data entry, test documentation.	Contractor performance shall be measured against successful continuity of all base services to include services for management (i.e. staffing), information technology, environmental, logistics manageability, facilities maintainability, and supply operations at Fort Hood and Fort Bliss.	No more than three (3) instances, monthly, of mission errors due to contractor action or inaction in the areas described of maintaining continuity for all base operations services IAW the PWS and base statement of work	Contractor compliance to no more than three (3) instances (monthly) of mission errors impacting base continuity operations shall be recorded for CPARS reporting periods and the results of the data shall be used to substantiate objective ratings of contractor performance.

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
			One or more may occur: if the contractor fails to meet the Governments stated specifications and timeline for this task, Contractor could receive a Government Corrective Action Report of the discrepancy.
PRS #10 PWS 5.2.1.1 Test Support Planning Phase The Contractor shall provide pre-test support that includes: all requirements specified at 5.2.1.1 (a) through (g)	(d) Provide a weekly status/progress report for each Task Order to the specific Test Officer (TO) and the COR. The report shall include the pay labor code, and overtime hours estimated and expended. In addition, the report shall synopsise weekly activities, deliverables, milestones, for that week IAW CDRL A004, Task Order Weekly Status Report. (e) Provide a Quarterly Task Order Cost Revision report for each Task Order IAW CDRL A007, Quarterly Task Order Revision. The Contractor shall provide the revision by the 5th working day following the end of each quarter. (f) Provide a monthly progress and financial report to convey technical progress, financial status, planning, action items, travel activities, and related details of assigned TO	Maintain 100% compliance with task order methodology with no milestones or deliverables missed due to Contractor action or inaction.	Contractor compliance delivery of all requirements IAW each task order planning phase accurately shall be recorded for CPARS reporting periods and the results of the data shall be used to substantiate objective ratings of contract performance. If the Contractor fails to meet the Governments stated specifications and timelines for each task,

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
	SOW accomplishments by the 10th working day of each month IAW CDRL A001, Monthly Progress and Financial Report. (g) Contractor shall make equipment selected for use on test available for inspection by the government at least two (2) weeks prior to the beginning of a test.		the Government could submit a Corrective Action Report of the discrepancy.
PRS #11 Para 5.2.1.2 Test Execution Phase The Contractor shall provide the following test support IAW the TO-RFP and will be measured against successful completion of the technical approach(es) during test execution and deliverables IAW the applicable task order. All initial setup, data management, field maintenance, test execution, logistics support, IT support, and deliverable requirements are successfully completed on time IAW requirements specified in the individual TO.	The Contractor shall provide the following test support IAW the TO-RFP and will be measured against successful completion of the technical approach(es) during test execution and deliverables IAW the applicable task order. All initial setup, data management, field maintenance, test execution, logistics support, IT support, and deliverable requirements are successfully completed on time IAW requirements specified in the individual TO.	100% Compliance, per TO	Contractor compliance to test execution phase requirements shall successfully be completed IAW each task order accurately and timely and shall be recorded for CPARS reporting periods and the results of the data shall be used to substantiate objective ratings of Contractor performance. If the Contractor fails to meet the Governments stated specifications and timelines for each task, the Government will document the deficiency in its CPARS and the Government could submit a Corrective

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
			Action Report of the deficiency.
PRS #12 PWS 5.2.1.3 Recovery Phase (Test Support) The Contractor shall provide post-test support, IAW the applicable TO-RFP, to include such actions as the following: (a) Recovery Maintenance - All equipment shall be de-installed, reconditioned, or restored to operational status or condition prior to closure of the applicable TO-RFP.	(a) No later than three weeks following a test all equipment faults requiring repair will have work orders initiated through GCSS-A or other applicable system. Cost to repair these faults will be calculated and charged to the test prior to test close out. (b) Ensure data products meet test team	All posttest recovery maintenance, data products, and AAR are successfully/100% completed on time IAW Test Task Order	Contractor compliance to recovery phase requirements shall successfully be completed IAW each task order accurately and timely and shall be recorded for CPARS reporting periods and the

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
Recovery maintenance cost estimate shall be included in the test support TO SOW. No later than three weeks following a test all equipment faults requiring repair will have work orders initiated through GCSS-A or other applicable system. Cost to repair these faults will be calculated and charged to the test prior to test close out. (b) Post-test Data Management Functions - Ensure data products meet test team requirements prior to delivery, and/or transfer of custody of the data to the Government as outlined in the Task Order. (c) Documentation - Provide finalized documents and data for archival and delivery to the Government test team. (d) Prepare After-Action Reports	requirements prior to delivery, and/or transfer of custody of the data to the Government as outlined in the Task Order. (c) Provide finalized documents and data for archival and delivery to the Government test team as required and, in the timeframe, specified by the individual TO. (d) After-Action Reports, as required and, in the timeframe, specified by the individual TO.		results of the data shall be used to substantiate objective ratings of Contractor performance. If the Contractor fails to meet the Governments stated specifications and timelines for each task, the Government will document the deficiency in its CPARS and the Government could submit a Corrective Action Report of the deficiency.
PRS #13 PWS 5.2.18.1 Airborne Operations 5.2.18.1 The Contractor shall provide Airborne Base Operations with the support to test types including low velocity airdrop, personnel airdrop (both static line and freefall), internal and external air transport and technical support requirements at ABNSOTD. Contractor performance shall be measured against successful continuity of all Airborne Base Operations and execution of support to Test Operations with required services to include staffing, data management/data collection/data reduction, instrumentation, surveys, technical data, training, RAM, reporting, meeting attendance, and videography. Airborne operations detailed at 5.2.18.2 through 5.2.18.17	Contractor performance shall be measured against successful continuity of all Airborne Base Operations and execution of support to Test Operations with required services to include staffing, data management/data collection/data reduction, instrumentation, surveys, technical data, training, RAM, reporting, meeting attendance, and videography.	No more than two (2) incidents of discrepancy of required staffing, skills and deliverables without disruption of base and test support services	Contract compliance to no more than two (2) discrepancies. If the Contractor fails to meet the Governments stated specifications and timelines for this task, the Government will document the deficiency in its CPARS and may submit a Government Corrective Action Report of the deficiency

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
PRS #14 PWS 5.2.6 Logistics and 5.2.6.1 Property Management GFP Contractor shall maintain GFP provided to the Contractor in TE D IAW FAR 52.245-1. The Contractor shall establish and maintain an acceptable Property Management System (PMS) IAW DFARS 252.245-7003 and FAR 52.245-The Contractor shall use GCSS-Army for all property management. The Property Management Plan (PMP), required at CDRL A002 shall be submitted thirty (30) days after contract award for KO review and approval. The Contractor plans, systems, and procedures at the contract, level shall enable the outcomes specified at FAR 52.245-1(f).	The Contractor shall establish and maintain an acceptable PMS IAW DFARS 252.245-7003 and FAR 52.245-The Contractor shall use GCSS-Army for all property management. The PMP, required at CDRL A002 shall be submitted thirty (30) days after contract award for KO review and approval. The Contractor plans, systems, and procedures at the contract, level shall enable the outcomes specified at FAR 52.245-1(f).	Contractor approved PMP (A002) GFP procedures are implemented with no more than two (2) incidents of discrepancy found, per quarter.	Contract compliance to no more than two (2) discrepancies, per quarter. If the Contractor fails to meet the Government's stated specifications and timelines, the Government may document the deficiency via CPARS and may submit a Government Corrective Action Report
PRS #15 PWS 5.2.12 <u>Automotive Maintenance and Motor Pool Operations</u>: Provide the following* maintenance and motor pool operations for automotive items for OEC equipment located at Fort Hood and Fort Bliss Texas and at locations stated in the applicable TO-RFP: *See 5.2.12 #1 through #28	4. Vehicles shall be dispatched within thirty (30)-minutes for emergency requests made during the normal duty day. 5. Vehicles shall be dispatched within ninety (90)-minutes for emergency requests made during non-duty hours. 6. Submit monthly fuel and mileage reports on all vehicles under CDRL A001, Monthly Progress and Financial Report. Submit an annual vehicle inventory to include Fort Bliss and Fort Bragg per AR 735-5 and DA Pamphlet 710-2. 8. Repair parts must be inputted and managed as shop stock in GCSS-ARMY and a quarterly inventory provided to the COR IAW	4. No more than one (1) failure to required timeframe, per month (inclusive of all TOs) 5. No more than one (1) failure to required timeframe, per month (inclusive of all TOs) 6. 100% compliance 8. No more than two (2) incidents of discrepancy, per quarterly report	Failure to meet stated performance thresholds may result in Corrective Action Report and/or impact to CPARS

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE/ DISINCENTIVE
	710-2-1, Chapter 8-19, Quarterly Repair Parts Inventory CDRL A013.		

TECHNICAL EXHIBIT B
DELIVERABLES SCHEDULE

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM / FORMAT</u>	<u>SUBMIT TO</u>
A001 Monthly Progress and Financial Report PWS 5.2.1.1, 5.2.8.1, 5.2.11.3	Once monthly by the 10th working day of each month	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A002 Property Management GFP PWS 1.2.5, 3.1.1	Once within thirty (30) days after contract award for KO review and approval and submit changes to the PMS to the KO not later than ten (10) calendar days prior to the effective date of the change.	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	KO
A003 Task Order Proposal (TOP) PWS 5.1.1, 5.2.2	Within 7 days of receipt of TO-RFP from Contracting Office	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	KO
A004 Task Order-Request for Proposal Weekly Status/Progress Report PWS 5.2.1.1	Once weekly by the 3 rd day of each week	One each to COR and Test Officer	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A005 Emergency Contact List PWS 1.10.1	List provided on the last date of each quarter, or upon changes in contact information. Provide first	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	COR, KO

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM / FORMAT</u>	<u>SUBMIT TO</u>
	submission no later than 5 days after contract award.			
A006 Sensitive Item Report PWS 1.26.1.6	Once monthly by the 5th working day of each month	One each to the COR	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A007 Quarterly Task Order Revisions PWS 5.2.1.1, 5.2.2	Once quarterly by the 5 th working day following the end of each quarter.	One each to the COR	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A008 Government Property Master Report PWS 5.2.6.6, 5.2.7.2 and Part 3	Once no later than thirty (30) days prior to end of each period of performance year, and ninety (90) days prior to the end of the period of performance.	One each to the COR and the Contracting Property Administrator (PA)	Electronic delivery via email using Microsoft Office Word or Power Point	COR and the Contracting PA
A009 Personnel Status and Training Report PWS 1.24	Once monthly, the 5th working day of each month. First submission due one month After contract award.	One each to the COR and OEC G3 Security	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A010 Hazardous Materials Inventory PWS 1.26.1.5.1	Once monthly, the 5th working day of each month. First submission due one month After contract award.	One each to the KO, COR, and OEC Environmental POC	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A011 Information Technology (IT) Inventory	Once by the end of the 3 rd quarter of each fiscal year	One each to the Contracting	Electronic delivery via email using	COR

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM / FORMAT</u>	<u>SUBMIT TO</u>
PWS 5.2.5.5		Officer, COR, and OEC G6	Microsoft Office Word or Power Point	
A012 Operational Security/Physical Security SOP PWS 1.6.9, 1.6.9.1, 1.7	Once within 30 calendar days after contract award	One each to the Contracting Officer, COR, and OEC G3 Security	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A013 Quarterly Repair Parts Inventory PWS 5.2.12	Once quarterly by the 5 th working day following the end of each quarter.	One each to the Contracting Officer and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A014 Non- Tactical Vehicle (NTV) Utilization Report PWS 5.2.10.3	Once quarterly on January 1st, April 1st, July 1st, and October 1 st . The 1 st report submitted through the end of the quarter from the contract award date.	One each to the COR and the Contracting PA	Electronic delivery via email using Microsoft Office Word or Power Point	COR and the Contracting PA
A015 Inventory Management List PWS 5.2.8.3	Once quarterly by the 5 th working day following the end of each quarter.	One each to the COR and the Contracting PA	Electronic delivery via email using Microsoft Office Word or Power Point	COR and the Contracting PA
A016 Organizational Conflict of Interest (OCI) Mitigation Plan PWS 1.20	Immediately upon notification of access to proprietary or source selection information from potential OCI violation	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	KO, COR
A017 Quality Control Plan PWS 1.5, 1.7	Once within 30 calendar days after contract award	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	KO, COR

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM / FORMAT</u>	<u>SUBMIT TO</u>
	Any proposed changes are required to be resubmitted for acceptance by the Contracting Officer no later than 30 calendar days prior to the anticipated change and before implementation by the Contractor.			
A018 Safety Plan PWS 1.22	Once thirty (30) days prior to contract start date for KO review and approval. Revisions shall be submitted ten (10) days prior to the effective date of the change.	One each to the KO, COR, and OEC G3 Security	Electronic delivery via email using Microsoft Office Word or Power Point	COR
A019 Contractors Phase-In/Transition Plan PWS 1.21	Once, as part of its RFP	One each to the KO and the COR	Electronic delivery via email using Microsoft Office Word or Power Point	KO, COR
A020 Service Contract Reporting PWS 5.3 and subparts	Annually, no later than 31 Oct (each year)	sam.gov	As required via sam.gov and email notifications of submission	KO, COR