

**PERFORMANCE WORK STATEMENT (PWS) FOR
UNITED STATES TRANSPORTATION COMMAND
DEFENSE PERSONAL PROPERTY PROGRAM
NON-TEMPORARY STORAGE OF RETROGRADE
CONTAINERIZED HOUSEHOLD GOODS**



16 January 2026
Version 1.0

1. DESCRIPTION OF SERVICES:

- 1.1. Background/General: The Defense Personal Property Management Office (DPMO) manages Department of War (DoW) sponsored shipments and non-temporary storage (NTS) of retrograde (NTS-R) containerized household goods (HHG) belonging to U.S. Military Service Members (including the Coast Guard), DoW Civilian and U. S. Coast Guard civilian personnel (collectively referred to herein as customers). This requirement is for storage services as detailed in this Performance Work Statement (PWS).
- 1.2. Scope of Work: The contractor shall provide all personnel, supervision, training, licenses, permits and equipment necessary to perform the tasks as identified herein for the storage of retrograde containerized HHG) entering the Eastern and/or Western United States (CONUS) storage facilities, as applicable. The contractor shall prepare shipments in Government Owned Containers (GOCs) for relocation transportation and storage in accordance with (IAW) Defense Transportation Regulations (DTR), Joint Travel Regulations (JTR), and DoD Personal Property Consignment Instruction Guide (PPCIG). The contractor shall assume all responsibility of HHG from point of receipt to the point of custody and transfer to a receiving party. The contractor's responsibilities include but are not limited to: (1) operating and managing storage facility(s), (2) handling-in HHG, (3) storage of HHG, ensuring adequate protection of shipments is provided at all times, (4) handling-out, and (5) resolving HHG loss or damage claims.
- 1.3. Contractor Duties:
 - 1.3.1. Contractor Ramp-up/Sunset Period/Transition:
 - 1.3.1.1. For the ramp-up period, the contractor shall be fully operational to begin accepting HHG shipments and associated documentation not later than 180 days after award. Problems encountered in the ramp-up of operations shall be reported to the Contracting Officer for resolution.
 - 1.3.1.2. Sunset Period: The sunset period is the period immediately following the expiration of the final awarded base or option period in which stored HHG inventory remains stored with the contractor until handled-out IAW the customer's entitlement. During this period, the contractor shall continue to provide services IAW the PWS for all stored inventory received prior to the onset of the sunset period until the termination of the sunset period. Duration of the sunset period will be up to three years from the end of the contract period. The Government does not anticipate moving or transferring HHG already in storage upon expiration of the final awarded base or option period. This concept also applies if an incumbent contractor is awarded a follow-on contract.
 - 1.3.1.3. Transition: Upon expiration of the previous NTS-R contract's sunset period, the contractor shall act as the Transportation Service Provider (TSP) to transfer HHG to its facilities. The contractor shall be responsible for transferring HHG shipments and electronic or paper files should the Government require such services. The contractor shall transition all stored HHG shipments and associated files within 90 days of notification or as mutually agreed upon between the contractor, gaining contractor and the Government. Transfer of liability occurs at the point of acceptance from current contractor to gaining contractor, or another authorized receiving party. The contractor will be compensated per hundredweight (CWT) IAW CLIN 0002 for these services. The contractor will be compensated for handle-in, storage and handle-out for accepting transferred shipments IAW CLIN 0001.
 - 1.3.1.4. Invoicing. The contractor shall submit payment requests in accordance with PWS and Appendix B. All services deemed payable by the DoW will be processed via the Third-Party Payment System (TPPS) or equivalent payment system. A fee is required to participate in the TPPS. TPPS is an automated on-line payment processing and

transaction tracking system that supports logistical transactions and is mandatory use for DoW shippers and is utilized by U.S. Government shippers. A designated financial institution receives a transaction processing fee for every paid transaction. Payments will be made to the TPPS Prime Contractor.

- 1.3.1.5. Contractor Liability and Claims. The contractor shall be liable for all loss and/or damage up to Full Replacement Value (FRV) for all HHG shipments in custody until the transfer to a contractor or customer as defined in the Defense Personal Property Claims and Liability Business Rules. (See Appendix A for complete liability and claims requirements). Claims must be settled within 60 days from the date the claim was filed.

1.3.2. Facilities:

- 1.3.2.1. The contractor shall operate warehouse storage facilities capable of storing up to thirty million (30,000,000) gross pounds of HHG annually. The contractor shall provide warehouse storage facilities in accordance with PWS that comply with all local, state, federal, and country fire, safety and construction codes, standards and ordinances, ensuring that all stored shipments are adequately protected. The contractor shall ensure that all shipments are not exposed to vermin, dust, mold, mildew, moisture, hazardous chemicals, as well as to heat, cold, humidity, and direct sunlight that causes damage to HHG.
- 1.3.2.2. In the event there are railroad tracks within 75 feet of the warehouse, the contractor shall provide documentation indicating tracks are inactive. Warehouses within 75 feet of active railroad tracks will not be approved.
- 1.3.2.3. Prior to engaging in any services identified herein, the contractor shall ensure a background check is conducted (at contractor expense), IAW industry standard, for all persons performing under this contract whose role involves interacting with a customer and/or handling or transporting shipments. The contractor shall provide employment records to Government upon request, to the extent allowed by law. The contractor will not use prison labor, any personnel appearing to be under the influence of alcohol or drugs, in possession of firearms or drugs, or uses abusive language during the handling of the customer's property. The contractor will replace said individual(s) immediately with other qualified personnel. The Government has the right to prevent certain employees from performing under the contract due to an unfavorable background check.
- 1.3.2.4. The contractor shall designate facilities not to exceed five locations within the Continental United States of America (CONUS) to accommodate the storage of inbound HHG shipments from OCONUS capable of supporting up to thirty million (30,000,000) gross pounds of HHG annually. A primary facility within a 50-mile radius of the Port of Norfolk, VA (for East CONUS shipments) and/or the Port of Oakland, CA (for Western CONUS shipments) is required for receipt of shipments. The Defense Table of Official Distance (DTOD) shall be utilized to calculate the 50-mile radius from all locations. These facilities must maintain an interior ambient temperature not to exceed 75°F and not to fall below 35°F. The facilities must maintain relative humidity, always reading range of 30%-55% indoors. The contractor shall notify the Contracting Officer Representative (COR) and Ordering Officer (OO) of designated facility changes.
- 1.3.2.5. Remote Climate-Sensor Monitoring: The contractor shall provide warehouse facilities equipped with remote climate sensor monitoring technology. The sensors must be capable of capturing at a minimum temperature and humidity, twenty-four hours a day, seven days a week and 365 days per year. The remote sensor hardware shall be placed IAW the equipment manufacturers specifications and recommendations required to provide 100% coverage of the entire facility where U.S. Government HHG shipments are stored. The readings shall be made available to the CO and COR via a remote, web-

based password-controlled log-in at all times.

- 1.3.2.6. At a minimum, all storage facilities shall maintain an operational Class 1 fully automatic supervised sprinkler system meeting the requirement for insurance rate credit by the Insurance Services Office (ISO) or other cognizant fire insurance rating organization for an other than wood frame or pole building and shall provide a firewall separation resistance rating sufficient to protect the warehouse from the fire exposure of another occupant.
- 1.3.2.7. All storage facilities with capacity in excess of three million pounds shall provide firewall separation for every three million gross pounds of stored personal property. Facilities with one hour-rated personnel doors and overhead doors between sections within warehouse must ensure doors are closed when capacity between the sections is more than three million pounds. Internal fire rated doors may be opened daily for access between sections of facility, but all doors must be closed/secured at the end of the workday. Fire-rated personnel and overhead doors shall be physically/visually inspected semi-annually to ensure they are operable. If inspected by company's burglar/security alarm company, an annotation shall be reflected in inspection reports. All storage facilities shall have external cameras outside to ensure security and safety of property stored.
- 1.3.2.8. All storage facilities shall be located above the 100-year flood plain for the area.
- 1.3.2.9. The Government reserves the right to inspect all facilities and lots at no cost. All facilities shall be available for inspection within 30 minutes between 0800 hours and 1700 hours on all Government Business Days (GBD). The contractor shall provide a covered inspection area with lighting and ventilation to perform inspection without the assistance of additional equipment.
- 1.3.2.10. The construction, upkeep, physical security, purchase, lease or rental of any commercial structure, land, or equipment for the storage facility shall be the responsibility of the contractor. Additionally, all contractors shall either own or be the primary lessor of the warehouse/facility. No warehouse/facility subleases, or secondary agreements are acceptable. The contractor and building owner (if leasing), must acknowledge in writing that holding shipments hostage is a violation of Federal Law; specifically, IAW USC Title 37, Section 453, which states in part, "No carrier, port agent, warehouseman, freight forwarder, or other person involved in the transportation of property may have a lien on, or hold, impound, or otherwise interfere with the movement of household goods being transported under this section. Contractor will be required to provide proof of ownership or proof of being the primary lessor of the warehouse facility(s) within 30 days after contract award.
 - 1.3.2.10.1. A physical pre-award survey/inspection must be completed prior to the approval of any warehouse under this contract. This includes the initial and any additional warehouses.
 - 1.3.2.10.2. The following additional items are required and must be available or provided during the physical pre-award survey/inspection of any warehouse seeking approval under this contract.
 - 1.3.2.10.2.1. Warehouse Operational Layout Fire Plan (Posted in the warehouse)
 - 1.3.2.10.2.2. Additional Fire Data Form - (Need to add description of items)
 - 1.3.2.10.2.3. Burglar/Intrusion Alarm Service
 - 1.3.2.10.2.4. Pest Control Program

1.3.2.11. Joint Inspection: A joint inspection shall be performed when liability for HHG transfers between the contractor and another service provider. Joint inspection shall be performed at any point liability for HHG transfers to or from the contractor and another service provider, including transition and phase-out periods. Inspection and inventory of containers will be restricted to an examination of the exterior condition of containers. Inventory will include documenting the condition of the containers. The omission of any notations on the inventory shall be considered in "good condition." Containers with major exterior damage as defined by the DPMO, which threatens the integrity of the container/contents, shall be reported to the COR within one GBD. Containers will be opened and repacked upon determination of the COR. The contractor shall identify loss or damage to the contents on the exception sheet, warehouse receipt, and/or rider to inventory. The Contractor shall not be liable for shortages or damage identified on the inventory during handling-in process. Should the contractor and the delivering or receiving party disagree regarding the condition or accountability of containers, such discrepancies shall be noted accordingly on exception sheet and/or rider to inventory. If no new damage or loss is discovered, the inspection documents shall state "no differences noted." The contractor shall sign and date the completed inspection documents, obtain a signature from and provide a completed copy to the receiving party, and retain a copy for the customer's file. The contractor shall provide two legible copies of the exception sheet/warehouse receipt/rider. The contractor shall provide a legible copy of exception sheets to the OO and/or COR as requested.

1.3.2.12. Upon formal request from the Contracting Officer, the contractor shall provide temporary office spaces, including office furniture and equipment for each on-site COR until adequate off-site locations are acquired. Office furniture includes a desk with locking drawers (or a separate locking file cabinet), and an office chair. The contractor agrees to provide office equipment, services, and supplies to include but not limited to printer, scanner, fax, and telephone, postage, and a commercial shredder and/or shredding services. Maintenance of all equipment is the responsibility of the contractor. The Government will provide each COR with a computer (or two if needed) with internet access (VPN/Hot Spot) capable of supporting all operating systems as required to include but not limited to TOPS and DPS.

1.3.3. HHG Handling-In:

1.3.3.1. The contractor shall immediately notify the OO and/or COR upon arrival of shipment and provide warehouse receipt/lot number and other documentation via email or via other Government IT system as per PWS paragraph 1.3.6.4. from an OO prior to performing and accepting inbound shipments. The contractor will receive a service order or task order within five days of notification, if service order or task order is not received contact the appropriate OO.

1.3.3.2. The contractor shall weigh shipments identified by OO or COR prior to handling in. Weighing will be conducted in accordance with 49 Code of Federal Regulations (CFR) § 375.509 §and comply with all applicable local, state, and federal laws.

1.3.3.3. The contractor shall accept all HHG shipments and inform OO within one GBD of performing handle in of shipment. The contractor shall have three GBDs to complete the remaining handling-in services.

1.3.3.3.1 In the event of a partial receipt of HHG shipments, contractor shall accept the initial crates of the shipment and inform OO within one GBD. When remaining crates arrive, contractor shall inform OO within one GBD of performing handle in of shipment. Handle-in date will be the date the first crates arrived.

- 1.3.3.4. Upon receipt, the contractor shall unstuff all shipping containers (e.g., seavans) IAW all applicable timelines imposed by local tariffs and/or tenders. If a Cargo Movement Document (CMD) is not delivered to the contractor within the requisite time, the contractor shall discharge the seavan and shall prepare the receipt documents. The contractor shall advise the OO and/or COR within one GBD of any seavan arrivals without proper documentation.
- 1.3.3.5. All HHG shipment containers (e.g., crates) shall remain closed unless otherwise directed by the OO or COR. The contractor shall verify that the shipping documents and the corresponding shipment match the recorded data. If discrepancies are noted, to include damaged containers, the contractor shall annotate the discrepancies on all copies of the shipping documents and prepare an exception sheet. If the HHG shipment Transportation Control Number (TCN) is incorrect, or if no CMD exists, the Contractor shall contact the OO and COR for proper shipment documentation.
- 1.3.3.6. When approved by the CO, the contractor shall unpack all damaged HHG containers (e.g., crates) and initiate necessary damage mitigation efforts (i.e. laundering, dry cleaning, and oiling of finished surfaces) available to prevent further damage to, or deterioration of, the affected items. The contractor shall repack HHG for storage after damage mitigation efforts are complete. See Appendix A, paragraph A.1.4 and all subparagraphs for Appendix A, paragraph A.1.4 for further guidance in reference to mitigation efforts.
- 1.3.3.7. All repacked or new containers must be sealed using tamper proof seals. The contractor must update the seal number on the inventory and provide an explanation within the customer's file.
- 1.3.3.8. If a shipment arrives with Personally Identifiable Information (PII) (i.e. Social Security Number (SSN), Email address, Home address, Date of Birth, etc....) stenciled on the container, the Contractor shall notify the COR immediately for further instructions and sanitize the container.
- 1.3.3.9. **Firearms.** In the event a containerized shipment is received with firearms, the shipping documents should identify the contents, and contractor must acknowledge receipt. A chain of custody and Inventory sheet with all firearms listing for confirmation. The firearms should be packed and shipped separately from the HHGs to ensure custody, serial number, make, model, model year, caliber or gauge and country of manufacture upon receipt.
- 1.3.3.9.1. Upon receipt of a containerized shipment where the OO has notified the contractor of an inbound shipment containing firearms or identified on a shipping document reflects "Shipment Contains Firearms," the contractor will:
- Identify the firearm(s) on the shipment inventory.
 - Open the number one crate to verify the firearm(s)' inventory description Once completed,
 - Acknowledge receipt of the firearm(s) by stating "Inventory Item(s) XXX verified and received" followed by a signature of the warehouse foreman on the shipment inventory or contractor-generated receipt and provide a copy to the delivering party to establish a chain of custody of firearm(s).
 - Once verified, the firearm(s) will be re-packed in its original packaging/carton and placed in the number one container where the crate will be sealed and secured to proven loss or damage. No other firearm markings or labels will be added to the carton(s) or crate.
 - Immediately report any discrepancies with respect to the firearm(s) (i.e. missing firearm(s), ammunition included, etc.) to the OO and COR for their action as indicated

in the DTR Part IIV, Chapter 409.

F

- 1.3.3.9.2. Upon release of a containerized shipment that contain a firearm(s), the contractor will ensure that a written acknowledgement verifying receipt of firearm(s) from the TSP for carriage is obtained to establish a chain of custody as required by this contract.

1.3.4. HHG Storage:

- 1.3.4.1. The contractor shall maintain an up-to-date locator system to facilitate the prompt identification and location of all stored items. Individual items stored separately will have an identity tag. This tag will be fastened to the item. At a minimum an acceptable system requires the following control data: (1) owner's name, (2) rank/grade, (3) lot number, (4) receipt date and (5) pallet/box number.
- 1.3.4.2. The contractor shall maintain electronic records of the location of all personal property shipments. Documentation shall include, but is not limited to, inventory sheets, warehouse receipt, warehouse exception sheets, handle-in and handle-out confirmations, certified weight tickets, record of loss and damage, claims, and record of all related correspondence.
 - 1.3.4.2.1. All files shall remain Government property and be utilized by the contractor only to perform under this contract. The contractor shall be responsible and accountable for all customer files that are either initiated by the contractor or provided by the Government.
- 1.3.4.3. The contractor shall maintain and store all Government Owned Containers (GOCs) to prevent damage. The contractor shall ensure that all GOCs remain properly banded prior to staging, while in storage and when handled out. The contractor shall monitor and report the total number and disposition of empty GOC(s) on hand to the OO and/or COR monthly.
- 1.3.4.4. Upon approval from the COR, and in accordance with DTR IV Appendix A-G (DPM), the contractor shall dispose of unserviceable containers at no cost to the Government.
- 1.3.4.5. The contractor shall fumigate HHG in storage not later than seventy-two (72) hours after receipt of a written notification from the U.S. Department of Agriculture (USDA) directing fumigation of the shipment IAW USDA fumigation requirements.

1.3.5. HHG Handling Out:

- 1.3.5.1. The contractor will receive a service order or task order, and other documentation via email, or via the Government IT system as per PWS Paragraph 1.3.6.4, prior to the release of any shipment, from the OO. If a contractor arrives at facility for a pick-up prior to receipt of a service order or task order, the contractor shall immediately notify the OO and COR for resolution. In no event shall a contractor release a shipment without a service order or task order. The contractor shall conduct a joint inspection and prepare a rider with the transportation service provider prior to release of the items from contractor custody.
- 1.3.5.2. The contractor shall provide all labor, equipment and materials required to execute all actions necessary to handle-out all crated and/or uncrated HHG shipment types, regardless of the shipment type (i.e., to include uncrated shipments, non-DPM (Direct Procurement Method) shipments, partial shipments, full shipments, supplemental service orders, one time only shipments, etc.); preparing the items for shipment and coordination of release with the OO. In the event the TSP for Carriage provider is

required to move items uncrated, the contractor shall provide inventory assistance. The contractor shall ensure that all shipments are processed within necessary release dates.

In the event a non-DPM type shipment is released, the contractor shall be compensated at the handle-out non-containerized rate as an unpacking charge in addition to the standard containerized handle-out rate.

- 1.3.5.3. In the event a partial release of HHG shipment is requested, OO will provide contractor a list of the requested items to prepare and coordinate a release date for pick-up. The contractor shall weigh the partial release shipment and notify the OO of the released weight and the weight of the goods remaining in storage within two GBDs of the partial release. The resulting partial release weight may not equal the original gross weight minus the weight of the items removed. This may be due to required additional dunnage required to properly block/brace the remaining items in storage.
- 1.3.5.4. In the event HHG shipments are released in error, the contractor shall immediately notify the COR within one business day and coordinate transportation arrangements to return the shipment to the warehouse using the most expeditious means necessary. The contractor shall provide the COR with a written report and all documentation pertaining to incident. If the Contracting Officer finds the contractor at fault, the contractor shall be liable for all resulting costs incurred.
- 1.3.5.5. In the event the TSP for Carriage provider misses a pick-up at the dock on the date specified on the service order or task order, the contractor, upon approval of the OO, shall be paid the non-DPM CLIN rate for restoring the shipment, with a maximum 500-pound weight limit.
- 1.3.5.6. At the time of preparation for shipment release, in the event the contractor identifies PII (e.g., SSN, DoD ID number, Email address, Home address, telephone number, Date of Birth) stenciled on the container, the Contractor will notify the COR immediately for further instructions and shall sanitize the container.
- 1.3.5.7. Reweigh. The OO or COR may request a reweigh using an alternate certified scale other than the scale used to perform the original weight determination. The contractor shall provide the reweigh tickets to the OO within seven GBDs. When a reweigh is performed the contractor shall invoice on the lesser of the two weights.

1.3.6. Information Technology Systems:

- 1.3.6.1. The contractor shall provide and maintain a secure, web-based IT system able to manage HHG shipments, provide storage visibility, and allow Government data access. The contractor shall provide a web-based access portal for authorized Government users to enter or change the task order or service order data in the event the interface prior to system integration or is not accessible. Task orders or service orders shall include a matching acknowledgement back to the source system. The contractor's system shall include system failover and disaster recovery capabilities to mitigate degradations in system performance. The contractor's system shall maintain relation of the Government's order number (Procurement Instrument Identifier or PIID) and related order data fields to the fulfillment information necessary to locate and identify the lot. The contractor's electronic response to the Government's IT ordering system for each task order shall include an identification element that relates to the discreet location where indicating the lot is stored.

1.3.6.2. Systems Integration Plan.

- 1.3.6.3. The contractor shall provide an interface with a Government designated data warehouse to feed all NTS-R data elements listed in the data dictionary. The contractor shall provide an interface to feed all task orders, fulfillment, and status data associated with the contract based on the authenticated business partner's role through Defense Logistics Agency (DLA) Defense Automatic Addressing System Global Exchange (DAAS/GEX). <https://www.dla.mil/HQ/InformationOperations/DAAS/>. Contractors will be required to enter into an agreement with DLA, this step should be included as part of the system integration plan.
- 1.3.6.4. Ordering Interface – The ordering interface will be included as an optional Contract Line Item (CLIN). When ordered, the contractor will be required to interface with a new Government IT system at some time during the contract period of performance at the request of the Government. The contractor shall be required to interface its IT system with Government IT systems(s) for the purpose of receiving customer storage requirements via task orders, for payment/invoicing, and requesting modifications.
- 1.3.6.5. Data Access. All data transferred through the Government designated data warehouse interface associated with the contract over its lifecycle shall be available for Government access in a query able format. Contractor's IT system shall possess flexible online query and export capabilities. Data shall be synced no less than every 24 hours with the Government's data warehouse. The contractor shall provide access to additional information as requested by the Government representative.
- 1.3.6.6. System Availability. The contractor's system shall be available 98% of the time. This will be computed by dividing hours of availability by the total hours in the month. Scheduled downtime shall be coordinated with the Government at least 48 hours prior to downtime start. Downtime shall be scheduled after normal working hours for each facility, or during weekends.
- 1.3.6.7. Documentation. The contractor shall prepare and retain accurate and legible joint inspection documentation. Any manual documentation created and retained relevant to task orders and performance against this contract shall be scanned, retained and related to the appropriate task orders such that all related information is available electronically. The contractor shall maintain a record of the location of all personal property shipments. Documentation shall include, but is not limited to, inventory sheets, warehouse receipt, warehouse exception sheets, handle-in and
- 1.3.6.8. handle-out confirmations, certified weight tickets, record of loss and damage, claims, and record of all related correspondence.
- 1.3.6.9. Customer Files. All information created during execution of this contract shall remain Government property and be utilized by the contractor only to perform under this contract. The contractor shall be responsible and accountable for all customer information that is either initiated by the contractor or provided by the Government.
- 1.3.7. General Cyber Security Requirements
- 1.3.7.1. Handling and Protection of Non-Public Information
- 1.3.7.1.1. For unclassified systems, in performance of this contract, the Contractor may have access to DoD Transactional Information (DTI), which for the purposes of this section shall mean any information developed or received while planning, ordering, shipping, tracking, and invoicing in support of the requirements of this contract. To adequately protect this DTI, contractor

information systems (IS) involved in the performance of this contract shall comply with the security requirements in the current version of the National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171, "Protecting Controlled Unclassified Information in Nonfederal Information Systems and Organizations". Unless covered defense information (CDI) (as defined in DFARS 252.204-7012) is identified, present, processed, stored or transmitted in an unclassified information system that is owned, or operated by or for, a contractor, compliance with NIST SP 800-171 measures is required at the prime Contractor level and does not apply to subcontractors and other entities that the prime contractor engages with in order to meet the requirements of this contract. CDI must be protected in accordance with DFARS 252.204-7012.

1.3.7.1.2. Additionally, the Contractor agrees to use such information only for the purposes of fulfilling the contracted requirements and to protect such information from unauthorized release or disclosure. Protection of the DTI does not abrogate any responsibilities of the Contractor to comply with or implement additional cyber security requirements as part of generally accepted system security principles or as required by other categories of information that may be co-resident with the DTI on the Contractor's IS.

1.3.7.2. Operationally Critical Support. The services designated under this contract are "operationally critical support" as defined in DFARS 252.204-7012 Safeguarding Covered Defense Information and Cyber Incident Reporting.

1.3.7.3. Cyber Security Assessments and Mitigation Plans.

1.3.7.3.1. The Contractor shall provide a Self-Assessment of its compliance with NIST SP 800-171 and present a Plan of Action that identifies any deviations, non-compliance, or proposed alternative means of compliance as well as plans for correcting non-compliant requirements to the Contracting Officer NLT 60 calendar days after contract award and then annually thereafter. The Self-Assessment and Plan of Action shall address all of the requirements in NIST SP 800-171. The table in Appendix N, Modified NIST SP 800-171 Requirements Table, provides modified requirements of Controlled Unclassified Information/Covered Defense Information (CUI/CDI) specific controls from NIST SP 800-171 that will be used to evaluate compliance in a non-CUI/CDI environment. Additionally, at any time during the period of performance, when a Contractor determines it is non-compliant with a NIST SP 800-171 requirement or an approved alternate means of compliance resulting in a High or Moderate Potential Impact as defined in Federal Information Processing Standards Publication (FIPS PUB) 199, "Standards for Security Categorization of Federal Information and Information Systems," the Contractor shall submit a Plan of Action within 15 calendar days of the determination of non-compliance.

1.3.7.3.2. Plans of Action and any requests to vary from NIST SP 800-171 shall be submitted to the Contracting Officer for consideration and approval by USTRANSCOM. The Contractor need not implement any security requirement determined by USTRANSCOM to be non-applicable or to have an equally effective alternative security measure implemented in its place. The Plan of Action shall follow the template provided in Appendix O, NIST SP 800-171 POAM Template. Alternate formats for the Plan of

Action may be proposed and must be approved by USTRANSCOM.

1.3.7.3.3. USTRANSCOM may conduct an on-site visit to a Contractor's facility or request a third-party assessment (U.S. Government agency or U.S. Government funded commercial entity) to review progress towards meeting their Plan of Action, evaluate any proposed variances to NIST SP 800-171 requirements, and to assess residual risk to the DTI resulting from the non-compliance. Date and time of on-site visits will be mutually agreed-upon by USTRANSCOM and the contractor in advance.

1.3.7.4. Cybersecurity Incident Reporting.

1.3.7.4.1. In addition to the DFARS 252.204-7012 reporting requirements for unclassified systems and DoD Manual (DoDM) 5220.22, National Industrial Security Program Operating Manual (NISPOM) for classified systems, reportable cyber-incidents (regardless of whether the information system contains CDI or there is an impact to performance such as delivery schedule delay), include, but are not limited to, the following:

1.3.7.4.1.1. Cyber-incidents as defined in Table 1.

1.3.7.4.1.2. Notifications by a federal, state, or local law enforcement agency or cyber-center (i.e., National Cyber Investigative Joint Task Force (NCIJTF), National Cybersecurity & Communications Integration Center (NCCIC)) of being a victim of a successful or unsuccessful cyber-event, anomaly, incident, insider threat, breach, intrusion, or exfiltration.

Table 1

Incident Category	Description
Root Level Intrusion	Unauthorized privileged access to an IS. Privileged access, often referred to as administrative or root access, provides unrestricted access to the IS. This category includes unauthorized access to information or unauthorized access to account credentials that could be used to perform administrative functions (e.g. domain administrator). If the IS is compromised with malicious code that provides remote interactive control, it will be reported in this category.
User Level Intrusion	Unauthorized non-privileged access to an IS. Non-privileged access, often referred to as user level access, provides restricted access to the IS based on the privileges granted to the user. This includes unauthorized access to information or unauthorized access to account credentials that could be used to perform user functions such as accessing Web applications, Web portals, or other similar information resources. If the IS is compromised with malicious code that provides remote interactive control, it will be reported in this category.
Denial of Service	Denial of Service (Incident) - Activity that denies, degrades, or disrupts normal functionality of an IS or DoD information network.
Malicious Logic	Installation of software designed and/or deployed by adversaries with malicious intentions for the purpose of gaining access to resources or information without the consent or knowledge of the user. This only includes malicious code that does not provide remote interactive control of the compromised IS. Malicious code that has allowed interactive access should be categorized as Root or User Level Intrusion incidents. Interactive active access may include automated tools that establish an open channel of communications to and/or from an IS.

Ransomware	Malware designed to encrypt files on a device, rendering any files and the systems that rely on them unusable. Malicious actors then demand ransom in exchange for decryption. Ransomware actors often target and threaten to sell or leak exfiltrated data or authentication information if the ransom is not paid. Ransomware is a reportable incident that may be associated with multiple incident categories depending on the attack vector and execution.
------------	---

1.3.7.4.1.3. If the cyber-incident affects a classified system, vulnerabilities associated with the incident will be classified per the current version of USTRANSCOM Instruction 31-02, Security Classification Guide.

1.3.7.4.1.4 Cybersecurity Incident Reporting Timelines In addition to providing the notification required by DFARS 252.204-7012, the contractor is required to notify USTRANSCOM as soon as practicable, but no later than 72 hours after discovering a reportable cyber-incident. The reporting timeline begins when the incident is discovered or reported to the company, its employees, contractors, or cybersecurity firm responsible for providing cybersecurity and response for the company. The contractor shall contact the USTRANSCOM Cyber Operations Center (CyOC) via phone at 618-220-4222. If the contractor does not immediately reach the CyOC via phone, the contractor shall send an email notification to transcom.scott.tcj6.mbx.cyoc-dodin-operations@mail.mil.

1.3.7.5. Mandatory Reporting Data

1.3.7.5.1. The contractor shall work with the USTRANSCOM CyOC through resolution of the incident. Within 72 hours of becoming aware of a reportable cyber-incident, the contractor shall provide an initial notification of the incident, even if some details are not yet available, which includes, but is not limited to, the following information:

- Company Name
- Who will be the POC with contact information
- Contracting Officer POC (name, telephone, email)
- Overall Assessment –Description of incident, data at risk, mitigations applied
- Indicators of compromise
- Vector of attack (if known)
- Estimated time of attack (if known)

1.3.7.5.2. The contractor shall provide a follow-on cyber-incident report to the USTRANSCOM CyOC within 5 days of becoming aware of a reportable cyber-incident, which includes, but is not limited to, the following information:

- Contractor unique Commercial and Government Entity (CAGE) code
- Contract numbers affected
- Facility CAGE code where the incident occurred if different than the prime Contractor location
- POC if different than the POC recorded in the System for Award

- Management (name, address, position, telephone, email)
- Contracting Officer POC (name, telephone, email)
- Contract clearance level
- DoW programs, platforms, systems, or information involved
- Location(s) of compromise
- Date incident discovered
- Type of compromise (e.g., unauthorized access, inadvertent release, other)
- Description of technical information compromised
- Any additional information relevant to the information compromise

1.3.7.6. Incident Reporting Coordination

- 1.3.7.6.1. In the event of a cyber-incident, USTRANSCOM may conduct an on-site review
- 1.3.7.6.2. of network or information systems where DoD information is resident on or transiting to assist the Contractor in evaluating the extent of the incident and to share information in an effort to minimize the impact to both parties. Date and time of on-site visits will be mutually agreed upon by USTRANSCOM and the Contractor in advance.
- 1.3.7.6.3. The Contractor agrees to allow follow-on actions by the Government (e.g., USTRANSCOM, Federal Bureau of Investigation, Department of Homeland Security, DC3, etc.) to further characterize and evaluate the suspect activity. The Contractor acknowledges that damage assessments might be necessary to ascertain an incident methodology and identify systems compromised as a result of the incident. Once an incident is identified, the Contractor agrees to take all reasonable and appropriate steps to preserve any and all evidence, information, data, logs, electronic files and similar type information (reference NIST Special Publication 800-61: Computer Security Incident Handling Guide, (current version)) related to the incident for subsequent forensic analysis so that an accurate and complete damage assessment can be accomplished by the Government.
- 1.3.7.6.4. The contractor is not required to maintain an organic forensic capability, but must ensure data is preserved (e.g., remove an affected system, while still powered on, from the network) and all actions documented until forensic analysis can be performed by the Government or, if the Government is unable to conduct the forensic analysis, a mutually agreed upon third party (e.g., Federally Funded Research and Development Center (FFRDC), commercial security contractor, etc.). Any follow-on actions shall be coordinated with the contractor via the Contracting Officer.
- 1.3.7.6.5. The contractor agrees to indemnify and hold the Government harmless for following any recommendations to remedy or mitigate the cyber-incident following the actions under 1.3.7.5.1. and 1.3.7.5.2.

1.3.7.7. Confidentiality and Non-Attribution Statement

The Government may use and disclose reported information as authorized by law and will only provide attribution information on a need-to-know basis to authorized persons for cybersecurity and related purposes (e.g., in support of forensic analysis, incident response, compromise or damage assessments, law enforcement,

counterintelligence, threat reporting, and trend analysis). The Government may share threat information with other USTRANSCOM industry partners without attributing or identifying the affected contractor.

1.3.8. Required Reports. (See Appendix C).

1.3.8.1. The contractor shall provide all reports and notifications included in Appendix C, Required Reports, via electronic mail (email) as Microsoft Excel spreadsheets monthly unless otherwise approved by the Contracting Officer or specified below. Reports shall be sent via email to the COR unless otherwise specified, the reports shall be provided monthly, no later than the fifteenth (15th) calendar day of the month. The contractor shall make the raw data used to compile all reports available to the Government by either exporting all DoW shipment data as defined by the data dictionary elements into a DoW system or providing DoW users (approximately 500) access to their transportation management system. Additional reports may be requested by the Contracting Officer as needed.

1.3.8.2. Title to all items, including reports, and information and data included in said reports, delivered to the Government and/or furnished until this contract passes to the Government upon acceptance, in accordance with FAR 52.212-4(n).

2. SERVICE DELIVERY SUMMARY:

PERFORMANCE OBJECTIVE	PWS PARA	PERFORMAN CE THRESHOLD
Unstuff all seavans IAW all applicable timelines imposed by local tariffs and/or tenders	1.3.3.4	98% per month
Handle In of HHG within three GBDs Or after receipt of last crate	1.3.3	95% per month
Handle Out HHG within release dates IAW PWS	1.3.5	98% per month
Submission of Required Reports	1.3.8	98% per month
Settle claims within 60 days from the date the claim was filed	1.3.1.5	98% per quarter
Cyber-Incident Reporting	1.3.7	No more than one late cyber- incident report or unreported cyber-incident in a twelve (12) month period.

3. GOVERNMENT FURNISHED PROPERTY & SERVICES:

3.1. Government Owned Containers (GOC) will be made available when accepting inbound shipments from other Contractors.

4. DEFINITIONS:

Cargo Movement Document (CMD): Any document used to identify and control cargo (e.g., Government Bill of Lading, Commercial Bill of Lading, Commercial form approved by the Government, etc.)

Claim: A request for compensation for loss or damage to personal property shipped under this contract or for inconvenience(s) as a result of delays in delivering personal property to the customer.

Commercial Bill of Lading (CBL): A document used to acquire transportation and related services from commercial TSPs.

Customer: Eligible military and Government civilian personnel or legal representative by means of Power of Attorney. The terms “customer”, “service customer” and “customer” are interchangeable.

Day: Unless otherwise noted, the term “day(s)” means calendar day(s). If the last day of a stated period is a Saturday, Sunday, or legal holiday, the period continues to run until the end of the next day that is not a Saturday, Sunday, or legal holiday.

Department of War (DoW): Includes Departments of the Army, Navy and Air Force, National Guard Bureau, and Agencies and Activities of the DOW.

Direct Procurement Method (DPM): A method of shipment whereby the Government manages the entire shipment process. Packing, containerization, local drayage and storage services are obtained from a commercial firm under contract.

Government Bill of Lading (GBL): A Government document used to acquire transportation and related services from commercial TSPs.

Government Business Days (GBD): A business day refers to the typical hours in a day when normal business operations take place. Business days are normally Monday through Friday.

Hazardous and/or Dangerous Material: Material consisting of explosives, flammable substances, and toxic chemicals, sources of ionizing radiation or radiant energy, oxidizing material, or corrosive material which, because of its nature, is dangerous to store or handle. Dangerous material is any material specified by the Federal Aviation Agency, U.S. Coast Guard, U.S. Department of Agriculture, U.S. Public Health Service, and federal or military departments which, under conditions incident to transportation, is liable to cause fires, create serious damage by chemical action, or create a serious transportation hazard. It includes explosives, flammables, corrosives, combustibles, oxidizing material, poisons, compressed gases, toxins, unduly magnetic material, biological and radiological matter, pests and diseases, and substances associated therewith presenting real or potential hazards to life and property.

Household Goods: See the Joint Federal Travel Regulations, Appendix A (<http://www.defensetravel.dod.mil/site/travelreg.cfm>) for uniformed customers and the Joint Travel Regulations, Appendix A (<http://www.defensetravel.dod.mil/site/travelreg.cfm>) for Department of Defense civilian employees for definitions of household goods.

Military Services: Includes the Army, Navy, Air Force, Marine Corps, Space Force and Coast Guard.

One-Time-Only (OTO): The one-time-only movement of personal property over a specific origin-destination channel.

Task Orders or Service Orders: Official document issued to service customers as their authorization to move personal property, family customers, and themselves at the Government’s expense.

Ordering Officer (OO): Government employee responsible for ordering

services. Personal Property: Personally-owned Household Goods

Retrograde: Return of HHG personal property from OCONUS to CONUS.

Shipment: A record reflecting all HHG personal property on hand.

Ramp-Up Period: The ramp-up period is a defined timeframe, often at the contract's start, where performance, pricing, or production gradually increases to its full operational level, easing the transition for either the contractor or customer. It is common in Software-as-a-Service (SaaS) for pricing or for new hires in sales to reach full productivity. It allows for gradual investment, onboarding, or testing before full obligations kick in, preventing immediate strain and aligning expectations, notes.

Sunset Period: The sunset period is the period immediately following the expiration of the final awarded base or option period in which stored HHG inventory remains stored with the contractor until handled-out according to the customer's entitlement. During this period, the contractor shall continue to provide services IAW the PWS for all stored inventory received prior to the onset of the sunset period until the termination of the sunset period. The Government does not anticipate moving/transferring HHG already in storage upon expiration of the final awarded base or option period. This concept also applies if an incumbent contractor is awarded a follow-on contract.

5. Security (Personnel, Information, Antiterrorism/Force Protection and Industrial

- 5.1. General Security Information. The work associated with this PWS is at the unclassified level. No access to classified information is authorized.
- 5.2. Citizenship Requirements. All personnel that will have Information Technology (IT)/Automated Data Processing (ADP) privileged access (i.e., Privileged Users) to US Information Systems (IS), and/or access classified information, classified systems, or classified areas, shall be US citizens. Foreign Nationals or Local Nationals employed by the DoW are not authorized to have privileged access to US Information Systems.
- 5.3. Information Systems (IS) Roles/Categories and Associated Suitability Requirements (Federal Investigative Standards). Some positions performing services in support of this requirement may require IT/ADP privileged access. The IS roles/categories and the number of personnel assigned to each role is approved by the COR or the CO before the start of the task order. The contractor shall comply with the appropriate provisions of applicable security regulations while assigned to this task order for DoW and USTRANSCOM. The following guidance will be followed when determining background investigation levels for this task order depending on requirements:

IS Role/Category	Classified Access	Required Investigation
General User (Non-Privileged Access)	NO	Tier 1 (T1)
Privileged User (e.g. System Administrator)	NO	Tier 5 (T5)

Note 1: USTRANSCOM TCCS-PR will initiate/administer Tier 1 investigations to determine CAC eligibility.

Note 2: Contractors performing work in Privileged User IS roles MUST undergo successful Federal Investigative Standards Tier 5 (SSBI) investigations with 6-year reviews. Privileged Users must undergo a Tier 5 (SSBI) investigation regardless of the security clearance level required for contract performance (e.g. even if no clearance or only Confidential or Secret is required).

5.4. Common Access Card (CAC) Issuance Procedures.

- 5.4.1. For those personnel that do not have the required background investigation (the FSO will make the determination by searching for a valid account for that person in DISS) the contracting company must submit to the USTRANSCOM Personnel Security Manager (through the CO or COR), an OF Form 306 (Declaration for Federal Employment), and a SF 85 (questionnaire for Non-Sensitive Positions), sent only after the FSO or equivalent reviews it for accuracy.
- 5.4.2. At the same time, the contractor company will coordinate and obtain electronic fingerprinting for their employee(s). The third-party company will "electronically" capture the applicant's fingerprints, using the USTRANSCOM (SON, SOI, and ALC). Hardcopy fingerprint cards are not acceptable. These steps shall be completed before the COR/Trusted Agent (TA) accesses the DoD Trusted Associate Sponsorship System (TASS), to create a CAC application.
- 5.4.3. Basic U. S. Citizen Contractor CAC Requirements:
 - 5.4.3.1. Requires access on a continual basis of 6 months or more.
 - 5.4.3.2. Contract personnel require access to a DoD facility or networks, either on-site or from a remote location.
 - 5.4.3.3. Users need access to systems for platforms that require CAC login or user authentication.
- 5.4.4. Basic Non- U. S. Citizens Contractor CAC Requirements:
 - 5.4.4.1. Possess legal U. S. residency for a period of 3 or more years with a completed Tier 1 background investigation and fingerprint card. Also meet (as a direct/indirect DoD hire personnel) the investigative requirements for DoD employment as recognized through international agreements pursuant to subchapter 2131 of DoD 1400.25 (reference M).
 - 5.4.4.2. Possess (as foreign military, employee or contract support personnel), a visit status and security assurance that has been confirmed, documented and processed IAW international agreements pursuant to DoDI 1400.25: Civilian Personnel Management.
- 5.4.5. CAC Applications:
 - 5.4.5.1. The CAC applications must have an adjudicated Tier 1, Tier 3 or Tier 5 background investigation posted in DISS, or
 - 5.4.5.2. An interim CAC may be approved when the contractor employee has a favorable fingerprint, name and criminal records check completed and has either a Tier 1, Tier 3 or Tier 5 background check "open" with DCSA.
 - 5.4.5.3. The TASS TA will not approve the CAC application in TASS until that TA has verified, with a member of USTRANSCOM Protection and Response (TCCS-PR), one of the above requirements.
- 5.5. Access to Scott Air Force Base or USTRANSCOM Facilities. Upon receipt of the CAC, permanently assigned contractor personnel located at USTRANSCOM at Scott AFB (SAFB), IL, may obtain a USTRANSCOM Access Credential if the employee will be assigned physically on SAFB, a USTRANSCOM-owned or managed facility, has a valid Visit Request on file and attends Initial Security Training (IST) on-site. The Government will provide unrestricted access

to facilities, consistent with security clearance eligibility and need-to-know, necessary for the onsite personnel to perform their work IAW the contract. Contractor personnel assigned on-site at USTRANSCOM will wear and display the USTRANSCOM Access Credential at all times while in USTRANSCOM facilities. Visits to SAFB by contractor personnel who do not possess the CAC will be facilitated by the COR/CO sponsoring the employee through the online base access system.

- 5.6. Visits by Non-Assigned Contractors to USTRANSCOM/SDDC Buildings. Any visit(s) by contractor personnel not permanently assigned to this task order (i.e., company presidents, company security managers, contractor personnel not permanently assigned at SAFB, etc.) require an electronic visit request be submitted using DISS. DISS visits can be forwarded to the Security Management Office (SMO) code: USTC-SDDC. The visit request shall annotate the task order number in the POC block of the visit request and the name/phone number of either the functional, COR or CO in the phone number block.
- 5.7. **Supplemental Notes Regarding Visit Information in DISS.** Personnel requiring access to Government facilities will properly complete the "Visit Information" block in DISS. Otherwise, contractor employees will be denied access to the facility and classified and/or sensitive information. Also, prime contractors will annotate their contract number and subcontractors will provide the name of their Company, with the prime contract number they are assigned to by the Prime, in the "additional information" block of the Visit table. A valid "Reason for the Visit" must be stated and the "visit access" must not exceed that of the contract.
- 5.8. **Security and Emergency Operations Training.** Contractor personnel physically assigned at USTRANSCOM at SAFB shall attend/complete the following training as prescribed by DoD, USTRANSCOM and Air Force Instructions: Annual Security Awareness, OPSEC, DoD Antiterrorism Level I, Active Shooter, Emergency Operations and any Security Stand-down Day Training scheduled by the Commander, USTRANSCOM. Contractor personnel assigned elsewhere shall attend security training established by their respective Government security offices and/or installations.
- 5.9. **Derogatory Information.** If the Government notifies the contractor that the employment or the continued employment of any contractor personnel is prejudicial to the interests or endangers the security of the United States of America, that employee shall be removed and barred from the worksite. This includes security deviations / incidents and credible derogatory information on contractor personnel during the course of the task order's PoP as noted in DISS. Personnel who have incident reports posted in DISS will be denied the ability to support the task order until the issues have been resolved and the incident has been removed in DISS. The contractor shall make any changes necessary in the appointment(s), at no additional cost to the Government. If any incident involves or may involve the mishandling of classified information or a potential Negligent Discharge of Classified Information, the USTRANSCOM Protection and Response office (618-817-6554) will be notified within 24 hours during the normal work week and within ours if the incident occurs over the weekend.
- 5.10. **Accessing NATO Information.** No contractor employee will access NATO information without first being indoctrinated on NATO and having that access recorded in DISS. Any NATO information accessed will be only on SIPRNet. Senders of NATO information will ensure the receiving network is accredited and the receiving point is a Sub-Registry or authorized Control Point. No NATO information will be stored with US classified information. Access to NATO information will be based on need-to-know, appropriate access level, and training. NATO information will not be disseminated to unauthorized users. NATO information will not be printed unless authorized by a USTRANSCOM NATO –Sub-Registry person in TCCS-PR. All printed NATO classified information must be strictly controlled and tracked in a NATO registry. Contact the USTRANSCOM Sub-Registry for additional control measures. In accordance with the NISPOM, Chapter 10-706, NATO briefed personnel will be re-briefed on an annual basis. USTRANSCOM will indoctrinate all on-site contractor employees and document in DISS.

Contractor personnel assigned to USTRANSCOM facilities will be NATO briefed and debriefed by USTRANSCOM, with appropriate annotations to DISS. Company FSOs may take responsibility for all NATO refresher briefings per NISPOM paragraph 10-706 and record the date of the annual briefings in DISS.

- 5.11. **Force Protection.** Contractor employees will comply with antiterrorism Force Protection conditions (FPCONs) at the location they are performing work on, whether it is CONUS or OCONUS.
- 5.12. **NOTE TO THE PRIME CONTRACTOR FACILITY SECURITY OFFICER (FSO):** The prime contractor will forward the name, address, email address and telephone number of the Company FSO and backup to the USTRANSCOM Office of Protection and Response (TCCS-PR) at: Transcom.scott.tccs.mbx.industrial-security@mail.mil
- 5.13. **USTRANSCOM Protection and Response (Industrial Security) POCs:**
 Attn: TCCS-S (Industrial Security Specialist)
 508 Scott Drive
 Scott AFB IL 62225
 Commercial: 618-817-4078
 USTRANSCOM TCCS-PR Approval: Jennifer Rodriguez, Industrial Security Program Manager, USTRANSCOM Joint Security Office
 USTRANSCOM TCCS-PR Tracking #: TCCS-S-022-2025

5.14. Operations Security (OPSEC).

- 5.14.1. Protecting critical information (friendly activities, intentions, capabilities, or limitations) is crucial to prevent adversaries from gaining advantage. Therefore, contractors must adhere to OPSEC requirements throughout the contract lifecycle. All information provided is for official use only. Additionally, mandatory initial and annual OPSEC training is required after contract award for all contractors working on-site at a DoD facility or off-site accessing a Federally controlled information system. Proof of completion must be available to the COR/CO. Training can be accessed at the following website: (<https://securityawareness.usalearning.gov/opsec/index.htm>).
- 5.14.2. Immediately consult the contracting office's OPSEC coordinator regarding the USTRANSCOM Critical Information and Indicators List (CIIL) and any OPSEC questions. Protect critical information (e.g., mission details, units, cargo) from unauthorized disclosure and coordinate with the government to minimize shared information. Report suspected/known compromises immediately to the COR and security office. Safeguard information (including FOUO and CUI) per the CIIL using measures like: encryption; locked storage; restricted distribution; secure destruction; limiting verbal discussions; avoiding unencrypted phones/foreign mail; prompt document retrieval; cover pages; and minimizing public disclosure. Contact the COR/CO for clarification.

- 5.15. **Security Regulation Compliance.** The Contractor shall be required to comply with all security regulations and directives as identified herein and other security requirements in this contract. The Contractor shall not divulge any financial, planning, programming, or budgeting information without the express consent of the Government as outlined in Operational Security (OPSEC) and Information Security regulations.
- 5.16. **Common Access Card Issuance Procedures.** Upon notification by TCJ3-MP personnel working in the PSC, the TA will create a CAC application in TASS with an expiration date of no more than three years. Contractors are reminded that once a new contract is issued, previously held Government CAC's or those from other contracts must be revoked, before a new CAC can be issued for the new contract. Once approved by the TA, the contractor employee may go to the nearest Real-Time Automated Personnel Identification System (RAPIDS)/Defense Enrollment

Eligibility Reporting System (DEERS) office for CAC issuance.

Security Regulation Guidance that might apply:

DoW: (DoW issuances found at: <https://www.esd.whs.mil/DD/DoD-Issuances/>):

- O-2000.16 (DODI Antiterrorism (AT) Standards), Vol 1, 17 November 2016
- DoD 5200.02, Personnel Security Program, 17 April 2017
- DoD 5200.08-R, Change-1, DoD Physical Security Program, May 27, 2009
- DoDO 2000.16, DoD Antiterrorism (AT) Standards, Vol. 1, November 17, 2016
- DODI 1000.13 DoD ID Card Lifecycle, (Dated Jan 2013, Vol. 1).
- DoDI 5200.02 DODM Procedures for the DOD Personnel Security Program
- DoDI 5220.22, National Industrial Security Program Operating Manual (NISPOM), 18 May 2016
- DoDI 8500.01, Cybersecurity, March 13, 2014
- DoDI 8510.01, DoD Information Assurance Certification and Accreditation Process (DIACAP), November 28, 2007
- DoDI 8582.01, Security of Unclassified DoD Information on Non-DoD Systems, June 6, 2012
- DoDM 5200.01 VOL. 1, DoD Information Security Program: Overview, Classification, and Declassification, 24 February 2012
- DoDM 5200.01 VOL. 2, DoD Information Security Program: Marking of Classified Information Summary of Changes, CH 2, 19 March 2013
- DoDM 5200.01 VOL. 3, DoD Information Security Program: Protection of Classified Information Summary of Changes, CH 2, 19 March 2013
- DoDM 5200.01 VOL. 4, 2/24/2012 DoD Information Security Program: Controlled Unclassified Information (CUI) Summary of Changes, 24 February 2012
- DTM 08-027, Change-1, Security of Unclassified DoD Information on Non-DoD Information Systems, September 16, 2010
- NIST SP 800-18, Guide for Developing Security Plans for Federal Information Systems, February 2006
- NIST SP 800-30, Guide for Conducting Risk Assessments, September 2012
- NIST SP 800-37, Guide for Applying the Risk Management Framework to Federal Information, 5 June 2014
- NIST SP 800-61, Computer Security Incident Handling Guide
- CJCSM 3213.02D, Joint Staff Alternative Compensatory Control Measures (ACCM) Program Management Manual (Limited Distribution).

USTRANSCOM:

- USTRANSCOM Instruction 31-02, USTRANSCOM Security Classification Guide
- USTRANSCOM Instruction 31-12, USTRANSCOM Operations Security – OPSEC

EXECUTIVE ORDERS:

- E.O. 13691 of February 13, 2015. Promoting Private Sector Cybersecurity Information Sharing

FORMS:

- FD Form 258, fingerprint Card.

<http://www.dtic.mil/whs/directives/corres/publ.htm>

NOTE TO THE PRIME CONTRACTOR FACILITY SECURITY OFFICER (FSO):

The prime contractor will forward the name, address, email address and telephone number of the Company FSO and backup to the USTRANSCOM Joint Security Office (TCCS-S) at:

Transcom.scott.tccs.mbx.industrial-security@mail.mil

USTRANSCOM Joint Security Office (Industrial Security) Points of Contact:

USTRANSCOM
Attn: TCCS-S (Industrial Security
Specialist)
508 Scott Drive
Scott AFB IL 62225
Commercial: 618-817-4078

USTC TCCS-S Approval: Jennifer Rodriguez, Chief, Industrial Security Program
Manager, USTRANSCOM Joint Security Office
USTRANSCOM TCCS-S Tracking #:

APPENDICES

Appendix A – Contractor Liability and Claims

Appendix B – Third Party Payment System (TPPS) Invoicing

Appendix C – Required Reports

Appendix D – CUI Requirements Table