


1				2				3				4			
PARTS LIST				REVISION HISTORY											
				ZONE	REV	DESCRIPTION		DATE		DRAWN BY		APPROVED BY			
				ALL	OI	ORIGINAL ISSUE		1/26/2018		A. FUENTES		R. HABERKORN			
				SH 1, 7, & 9	A	Modified dimensions for stud holes on PC 4, added threaded holes for top plate		4/17/2018		A. FUENTES		R. HABERKORN			
				SH 1 & 2	B	Updated PC number for Note 9. Corrected ASTM material ID.		4/18/2018		A. FUENTES		R. HABERKORN			
				SH 1, 7	C	Added dimension for lift hole (PC 6); corrected PC's 9 & 10 height		9/17/2018		A. FUENTES		R. HABERKORN			
				SH 1-9, & 11	D	Increased length of PC's 4, 9, and 10. Fixed minor dimensioning callouts.		2/10/2026		J. LEGGETT		M. KUMAR			
SHEET REVISION STATUS															
SHEET		1	2	3	4	5	6	7	8	9	10	11			
REVISION		D	D	D	D	D	D	D	D	D	OI	D			
												COGNIZANT ENGINEER JAKE LEGGETT (SOF) (C2370.2) (757)396-1371 2/11/2026			
												CHECKED BY ALYX DAVIDSON (SOF) (C2370.2) (757)396-9669 2/12/2026			
												SUPERVISOR MOLLY KUMAR (SOF) (C2370.2) (757)396-8081 2/27/2026			
												CONCURRENCE N/A			
UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES, AND TOLERANCES ARE AS FOLLOWS: DECIMALS: UP TO 24" = ± 1/8" 24" AND UP = ± 1/4" Angles = ± 1 DEG DRAWING DIMENSIONAL AND GEOMETRIC TOLERANCES ARE PER ASME Y14.5M-1994															
				NORFOLK NAVAL SHIPYARD REACTOR SERVICING C2370.2											
				NO DEVIATIONS SHALL BE MADE WITHOUT C2370 APPROVAL											
				TITLE MTRA Disposal Box								Document No. 6064ZN01 Attachment (A)			
				SIZE A		DWG NO 2370.2-7407V				REV D					
				SCALE Not to scale		CAGE CODE 81601		SHEET 1 of 11							

1		2		3		4		
FABRICATION NOTES								
1. THIS DRAWING PROVIDES FABRICATION DETAILS FOR A MOTOR TUBE ROTOR ASSEMBLY DISPOSAL BOX.								
A	2. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS AND WELD SPLATTER. ALL OTHER SURFACES ARE TO BE FINISHED TO 250 RMS UNLESS OTHERWISE NOTED.							
3. WELDING REQUIREMENTS:								
A. WELDING SHALL BE IN ACCORDANCE WITH AMERICAN WELDING SOCIETY D1.1.								
B. WELD SIZED SHOWN ARE MINIMUM REQUIREMENTS.								
C. SNIPE CORNERS IN THE WAY OF FILLETS AND EXISTING WELDS. CLOSE ALL SNIPES AT WELDING. SEQUENCE THE WELDING OF MATERIALS AS NECESSARY TO MINIMIZE DISTORTION.								
B	4. EACH CONTAINER SHALL HAVE A BUNA-N OR SILICONE RUBBER GASKET FOR SEALING TOP. GASKET SHALL BE PROVIDED WITH A CURE DATE AND AT LEAST 85% OF SHELF LIFE REMAINING UPON SHIPMENT. SEE PC 11 FOR DETAILS.							
5. NO CADMIUM IS TO BE USED ON BOX. DO NOT USE CADMIUM FASTENERS. STEEL FASTENERS SHALL HAVE A BLACKENED, ZINC PLATED FINISH, OR NO FINISH.								
6. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.								
C	7. PAINTING REQUIREMENTS:							
A. INTERIOR OF THE BOX WILL BE PRIMED WITH NON-HAZARDOUS, RUST INHIBITIVE PRIMER.								
B. EXTERIOR WILL BE LEFT AS BARE METAL.								
8. PADEYES SHALL BE SHIPPED UN-ATTACHED TO BOX.								
9. BOX SHALL BE SHIPPED WITH NON-LOCK NUTS INSTALLED ON STUDS (PC 12). SHIP LOCKING NUTS (PC 13) UNINSTALLED.								
D								
 NORFOLK NAVAL SHIPYARD REACTOR SERVICING C2370.2		 NO DEVIATIONS SHALL BE MADE WITHOUT C2370 APPROVAL		TITLE MTRA Disposal Box		DRAWING NO. 2370.2-7407V	REV D	SHEET 2 of 11
1		2		3		4		

1

2

3

4

A

B

C

D

PC 7 (See Sheet 6)

PC 15

PC 2

1/8"

1/8"

PC 9 & PC 10 TO PC 2, TYP

PC 1

PC 9

1/8"

1/8"

PC 9 TO PC 4, TYP

1/8"

1/8"

PC 10 TO PC 9, TYP

PC 10

PC 11

16³/₄

40

16³/₄

40

MTRA Disposal Box - Top View

NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D


SHEET
3 of 11

1

2

3

4



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
4 of 11

1

2

3

4

1

2

3

4

A

A

B



B

C

C

D

D



PC 5: Padeye



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
5 of 11

1

2

3

4

1

2

3

4

A

A

B

B

C

C

D

D

34

34

18

18

6½

1½

1½

1½

4½

1½

PC 7: Modified Forklift Channel

PC 8: Forklift Channel

NOTE: PC 7 AND 8 MAY BE FABRICATED BY BENDING 1/2" PLATE OR WELDING TO FORM THE C CHANNEL.



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
6 of 11

1

2

3

4

1

2

3

4

A

A

B

B

C

C

D

D

Ø $\frac{1}{2}$ THRU
16 Places

1/2-13 UNC - 2B ∇ $\frac{3}{4}$

$\frac{1}{2}$ TYP

$\frac{1}{2}$ TYP

$\frac{1}{2}$ TYP

1/2-13 UNC - 2B ∇ $1\frac{1}{4} \pm \frac{1}{8}$
TYP. 4 Places

PC 6: Top Plate



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
7 of 11

1

2

3

4

1

2

3

4

A

A

B


B

C

C

D

D



PC 11: Top Cover Gasket



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D



SHEET
8 of 11

1

2

3

4



PC 4: Inner Side Plate



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2




NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
9 of 11



PC 15: Forklift Spacer



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
OI

SHEET
10 of 11

1

2

3

4

A

A

B



B

C

C

D

D



NORFOLK NAVAL SHIPYARD
REACTOR SERVICING
C2370.2



NO DEVIATIONS SHALL BE MADE
WITHOUT C2370 APPROVAL

TITLE
MTRA Disposal Box

DRAWING NO.
2370.2-7407V

REV
D

SHEET
11 of 11

1

2

3

4