

## Project #4: MDC-PAC Modular SCIF

## **Project Title: MDC-PAC Modular SCIF**

### **1.0 DESCRIPTION OF WORK**

Provide all plant, labor, tools, equipment, and materials to perform all work in strict accordance with the specifications and plans required for the project. The Contractor shall accomplish all items of work needed to provide a complete and usable SCIF-in-a-Box (SIAB) system. All work must adhere to the applicable drawings, specifications, and relevant national, state, and local codes and standards.

### **2.0 AREA DESCRIPTION**

The work will occur at the designated project site at Joint Base Lewis-McChord. The Contractor is responsible for verifying all site conditions, including the availability of electrical and communication services at the designated tie-in points.

### **3.0 PRINCIPAL ITEMS TO BE ACCOMPLISHED**

#### **3.1 Site Work and Foundation**

- Concrete Pad Installation:
  - Excavate and prepare the site for a new concrete pad at the location of the new SCIF in a box.
  - Prepare the subgrade and install a crushed aggregate base course, compacted to 95% standard density. The contractor shall provide a compaction test as a submittal.
  - Pour a new 6" thick, 4,000 psi Portland cement concrete pad. The pad shall have a 1" chamfer on all edges and extend 4" above the surrounding grade. Concrete pad requirements may change based on requirements of the SCIF in a box.
  - The concrete pad shall have a thickened edge extending 12" below grade. Both the pad and thickened edge shall be reinforced with #4 rebar at 12" O.C. in each direction.
  - The contractor shall provide a concrete mix design submittal and the 28-day compressive strength test results.
- SIAB Procurement & Placement:
  - Modular Unit shall be approximately 1,000 SF, provide space for approximately 23-25 workstations, and shall meet ICD 705 and SAPF requirements

- Mount and secure the SCIF in a box onto the newly installed concrete pad per the manufacturer's anchoring requirements.
- The contractor is responsible for procuring the machinery necessary to lift and place the SIAB.
- Provide stub-out locations in the concrete pad for electrical and communications services.

### 3.2 Electrical Service

- Conduit and Wiring:
  - Install appropriately sized electrical service to provide 120/208V, 3-phase, 4-wire, 200A, 60 Hz service to the SIAB. Electrical service demands will be driven by chosen SCIF in a box requirements.
  - Trench and install conduit from the Main Distribution Panel in Building 4290 to the SIAB's electrical panel stub-out location.
  - All conductors used shall be copper and must be continuous runs without splices. All exterior fittings shall be weatherproof.
- Connections and Testing:
  - Provide and install a new 200A breaker in the designated distribution panel.
  - Provide electrical grounding to the SIAB mounted bonding plate per the project specifications.
  - Connect the electrical service to the SIAB and coordinate with the government Project Manager (PM) for a full systems check.
  - Perform an arc flash study for the affected electrical equipment and provide warning labels. Provide the study results as a submittal.

### 3.3 Communications Infrastructure

- Duct Bank Installation:
  - Install a duct bank system from the designated communications tie-in point (e.g., existing manhole or hand hole) to the SIAB's communications panel stub-out.
  - Install a new telecommunications maintenance hole, if required by the project design.


- The duct system shall be concrete-encased schedule-40 conduit. The contractor is responsible for field-verifying all measurements.
- Cable and Service Installation:
  - Engineer-Furnish-Install-and-Test (EFI&T) a complete and usable telecommunications fiber optic and copper cable system.
  - Install new single-mode (SM) fiber optic and multi-pair copper cabling from the source at Building 4290 to the SIAB, using the new duct bank infrastructure.
  - Fusion splice new fiber cables as required and install new splice cases.
  - Install new fiber patch panels (Lightguide Interconnection Units or LIUs) and a telecommunications equipment cabinet inside the SIAB.
  - All newly installed cables shall be tested "on the reel" before installation and after final termination. The contractor shall perform Optical Time Domain Reflectometry (OTDR) and Attenuation tests on all fiber strands.
  - Label all new cables and patch panels in accordance with ANSI/TIA-606 and Joint Base Lewis-McChord labeling standards.
  - Provide a detailed communications installation plan and test reports as submittals.

#### 4.0 CONSTRUCTION REQUIREMENTS


- Work Hours: Normal work hours are 0700 to 1600, Monday through Friday, excluding Federal holidays. Exceptions may be authorized with prior approval from the government PM.
- Permits: The Contractor shall obtain all required permits before starting work, including but not limited to digging permits.
- Codes and Specifications: The Contractor shall comply with the most recent editions of all pertinent Local, State, and Federal codes, including the National Electrical Code (NFPA 70), Unified Facilities Criteria (UFC), and applicable installation design standards.
- Environmental: The Contractor shall comply with all environmental regulations, including the submission of an Environmental Protection Plan (EPP) and a Stormwater Pollution Prevention Plan (SWPPP) if applicable.

- Waste Management: The contractor shall create and follow a waste management plan to meet or exceed installation-specific construction and demolition waste diversion goals.
- Utility Outages: Any required utility outages must be coordinated with the government PM a minimum of 14 calendar days in advance.


Project Location – MDC PAC SCIF



**Example SCIF in a Box Design:**  
\*Contractor must confirm all requirements of scope for final SCIF design.  
\*Contractor not required to use this manufacturer. This is for information only.





|                                                                                                                                                                                                                                                                                           |  |                          |  |                                                                                                                                                                                                          |  |                        |  |                                          |  |                    |  |                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                                           |  |                      |  |                                       |  |                |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|--|------------------------------------------|--|--------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|--|----------------------|--|---------------------------------------|--|----------------|--|
| LEGEND:                                                                                                                                                                                                                                                                                   |  | LEGEND CONTINUED:        |  | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16" ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED |  | UNIT LENGTH<br>45'     |  | UNIT WIDTH<br>15'                        |  | UNIT HEIGHT<br>10' |  | <div><p><b>ARMAG®</b><br/>C O R P O R A T I O N</p><p>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969<br/>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</p></div> |  | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, |  |                      |  | DRAWN BY<br>CTD                       |  | REVISION<br>01 |  |
| ⊙ KILL SWITCH<br>⊖ DURESS<br>⊕ ELECTRIC RECEPTACLE<br>DS DOUBLE STACKED<br>SS SINGLE STACKED<br>EMR EMERGENCY LIGHT<br>T TELEPHONE JACK<br>I LAN CONNECTION<br>SE SEISMIC SENSOR<br>SM SMOKE DETECTION<br>PIR PIR<br>BT BULLET TRAP                                                       |  | ⊕ THERMOSTAT<br>→ GROUND |  | UNIT SPEC<br>ICD 705                                                                                                                                                                                     |  | UNIT TYPE<br>ARC VAULT |  | DATE DRAWN<br>02/07/2024                 |  | APPROVED BY<br>-   |  |                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                                           |  |                      |  | APPROX. SHIPPING WT. IN LBS<br>80,000 |  |                |  |
| THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION |  |                          |  |                                                                                                                                                                                                          |  | CUSTOMER<br>ADS        |  | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA |  | SHEET SIZE<br>B    |  |                                                                                                                                                                                                                                                                                                                                                 |  | SCALE<br>1:64                                                                                                             |  | DRAWING NO.<br>S3944 |  |                                       |  |                |  |
|                                                                                                                                                                                                                                                                                           |  |                          |  |                                                                                                                                                                                                          |  | SERIAL #<br>12070-01   |  | QUOTE #<br>41541                         |  | LINING<br>STC 50   |  |                                                                                                                                                                                                                                                                                                                                                 |  | EXT. FINISH<br>"HAZE GRAY" - DEVTHANE 349QC                                                                               |  | SHEET<br>1 OF 11     |  |                                       |  |                |  |




RIGHT SIDE ELEVATION

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |                              |             |                                                                                                                                                                                                                                                                    |                                                                                                                           |             |                             |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------|
| LEGEND: | <div><div><div>⊙</div><div>⊕</div><div>⊕</div><div>DS</div><div>SS</div><div>EMR</div><div>Ⓟ</div><div>Ⓜ</div><div>SM</div><div>PIR</div><div>BT</div></div><div><div>KILL SWITCH</div><div>DURESS</div><div>ELECTRIC RECEPTACLE</div><div>DOUBLE STACKED</div><div>SINGLE STACKED</div><div>EMERGENCY LIGHT</div><div>TELEPHONE JACK</div><div>LAN CONNECTION</div><div>SEISMIC SENSOR</div><div>SMOKE DETECTION</div><div>PIR</div><div>BULLET TRAP</div></div></div> | LEGEND CONTINUED: <div><div>⊕</div><div>⊕</div></div> <div><div>THERMOSTAT</div><div>GROUND</div></div> | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16    ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION | UNIT LENGTH | UNIT WIDTH                   | UNIT HEIGHT | <div><div><div>ARMAG®</div><div>CORPORATION</div></div><div>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969<br/>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</div></div> | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, | DRAWN BY    | REVISION                    |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 45'         | 15'                          | 10'         |                                                                                                                                                                                                                                                                    |                                                                                                                           | CTD         | 01                          |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | UNIT SPEC   | UNIT TYPE                    |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | DATE DRAWN  |                             |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ICD 705     | ARC VAULT                    |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | 02/07/2024  |                             |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CUSTOMER    | LOCATION                     |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | APPROVED BY | APPROX. SHIPPING WT. IN LBS |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ADS         | JOINT BASE LEWIS-MCCHORD, WA |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | -           |                             |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SHEET       | SERIAL #                     |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | SHEET SIZE  |                             |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | B           | 12070-01                     |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | B           | 80,000                      |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SCALE       | QUOTE #                      |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | SCALE       | DRAWING NO.                 |
|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1:49.7485   | 41541                        |             |                                                                                                                                                                                                                                                                    |                                                                                                                           | 1:49.7485   | S3944                       |
| LINING  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EXT. FINISH                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SHEET       |                              |             |                                                                                                                                                                                                                                                                    |                                                                                                                           |             |                             |
| STC 50  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | "HAZE GRAY" - DEVTHANE 349QC                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2 OF 11     |                              |             |                                                                                                                                                                                                                                                                    |                                                                                                                           |             |                             |




|                     |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
|---------------------|--|-------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|--|-------------------|--|--------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|--|------------------|--|--------------------------|--|---------------------------------------|--|
| LEGEND:             |  | LEGEND CONTINUED: |  | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16 ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION |  | UNIT LENGTH<br>45'     |  | UNIT WIDTH<br>15' |  | UNIT HEIGHT<br>10' |  | <div>ARMAG®</div> <div>CORPORATION</div> <div>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969</div> <div>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</div> |  | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, |  |                  |  | DRAWN BY<br>CTD          |  | REVISION<br>01                        |  |
| ⊙ KILL SWITCH       |  | ⊕ THERMOSTAT      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | UNIT SPEC<br>ICD 705   |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  | DATE DRAWN<br>02/07/2024 |  |                                       |  |
| ⊖ DURESS            |  | ⊥ GROUND          |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | UNIT TYPE<br>ARC VAULT |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  | APPROVED BY<br>-         |  | APPROX. SHIPPING WT. IN LBS<br>80,000 |  |
| ⊕ DS DOUBLE STACKED |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | CUSTOMER<br>ADS        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  | SHEET SIZE<br>B          |  |                                       |  |
| ⊕ SS SINGLE STACKED |  |                   |  | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                        |  |                   |  |                    |  | LINING<br>STC 50                                                                                                                                                                                                                                      |  | EXT. FINISH<br>"HAZE GRAY" - DEVTHANE 349QC                                                                               |  | SCALE<br>1:48    |  | DRAWING NO.<br>S3944     |  |                                       |  |
| ⊕ EMERGENCY LIGHT   |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | SERIAL #<br>12070-01   |  | QUOTE #<br>41541  |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  | SHEET<br>3 OF 11 |  |                          |  |                                       |  |
| ⊕ TELEPHONE JACK    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
| ⊕ LAN CONNECTION    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
| ⊕ SEISMIC SENSOR    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
| ⊕ SMOKE DETECTION   |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
| ⊕ PIR               |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |
| ⊕ BULLET TRAP       |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                        |  |                   |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |                  |  |                          |  |                                       |  |



BASE FRAMING PLAN


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                          |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|------------------|---------------------------------------------|------------------|--|
| LEGEND:<br><div><div>⊙</div><div>KILL SWITCH</div></div> <div><div>⊙</div><div>DURESS</div></div> <div><div>⊕</div><div>ELECTRIC RECEPTACLE</div></div> <div><div>DS</div><div>DOUBLE STACKED</div></div> <div><div>SS</div><div>SINGLE STACKED</div></div> <div><div>EMR</div><div>EMERGENCY LIGHT</div></div> <div><div>Ⓣ</div><div>TELEPHONE JACK</div></div> <div><div>LAN</div><div>LAN CONNECTION</div></div> <div><div>SE</div><div>SEISMIC SENSOR</div></div> <div><div>SM</div><div>SMOKE DETECTION</div></div> <div><div>PIR</div><div>PIR</div></div> <div><div>BT</div><div>BULLET TRAP</div></div> | LEGEND CONTINUED:<br><div><div>⊕</div><div>THERMOSTAT</div></div> <div><div>⊕</div><div>GROUND</div></div> | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16    ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION | UNIT LENGTH<br>45'                       | UNIT WIDTH<br>15'                     | UNIT HEIGHT<br>10' | <div><b>ARMAG®</b><br/>CORPORATION<br/><small>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969<br/>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 •<br/>FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</small></div> | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, | DRAWN BY<br>CTD | REVISION<br>01 |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | DATE DRAWN<br>02/07/2024                 |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | APPROVED BY<br>-                         | APPROX. SHIPPING WT. IN LBS<br>80,000 |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SHEET SIZE<br>B                          |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SCALE<br>1:48                            | DRAWING NO.<br>S3944                  |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | UNIT SPEC<br>ICD 705                     |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                | LINING<br>STC 50 | EXT. FINISH<br>"HAZE GRAY" - DEVTHANE 349QC | SHEET<br>4 OF 11 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | UNIT TYPE<br>ARC VAULT                   |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CUSTOMER<br>ADS                          |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                |                  |                                             |                  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SERIAL #<br>12070-01                     |                                       |                    |                                                                                                                                                                                                                                                            |                                                                                                                           |                 |                | QUOTE #<br>41541 |                                             |                  |  |





|                       |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
|-----------------------|--|-------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|--|----------------|
| LEGEND:               |  | LEGEND CONTINUED: |  | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16 ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION | UNIT LENGTH<br>45'       | UNIT WIDTH<br>15'                           | UNIT HEIGHT<br>10'                        | <div><p>ARMAG<sup>®</sup><br/>C O R P O R A T I O N</p><p>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969</p><p>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</p></div> | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, | DRAWN BY<br>CTD |  | REVISION<br>01 |
| ⊙ KILL SWITCH         |  | ⊕ THERMOSTAT      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | DATE DRAWN<br>02/07/2024 |                                             | APPROX. SHIPPING WT. IN LBS<br><br>80,000 |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| ⊖ DURESS              |  | ⊥ GROUND          |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | APPROVED BY              |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| ⊕ ELECTRIC RECEPTACLE |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SHEET SIZE<br>B          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| DS DOUBLE STACKED     |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SCALE<br>1:48            |                                             | DRAWING NO.<br>S3944                      |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| SS SINGLE STACKED     |  |                   |  | SHEET<br>6 OF 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| EMR EMERGENCY LIGHT   |  |                   |  | LINING<br>STC 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                          | EXT. FINISH<br>"HAZE GRAY" - DEVTHANE 349QC |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| Ⓟ TELEPHONE JACK      |  |                   |  | CUSTOMER<br>ADS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| Ⓜ LAN CONNECTION      |  |                   |  | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| SE SEISMIC SENSOR     |  |                   |  | SERIAL #<br>12070-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                          | QUOTE #<br>41541                            |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| SM SMOKE DETECTION    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| PIR PIR               |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |
| BT BULLET TRAP        |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                          |                                             |                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |                 |  |                |






ELECTRICAL / NETWORKING PLAN

|                     |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
|---------------------|--|-------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|--|--------------------------|--|--------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------------------------|--|----------------|--|
| LEGEND:             |  | LEGEND CONTINUED: |  | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16 ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION |  | UNIT LENGTH<br>45'     |  | UNIT WIDTH<br>15'        |  | UNIT HEIGHT<br>10' |  | <div>ARMAG®</div> <div>CORPORATION</div> <div>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969</div> <div>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</div> |  | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, |  |  |  | DRAWN BY<br>CTD                       |  | REVISION<br>01 |  |
| ⊗ KILL SWITCH       |  | ⊕ THERMOSTAT      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | UNIT SPEC<br>ICD 705   |  | DATE DRAWN<br>02/07/2024 |  | APPROVED BY<br>-   |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  | APPROX. SHIPPING WT. IN LBS<br>80,000 |  |                |  |
| ⊙ DURESS            |  | ⊕ GROUND          |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | UNIT TYPE<br>ARC VAULT |  | SHEET SIZE<br>B          |  | SCALE<br>1:48      |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  | DRAWING NO.<br>S3944                  |  |                |  |
| DS DOUBLE STACKED   |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | CUSTOMER<br>ADS        |  | SHEET<br>8 OF 11         |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| SS SINGLE STACKED   |  |                   |  | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | SERIAL #<br>12070-01   |  | QUOTE #<br>41541         |  | LINING<br>STC 50   |  | EXT. FINISH<br>"HAZE GRAY" - DEVTHANE 349QC                                                                                                                                                                                                           |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| EMR EMERGENCY LIGHT |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| T TELEPHONE JACK    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| I LAN CONNECTION    |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| SE SEISMIC SENSOR   |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| SM SMOKE DETECTION  |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| PIR PIR             |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |
| BT BULLET TRAP      |  |                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                        |  |                          |  |                    |  |                                                                                                                                                                                                                                                       |  |                                                                                                                           |  |  |  |                                       |  |                |  |




| EXTERIOR MAIN PANEL SCHEDULE - 120/208V 3Ø RATED PANEL W/ 200A MAIN BREAKER SURFACE MOUNT - NEMA 3R |       |              |                   |             |             |             |                |              |       |      |
|-----------------------------------------------------------------------------------------------------|-------|--------------|-------------------|-------------|-------------|-------------|----------------|--------------|-------|------|
| BRK.                                                                                                | VOLTS | AMPS / POLES | DESCRIPTION       | LOAD (VA)   |             |             | DESCRIPTION    | AMPS / POLES | VOLTS | BRK. |
|                                                                                                     |       |              |                   | A           | B           | C           |                |              |       |      |
| 1                                                                                                   | 208   | 30/3         | HVAC              | 3600 / 4200 |             |             | HVAC           | 35/3         | 208   | 2    |
| 3                                                                                                   |       |              |                   |             | 3600 / 4200 |             |                |              |       | 4    |
| 5                                                                                                   |       |              |                   |             |             | 3600 / 4200 |                |              |       | 6    |
| 7                                                                                                   | 120   | 20/1         | EXTERIOR LIGHTING | 18 / 230    |             |             | VESTIBULE      | 20/1         | 120   | 8    |
| 9                                                                                                   | 120   | 20/1         | SPARE             |             | - / 3250    |             | INTERIOR POWER | 100/3        | 208   | 10   |
| 11                                                                                                  | 120   | 20/1         | SPARE             |             |             | - / 2400    |                |              |       | 12   |
| 13                                                                                                  | 120   | 20/1         | SPARE             | - / 3140    |             |             |                |              |       | 14   |
| 15                                                                                                  | 120   | 20/1         | SPARE             |             | - / -       |             | SPARE          | 20/1         | 120   | 16   |
| 17                                                                                                  | 120   | 20/1         | SPARE             |             |             | - / -       | SPARE          | 20/1         | 120   | 18   |
| CONNECTED LOAD PER PHASE                                                                            |       |              |                   | 9388        | 11050       | 10200       |                |              |       |      |
| TOTAL CONNECTED LOAD (KVA)                                                                          |       |              |                   | 30.64       |             |             |                |              |       |      |

| INTERIOR SUB PANEL SCHEDULE - 100A 120/208V 3Ø RATED PANEL - MAIN LUG ONLY SURFACE MOUNT - NEMA 1 |       |              |                    |            |            |            |                    |              |       |      |
|---------------------------------------------------------------------------------------------------|-------|--------------|--------------------|------------|------------|------------|--------------------|--------------|-------|------|
| BRK.                                                                                              | VOLTS | AMPS / POLES | DESCRIPTION        | LOAD (VA)  |            |            | DESCRIPTION        | AMPS / POLES | VOLTS | BRK. |
|                                                                                                   |       |              |                    | A          | B          | C          |                    |              |       |      |
| 1                                                                                                 | 120   | 20/1         | NETWORK CABINET #1 | 1000 / 800 |            |            | RECEPTACLES #1-2   | 20/1         | 120   | 2    |
| 3                                                                                                 | 120   | 20/1         | NETWORK CABINET #2 |            | 1000 / 800 |            | RECEPTACLES #3-4   | 20/1         | 120   | 4    |
| 5                                                                                                 | 120   | 20/1         | NETWORK CABINET #3 |            |            | 1000 / 800 | RECEPTACLES #5-6   | 20/1         | 120   | 6    |
| 7                                                                                                 | 120   | 20/1         | CCTV RECEPTACLE    | 180 / 800  |            |            | RECEPTACLES #7-8   | 20/1         | 120   | 8    |
| 9                                                                                                 | 120   | 20/1         | SHREDDER           |            | 400 / 800  |            | RECEPTACLES #9-10  | 20/1         | 120   | 10   |
| 11                                                                                                | 120   | 20/1         | PRINTER            |            |            | 400 / 200  | CER LIGHTING       | 20/1         | 120   | 12   |
| 13                                                                                                | 120   | 20/1         | SPARE              | - / 360    |            |            | IDS / ACS          | 20/1         | 120   | 14   |
| 15                                                                                                | 120   | 20/1         | SPARE              |            | - / 250    |            | WORK AREA LIGHTING | 20/1         | 120   | 16   |
| 17                                                                                                | 120   | 20/1         | SPARE              |            |            | - / -      | SPARE              | 20/1         | 120   | 18   |
| 19                                                                                                | 120   | 20/1         | SPARE              | - / -      |            |            | SPARE              | 20/1         | 120   | 20   |
| 21                                                                                                | 120   | 20/1         | SPARE              |            | - / -      |            | SPARE              | 20/1         | 120   | 22   |
| 23                                                                                                | 120   | 20/1         | SPARE              |            |            | - / -      | SPARE              | 20/1         | 120   | 24   |
| CONNECTED LOAD PER PHASE                                                                          |       |              |                    | 3140       | 3250       | 2400       |                    |              |       |      |
| TOTAL CONNECTED LOAD (KVA)                                                                        |       |              |                    | 8.79       |            |            |                    |              |       |      |




POWER DISTRIBUTION


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |             |                              |             |                                                                                                                                                                                                                                                               |                                                                                                                           |            |          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------|----------|
| LEGEND:<br><div><div>⊙</div>KILL SWITCH</div> <div><div>⊙</div>DURESS</div> <div><div>⊕</div>ELECTRIC RECEPTACLE</div> <div><div>DS</div>DOUBLE STACKED</div> <div><div>SS</div>SINGLE STACKED</div> <div><div>EMR</div>EMERGENCY LIGHT</div> <div><div>☎</div>TELEPHONE JACK</div> <div><div>🔌</div>LAN CONNECTION</div> <div><div>📡</div>SEISMIC SENSOR</div> <div><div>🔥</div>SMOKE DETECTION</div> <div><div>👁</div>PIR</div> <div><div>🔫</div>BULLET TRAP</div> | LEGEND CONTINUED:<br><div><div>⊕</div>THERMOSTAT</div> <div><div>⬇</div>GROUND</div> | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16 ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION | UNIT LENGTH | UNIT WIDTH                   | UNIT HEIGHT | <div><div>ARMAG®</div><div>CORPORATION</div><div>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969</div><div>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</div></div> | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, | DRAWN BY   | REVISION |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 45'         | 15'                          | 10'         |                                                                                                                                                                                                                                                               |                                                                                                                           | CTD        | 01       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | UNIT SPEC   | DATE DRAWN                   |             |                                                                                                                                                                                                                                                               |                                                                                                                           | 02/07/2024 |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ICD 705     | APPROVED BY                  |             |                                                                                                                                                                                                                                                               |                                                                                                                           | -          |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | UNIT TYPE   | SHEET SIZE                   |             |                                                                                                                                                                                                                                                               |                                                                                                                           | B          |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ARC VAULT   | APPROX. SHIPPING WT. IN LBS  |             |                                                                                                                                                                                                                                                               |                                                                                                                           | 80,000     |          |
| CUSTOMER                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LINING      | EXT. FINISH                  | SCALE       | DRAWING NO.                                                                                                                                                                                                                                                   |                                                                                                                           |            |          |
| ADS                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | JOINT BASE LEWIS-MCCHORD, WA                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | STC 50      | "HAZE GRAY" - DEVTHANE 349QC | 1:25.7466   | S3944                                                                                                                                                                                                                                                         |                                                                                                                           |            |          |
| SERIAL #                                                                                                                                                                                                                                                                                                                                                                                                                                                             | QUOTE #                                                                              | SHEET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |             |                              |             |                                                                                                                                                                                                                                                               |                                                                                                                           |            |          |
| 12070-01                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 41541                                                                                | 10 OF 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |                              |             |                                                                                                                                                                                                                                                               |                                                                                                                           |            |          |



TYPICAL GROUNDING KIT



TYPICAL WALL / ROOF CONSTRUCTION



TYPICAL FLOOR CONSTRUCTION

|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                          |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           |                          |                                       |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------------|--|--|
| LEGEND:<br><div><div>⊙</div><div>⊕</div><div>DS</div><div>SS</div><div>EMR</div><div>T</div><div>SE</div><div>SM</div><div>PIR</div><div>BT</div></div> <div><div>KILL SWITCH</div><div>DURESS</div><div>ELECTRIC RECEPTACLE</div><div>DOUBLE STACKED</div><div>SINGLE STACKED</div><div>EMERGENCY LIGHT</div><div>TELEPHONE JACK</div><div>LAN CONNECTION</div><div>SEISMIC SENSOR</div><div>SMOKE DETECTION</div><div>PIR</div><div>BULLET TRAP</div></div> | LEGEND CONTINUED:<br><div><div>⊕</div><div>→</div></div> <div><div>THERMOSTAT</div><div>GROUND</div></div> | UNLESS OTHERWISE NOTED, TOLERANCES ARE:<br>FRACTIONS: ±1/16 ANGLES: ±1°<br>MACHINED SURFACES: 125 MICRO-INCHES<br>THESE TOLERANCES DO NOT APPLY TO BASIC DIMS.<br>DRAWN TO SCALE UNLESS OTHERWISE NOTED<br><br>THIS DRAWING IS THE PROPERTY OF ARMAG CORPORATION WHO CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED. IT IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE COPIED OR USED FOR MANUFACTURE OF ANYTHING SHOWN WITHOUT SPECIFIC PERMISSION FROM ARMAG CORPORATION | UNIT LENGTH<br>45'                       | UNIT WIDTH<br>15' | UNIT HEIGHT<br>10' | <div><div>ARMAG®</div><div>CORPORATION</div><div>Manufacturers of Arms Vaults and Explosive Storage magazines since 1969</div><div>300 ARMAG AVE. • BARDSTOWN, KY 40004 • PHONE: (800) 443-9994 • FAX: (502) 348-4801 • EMAIL: info@armagcorp.com</div></div> | DESCRIPTION<br>ARC VAULT WITH RF SHIELDING, DIVIDER WALLS, ALUMINUM AWNING, ACOUSTIC/RF COMBO DOOR, AND NETWORK CABINETS, | DRAWN BY<br>CTD          | REVISION<br>01                        |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | UNIT SPEC<br>ICD 705                     |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           | DATE DRAWN<br>02/07/2024 | APPROX. SHIPPING WT. IN LBS<br>80,000 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | UNIT TYPE<br>ARC VAULT                   |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           | APPROVED BY<br>-         |                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | CUSTOMER<br>ADS                          |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           | SHEET SIZE<br>B          |                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LOCATION<br>JOINT BASE LEWIS-MCCHORD, WA |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           | SCALE<br>1:16            | DRAWING NO.<br>S3944                  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                          |                   |                    |                                                                                                                                                                                                                                                               |                                                                                                                           | SERIAL #<br>12070-01     | QUOTE #<br>41541                      |  |  |