



# PERFORMANCE WORK STATEMENT (PWS)

Telecommunication Services

Keesler AFB, Biloxi, Mississippi

DATE: 2 April 2026

VERSION: 2.0

## TABLE OF CONTENTS

|                                                                   |    |
|-------------------------------------------------------------------|----|
| 1. INTRODUCTION .....                                             | 3  |
| 1.1. Objective .....                                              | 3  |
| 2. SCOPE .....                                                    | 3  |
| 2.1 Outages .....                                                 | 2  |
| 2.2. Services Summary .....                                       | 6  |
| 3. GOVERNMENT PROVIDED SPACE AND SERVICES .....                   | 6  |
| 3.1. Securing and Safeguarding .....                              | 6  |
| 3.2. Rack Space .....                                             | 6  |
| 3.3. Environmental Controls .....                                 | 6  |
| 3.4. Wall Space .....                                             | 7  |
| 4. GENERAL REQUIREMENTS .....                                     | 7  |
| 4.1. Personnel .....                                              | 7  |
| 4.2. Government Emergency Telecommunications Service (GETS) ..... | 7  |
| 4.3. Interconnection Agreements and Cutover Plans .....           | 7  |
| 4.4. Safety, Health and Fire Protection Requirements .....        | 7  |
| 4.5. Manpower Reporting .....                                     | 8  |
| 4.6. Customer Service Records (CSR) .....                         | 8  |
| 5. APPENDICES .....                                               | 9  |
| APPENDIX A – SITE SPECIFIC REQUIREMENTS .....                     | 9  |
| APPENDIX B - DEFINITIONS & ACRONYMS .....                         | 14 |

## **1. INTRODUCTION.**

### **1.1. Objective.**

This requirement will provide essential Telecommunication Services (TS) and features supporting Keesler Air Force Base (AFB), Biloxi, Mississippi (MS). Site specific equipment connectivity requirements are identified in Appendix A, along with required features. This telecommunication service will support the installation 24 hours a day/seven days a week/365 days a year (24/7/365).

## **2. SCOPE.**

The Contractor shall provide all labor, tools, facilities, materials, and services needed to perform and provide local access to the designated circuit demarcation point(s) identified in Appendix A to this PWS. These services shall include any equipment, wiring, or infrastructure to ensure the Contractor's proposed solution is compatible with the Government's current infrastructure without additional Government expense. Access to the local exchange shall also include operator assistance functions. These services shall not include residential or business services for non-Government entities or Government Contractors.

The Contractor shall provide and install transmission equipment and cables for local and long-distance exchange access and transport service circuits to the Government-provided floor space at the Government demarcation location(s) identified in Appendix A. The Contractor shall connect to Government-provided power connection points and termination frames. The Contractor shall coordinate with the Government Point of Contact (POC) (primary and alternate names, emails, and telephone numbers will be provided by the Government after contract award) prior to any installation. The Government does not authorize aerial cable installations.

### **2.1. Outages.**

#### **2.1.1. Scheduled Outage.**

The Contractor shall notify the Government POC of any scheduled outage that will affect any telecommunication service. The Contractor shall inform the Government POC NLT 30 days prior to the scheduled outage. The Contractor shall provide a detailed explanation for the outage to include the amount of downtime and end users affected. The Contractor shall notify the Government POC via email of the need for any scheduled service outages. Such outages shall be scheduled to minimize inconvenience to users. The Government POC will release all affected equipment and circuits prior to any service disruption. The Contractor shall follow procedures identified below for outages.

#### **2.1.2. Unscheduled Outages.**

If multiple facilities, areas, primary trunks, or cables/fibers are impacted, the Government POC

will assign the category of the outage and establish the repair priority. The Contractor shall notify the Government POC verbally of problem(s) and follow-up with documentation via email within time specified for each outage type.

### **2.1.3. Outage Procedures.**

The Contractor shall follow procedures identified below for outages. In all cases, notification shall include:

- Reason for interruption,
- Duration,
- Start and stop times,
- Affected equipment, lines, and buildings, and
- Restoration action (what service was impacted and how service was restored)

### **2.1.4. Outage Priority, Restoration of Service, and Maintenance.**

The Contractor shall respond and restore service outages. From the time of receipt of the notification, the Contractor shall respond and coordinate with the Government POC within the time limits indicated below. For mission-essential functions, the Government POC will identify and prioritize the mission-essential Telecommunication Services. In the event that the Contractor anticipates not being able to provide the mission-essential Telecommunication Services (i.e. beyond the Contractor's control) IAW the TSP and RPL during a crisis situation, the Contractor shall notify the Government POC as expeditiously as possible and use its best efforts to cooperate with the Government in the Government's efforts to maintain the continuity of operations. If the Government POC determines that the outage restoration time frames cannot be met for other non-mission essential functions, the Government POC can declare any outage restoration priority level as catastrophic to emergency to serious to routine if the outage significantly affects the mission of the Government.

#### **2.1.4.1. Catastrophic Outage.**

A catastrophic outage demands immediate attention, such as a total loss of service, loss of network control, and loss of call processing capability to 95% or more of equipped lines and/or trunks. The Government POC can declare any outage as a catastrophic outage if the outage significantly affects the mission of the Government. A catastrophic outage is normally a sudden and widespread disaster stemming from the result of a man-made or natural disaster in which property and site network infrastructure are completely destroyed. Restore service time will be determined from the time the Contractor responds to the Government's notification IAW the local TSP and RPL requirements. The Contractor shall advise the Government POC of their restoration procedures for the base in a catastrophic situation. The Contractor shall respond to the outage NLT one hour of receipt of notification by the Government POC and advise the Government POC of its restoration procedures for a catastrophic situation. The Contractor shall provide the Government POC with updates NLT every four hours on the status of restoration actions.

#### **2.1.4.2. Emergency Outage.**

An emergency outage demands rapid action. The Government POC can declare any outage as an emergency outage if an outage significantly affects the mission of the Government. Emergency is defined by the Government as any outage that severely hampers the AF mission and can be restored within the restoration parameters. The Contractor shall respond to the outage NLT one hour of receipt of notification by the Government POC. The Contractor shall restore service NLT eight hours from the time the Contractor responds to the Government notification.

#### **2.1.4.3. Serious Outage.**

A serious outage demands timely action, such as degraded service or a fault condition that makes the system perform at a level less than that for which it is designed; conditions discovered in automatic routing which have not shown in the operation of the equipment but requires attention. The Government POC can declare any outage as a serious outage if an outage significantly affects the mission of the Government. The Contractor shall respond to the outage NLT one hour of receipt of notification by the Government POC. The Contractor shall restore service NLT 24 hours from the time the Contractor responds to the Government notification.

#### **2.1.4.4. Routine Outage.**

A routine outage minimally disrupts service to property, equipment, and site infrastructure. The Government POC can declare any outage as a routine outage if an outage does not seriously affect the mission but does hamper day-to-day operation of the Government installation. The Contractor shall respond to the outage NLT one hour of receipt of notification by the Government POC. The Contractor shall restore service NLT two calendar days from the time the Contractor responds to the Government's notification.

### **2.2. Services Summary**

#### **2.2.1. Services Summary (SS)**

| <b>Performance Element Number</b> | <b>Performance Objective</b>                                                                                          | <b>PWS Paragraph</b> | <b>Performance Threshold</b>                                       |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------|
| 1                                 | Perform and provide access at the designated circuit demarcation points identified in Appendix A to this PWS.         | 2.                   | Continuous operation phone service 24/7/365 with 100% availability |
| 2                                 | Inform the Government POC NLT 30 days in advance of scheduled outage providing a detailed explanation for the outage. | 2.1.1.               | Timely and detailed notification provided 100% of time             |

|   |                                                                                                                           |                           |                                                                                              |
|---|---------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------|
| 3 | Responds and restores Catastrophic Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC. | 2.1.4.<br>and<br>2.1.4.1. | Timely response to notification and timely restoration of services provided 100% of the time |
| 4 | Respond and restore Emergency Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.      | 2.1.4<br>and<br>2.1.4.2.  | Timely response to notification and timely restoration of services provided 100% of the time |
| 5 | Respond and restore Serious Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.        | 2.1.4.<br>and<br>2.1.4.3. | Timely response to notification and timely restoration of services provided 100% of the time |
| 6 | Respond and restore Routine service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.                 | 2.1.4.<br>and<br>2.1.4.4. | Timely response to notification and timely restoration of services provided 100% of the time |

### **2.2.2. Inspection.**

The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. The Government has the right to inspect all services identified within the contract, to the extent practicable at all times and places during the term of the contract.

### **2.2.3. Grade of Service.**

Locations carrying contracted voice grade, which are packetized for transport across an IP, MPLS, or other IXC system require grade of service (GoS), implemented as quality of service (QoS), to ensure that end-to-end per-call latency and packet jitter remain within ITU standards. This requirement is applicable to VoIP traffic, video traffic, or other real-time traffic that has been identified and contracted for an elevated GoS. Contractor shall ensure QoS end to end including through sub-contracted external LEC/CLEC facilities; implementation strategies that may include Committed Access Rates (CAR), Expedited Forwarding (EF), and traffic shaping determined by customer marked DSCP packets or pre-contracted data flows.

## **3. GOVERNMENT PROVIDED SPACE AND SERVICES**

### **3.1. Securing and Safeguarding**

The Contractor shall secure Government facilities, equipment, and materials before leaving a facility. The Contractor shall safeguard the Government provided facilities and

furnishings contained therein.

### **3.2. Rack Space**

The Government will provide sufficient rack space for the installation of the Contractor's provided transmission equipment. The floor space shall be coordinated with the Government POC to accommodate Contractor-provided relay rack(s), at each demarcation point. Space is available for relay rack(s) for Contractor equipment in the demarcation point.

### **3.3. Environmental Controls**

The Government will provide sufficient environmental controls to maintain humidity and temperature within the Contractor's equipment operating specifications. In addition, the Government will provide primary and emergency conditioned power sources to operate the Contractor's equipment within manufacturer's specifications.

### **3.4. Wall Space/Storage Space**

The Government will provide sufficient space where required.

## **4. GENERAL REQUIREMENTS**

### **4.1. Personnel**

The Contractor shall be solely responsible for ensuring sufficient personnel are assigned to this requirement. Appropriate personnel shall possess the qualifications and certifications to perform the requirements listed herein. These qualifications and certifications shall include those required by the Original Equipment Manufacturer (OEM) to maintain, install, and/or operate the equipment covered by this contract.

### **4.2. Government Emergency Telecommunications Service (GETS)**

GETS will be used in an emergency or crisis situation when the Public Switched Telephone Network (PSTN) is congested and the probability of completing a call over normal telecommunication means has significantly decreased. The Contractor shall have NPA 710 in the switch to allow access to the GETS line assigned to a specific site. Authorized users are provided with access to an emergency service by dialing 1-710-627-4387. The 710 NPA provides access to a tariffed service of the GETS interexchange carriers and the call is billed to the United States Government.

### **4.3. Cutover Plan Content.**

The Cutover Plan shall contain, at a minimum, the following site-specific information:

- a) Overview/Scope of plan, indicating proposed timeframe to complete cutover.
- b) A detailed Implementation Plan in working days to complete requirements listed in PWS as site-specific (see Appendix A). The use of a Gantt or Milestone chart to

- illustrate your plan is suggested.
- c) Conditions/Support required prior to the start of cutover.
  - d) Key Departments essential to the Offeror's Installation and Cutover Plan available to participate in routine progress meetings with the Government on a weekly or bi-weekly basis.
  - e) Key POC List for Contractor, Customer Site and Government Contracting Office must be included in the Final Cutover Plan.

#### **4.4. Safety, Health and Fire Protection Requirements**

The Contractor shall follow local procedures established by the local safety and health offices. Reference the instructions in Code of Federal Regulations (CFR) 29, Part 1926.58, Appendix G for proximate to asbestos containing materials. The Contractor shall record and report to the CSO all available facts relating to each instance of accidental damage to Government property or injury to either Contractor or Government personnel.

#### **4.5. Manpower Reporting. Not Applicable.**

#### **4.6. Customer Service Records (CSR)**

CSR refers to the records a telecommunications carrier provides the DoD installation with pertinent information regarding a customer's detailed account of telecommunication services. CSR shall provide the Universal Service Ordering Code (USOC) or a commercial contractor's code in reference to specific services or equipment.

The Contractor CSR shall include, but not limited to:

- Direct-In-Dial (DID) phone numbers that includes range for all associated NXXs
  - Primary Interexchange Carrier (PIC) / Local Primary Interexchange Carrier (LPIC) designation
- Commercial Subscriber Lines (CSL) and associated features and functions per CSL
  - PIC/LPIC designation
- Local Exchange Session Initiation Protocol (SIP) w/circuit ID(s) for each SIP Basic Rate Interface (BRI) w/circuit ID(s) for each BRI
- CENTREX numbers and associated features and functions per CENTREX number
  - PIC/LPIC designation
- Local Exchange Access Analog Trunks w/circuit ID(s)
- Foreign Exchange Analog Trunks w/circuit ID(s)
- Foreign Exchange Digital Trunks w/circuit ID(s)
- Transport Channels w/circuit ID(s)
- Data Point-to-Point w/circuit ID(s)
- Circuit Extensions w/circuit ID(s)



- Diversity Routing w/circuit ID(s)
- Telephone Book Listings
  - Public
  - Cross Reference
  - Foreign
  - Additional
  - Non-Published

CSR shall be in a format compatible with basic text, MSWord, Excel, etc.

## APPENDICES

### APPENDIX A – SITE SPECIFIC REQUIREMENTS

### APPENDIX B – DEFINITIONS & ACRONYMS

### TABLE A – DEFINITIONS

### TABLE B - ACRONYMS

## APPENDIX A – SITE SPECIFIC REQUIREMENTS

### A.1. Required Services and Features

The Contractor shall provide the following Government line of commercial communications services for Keesler AFB at cutover. Innovative technical solutions must be compatible with the current requirement that is listed in the remainder of this Appendix. The quantity of these initial service requirements will be incorporated into the Pricing Schedule. The installation service requirement will be identified here in Appendix A.

The Government telephone switching system is identified as a Cisco Unified Communications Manager (CUCM) v.15 cluster with two Session Border Controllers located in building 2801, 712 Chappie James Avenue, KAFB, MS 39534.

Cutover for this site shall be no more than 30 days. A cutover plan shall be submitted to the Government with their proposal, and a final plan shall be provided NLT ten days after contract award.

### A.2. Direct-Inward-Dialing (DID) Directory Numbers.

| NPA- NXX-XXXX          | DID Directory Numbers | Demarcation                                                    |
|------------------------|-----------------------|----------------------------------------------------------------|
| (228) 376-0000 to 9999 | 10,000                | Building 2801, 712 Chappie James Ave,<br>KAFB Biloxi, MS 39534 |
| (228) 377-0000 to 9999 | 10,000                |                                                                |
| <b>TOTAL</b>           | <b>20,000</b>         |                                                                |

### A.3. Exchange and Access Lines.

#### A.3.1. Commercial Subscriber Lines.

The number of Commercial Subscriber Lines (CSL) is: 2

| (NPA)-NXX-XXXX | Type   | Services and Optional Features                            | Demarcation                                              | Organization & End Demarcation Location                  |
|----------------|--------|-----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| (228)-374-1083 | Analog | Basic Services (BS), Flat Rate (FR)                       | 712 Chappie James Ave<br>Building 2801, KAFB, MS 39534   | 81 CS/SCOI<br>E911 Off-base<br>Test Line                 |
| (228)-432-5037 | Analog | Basic Services (BS), Flat Rate (FR), Private Listing (PL) | 712 Chappie James Ave<br>Building 2801<br>KAFB, MS 39534 | 81 CS/SCOI<br>Emergency dial out in case of CUCM failure |

#### **A.4. Exchange and Access Trunks.**

If these are re-accomplished, coordinates with all parties involved to assure minimum disruption to the trunk assignments already made in the Government switch.

##### **A.4.1. Session Initiation Protocol Trunking**

The Contractor shall provide 115 Concurrent Call Paths to replace current PRI trunks: providing both local and long-distance service.

#### **A.5. Public Listings.**

| Description                                   | Qty |
|-----------------------------------------------|-----|
| Public Listing, Government Section            | 2   |
| Cross Reference Listing, Alphabetical Section | 2   |

#### **A.6. Telephone Directories.**

Contractor shall provide a local telephone directory annually at award, and each subsequent year at the exercise of the option year.

| Description                                                  | Qty |
|--------------------------------------------------------------|-----|
| Local Telephone Directories .PDF electronic format (Adobe®). | 1   |
| Email address here: 81cs.cfp@us.af.mil                       |     |

#### **A.7. E911 Compatibility**

The Contractor shall provide configuration diagrams to show access to 911/E911 services, where available, through the local city or county emergency services organization.

**E911 Services.** Requirement is two (2) CAMA trunks, two (2) ALI circuits, and other services/equipment required to support the transfer of E911 calls from the local Contractor owned Selective Router to the Base owned PSAP to meet Mississippi mandate.

The Base will have Government Owned Operator Consoles to receive ANI/ALI and mapping; and a Government Owned Stand-alone ALI database for all on-base devices. The Base will provide database maintenance (i.e. update the ANI/ALI information) for all its DID/DSN numbers within the Government Owned ALI database. The Contractor shall provide E911 database maintenance for all commercial numbers (numbers not maintained by the Base).

The CAMA trunks will terminate at the Contractor's Selective Router and the Base's External CAMA converter. The ALI Circuits will terminate at the ILEC owned ALI Database and the Base owned ALI Database.

| Circuit ID/Name | Quantity/<br>Type   | Services and<br>Optional<br>Features | Demarcation                                             | Organization                                    |
|-----------------|---------------------|--------------------------------------|---------------------------------------------------------|-------------------------------------------------|
| 70.EMXX.500772  | PSAP<br>Voice Trunk | E-911 Service<br>(FR)                | Bldg. 2801,<br>712 Chappie James<br>Ave, KAFB, MS 39534 | Base Security<br>Forces Law<br>Enforcement Desk |
| 70.HPHZ.500974  | PSAP<br>ALI Circuit | E-911 Service<br>(FR)                | Bldg. 2801,<br>712 Chappie James<br>Ave, KAFB, MS 39534 | Base Security<br>Forces Law<br>Enforcement Desk |
| 70.HPHZ.500975  | PSAP<br>ALI Circuit | E-911 Service<br>(FR)                | Bldg. 2801,<br>712 Chappie James<br>Ave, KAFB, MS 39534 | Base Security<br>Forces Law<br>Enforcement Desk |


#### A.8. Special Services

Examples of Contractor circuit/trunk routing supporting Appendix A requirements are provided below in diagrams 1 and 2. These examples apply to ANG and Government sites with switches and/or PBX configuration, for SIP trunking delivery. The Carrier, if providing a CPE installed digital loop carrier system or other IP based CPE gateway system, will provide the customer with IP, VLAN, routing protocols or other pertinent information to allow the customer to logically interface with the carrier system. The customer-owned demarcation device will, in most cases, consist of a Session Border Controller providing isolation and firewall services. The Contractor-owned demarcation device will consist of a Session Border Controller providing isolation and firewall services and be compatible with the customer's demarcation device. The Contractor shall provide 24/7 with the capability to monitor the IP connection to the customer gateway equipment and alert the customer to a link failure; the customer must also have the ability to reach the Contractor's network operations center on a 24/7 basis.


#### A.9. Service Routing.

Contractor shall submit a service routing diagram (reference Appendix Diagrams 1 and 2 for examples) and/or service routing description in their technical quote. Contractor may provide the requested diagram and legend using these formats or a similar format to be in compliance with paragraph 4.3.1.

**Diagram 1**  
**TRADITIONAL LEGACY**



**Diagram 2**  
**UTILIZING SIP TRUNKING**



**Note:** The Contractor-controlled Customer Premise Equipment (CPE) shall be Contractor provided. The EBC, if available, will be Government provided.

## APPENDIX B - DEFINITIONS & ACRONYMS

**Table A. Definitions**

| <b>TERM</b>                               | <b>DEFINITION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Appendix A                                | Defines the installation requirements detailing locations on circuit delivery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Call Setup Success Rate (CSSR)            | The fractionalized amount of calls that make a successful connection to a dialed number, this is divided by the total number of calls placed. (As defined by International Telecommunication Union).                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Circuit Termination                       | Circuit termination at the Government installation includes the Main Distribution Frame (MDF) for analog signals, metallic cable pairs, Digital Signal Cross-Connect (DSX)-1 patch, cross connect panel(s) for T-1 and/or T-3 circuits, fiber optic patch and cross connect panels for optical interface equipment such as the optical carrier or SONET or MPLS systems, optical multiplexer equipment, and may extend to Cat 3/5/6 RJ-45 jack fields if directed by the Government POC to ensure adequate hand off of the circuit to the Government. Other wall-mounted, punch-down, terminal blocks are used for isolation and termination of Contractor metallic facilities. |
| Communications Focal Point (CFP)          | A 24/7 Focal Point located on an Air Force Facility that provides one stop notification services and provides reporting and tracking of communications outages to Government users of the communication systems.                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Commercial Subscriber lines (CSL)         | A CSL is defined by Government standards as a voice grade subscriber line serving directly from the Contractor's central office switch to customer's location.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Competitive Local Exchange Carrier (CLEC) | A telephone company that competes with the already established local telephone business by providing its own network and switching.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Contractor                                | A supplier or Contractor is awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| TERM                             | DEFINITION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Customer Premise Equipment (CPE) | Also known as Customer-Provided Equipment is any equipment located at a subscriber's premises and connected with a carrier's telecommunication network at the contractually established demarcation point. The demarcation point contractually separates the customer equipment from the equipment located in either the distribution infrastructure or central office of the communications service provider. Contractor installed CPE devices are fully Contractor owned, maintained, and monitored by the Contractor's management platform. CPE equipment can be powered from the customer source electrical system, but a sufficient emergency power source must be available during periods of customer power interruption for any services contractually requiring a high level of reliability. |
| Customer Service Record (CSR)    | Report that details the fixed monthly charges billed by the local telephone company. The CSR is composed of computer codes called USOCs, which in turn correspond to a particular tariffed service.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Defective Service                | A service output that does not meet the standard of performance associated with the PWS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Deliverable                      | Anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dropped Call Rate (DCR)          | The fractionalized amount of calls that experience a lost connection after a successful initial call establishment. (As defined by International Telecommunication Union).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| DS-1                             | A DS level and framing specification for synchronous digital streams, over circuits in the North American digital transmission hierarchy, at the DS1 transmission rate of 1,544,000 bits per second. DS1 is commonly used to multiplex 24 DS0 channels. Each DS0 channel, originally a digitized voice-grade telephone signal, carries 8000 bytes per second (64,000 bits per second). A DS1 frame includes one byte from each of the 24 DS0 channels and adds one framing bit, making a total of 193 bits per frame at 8000 frames per second. The result is $193 \times 8000 = 1,544,000$ bits per second.                                                                                                                                                                                          |



| TERM                                                   | DEFINITION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Session Border Controller (SBC)                        | A customer provided network node device that provides firewall, intrusion detection, routing, QoS, and packet equalization between the Vendors IP Wide Area Network and the interior customer IP network. The SBC will provide the logical demarcation point between IP SIP delivered services when applicable and will physically interface to the Contractor's CPE Gateway Router device.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Extended Area Calling Service                          | A geographic area beyond the local service area to which traffic is Classified as local for selected customers, i.e., telephone service that allows subscribers in one exchange to call subscribers of another exchange without a toll charge or for a negotiated fixed rate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Flat Rate                                              | A non-fluctuating monthly rate for telephone service in which an unlimited number of local calls can be made without further charge the extent of the contract. The monthly rate is established in the contract.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Government Emergency Telecommunications Service (GETS) | A White House-directed emergency phone service provided by the National Communications System (NCS) in the Cyber Security & Communications Division, National Protection and Programs of the Department of Homeland Security. GETS supports Federal, State, local, and tribal Government, industry, and non-Governmental organization (NGO) personnel in performing their National Security and Emergency Preparedness (NS/EP) missions. GETS provides emergency access and priority processing in the local and long-distance segments of the Public Switched Telephone Network (PSTN). It is used in an emergency or crisis situation when the PSTN is congested and the probability of completing a call over normal or other alternate tele-communication means has significantly decreased. The service LEC must have NPA (710) in the switch to allow access to the GETS line assigned to a specific site. Dialing 0/1+710-NXX-XXXX provides access to an emergency service for authorized users. The 710 NPA provides access to a tariffed service of the GETS interexchange carriers (AT&T, MCI WorldCom, and Sprint) and the call is billed to the U.S. Government. Web link: <a href="http://gets.ncs.gov/">http://gets.ncs.gov/</a> |
| Incumbent Local Exchange Carrier (ILEC)                | The dominant phone carrier within a geographic area as determined by the FCC Section 252 of the Telecommunications Act of 1996 provided local exchange service to specific area.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| <b>TERM</b>                             | <b>DEFINITION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Interconnection Agreement               | A business contract between telecommunication organizations for interconnecting their networks and exchanging telecommunication traffic. These agreements are present in both public switched telephone networks and the Internet.                                                                                                                                                                                                                                                                                                                       |
| Intra-LATA                              | Local toll service (also called intra-Local Access and Transport Area (LATA), local long distance, or regional toll service) provides calling within a geographic area known as a LATA. Per-minute toll charges usually apply to these calls.                                                                                                                                                                                                                                                                                                            |
| Local Exchange Access and Service Areas | Areas shall include the areas/zones coverage as currently defined by the incumbent local service provider(s) and/or the State PUC for the Site and shall be applied under the scope of this contract and provide a list of these local exchange access service areas and any updates as they accrue. When the Contractor provides services to a Government installation, the LATA boundary shall not be limited or restricted to a Contractor's service area. Connection to intra-LATA exchange areas and with inter-LATA exchange carriers is required. |
| Measured Rate                           | A message rate structure in which the monthly phone line rental includes a fixed rate on calls within a defined area. Measured services are often charged on the number of calls, the time of day, the distance traveled and/or the length of the call.                                                                                                                                                                                                                                                                                                  |
| Non-Recurring Charges                   | A one-time fee IAW the established tariff rates at time of award that is associated with adding a local exchange service, including installment, activation and/or equipment.                                                                                                                                                                                                                                                                                                                                                                            |
| Physical Security                       | Actions that prevent the loss or damage of Government property.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Quality Assurance                       | The Government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Quality Control                         | All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Reliability                             | The probability that a system will not fail during a specified period of time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| TERM                                       | DEFINITION                                                                                                                                                                                                                                          |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Resilience                                 | The ability of a system to recover to its normal operating form after a failure or an outage.                                                                                                                                                       |
| Session Initiation Protocol (SIP)          | A communications protocol for signaling, call setup/teardown, and communication of telephone and Video Real-Time Systems over an IP Based Unified Communication System. (As defined by Internet Assigned Numbers Authority & Request for Comments). |
| Session Initiation Protocol (SIP) Trunking | A Voice over Internet Protocol (VoIP) and streaming media service Based on the SIP by which Internet telephone service providers (ITSPs).                                                                                                           |
| SIP Trunk                                  | An IP Based virtual connector between Unified Communication Systems designed to transport high-density unicast & multicast telephone/video traffic channels.                                                                                        |
| Traffic Analysis                           | Inference of information from observable characteristics of data flow(s), such as the identities and locations of the source(s) and destinations(s), and the presence, amount, frequency and duration of occurrence.                                |

## APPENDIX B - DEFINITIONS & ACRONYMS

**TABLE B ACRONYMS:**

| <b>ACRONYM</b> | <b>EXTENDED</b>                                   |
|----------------|---------------------------------------------------|
| AF             | Air Force                                         |
| AFI            | Air Force Instruction                             |
| BRI            | Basic Rate Interface                              |
| BS             | Basic Services                                    |
| BTN            | Billing Telephone Number                          |
| CSSR           | Call Setup Success Rate                           |
| CFP            | Communications Focal Point                        |
| CLEC           | Competitive Local Exchange Carrier                |
| CO             | Contracting Officer                               |
| CPE            | Customer Premise Equipment                        |
| CSL            | Commercial Subscriber Lines                       |
| CSO            | Communications Services Officer                   |
| DCO            | Dial Central Office                               |
| DCR            | Dropped Call Rate                                 |
| DFARS          | Defense Federal Acquisition Regulation Supplement |
| DID            | Direct In Dial                                    |
| DOD            | Department of Defense                             |
| DP             | Dial Pulse                                        |
| DSN            | Defense Switching Network                         |
| DSX            | Digital Signal Cross-Connect                      |
| DTMF           | Dual Tone Multi-Frequency                         |
| EBC            | Edge Boundary Controller                          |
| FCC            | Federal Communications Commission                 |
| FD             | Full Duplex                                       |
| FR             | Flat Rate                                         |
| FX             | Foreign Exchange                                  |
| GETS           | Government Emergency Telecommunications Service   |
| GS             | Ground Start                                      |
| HD             | Half Duplex                                       |
| IAW            | In Accordance With                                |
| IC             | Incoming                                          |
| ILEC           | Incumbent Local Exchange Carrier                  |
| ISDN           | Integrated Services Digital Network               |
| IT             | Information Technology                            |
| LATA           | Local Access Transport Area                       |
| LS             | Loop Start                                        |
| LTS            | Local Telecommunications Services                 |
| MF             | Multi-Frequency                                   |
| MDF            | Main Distribution Frame                           |

| <b>ACRONYM</b> | <b>EXTENDED</b>                              |
|----------------|----------------------------------------------|
| MR             | Measured Rate                                |
| NCS            | National Communications System               |
| NS/EP          | National Security and Emergency Preparedness |
| NGO            | Non-Governmental Organization                |
| NLT            | No Later Than                                |
| OEM            | Original Equipment Manufacturer              |
| OG             | Outgoing                                     |
| POC            | Point of Contact                             |
| PRI            | Primary Rate Interface                       |
| PUC            | Public Utility Commission                    |
| PWS            | Performance Based Work Statement             |
| PSTN           | Public Switched Telephone Network            |
| RPL            | Restoration Priority List                    |
| SIP            | Session Initiation Protocol                  |
| SS             | Services Summary                             |
| TS             | Telecommunication Services                   |
| TSP            | Telecommunications Services Priority         |
| WS             | Wink Start                                   |
|                |                                              |