

Section C – 0200000
Management and Administration

0200000 - Management and Administration	
Spec Item	Title
2	Management and Administration
2.1	Definitions and Acronyms
2.2	General Information
2.2.1	Government Regular Working Hours
2.2.1.1	Observed Federal Holidays
2.2.1.2	Restriction to Contractor Working Hours
2.2.2	Requirements Hierarchy
2.3	General Administrative Requirements
2.3.1	Required Conferences and Meetings
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment
2.3.3	Partnering
2.3.3.1	Formal Partnering
2.3.3.2	Contract Partnering Administration
2.3.3.3	Contract Partnering Session Attendees
2.3.4	Permits and Licenses
2.3.5	Insurance
2.3.5.1	Certificate of Insurance
2.3.5.2	Minimum Insurance Amounts
2.3.6	Protection of Government Property
2.3.7	Directives, Instructions, and References
2.3.7.1	Standard Operating Procedures (SOP)
2.3.8	Invoicing Procedures
2.3.9	Forms
2.3.10	General Requirements for Medical Treatment Facilities
2.3.10.1	Contractor Use of Elevators in Medical Treatment Facilities
2.3.10.2	Medical Equipment
2.3.10.3	The Joint Commission (TJC) Requirements
2.3.10.4	Medical Treatment Facility (MTF) Pathogen Training
2.3.10.5	MTF Pre-Employment Training
2.3.10.6	Contractors Environment of Care (EOC) Policy and Procedures Manual
2.4	Government-Furnished Items
2.4.1	Government-Furnished Facilities
2.4.2	Government-Furnished Materials and Equipment
2.4.3	Government-Furnished Utilities
2.5	Contractor-Furnished Items
2.6	Management
2.6.1	Safeguarding Information [new spec item]
2.6.2	Dissemination of Information
2.6.3	Work Reception
2.6.4	Work Control
2.6.5	Work Schedule
2.6.6	Deliverables
2.6.7	Service Interruptions
2.6.8	NAVFAC Maximo
2.6.8.1	NAVFAC Maximo Data
2.6.8.2	NAVFAC Maximo Method of Data Entry
2.6.8.3	NAVFAC Maximo Access
2.6.8.4	NAVFAC Maximo Training
2.6.9	DMLSS (Defense Medical Logistics Support System)
2.6.10	Quality Management System (QMS)
2.6.10.1	Quality Management (QM) Plan

Section C – 0200000
Management and Administration

0200000 - Management and Administration	
Spec Item	Title
2.6.10.2	Quality Inspection and Surveillance
2.6.10.3	Quality Inspection and Surveillance Report
2.6.11	Property Management Plan
2.6.12	System and Equipment Replacement
2.7	Joint Inspection
2.8	Personnel Requirements
2.8.1	Key Personnel
2.8.1.1	Project Manager (PM)
2.8.1.2	Quality Manager
2.8.1.2.1	Quality Control Personnel
2.8.1.3	Site Safety and Health Officer (SSHO)
2.8.1.4	Environmental/Energy Manager
2.8.2	Employee Requirements
2.8.2.1	Employee Certification and Training
2.8.2.2	Employee Appearance
2.8.2.3	Employee Conduct
2.8.2.4	Identification as Contractor Employee
2.8.2.5	Removal of Employees
2.8.2.6	Proof of Legal Residency
2.8.2.7	English-Speaking Personnel
2.8.2.8	Pathogen Exposure
2.8.2.9	Immunizations
2.8.3	Service Contract Reporting (SCR)
2.9	Security Requirements
2.9.1	Employee Listing
2.9.2	Vehicles
2.9.3	Passes and Badges
2.9.4	Access to Installation
2.9.4.1	DBIDS Program
2.9.4.2	DBIDS Credentials
2.9.5	Access to Buildings
2.9.6	Access Arrangements
2.9.6.1	Escort Arrangement for Secured Areas
2.9.7	Security Clearances
2.9.8	Access to Controlled Unclassified Information
2.9.9	Access to Government Information Technology (IT), Operating Technology (OT), and Facility Related Control Systems (FRCS)
2.9.10	Access to Government Information Technology (IT) System One Net
2.9.11	Employee Status
2.10	Contractor Safety Program
2.10.1	Contractor Safety Requirements
2.10.1.1	Experience Modification Rate (EMR)
2.10.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate
2.10.2	Accident Prevention Plan (APP)
2.10.3	Activity Hazard Analysis (AHA)
2.10.4	Safety and Occupational Health (SOH) Risks and Compliance Plans
2.10.4.1	Alcohol and Drug Abuse Prevention Plan
2.10.4.2	Chemical Hazard Communication Program
2.10.4.3	Confined Space Program
2.10.4.4	Critical Lift Plan
2.10.4.5	Fall Prevention and Protection Plan
2.10.4.6	Asbestos Abatement Plan

Section C – 0200000
Management and Administration

0200000 – Management and Administration	
Spec Item	Title
2.10.4.7	Demolition Plan
2.10.4.8	Emergency Response Plans
2.10.4.9	Excavation/Trenching Plan
2.10.4.10	Fire Prevention Program
2.10.4.11	Floating Plant Severe Weather Precaution Plan and Marine Emergency Plan
2.10.4.12	Control of Hazardous Energy (lockout/tagout)
2.10.4.13	Heat Stress Monitoring Plan
2.10.4.14	Lead Compliance and Abatement Plan
2.10.4.15	Respiratory Protection Program
2.10.4.16	Site Sanitation Plan
2.10.4.17	Temporary Facility Layout Plan
2.10.5	Crane Operations
2.10.5.1	Crane Inspections
2.10.5.2	Rigging Gear
2.10.5.3	Crane Operators
2.10.6	Accident and Damage Reporting
2.10.6.1	Accident Reporting and Notification Criteria
2.10.7	Fire Protection
2.10.8	Monthly On-Site Labor Report
2.10.9	Host Nation Citations and Violations
2.10.10	Safety Inspections and Monitoring
2.10.11	Safety Certification
2.10.12	Safety Apparel on Jobsites
2.10.13	Emergency Medical Treatment
2.10.14	Excavations
2.11	Environmental Management and Sustainability
2.11.1	Energy Management Program
2.11.1.1	Water Conservation Plan
2.11.1.2	Energy Efficient Products
2.11.2	Environmental Protection
2.11.2.1	ODS Requirements for Refrigerant Recycling
2.11.2.2	Non-Hazardous Waste Disposal
2.11.2.3	Hazardous Waste Disposal
2.11.2.4	Spill Prevention, Containment, and Clean-up
2.11.2.5	Hazardous Material Management
2.11.2.6	Protection of Endangered and Threatened Species (Flora and Fauna)
2.11.2.7	Noise Control
2.11.2.8	Salvage
2.11.2.9	Asbestos Containing Material (ACM)
2.11.2.10	Storm Water Pollution Prevention Management
2.11.3	Sustainable Procurement and Practices
2.11.3.1	Environmentally Preferable Products
2.11.3.2	Use of Recovered Materials
2.11.3.3	Use of Biobased Products
2.12	Disaster Preparedness
2.13	Technical Library
2.14	Warranty Management
2.15	Recurring Work Procedures
2.15.1	Recurring Work Preparation of Proposals
2.15.2	Notification to the Government for Work Above the Recurring Work Limitations
2.15.3	Recurring Work Exhibit Line Item Numbers (ELINs)

Section C – 0200000
Management and Administration

0200000 - Management and Administration	
Spec Item	Title
2.15.4	Inventory Data Quantity Variation
2.16	Non-Recurring Work
2.16.1	Unit Priced Task (UPT) Work (Non-Negotiated)
2.16.1.1	Acceptance and Performance
2.16.1.2	Invoicing and Receiving Payment
2.16.2	Unit Priced Labor (UPL) Work (Negotiated)
2.16.2.1	Non-Recurring Work Preparation of Proposals
2.16.2.1.1	Labor Requirements
2.16.2.1.2	Direct Material and Construction Equipment Requirements
2.16.2.2	Issuance of Final Task Order
2.16.3	Non-Recurring Work ELINS

Section C – 0200000
Management and Administration

0200000 - Management and Administration																								
Spec Item	Title	Description																						
2	Management and Administration																							
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in J-0200000-01.																						
2.2	General Information																							
2.2.1	Government Regular Working Hours	The Government's regular working hours are from 0730-1600, five days per week, Monday through Friday, except observed U.S. Federal holidays. Exceptions to the regular hours of operation are detailed in subsequent sections of this PWS. Work in certain annexes or sub-annexes require Contractor continuous operations, 24 hours a day, every day of the year including both U.S. and Italian holidays. The performance of other work requirements shall be accomplished within the Government’s regular working hours unless the specific work requirement specified herein necessitates otherwise. Any other work outside Government regular working hours must be authorized by the Contracting Officer (KO) prior to commencement of work.																						
2.2.1.1	Observed Federal Holidays	The Government observes the following holidays: <table><tr><td>New Year's Day</td><td>01 January *</td></tr><tr><td>Martin Luther King, Jr.'s Day</td><td>3rd Monday in January</td></tr><tr><td>President's Day</td><td>3rd Monday in February</td></tr><tr><td>Memorial Day</td><td>last Monday in May</td></tr><tr><td>Independence Day</td><td>04 July *</td></tr><tr><td>Labor Day</td><td>1st Monday in September</td></tr><tr><td>Juneteenth</td><td>19 June *</td></tr><tr><td>Columbus Day</td><td>2nd Monday in October</td></tr><tr><td>Veteran's Day</td><td>11 November *</td></tr><tr><td>Thanksgiving Day</td><td>4th Thursday in November</td></tr><tr><td>Christmas Day</td><td>25 December *</td></tr></table> Italian holidays, unless concurrent with U.S. holidays, are considered regular working days unless otherwise specified in the technical specifications. *When such holidays fall on a Saturday, the preceding Friday will be considered a holiday. When such holidays fall on a Sunday, the succeeding Monday will be considered a holiday.	New Year's Day	01 January *	Martin Luther King, Jr.'s Day	3rd Monday in January	President's Day	3rd Monday in February	Memorial Day	last Monday in May	Independence Day	04 July *	Labor Day	1st Monday in September	Juneteenth	19 June *	Columbus Day	2nd Monday in October	Veteran's Day	11 November *	Thanksgiving Day	4th Thursday in November	Christmas Day	25 December *
New Year's Day	01 January *																							
Martin Luther King, Jr.'s Day	3rd Monday in January																							
President's Day	3rd Monday in February																							
Memorial Day	last Monday in May																							
Independence Day	04 July *																							
Labor Day	1st Monday in September																							
Juneteenth	19 June *																							
Columbus Day	2nd Monday in October																							
Veteran's Day	11 November *																							
Thanksgiving Day	4th Thursday in November																							
Christmas Day	25 December *																							
2.2.1.2	Restriction to Contractor Working Hours	If the Contractor wishes to work outside of the Government's regular working hours for the Contractor’s convenience, the Contractor shall submit a written Request to Work Outside Government’s Regular Working Hours per Section F. Excludes work to be performed during specified hours.																						
2.2.2	Requirements Hierarchy	Requirements or definitions specified in each spec item of this contract apply to subordinate paragraphs. For example, requirements shown in spec item 3.1 would apply to spec items 3.1.1, 3.1.2, 3.1.2.1 and so on. Likewise, Performance Standards specified at a lower digit level (i.e. spec item 3.1.1, 3.1.2, 3.1.2.1) apply when performance is assessed at a higher tier (i.e., spec item 3.1) based on the composite work requirements.																						
2.3	General Administrative Requirements																							

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.3.1	Required Conferences and Meetings	The Contractor shall attend administrative and coordination meetings. The Contractor should anticipate meeting with the Government weekly during the first month of the contract. Thereafter, meetings will be as often as necessary at the discretion of the KO but not less than monthly. The Contractor shall attend meetings on short notice as required by the KO.
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment	When construction, renovation, or repair work is performed by means other than this contract, the Contractor shall attend Government provided training, as applicable, for maintenance and operation of new and replacement systems and equipment at no additional cost to the Government.
2.3.3	Partnering	To increase the likelihood of successful performance of this contract, the Government requires cohesive partnerships with its Contractors and subcontractors. Key stakeholders, including the supported commands who may receive services, principal individuals from NAVFAC EURAFCENT, the performance assessment team, and representative(s) of the installation(s) will be invited to participate in the partnering process. Key members of the prime and sub-contractor teams, including senior management personnel, must participate. The partnership will draw on the strength of each organization to achieve quality contract services done right the first time, within the contract price, as scheduled, and without any safety mishaps. NAVFAC P-204 Facility Support Contracts Partnering Guide contains the framework necessary for consistent implementation of partnering for Facility Support Contracts (FSCs).
2.3.3.1	Formal Partnering	The initial session should be scheduled in accordance with the Pre-Performance Conference and held no later than 30 days after the award. The initial Partnering Meeting will be at least one (1) day in duration and held at a neutral location off the installation that is acceptable to the Contractor and to the Government. Follow-on sessions should be scheduled every three to six months and typically last a half day or less. The frequency, duration, and locations of follow-on sessions should be agreed to by both parties during the initial Partnering Meeting. The Contractor shall pay all costs associated with the partnering effort including facilitator, meeting room, and other incidental items. Before the partnering session, the Contractor shall coordinate with the facilitator the requirements for incidental items (audio-visual equipment, computer(s), two easels, flipchart paper, colored markers, note paper, pens/pencils, colored flash cards, etc.) and have these items available at the partnering session. The Contractor will provide copies of any documents used for the Partnering Meeting for distribution to all attendees. The facilitator must be acceptable to both the Contractor and the Government. The participants shall pay their own costs for meals, lodging, and transportation associated with partnering.
2.3.3.2	Contract Partnering Administration	Upon award, the ACO will contact the Contractor, supported command(s), Region, and Installation(s) stakeholders, and the performance assessment team to discuss implementation of partnering. Commence discussions with the Contractor to select a facilitator and location that are acceptable to both

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		partners. A partnership agreement, The Charter, should be in place as early as possible so issues arising, even before work begins, can be resolved using the issues resolution process. Replacement of Core Management Team members (stakeholders who attended the initial session and manage the contract work day-to-day) is discouraged since it will disrupt the synergy that has been developed. If replacement of a team member proves to be unavoidable, a follow-on partnering session must be held to officially turn the responsibilities of the position over to the new member. The Core Management Team consisting of the attendees below must be present during the initial and all follow-on partnering sessions. These are the core mandatory attendees. Other stakeholders may attend if they desire or as recommended by the partners.
2.3.3.3	Contract Partnering Session Attendees	The Contractor shall bring the necessary personnel to successfully partner on this contract. Asterisk indicates mandatory personnel. * President/Vice President * Contract/Project Manager * Supervisor/Superintendent * Quality Manager * Site Safety and Health Officer Sub-contractor Reps
2.3.4	Permits and Licenses	The Contractor shall obtain all required permits, licenses, and authorizations as necessary to perform work under this contract and comply with all the applicable European, Italian, U.S. Federal, and local laws and regulations. The Contractor shall submit copies of Permits and Licenses per Section F.
2.3.5	Insurance	The Contractor shall submit a Certificate of Insurance per Section F as evidence of the existence of the following insurance coverage in amounts not less than the amounts specified below in accordance with the FAR Clause 52.228-5, Insurance – Work on a Government Installation. This insurance must be maintained during the performance period.
2.3.5.1	Certificate of Insurance	The Certificate of Insurance shall provide for at least 30 calendar days written notice to the KO by the insurance company prior to cancellation or material change in policy coverage. Other requirements and information are contained in the insurance clause.
2.3.5.2	Minimum Insurance Amounts	The Contractor shall procure and maintain, during the entire period of performance under this contract, the following minimum insurance coverage: Comprehensive General Liability: \$500,000 per occurrence. Automobile Liability: \$200,000 per person, \$500,000 per occurrence, \$20,000 per occurrence for property damage. Workmen's Compensation: As required by Federal and state worker's compensation and occupational disease statutes. Employer's Liability coverage: \$100,000, except in states where worker's compensation may not be written by private carriers. Others as required by Host Nation and local law
2.3.6	Protection of Government Property	During execution of the work, the Contractor shall protect Government property. The Contractor shall return areas damaged as a result of negligence under this contract to their original condition at no cost to the Government. This includes restoration of damage to facilities and equipment that are the direct result of the Contractor's failure to perform the performance objectives required in this contract.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.3.7	Directives, Instructions, and References	Department of Defense (DoD), Secretary of the Navy (SECNAV), Chief of Naval Operations (OPNAV), and other applicable Directives, Instructions, and References are listed in J-0200000-02. The Contractor shall comply with the most current version of directives, instructions, and references including versions published during the term of the contract.
2.3.7.1	Standard Operating Procedures (SOP)	The Contractor shall comply with all Government provided SOPs. The Contractor shall comply and implement SOP updates as they are provided by the Government.
2.3.8	Invoicing Procedures	Refer to Section G for invoicing instructions and to Invoice Form in J-0200000-04 f for sample. Invoices shall be submitted in a format compatible with the most recent Government installed Microsoft Office Version. Invoice data shall be capable of being sorted by CLIN, annex/sub-annex, spec item, spec item title, and ELIN/Sub-ELIN.
2.3.9	Forms	Forms referenced in this Annex, e.g. accident reporting, and damage reporting are included among the Forms in J-0200000-04. Unless provided in J-0200000-04, all forms required for accomplishment of work in this PWS shall be accessed electronically. The Department of Defense Forms Management Program site at: http://www.dtic.mil/whs/directives/forms/index.htm provides access to an inventory of DOD, Navy, GAO and GSA forms, frequently asked questions, and downloading instructions. The Contractor shall duplicate the required forms as necessary for accomplishment of the work. If a form is unavailable electronically, the Contractor shall develop and provide a form sample to the KO for approval.
2.3.10	General Requirements for Medical Treatment Facilities	
2.3.10.1	Contractor Use of Elevators in Medical Treatment Facilities	Patients take priority over housekeeping equipment on elevators. The Contractor shall not “HOLD” an elevator at a floor for any reason other than scheduled services.
2.3.10.2	Medical Equipment	Unless otherwise specified, no technical or sensitive equipment shall be moved or unplugged without prior approval. This equipment includes, but is not limited to, computer systems, duplicating machines, laboratory equipment, etc. Papers, patient records, personal items, etc. shall not be disturbed.
2.3.10.3	The Joint Commission (TJC) Requirements	The Contractor shall comply with the most recent standards established by “The Joint Commission” (TJC), as well as other applicable industry medical standards, such as NFPA 99, Health Care Facilities Code and NFPA 110, Standard for Emergency and Standby Power Systems. In any case where this conflicts with another requirement, the more stringent shall apply. This includes but is not limited to maintenance, testing, operations and repair.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall have a thorough understanding of TJC and other industry medical standards and shall record and maintain documentation to validate compliance with these standards. This documentation must be available for review at any time, by Government or third-party inspectors, including TJC survey teams. The Contractor shall prepare and submit a TJC compliance and documentation plan for Government review and approval per Section F. The plan shall, at a minimum, include the process that will be used to gather and display required documentation, the process to show objective evidence that all work is in compliance with TJC standards, for each element of performance, and shall include specific requirements for TJC compliance.
2.3.10.4	Medical Treatment Facility (MTF) Pathogen Training	All Contractor and Sub-Contractor personnel performing work where they may be exposed to blood or other potentially infectious materials in an MTF shall receive pathogen training prior to performing services in that area. The Contractor shall comply with 29 CFR-1910.1030 at all times and shall have an established Exposure Control Plan accessible to employees and reviewed annually. Employees in areas subject to higher exposure risk (such as hospitals and veterinarian clinics) shall submit to all required testing and receive vaccinations as required by the installation. Refer to Spec Item 2.8.2.9 for details on required immunizations.
2.3.10.5	MTF Pre-Employment Training	All Contractor employees working in MTF Buildings 272, 273 and 550 shall complete pre-employment training two weeks prior to start of work. The Contractor shall maintain on-site a training document for each employee that shall become a portion of the employees' permanent record. The topics for pre-employment training shall cover: • Naval Hospital Sigonella Infection Control Manual • Infection Control • Health Insurance Portability and Accountability Act (HIPAA) regulations address security and privacy of "protected health information" (PHI). • Safety Management Plan • Security Management Plan • Hazardous Materials • Hazardous Waste • Emergency Preparedness • Life Safety (Fire Training) • Medical Equipment • Utilities The Contractor shall implement annual training on all pre-employment training topics and any new training topics may be required as the result of new MTF requirements. The Contractor shall submit to the KO within 30 days following award a complete lesson plan for each topic of required pre-employment and annual training. The lesson plans and complete training program shall be part of the Contractor's Environment of Care Policy and Procedures Manual and shall be available for Government review at any time.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall document the competency of each employee after each training module. These records shall be maintained current and accurately, and available for review by the Government at all times. The training record shall indicate the class, date, time, place, instructor, and signature of the instructor and the signature of the employee
2.3.10.6	Contractors Environment of Care (EOC) Policy and Procedures Manual	The Contractor shall develop and submit to the KO for review within 30 days following contract award an EOC Policy and Procedures Manual addressing all training and record keeping for documentation of employee competency. The manual shall be updated and reviewed by the Contractor as often as necessary to incorporate the latest MTF policies and shall be made available for Government inspection and for inspection review by The Joint Commission at any time.
2.4	Government-Furnished Items	Except for items identified below as Government-Furnished, the Contractor shall furnish all labor, supervision, management, tools, materials, equipment, facilities, transportation, incidental engineering, and other items necessary to provide the services described in this Performance Work Statement (PWS). Government-Furnished Items will be provided in "AS-IS" condition and their use is at the option of the Contractor. The total or partial breakdown or failure of Government-Furnished Items shall not relieve the Contractor of the responsibility to perform the requirements of this contract. The Contractor shall provide periodic servicing, maintenance, and repair of the Government-Furnished Items accepted for use at no additional cost to the Government. Servicing, maintenance, and repair shall be provided in accordance with the manufacturer's recommendations. The Contractor shall generate work orders in NAVFAC Maximo per Spec Item 2.6.8 for all servicing, maintenance, and repair activities performed on Government-Furnished Items. At the completion of the contract, all Government-Furnished Items shall be returned to the Government in the same condition as received, except for reasonable wear and tears. Government-Furnished Items, which becomes worn out due to normal wear and tear, shall be returned to the Government and its replacement shall be the responsibility of the Contractor at no additional cost to the Government. The Contractor shall be responsible for the cost of any repairs or replacement caused by Contractor negligence or abuse. The Government may inspect Government-Furnished Items at any time and without notice.
2.4.1	Government-Furnished Facilities	The Government will make available to the Contractor certain facilities for use in connection with this contract. The use of these facilities for any other purposes is prohibited. The Government will endeavor to provide additional spaces/facilities on base for storage of day-to-day supplies and tools and to serve as Contractor's field office; however, such spaces/facilities are not guaranteed. The Contractor shall be responsible and accountable for the facilities accepted for use and shall take adequate precautions to prevent fire hazards, odors, and vermin. Custodial and refuse collection services for the facilities shall be provided by the Contractor. The Contractor shall obtain written approval from the KO prior to making any modifications or alterations to the facilities. A list of the facilities that will be made available to the Contractor is provided in J-0200000-03.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.4.2	Government Furnished Materials and Equipment	Unless otherwise specified in the technical specifications, all materials to be used for work under this contract shall be furnished by the Contractor. However, certain task orders may require the Contractor to use/install materials furnished by the Government. Unless otherwise specified in the technical specifications, all equipment to be used for work under this contract shall be furnished by the Contractor. However, certain task orders may require the Contractor to use/install equipment furnished by the Government. Government-furnished equipment includes Government equipment taken into custody by the Contractor for repair when the unit acquisition cost of the equipment exceeds the simplified acquisition threshold as defined in FAR 2.101. Individual components of Government equipment within larger systems contracted for repair or maintenance on a Government installation are considered units for the purpose of this section only.
2.4.3	Government- Furnished Utilities	Government will make available water and electricity at existing outlets, required for the work to be performed under the contract. The Contractor shall provide and maintain, at its expense, the necessary service lines from the existing Government outlets to the work site. Provide and maintain U.S. Navy approved backflow prevention devices on connections to domestic water lines and electrical transformer provisions on connections to electric lines. If the Contractor shall fill equipment tanks, proper air gap needs to be provided, or appropriate backflow preventer shall be utilized to avoid cross connection between potable and non-potable water systems. The Contractor shall meet all Federal, Italian, local, and installation codes and regulations for backflow prevention devices and electrical transformer provisions. Services required by the Contractor, for which there are no available Government outlets shall be provided by the Contractor at no cost to the Government.
2.5	Contractor- Furnished Items	Except for items identified as Government Furnished, the Contractor shall provide all equipment, materials, parts, supplies, components, and facilities to perform the requirements of this contract. The KO may inspect Contractor-furnished items for adequacy and compliance with contract requirements. Inadequate or unsafe items shall be removed and replaced by the Contractor at no cost to the Government. Materials containing asbestos, lead, and polychlorinated biphenyls (PCBs) shall not be brought onsite. Energy efficient tools and equipment shall be used when available. The KO may at any time require Samples, Safety Data Sheets (SDS) or Manufacturer's Data Cut Sheets of Materials used in this contract.
2.6	Management	The Contractor shall manage the total work effort associated with the services required herein to meet the performance objectives and standards. Such management includes but is not limited to: • planning, • scheduling, • cost accounting, • report preparation, • establishing and maintaining records, and

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		quality assurance. The Contractor shall provide a staff with the necessary management expertise to ensure performance objectives and standards are met.
2.6.1	Safeguarding Information	The Contractor shall safeguard controlled unclassified information and information associated with Government property in accordance with the latest revision of CNSSI 1253, DoDI 8582.01, NIST SP 800-53, NIST SP 800-171, SECNAV Defense Industrial Base (DIB) Memo, and applicable contract clauses. At a minimum, this information shall be protected at the moderate confidentiality level as defined in NIST SP 800-171. Contractor information and data systems that contain information associated with Government property shall comply with DoD Risk Management Framework (RMF). The Contractor shall develop Plans of Action and Milestones (POA&Ms) per NIST SP 800-171, track accomplishment, and submit to the Government per Section F. If a cybersecurity incident is encountered or suspected related to any (Contractor or Government) Information Technology (IT) or Operating Technology (OT) systems, including Monitoring and Control Systems, the Contractor shall notify the Government per Section F.
2.6.2	Dissemination of Information	DoD policy limits the dissemination of certain information. Instructions, Directives, and References not releasable to the public, e.g., Floor Plans, Maps, Post Orders, and Standard Operating Procedures, will be made available after contract award to the successful offeror with appropriate credentials and a need to know.
2.6.3	Work Reception	The Contractor shall establish a work reception function with the capability to receive from the Government operated work reception center, and respond to service orders 24 hours per day, seven days per week throughout the year. A service order or notification call for IMP equipment work is considered received by the Contractor at the time and date the information is received by the Contractor's work reception system. .
2.6.4	Work Control	The Contractor shall implement all necessary work control procedures to ensure timely accomplishment of work requirements, as well as to permit tracking and reporting of work in progress. The Contractor shall plan and schedule work to assure material, labor, and equipment are available to complete work requirements within the specified time limits and in conformance with the quality standards established herein. Verbal scheduling and work status updates shall be provided when requested by the Government. A status update of any item of work must be provided within, e.g., two hours of the inquiry during regular working hours, and by 0800 the following workday for inquiries after regular working hours. The Contractor shall provide work schedules for both Recurring and Non-Recurring Work per Section F. At a minimum, work schedules shall include: - Description of service(s) to be accomplished - Location - Date service(s) are scheduled to be accomplished

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.6.5	Work Schedule	The Contractor's work shall not interfere with normal Government business. In those cases where some interference is unavoidable, the Contractor shall minimize the impact and effects of the interference. The Contractor shall provide advance access of all of its work schedules to the Government. The Contractor shall provide written notification of any difficulty in scheduling work due to Government controls, per Section F. At a minimum, the notification shall include the following: • The date and time the work was initially coordinated. • The name and phone number of the Government person with whom the work was initially coordinated. • The name and phone number of the Government person who prevented the work from being performed as previously coordinated. • The alternative date and time, the Government person requested the work be accomplished.
2.6.6	Deliverables	Except where otherwise stated, deliverable requirements are specified in Sections C, F, H, I, J, and within the Directives, Instructions, and References. The Contractor shall submit accurate and complete documents within the specified timeframes. The Contractor shall revise/modify deliverables, as directed by the KO, at no additional cost to the Government. Except where otherwise specified, all deliverables shall be submitted electronically in a Microsoft Office Version 2010 compatible format. Deliverables shall include the company name, contract number, contract title, date, and shall be unprotected and capable of being sorted by CLIN, work order number, asset number, section, annex/sub-annex, spec item and ELIN/Sub-ELIN or clause. All formulas shall be traceable. Government acceptance of deliverables shall not relieve the Contractor of the responsibility for any error or omission which may exist in the deliverable, as the Contractor is responsible for all requirements of this contract.
2.6.7	Service Interruptions	If any utilities or other services must be discontinued (even temporarily) due to scheduled contract work, the Contractor shall notify the KO, COR, affected tenants, and customers at least fifteen calendar days prior to the event. The request for authorization will include the date, type of service to be interrupted, the interruption starting and ending time (within plus or minus 15 minutes). The Contract shall not proceed without prior approval. If the discontinued service is due to an emergency breakdown the Contractor shall notify the KO, COR, affected tenants, and customers as soon as practicable and provide the status of repairs, as directed by the KO, until normal operation is restored. Scheduled utility outages and interruptions to equipment, system(s) operation, or other services shall be scheduled after hours of operation. The Contractor shall shutdown, restart, and perform operational checks on all equipment affected by both scheduled and unscheduled utility outages and service interruptions, at no additional cost to the Government.
2.6.8	NAVFAC Maximo	NAVFAC Maximo is the Computerized Maintenance Management System (CMMS) used by the Government for work order history, asset management, and condition assessment. The Contractor shall provide all required data for NAVFAC MAXIMO as identified below:

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		Informational Note: Not all supported commands' assets are included in NAVFAC Maximo. Not all of the modules available within the Maximo application are utilized by NAVFAC and the modules utilized may not be fully implemented. NAVFAC Maximo does not include a detailed inventory of all assets, components, and equipment that the Contractor is required to service under this contract and may include inaccuracies, omissions, and redundancies.
2.6.8.1	NAVFAC Maximo Data	Required data fields for work orders are indicated in the Service Provider Information provided in J-0200000-05. Asset inventory data requirements are indicated in the Asset Information provided in J-0200000-06. Required data for documenting condition assessments is indicated in the Characteristic Meter Reading Information provided in-Facility Management 1501000. Specified data shall be provided for all work performed in 1501000 Facility Management, 1502000 Facility Investment and 1503000 Grounds Maintenance and Landscaping (limited to grounds irrigation systems). - annexes contained within this specification where performance data is required to be provided for NAVFAC Maximo, e.g., 1501000 Facility Management, 1502000 Facility Investment, 1601000 Utilities Management, 1602000 Electrical, 1603000 Natural Gas, 1604000 Wastewater, 1606000 Water. Further instructional information detailing the process for submitting the specified information for NAVFAC Maximo Data Reporting is provided in J-0200000-07. The Service Provider, Asset, Specification, and Characteristic Meter Reading Interfaces are used in multiple processes for loading data into Maximo by the Government and the format may be updated periodically. As part of the update the Contractor may be asked to modify the file to add/move columns in their submission. The Contractor shall provide up to 10 extra data elements or columns with as many as 150 characters per element for the Government to define during contract performance at no additional cost to the Government. The Government will provide the Contractor 60 calendar days notice of modifications to the Service Provider, Asset, Specification, or Characteristic Meter Reading Interfaces file format.
2.6.8.2	NAVFAC Maximo Method of Data Entry	The Contractor shall provide data for NAVFAC Maximo using the methods detailed below: DIRECT ENTRY: The Contractor shall manually enter required work order and condition assessment data directly into NAVFAC Maximo. The Contractor shall ensure all information is updated by the end of each workday for all work performed. If the Contractor does not have access to NAVFAC Maximo at contract start, work order and condition assessment data shall be submitted in a pipe delimited flat-file following the NAVFAC Maximo Data Reporting process described in J-0200000-07 per Section F. Any failures in processing of the flat-file shall be corrected and resubmitted by the Contractor. In order to demonstrate the ability to properly format the flat-file, the Contractor shall provide a Sample Pipe Delimited Flat-file prior to contract performance per Section F. Flat file submission of work order and condition assessment data will be allowed for a period not to exceed six months unless an extension is authorized in writing by the KO.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		FLAT FILE: The Contractor shall electronically record and report compiled service performance data for exportation of asset and specification data to NAVFAC Maximo. The Contractor shall submit asset and specification data in a spreadsheet flat-file following the NAVFAC Maximo Data Reporting process described in J-0200000-07 per Section F.
2.6.8.3	NAVFAC Maximo Access	The Contractor process for obtaining access and establishing NAVFAC Maximo accounts is detailed in the NAVFAC Maximo System Access Procedures provided in J-0200000-08. Once accounts have been established, NAVFAC Maximo can be accessed at https://maximo.navfac.navy.mil. The Contractor shall provide all necessary computer equipment and Internet Service Provider (ISP) accounts to access NAVFAC Maximo for Direct Entry of required data. A maximum of five NAVFAC Maximo accounts will be approved for the Contractor. Changes of personnel requiring NAVFAC Maximo accounts more than once per year may result in required compensation to the Government for the administrative costs in processing account requests.>> The Contractor shall submit a list of personnel requiring NAVFAC Maximo accounts per Section F.
2.6.8.4	NAVFAC Maximo Training	The Government will provide or make available initial training on NAVFAC Maximo to Contractor personnel responsible for direct entry of work order, asset, specification, and condition assessment data. Additional training will be provided by the Government when there are significant changes to the NAVFAC Maximo software or data entry requirements. Training due to changeover of personnel will be the responsibility for the Contractor. The Contractor will be provided a general user guide, local instructions, and other materials by the Government as reference material for the use of NAVFAC Maximo.
2.6.9	DMLSS (Defense Medical Logistics Support System)	The Contractor shall use the Government furnished DMLSS CMMS to manage all work at the Naval Hospital facilities, to include scheduling inspection and maintenance work orders, tracking historical maintenance and repair activities (task, man hours, materials, and cost), maintaining equipment inventories, and all other maintenance and repair related management functions as directed by NAVHOSP facilities personnel. A maximum of two DMLSS accounts will be approved for the Contractor. The Government will provide or make available initial training on DMLSS to Contractor personnel responsible for direct entry of work order, asset, specification, and other related data. Additional training will be provided by the Government when there are significant changes to the DMLSS software or data entry requirements. Training due to changeover of personnel will be the responsibility for the Contractor. The Contractor will be provided a general user guide, local instructions, and other materials by the Government as reference material for the use of DMLSS. The Contractor shall manually enter required work order data directly into DMLSS. The Contractor shall ensure all information is updated by the end of each workday for all work performed.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall provide a list of personnel requiring DMLSS accounts per Section F.
2.6.10	Quality Management System (QMS)	The Contractor shall establish and maintain a complete QMS program in accordance with the provisions specified herein. The Contractor's QMS program shall provide an effective and efficient means of identifying and correcting problems throughout the entire scope of operations. The Contractor's QMS program shall address: • Accurate documentation of work processes, procedures, and output measures. • A systematic procedure for assessing compliance with performance objectives and standards. • Accurate documentation of quality inspections and surveillance conducted throughout the execution of work. • Assessment-driven corrective actions and process adjustments as appropriate in a timely manner.
2.6.10.1	Quality Management (QM) Plan	The Contractor shall develop and submit a QM Plan per Section F. The QM Plan shall describe the QMS methodology and approaches used under this contract. If any changes are made during the period of performance, the Contractor shall submit the revised QM Plan for acceptance, per Section F. The Contractor's QM Plan shall include, at a minimum, the following: • Policy and objectives of Quality Management System (QMS) • Quality organization ○ List of personnel ○ Responsibilities & lines of authority ○ Training and qualifications • Approach to assuring quality of services provided and conformance with performance objectives and standards • Methods and procedures for effective planning, operation and control of processes and performance of work • Procedures for inspection and surveillance of services to include all contractual requirements. ○ Scheduling and performance of inspection and surveillance ○ Measurement, data collection and analysis ○ Corrective action, preventive action, and continuous improvement ○ Oversight of subcontracted work • Documentation and records management • Communication with government (customers)>>
2.6.10.2	Quality Inspection and Surveillance	The Contractor shall establish and maintain an inspection and surveillance system in accordance with the FAR Clause 52.246-4, INSPECTION OF SERVICES – FIXED PRICE, to ensure that the work performed conforms to the contract requirements. The Contractor shall document and maintain a file of all scheduled and performed inspections and surveillances, inspection and surveillance results, and dates and details of corrective and preventive actions. The quality inspection and surveillance file shall be the property of the Government and made available during the Government's regular working hours. The file shall be submitted to the COR after completion/termination of the contract per Section F.
2.6.10.3	Quality Inspection and	The Contractor shall submit a copy of the Contractor Quality Inspection and Surveillance Report per Section F. The Contractor Quality Inspection and Surveillance Report shall include a narrative of events, a tabulated summary

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
	Surveillance Report	and results of the quality inspection and surveillance events performed, inspection-driven corrective actions taken and the results attained, and management process adjustments during the previous month. The Government may adjust the frequency of the submittal based on the Contractor's quality of performance.
2.6.11	Property Management Plan	The Contractor shall establish and maintain a plan that meets the contract clause requirements of Specification Item 2.4, Government-Furnished Items, of this Annex. This plan shall identify the Contractor's policies, procedures, and practices in receiving and performing physical inventories, key control, repairing and maintaining, preserving and protecting, and reporting the disposition of accepted government property in its possession. The Property Management Plan shall be submitted per Section F.
2.6.12	System and Equipment Replacement	The Contractor shall maintain the integrity and performance of existing energy saving, water conservation or other sustainability design features of systems and equipment in the performance of repair and replacement work. Except where otherwise specified, replacement components shall be of the same model/style or equivalent as the component being replaced. Substitutes for replacement components must be accepted by the KO prior to use. The KO will furnish available information for the existing systems and equipment.
2.7	Joint Inspection	Within 30 calendar days after contract award the Government and the Contractor shall jointly inspect and determine the existing condition of the facilities, equipment and systems. The inspection shall be documented in a written report by the Contractor. This report shall identify deficiencies agreed upon by the Government and the Contractor. A complete inspection report shall be submitted to the KO for each system within ten calendar days following the scheduled inspection date. This report shall include a narrative description of the current condition of each system, and a detailed list of all repairs required to bring the system up to complete reliable, and safe operating condition, as originally intended and designed. The report shall be accepted and signed by the Government and the Contractor. The Government is not obligated to immediately correct the deficiencies but may elect to: a) perform the work through service orders; b) perform the work under the non-recurring portion of the contract; c) defer the work; d) correct the deficiencies through different means. Any subsequent deficiencies discovered which result from the normal operation of the system, equipment, facility, and are routine in nature shall be performed by the Contractor as preventive maintenance work (if within the limits of preventive maintenance) or through trouble call work (if within the specified limits of service order work) and shall be included in the recurring work portion of the contract.
2.8	Personnel Requirements	The Contractor shall comply with the personnel requirements stated below:
2.8.1	Key Personnel	The Contractor shall submit a List of Key Personnel and Qualifications per Section F. The Contractor shall provide any additional information requested by the KO or COR necessary to validate their qualifications. The Contractor shall submit an Organizational Chart per Section F showing lines of authority of the key personnel and on-site supervisor(s) for this contract. The chart shall include names of personnel and their position title in this contract. As a minimum, include the PM, Quality Manager, SSHO, and on-site supervisor(s) and who they will report directly to for this contract. The key personnel shall be revised as applicable for the contract.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall provide complete resumes for proposed substitutes and any additional information requested by the KO. Proposed substitutes shall have comparable qualifications to those of the persons being replaced. The KO will notify the Contractor within 15 calendar days after receipt of all required information of the consent on substitutions. No change in fixed unit prices may occur as a result of key personnel substitutions.
2.8.1.1	Project Manager (PM)	The Contractor shall provide a PM and designated alternate, as applicable, who shall have full authority to act for the Contractor on all contract matters relating to this contract. The PM or alternate shall be on-site during the Government's regular working hours and shall be available on-site within one hour after the Government's regular working hours. The PM shall have at least five years of experience in managing a workforce providing services on contracts of similar size, scope and complexity.
2.8.1.2	Quality Manager	The Contractor shall provide a Quality Manager or designated alternate who shall be on-site at all times when the Contractor is performing work during the Government's regular working hours and shall be available on-site within two hours after the Government's regular working hours. The Quality Manager or designated alternate shall report directly to a senior corporate official and shall not report directly to the Project Manager. The Quality Manager or designated alternate shall have fulfilled the following pre-requisite training and experiences before being hired as the Quality Manager under this contract: The Quality Manager or designated alternate shall have a current CMQ/OE certification and at least five years of experience in preparing and enforcing QMS programs on contracts of similar size, scope and complexity. The Quality Manager or designated alternate shall not be the same person as the SSHO and/or PM.
2.8.1.2.1	Quality Control Personnel	The Contractor shall provide Quality Control personnel whose primary duty and responsibility is to enforce the Contractor's Quality Management System on this contract. The Quality Control personnel shall be on-site at all times when the Contractor is performing work during the Government's regular working hours. The Quality Control personnel shall report directly to the Quality Manager and shall not report directly to the Project Manager. Quality Control personnel shall have fulfilled the following pre-requisite training and experience before being hired as Quality Control under this contract: Quality Control personnel shall meet or exceed the qualifications, technical knowledge and experience requirements specified for the personnel performing the work, which they will be inspecting, and have at least three years of experience in enforcing QMS programs on contracts of similar size, scope and complexity.
2.8.1.3	Site Safety and Health	The Contractor shall provide a Level 1 SSHO whose primary duty and responsibility is to prepare and enforce the Contractor's safety program on this contract. The Level 1 SSHO shall ensure the requirements of EM 385-1-1

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
	Officer (SSHO)	and 29 CFR 1926.16 are met for the project. The Level 1 SSHO or an equally qualified Designated Representative/alternate shall be on-site at all times when work is being performed to implement and administer the Contractor's safety program and government-accepted Accident Prevention Plan. The Level 1 SSHO shall have fulfilled the pre-requisite qualification, training, continuous learning, and experiences describe in the EM 385-1-1 before being hired as the Level 1 SSHO under this contract. The Level 1 SSHO shall not be the same person as the Project Manager, Quality Control Manager, or any other position other than the Level 1 SSHO.
2.8.1.4	Environmental Energy Manager	The Contractor shall provide an Environmental/Energy Manager whose primary duty and responsibility is to ensure Contractor operations adhere to the goals and policies of the Environmental Management System, the Installation Energy Plan, and other specified Sustainability requirements affecting this contract. The Environmental/Energy Manager shall develop, implement and monitor environmental strategies, policies and programs that promote sustainable development and examine the contract activities to establish where improvements can be made and ensure compliance with environmental legislation and energy policy. The Environmental/Energy Manager shall have a minimum two years' experience with environmental procedures similar to those of this contract; familiarity with Environmental Management Systems (EMSs); and knowledge of environmental regulations and federal energy laws and policy (including energy and water reduction requirements and renewable energy requirements) that are applicable to operations similar to those of this contract
2.8.2	Employee Requirements	The Contractor shall provide experienced, qualified, and capable personnel to perform the work in this contract. Personnel shall be fully knowledgeable of all safety, environmental, and energy requirements associated with the work they perform.
2.8.2.1	Employee Certification and Training	The Contractor shall maintain personnel certification, training, and licensing records for employee requirements specified herein and within all technical annexes/sub-annexes. Certification, training, and licensing records shall be kept current and on file for the duration of the contract including all option periods. Records shall be made available for Government review within 4 hours of request.
2.8.2.2	Employee Appearance	The Contractor shall ensure that all employees present a professional appearance that is appropriate for their position. The KO reserves the right to determine the acceptability of any clothing worn. All Contractor/subcontractor employees working under this contract shall be identified by a distinctive nameplate, emblem, or patch attached in a prominent place on an outer garment. Employee identification shall not be substituted for station required passes or badges.
2.8.2.3	Employee Conduct	Contractor employees shall conduct themselves in a proper, efficient, courteous and businesslike manner.
2.8.2.4	Identification as Contractor Employee	Contractor employees shall identify themselves as Contractor personnel by introducing themselves or being introduced as Contractor personnel and displaying distinguishing badges or other visible identification for meetings with Government personnel. All Contractor employees shall appropriately identify themselves as contractor employees in both verbal communication and electronic or written correspondence.
2.8.2.5	Removal of Employees	The Contractor shall remove from the site any individual whose continued employment is deemed by the KO to be contrary to the public interest or inconsistent with the best interests of National Security.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.8.2.6	Proof of Legal Residency	The Contractor's employees shall provide European Citizenship certificate to the KO prior to start of any work onsite as per Section F. No employee or representative of the Contractor will be admitted to the site of work unless satisfactory proof of European citizenship, or, if an alien, legal residency within the Italian State is confirmed
2.8.2.7	English-Speaking Personnel	All Contractor's Key Personnel addressed in Spec Items 2.8.1.1 through 2.8.1.4, and personnel assigned to work reception addressed in Spec Item 2.6.1, shall be able to communicate fluently in the English language with Government personnel on matters pertinent to the execution of this contract and comply with installation emergency procedures. The KO shall have the right to determine, without the appeal of such decision, whether the proposed representatives have sufficient technical and lingual capabilities. The Contractor shall immediately replace any individual not acceptable to the KO. All other Contractor's personnel shall speak, read, and comprehend English to the extent that they can perform the contract requirements and comply with installation emergency procedures.
2.8.2.8	Pathogen Exposure	The Contractor shall comply with 29 CFR 1910.1030 at all times if personnel are performing work where they may be exposed to blood or other potentially infectious materials. The Contractor shall have an established Exposure Control Plan accessible to employees. This plan shall be reviewed annually and comply with 29 CFR 1910.1030. Employees in hospital areas subject to higher exposure risk shall submit to all required testing and receive vaccinations as required by the installation.
2.8.2.9	Immunizations	Contractor's employees working in medical treatment facilities are required to have the following immunizations per NAVMED 6230.4, Adult Immunizations Record: 1. Measles, Mumps, Rubella Immunization. Documentation of immunity or two Measles, Mumps, Rubella inoculations if born after 1957 or one Measles, Mumps, Rubella inoculation if born before 1957. 2. Tetanus/Diphtheria/Pertussis Immunization. Documentation of having received one Tetanus/Diphtheria/Pertussis inoculation every 10 years. 3. Varicella (Chicken Pox) Immunization. Documentation of immunity status or two Varivax inoculations. The Contractor's employees shall receive these immunizations from MTF's Occupational Health/Preventive Medicine (OH/PM), the Immunization Clinic or other Government-designated department. It is the Contractor's responsibility to schedule these immunizations. 1. Hepatitis B Immunizations. 2. TB Screen or PPD. Documentation of an annual (on employee's birthday) TB screen or PPD. All employees shall have an up-to-date shot record and medical record maintained on site. If any immunizations are administered by the Government, a copy of the Government's Occupational Health records shall be maintained in the Contractor's employee's medical records. It is the Contractor's responsibility to determine and schedule when any Government administered immunization or test is required. The Contractor shall review the medical records and shot records of all employees monthly to determine if update immunizations and tests are required.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall submit records of immunizations per Section F.
2.8.3	Service Contract Reporting (SCR)	The Contractor shall report total dollar amount invoiced and all contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract via a secure data collection site. The contractor is required to completely fill in all required data fields using the following web address: https://www.sam.gov. Per Section F, reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk, linked at https://www.sam.gov.
2.9	Security Requirements	The Contractor shall comply with all Italian, Federal, state, and local security statutes, regulations, and requirements. The Contractor shall become acquainted with and comply with all Government regulations as posted, or as requested by the KO when required to enter a Government site. The Contractor shall ensure that all security/entrance clearances are obtained. The Contractor shall ensure that Contractor personnel do not present a risk to security. By entering the installation, Contractor personnel are subject to installation, state, local and federal regulations and laws, including but not limited to debarment and criminal prosecution.
2.9.1	Employee Listing	The Contractor shall maintain a current Employee List and submit per Section F. The list shall include, as minimum, employee's full name, aliases, codice fiscal, date of birth, address, citizenship, supervisor, company, and level of security clearance and relevant duties assigned.
2.9.2	Vehicles	The company name shall be displayed on each of the Contractor's vehicles in a manner and size that is clearly visible. All vehicles shall display a valid state license plate that complies with Italian Vehicle Code. Vehicles shall meet all other requirement of Italian Vehicle Code, such as safety standards, and shall carry proof of insurance and registration, if applicable. In order to minimize traffic/parking congestion, number of Contractor's vehicles allowed to enter the base(s) will be at discretion of the KO and Base rules and regulations.
2.9.3	Passes and Badges	All Contractor employees shall obtain the required employee and vehicle passes. The Contractor employees must be able to obtain a base Contractor Pass per installation security requirements. Each employee shall wear the Government issued badge over the front of the outer clothing at all times while on base and shall surrender the badge to base Security personnel upon request. When an employee leaves the Contractor's service, the employee's Passes and Badges shall be confiscated by the Contractor immediately and returned within 10 calendar days. Immediately report instances of lost or stolen badges to the KO via the FEAD office along with a denunciation released by the Carabinieri.
2.9.4	Access to Installation	Contractor's vehicles and personnel accessing the military installation may be subject to security inspections by the Italian and U.S. security forces personnel. The Contractor shall cooperate fully with security forces personnel performing inspections. All Contractor personnel shall obtain access to the installation per Spec Item 2.8.3 or shall obtain passes for a duration of maximum two hours from the

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		installation Pass and Identification Office located on NAS II. All costs for obtaining required background checks are the responsibility of the Contractor. The Contractor shall furnish a completed Contractor Pass form with the required employee background certifications to the NAS II Pass and ID office for all personnel requesting badges via the FEAD Office. These forms are available from the FEAD Office. All instances of lost or stolen badges shall be reported immediately to the KO via the FEAD Office along with a denunciation released by the Carabinieri.
2.9.4.1	DBIDS Program	DBIDS is an enterprise identity management and perimeter installation access control solution in which Contractor personnel who enroll, and are approved, are subsequently granted access to the installation for a period up to three years, or the length of the contract, whichever is less, and are not required to obtain a new pass from the Base Pass and Identification Office for each visit. There are no fees associated with obtaining a DBIDS credential. The Government performs background screening and credentialing. Throughout the year, the Contractor employee must continue to meet background screening standards. Periodic background screenings are conducted to verify continued DBIDS participation and installation access privileges. DBIDS access privileges will be immediately suspended or revoked if at any time a Contractor employee becomes ineligible.
2.9.4.2	DBIDS Credentials	Contractor employees shall furnish a completed copy of the SECNAV 5512/1 form to obtain the required background check and visit the local Navy Installation Visitor Control Center to obtain a DBIDS credential once approved. The SECNAV 5512/1 form and additional information about DBIDS can be found at: https://www.cnic.navy.mil/om/dbids.html. The Contractor may initiate the adjudication process when a background screen failure results in disqualification from participation in DBIDS and the Contractor employees do not agree with the reason for disqualification. The Contractor may also apply for a waiver when a background screening failure results in disqualification from participation in DBIDS. The Commanding Officer will be the final waiver determination authority. The Contractor shall immediately collect employee DBIDS credentials and notify the KO in writing: (1) That an employee has departed the company without having properly returned or surrendered their DBIDS credentials. That there is a reasonable basis to conclude that an employee, or former employee, might pose a risk, compromise, or threat to the safety or security of the installation or anyone therein.
2.9.5	Access to Buildings	The Contractor shall monitor and control access into restricted areas under their responsibility, allowing only those individuals who have been properly cleared into restricted areas or other controlled access areas. The Contractor shall comply with security requirements, plus those imposed by the installation Commander at all times. Personnel with access to restricted areas shall have the appropriate screening, and shall wear special badges authorizing access for those areas. This requirement includes access into the NASSIG Flight Line restricted area. Contractor personnel shall not enter restricted or controlled areas or installation facilities unless specifically authorized in performance of their duties. The Contractor shall secure all buildings and facilities entered during

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		non-duty hours and will secure all building and facilities under the Contractor's cognizance at the end of each work day or shift period.
2.9.6	Access Arrangements	The Contractor shall make all arrangements through the appropriate office necessary to obtain access to buildings, facilities and other work areas, and when necessary, arrange for them to be opened and closed by the controlling authority. The Government may issue keys to the Contractor. The Contractor shall use due diligence and be responsible for compromised security systems to include replacement costs that result from its action or inaction.
2.9.6.1	Escort Arrangement for Secured Areas	The Contractor shall make arrangements for Government escort into secured areas requiring escort. The KO will provide information on applicable buildings, spaces and the appropriate point of contact. The Contractor may experience delays while waiting for escorts. The Government estimates the wait period can be up to 15 minutes. The Contractor shall notify the Government Performance Assessment Representative (PAR) and appropriate point of contract if an escort is not available after 15 minutes and access to accomplish the work is denied. Unscheduled requirements, e.g., trouble calls, may require a longer wait for an escort. Personnel assigned to work on NAS II Airfield shall be escorted by Contractor provided escort. Escort shall be fluent in English and notify airfield T-Line personnel both prior to commencing any work and after completing work. The KO will provide information on applicable buildings, spaces and the appropriate point of contact.
2.9.7	Security Clearances	The Contractor shall obtain all required corporate and personnel Security Clearances, prior to commencement of work, at no additional cost to the Government. The Contractor shall ensure that a list of all personnel with Security Clearances is maintained current, including clearances that are pending.
2.9.8	Access to Controlled Unclassified Information	The Contractor personnel whose work involves access to controlled unclassified information shall undergo a Tier 3 Investigation to verify their trustworthiness. If the Contractor personnel currently have a favorably adjudicated Tier 3 Investigation the Contractor shall notify the Government Command Security Manager who will validate this in the Joint Personnel Adjudication System (JPAS). The Contractor shall request from the Government for access to the E-QIP Direct program for the Contractor employees to complete the SF-86 form on line for a Tier 3 Investigation. The Security Manager will determine suitability. Upon a favorable Tier 3 Investigation, the Contractor personnel shall submit the original signed release statements, and an OF-306 Declaration for Federal Employment to the Security Manager per Section F. Upon submission of the necessary documentation through eQIP, the Contractor Employee shall provide digital fingerprints. The Contractor's Security POC shall notify the COR and the Security Manager when Contractor Employees have submitted their fingerprints. The request shall be renewed annually or for the duration of the contract if less than one year.
2.9.9	Access to Government Information	Personnel accessing Government IT and OT systems to include but not limited to Maximo, DMLSS, DDC, and SCADA are in positions considered

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
	Technology (IT), Operation Technology (OT), and Facility Related Control Systems (FRCS)	Non-Critical Sensitive/IT-II and require a Tier 3 investigation to verify their trustworthiness. Prior to being granted access to Government IT, OT, and FRCS systems, personnel shall have a favorably adjudicated Tier 3 Investigation, obtain a CAC in accordance with security requirements, successfully complete required training, submit a Systems Authorization Access Request (SAAR) Form, and meet all eligibility requirements. Personnel accessing Government IT, OT, and FRCS systems shall complete annual required training such as cyber assurance awareness, information security (INFOSEC) awareness, and operations security (OPSEC) awareness. The Contractor shall submit a list of personnel requiring access to Government IT, OT, and FRCS systems per Section F.
2.9.10	Access to Government Information Technology (IT) System One-Net	The Navy's enterprise information technology (IT) network for OCONUS sites, including Crete, Greece, has been designated as the OCONUS Navy Enterprise Network, or One-Net. One-Net provides a secure, centrally managed classified and unclassified network with associated services such as desktop support, email, internet access and computer security. All systems supplied by the Contractor that require direct connection to One-Net must be approved through the One-Net Request for Change (RFC) process prior to installation. All systems must comply with DoD, DoN, and One-Net policy and procedures and be certified and accredited by the Navy's Designated Approval Authority (DAA). The Contractor is responsible for obtaining, reviewing and complying with all pertinent IT and information assurance (IA) policies and instructions.
2.9.11	Employee Status	The Contractor shall notify the KO of any changes to any employee's status to include, but not limited to, termination, convictions/arrests, adverse actions taken on the job for any reason or any other documented misbehavior that may affect, or have the potential to affect, security standing in terms of access to federal facilities or IT systems.
2.10	Contractor Safety Program	The Contractor shall develop and implement a Safety Program detailing how the Contractor plans, staffs, performs, and controls all safety practices while delivering best value services to the Government without any accidents or mishaps. The Contractor's safety program shall comply with all safety standards identified in the European/Italian and U.S. standards, including subsequent updates: U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1, UFC 3-560-01 Operation and Maintenance Electrical Safety, and Public Law 91-596, Occupational Safety and Health Act, Decreto Legislativo n. 81 del 9 aprile 2008, Decreto Ministeriale n. 37 del 22 gennaio 2008, Ispettorato di Sicurezza Sul Lavoro (ISPESL) regulations, Italian Safety Law 626-94 (Norme per la Prevenzione degli Infortuni), Decree Law 494-96 (Norme per la Sicurezza nei Cantieri Temporanei e Mobili), NASSIGINST 5100.1, Safety and Operational Health Program of NAS Sigonella. Any reference to "USACE" facilities, property, or equipment specified in EM 385-1-1 should be interpreted as Government facilities, property, and equipment.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		In case of conflict between U.S. and European/Italian standards, the most stringent of the standard shall apply.
2.10.1	Contractor Safety Requirements	Neither Contractor nor any subcontractor may enter into contract with any subcontractor that fails to meet the below requirements. The term subcontractor in this and the following paragraphs means any entity holding a contract with the Contractor or with a subcontractor at any tier.
2.10.1.1	Experience Modification Rate (EMR)	Subcontractors on this contract must have an effective EMR less than or equal to 1.10, as computed by the National Council on Compensation Insurance (NCCI) or if not available, as computed by the state agency's rating bureau in the state where the subcontractor is registered, when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier. The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable EMR range cannot be achieved. Relaxation of the EMR range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain the certified EMR ratings for all subcontractors on the project and make them available to the Government at the Government's request.
2.10.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate	Subcontractors on this contract must have a DART rate, calculated from the most recent, complete calendar year, less than or equal to 3.4 when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier. The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable OSHA Dart rate range cannot be achieved for a particular subcontractor. Relaxation of the OSHA DART rate range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain self-certified OSHA DART rates for all subcontractors on the project and make them available to the Government at the Government's request.
2.10.2	Accident Prevention Plan (APP)	The Contractor shall develop and implement a site Accident Prevention Plan (APP). The APP shall be prepared by the Contractor's SSHO and shall be followed by all Contractor employees, subcontractors, and vendors at each service site. The APP shall follow the format and include all elements addressed in Appendix A of EM 385-1-1. The APP shall incorporate Activity Hazard Analyses (AHAs) and compliance plans addressing all applicable Safety and Occupational Health (SOH) risks that are relevant to the site-specific hazards and controls for each activity and type of work that may be encountered in the performance of this contract. The Contractor shall not commence work until the APP has been accepted and no activity shall be started on site until the applicable AHAs and compliance plans have been accepted. Once accepted by the Contracting Officer, the APP and attachments will be enforced as part of the contract. Disregarding the provisions of this contract

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		or the accepted APP will be cause for stopping of work, at the discretion of the Contracting Officer, until the matter has been rectified.
2.10.3	Activity Hazard Analysis (AHA)	The Contractor shall prepare Activity Hazard Analyses (AHAs) for all applicable common recurring work activities performed under this contract. AHAs for recurring work shall be submitted with the APP and shall be updated as work activities or conditions change and additional AHAs prepared as new work activities are required. AHAs for non-recurring and one-time (e.g., non-recurring work task orders) work occurrences shall be submitted at least two working days prior to start of work. Specifically: • For contract modifications to recurring work requirements where changes are germane to the original contract, the Contractor shall revise applicable AHAs within 15 calendar days after modification is signed. • For contracts with non-recurring work ELINs, the Contractor shall submit an AHA on non-recurring work task orders, with the associated proposal, whenever the service environment or required task is different from the recurring work priced services. • For construction (including renovation or alteration) task orders placed on the non-recurring work portion of contract, the Contractor shall submit a separate AHA for each task order with the associated proposal. The Contractor shall follow the Risk Management Process for the development of Activity Hazard Analysis (AHA) in accordance with paragraph 01.A.14 and Appendix A of EM 385-1-1. A formatted outline of an AHA is provided in Figure 1-2 of EM 385-1-1. During performance of services, the SSHO shall periodically review the AHA at each service site and for each sub-annex to assess the effectiveness of the Contractor's overall APP. If changes to the AHAs are required, such changes shall be submitted to the KO for review and acceptance.
2.10.4	Safety and Occupational Health (SOH) Risks and Compliance Plans	Based on a risk assessment of recurring and non-recurring work requirements and on mandatory OSHA compliance programs, the Contractor shall develop, provide and implement all applicable compliance plans, as necessary for the situation or types of work to be performed under this contract. Compliance plans, programs, and procedures along with their respective references are detailed in Appendix A, paragraph 3.i of EM 385-1-1. These plans shall be submitted with the APP and shall be updated as situations change. Additional compliance plans, programs, and procedures shall be developed as applicable when new types of work are required under this contract. Additional requirements for specific compliance plans are provided below.
2.10.4.1	Alcohol and Drug Abuse Prevention Plan	The Contractor shall develop an alcohol and drug abuse prevention plan to explain how it will satisfy the drug-free work force requirement as stated in DFARS Clause 252.223-7004 and include elements addressed in paragraph 01.C.02 of EM 385-1-1. The program shall comply with NASSIGINST 5355.1, Drug and Alcohol Abuse Prevention and Control.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall ensure compliance with Italian Law 125/2001 for alcohol related problems and “Accordo Conferenza Permanente Stato-Regioni” dated 18 September 2008 for drug related problems.
2.10.4.2	Chemical Hazard Communication Program	The Contractor shall develop a project-specific chemical hazard communication program to include elements addressed in paragraph 06.B.01 of EM 385-1-1 and applicable OSHA requirements in 29 Code of Federal Regulations (CFR) 1910.120 and 29 CFR 1926.59. The Contractor shall ensure compliance with Title IX of Italian Safety Law 81/08.
2.10.4.3	Confined Space Program	The Contractor shall develop an activity/site-specific confined space program to include elements addressed in paragraph 34.A of EM 385-1-1 and comply with relevant requirements in 29 CFR 1910, 29 CFR 1915, and 29 CFR 1926, OSHA Directive CPL 2.100 and any other Federal, Italian, state and local regulatory standards, but not limited to DPR 177/11.
2.10.4.4	Critical Lift Plan	The Contractor shall develop a critical lift plan to explain how it will conduct lifts for any of the following conditions: 1) Lifts over 75 percent of the capacity of the crane or hoist (or lifts over 50 percent of the capacity of a barge mounted mobile crane's hoists) at any radius of lift; 2) Lifts involving more than one crane, hoist, or LHE 3) Lifts of personnel; 4) Lifts involving non-routine rigging or operation, sensitive equipment, or unusual safety risks 5) Lifts involving hazardous materials (e.g., explosives, highly volatile substances); 6) Lifts where the center of gravity could change; 7) Lifts without the use of outriggers using rubber tire load charts; 8) Lifts using more than one hoist on the same crane, hoist, or LHE; 9) Lifts involving Multiple Lift Rigging (MLR) Assemblies or other non-routine or technically difficult rigging arrangements; 10) Lifts involving submerged loads. Exception: lifts that were engineered to travel in guided slots throughout the lift and have fixed rigging and/or lifting beams, i.e., intake gates, tailgates/logs); 11) Lifts out of the operator's view. (Exception: if hand signals used by a signal person in view of the operator or radio communications are available and in use, load does not exceed two tons AND is determined a routine lift by the lift super.) The critical lift plan shall include elements addressed in paragraph 16.H of EM 385-1-1, paragraph 1.7.2 of NAVFAC P-307, and comply with requirements in ASME B30.22, ASME B30.3; ASME B30.5, and ASME B30.8, Attachment VII of Italian Law Decree 81/08, and Accordo StatoRegioni dated 22 September 2012. The Contractor shall complete and maintain a copy of the Crane Operating Checklist For Critical Lifts, provided within the Forms in J-0200000-04, for each lift.
2.10.4.5	Fall Prevention and Protection Plan	The Contractor shall develop a site specific fall prevention and protection plan to protect and prevent its service workers from falling from heights of 1.8m (6 feet) or more. This plan shall include elements addressed in paragraph 21.D of EM 385-1-1 and ANSI A10.32, ANSI Z359.1, and ANSI/ASSE A10.34. The fall prevention and protection plan shall include a

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		Rescue and Evacuation Plan in accordance with EM 385-1-1, Section 21.N. A competent person for fall protection shall prepare and sign the plan.
2.10.4.6	Asbestos Abatement Plan	The Contractor shall develop an asbestos abatement plan, as applicable, to include elements addressed in paragraph 06.B.05 of EM 385-1-1.
2.10.4.7	Demolition Plan	The Contractor shall develop a plan to explain how it will safely dismantle and remove all demolished building components and debris off Government property. The Contractor shall provide an engineering survey and demolition plan developed by a registered professional engineer to include elements addressed in paragraph 23.A.01 of EM 385-1-1.
2.10.4.8	Emergency Response Plans	The Contractor shall develop emergency response plans to ensure safe evacuation and personnel safety in the event of fire or other emergency that include elements addressed in paragraphs 01.E, 03.A, 03.D, and 19.A.04 of EM 385-1-1. Refer to Spec Item 2.11.
2.10.4.9	Excavation/Trenching Plan	The Contractor shall develop an excavation/trenching plan to include elements addressed in paragraph 25.A.01 of EM 385-1-1.
2.10.4.10	Fire Prevention Program	The Contractor shall develop a fire prevention program to include a fire prevention plan and annual survey to include elements addressed in paragraph 06.C and 09.A of EM 385-1-1, NFPA 10, NFPA 241, NFPA 51B, NFPA 70, and NFPA 70E.
2.10.4.11	Floating Plant Severe Weather Precaution Plan and Marine Emergency Plan	The Contractor shall develop a floating plant severe weather precaution plan and marine emergency plan where floating plants, e.g., dredges, floating and barge mounted cranes, will be utilized to include elements addressed in paragraphs 19.A.03 and 19.A.04 of EM 385-1-1.
2.10.4.12	Control of Hazardous Energy (lockout/tagout)	The Contractor shall establish a program and utilize procedures for affixing appropriate lockout devices or tagout devices to energy isolating devices, and to otherwise disable machines or equipment to prevent unexpected energization, start up or release of stored energy to ensure compliance with 29 CFR 1910.147. The Contractor shall submit a report of their periodic inspection of the energy control procedure that ensures the procedures and the requirements of 29 CFR 1910.147 are being followed per Section F.
2.10.4.13	Heat Stress Monitoring Plan	The Contractor shall develop a heat stress monitoring plan to include elements addressed in paragraph 06.I.02 of EM 385-1-1.
2.10.4.14	Lead Compliance and Abatement Plan	The Contractor shall develop a lead compliance and abatement plan to include elements addressed in paragraph 06.B.05 of EM 385-1-1 and 29 CFR 1910.1025 and 29 CFR 1926.62.
2.10.4.15	Respiratory Protection Program	The Contractor shall develop a respiratory protection program to include elements addressed in paragraph 05.G of EM 385-1-1 and the OSHA's respiratory protection standard specified in 29 CFR 1910.134.
2.10.4.16	Site Sanitation Plan	The Contractor shall develop a site sanitation plan to include elements addressed in Section 2 of EM 385-1-1.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.10.4.17	Temporary Facility Layout Plan	The Contractor shall develop a temporary facility layout plan to include elements addressed in paragraph 04.A.01 of EM 385-1-1.
2.10.5	Crane Operations	All operations of Cranes, Multi-Purpose Machines and Material Handling Equipment shall comply with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926. The Contractor shall comply with paragraph 1.7.2 of NAVFAC P-307 and notify the Contracting Officer at least 24 hours prior to bringing any crane (including delivery vehicles with crane boom attachments), multi-purpose machines, material handling equipment, or construction equipment that may be used in a crane-like application to lift suspended loads on board a Navy Installation. Written documentation of the last weight test of the crane and all related weight handling equipment (e.g. attachments, rigging gear, etc.) shall be maintained on site. The above mentioned documentation shall be also in compliance with Attachment VII of Italian Law Decree 81/08 and Accordo Stato-Regioni dated 22 September 2012. A joint verification with the Government representative must be performed to ensure that a legible and indelible completed copy of Appendix P, Figure P-1 of NAVFAC P-307 is maintained on the crane, multi-purpose machine, and material handling equipment or construction equipment used in a crane-like application to lift suspended loads. The following certification and testing documentation shall be on site prior to entry and use on any Navy Installation: 1) Crane, multi-purpose machine, material handling equipment or construction equipment used in a crane-like application to lift suspended load certification 2) Load testing 3) Yearly, monthly and daily inspection logs 4) Rope/sling certifications 5) Operator certifications/designations 6) Designation of person performing log inspections 7) Cranes that are permanently located on a Navy Installation shall have a quarterly joint verification.
2.10.5.1	Crane Inspections	The Contractor shall ensure all inspections are performed in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 (daily, monthly, quarterly, yearly), and retain the current documentation of inspections. Documents shall be kept on site. Daily pre-use inspections and testing shall be performed on all load hoisting and lowering mechanisms, boom hoisting and lowering mechanisms, swinging mechanisms, travel mechanisms (if to be used that day), and safety devices. Cranes that have to be re-rated shall be in accordance with SAE Recommended Practices, Crane Load Stability Test Code J765 and documentation maintained on site. The Contractor shall have an operational anti-two block device or a two-block damage prevention feature for all points of two blocking and a boom hoist disconnect, shutoff, or hydraulic relief to automatically stop the boom hoist when the boom reaches a predetermined high angle.
2.10.5.2	Rigging Gear	The Contractor shall ensure rigging gear and below the hook lifting devices and personnel comply with the following requirements:

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		1) Personnel performing rigging shall have an understanding of all signs, notices, and operating instructions, and be familiar with the applicable hand signals prescribed by the ASME B30 standard for the type of crane in use. 2) Personnel performing rigging shall be familiar with the rigging requirements in EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926. 3) The Contractor shall inspect rigging gear in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 and paragraph 1.7.2 of NAVFAC P-307. Certification records shall be made available for review upon request.
2.10.5.3	Crane Operators	Crane operators shall meet the personnel qualifications requirements in paragraph 16.B of EM 385-1-1 and paragraph 1.7.2 of NAVFAC P-307. For mobile cranes with Original Equipment Manufacturer (OEM) rated capacities of 2,000 pounds or greater, designate crane operators as qualified by a source that qualifies crane operators (i.e., union, a government agency, or an organization that tests and qualifies crane operators).
2.10.6	Accident and Damage Reporting	The Contractor shall notify the Contracting Officer as soon as practical, but no more than four hours after any accident meeting the definition of Recordable Injuries or Illnesses or High Visibility Accidents, property damage equal to or greater than \$2,000, or any Weight Handling Equipment (WHE) accident. Notification shall also be provided for any mishap occurring in any of the following high hazard areas: electrical (to include Arc Flash, electrical shock, etc.); uncontrolled release of hazardous energy (includes electrical and non-electrical); weight or load handling equipment (LHE) or rigging; fall-from-height (any level other than same surface); and underwater diving. These mishaps shall be investigated in depth to identify all causes and to recommend hazard control measures. Within notification include Contractor name; contract title; type of contract; name of activity, installation or location where accident occurred; date and time of accident; names of personnel injured; extent of property damage, if any; extent of injury, if known, and brief description of accident (to include type of equipment used, PPE used, etc.). Preserve the conditions and evidence on the accident site until the Government investigation team arrives on-site and Government investigation is conducted. The Contractor shall conduct an accident investigation for recordable injuries and illnesses, for accidents requiring Medical Treatment, property damage accidents resulting in at least \$20,000 in damages, and near misses as defined in EM 385-1-1, to establish the root cause(s) of the accident. The Contractor shall complete the applicable NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety Applications Management System (ESAMS) per Section F. Required or special forms are provided within the Forms in J-0200000-04. For any weight handling equipment accident (including rigging gear accidents) the Contractor shall conduct an accident investigation to establish the root cause(s) of the accident and comply with additional requirements and procedures for accidents in accordance with NAVFAC P-307, Section 12. The Contractor shall submit a WHE Accident Report (Crane and Rigging Gear) per Section F. No crane operations are allowed to proceed until cause is determined and corrective actions have been implemented to the satisfaction of the Contracting Officer.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		For a near miss, the Contractor shall complete the applicable documentation in NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety Applications Management System (ESAMS) per Section F. For a near miss involving crane or rigging operations, the Contractor shall report verbally to the Contracting Officer as soon as management becomes aware but not later than 4 hours of such event and comply with additional requirements and procedures for near-misses in accordance with NAVFAC P-307, Section 12. A near miss occurs when an accident was avoided by mere chance or when intervention prevented an ongoing sequence of events that would have resulted in an accident (e.g. unplanned encroachment, improper crane set-up, improperly rigged load, etc.). The Contractor shall submit a Crane and Rigging Gear Near Miss Report per Section F.
2.10.6.1	Accident Reporting and Notification Criteria	The following criteria and definitions apply to the accident reporting requirements specified above: Recordable Injuries or Illnesses. Any work-related injury or illness that results in: 1) Death, regardless of the time between the injury and death, or the length of the illness; 2) Days away from work (any time lost after day of injury/illness onset); 3) Restricted work; 4) Transfer to another job; 5) Medical treatment beyond first aid; 6) Loss of consciousness; or 7) A significant injury or illness diagnosed by a physician or other licensed health care professional, even if it did not result in (1) through (6) above. High Visibility Accident. Any mishap which may generate publicity or high visibility. Medical Treatment. Treatment administered by a physician or by registered professional personnel under the standing orders of a physician. Medical treatment does not include first aid treatment even though provided by a physician or registered personnel. WHE Accident. A WHE accident occurs when any one or more of the eight elements in the operating envelope fails to perform correctly during operation, including operation during maintenance or testing resulting in personnel injury or death; material or equipment damage; dropped load; derailment; two-blocking; overload; or collision, including unplanned contact between the load, crane, or other objects. A dropped load, derailment, two-blocking, overload and collision are considered accidents even though no material damage or injury occurs. A component failure (e.g., motor burnout, gear tooth failure, bearing failure) is not considered an accident solely due to material or equipment damage unless the component failure results in damage to other components (e.g., dropped boom, dropped load, roll over, etc.)
2.10.7	Fire Protection	The Contractor shall know where fire alarms are located and how to activate them. The Contractor shall handle and store all combustible supplies, materials, waste and trash in a manner that prevents fire or hazards to persons, facilities, and materials.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.10.8	Monthly On-Site Labor Report	The Contractor shall submit a Monthly On-Site Labor Report per Section F. This report is a compilation of employee-hours worked each month for all site workers, both prime and subcontractor. Monthly On-Site Labor Report shall be provided unprotected and capable of being sorted to the ELIN/Sub-ELIN level.
2.10.9	Host Nation Safety Citations and Violations	The Contractor shall correct violations and citations promptly and submit a copy of each OSHA citation and OSHA report with written OSHA Citations and Violations Corrective Action Report per Section F.
2.10.10	Safety Inspections and Monitoring	The Contractor shall conduct inspections of its work areas, job sites, and work crews every day work is being performed to ensure that all Contractor operations are being conducted safely. These inspections shall ensure: • The site is safe and free of job-site hazards • Proper PPE is being utilized and worn. • Safe work practices and processes are being followed. • Workers are familiar with the hazards covered in the respective AHA for that work activity. • All equipment and tools are in good condition and being used safely. The Government reserves the right to inspect and monitor Contractor operations for safety compliance. In general, the Government approach will be to conduct Performance Assessment on the quality and effectiveness of the Contractor's safety program. The Government reserves the right to stop any work activity when it deems danger is imminent. Contractor personnel shall work in a safe manner and comply with all applicable safety regulations. The Contractor shall be subject to safety inspections of its work sites by the Government. Contractor safety records shall be available to the KO upon request. Whenever the KO becomes aware of any safety noncompliance or any condition which poses a serious or imminent danger or hazard to the health or safety of the public or Government Personnel, the KO will notify the Contractor orally, with written confirmation, and request immediate corrective action. This notice, when delivered to the Contractor's representative or SSHO, shall be deemed sufficient notice of noncompliance and that corrective action is required. After receiving this notice, the Contractor shall immediately take corrective action. If the Contractor fails, delays, or refuses to promptly take corrective action, the KO may issue a stop work order for all or part of the services or work until satisfactory corrective action has been taken. Whenever such a stop work order has been issued, the Contractor shall waive all equitable adjustments to the contract related to the stop work ordered issued. The Contractor shall include this requirement in all of its subcontracts and vendor contracts in support of contract safety. The Contractor shall submit a copy of the Contractor Safety Inspection and Monitoring Report per Section F. The Contractor Safety Inspection and Monitoring Report shall include a narrative of significant events; a tabulated summary and results of the safety inspection and monitoring events performed; inspection-driven corrective actions taken and the results attained; and management process adjustments during the previous month.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.10.11	Safety Certification	The Contractor shall submit copies of all the required Federal, state, county, city and industry Safety Certifications for work performed under this contract per Section F. These certifications shall be kept up to date by the Contractor. The Contractor shall submit new versions of certifications as the old certifications expire. No work, that requires a certification, shall start without a valid and approved certification.
2.10.12	Safety Apparel on Jobsites	The Contractor personnel shall wear appropriate high-visibility safety apparel meeting ANSI/ISEA 107-2010 and DOT regulations for traffic control. Appropriate garment shall be based on the worker hazards and tasks, complexity of the work environment or background, and vehicular traffic and speed. As a minimum, the Contractor personnel shall wear ANSI/ISEA 107-2010 Class I compliant apparel.
2.10.13	Emergency Medical Treatment	Contractors will arrange for their own emergency medical treatment. The Government has no responsibility to provide emergency medical treatment.
2.10.14	Excavations	Soil classification must be performed by a competent person in accordance with 29 CFR 1926 and EM 385-1-1. The Contractor shall provide a third party, independent, private utility locating company to positively identify underground utilities in the work area in addition to any station locating service and coordinated with the station utility department. The Contractor shall physically verify underground utility locations, including utility depth, by hand digging using wood or fiberglass handled tools when any adjacent work is expected to come within 3 feet of the underground system. Utilities located within and under concrete slabs or pier structures, bridges, parking areas, and the like, are extremely difficult to identify. Whenever contract work involves chipping, saw cutting, or core drilling through concrete, bituminous asphalt or other impervious surfaces, the existing utility location shall be coordinated with station utility departments in addition to location and depth verification by a third party, independent, private locating company. The third party, independent, private locating company must locate utility depth by use of Ground Penetrating Radar (GPR), X-ray, bore scope, or ultrasound prior to the start of work. Outages to isolate utility systems must be used in circumstances where utilities are unable to be positively identified. The use of historical drawings does not alleviate the Contractor from meeting this requirement.
2.11	Environmental Management and Sustainability	The Contractor shall perform work under this contract consistent with the Installation's Environmental Management System (EMS) goals and policy. Goals: • Reduce purchase and use of toxic and hazardous materials; • Expand purchase of green products and services; increase recycling; • Reduce energy and water use; • Increase use of alternative fuels and renewable energy; • Integrate green building concepts in major renovations and new construction; • Prevent pollution at the source; and • Continual improvement.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		Policy: • Protect public health and the environment by being an environmentally responsible member of the community; • Preserve our natural, historic and cultural resources; • Conserve natural resources by reducing what we discard, reusing items, and recycling materials, which includes purchasing products made from recycled materials; • Integrate sound environmental practices into all our operations and business decisions; Integrate environmental protection requirements and pollution prevention initiatives into the early planning, design and procurement of facilities, equipment and material, as well as the planning and implementation of military training activities; • Prevent or minimize pollution at its source as we seek out ways to eliminate or further minimize use of hazardous materials and generation of hazardous waste; • Maintain a sound partnership with regulatory agencies to sustain our compliance with existing and new environmental laws and regulations; • Enhance our program as we develop and implement an Environmental Management System; and • Adhere to this policy, remind one another to do so, and ensure that our entire community knows this is our policy by our actions as well as our words. The Contractor shall maintain monitoring and measurement information to address the EMS goals and policy and provide the EMS Goals and Policy Measurement Information to the KO per Section F. In the event an EMS nonconformance or environmental noncompliance associated with the contracted services, tasks, or actions occurs, the Contractor shall take corrective actions, assume legal and financial liability for the noncompliance and take corrective action immediately to remedy the noncompliance. The Contractor shall ensure that its employees are aware of their roles and responsibilities under the EMS and how these EMS roles and responsibilities affect work performed under the contract.
2.11.1	Energy Management Program	The Contractor shall comply with the installation's energy management program. "Environmental Final Governing Standards (FGS) - Italy" and NASSIGINST 4101.1, Energy Management Program. Updated version of FGS and NASSIGINST 4101.1 may be obtained by submitting request to the KO. The Contractor PM, or designee, shall represent the Contractor's interest at all meetings of the activity's Energy Management Board. The Contractor shall attend periodic meetings with the Installation Energy Manager, where energy and water efficiency goals and project status will be discussed to ensure that any Contractor work complements and optimizes efficiency efforts.
2.11.1.1	Water Conservation Plan	The Contractor shall develop, submit and implement a Water Conservation Plan per Section F.
2.11.1.2	Energy Efficient Products	The Contractor shall use life-cycle cost analysis in making decisions about investments in products, services, construction and other projects to lower Federal Government's costs and reduce energy consumption. The Contractor

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		shall elect lifecycle cost effective Energy Star and other energy-efficient products when acquiring energy-using products. For product groups where Energy Star labels are not yet available, select products that are in upper 25 percent of energy efficiency as designated by the Federal Energy Management Program. Use of high-energy consuming tools or equipment is subject to approval by the KO prior to use.
2.11.2	Environmental Protection	The Contractor shall comply with all applicable Italian, Federal, state, and local laws, regulations, and executive orders, and with base-wide instructions, standards, and permit requirements. All environmental protection matters shall be coordinated with the KO. Inspection of Contractor operated facilities may be conducted by the Installation Environmental Protection Coordinator or other authorized officials on a no-notice basis. The Contractor shall comply with the instructions of the cognizant Navy Medical Department with respect to avoidance of conditions which create a nuisance or which may be hazardous to the health of military or civilian personnel. The Contractor is responsible for ensuring that its employees receive applicable environmental and occupational health and safety training, and are kept up to date on all required regulatory and specific training for the type of work to be conducted onsite. All on-site Contractor personnel, and their subcontractor personnel, performing tasks that have the potential to cause an impact to the environment shall be competent on the basis of appropriate education, training or experience. The Contractor shall develop, submit, and implement an Environmental Protection Plan per Section F.
2.11.2.1	ODS Requirements for Refrigerant Recycling	The Contractor shall comply with all Italian/European, federal, state and local environmental laws and regulations, and specifically requirements of Sections 608 and 609 of the Clean Air Act Amendments (CAAA) of 1990, 40 Code of Federal Regulation Part 82 (40 CFR 82) and of paragraph 22-3.6 (Management of Ozone-Depleting Substances) of OPNAVINST 5090.1 Environmental Readiness Program Manual, and Navy ODS Advisory 96-02 Refrigerant Leak Repair and Record Keeping as pertaining to this contract.. Technicians must be certified through an EPA, or Italian/European equivalent, approved program. Copies of the certifications shall be maintained at the employee's place of business and/or carried as a wallet card by the technician Records are maintained for all refrigerant removal operations performed prior to small appliance or motor vehicle air condition appliance disposal. The recovery date, technician's name and a statement that all refrigerant that had not previously leaked was removed in accordance with 40 CFR 82 shall be included in the disposal records. A weather resistant label or tag shall be placed on units pending disposal stating harmful refrigerants and oil have been removed from the unit in compliance with Section 608 of the CAA. The label or tag shall provide the company name & address, technician name, phone number, and date refrigerant was removed. Any class I or class II ODS, HFC, and PFC refrigerant shall not be intentionally released in the course of maintaining, servicing, repairing, or disposing of appliances, industrial process refrigeration units, air conditioning units, or motor vehicle air conditioners. <i>De minimis</i> releases associated with

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		good faith attempts to recycle or recover ODS, HFC, and PFC refrigerants are not subject to this prohibition. Equipment containing a quantity of ODS > 3 kg shall be monitored for leaks as follows: - Yearly, for equipment with an ODS quantity of 3 to 30 kg; - Every six months, for equipment with an ODS quantity of 30 to 300 kg; - Every three months, for equipment with an ODS quantity > 300 kg. Records kept for all refrigerant recovery operations/services will include the service date, service description, amount of refrigerant purchased, and amount of refrigerant added. Refrigerant leaks on equipment are repaired within 14 days of leak discovery. ODS contained in commercial and industrial refrigeration/air- conditioning equipment, equipment containing solvents, fire protection systems, and fire extinguishers shall be recovered for disposal in accordance with DoD 4160.21-M, Defense Materiel Disposition Manual, Chapter 10. Leak repairs for equipment normally containing 50 pounds or more refrigerant are documented, including the date of leak discovery and date repaired, technician's name, amount of refrigerant vented, and amount purchased and added. Satisfactory leak repair verification tests are documented within 30 days of repair. Records detailing accidental venting of ODS are maintained; these records shall include as a minimum the date, type, location, amount vented, and reason for venting. Records detailing the type and amount of refrigerant purchases shall be kept. Contractor ODS records shall be available to the KO upon request. Contractor ODS records shall be available to the KO upon request.
2.11.2.2	Non-Hazardous Waste Disposal	The Contractor shall dispose of debris and rubbish resulting from the work under this contract in accordance with all applicable Federal, Italian national, provincial and local laws and regulations and U.S. Department of Defense Environmental Final Governing Standards (DoD FGS)–Italy; NAS Sigonella Instruction 5090.1, Dangerous Waste Management Plan (DWMP); NAS Sigonella Resource Recovery and Recycling Program (RRRP); NAS Sigonella Spill Prevention and Response Plan; NAS Sigonella Storm Water Pollution Prevention Plan.
2.11.2.3	Hazardous Waste Disposal	The Contractor shall dispose of all hazardous waste in accordance with all applicable Federal, Italian national, provincial and local laws and regulations including, but not limited to, U.S. Department of Defense Environmental Final Governing Standards (DoD FGS)–Italy; NAS Sigonella Instruction 5090.1, Dangerous Waste Management Plan (DWMP); NAS Sigonella Resource Recovery and Recycling Program (RRRP); NAS Sigonella Spill Prevention and Response Plan; NAS Sigonella Storm Water Pollution Prevention Plan. No on-site disposal of hazardous waste is allowed within NASSIG. Refer to Annex 1800000 Environmental, Section J, Definition and Acronym, for the definition of Hazardous Waste (HW).
2.11.2.4	Spill Prevention,	The Contractor shall prevent, contain, clean up, and report all spills on Government property caused by the Contractor, in a manner that complies

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
	Containment, and Clean-up	with applicable DoD and DoN instruction, policies and guidance, and Italian laws, norms, decrees, and regulations, and with the NAS Sigonella Spill Prevention and Response Plan at no additional cost to the Government. All spills shall be reported immediately to the KO and the NSA Sigonella Emergency Management. The Contractor shall provide spill equipment at the job site and dispose of all clean-up waste as per Italian law.
2.11.2.5	Hazardous Material Management	The Contractor shall support the Consolidated Hazardous Material Reutilization and Inventory Management Program (CHRIMP). The Contractor shall submit an Emergency Planning and Community Right to Know Act (EPCRA) Report and Contractor Hazardous Material Inventory Log per Section F following the format provided in J-0200000-09. The Contractor shall receive approval from the KO prior to bringing hazardous material on Government Property or prior to any other use in conjunction with this contract. For approval to use any hazardous material, allow a minimum of 10 working days for processing the request. The Contractor shall post Safety Data Sheets (SDS) at the worksite where the products are being used. Should the Government determine that a chemical the Contractor will use needs to be tracked, the Government may direct the Contractor to submit additional information in order to fulfill reporting requirements. The Contractor shall ensure that procedures are in place to deal with hazardous materials, pursuant to the FAR Clause 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA. Notwithstanding any other hazardous material used in this contract, radioactive materials or instruments capable of producing ionizing/non-ionizing radiation (with the exception of radioactive material and devices used in accordance with EM 385-1-1 such as nuclear density meters for compaction testing and laboratory equipment with radioactive sources) as well as materials which contain asbestos, mercury or polychlorinated biphenyls, di-isocyanates, lead-based paint are prohibited. The Contracting Officer, upon written request by the Contractor, may consider exceptions to the use of any of the above excluded materials. Low mercury lamps used within fluorescent lighting fixtures are allowed as an exception without further Contracting Officer approval. Notify the Radiation Safety Officer (RSO) prior to excepted items of radioactive material and devices being brought on base.
2.11.2.6	Protection of Endangered and Threatened Species (Flora and Fauna)	The Contractor shall not disturb endangered and threatened species and their habitat. The Contractor shall carefully protect in-place and report immediately to the KO endangered and threatened species discovered in the course of work. The Contractor shall stop work in the immediate area of the discovery until directed by the KO to resume work.
2.11.2.7	Noise Control	The Contractor shall comply with all applicable Federal, state and local laws, ordinances, and regulations relative to noise control.
2.11.2.8	Salvage	All material and equipment removed or disconnected that is sound and of value shall remain the property of the Government. The Contractor shall deliver this material and equipment at the Contractor's expense to Public Works Department.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.11.2.9	Asbestos Containing Material (ACM)	Asbestos containing insulation, flooring, and other building materials may be encountered by the Contractor during the performance of work under this contract, and the Contractor shall remain alert to this possibility. If ACM is encountered or suspected in the performance of work, the Contractor shall avoid removing, sanding, abrading, or disturbing the material. The Contractor shall verbally notify the KO within one hour and submit a written ACM Notification within 24 hours per Section F.
2.11.2.10	Storm Water Pollution Prevention Management	The Contractor shall, at a minimum, conduct weekly inspections for Storm Water Pollution Prevention Construction Activities Inspection requirements and after any major rain event per the NAS Sigonella Storm Water Pollution Prevention Plan.
2.11.3	Sustainable Procurement and Practices	The Contractor shall develop, submit, and implement a Sustainable Procurement and Practices Plan per Section F. This plan shall identify how the Contractor will comply with all applicable Italian/European, Federal, state and local laws and regulation, including E.O. 13514, Installation Energy Management Program and Water Conservation Programs and energy reduction requirements. The plan shall specifically address the following components: • Recycled Contents Products • Energy/Water efficiency • Energy Efficient Tools and Equipment • Alternate Fuels and Alternate Fuel Vehicles • Biobased Products • Non-Ozone Depleting Products • Environmental Preferred Products and Services • Low/Non-Toxic and Hazardous Materials The Contractor shall submit an annual Sustainable Delivery of Services Report per Section F.
2.11.3.1	Environmentally Preferable Products	The Contractor shall procure and use products that are energy-efficient (Energy Star or Federal Energy Management Program (FEMP)-designated), water efficient, bio-based, environmentally preferable (e.g., Electronic Product Environmental Assessment Tool (EPEAT)-registered), non-ozone depleting, contain recycled content, or are non-toxic or less toxic alternatives, where such products and services meet performance requirements.
2.11.3.2	Use of Recovered Materials	The Government has an affirmative procurement program to promote the purchase of products containing recovered materials. The intent is to reduce the solid waste stream and conserve natural resources by establishing markets for recycled content products and encouraging manufacturers to produce quality products containing recovered materials. Participate in this program by using, for Environmental Protection Agency (EPA) designated items, recovered materials to the maximum extent practicable without jeopardizing the intended end use of the item. The percentage of recovered materials content levels for use in the performance of this contract will be, at a minimum, the amount recommended in the EPA Comprehensive Procurement Guideline (CPG) Product Index website (http://www.epa.gov/epawaste/conserve/tools/cpg/index.htm). Use of EPA designated products is not required for products that are either not available within a reasonable period of time, are not available at a reasonable price, are not available from a sufficient number of sources to maintain a satisfactory level of competition, or fail to meet performance

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		standards based on technical verification. EPA designation of products is an on-going process. Listings of EPA designated products containing recovered materials are found in 40 CFR 247. Make recommendation and submit Recovered Material Certification, per Section F, when a product containing recovered materials is equal to or better than the original and could be used for this contract. All changes of products must be accepted by the KO prior to its use.
2.11.3.3	Use of Biobased Products	The Contractor shall make maximum use of biobased products in accordance with the FAR Clause 52.223-2 -- Affirmative Procurement of BIOBASED Products Under Service And Construction Contracts. Information about these products is available at http://www.usda.gov/biopREFERRED .
2.12	Disaster Preparedness and Exercise Participation	The Contractor shall comply with and provide support specified in NASSIGINST 3440.16 Disaster Preparedness Plan, and NASSIGINST 3301.1 Emergency Action Plan as directed by the KO. For NAS Sigonella Naval Hospital, when ordered as Non-recurring work (IDIQ), the Contractor shall jointly participate with the hospital staff in exercise simulations of actual natural or manmade disasters and provide support personnel per requirements specified in J-0200000-11 The Contractor shall support the installation contingency response plan as directed by the KO. The Contractor shall submit their Mission Essential Contractor Services Plan and a list of their Mission Critical/Mission Essential Personnel per Section F.
2.13	Technical Library	Existing technical library contents, including facility drawings, operation & maintenance manuals, warranties, Government publications, record drawings and other appropriate material, will be furnished by the Government. The Contractor shall continually update library material to ensure all data is current, complete, accurate and suitable for intended use. The Contractor shall monitor the use of the libraries to ensure materials are returned and data integrity is not compromised. The Contractor shall maintain the libraries until completion or termination of the contract and make the libraries available for inspection by prospective offerors for successive contracts. The technical library contents are the property of the Government and shall be turned over to the KO upon completion or termination of the contract. The Contractor shall submit the Technical Library Table of Contents per Section F.
2.14	Warranty Management	Prior to performing repair work, the Contractor shall report to the KO any defect in workmanship, material, or parts, and any improper installation of equipment and components that are covered by a warranty. The Contractor is responsible for knowing which equipment and components are covered by the original warranty and the warranty duration. The KO will provide available warranty documents and those pertaining to Termite Treatment in 1503020 Pest Control.
2.15	Recurring Work Procedures	
2.15.1	Recurring Work Preparation of Proposals	The Contractor shall price additions or deletions to the Recurring Work requirements using the unit prices bid by the Contractor for Non-Recurring Work Unit Priced Tasks (UPTs). If Non-Recurring Work does not include a corresponding UPT for a specific work requirement for addition or deletion to the Recurring Work requirements, the Contractor shall propose on that specific work requirement in accordance with the Non-recurring Work

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		Preparation of Proposal requirements specified below. Additional markups shall not be included since the cost for these items were included in the unit prices bid by the Contractor for Non-Recurring Work. This may result in the Contractor's proposal consisting of UPT unit price(s), Unit Priced Labor (UPL) Hour(s), Material pricing, or a combination thereof. Recurring Work proposals, including detailed scopes of work and detailed estimates for modification to the Recurring Work requirements shall be submitted per Section F.
2.15.2	Notification to the Government for Work Above the Recurring Work Limitations	The Contractor is fully responsible for work up to the recurring work limits. Recurring work limits are specified in subsequent annexes or sub-annexes. When work is expected to exceed the recurring work limits, the Contractor shall notify the KO and provide a rough order of magnitude (ROM) estimate for the work exceeding the Contractors recurring work limits of liability The Government may issue a service order in accordance with the recurring work provisions of this contract order work in accordance with the non-recurring work provisions of this contract detailed below or accomplish the work by means other than this contract. The Contractor shall provide a detailed scope of work and detailed estimate, per Section F, per the non-recurring work procedures in Spec Item 2.16 for any potential task orders resulting from work that exceeded a recurring work limit of liability in the contract. The estimate shall include the full scope of work and clearly show the deductions for the applicable recurring work limit of liability. The resultant proposed price shall be for the portion of the work exceeding the recurring work limit of liability. Further, the Contractor shall prepare and provide scopes of work and estimates in this manner to the KO when requesting a determination that a recurring work limit of liability has or will be exceeded.
2.15.3	Recurring Work Exhibit Line Item Numbers (ELINs)	Recurring work Exhibit Line Item Numbers (ELINs) are provided in J-0200000-12.
2.15.4	Inventory Data Quantity Variation	Inventory data reflecting item quantities supporting contract requirements (as priced in individual Recurring Work ELINs) for each technical specification represents the latest information available. Inventory data include but are not limited to facilities, areas (e.g., acreage, square meters), systems, equipment, distances (lengths and heights), historical data, estimated amounts and other inventories. Due to mission dynamics, inventory quantities may fluctuate during the contract period. A contract modification will not be processed for inventory fluctuations up to and including +/- 10%. The Contractor shall provide an inventory as per Section F. Annually, at the end of each contract period, the Government and the Contractor will jointly verify the change in inventory amounts. Should an inventory quantity supporting a contract ELIN be validated to exceed +/- 10% of the original amount, a contract modification will be executed for the full increase or decrease in inventory quantity. Inventory quantities indicated at contract award will be the baseline for monitoring fluctuations annually until a contract modification for a change in inventory is awarded. The total inventory quantity as verified for the contract modification will be used as the new baseline for determination of future annual fluctuation adjustments.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.16	Non-recurring Work	Non-recurring work is identified in each applicable annex or sub-annex. Non-recurring work may consist of Unit Priced Task (UPT) Work (non-negotiated) and Unit Priced Labor (UPL) Work (negotiated). The Contractor shall perform all non-recurring task work as ordered by the KO per Section G and DoD FedMall requirements. Non-recurring work will consist of Unit Priced Tasks and Unit Priced Labor Work which may be ordered by the Government as separate items or in combinations of items from the Non-recurring Work Exhibit Line Items (ELINs) provided in Section J on an as needed basis.
2.16.1	Unit Priced Task (UPT) Work (Non-Negotiated)	A UPT is defined as a non-recurring work item that includes all direct and indirect costs plus profit associated with the particular unit of work. All materials and equipment (rented, leased or Contractor-owned) required for the accomplishment of a UPT shall be included within the respective exhibit line item prices. The fixed price for the task order is determined by multiplying the exhibit line item unit prices by the quantities ordered. The Contractor is not required to submit cost estimates for UPTs.
2.16.1.1	Acceptance and Performance	The Contractor shall offer indefinite quantity (IQ) pre-priced line item services to authorized Government personnel when they are ordering the work directly via the Government-wide Commercial Purchase Card (GCPC) program. When receiving GCPC orders against Section B, the Contractor shall provide the supplies and services at the offered price without additional markup or handling fee. The Contractor is responsible for registering on the FedMall Supplier Portal and uploading current catalogs with accurate non-recurring ELIN schedules in the FedMall system with notification, per Section F. The following ELINS will NOT be available for ordering via FedMall, as negotiations by the KO are required to establish a firm fixed price prior to issuance: Unit Priced Labor (UPL), Direct Material Costs & Special Equipment Rental associated with Non-Recurring Work ELINs. The Contractor shall update all FedMall catalogs with contract modifications to non-recurring ELINs and at the beginning of each option year, if necessary. The Contractor shall accept, acknowledge, and process and track electronically submitted GCPC orders for IQ services, including those orders issued through the FedMall. FedMall is a U.S. Government (USG) owned and operated web-based ordering system that enables any Department of Defense (DoD) or Federal activity to search for and order goods and services. Authorized GCPC users will receive approved accounts on FedMall to view and order IQ line items. The Contractor shall receive electronic IQ orders from FedMall using 128-bit encrypted email. The Contractor shall purchase, install, and utilize the most recent version of PGP Personal software, or a comparable solution, for the purpose of decrypting order notification emails from FedMall. In addition, the DoD has established the External Certification Authority (ECA) program to support the issuance of DoD-approved certificates to Contractors. The ECA program is designed to provide the mechanism for Contractors to securely communicate with the DoD and authenticate to DoD Information Systems. The Contractor shall purchase, install, maintain and use a DoD-approved ECA certificate. Information on obtaining an ECA certificate can be found at https://public.cyber.mil/eca/

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor must coordinate with the Activity POC who placed the order to schedule services. The Contractor shall post updates on order delivery schedule and performance to the FedMall in a timely manner. The Contractor shall track quantities and report total ordered quantity in FedMall and approved DD 1155's by line item number each month and year- to-date. The report shall be due to the Contracting Officer and COR by the fifth day of the following month, per Section F. The Contractor must track and report when total dollar value of all orders from both GCPC purchases and DD 1155s exceed 75% of the combined Section B Pre-Priced Line Item quantities.
2.16.1.2	Invoicing and Receiving Payment	Payment for completed FedMall orders will be made using the Government wide Commercial Purchase Card (GCPC). Reference "payment by third party" clause FAR 52.232-36. The Contractor shall possess the capability to invoice and receive payment for non-recurring work via an electronic medium with supported command representatives utilizing their GCPC. No partial or advance payments will be provided.
2.16.2	Unit Priced Labor (UPL) Work (Negotiated)	The Contractor shall perform all UPL work in accordance with the scope and delivery schedule negotiated per each task order. UPL work is defined as non-recurring work that utilizes negotiated labor hours and materials to accomplish a task not required by the recurring work portion of the contract. UPL includes separately priced labor, material, and equipment exhibit line items. The Contractor shall prepare and furnish a detailed cost estimate identifying proposed labor, material, and equipment costs, which upon approval by the KO, becomes the fixed price for the task order.
2.16.2.1	Non- recurring Work Preparation of Proposals	The Contractor shall submit non-recurring work proposals to the KO, per Section F. Proposals shall include: 1) a complete list of all tasks necessary to perform the required scope of work, 2) the number of direct labor hours to perform each task and 3) the projected quantity and costs of materials and equipment to perform the required scope of work.
2.16.2.1.1	Labor Requirements	Accepted industry time standards published in R. S. Means Facility Maintenance and Repair Cost Data, industry organizations, and similar estimating sources shall be used for determining the number of direct labor hours required to complete the scope of work. If not provided in RS Means or a similar estimating source, labor hours may be based on quotes from at least three different commercial vendors. The total labor cost will be determined by totaling the number of direct labor hours and then multiplying by the UPL amount in the Non-Recurring Work Exhibit Line Items (ELINs) provided in Section J. The Government retains the right to obtain additional quotes. The lowest quoted labor hours shall be used.

Section C – 0200000
Management and Administration

0200000 - Management and Administration		
Spec Item	Title	Description
2.16.2.1.2	Direct Material and Construction Equipment Requirements	Direct material and construction equipment costs published in R. S. Means Facility Maintenance and Repair Cost Data, national material supplier catalogues, U.S. Army Corps of Engineers Construction Equipment Ownership and Operating Expense Schedule (EP 1110-1-8), equipment rental catalogues, and similar estimating sources shall be used for determining customary and reasonable costs for the direct material and construction equipment estimate. If not provided in RS Means or a similar estimating source, direct material prices may be based on national material supplier catalogue pricing or quotes from at least three different commercial vendors. Projected direct material requirements shall include a list of materials establishing the size, quality, number of units, and unit prices. Pre-expended bin supplies and materials shall not be included in the list of direct materials since the cost for these items are to be included in the labor hour unit price. Direct material prices shall be the lowest price available considering the availability of materials and the time constraints of the job. The direct material price shall include all discounts and rebates for core value and salvage value that accrue to the Contractor and Contractor-furnished warehousing cost Construction equipment costs shall include rental and lease costs, ownership costs where Contractor-owned, construction equipment mobilization, and tools, not priced under the recurring work portion of the contract The Government retains the right to obtain additional quotes in questionable situations. The lowest price shall be used.
2.16.2.2	Issuance of Final Task Order	The KO will order unit priced labor by issuing to the Contractor a copy of the approved scope of work and a task order for the work described, in accordance with Section G. Task order completion times will be specified on each task order.
2.16.3	Non-recurring work ELINS	Non-recurring Work Exhibit Line Item Numbers (ELINs) are provided in J-0200000-XX.