

1603000 – Natural Gas	
Spec Item	Title
1	General Information
1.1	Concept of Operations
2	Management and Administration
2.1	Definitions and Acronyms
2.2	Personnel
2.2.1	Certification, Training and Licensing
2.3	Special Requirements
2.3.1	Natural Gas Equipment
2.4	References and Technical Documents
3	Recurring Work
3.1	Integrated Maintenance Program
4	Non-Recurring Work

1603000 – Natural Gas		
Spec Item	Title	Description
1	General Information	
1.1	Outline of Services	The intent of 1603000 Natural Gas is to specify the requirements for providing natural gas utilities. Included are integrated maintenance program services for the maintenance and repair of the natural gas distribution system from the gas main entering the installation up to and including the last valve entering a facility.

1603000 – Natural Gas		
Spec Item	Title	Description
2	Management and Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in J-1603000-01.
2.2	Personnel	The Contractor shall provide personnel with the qualifications, technical knowledge, experience and skills required for efficient operations, maintenance, and repair within the natural gas distribution system function.
2.2.1	Certification, Training and Licensing	Personnel performing maintenance on natural gas systems shall comply with ASME and EPA certification guidance. Natural gas operators and maintenance personnel shall be certified in accordance with UNI 11632 - Natural Gas Distribution System Operator (level 1, 2, 3 and 4) and trained per 49 CFR part 190-199 and part 40, NFPA 52 and NFPA 54, and ANSI Z223.
2.3	Special Requirements	
2.3.1	Natural Gas Equipment	Natural gas equipment shall be certified and calibrated annually by an approved certifying office. Natural gas leak detectors shall be calibrated and certified in accordance with EN 60079-29-2.
2.4	References and Technical Documents	References and Technical Documents are listed in J-1603000-02.

1603000 – Natural Gas				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
3	Recurring Work	The Contractor shall efficiently and safely operate and maintain the natural gas distribution system to ensure the safe distribution of natural gas and all demand requirements are continually met.	The Contractor shall shut-down, restart, and perform operational checks on all equipment affected by both scheduled and unscheduled utility outages at no additional cost to the Government. The Contractor shall comply with UFC 3-430-05, ASME B31.8, and Environmental Final Governing Standards (FGS) for Italy for all natural gas systems installations, repairs and maintenance. The current Natural Gas Distribution System Description and Inventory is provided in J-1603000-03. The contractor shall maintain current drawings and diagrams and keep them current, per Section F. The Contractor shall develop and submit a Critical Spare Parts Inventory, per Section F. The Contractor shall maintain on hand the critical spare parts required to keep the entire distribution system in continuous service to meet natural gas demand requirements. The Contractor is fully responsible for the procurement of all critical spare parts and ensuring the critical spare parts list is updated and expanded as required. The Minimum Critical Spare Parts required to be on hand at all times is provided in J-1603000-04. The Government will inspect the critical spare parts inventory quarterly to ensure storing and ordering levels are adequate.	Natural gas is continuously and safely generated and distributed and meets demand requirements. Critical spare parts inventory is current and available 100% of the time.
3.1	Integrated Maintenance Program (IMP)	The Contractor shall develop and implement an IMP for the natural gas utility transmission and distribution systems	The Contractor shall develop and submit IMP per Section F that includes the UICAP requirements in 1601000	Maintenance accomplished in accordance with Contractor's IMP, manufacturer's

1603000 – Natural Gas				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
		to ensure all equipment and components are safe, fully functional, and operational.	Utilities Management and NAVFAC P-603. The Contractor shall provide an IMP monthly report and daily schedule that itemizes maintenance and inspection tasks, planned maintenance accomplishment, unaccomplished maintenance report, and material/parts status and repair status per Section F. The current Natural Gas Distribution System and Inventory is provided in J-1603000-03. The inventories provided in J-1602000-03 are intended to support the overall understanding of the natural gas distribution system. The Contractor IMPs shall include all equipment and components of the natural gas system even if the equipment or component is not listed in the inventory. The IMP shall include the Contractor's approach for integrated maintenance, including maintenance and inspection tasks, schedules for planned work accomplishment, plan for minimizing occurrence of repair and downtime, process for the identification of the need for repairs, and the process for scheduling and completing repair work. As part of each IMP, the Contractor has full responsibility for any individual occurrence of repair, including replacement, up to and including \$10,000 in direct material and labor cost. The Contractor shall, per Annex 2, notify the KO upon identification that the repair will exceed the liability limit listed above. If the estimated cost of the repair exceeds the recurring work liability limit, the	recommendations, and work schedule and performed per specified standards. All repairs are responded to within one hour following Contractor discovery or within 4 hours of Government notification and worked continuously to completion.

1603000 – Natural Gas				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			Government may order the work under the non-recurring work section of this contract; however, the Government will only be liable for costs exceeding the Contractor's \$10,000 recurring work limit of liability. The Contractor shall perform all repairs, whether identified as part of their routine IMP accomplishment, QC inspections, or notification from the Government that a breakdown or malfunction has occurred. If the Government identifies a problem or a need for repair, the Government will contact the work reception desk. Service orders will not be issued for accomplishment of repairs on systems and equipment maintained under IMP. The Contractor shall respond to Government notifications and be on-site performing work within 4 hours of receipt of the notification. IMP, inclusive of repair and replacement, shall be performed per ANSI Standards, OMSI, NETA MTS, NFPA, FGS Italy, and equipment manufacturer's recommendations and commercially accepted practices. All distribution system malfunctions and breakdowns requiring repair or replacement shall have immediate response within one hour following Contractor discovery or within 4 hours of Government notification. The Contractor shall work continuously to completion. As part of the IMP, the Contractor shall perform valve checks for leaks at least twice per year for each valve. The	

1603000 – Natural Gas				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			contractor shall submit Gas Leak Inspection Schedule and Results Report per Section F (monthly). Edit to ensure repairs performed are input to Maximo. IMP work shall include any excavation necessary to perform required services.	

1603000 – Natural Gas				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
4	Non-Recurring Work	Non-Recurring work may be ordered utilizing FedMall in accordance with Section H or on a task order in accordance with the PROCEDURES FOR ISSUING ORDERS clause in Section G. The order will specify the exact locations and types of work to be accomplished. The period of performance will be specified in each order.	Refer to IDIQ ELINs for task listings, descriptions and related requirements. All periods of performance are measured from issue date of order to acceptance of the work.	Performance Standards for IDIQ work will be the same as those in Spec Item 3 where applicable.