

SECTION J – 1800000
ENVIRONMENTAL

ATTACHMENT NUMBER	ATTACHMENT TITLE
J-1800000-01	DEFINITIONS AND ACRONYMS
J-1800000-02	REFERENCES AND TECHNICAL DOCUMENTS
J-1800000-03	FINAL SPILL PREVENTION AND RESPONSE PLAN VOLUMES I AND II
J-1800000-04	INVENTORY OF OHS SPILL CONTROL EQUIPMENT

ATTACHMENT J-1800000-01
DEFINITIONS AND ACRONYMS

DEFINITION/ACRONYM	DESCRIPTION
Hazardous Material (HM)	Any material regulated by the U.S. Environmental Protection Agency (EPA), the U.S. Occupational Safety and Health Administration (OSHA), the U.S. Department of Transportation (DOT), and the U.S. Nuclear Regulatory Commission (NRC) because it has the potential to harm human health or the environment. (Includes materials identified in 29CFR1910.1200, 40CFR355, 49CFR100-180, and 10CFR20).
Hazardous Waste (HW)	For the purposes of this contract, the acronym “HW” shall include both Hazardous Waste and Non-RCRA waste. Any discarded solid waste (liquid, semi-solid, solid, or gaseous) that meets the definition of a HW by USEPA, state authorities, or the Navy. Solid waste is classified as HW if it is specifically listed, or it is a characteristic HW and exhibits the characteristics of ignitability, corrosivity, reactivity, or toxicity. Waste that is regulated by the Toxic Substances Control Act (TSCA). For the purpose of this contract the term Hazardous waste will also include wastes that require special regulatory control but do not meet the specific definition of HW, refuse, or solid waste. Includes waste awaiting waste determination or analysis.
Hazardous Waste Accumulation Point (HWAP)	A shop, site, or other work center where hazardous wastes are accumulated until removed to a Temporary Waste Storage Area (TWSA) or Waste Storage Area (WSA), or shipped for treatment or disposal. A HWAP may be used to accumulate no more than 208 liters (55 gallons) of hazardous waste or 1 liter (1 quart) of acute hazardous waste, from each waste stream. The HWAP must be at or near the point of waste generation and under the control of the waste producer.
Hazardous Waste Management Plan	In accordance with OPNAVINST 5090.1E, every Navy shore activity that generates HW shall develop and use a Hazardous Waste Management Plan (HWMP) or a HW management component in its P2 Plan and EMS. A requirement for the HWMP are listed in the OPNAVINST 5090.1E and the Final Governing Standard and shall include but not be limited to: – Identify applicable federal, state, and local regulations pertaining to the generation and management of HW. – Identify training requirements and describe procedures for obtaining training and maintaining training records. – Assign responsibilities for the generation, designation, handling, storage, treatment, disposal, and all documentation. – Describe all HW generation and management procedures. – Include or reference the HW minimization plan and goals. – Include or reference contingency plans and emergency response procedures. The plan shall be kept up to date to include changes in HW generation and management procedures, as well as changes in applicable federal, state, and local HW regulations. The plan shall include or reference minimization procedures sufficient to achieve DOD minimization goals. Tenant activities should be covered by the host CO's HWMP.
HW Manifest	A HW manifest as defined in 40 CFR 260 is required for the transport of hazardous waste. The installation commanding officer (ICO) or the ICO's designated representative shall retain signature authority for HW manifests.
Installation's Environmental Office (IEO)	The Government functions on the Installation that have the authority to implement the Navy's environmental policies and decision-making regarding environmental compliance issues as well as environmental operational issues.

ATTACHMENT J-1800000-01
DEFINITIONS AND ACRONYMS

DEFINITION/ACRONYM	DESCRIPTION
Installation Environmental Program Director (IEPD)	The Government function on the Installation that has the authority to implement the Navy's environmental policies and decision-making regarding environmental compliance issues as well as environmental operational issues. The IEPD is the primary liaison for all federal, state, and local regulatory agencies and government officials, and the point of contact for all inquiries from outside the installation (e.g., public or news media inquiries) unless otherwise specified in writing.
Medical Waste	A sub-category of special waste. Medical waste is generated by any health-related activity (including hospitals, dental clinics, and veterinary clinics). It is specially managed because it has the potential for causing disease in humans and may pose a risk to both individuals or community health if not managed properly, and that includes, but is not limited to, the following classes: microbiology waste; pathology waste; human blood and blood products; potentially infectious materials; controlled and non-controlled substances (Drugs); sharps, including hypodermic needles, syringes, biopsy needles, and other types of needles used to obtain tissue or fluid specimens; infectious waste from isolation rooms. The medical waste definition includes both infectious and non-infectious waste and excludes the following: • Wastes produced from kitchens during the preparation of meals; • Wastes from catering activities and food residues, excluding those from departments with infectious patients; • Ordinary trash; • Empty packaging; • Garden waste; and Plasters, non-returnable sheets and clothes, medical towels, bandages and bags for urine (excluding material from infectious patients).
Memorandums of Agreement/Understanding (MOA/MOU)	The installation commanding officer or his designated representative shall retain signature authority for all MOAs and MOUs.
Overseas Environmental Baseline Guidance Document (OEBGD)	Document that establishes standards for environmental compliance at DoD controlled or operated installations in countries for which no Final Governing Standards have been established.
Sampling Plan	Plan and procedures to conduct sampling, field-testing and laboratory analysis for a well-defined testing objective.
Secondary Containment	Secondary containment must be sized to provide 100% containment of the largest single container within the storage area. If storage area is exposed to weather, containment must be sized to provide containment for 100% of the largest container plus adequate freeboard for precipitation. Adequate freeboard for precipitation is based on the 25-year 24-hour storm event.
Spill Prevention Control and Countermeasure (SPCC) Plan	Plan and procedures for the installation to exercise oil spill prevention measures and to provide effective countermeasures in the event of oil spill ashore. This may include field testing and inspection services to maintain compliance.
Treatment, Storage and Recycling / Disposal Facility (TSRDF)	Facilities that are permitted by applicable regulatory drivers to provide treatment, storage and recycling / disposal services for hazardous wastes.
Temporary Waste Storage Area (TWSA)	A non-authorized area located within the installation fenceline where temporary waste accumulation and storage activities occur (to include hazardous and non-hazardous waste) before being transferred to a WSA site or picked-up for off-site shipment. Each TWSA must be designated as either volume limited or time limited.

ATTACHMENT J-1800000-01
DEFINITIONS AND ACRONYMS

DEFINITION/ACRONYM	DESCRIPTION
Waste Transportation and Recycling / Disposal Permits	Permits to be owned by any companies providing off-site waste transportation and recycling / disposal services under this Contract, including but not limited to the EPA ID numbers if applicable. These permits shall be obtained and made available to NASSIG NAVFAC Environmental Department for review and concurrence.
Waste Storage Area (WSA)	An authorized area where the storage of waste (both hazardous and/or non-hazardous) occurs prior to disposal. Special waste may be stored no longer than one year at a WSA unless otherwise specified in the authorization. A WSA site shall be authorized via the Italian Base Commander,
CFR	Code of Federal Regulations
CHRIMP	A centralized repository for the control of all hazardous materials that will order, receive, distribute, store, dispose of and track all hazardous materials used in Installation operations.
DLA	Defense Logistics Agency
EPA	Environmental Protection Agency
FLC	Fleet Logistics Center
HAZMART	A centralized repository for the control of all hazardous materials that will order, receive, distribute, store, dispose of and track all hazardous materials used in Installation operations.
NAVSEA	Naval Sea Systems Command
NELAP	National Environmental Laboratory Accreditation Program
NON	Notices of Noncompliance
NOV	Notices of Violation
OHS	Oil and Hazardous Substances
OPNAVINST	Chief of Naval Operations Instruction
P2ADS	Pollution Prevention Annual Disposal Summary
POC	Point of Contact
QA/QC	Quality Assurance and Quality Control
RCRA	Resource Conservation and Recovery Act
SPCC	Spill Prevention Control and Countermeasures
TSRDF	Treatment Storage and Recycling / Disposal Facilities
UN	United Nations (symbol)

ATTACHMENT J-1800000-02
REFERENCES AND TECHNICAL DOCUMENTS

The Contractor shall adhere to the applicable portions of the **current edition** of the following publications and directives in performing the services required under this contract. This list shall not be considered all-inclusive and does not release the Contractor from all obligations that must be fulfilled in the observance and execution of this contract.

When performing under this Contract, the Contractor shall comply with the requirements of all the applicable Italian national, regional, and local laws and regulations and, when non-conflicting and more protective of the environment as well as human health and safety, shall also comply with the applicable requirements of the U.S. Department of Defense Environmental Final Governing Standards for Italy (DoD I-FGS) and the additional regulatory drivers listed below.

REFERENCES	TITLES
Italy FGS	Final Governing Standards - Italy
D. Lgs 152/2006	Unique Environmental Decree
ISO 14001	Environmental Management System
USNHNAPINST 6220.1	Hospital Infection Prevention and Control Program
BUMEDINST 6280.1	Management of Infectious Waste
	The Joint Commission (TJC) Comprehensive Accreditation Manual for Hospitals
	Centers for disease Control and Prevention (CDC) Guidelines and Recommendations for Prevention of Healthcare-Associated Infections
CFR Title 49 173.134	Transportation: Definitions and Expectations
CFR Title 49 173.197	Transportation: Regulated Medical Waste
CFR Title 29 1910.1030	Bloodborne Pathogens (Toxic and Hazardous Substances)
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR)
OPNAVINST 5090.1	Environmental and Natural Resources Program Manual
NAVSEA T0300-AZ-PRO-010	Navy Environmental Compliance Sampling & Field Testing Procedures Manual
DoD Instruction 4715.4	Pollution Prevention
DoD Manual 4715.5-G	Overseas Environmental Baseline Guidance Document Volumes 1 through 5
DoD Instruction 4715.5	Management of Environmental Compliance at Overseas Installations
Executive Order 13423 of 24 Jan 2007	Strengthening federal Environmental, Energy, and Transportation Management
EPA 833-B-92-001	NPDES Stormwater Sampling Guidance
EPA SW-846	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods
EPA PB83-124503	Handbook for Sampling and Sample Preservation of Water and Wastewater.
EPA/600/4-85/013	Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms
40 CFR 112	Protection of the Environment – Oil Pollution Protection
<u>NAVSEA T0300-AZ-PRO-010</u>	Navy Environmental Compliance Sampling and Field Testing Procedures Manual
	Environmental permits
	Site Specific Plan (ie SPRP, STMP)
	Overseas Environmental Baseline Guidance Document (OEBGD)

ATTACHMENT J-1800000-03
FINAL SPILL PREVENTION AND RESPONSE PLAN VOLUMES I AND II

Reference Section C, Annex 0200000 Management and Administration, Spec Item 2.6.2 Dissemination of Information.

ATTACHMENT J-1800000-04
INVENTORY OF OHS SPILL CONTROL EQUIPMENT

- White Booms (large) – diam. 8-inch x 10-foot – absorbent capacity 12 gal (4 booms per bag – 40 bags)
- White Booms (small) – diam. 3-inch x 10-foot – absorbent capacity 2 gal (8 booms per bag – 20 bags)
- Small socks (white) – diam. 8-inch x 18-inch – to absorb oil only, absorbent capacity 1.8 gal per sock (12 socks in one bag – 10 bags)
- Absorbent pads to absorb oil only (white pads), 19 in x 15 in, absorbent capacity/pad 0.25 gal (200 per box – 10 Boxes)
- Drain Blockers, 36"x36" (2 ea.)
- Universal Granular absorbent (100 kg)
- Liquid vacuum pump (1 ea.)
- Industrial wet vacuum cleaner (1 ea.)
- 60-gallon (227-liter) polyethylene drums (12 ea.)
- 1 cubic meter bulk tank (2 ea.)
- Pump truck for spill response (within 5 days)