

Section J – 0200000
Management and Administration

Section J – 0200000 Management and Administration	
Attachment Number	Attachment Title
J-0200000-01	Definitions and Acronyms
J-0200000-02	Wage Determinations
J-0200000-03	Directives, Instructions, and References
J-0200000-04	Invoicing Procedures and Invoice Form
J-0200000-05	Forms
J-0200000-06	Government-Furnished Property, Materials, and Services
J-0200000-07	Reserved
J-0200000-08	Installation Spill Prevention, Control, and Countermeasure Plan
J-0200000-09	Contractor Hazardous Material Inventory Log
J-0200000-10	Exhibit Line Item Numbers (ELINs)

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
Assessment	A general term referring to either a survey or inspection of a facility to determine condition.
Asset	A general term used to refer to an item, such as a component, system, building or facility, which is managed by an automated data management program.
Competent Person	A person who has the professional experience and training necessary to identify existing and predictable hazards at a work or service environment, and who has the authority to take prompt and corrective action to eliminate or remove dangers from the environment. One who can identify existing and predictable hazards in the working environment or working conditions that are dangerous to personnel and who has authorization to take prompt corrective measures to eliminate them.
Component Inventory Management Unit (CIMU)	An organization of like-kind real property into manageable maintenance units. CIMU is a building component, group of components or component assemblies, serving a specific purpose in a facility that can be expected to follow a common and predictable lifecycle behavior. This class of non-equipment will include items such as exterior walls, exterior windows, interior finish, and roofs. This class of equipment will include items such as fan coil units, air handling units, lighting, and water closets. CIMUs can include one or more items of installed equipment typically subject to routine scheduled maintenance.
Confined Work Space	A space that is large enough and so configured that a person may bodily enter a space (such as in tanks, vessels, silos, storage bins, hoppers, vaults, pits, and like spaces where there is limited means of entry) and is hindered or restricted from escaping during an emergency.
Construction Equipment	Construction equipment refers to specialized heavy machinery that covers one industry and is specifically designed for executing construction work. Construction equipment requirements shall include a list of equipment establishing the size, quality, number of units, and unit prices. Construction equipment prices provided by the Contractor shall be the lowest price available considering the availability of equipment and the time constraints of the job. The direct equipment price shall be adjusted by all discounts and rebates that accrue to the Contractor. All indirect cost associated with construction equipment, such as: the Contractor's hourly composite trade wage, adjusted to allow for workforce productivity; sub-contractor cost, costs for pre-expended bin materials, shipping and handling, union agreements, crew sizes, hand tools, universal equipment (excluding construction equipment), mobilization, demobilization, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance, general and administrative (home office) overhead, profit, and all other associated markups shall not be included in the construction equipment price since the cost for these items were included in the labor hour unit price bid. Additionally, time for job preparation, safety standby personnel, and similar indirect labor elements shall not be included.
Contracting Officer (KO)	That individual with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings. The term includes certain authorized representatives of the Contracting Officer acting within the limits of their authority as delegated by the Contracting Officer.
Contracting Officer's Representative (COR)	The individual appointed by the KO responsible for monitoring the Contractor's technical compliance and progress, relative to assigned contract(s)/orders(s), based on the contract requirements specified in the PWS and in accordance with the PAP. The COR performs a variety of contract administration duties that includes oversight of PA, documenting and rating Contractor performance, reviewing invoices, and acceptance of work. Assignment as a COR is a collateral duty typically performed by the FSCM or SPAR.

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
Contractor	That entity or its representative responsible for the delivery of the services or materials specified in this contract, as designated by contract award. The term Contractor as used herein refers to both the prime Contractor and any subcontractors. The prime Contractor shall insure that subcontractors comply with the provision of this contract.
Contractor Representative	That individual appointed by the Contractor, either orally or in writing, who has been assigned responsibility for executing the requirements of this contract.
Crane, Category 1	Portal cranes, Hammerhead cranes, Locomotive cranes, Derricks, Floating cranes (YD), Tower cranes, Container cranes, Mobile cranes (except those indicated as category 4), including truck, cruiser, crawler, warehouse/industrial cranes, and cranes used for dragline, pile driving, clamshell, magnet, bucket work, and Aircraft crash cranes.
Crane, Category 2 & 3	Cranes with rated capacities of 20,000 pounds or greater are category 2. Examples are Overhead traveling cranes, Gantry cranes (rail mounted), Wall cranes, Jib cranes, Pillar cranes, Pillar jib cranes, Monorails and associated hoists, Fixed hoists including chain falls. Pedestal mounted commercial boom assemblies (fixed length, telescoping, and articulating types) attached to stake trucks, trailers, flatbeds, or railcars, or stationary mounted to piers, etc., with OEM rated capacities less than 2,000 pounds.
Crane, Category 4	Commercial truck mounted cranes, Truck mounted articulating boom cranes, Pedestal mounted commercial boom assemblies (fixed length, telescoping, and articulating types) attached to stake trucks, trailers, flatbeds, or railcars, or stationary mounted to piers, etc., with OEM rated capacities of 2,000 pounds and greater. Commercial truck mounted cranes and truck mounted articulating boom cranes with OEM capacities of 2,000 pounds and greater require a licensed operator even if the cranes are down rated below 2,000 pounds capacity for administrative purposes.
Direct Material Costs	The actual vendor invoice charges for materials used for performance of work under this contract. Direct material costs shall include sales tax and transportation charges when such charges are included on the invoice by the vendor, as well as any discounts allowed for prompt payment and discounts or rebates for core value or salvage value that accrue to the Contractor. When questions arise concerning the cost of direct materials, direct material costs will be based on the lowest of quotes provided by the Contractor from at least three different commercial vendors for the direct material cost. The Government retains the right to obtain additional quotes in questionable situations. The lowest price will be used. All other cost such as sub-contractor cost, costs for pre-expended bin materials, shipping and handling, union agreements, crew sizes, hand tools, universal equipment, mobilization, demobilization, time for job preparation, safety standby personnel, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance, general and administrative (home office) overhead, profit, and all other associated markups shall not be included in the direct material price since the cost for these items are included in the UPL Hour unit price bid.
Electronic Operation And Maintenance And Support Information (eOMSI)	A set of consultant-prepared data and document files that contain detailed, as-built technical information that describes the efficient, economical and safe operation, maintenance and repair of a facility, plant, equipment or system throughout its life cycle. Generally, it is prepared during construction and submitted upon completion of a new facility or major facility upgrade. eOMSI's typically include asset information, staffing and budgeting information, supply support including critical spare parts, operating procedures, troubleshooting and diagnostic guides, extended warranty data, maintenance task frequencies and documentation, technical data, repair procedures and manufacturer's product data. eOMSI data and document files are provided in electronic formats.

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
Equipment	Tangible asset that is functionally complete for its intended purpose, durable, and non-expendable.
Facility	A building or structure designed and created to serve a particular function.
Fixed Burden Rate (FBR)	The additional costs (expressed in percent of direct material cost) for ordering, handling, and stockpiling materials and repair parts. For example, if the offeror's Fixed Burden Rate for materials in the Base Period is 10% then: $\$100,000.00 + (\$100,000.00 \times 10\%) = \$110,000.00$ The Government will compensate the Contractor for the required parts and materials and not the total amount shown in Schedule of Indefinite Delivery Indefinite Quantity Work.
Frequency Of Service	Annual (A). Services performed once during each 12-month period of the contract at intervals of 335 to 395 days. Biennial (B). Services performed once during each 24-month period of the contract at intervals of 670 to 790 days. Daily (D5). Services performed once each calendar day, Monday through Friday, including holidays unless otherwise noted. Daily (D7). Services performed once each calendar day, seven days per week, including weekends and holidays. Monthly (M). Services performed 12 times during each 12-month period of the contract at intervals of 28 to 31 calendar days. Quarterly (Q). Services performed four times during each 12-month period of the contract at intervals of 80 to 100 calendar days. Semiannual (SA). Services performed twice during each 12-month period of the contract at intervals of 160 to 200 calendar days. Semimonthly (SM). Services performed 24 times during each 12-month period of the contract at intervals of 14 to 16 calendar days. Three times weekly (3W). Services performed three times a week, such as Monday, Wednesday, and Friday. Twice weekly (2W). Services performed twice a week, such as Monday and Thursday or Tuesday and Friday. Weekly (W). Services performed 52 times during each 12-month period of the contract at intervals of six to eight calendar days.
Government Furnished Property (GFP)	Property in the possession of, or directly acquired by, the Government and subsequently furnished to the contractor for performance of a contract. Government furnished property includes, but is not limited to, spares and property furnished for repairs, maintenance, overhaul, or modification. Government furnished property also includes contractor acquired property if the contractor acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract.
Hazardous Material (HM)	A material that because of its quality, concentration, physical, chemical or infectious nature may pose a threat to human health or the environment if released or spilled into the environment or any material designated by the Department of Transportation (DOT) or any materials that require a SDS form as posing a potential threat while being transported. Hazardous materials are listed in 49 CFR Part 172.
Hazardous Waste (HW)	Any discarded solid waste (liquid, semi-solid, solid, or gaseous) that meets the definition of a hazardous waste by USEPA, state authorities, or the Navy. In accordance with RCRA, a solid waste is a listed hazardous waste if it is specifically listed, or it is a characteristic hazardous waste if it exhibits the characteristics of ignitability, corrosiveness, reactivity, or toxicity.
Hazardous Waste Management Plan	In accordance with OPNAVINST 5090.1C, every Navy shore activity that generates HW shall develop and use a Hazardous Waste Management Plan or a Hazardous Waste

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
	management component in its P2 Plan and EMS. A Hazardous Waste Management Plan shall: • Identify applicable federal, state, and local regulations pertaining to the generation and management of hazardous waste. • Identify training requirements and describe procedures for obtaining training and maintaining training records. • Assign responsibilities for the generation, designation, handling, storage, treatment, disposal, and all documentation. • Describe all hazardous waste generation and management procedures. • Include or reference the hazardous waste minimization plan and goals. • Include or reference contingency plans and emergency response procedures. The plan shall be kept up to date to include changes in hazardous waste generation and management procedures, as well as changes in applicable federal, state, and local hazardous waste regulations. The plan shall include or reference minimization procedures sufficient to achieve DOD minimization goals. Tenant activities are covered by the host CO's Hazardous Waste Management Plan.
Hazardous Waste Manifest	A hazardous waste manifest as defined in 40 CFR 260 is required for the transport of hazardous waste. The installation commanding officer (ICO) or the ICO's designated representative shall retain signature authority for hazardous waste manifests.
Infrastructure Condition Assessment Program (ICAP)	A Navy automated data management program that utilizes historical asset lifecycle data and a structured assessment process to evaluate the condition facilities and their components.
Inspection	A rigorous, detailed assessment of the condition of a facility performed to generate a fundable scope and cost estimate for prioritization and funding of maintenance and repair.
Integrated Maintenance Program (IMP)	IMP is a recurring state-of-the-art, reliability-centered inspection, testing, maintenance and repair program that determines best practices for managing the functions and consequences of failures of facilities equipment and system components. IMP encompasses accepted commercial practices, including reactive, preventive, predictive and proactive maintenance, into one optimal program. The IMP approach gives the Contractor full responsibility to maintain systems and equipment and perform repairs whenever necessary to ensure equipment and systems are operational and remain in a constant state of readiness. Service orders will not be issued for accomplishment of repairs on systems and equipment maintained under IMP.
Job or Work Order	An authorization for work that requires planning and estimating and has an individual line of accounting for financial and performance evaluation.
Life-Cycle Costs	A form of economic analysis that considers the total cost of owning, operating, and maintaining a building or system over its useful life.
Less-than-90-day Accumulation Areas or Storage Facilities	Temporary HW storage areas where HW may be stored for up to 90 days without a RCRA permit.
Maintenance and Repair	The preservation or restoration of a piece of equipment, system, or facility to such condition that it may be effectively used for its designated purposes. Maintenance/repair may be adjustment, overhaul, reprocessing, or replacement of constituent parts or materials that are missing or have deteriorated by action of the elements or usage, or replacement of the entire unit or system if beyond economical repair.
Monthly On-Site Labor Report	A compilation of all Contractor and subcontractor employee-hours involved in delivering contract services on a Government property.
NAVFAC MAXIMO	A specially configured software version of MAXIMO®, a commercially available computerized maintenance management system (CMMS), adopted by NAVFAC for enterprise facility asset data management. The terms "MAXIMO", "NAVFAC

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
	MAXIMO” or “Government’s MAXIMO” shall be used interchangeably in the document.
Non-RCRA Regulated Waste	Waste that is not regulated as a hazardous waste under RCRA; however, is waste may be regulated by other federal, state or local regulations including but not limited to TSCA, Clean Air Act, Clean Water Act or other regulations and statues. Examples include Used Oil, Universal Waste, Oily Water, antifreeze, etc. Non-RCRA regulated waste (while not meeting the definition of a Hazardous Waste) must be managed according to its applicable regulations and may not be discarded into the general trash.
Non-Regulated Solid Waste (Debris and Rubbish)	Waste not associated with an industrial process such as refuse and scraps resulting from preparation, cooking, dispensing, and consumption of food. Non-hazardous construction and demolition wastes such as dimension and non-dimension lumber, plywood, chipboard, and hardboard are included.
Partnering	The terms “partnering” and “partnership” used herein shall mean a relationship of open communication and close cooperation that involves both Government and Contractor personnel working together for the purpose of establishing a mutually beneficial, proactive, cooperative environment within which to achieve contract objectives and resolve issues and implementing actions as required.
Performance Assessment	A method used by the Government to provide some measure of control over the quality of purchased goods and services received.
Performance Assessment Representative (PAR)	The individual(s) assigned as a Technical Point of Contact (TPOC) / Subject Matter Expert (SME) to the COR to perform duties as the on-site representative who assesses Contractor performance. The PAR periodically observes Contractor performance, reviews delivered services, reviews quality management corrective actions, periodically assesses and documents Contractor performance on PAWs and the MPAS, and communicates findings as necessary with the Contractor, SPAR, and COR.
Pre-Expended Bin Materials And Supplies	The minor materials and supplies that are incidental to the job, for which the total direct cost of any one material line item shown on the material estimate is \$10.00 or less. Examples of pre-expended bin materials and supplies include, but are not limited to, solder, lead, flux, electrical connectors, electrical tape, fuses, nails, screws, bolts, nuts, washers, spacers, masking tape, sand paper, solvent, cleaners, lubricants, grease, oil, rags, mops, glue, epoxy, spackling compound, joint tape, plumbers tape and compound, clips, welding rods, and touch up paint.
Property Administrator	An authorized representative of the Contracting Officer who is responsible for administering contract property requirements, terms and conditions of the contract
Property Management Program	A Government program established for the purpose of reviewing and approving the Contractor’s Property Management Plan and System through performance of a system analysis whenever government property is in the possession of the Contractor.
Quality Assurance (QA)	The planned and systematic activities implemented in a quality system so that quality requirements for a product or service will be fulfilled.
Quality Control (QC)	The observation techniques and activities used to fulfill requirements for quality.
R. S. Means	A data collection and organization system developed by R. S. Means Company which can be used to prepare accurate, dependable construction estimates and budgets in a variety of ways. The Contractor shall use the latest edition. Material prices are based on a national average and computed labor costs are based on a 30-city national average. An estimate prepared using this data is called a "Means estimate"; data may simply be referred to as "Means".
Real Property	Land and improvements to land (i.e., facilities). It includes equipment affixed and built into the facility as an integral part of the facility (such as heating systems), but not movable equipment (e.g., plant equipment, industrial equipment, buoys).

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
Real Property Inventory Equipment (RPIE)	A Government owned or leased individual pieces of equipment, apparatus, or fixture that are essential to the function of the real property (i.e. plumbing, electrical, heating, cooling and elevators). It is physically attached to, integrated into, and built in or on the property. Individual RPIE's can be combined to make a CIMU to facilitate facilities management. An individual RPIE can also be a CIMU if the equipment is complex enough to require its own management planning.
Regulated Waste	Any hazardous, non-hazardous, industrial process waste (aka special waste), e-waste, and/or off-specification HM, which because of its physical characteristics, chemical make-up or biological nature requires either special handling procedures and permitting, or poses an unusual threat to human health, equipment, property, or the environment. Examples include (but are not limited to) liquid sludge, pastes, and/or filter cakes, chemical compounds and/or petroleum products, fine powders or highly dusty materials, spent blast media and/or grit, demolition wastes from industrial facilities, debris and/or residues from spill cleanup work, underground storage tank remediation materials, pollution control wastes, ash from fires, furnaces, boilers or incinerators, off-specification products, other materials that have the potential to be a hazardous waste. All RW may be used or unused excess hazardous materials. Laboratory analysis may be required to verify the waste is not a RCRA-regulated hazardous waste.
Response Time	The time allowed the Contractor after initial notification of a work requirement to be physically on the premises at the work site with appropriate personnel, tools, equipment, and materials, ready to perform the work required.
Restoration	Restoration of real property to such a condition that it can be used for its intended purpose. Includes repair or replacement work to restore facilities damaged by inadequate sustainment, excessive age, natural disaster, fire, accident or other causes.
Sampling Plan	Plan and procedures to conduct sampling, field testing and laboratory analysis for a defined testing objective.
Satellite Accumulation Areas	Designated approved areas, at or near the point of generation and under the control of the operator generating the waste, where no more than 55 gallons (cumulative total) of all types of HW or 1 quart of acutely HW may be accumulated. The 55-gallon limit does not include non RCRA regulated waste, universal waste and used oil etc.
Spill Prevention Control and Countermeasure (SPCC) Plan	The SPCC Plan establishes engineering controls including procedures, methods, equipment and other requirements to prevent the discharge of oil into or upon navigable waters. The Plan includes procedures for oil spill prevention, measures to contain spills and an established spill drill exercises to ensure effective countermeasures in the event of oil spill.
Sustainment	Maintenance and repair activities necessary to keep a typical inventory of facilities in "normal working condition". Sustainment includes regularly scheduled maintenance as well as cyclical major repairs or replacement of components that occur periodically over the expected service life of the facilities.
System	An assemblage of mechanically and/or electrically interlocked parts, equipment and/or components forming a unitary whole.
Unit Priced Labor (UPL) Hour	The fully burdened unit price bid by the Contractor to perform one hour of work-in-place. With the exception of direct material and construction equipment costs, the unit priced labor hour price shall include all indirect and direct costs associated with performing work, such as: the Contractor's hourly composite trade wage, adjusted to allow for workforce productivity; sub-contractor cost, costs for pre-expended bin materials, shipping and handling, wage determinations, union agreements, crew sizes, hand tools, equipment, universal equipment (excluding construction equipment), mobilization, demobilization, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
	insurance, general and administrative (home office) overhead, profit, and all other associated markups. Any indirect cost or additional markups not allowed in the definition of direct materials shall be included in the UPL price. Additionally, time for job preparation, safety standby personnel, and similar indirect labor elements are included.
Unifomat Classification	A standard classification of building components established by the National Institute of Standards and Technology.
Universal Equipment	Universal equipment refers to equipment that can cover two or more industries and is commercially employed in execution of operation, maintenance, and repair work, such as: Aerial Work Platforms, Backhoes, Cranes, Dump Trucks, Excavators, Generators, Graders, Lifts, Loaders, Man Lifts, Monitoring and Test Equipment, Pumps, Tractors, Trailers, etc.
Universal Waste (UW)	Universal Waste (UW) (defined in 40 CFR Part 273) means batteries, fluorescent lamps, some pesticides, and mercury-containing equipment formally classified as a HW, but that are now subject to less stringent regulations, when recycled if recycling is available.
Utility Infrastructure Condition Assessment Program (UICAP)	A comprehensive assessment processes for planning, managing, and executing Navy utility infrastructure inspections.

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Acronym	Title
ACO	Administrative Contracting Officer
AFFF	Aqueous Film Forming Foam
BFR	Basic Facility Requirements
BW	Biweekly
CBMM	Condition Based Maintenance Management Program
CDR	Contract Discrepancy Report
CIA	Controlled Industrial Area
CIMU	Component Inventory Management Unit
CMMS	Computerized Maintenance Management System
CNSSI	Committee on National Security Systems Instruction
COR	Contracting Officer Representative
COR	Condition of Readiness
DBH	Diameter at Breast Height
DCR	Direct Condition Rating
DoD	Department of Defense
DoDI	Department of Defense Instruction
DoN	Department of Navy
DRMO	Defense Reutilization Management Office
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
FAR	Federal Acquisition Regulation
FFP	Firm Fixed Price
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FSC	Facility Support Contract
FSCM	Facility Support Contract Manager
GIS	Geospatial Information System
GFE	Government-furnished Equipment
GFF	Government-furnished Facilities
GFM	Government-furnished Materials
HCA	Head Contracting Agency
ICAP	Infrastructure Condition Assessment Program
ICP	Integrated Contingency Plan
IDIQ	Indefinite Delivery Indefinite Quantity
iNFADS	Internet Navy Facilities Asst Data Store
IPM	Integrated Pest Management
IPMIS	Integrated Pest Management Information System
IPMP	Integrated Pest Management Plan
KO	Contracting Officer
LAN	Local Area Network
M	Monthly
MAP	Maintenance Action Plan
MDI	Mission Dependency Index
MEP	Mechanical, Electrical and Plumbing
MILCON	Military Construction
MPAS	Monthly Performance Assessment Summary
MRI	Mission Readiness Index
MSDS	Material Safety Data Sheets
NAVFAC	Naval Facilities Engineering Command
NIST	National Institute of Standards and Technology
NIST SP	National Institute of Standards and Technology Special Publication
NMCI	Navy Marine Corps Intranet

Section J – 0200000
Management and Administration

Attachment J-0200000-01 Definitions and Acronyms	
Acronym	Title
NOSC	Navy-On-Scene Coordinator
PAP	Performance Assessment Plan
PAR	Performance Assessment Representative
PAW	Performance Assessment Worksheet
PEO	Program Executive Officer
PM	Project Manager
PM	Planned Maintenance or Preventative Maintenance
POAM	Plan of Action and Milestones
PRCSP	Permit Required Confined Space Program
PWS	Performance Work Statement
PWO	Public Works Officer
Q	Quarterly
QC	Quality Control
RSIP	Regional Shore Infrastructure Plan
RPIE	Real Property Inventory Equipment
RSL	Remaining Service Life
SC	Security Clearances
SM	Semimonthly
SPAR	Senior Performance Assessment Representative
TE	Technical Exhibit
VIQ	Variation in Quantity
WBS	Work Breakdown Structure

Section J – 0200000
Management and Administration

Attachment J-0200000-02
Wage Determinations

(Attachment J-0200000- 02) U.S. Department of Labor SCA WD 2015-4281, Revision 28, dated12/26/2023 is referenced for this solicitation.

Section J – 0200000
Management and Administration

Attachment J-0200000-03 Directives, Instructions, and References	
Reference	Title
CNSSI 1253	Security Categorization and Control Selection for National Security Systems
DoD Directive 5200.2	DoD Personnel Security Program (PSP)
DoDI 8582.01	Security of Unclassified DoD Information on Non-DoD Information Systems
DODD 6055.9	DoD Explosives Safety Management and the DoD Explosives Safety Board
EM 385-1-1	U.S. Army Corps of Engineers Safety and Health Requirements
NAVFA CINST 4161.1	Accountability, Tracking, and Management of Government-Furnished Property
NAVFA CINST 11010.45	Regional Planning Instruction (Site Approval Process)
NAVFA C P-78	Real Property Inventory Procedures Manual
NIST SP 800-171 Revision 1	Protecting Controlled Unclassified Information in Nonfederal Information Systems and Organizations
NIST SP 800-53	Security and Privacy Controls for Federal Information Systems and Organizations
OPNAV INST 11000.16	Command Responsibility for Shore Activity Land and Facilities
OPNAV INST 11010.20	Navy Facilities Projects
OPNAV INST 11011.10	Utilization of Navy Real Property
P.L. 91-596	Occupational Safety and Health Act
SECNA VINST 11011.47	Acquisition, Management, and Disposal of Real Property and Real Property Interests by the Department of the Navy
UFC 2-000-5N	Facility Planning Criteria for Navy/Marine Corps Shore Installations
UFC 3-560-01	Operation and Maintenance: Electrical Safety

Section J – 0200000
Management and Administration

Attachment J-0200000-04 Invoicing Procedures and Invoice Forms	
WAWF	Electronic Invoicing
NAVFAC 7300/30	Naval Facilities Engineering Command Contractor's Invoice
NAVFAC 7300/31	Naval Facilities Engineering Command Contractor's Invoice
NAVFAC 4330-07	Contractor's Release

WAWF ELECTRONIC INVOICING	
1. Scan invoice and sign off. 2. Go to: wawf.eb.mil and sign on. 3. Click on (+) VENDOR. 4. Click on: Create new document. 5. Enter contract number, DO#, and Cage # (drop down). Continue, Continue. 6. Select Navy Construction/Facilities Management. Continue 7. Next screen leave date as is, add the DoDAAC numbers and Populate CLIN's. 8. Select CLINs number and continue. If no CLINs, select boxes and add info. 9. In HEADER tab, Enter invoice # (the DO#), put today's date. 10. In ADDRESS tab, verify the address. 11. In COMMENTS tab, enter brief description of the job. 12. In LINE ITEM tab, click on ACTION tab. Go to the 2nd page of the DO and enter the item number in the ITEM BOX, enter QTY and AMOUNT. This may be filled in already. In Description Box enter brief description of the job. 13. Go to HEADER tab. 14. Create DOCUMENT and hit okay when gray screen pops up. 15. Return to the HEADER tab. You will now have a MISC tab, click on this tab and attach a copy of the scanned document. (Click on the boxes) 16. Go back to the HEADER tab and click on the SUBMIT key to send the invoice to the Government. 17. Add the Contracting Officer to the email list. 18. Submit.	

Section J – 0200000
Management and Administration

ATTACHMENT J-0200000-04
Invoice Forms
(Form 7300-30 Invoice)

1. CONTRACTOR'S INVOICE				CAGE Code	
From				Invoice Date	
				Invoice Number	
				DUNS No.	
Contractor's remittance address					
(if different than mailing address, contract requires Modification)					
Contractor POC/Telephone/email for this invoice:					
To:	Contract Specialist:				
Below is a Statement of Performance under Contract				Task Order #	
for		at			
The enclosure provides breakdown of this statement of performance.					
A.	Total value of contract/task order through modification				\$
B.	Percentage of performance complete			%	
C.	Value of completed performance				\$
D.	Less total of prior payments				\$
E.	Amount of this invoice				\$
	Signature and Title:				
	Date:			Signature of Authorized Representative	
Taxpayer Identification No. (TIN):					
Electronic funds transfer (EFT) banking information (if applicable):					
Navy Design Project Leader/Technical Point-of-Contact (Contractor, please complete)					
2. FIRST ENDORSEMENT					
From:	Accountable Officials: Activity Operations Director (AOD)				
	Project Leader/Technical POC				
To:	Certifying Officer				
1. Payment is recommended as follows:					
A.	Amount of work completed to (date)				\$
B.	Less:				
	Retention		\$		
	Other Deductions		\$		\$
C.	Subtotal				\$
D.	Less previous payments				\$
E.	Certified amount for payment #			on TO #	\$
F.	Elapsed contract time (if applicable)				
(EFA use only)					
	Fund Usage Number				

ATTACHMENT J-0200000-04 Invoice Forms (Form 7300-31 Invoice)

[illegible]

Section J – 0200000
Management and Administration

ATTACHMENT J-0200000-04
Invoice Forms
(Form 4330-7 Contractors Release)

CONTRACTOR'S RELEASE									
NAVFAC 4330-7 (6-72)									
S/N 0105-LF-001-9100									
CONTRACTOR'S RELEASE UNDER CONTRACT _____									
KNOW ALL MEN BY THESE PRESENTS: In consideration of the promise and the sum of _____									
(\$ _____)									
law ful money of the United States of America (hereinafter called the "Government") _____									
(\$ _____)									
of w hich has already been paid and _____									
(\$ _____) of w hich is to be paid									
by the Government under the above mentioned contract, the undersigned Contractor does, and by the receipt of said sum shall, for itself, its successors and assigns, remise, release and forever discharge the Government, its officers, agents, and employees, of and from all liabilities, obligations and claims whatsoever in law and in equity under or arising out of said contract.									
IN WITNESS WHEREOF, this release has bee executed this _____ day of _____, 20____									
WITNESSES:									
(Contractor)									
By:									
Title:									
<u>IN CASE OF CORPORATION WITNESSES NOT REQUIRED, BUT CERTIFICATE BELOW MUST BE COMPLETED.</u>									
I, _____, certify that I am the _____ secretary									
of the corporation named as Contractor in the foregoing release; that _____									
w ho signed said release on behalf of the Contractor w as then _____ of said Corporatio									
that said release w as duly signed for and in behalf of said corporation by authority of its governing body and its within t									
scope of its corporate pow ers.									
(Corporate Seal)									

Section J – 0200000
Management and Administration

Attachment J-0200000-05
Forms

Attachment Index

- J-02000000-05(a) Monthly On-Site Labor Reporting
- J-02000000-05(b) Used Oil Disposal and Recycling Summary Report Form
- J-02000000-05(c) Solid Waste Recycled
- J-02000000-05(d) Process Directions for Material Log Sheets
- J-02000000-05(e) Contractor Hazardous Material Log
- J-02000000-05(f) Contractor Crane Operating Checklist for Critical Lifts
- J-02000000-05(g) Crane Rigging Gear Accident Report
- J-02000000-05(h) Crane and Rigging Gear Near Miss Report
- J-02000000-05(i) Contractor Incident Report System (CIRS)

Section J – 0200000
Management and Administration

Attachment J-0200000-05(a) Spec Item 2.9.8 - Monthly On-Site Labor Report - Recurring Work Solicitation/Contract No.: 40080-24-R-4580 Company Name: Date Submitted: Labor Hours for the Month of:					
ELIN/ Sub-ELIN	Annex/ Sub- annex	Spec Item	Description	Spec Item 3 Labor Hours	Spec Items 1 and 2 On-Site Labor Hours
	1503050		Grounds Maintenance		
X100	1503050	3.1	WASH-Improved Grounds (Prestige)		
X100	1503050	3.1	WASH-Improved Grounds (Standard Lawn)		
X100	1503050	3.1	WASH- Improved Grounds (Standard Field)		
X100	1503050	3.2	WASH-Operational Areas		
X100	1503050	3.3	WASH-Storm Drain Systems		
X100	1503050	3.5	WASH-Other Recurring Services		
X100	1503050	3.6	WASH-Destructive Weather		
X100	1503050	3.7	WASH-Interior Plant Maintenance		
X200	1503050	Reserved	Dahlgren- Reserved		
X300	1503050	Reserved	Indian Head- Reserved		
X400	1503050	Reserved	PAX- Reserved		
X500	1503050	Reserved	Annapolis- Reserved		
X600	1503050	3.1	MBQ- Improved Grounds (Prestige)		
X600	1503050	3.1	MBQ- Improved Grounds (Standard Lawn)		
X600	1503050	3.1	MBQ- Improved Grounds (Standard Field)		
X600	1503050	3.2	MBQ- Operational Areas		
X600	1503050	3.3	MBQ-Storm Drain Systems		
X600	1503050	3.5	MBQ-Other Recurring Services		
X600	1503050	3.6	MBQ- Destructive Weather		
X600	1503050	3.7	MBQ- Interior Plant Maintenance		
X700	1503050	3.1	NSAB- Improved Grounds (Prestige)		
X700	1503050	3.1	NSAB-Improved Grounds (Standard Lawn)		
X700	1503050	3.1	NSAB-Improved Grounds (Standard Field)		
X700	1503050	3.2	NSAB- Operational Areas		
X700	1503050	3.3	NSAB- Storm Drain Systems		
X700	1503050	3.5	NSAB- Other Recurring Services		
X700	1503050	3.6	NSAB- Destructive Weather		
X700	1503050	3.7	NSAB- Interior Plant Maintenance		

Section J – 0200000
Management and Administration

	1503060		Pavement Clearance		
X100	1503060	3.1	WASH- Pavement Sweeping Services		
X100	1503060	3.2	WASH-Snow and Ice Removal Services		
X200	1503060	Reserved	Dahlgren- Reserved		
X300	1503060	Reserved	Indian Head- Reserved		
X400	1503060	Reserved	PAX- Reserved		
X500	1503060	Reserved	Annapolis- Reserved		
X600	1503060	Reserved	MBQ- Reserved		
X700	1503060	3.1	NSAB- Pavement Sweeping Services		
X700	1503060	3.2	NSAB-Snow and Ice Removal Services		
Total Recurring Work:					

Attachment J-0200000-05(a) Spec Item 2.9.8 - Monthly On-Site Labor Report - Non-Recurring Work Solicitation/Contract No.: N40080-24-R-4580 Company Name: Date Submitted: Labor Hours for the Month of:				
ELIN/ Sub-ELIN	Order Number (Task Order, Work Authorization, Fed-MALL, etc.)	Description	Spec Item 4 Labor Hours	Spec Items 1 and 2 On-Site Labor Hours
Total Non-Recurring Work:				

Section J – 0200000
Management and Administration

Attachment J-0200000-05(b)

Used Oil Disposal and Recycling Summary Report Form			
Name of Facility	Facility Location	Disposal Quantity for Calendar Year []	Recycled Quantity for Calendar Year []
Total:			

Section J – 0200000
Management and Administration

Attachment J-0200000-05(c)			
Solid Waste Recycled			
Description	Amount (lbs./tons)	Cost	Revenue
Glass			
Metal (aluminum, circuit boards, steel)			
Paper & Paper Board			
Plastic			
Food (cooking grease & oil, discarded food)			
Wood (packaging, pallets, plywood)			
Yard/Green Waste (mulch, trees, trimmings)			
Concrete			
Asphalt			
Select Waste			
Description	Amount (lbs./tons)	Cost	Revenue
Construction and Demolition Debris			
Used Oil			
Ethylene Glycol Antifreeze			
Lead-Acid Batteries			
Other Waste			
Description	Amount (lbs./tons)	Cost	Revenue
Sewage Sludge (land applied)			
Sewage Sludge (disposed)			
Oil Water Separator Liquids			
OWWO Oil			
OWWO Sludge			
Lift Station Grease			
Other Waste (SPECIFY)			

Attachment J-0200000-05(d)

Process Directions for Material Log Sheets

Chemical Description:

- Material Name - List the brand or generic name of the chemical material.
- Manufacturer - List the name of the manufacturer of the product.
- Constituents of Concern - List the constituents (ingredients) as listed on the Material Safety Data Sheet (MSDS).
- CAS # - List the Chemical Abstract Service (CAS) Number for each Constituent of Concern listed. This information is found on the MSDS. If no CAS number is listed, state "N/L".
- % - List the concentration of each Constituent of Concern listed. This information is found on the MSDS. If the concentration is not listed, state "N/L".
- Product Weight - List the weight of material contained in one container of the product. This information is normally listed on the MSDS or can be determined from the density or specific gravity of the product listed on the MSDS.
- In addition, check all the boxes that apply to this chemical:
 - Pure or Mix - choose only one.
 - Solid, Liquid or Gas - choose only one.
 - Extremely Hazardous Substance (EHS), Ozone Depleting Substance (ODS), SARA TITLE III Chemical (SARA III), Air Toxic Chemical (AIR TOX) or Carcinogen
- (CARC) - based on the information provided by the material's MSDS. Choose all that apply.
 - HM exempt - per EPCRA section 312 and based upon user knowledge, choose this box if the material would normally be exempt from reporting for hazardous material storage.
 - Tri exempt - per EPCRA section 313 and based upon user knowledge, choose this box if the material would normally be exempt from reporting for the Toxic Release Inventory (TRI).

Physical and Chemical Hazards:

- For each material listed, check all the physical and health hazard boxes that apply. These hazard categories are defined in 40 CFR 370.2.
- Fire Hazard - flammable, combustible liquid, pyrophoric, oxidizer.
- Sudden Release of Pressure - explosive, compressed gas.
- Reactive - unstable reactive, organic peroxide, water reactive.
- Immediate (acute) Health Hazard - highly toxic, toxic, irritant, sensitizer, corrosive.
- Delayed (chronic) Health Hazard - carcinogens, mutagens, other long-term health hazards.

Storage Description: Storage Code:

- List the appropriate storage type, pressure and temperature condition codes for the material based upon the codes listed below. List the storage type in the first box, the applicable pressure code in the second box and the applicable temperature code in the third box. More than one storage code may apply if material is stored in different types of containers.

Storage Type:

- A - Above Ground Storage Tank F Can L Cylinder
- B - Below Ground Storage Tank G Carboy M Glass Bottle or Drum
- C - Tank Inside Building I Fiber Drum N Plastic Bottle or Drum
- D - Steel Drum J Bag R Other
- E - Plastic/Non-metallic Drum K Box

Pressure and Temperature Conditions:

- 1 - Ambient Pressure 4 Ambient Temperature
- 2 - Greater than Ambient Pressure 5 Greater than Ambient Temperature
- 3 - Less than Ambient Pressure 6 Less than Ambient Temperature but not Cryogenic

Section J – 0200000
Management and Administration

7 - Cryogenic Conditions

Inventory in Pounds:

- Maximum Amount - List the maximum amount of a material that was on-hand (stored) at any one time. Amount must be recorded in pounds.
- Average Amount - List the average amount of a material that was on-hand during the reporting period. Amount must be recorded in pounds.
- Days on Site - List the number of days during the reporting period each material was on-site. If the material was present for the whole year, record as 365.

Amount Used in Pounds:

- List the amount of each material used during the reporting period. Amount must be recorded in pounds. Amount used is the best estimate based on the contractor material tracking system.

Section J – 0200000
Management and Administration

Attachment J-0200000-05(e)

**Contractor Hazardous Material Inventory Log
(EPRCA)**

PRIME COMPANY NAME: _____ CONTRACT NO:

PROJECT TITLE / LOCATION:

Material Name	Manufacturer	SDS Number	State (Liquid, Solid, Gas)	Storage Quantity		Quantity (lbs/gals) used in Calendar Year []
				Average Daily	Maximum Daily	

Contractor(s) certifies that the hazardous material(s) removed from installation will be used/reused for its intended purpose.

Company Using Material Listed Above

Company Representative's Signature

Submitted By: _____ Phone: _____ Fax: _____ Date: _____
Printed Name

Contracting Officer _____ Phone: _____ Fax: _____ or ROICC
Representative

Page ____ of ____

Section J – 0200000
Management and Administration

Attachment J-0200000-05(f)

ATTACHMENT "A"			
CONTRACTOR CRANE OPERATING CHECKLIST FOR CRITICAL LIFTS		YES	NO
1	Does the operator know the weight of the load to be lifted?		
2	Is the load to be lifted within the crane manufacturer's rated capacity in its present configuration?		
3	Is the crane level and on firm ground?		
4	Are outriggers required?		
5	If so, are outriggers fully extended and down, and the load off the wheels.		
6	If blocking is required, is the entire surface of the outrigger pad supported, and is the blocking material of sufficient strength to safely support the loaded outrigger pad?		
7	If outriggers are not used, is the crane rated for on-rubber lifts by the manufacturer's load chart?		
8	Is the swing radius of the crane counterweight clear of people, obstructions, and accessible areas within the swing area barricaded to prevent injury, damage and unplanned encroachment?		
9	Has the hook been centered over the load in such a manner to prevent swing (deflection, side loading, load-moment)?		
10	Is the load well secured and balanced in the sling or lifting device before it is lifted (free and clear) more than a few inches?		
11	Is the lift swing path clear of obstructions?		
12	If rotation of the load being lifted is hazardous, is tag line or restraint line being used?		
13	Are personnel prevented from standing or passing under a suspended load?		
14	Are personnel prevented from entering the load fall zone?		
15	Is the crane operator's attention diverted?		
16	Are proper signals being used at all times?		
17	If radio communications are used, is the frequency isolated to the crane team.		
18	Do the operations ensure that side and tip loading is prohibited?		
19	Are start and stop motions in a smooth fluid motion (no sudden acceleration or deceleration)?		
20	If operating near electric power lines, are the rules and guidelines understood and adhered to as specified in NAVFAC P-307?		
21	Is the lift a critical lift?		
22	If so, are critical lift regulations understood, check-off sheets initialed and signed off, and was there an interactive brief conducted with associated personnel?		
23	Is Attachment "A" current, filled out completely, and posted in the crane?		
Contractor Name (Print Legibly):			
Contractor Name (Signature):			
Location:			Date:

Section J – 0200000
Management and Administration

CRANE AND RIGGING GEAR ACCIDENT REPORT				
Accident Category: ☐ Crane Accident ☐ Rigging Gear Accident				
From: UIC:		To: Navy Crane Center Bldg. 491 NNSY Portsmouth, VA 23709 Fax: 757-967-3808		
Activity:				Report No:
Crane No:	Category:	Accident Date:	Time: hrs:	
Category of Service: ☐ SPS ☐ GPS		Crane Type:	Crane Manufacturer:	
Was Crane/Rigging Gear Being Used in SPS: ☐ Yes ☐ No		Was Crane/Rigging Gear Being Used in a Complex Lift/Critical Non-Crane Rigging Operation: ☐ Yes ☐ No		
Location:		Weather:		
Crane Capacity:		Hook Capacity:	Weight of Load on hook:	
Fatality or Permanent Disability? ☐ Yes ☐ No		Material/Property Cost Estimate:		
Reported to NAVSAFECEN? ☐ Yes ☐ No				
Accident Type: ☐ Personal Injury ☐ Overload ☐ Derail ☐ Damaged Rigging Gear ☐ Load Collision ☐ Two Blocked ☐ Dropped Load ☐ Damaged Crane ☐ Crane Collision ☐ Damaged Load ☐ Other: Specify _____				
Cause of Accident: ☐ Improper Operation ☐ Equipment Failure ☐ Inadequate Visibility ☐ Improper Rigging ☐ Switch Alignment ☐ inadequate Communication ☐ Track Condition ☐ Procedural Failure ☐ Other: Specify _____				
Chargeable to: ☐ Crane Walker ☐ Rigger ☐ Operator ☐ Maintenance ☐ Management/Supervision ☐ Other: Specify _____				
Crane Function: ☐ Travel ☐ Hoist ☐ Rotate ☐ Luffing ☐ Telescoping ☐ Other ☐ N/A				
Is this accident indicative of a recurring problem? ☐ Yes ☐ No				
If yes, list Accident Report Nos.: _____				
ATTACH COMPLETE AND CONCISE SITUATION DESCRIPTION AND CORRECTIVE/PREVENTIVE ACTIONS TAKEN AS ENCLOSURE (1). Include probable cause and contributing factors. Assess damages and define responsibility. For equipment malfunction or failure, include specific description of the component and the resulting effect or problem caused by the malfunction or failure. List immediate and long term corrective/preventive actions assigned and respective codes.				
Preparer:	Phone:	E-mail:	Code:	Date:
Concurrences: (Include Code, Signature and Date)				
		Code:	Date:	
		Code:	Date:	
Certifying Official (Crane Accident Only):		Code:	Date:	

ATTACHMENT J-0200000-05(g)

FORMS

Section J – 0200000
Management and Administration

CRANE AND RIGGING GEAR ACCIDENT REPORT INSTRUCTIONS

This form is designed for fax transmission without a cover page or by e-mail and, with enclosures and signatures shall be the official document. Electronic submission will be accepted without signatures but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is m_nfsh_ncc_accident@navy.mil. The fax number is (757) 967-3808.

1. Accident Category: Indicate either crane accident or rigging gear accident.
2. From: The naval activity that is responsible for reporting the accident and UIC number.
3. Activity: The naval activity where the accident took place.
4. Report No.: The activity assigned accident number (e.g., 95-001).
5. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
6. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
7. Accident Date: The date the accident occurred.
8. Time: The time (24 hour clock) the accident occurred (e.g., 1300).
9. Category of Service: Check the applicable service (SPS as defined by NAVSEA 0989-030-7000).
10. Crane Type: The type of crane involved in the accident (e.g., mobile, bridge), if applicable.
11. Crane Manufacturer: The manufacturer of the crane (e.g., Dravo, Grove, P&H), if applicable.
12. SPS: Was the crane or rigging gear being used in an SPS lift?
13. Complex lift: Was the crane or rigging gear being used in a complex lift?
14. Location: The detailed location where the accident took place (e.g., building 213, dry dock 5).
15. Weather: The weather conditions at time of accident (e.g., wind, rain, cold).
16. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
17. Hook Capacity: The capacity of the hook involved in the accident at the max radius of the operation, if applicable.
18. Weight of Load on Hook: If applicable, the weight of the load on the hook.
19. Fatality or Permanent Disability?: Check yes or no.
20. Material/Property Cost Estimate: Estimate total cost of damage resulting from the accident.
21. Reported to NAVSAFECEN?: Self-explanatory.
22. Accident Type: Check all that apply.
23. Cause of Accident: Check all that apply.
24. Chargeable to: Check all that apply.
25. Crane Function: Check all functions in operation at time of accident. Check N/A if a rigging gear accident.
26. Is this a recurring problem?: Check yes or no. Identify any other similar accidents.
27. Situation Description/Corrective Actions: Self-explanatory.
28. Preparer: Self-explanatory.
29. Concurrences: Self-explanatory.
30. Certifying Official (Crane Accidents Only): Self-explanatory.
31. Brief Description: No more than one paragraph summarizing the resultant incident.
32. Background and Detailed Description: Provide the relevant background in a descriptive timeline of preconditions leading up to the event, as well as a detailed description of the event.
33. Corrective Actions: List all short term and long term corrective actions that are taken to prevent recurrence of the incident. Short Term Corrective Actions are those actions taken that will allow return to work in short time frame. Long Term actions are more 'programmatic' in nature and typically include process revision, changes in training, 'mistake proofing', etc.

Attachment J-0200000-05(g)

Section J – 0200000
Management and Administration

CRANE AND RIGGING GEAR NEAR MISS REPORT

Near Miss Category: ☐ Crane Near Miss ☐ Rigging Gear Near Miss			
From:		To: Navy Crane Center Bldg 491 NNSY Portsmouth, VA 23709 Fax (757) 967-3808 nfsh_ncc_accident@navy.mil	
UIC:			Report No:
Activity:			
Crane/Equipment No:	Category:	Near Miss Date:	Time: hrs
Category of Service: ☐ SPS ☐ GPS		Crane /Equipment Type:	Crane/Equipment Manufacturer:
Location:		Weather:	
Crane/Equipment Capacity:	Hook Capacity:	Weight of Load on Hook:	

Is this near miss indicative of a recurring problem? ☐ Yes ☐ No

If yes, list report numbers: _____

In the space below, include a brief description of the event and corrective actions taken to prevent recurrence:

Attachment J-0200000-05(h)

Preparer:	Phone and email	Code	Date
-----------	-----------------	------	------

Section J – 0200000
Management and Administration

ATTACHMENT J-0200000-05(h)
FORMS

CRANE AND RIGGING GEAR NEAR MISS INSTRUCTIONS

This form is designed for fax transmission without a cover page or by e-mail and, with enclosures and signatures shall be the official document. Electronic submission will be accepted without signatures but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is nfsh_ncc_accident@navy.mil. The fax number is (757) 967-3808.

1. Near Miss Category: Indicate either crane or rigging gear near miss.
2. From: The naval activity that is responsible for reporting the near miss and UIC number.
3. Activity: The naval activity where the near miss took place.
4. Report No.: The activity assigned near miss number (e.g., 95-001).
5. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
6. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
7. Near Miss Date: The date the near miss occurred.
8. Time: The time (24 hour clock) the near miss occurred (e.g., 1300).
9. Category of Service: Check the applicable service (SPS as defined by NAVSEA 0989-030-7000).
10. Crane Type: The type of crane involved in the near miss (e.g., mobile, bridge), if applicable.
11. Crane Manufacturer: The manufacturer of the crane (e.g., Dravo, Grove, P&H), if applicable.
12. Location: The detailed location where the near miss took place (e.g., building 213, dry dock 5).
13. Weather: The weather conditions at time of the near miss (e.g., wind, rain, cold).
14. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
15. Hook Capacity: The capacity of the hook involved in the near miss at the maximum radius of the operation, if applicable.
16. Weight of Load on Hook: If applicable, the weight of the load on the hook.
17. Is this a recurring problem? Check yes or no. Identify any other similar near misses or accidents.
18. Situation Description/Corrective Actions: Self-explanatory.
19. Preparer: Self-explanatory.

Section J – 0200000
Management and Administration

Attachment J-0200000-06
Government-Furnished Property, Materials, and Services

No Government Furnished Property (GFP), Government Furnished Materials (GFM), or Government Furnished Services (GFS) are provided by this solicitation.

Section J – 0200000
Management and Administration

Attachment J-0200000-08
Installation Spill Prevention, Control, and Countermeasure Plan

Site specific spill plans are available and can be obtained by contacting the site Facility Service Contract Manager.

Attachment Index

- (e) Marine Base Quantico (MBQ)- Spill Emergency Notification and Response Procedures
- (f) Bethesda (NSAB)- Spill Contingency Plan

Section J – 0200000
Management and Administration

Attachment J-0200000-09
Contractor Hazardous Material Inventory Log

CONTRACTOR HAZARDOUS MATERIAL INVENTORY LOG
(EPCRA 312 & 313 Worksheet)

COMPANY NAME: _____ CONTRACT NO.: _____

PROJECT TITLE: _____

Product Name or Trade Name	Manufacturer	Max Amount of Product Stored on Site	Amount of Product Used (e.g., Gallons, Pounds)	Specific Gravity (or wt/volume)	Toxic Chemical Ingredient in Product (Refer to MSDS & List Individually)	Toxic Chemical CAS # (Refer to MSDS)	% Toxic Chemical by Weight	Days On Site

- () Contractor(s) certifies that no hazardous materials will be brought onto the installation and/or used at the project site.
() Contractor(s) certifies that no hazardous waste will be generated from this project.

Submitted By: _____ Phone: _____ Fax: _____ Date: _____

Contract Administrator: _____ Phone: _____ Fax: _____

Page ____ of ____

Section J – 0200000
Management and Administration

Attachment J-0200000-10 Exhibit Line Item Numbers (ELINs)
Reference Attachment J-0200000-10 Exhibit Line Item Numbers (ELINs)