

Prototype Project Opportunity Notice (PPON)

for

Precision Grenadier System (PGS)

Issued by:

U.S. Army Contracting Command – New Jersey
Picatinny, NJ 07806-5000

In Support of:

Product Manager Soldier Weapons
Picatinny, NJ 07806-5000

PPON Issue Date: XX Month 2026

Written Proposal Due Date: XX Month 2026 at 1:00PM EST

TABLE OF CONTENTS

SECTION 1 – EXECUTIVE SUMMARY	3
1.1 Purpose & Authority	3
1.2 Background	3
1.3 Acquisition Approach.....	3
1.4 Definitions.....	4
1.5 Eligibility	6
1.6 Evaluators.....	6
SECTION 2 – PPON STATEMENT OF WORK (SOW).....	7
SECTION 3 – PROPOSAL SUBMISSION AND INSTRUCTION	32
3.1 Introduction.....	32
3.2 Proposal Submission.....	33
3.3 Proposal Preparation.....	33
3.4 Proposal Content.....	33
3.4.1 Proposal Section 1, Introduction	34
3.4.2 Proposal Section 2, Factor 1 – Concept Feasibility	34
3.4.3 Proposal Section 3, Factor 2 – Proposed Threshold Requirement.....	34
3.4.4 Proposal Section 4, Factor 3 – Special License Agreements.....	35
3.4.5 Proposal Section 5, Factor 4– Integrated Master Schedule.....	36
3.4.6 Proposal Section 6, Factor 5 – Price	36
3.4.7 Proposal Section 7, Data Rights Assertions	37
3.4.8 Proposal Section 8, Significant Nontraditional Participation, Nonprofit Research Institution, or Cost Share	37
3.4.9 Proposal Section 9, Oral Presentations	38
SECTION 4 – BASIS OF EVALUATION	38
4.1 Evaluation Factors.....	39
4.2 Order of Importance.....	39
4.3 Rating Definitions	39
4.4 Factor 1 – Concept Feasibility	40
4.5 Factor 2 – Proposed Threshold Requirements	41
4.6 Factor 3 – Special License Agreements	41
4.7 Factor 4 – Integrated Master Schedule.....	41
4.8 Factor 5 – Price	41
SECTION 5 – FOLLOW-ON PRODUCTION AWARD.....	42
SECTION 6 – OTHER INFORMATION	43
SECTION 7 – CONTACT INFORMATION.....	43
SECTION 8 – ATTACHMENTS.....	44

SECTION 1 – EXECUTIVE SUMMARY

1.1 Purpose & Authority¹

The purpose of this Prototype Project Opportunity Notice (PPON) is to award up to two prototype Other Transaction Agreements (OTAs) under the authority of 10 U.S.C. § 4022, with each COMPANY developing a Precision Grenadier System (PGS) which includes a weapon, fire control and family of ammunition. These prototype OTAs will develop industry's potential solutions/concepts through prototypes, user evaluation, and testing to ensure a safe, suitable, and effective PGS. The PGS support concept will be consistent with the Army two-level field and sustainment maintenance system.

1.2 Background

Results of the 2015 Soldier Capabilities Based Assessment (CBA) revalidated 2008 Small Arms CBA capability gap identifying the need for a Counter Defilade Target Engagement (CDTE) capability to defeat precisely and quickly, out to 500 meters, enemy combatants, their personal equipment, and thin-skinned targets in defilade positions, while limiting collateral damage. Emerging threats have added an additional capability requirement for Counter-small Unmanned Aerial Systems (C-sUAS).

The PGS will be a complete armament system integrating weapon, fire control, and a family of ammunition. It will be a man-portable, target engagement system that enables the squad to organically incapacitate enemy personnel targets in defilade, in close quarters battle and unmanned aerial systems with quick and precise fire. The PGS will be fielded with a family of ammunition to include C-sUAS, Counter Defilade (CD), Training Practice (TP) and Close Quarters Battle (CQB).

The PGS is planned for two per rifle squad in the Close Combat Force.

To investigate potential technologies that support the approaches, the U.S. Army Contracting Command – New Jersey (ACC-NJ) on behalf of Product Manager Soldier Weapons (PdM SW), awarded four OTAs, Section 815 OTA authority, pursuant to 10 U.S.C. § 4022, in 4QFY25 and 1QFY26. This initiative is a risk reduction effort with the goal of developing technologies associated with the current capability gap.

The PdM SW has engaged with industry through multiple Industry Days and market research to gather feedback and refine requirements. These events, held in August 2024, January 2025, and October 2025 provided opportunities for information exchange and collaboration.

1.3 Acquisition Approach

OTA Awards: The Government anticipates awarding up to two competitive fixed amount OTAs for

¹ For additional information please refer to the Department of Defense (DoD), Other Transactions Guide, Version 2.0, dated July 2023 at https://www.acq.osd.mil/asda/dpc/cp/policy/docs/guidebook/TAB%20A1%20-%20DoD%20OT%20Guide%20JUL%202023_final.pdf.

PGS prototyping. Each prototype OTA will require the following deliverables:

- Approximately 16 weapons
- Approximately 28 fire controls
- Approximately 28,250 rounds of ammunition (mixture of TP, CQB, CD, C-sUAS)
- Spare parts
- Test barrels
- Tools/gauges/accessories
- Engineering support
- Prototyping efforts (as defined in the Statement of Work).

Each prototype OTA will undergo prototype test events including Soldier Touch Points. The duration for each OTA is estimated to be up to four years. Below is an estimated timeline based on planned funding. Note, these timelines may change based on available funds.

Follow-on Production Award(s): The Government anticipates a potential follow-on production award(s) based on the results of the prototyping effort. Details regarding the potential production award(s) are provided in Section 5.

Major Milestones	FY26		FY27					FY28				FY29			
	4Q		1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	
Execute OTA															
Contractor STPs/DVTs															
Prototype Test #1 Deliveries															
Prototype Test #1															
TIC Task															
RFP: Follow-On															
Follow-On Contract Award															

1.4 Definitions

“Agreements Officer” (AO) is the United States Army Contracting Command – New Jersey Contracting Activity warranted Officer with authority to enter into, administer, change or terminate OTAs.

“Agreements Specialist” (AS) is the United States Army Contracting Command – New Jersey Contracting Activity Specialist and designee of the AO for executing modifications, administrative matters, and financial aspects of the Agreement.

“Ammunition” is an assembled cartridge case with propellant, primer, fuze (as applicable) and projectile(s). This includes the Loading, Assembly and Packaging (LAP).

“Ammunition Programmer” is the system component that communicates with the PGS ammunition. It may be a standalone component that is separable from the PGS platform, fully integrated into the fire control or weapon, or a variation in between depending on the system design.

“Cost Share” is the portion of project costs not reimbursed by the Government, representing contributions made by the awardee or its partners.

“Disturbed Reticle” refers to an aiming reference that has been adjusted to present the operator with an accurate aim point that compensates for ballistic effects which could include range to target, ballistic coefficient, temperature, humidity, barometric pressure, and wind.

“Effective” means a combination of operational and technical effectiveness as determined by technical testing and operational testing/evaluation.

“E-Type Target” refers to a “body shaped” target made of semi-self-sealing plastic that fits military turning target systems which measures approximately 19.5" x 40". Please refer to NSN: 6920-00-071-4780

“F-Type Target” refers to a “head and shoulders shaped” target made of semi-self-sealing plastic that fits military turning target systems which measures approximately 26" X 21". Please refer to NSN: 6920-00-071-4589

“Fire Control” refers to a PGS weapon-mounted fire control system including a soft case, remote(s), lens covers, laser filter unit, mounting and alignment tools, anti-reflective device, lens cleaning kit, Quick Reference Guide (QRG) for basic setup and operation, zeroing chart(s), and two sets of batteries.

“Fixed Amount” means an OTA under which an awardee agrees to complete a prototype project for an agreed upon total price and where payments are not based on amounts generated from the awardee’s financial or cost records.

“Government Ballistic Solver – Small Arms” (GBS-SA) is the Government developed software ballistic kernel that the fire control will use as the system’s ballistic calculator.

“Innovative” means any new technology, process, material, or method, including research and development, or any new application of an existing technology, process, material, or method.

“Intra Soldier Wireless” means a secure personal wireless protocol developed for on-soldier networking capability.

“Nonprofit Research Institution” means a nonprofit institution, as defined in 15 U.S.C. 3703, and includes federally funded research and development centers, as identified by the National Scientific Foundation in accordance with the government wide Federal Acquisition Regulation issued in accordance with section 1303(a)(1) of title 41 (or any successor regulation thereto).

“Nontraditional Defense Contractor” (NDC) An entity that is not currently performing and has not performed, for at least the one-year period preceding the solicitation of sources by DoD for the procurement or transaction, any contract or subcontract for the DoD that is subject to full coverage under the cost accounting standards prescribed pursuant to section 1502 of title 41 and the regulations implementing such section (see 10 U.S.C. 2302(9)).

"Other Transaction for Prototype Projects" refers to this type of OTA. This type of OTA is authorized by 10 U.S.C. 4022 for prototype projects directly relevant to enhancing the mission effectiveness of military personnel and the supporting platforms, systems, components, or materials proposed to be acquired or developed by the DoD, or for the improvement of platforms, systems,

components, or materials in use by the armed forces. This type of OTA is treated by DoD as an acquisition instrument, commonly referred to as an "other transaction" for a prototype project or a Section 4022 "other transaction". OTAs are acquisition instruments that generally are not subject to the federal laws and regulations governing procurement (FAR based) contracts. As such, they are not required to comply with the Federal Acquisition Regulation (FAR), its supplements (i.e. DFARS) or laws that are limited in applicability to procurement contracts.

“Passive Targeting” is a technology that provides fire control target imagery, aiming references, and other data to the soldiers’ helmet mounted heads-up display without orienting the fire control to the eye.

“Precision Grenadier System” (PGS) refers to a prototype grenadier system that includes a weapon, fire control, and family of ammunition.

“Safe” means the PGS is free from conditions that can cause unintentional death, injury, occupational illness, damage to or loss of equipment or property, or damage to the environment.

“Significant Participant” means an entity that makes a significant contribution to the prototype project. Examples of what might be considered a significant contribution include supplying new key technology or products, accomplishing a significant amount of effort, or in some other way causing a material reduction in the cost or schedule, or increase in performance.

“Small Business” as defined by 10 U.S.C. 4022 means a small business concern as defined under section 3 of the Small Business Act (15 U.S.C. 632).

“Suitable” means the PGS allows the Soldier to perform the mission with the resources provided and ability to maintain and train a PGS once fielded to continually meet the effective standards.

“Weapon” refers to a PGS prototype weapon, sling, muzzle device, cleaning kit, and magazines to stow 45 rounds all included in a case.

1.5 Eligibility

In accordance with 10 U.S.C. 4022, Offerors shall meet one of the following conditions to be considered for an award:

- a. There is at least one nontraditional defense contractor or nonprofit research institution participating to a significant extent in the prototype project.
- b. All significant participants in the transaction other than the Federal Government are small businesses (including small businesses participating in a program described under section 9 of the Small Business Act (15 U.S.C. 638)) or nontraditional defense contractors.
- c. At least one third of the total cost of the prototype project is to be paid out of funds provided by sources other than the Federal Government.
- d. The senior procurement executive for the agency determines in writing that exceptional circumstances justify the use of a transaction that provides for innovative business

arrangements or structures that would not be feasible or appropriate under a contract or provide an opportunity to expand the defense supply base in a manner that would not be practical or feasible under a contract.

In addition, Offerors must have a Dunn and Bradstreet (DUNS) number and must register in the System for Award Management (SAM) to obtain a Commercial and Government Entity (CAGE) code. This system verifies identity and ensures that payment is sent to the right party. In general, to invoice and receive payment after award of an OTA, Offerors must register in Wide Area Work Flow (WAWF) through the Procurement Integrated Enterprise Environment (PIEE). The Offeror must be considered a responsible party by the Agreements Officer and is not suspended or debarred from such an agreement by the Federal Government and is not prohibited by Presidential Executive Order or law from receiving such award. Additionally, Offerors who attempt to circumvent the eligibility requirements/conditions may be excluded from consideration at the Agreements Officer's discretion.

1.6 Evaluators

ACC-NJ with the assistance of subject matter experts (Government personnel from relevant technical and operational fields, and qualified Government Contractors with specific expertise), will review and evaluate proposals submitted in response to this PPON, based on the criteria outlined in this PPON (Section 3 and 4). All evaluators will recuse themselves from evaluating proposals where a conflict of interest exists.

SECTION 2 – PPON STATEMENT OF WORK (SOW)

2.1. SOW INTRODUCTION

The objective of this Statement of Work is to establish the requirements for the development, testing, and delivery of a PGS.

This SOW identifies the work to be performed by the COMPANY in developing a PGS that meets the COMPANY's proposed requirements in Attachment 1– PGS Threshold Requirements and Attachment 2 – PGS Prototype Characteristics. The primary place of performance shall be at the COMPANY'S facility, unless designated otherwise. Delivery and Government testing will be at Aberdeen Proving Grounds (APG), Maryland or other Government locations.

2.1.1. Requirements and Objectives

This SOW is broken out into three parts:

Part A – Prototype Hardware and Government Testing and Evaluation: Section 2.2 of the SOW defines the required hardware types and quantities (weapon, fire control, ammunition, test barrels, spare parts, and tools/gauges/accessories) needed to conduct the planned Government testing and evaluation.

Part B – Prototype Program Management and Engineering Support: Section 2.3 of the SOW defines the scope of the program management and engineering requirements that the COMPANY shall perform during this OTA for prototyping the weapon, fire control, and ammunition.

Part C – Iterative Prototyping Efforts: Section 2.4 of the SOW identifies potential iterative prototyping efforts that may be included in formal modifications to the OTA during this Rapid Prototyping phase.

2.2. PART A: PROTOTYPE HARDWARE AND GOVERNMENT TESTING AND EVALUATION

The COMPANY shall build and deliver PGS prototypes to support Government testing and evaluation. The Government testing and evaluation will consist of Prototype Test (PT).

2.2.1. Prototype Hardware

The COMPANY shall provide the following prototype hardware to the Government:

2.2.1.1. System Prototype

The COMPANY shall build and deliver PGS prototypes to support the PT that complies with COMPANY proposed performance requirements in Attachment 1 - PGS Threshold Requirements.

2.2.1.1.1. System Prototype Characteristics

The PGS prototypes shall meet the characteristics listed in Attachment 2 - PGS Prototype Characteristics.

2.2.1.2. Weapon Prototype

The COMPANY shall build and deliver weapon prototypes to support PT that complies with COMPANY proposed performance requirements in Attachment 1- PGS Threshold Requirements.

2.2.1.2.1. Weapon Prototype Characteristics

The weapon prototypes shall meet the characteristics listed in Attachment 2- PGS Prototype Characteristics.

Deliverables: Weapon prototypes required to support Government testing. The required weapon test quantity and deliverable schedule is listed in Attachment 3 - Delivery Schedule.

2.2.1.2.2. Magazines

The COMPANY shall deliver magazines to support the Government development of Modular Lightweight Load-carrying Equipment (MOLLE) compatible pouches.

Deliverables: Three PGS magazines delivered to the Government six months prior to PT.

2.2.1.3. PGS Family of Ammunition Prototypes

The COMPANY shall develop a family of ammunition (FoA) that can be fired from the PGS weapon. The FoA shall consist of counter- small unmanned aerial system (C-sUAS) ammunitions, training (TP), counter defilade (CD), and close quarters battle (CQB) or as proposed by the COMPANY in Attachment 1 - PGS Threshold Requirements.

The COMPANY shall build and deliver ammunition prototypes to support PT that comply with COMPANY proposed performance requirements in Attachment 1 - PGS Threshold

Requirements.

2.2.1.3.1. FoA Prototype Characteristics

The COMPANY shall optimize each of the cartridges in the FoA to address the FoA characteristics in Attachment 2 - PGS Prototype Characteristics to support Government testing.

Deliverables: Ammunition prototypes required to support Government testing. The required ammunition test quantity and deliverable schedule is listed in Attachment 3 – Delivery Schedule.

2.2.1.3.2. Test Ammunition / Primed Cases and Training Ammunition

The COMPANY shall develop, build and deliver the following rounds to support Government testing and training, as proposed by the COMPANY in Attachment 1 - PGS Threshold Requirements:

- a. High Pressure Test (HPT) Round. The HPT cartridge verifies if a weapon can withstand pressure above its intended operating pressure without permanent damage. The HPT is loaded to a chamber pressure higher than normal service pressure, stressing both the gun barrel and breech during firing. HPT shall be based off the cartridge type that generates the highest peak barrel pressure.

HPT pressure establishment testing shall be performed by the COMPANY using at least two different propellant lots of the same propellant formulation and charge load conditioned to -65°F, 70°F, and 160°F. There shall be 30 cartridges fired per temperature, per propellant lot, for a minimum of 180 cartridges. All testing shall occur the same day. HPT cartridges shall be conditioned as follows: 2 hours minimum for 70°F, 4 hours minimum for 160°F, and 6 hours minimum for -65°F. A calculation of $3\sigma + 15\%$ (JOTP-22 with a safety margin), where σ is the standard deviation of the data set, and 25% (Commission Internationale Permanente pour l'Epreuve des Armes à Feu Portatives) of the average pressure for each data set (6 total) shall be determined. The highest value resulting from this calculation shall be added to the average pressure of that data set to obtain the pressure of the HPT at 70°F. The HPT lots delivered shall have a minimum average pressure that meets the above requirement. Resulting test data shall be provided to the Government as evidence of how HPT pressure was established.

- b. Drill Dummy, Inert (DDI). A DDI cartridge, (dummy cartridge or drill cartridge) is a cartridge that is completely inert, i.e., contains no primer, propellant, or explosive charge. The DDI must facilitate the performance of weapon operator tasks similar to live ammunition to include chambering weapons, clearing weapons, weapon maintenance tasks (including verification of proper weapon setup after maintenance procedures) and ammunition familiarity without risk of activating energetic materials. It must be standardized and easily discernible (visually and tactility) from other types of ammunition (i.e. color, fluting, drilled hole, etc.) by Soldiers under training representative conditions during both day and night. The DDI shall have an empty primer pocket and shall be compatible with magazines, weapons, lubes and solvents. The DDI shall be capable of being fed, chambered, ejected, and extracted at least 25 times without any damage to the cartridge such as chipping, peeling, deformation, or disassembling components. The DDI shall have the same outer profile as the CD cartridge and delivered

in the same configuration.

- c. Loaded Case, Primed, with Slug. A slug cartridge shall be provided. The slug cartridge shall have similar physical properties (profile, rotating band material, and similar recoil impulse) as the CD cartridge. The slug cartridge will be used to verify weapon function/reliability and endurance tests.
- d. Arena Test Projectiles. Arena test projectiles for the CD and C-sUAS rounds shall be provided. Exact test configurations are design dependent. Arena test projectiles for both the CD and C-sUAS projectiles shall consist of an inert fuze (no detonator or IED) but shall contain the initiator charge that sets off the main explosive charge for the warhead. Configurations will be reviewed and approved within two weeks of submission by the Government prior to fabrication and delivery to the Government test center.
- e. Special fuze configurations. Special fuze configurations for the fuzes used on the CD and C-sUAS cartridges shall be provided. Exact configurations are design dependent. The Government IPT in conjunction with Army Fuze Safety Review Board (AFSRB) and electromagnetic environmental effects (E3) subject matter expert (SME) will review fuze/cartridge design(s) and provide the COMPANY details on configurations required to support testing within four weeks of the detailed cartridge design submission. Configurations will support fuze and electromagnetic environmental effects (E3) testing.
- f. Aeroballistic representative inert projectiles. CD, C-sUAS, and TP Aeroballistic representative inert projectiles shall be provided. These inert projectiles shall have the same shape, weight, center of gravity, and other physical characteristics as the CD, C-sUAS, and TP projectiles. These projectiles will be used to develop aeroballistic models for the CD, C-sUAS, TP projectiles.
- g. Primed Case. Primed Cases (case and primer) shall be provided.

Deliverables: HPT, DDI, Loaded Prime Case, Special Fuze, Arena Test Projectiles, Aeroballistic projectiles and Primed Case prototypes required to support Government testing. The required test quantity and deliverable schedule is listed in Attachment 3 – Delivery Schedule. High Pressure Establishment Test raw data and calculations delivered 30 days prior to PT.

2.2.1.4. Fire Control Prototypes

The COMPANY shall build and deliver fire control prototypes to support PT. The fire control prototypes delivered shall be hardware that complies with COMPANY proposed threshold requirements in Attachment 1 – Proposed Threshold Requirements. The COMPANY shall provide a performance specification (P-Spec) that defines the capabilities of the COMPANY's fire control. Where applicable, this is to include general, optical, sensor, display, laser, physical, interface, electrical, software, system accuracy, environmental, reliability, design construction markings, support and ownership requirements.

Deliverables: Fire control performance specification documenting requested information. Fire Control prototypes and performance specifications are required to support Government testing. The

required fire control test quantity and deliverable schedule is listed in Attachment 3 – Delivery Schedule.

2.2.1.4.1. Fire Control Prototype Hardware Kit

Each delivered FC prototype hardware kit shall include the following:

- a. FC system compliant to the COMPANY proposed threshold requirements, and characteristics defined in Attachment 2 - PGS Prototype Characteristics;
- b. tools required for proper mounting and alignment;
- c. cleaning kit;
- d. Quick Reference Guide (QRG) for basic setup and operation;
- e. remote switch(s);
- f. two sets of batteries;
- g. soft carrying case.

Deliverable: FC Hardware kit required to support Government testing. The required test quantity and deliverable schedule is listed in Attachment 3 – Delivery Schedule.

2.2.2. Government Testing

A majority of testing could be conducted at APG, MD with additional testing at Picatinny, NJ, Ft. Benning, GA and Ft. Belvoir, VA. The Government will provide the COMPANY with a summary of the results from each Government test within 30 days after each subtest event.

During a test/subtest event, if the Government must undertake multiple/repeated attempts to complete an action with the COMPANY provided hardware, the Government reserves the right to stop that portion of the test/subtest and move to the next test/subtest. For stopped tests/subtests, only the collected data will be used for evaluation and the remaining portion of the test/subtest will be recorded as incomplete. Additionally, if any COMPANY provided hardware is determined to be unsafe, the Government reserves the right to stop testing and eliminate the COMPANY from further consideration.

The Government will conduct the following tests on the weapon, fire control, and ammunition.

2.2.2.1. Prototype Test (PT)

This Government test will inform the COMPANY of current design compliance and utilized in Follow-On award decisions. The test has an estimated duration of 6 months. See Attachment 9 – Prototype Test Outline for testing to be conducted for PT.

2.2.2.1.1. PT - Soldier Touch Point: Operational Effectiveness, User Acceptance

This test is a Government conducted evaluation on areas related to operational effectiveness and user acceptance scenario testing while equipped with the weapon and fire control and firing C-sUAS, CD, TP and CQB ammunition. Reference Attachment 6 –Operational Effectiveness and Attachment 7 – User Acceptance.

2.2.2.1.2. Transformation in Contact (TiC) Task

Transformation in Contact (TiC) allows deployed units to rapidly experiment with, integrate, and provide feedback on new technologies during realistic training scenarios to become more lethal and

adaptable. This process involves soldiers adapting their formations and tactics to leverage new capabilities. The same configuration of the PGS delivered for PT will be used for this task.

In order to execute this task, the following conditions must be met:

- a. Prototype is safe, suitable, and effective,
- b. Hardware deliveries meet unit requirements, and
- c. Affordable and provides military utility.

User feedback of this task will be provided to the COMPANY. Execution of this task is at the Government's discretion. This Task will be executed under a contract modification.

2.2.2.1.3. PT – Fire Control Technical Testing

This Government test will be used to assess compliance with the COMPANY proposed threshold performance requirements and characteristics. The results will be utilized in follow-on award decisions. These tests will include system level and fire control specific testing. The test has an estimated duration of up to three months.

2.2.3. Scope of Testing

The Government testing will be in accordance with Attachment 9 – Prototype Test Outline. The scope of testing is subject to change without prior notification.

2.2.4. Hardware Quantities Required for Government Testing

The hardware quantities required to conduct PT are listed in Attachment 3 – Delivery Schedule.

2.2.5. COMPANY System Test Support Package

The COMPANY support package shall consist of:

- a. adequate supply of spare systems and repair parts to successfully complete all testing and required maintenance actions during testing. The COMPANY shall be prepared to fix or replace Government test systems at Government test site within 48 hours of notification by the Government at no additional cost. Failure to provide an adequate supply of spare and repair parts may directly affect the results of the testing;
- b. special tools, gauges, attachments to Government's mount, and accessories, as necessary, to support all systems for the duration of PT and TiC Task;
- c. support and participation in Scoring Conferences for PT as requested; and
- d. firing tables for all cartridge types.

Note: Tools included in the Armament Repair Shop Set and The Small Arms Repairman Tool Kit (reference Attachment 10 – Available Maintenance Tools) are not considered special tools.

Deliverables: COMPANY System Test Support Package delivered 30 days prior to PT and TiC Task. On-site support for Scoring Conferences at APG for PT; dates will be scheduled by the Government.

2.2.6. Non-metallic Coupons

The PGS will be subjected to exposure to various chemicals during the chemical compatibility testing. The COMPANY shall provide coupons (samples) of each type of non-metallic material used on the PGS. The coupons shall be labeled to identify the associated weapon, fire control or

ammunition components. These coupons should be approximately 0.25 inch x 2 inch x 2 inch in size, and may be cut from sections of actual components. For example, a rubber grip may be cut into sections to provide the coupons.

Deliverables: 22 coupons (0.25 inch x 2 inch x 2 inch) of each non-metallic material delivered 30 days prior to PT.

2.2.7. Bulk Energetic Materials

It is recommended that US Military qualified energetics are used in the proposed designs. Energetics are expected to be used in the propulsion system, ignition train, and main explosive charge. Use of US Military qualified energetics eliminates the need to have a qualification plan for these items. In the event that a non-qualified energetic material is required (reference Attachment 11 – Qualified Propellants), the COMPANY shall provide a qualification plan and is responsible for qualification test cost.

All test components should be the final products to include any heat treatment, coatings, etc. that they would undergo during production.

Shipments will be made to:

W907CC

Receiving Bldg 806 ASP

Picatinny Arsenal, NJ 07806

Marked for:

EMCN: PHIL SAMUELS A18

BLDG: 3022 X: 973-724-4064

OFFICE SYMBOL: RDAR-MEE-W

Deliverables: All required ammunition energetic materials and components delivered 30 days prior to PT.

2.2.8. Test Barrels

The COMPANY shall provide the following test barrels to support Government testing:

2.2.8.1. Electronic Pressure, Velocity, Action Time (EPVAT) / Mann Barrel

The COMPANY shall deliver one EPVAT / Mann barrel representative of the PGS (same length, barrel twist, and rifling profile) to include firing pin assemblies and breach/receiver representative of the PGS. The Mann barrel shall be delivered fully assembled. The COMPANY shall provide a mounting adapter to interface between the Frankford T&E mount (reference Attachment 12 - Mount Drawings) and the COMPANY'S Mann Barrel.

The barrel shall be ported for Kistler 6215 pressure transducers at the mid case and case mouth / chamber locations. The case mid case location shall correspond with the cartridge case location immediately behind the base of the projectile in the cartridge case. The case mouth / chamber location shall be located immediately in front of the cartridge case mouth. The COMPANY shall provide a drawing of the EPVAT / Mann barrel to verify that the pressure transducer location is correctly positioned. The holes created for the pressure transducers must run into the center of a groove and be drilled in accordance with the Kistler manual. The

COMPANY shall provide a mounting adapter to interface with the Frankford T&E mount (reference Attachment 12 - Mount Drawings) and the COMPANY'S EPVAT / Mann barrel.

All barrels shall be broken-in sufficiently to ensure that they are operational and provide consistent, reliable results of ammunition performance (i.e., minimal shot to shot variation with regards to velocity and pressure) prior to shipping.

Deliverables: EPVAT / Mann barrel including firing pin assemblies, actions (weapon components to ignite the primer), and mounting adapters, delivered 30 days prior to PT. Mann barrel drawing including firing pin assembly, actions (weapon components to ignite the primer) and mounting adapter delivered 30 days prior to PT.

2.3. PART B: PROTOTYPE PROGRAM MANAGEMENT AND ENGINEERING SUPPORT

The COMPANY shall design, build, and verify performance compliance of the weapon, fire control, and ammunition prototypes to reduce technical and programmatic risks and establish a design configuration to be tested in PT.

2.3.1. Engineering Support

The COMPANY may conduct engineering integration activities including, but not limited to, system engineering, design engineering, materials, services, testing, technical management, quality assurance, equipment, facilities, prototyping, and administration to assess and optimize weapon system performance. The COMPANY may conduct trade studies to evaluate the impacts of varying system characteristics on system performance.

2.3.1.1. Configuration Management and Control

The COMPANY shall execute configuration management using CM principles from MIL-HDBK-61B (SE), EIA649, and EIA-649-1 as guidelines. The COMPANY shall create and maintain baseline configurations throughout the program.

2.3.1.1.1. Technical Data Packages (TDPs): Weapon, Fire Control, and Ammunition

The COMPANY shall prepare and deliver complete TDPs, in native COMPANY format, with at least limited rights² for the weapon, fire control and family of ammunition. The COMPANY shall provide Developmental TDPs as prescribed in MIL-STD-31000C, see Attachment 8 - Weapon/Ammo/Fire Control TDP Selection Worksheet, and DI-SESS- 81002F. For the weapon, the top-level drawing shall include the weapon and all accessories that define the weapon system. For the fire control, the top-level drawing shall include the fire control and all accessories that define the fire control. For the Family of Ammunition, the COMPANY shall include for each ammunition type, component level drawings, assembly level drawings, software source code, associated lists, Software Control Drawings (SCDs), complete printed circuit board (PCB) data packages, packaging and palletization drawings, and Altered Item Drawings (AIDs) as applicable for the hardware on which the software resides, associated QAPs and specifications at the production level. The COMPANY shall denote any components that are determined to be safety-critical (any component that directly contributes or controls fuze arming) as CSI (Critical Safety Item) on the subsystem TDP.

² Reference Attachment 15 – PGS Model Other Transaction Agreement

With the TDPs the COMPANY shall deliver an Engineering Drawing Tree in top-down breakdown order as prescribed in Attachment 8 - Weapon/Ammo/Fire Control TDP Selection Worksheet and DI-DRPR-81961C to ensure that all the necessary drawings have been provided. The engineering drawing tree shall be in indented parts list format and include a column for rights asserted for each drawing (limited, government purpose, specifically negotiate license, none) with justification for any restrictions. The COMPANY'S engineering drawing tree shall also reflect appropriate maintenance drawings, complete parts lists and all other ancillary test and support equipment drawings necessary to facilitate the maintenance concept. All TDP elements must be submitted in the English language.

Deliverables: TDP, to include Engineering Drawing Tree, in native COMPANY format, for weapon, fire control, and ammunition delivered 60 days after PT start. See Attachment 3 – Delivery Schedule.

2.3.1.1.2. Computer Software Data Delivery

The COMPANY shall prepare and deliver complete digital computer software to include source code, in native COMPANY format, and computer software documentation with at least restricted rights³ for the weapon, fire control, and ammunition. The COMPANY shall provide rights to computer software or computer software documentation as defined under DFARS 252.227-7014(a)(4) Rights in Noncommercial Computer Software and Noncommercial Computer Software Documentation (Feb 2014). The computer software data or computer software documentation that is delivered will provide information necessary to support acquisition, production, engineering, and logistics.

Deliverables: Computer Software Data Delivery, in native COMPANY format, for weapon, fire control, and ammunition delivered 60 days after PT start. See Attachment 3 – Delivery Schedule.

2.3.1.1.3. Fire Control Interface Control Documentation

The COMPANY shall prepare and deliver detailed Interface Control Documentation (ICD). The ICD(s) provided shall capture all interfaces (mechanical/electrical/software/communication protocols/User/sensor/displays/etc.), envelope dimensions, and keep-outs for the fire control (FC). ICD(s) shall include all modular, upgradable, and/or interchangeable sub-components within the FC design. ICD(s) shall include all external input - output devices and/or accessories that are used to communicate with the FC (i.e. a remote switch). The ICDs shall be constructed to only contain information that is at a minimum government purpose rights while conveying all necessary information for interfacing with modular, upgraded, and/or interchangeable components. Mechanical, electrical and user ICD information shall be provided as prescribed in MIL-STD-31000C, and DI-SESS-81000F. Software and communication ICDs shall be provided as prescribed in DI-IPSC-81436A.

With the TDPs, the COMPANY shall deliver an Engineering Drawing Tree in top-down breakdown order as prescribed in DI-DRPR-81961 to ensure that all the necessary drawings have been provided.

³ Reference Attachment 15 – PGS Model Other Transaction Agreement

Deliverable: Interface Control Documents, delivered 60 days after PT start. See Attachment 3 – Delivery Schedule.

2.3.1.1.4. Ammunition and/or Fire Control Programmer Interface Control Documentation

The COMPANY shall prepare and deliver complete detailed Interface Control Documentation (ICD), in native COMPANY format. The ICD(s) provided shall capture all interfaces (mechanical/electrical/software/communication protocols/User/sensor/displays/etc.), envelope dimensions, and keep-outs for the ammunition programmer whether separate or integrated with the weapon and or fire control. ICD(s) shall include all modular, upgradable, and/or interchangeable sub-components within the design. ICD(s) shall include all external input - output devices and/or accessories that are used to communicate with the ammunition programmer (i.e. weapon or fire control). The ICDs shall be constructed to only contain information that is at a minimum government purpose rights while conveying all necessary information for interfacing with modular, upgraded, and/or interchangeable components. Mechanical, electrical and user ICD information shall be provided as prescribed in MIL-STD-31000C, see Attachment 5 - ICD TDP Worksheet and DI-SESS-81000F. Software and communication ICDs shall be provided as prescribed in DI-IPSC-81436A.

With the TDPs, the COMPANY shall deliver an Engineering Drawing Tree in top-down breakdown order as prescribed in Attachment 5 - ICD TDP Worksheet and DI-DRPR-81961 to ensure that all the necessary drawings have been provided.

Deliverable: Interface Control Documentation, in native COMPANY format, delivered 60 days after PT start. See Attachment 3 – Delivery Schedule.

2.3.2. Program Management

The COMPANY shall organize, coordinate, and control program activities to comply with OTA program requirements and timely delivery of the required products and services. The COMPANY shall monitor the progress of work performed under the contract.

2.3.2.1. Data Deliveries Method

The COMPANY shall deliver data in accordance with this SOW and the days specified in this SOW are calendar days unless otherwise specified. If a delivery date falls on a Saturday, Sunday, or Federal Government holiday, the COMPANY shall deliver the data on the next business day. All data specified in this OTA shall be provided electronically, unless otherwise specified.

2.3.2.2. Meetings and Reviews

The COMPANY shall conduct and participate in meetings and reviews to be held at both COMPANY and Government facilities. The COMPANY shall specify the specific location, date(s), and duration of each activity.

2.3.2.2.1. Meetings and Reviews Support

The COMPANY shall prepare data and drawings to aid in the presentations. The COMPANY shall have key personnel available for each activity and shall make facilities available for Government-only breakout sessions, if requested. The COMPANY shall prepare agendas and minutes for all conferences, meetings and reviews. The agenda and minutes may be in

COMPANY'S format.

Deliverables: Briefings and agendas in COMPANY format delivered five business days prior to the meeting. Meeting minutes in COMPANY format delivered five business days following the conclusion of the meeting.

2.3.2.2.2. Sub-Contractor Meetings and Reviews

Sub-Contractors shall attend meetings and reviews, when required, to address key elements.

2.3.2.2.3. Program Start-Up Meeting

The COMPANY shall invite the Government to a Program Start-Up meeting. This meeting shall also serve as the start of work meeting and allows the Government to meet the COMPANY'S program team. The COMPANY shall provide the Government with COMPANY technical and prototype production metrics that they use to manage and status the Prototype efforts.

Deliverables:

- a. Conduct Program Start-Up Meeting with read ahead package in COMPANY format provided five business days prior to the meeting.
- b. Provide the Government with updated prototype production metrics, discussed in the Program Start-Up meeting and on a quarterly basis.

2.3.2.2.4. PT Pre-Ship Meeting

The purpose of this meeting is to review COMPANY readiness to ship hardware in support of the Government's PT. The following topics shall be addressed for weapon, fire control, and ammunition prototypes planned for shipping:

- a. Provide the Configuration of the weapon, fire control and ammunition prototypes to be shipped for PT.
- b. Provide the status of the required Safety Documents identified in Section 2.3.4.
- c. Provide the status of the COMPANY System Test Support Package.
- d. Identify COMPANY determined test limitations (if applicable).
- e. Provide COMPANY assessment of compliance to the COMPANY proposed performance requirements of PT configuration hardware.
- f. Provide evidence that the weapon, fire control, and ammunition prototypes have passed internal quality controls required prior to hardware delivery.
- g. Provide status of all Agreement deliverables.
- h. Provide ammunition lot numbers, cartridge quantities, packaging configuration and hazard information 6 weeks prior to shipment to support generation of a Government control number for ammunition shipment to ATC.
- i. Provide guidance for x-ray inspection at ATC to confirm fuze safety for all energetic cartridges

Government approval is not required for the COMPANY to ship hardware.

Deliverables:

- a. Conduct a PT Pre-Ship Meeting at the COMPANY'S facility before the weapon, fire control,

and ammunition prototypes are shipped to the Government for PT with a read ahead package in COMPANY format delivered five business days prior to the meeting.

- b. Provide ammunition lot numbers, cartridge quantities, packaging configuration and hazard information 6 weeks prior to ammo shipment.

2.3.2.2.5. TiC Task Pre-Ship Meeting

The purpose of this meeting is to review COMPANY readiness to ship hardware in support of the Government's TiC Task. The following topics shall be addressed for weapon, fire control, and ammunition prototypes planned for shipping:

- a. Provide the Configuration of the weapon, fire control and ammunition prototypes to be shipped for TiC Task.
- b. Provide the status of the required Safety Documents identified in Section 2.3.4.
- c. Provide the status of the COMPANY System Test Support Package.
- d. Identify COMPANY determined test limitations (if applicable).
- e. Provide COMPANY assessment of compliance to the COMPANY proposed performance requirements of TiC Task configuration hardware.
- f. Provide evidence that the weapon, fire control, and ammunition prototypes have passed internal quality controls required prior to hardware delivery.
- g. Provide status of all Agreement deliverables.
- h. Provide ammunition lot numbers, cartridge quantities, packaging configuration and hazard information 6 weeks prior to shipment to support generation of a Government control number for ammunition shipment.
- i. Provide guidance for x-ray inspection to confirm fuze safety for all energetic cartridges.

Government approval is required for the COMPANY to ship hardware.

Deliverables:

- a. Conduct a TiC Task Pre-Ship Meeting at the COMPANY'S facility before the weapon, fire control, and ammunition prototypes are shipped to the Government for TiC Task with read ahead package in COMPANY format delivered five business days prior to the meeting.
- b. Provide ammunition lot numbers, cartridge quantities, packaging configuration and hazard information 6 weeks prior to ammo shipment.

2.3.2.3. Security Information

Classification information is contained in the PGS Security Classification Guide (SCG) and the PGS FoA SCG. The Government considers all other verbal information and documents handled or generated in conjunction with this project to be Controlled Unclassified Information (CUI) information of a sensitive nature that must be protected against release to unauthorized individuals.

2.3.2.3.1. Security Classification Specifications

The COMPANY shall adhere to the requirements of the PGS SCG for the protection of the unclassified information, Controlled Unclassified Information (CUI), and classified information, data, hardware, and computer software generated for or provided in support of the program. To preserve national security interest, the COMPANY shall ensure all aspects of the OTA and work performed are evaluated for conformance with security procedures and

standards as identified in this OTA, the National Industrial Security Program Operating Manual (NISPOM).

The COMPANY shall comply with DoDI 5200.48, Controlled Unclassified Information and DoDM 5400.07, DoD Freedom of Information Act (FOIA) Program. The COMPANY shall monitor CUI aggregation and compilation based on the potential to generate classified information pursuant to security classification guidance addressing the accumulation of unclassified data or information.

The COMPANY will refer to DoDI 5200.48, Controlled Unclassified Information (CUI), for the protection and handling of CUI.

2.3.2.3.2. Counterintelligence Awareness and Reporting (CIAR)

Formerly known as TARP, briefing is required for contractor personnel working under a contract for PEO Soldier. The link to the CIAR training is located at CDSE: <https://www.cdse.edu/>. Course number is: CI116.16. Current Direct Link to the training course is: <https://www.cdse.edu/Training/eLearning/CI116/>. The COMPANY shall submit certificates of completion initially and annually to their PM/COR who will forward to the PEO Soldier Security Office. People employed by Army contractors will be aware of and report threat related incidents, behavioral indicators, and other matters of Counterintelligence (CI) interest as specified in AR 381-12, Counterintelligence Awareness and Reporting (CIAR). Incidents will be reported to DCSA, PEO Soldier Security Office and nearest military CI office.

Deliverables: Provide certificates as necessary.

2.3.2.3.3. Critical Program Information (CPI)

CPI is defined as information/technologies resident in a particular system or program which if divulged to unauthorized persons, would likely result in the reduction of a critical U.S. military technological advantage. In as much, CPI may be identified by the government during a contracted effort and if identified must be protected by the COMPANY in accordance with guidance outlined in an Implementation Program Protection Plan (IPPP) IAW PEO Soldier's Program Protection Plans (PPPs), written in collaboration with the COMPANY. The aforementioned IPPP or PPP will establish policy and procedures for the protection of CPI.

2.3.2.3.4. Antiterrorism (AT)

All contractor employees, including subcontractor employees, requiring access to government installations, facilities and controlled access areas shall complete AT Level I awareness training within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever is applicable. The COMPANY shall submit certificates of completion initially and annually to their PM/COR who will forward to the PEO Soldier Security Office. AT Level I training is an annual requirement for contractor and subcontractor employees. AT Level I awareness training is available at the following website: <https://jkodirect.jten.mil>.

Deliverables: Provide certificates as necessary.

2.3.2.3.5. Information Security

Contractor and all associated sub-contractors employees shall comply with applicable installation, facility and area commander installation/facility access and local security policies and procedures. The COMPANY shall also provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes

Deliverables: Provide background check information as necessary.

2.3.2.3.6. Operations Security

All contractor employees, including subcontractor employees, shall complete OSPEC awareness training within 30 calendar days after the contract start date or effective date of incorporation of this requirement into the contract, whichever is applicable. The COMPANY shall submit certificates of completion, initially and annually, to their PM/COR who will forward to the PEO Soldier Security Office. OPSEC awareness training is an annual requirement for contractor and subcontractor employees. OPSEC awareness training is available at the following website: <https://securityawareness.usalearning.gov/opsec/index.htm>. The Prime contractor shall coordinate with the government OPSEC Officer and comply with the government's OPSEC Plan.

Deliverables: Provide certificates as necessary.

2.3.2.3.7. Information Assurance

Contractor employees who require Access to Government Information Systems (IS). All contractor employees that require access to Government IS must successfully complete the DoD Information Assurance Awareness prior to access to the IS and then annually thereafter. Contractors will also take all other security related training, initially and annually, to include but not limited to, Information Security Awareness, Derivative Classification, and Cyber Awareness training. All Army data, information and software will be cyber protected in accordance with AR-25-2.

2.3.2.4. Integrated Master Schedule (IMS)

The COMPANY shall submit the IMS to the Government quarterly and/or when required. The IMS shall be detailed sufficiently so that critical and high risk efforts are identified and planned realistically to ensure the program is executable. The IMS will be extended and expanded as the OTA or agreement unfolds and additional insight is needed (for example, rolling wave detail planning or scope changes). The IMS shall include the efforts of all activities, including subcontractors and suppliers. The COMPANY shall deliver the PGS IMS to the Government utilizing an MS Project format.

Deliverables: PGS MS Project IMS delivered quarterly and/or when required.

2.3.2.5. Copyright & Data Rights

2.3.2.5.1. Copyright & Technical Data Rights

The COMPANY shall provide unlimited rights as defined in DFARS 252.227-7013(b)(1) Rights in Technical Data-Noncommercial Items (Feb 2014). If any content includes copyrighted material, the COMPANY shall furnish full copyright release for that data.

Deliverables: Copyright Release in COMPANY format delivered as necessary.

2.3.2.5.2. Copyright & Computer Software Data Rights

The COMPANY shall provide unlimited rights as defined in DFARS 252.227-7014(b)(1) Rights in Noncommercial Computer Software and Noncommercial Computer Software Documentation (Feb 2014). If any content includes copyrighted material, the COMPANY shall furnish full copyright release for that data.

Deliverables: Copyright Release in COMPANY format delivered as necessary.

2.3.2.6. Export Control Requirement

Export of technical and/or computer software data under this OTA to Foreign Persons, which is not accompanied by a perfected compliance instrument, as defined in International Regulation (ITAR) Section 120-16 is not authorized.

Technical and/or computer software data shall be marked in accordance with the following:

“WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02.”

2.3.3. Reliability Growth Plan

The COMPANY shall develop and implement a reliability growth plan for classes I/II and III failures. The reliability growth plan is a structured method to mature the system’s reliability through finding failures and fixing them during the development of the system. The evaluation shall be in accordance with Attachment 13 – Failure Definition and Scoring Criteria. The COMPANY shall use a Reliability Growth Model that considers the following:

- a. Management Strategy
- b. Level of Fix Effectiveness
- c. Derating Factor
- d. The lag-time due to corrective action implementation
- e. Probability of Accepting

Deliverables: Reliability Growth Plan for weapon and fire control (combined) and a Reliability Growth Plan for ammunition delivered 30 days prior to PT.

2.3.4. System Safety

2.3.4.1. System Safety Program⁴

The COMPANY shall establish and maintain a System Safety Program per MIL-STD-882E, Standard Practice for System Safety, which will include a System Safety Plan. As a minimum, the COMPANY shall implement a system safety program and a hazardous material management plan, which shall consist of conducting hazard analyses and assessments specified herein and establishing and maintaining a hazard tracking and risk resolution system. The COMPANY shall identify System Safety Working Group (SSWG) members. The SSWG shall coordinate all matters that are safety related with the Government. The System Safety Plan shall be submitted using DI-SAFT-81626 as a guide. The COMPANY shall submit the required reports in support of the System Safety Program: Health Hazard Assessment Report using DI-SAFT-80106C as a guide; Critical Safety Item, Characteristics and Critical Defect Report using DI-SAFT-80970A as a guide; and Failure Mode, Effects, and Critical Analysis Report using DI-SESS-81495C as a guide. Explosive Hazard Classification Data using DI-SAFT-81299C as a guide, shall be submitted for all explosives or munitions delivered to the Government. Radiation Hazard Control Procedures, using DI-SAFT-80184A as a guide, shall be submitted if the COMPANY is providing the Government with radioactive material (such as in night sights).

Deliverables: Identification of SSWG COMPANY members, System Safety Plan, Health Hazard Assessment Report, Critical Safety Item Characteristics and Critical Defect Report, Failure Mode, Effects, and Critical Analysis Report, Explosive Hazard Classification Data and Radiation Hazard Control Procedures (if necessary) delivered 30 days prior to PT.

2.3.4.2. System Safety Hazard Analysis Report (SSHAR)

The COMPANY shall provide System, Subsystem, and Operating and Support Hazard Analyses. Results of the Hazard Analysis shall be documented, and a System Safety Hazard Analysis Report (SSHAR) shall be submitted using DI-SAFT-80101C as a guide. The SSHAR shall be updated to reflect any changes to the system.

Deliverables: System Safety Hazard Analysis Report delivered 30 days prior to PT.

2.3.4.3. Safety Assessment Report (SAR)

The COMPANY shall conduct a safety assessment of the components, subsystems and system. The Safety Assessment Report (SAR) shall be submitted using DI-SAFT-80102C as a guide. A SAR is required with the delivery of any configuration or component to the Government for testing or demonstration. This may require preparation and delivery of more than one SAR. The SAR shall contain results from the COMPANY'S safety assessments, hazard analyses, and testing. The SAR shall also contain Range Safety recommendations for testing at Government facilities.

Deliverables: Safety Assessment Report delivered 30 days prior to PT.

2.3.4.4. Accident/Incident Report

The COMPANY and principal subcontractors shall notify the AO immediately following any

⁴ Unclassified Defense specifications and standards may be downloaded from the following ASSIST websites: (1) ASSIST <https://assist.dla.mil/online/start/> and (2) Quick Search <http://quicksearch.dla.mil/>

major accident/incident (including fire) resulting in any one or more of the following: fatalities or disabling injuries; damage of Government property exceeding \$5,000; impacts to program planning or production schedules; degradation of safety of equipment under OTA, such that personal injury or property damage may be involved; and/or identification of a potential hazard requiring corrective action. The COMPANY shall prepare an Accident/Incident Report for each incident.

Deliverables: Initial Accident/Incident notification delivered within 24 hours with follow up Accident/Incident Report as soon as possible.

2.3.5. Ammunition Hazard Classification

The COMPANY shall provide technical data to support hazard classification in compliance with the DoD Ammunition and Explosives Hazard Classification Procedures (DAEHCP) (Army Technical Bulletin 700-2). Such pertinent data may include:

- a. ammunition description (include location ammunition will be shipped from);
- b. list and quantity of all energetic material along with Material Safety Data Sheet (MSDS) for all energetic components (primer, propellant, detonators, explosives, etc.) and composition of each energetic materials (percentages of each energetic material);
- c. top level cartridge drawing including part number, total cartridge weight, energetic weight, cartridge length, and cartridge diameter;
- d. ammunition packaging drawings including quantity of cartridges per can and total ship weight (can dependent on final packaging specification);
- e. ammunition lot number.

Deliverables: Technical data delivered two months prior to any delivery to support Government tests.

2.3.5.1. Interim Hazard Classification

The COMPANY has the option of utilizing the Government to obtain an IHC for shipment of their prototype ammunition, energetic materials, and/or energetic items in support of this contract, however the cost will be borne by the COMPANY. For all Government mandated testing, the COMPANY shall utilize the Government obtain IHCs for these items. To obtain those IHCs, the COMPANY shall provide technical data (DI-SAFT-81299C) to the Government two (2) months prior to shipment of energetic materials or energetic items. The necessary data is explained in Army TB 700-2 and DI-SAFT-81299B Tailored. DOT and UN serial number information and packaging method are available in Title 49, CFR. The explosive weight for quantity distance determination is obtained using the guidance of Paragraph 15.4 of AMC-R 385-100.

Deliverables: Technical Data for IHCs delivered (3) three months prior to Government tests.

2.3.6. Army Fuze Safety Review Board (AFSRB) Briefings

The COMPANY shall attend and provide presentations to the AFSRB (DI-MGMT-81373). The presentation shall include (but is not limited to) providing the Government a detailed description

of the system (including safety related software), fuzing design, and safety analysis that shows compliance with safety requirements. One (1) month before each AFSRB meeting an initial package shall be made available to the Government IPT lead for review and comments. The COMPANY shall prepare the briefing packages using the guidance in the document “Guidance for Army Fuze Safety Review Board Safety Certifications”. The COMPANY shall outline an AFSRB briefing schedule within the COMPANY’s IMS, in anticipation of briefing the AFSRB on a quarterly basis. The AFSRB meets on a quarterly basis with the first meeting occurring in March of each year.

Deliverables: AFSRB Briefings, in COMPANY format, meeting quarterly. One (1) month before each AFSRB meeting an initial package shall be made available to the Government IPT lead for review and comments.

2.3.7. Explosive Ordnance Disposal (EOD)

The COMPANY’s FoA designs shall meet all EOD requirements as stated by DODD 5160.62, using AR 75-15 for reference and information only. The COMPANY shall prepare and maintain EOD data for all rounds within the FoA. The data shall be updated to reflect system design changes including, but not limited to, external appearance, dimensions and or markings, energetic or hazardous materials, addition of hazards, or changes in the method of functioning. The data shall be available for Government review.

2.3.7.1. EOD Procedures and Markings

EOD guidance for classifying EOD procedures will be provided by the COMPANY following contract award, with approval from the Government.

2.3.7.2. EOD Procedure Qualification

EOD requires the COMPANY to demonstrate that the cartridge can be rendered safe and disposed of in all field environments. The COMPANY shall prepare and provide the Government (DI-SAFT-80931B) recommended Render Safe Procedure (RSP) and disposal procedures (as applicable) for all rounds included in the PGS FoA. A procedure shall be submitted 30 days prior to PT. RSPs shall be tested with Government personnel validating and verifying these procedures. Testing must demonstrate that the Joint Service Standard for EOD has been met.

Deliverables: Explosive Ordnance Disposal Procedure, in COMPANY format, delivered 30 days prior to PT.

2.3.7.3. Cartridge EOD Models and Desk Models

In order to support delivery of the Technical Data Package (TDP), the COMPANY shall provide PGS desk models and cartridge models identified in this SOW. All inert models and cartridges specified for EOD shall be in accordance with the design of the verified product baseline TDP and represent the tactical items as used in combat with the proper markings and colors. All inert models shall be clearly labeled as an inert item with a removable sticker. Inert cutaway cartridge models shall include inert simulants to replicate the energetic material of the tactical cartridge. For each inert cutaway cartridge model, the components shall be securely retained within the model. Each assembled inert cutaway cartridge shall be cut 120 degrees from the center axis of symmetry, excluding the fuze assembly, which shall only have a 120 degree cut along the fuze housing to expose fuze sub-components. The 120 degrees of material shall be

removed for the full length of the cartridge to expose interior components.

Deliverables: PGS desk models and cartridge models per Attachment 3 – Delivery Schedule.

2.3.8. Radioactive Material

2.3.8.1. Radioactive Material Justification

Paragraph 9-3.b.(2) of RDECOM Regulation 385-10 states: "Use of radioactive materials in Army materiel must be minimized, as much as possible, consistent with mission requirements. Radioactive materials should not be used in Army materiel unless there are no reasonable non-radioactive alternatives. It must be established and documented for the record why the use of radioactive material is the only means of meeting military operational requirements." The COMPANY shall submit justification for the use of radioactive material using DI-MISC-80508B as a guide. Government approval of the justification is required prior to the use of any radioactive materials.

Deliverables: Radioactive Material Justification in COMPANY format delivered as necessary.

2.3.8.2. Radioactive Wipe Test

In accordance with AMC Regulation 385-2, Ionizing Radiation Safety Program, radioactive materials shall not be permitted without providing a Radioactive Material Justification. If the COMPANY utilizes radioactive material, the COMPANY shall conduct a radioactive wipe test on all weapons and sights, in accordance with clause ES6050 "Wipe Testing Requirements for Newly Procured Radioactive Commodities," to prove that there is no leakage of radioactive material and submit a Radioactive Wipe Test Report using DI-NDTI-80809B as a guide.

Deliverables: Radioactive Wipe Test Report in COMPANY format delivered as necessary

2.3.9. COMPANY Test

The COMPANY shall continuously reassess and refine the prototype program as development and testing progress. The prototype program shall verify that the integration of weapon, fire control, and ammunition meet the technical and operational requirements defined in this SOW.

2.3.9.1. Test and Evaluation of Hardware Delivery

The COMPANY shall perform the COMPANY determined inspections, subsystem tests, H/W integration tests, in process tests, factory acceptance tests and final PGS integration verifications before delivering any hardware to the Government.

2.3.9.2. Responsibility for Tests

The COMPANY shall be responsible for the performance of all COMPANY tests. The COMPANY is entitled or authorized to obtain test support services at the DoD rate at Major Range and Test Facility Base (MRTFB) as government – furnished services. The Government reserves the right to observe COMPANY testing, and independently perform any tests deemed necessary to ensure that the system conforms to the OTA requirements.

2.3.9.3. System Level COMPANY Test Documentation

The COMPANY shall submit the system level Test Plan/Report to the Government for informational purposes.

Deliverables: System Level COMPANY Test Plans in COMPANY format delivered 5 business days prior to the COMPANY test. System Level COMPANY Test Report in COMPANY format delivered 30 days after test completion.

2.3.10. Environmental Life Cycle Activities.

The COMPANY shall consider the impacts of environmental life cycle requirements when selecting designs for the system, as well as for any manufacturing and testing of subcomponents and prototypes necessary for this effort.

2.3.10.1. Life Cycle Environmental Assessment

The COMPANY shall provide input to the Government development, creation and updating of a Life Cycle Environmental Assessment (LCEA) for program decisions.

Deliverables:

- a. Submission of all available Material Safety Data Sheets (MSDS) for all hazardous materials used both within the system and used in system operations and maintenance.
- b. The locations of all hazardous materials used within the system.
- c. Preliminary descriptions of the manufacturing processes of the system with emphasis on hazardous materials used during manufacturing operations.

The above should be delivered in COMPANY format 30 days prior to PT.

2.3.10.2. Environmental Compliance

The COMPANY (and its Sub-Contractors) shall comply with all federal, state, and local environmental laws, regulations, and policies for all activities defined in this SOW, whether conducted at Government or COMPANY facilities. Upon request, the COMPANY shall make available to the Government applicable environmental permits, documentation, and procedures. The COMPANY shall be solely responsible for the management, cleanup, protection, and disposal of any and all emissions, effluents, wastes, and hazardous materials used in, generated by, or associated with the actions required by this SOW.

2.3.10.3. Pollution Prevention Program/Plan

The COMPANY shall establish a Pollution Prevention Plan to minimize program environmental and cost impacts and ensure that all pollution that cannot be prevented will be recycled or disposed of in an environmentally safe manner. The COMPANY shall define the process they will use to identify the pollution prevention initiatives which will eliminate hazardous materials in the performance of the OTA. The plan shall describe the analysis techniques that will be used to evaluate the risks associated with identified non-hazardous materials/process substitutes to ensure no detriment to performance. The plan shall include the COMPANY'S process for materials/process selection and evaluation. The COMPANY shall define their overall process for assigning responsibility to analyze and document the potential cost associated with trading a hazardous material for a less hazardous material over the life cycle of the product.

Deliverables: Pollution Prevention Plan delivered in accordance with DI-MISC-80508B, 30 days

prior to PT.

2.3.10.4. Hazardous Materials Management Program/Plan (HMMP)

The COMPANY shall establish, implement and maintain a HMMP Plan using Section 4 of National Aerospace Standard 411 (NAS411) (Revision 3) as a guide. The HMMP Plan, at a minimum, shall identify and describe the organizational relationships and responsibilities for eliminating hazardous materials, define process used to identify the hazardous materials utilized in the manufacturing process, and establish prioritization criteria for ranking the relative risks of these hazardous materials. Prohibited, restricted and tracked Hazardous Materials are listed in NAS411-1.

Deliverables: Hazardous Materials Management Plan delivered in accordance with DI-MGMT-81398D, 30 days prior to PT.

2.3.10.5. HMMP Report

The COMPANY shall prepare an HMMP Report using Section 4.3 of NAS411 (Revision 3) as a guide. The HMMP Report, at a minimum, identifies all hazardous materials required for system production, provides a listing of prioritized hazardous materials for minimization/elimination per the criteria established in the HMMP, and identifies those hazardous materials/processes for which non-hazardous substitute materials/technologies may be available for implementation.

Deliverables: HMMP Report delivered in accordance with DI-MISC-81397D, 30 days prior to PT.

2.3.10.6. Hazardous Materials

The COMPANY shall not use cadmium, tungsten, tungsten alloys, hexavalent chromium, or other highly toxic or carcinogenic materials without Government approval. The COMPANY shall not use materials that are identified in the Registry of Toxic Effects of Chemical Substances, published by the National Institute for Occupational Safety and Health, as materials that will produce toxic effects via respiratory tract, eye, skin, or mouth. If the design requires the use of hazardous materials, the COMPANY shall submit justification for Government approval. Moderate toxic materials may be used provided the design and control preclude personnel from being exposed to environments in excess of that specified in 29 CFR 1910, Occupational Safety and Health Standards. The COMPANY shall not use Class I Ozone Depleting Chemicals.

Deliverables: Hazardous Material Justification in COMPANY format delivered as necessary.

2.3.10.7. Hazardous Waste Report

The COMPANY shall identify the specific types and amounts of hazardous waste being generated under this Agreement. If it is determined by the COMPANY that hazardous waste will be generated under this Agreement, the COMPANY shall prepare a Hazardous Waste Report, in accordance with DI-MGMT-82129.

Deliverables: Hazardous Waste Report delivered 180 days after award. Updated Hazardous Waste Reports shall be delivered on a yearly basis until the end of the agreement.

2.3.11. Integrated Logistics Support (ILS)

2.3.11.1. Technical Manuals (TMs)

New equipment technical manuals to support the PGS shall be developed by the COMPANY. These TMs will be utilized during training and maintenance for Government testing.

The following manuals shall be developed for weapon and fire control:

- a. TM-10 Operator Manual. The operator manual shall be delivered in COMPANY format, but MIL-STD-38784C and MIL-STD-40051-2E is preferred.
- b. TM-20&P Field Maintenance with Repair Parts and Special Tools List (RPSTL). The Field Maintenance Manual shall be delivered in COMPANY format, but MIL-STD-38784C and MIL-STD-40051-2E is preferred. It is preferred that the maintenance concept maximizes the use of assemblies. Maintenance instructions and RPSTL shall be developed in the same sequential order as the two-level Maintenance Allocation Chart (MAC).

Deliverables: -10 TM and -20&P TM delivered 30 days prior to PT.

2.3.11.2. Instructor and Key Personnel Training (I&KPT)

The COMPANY shall develop and submit Training Materials using DI-ILSS-80872, as a guide, and provide operator and maintainer training for the Government's I&KP. The training shall be conducted at Aberdeen Proving Grounds, in Aberdeen, Maryland, at a facility provided by the Government. The COMPANY shall anticipate training up to twenty (20) Government personnel I&KPT.

Deliverables: Training Materials, to include any training aides such as zeroing charts, delivered in COMPANY as necessary.

2.3.12. Marking

The Marking Plan will provide details on how and where the COMPANY intends to mark the systems to meet the marking requirements. The Marking Plan will be submitted within 60 days after Agreement Award for approval by the Government. Marking requirements may be added, deleted, or changed depending on final design. The Government's response will be provided within 30 days after submission.

Deliverables: Marking Plan in COMPANY as detailed in Attachment 3 – Delivery Schedule.

2.3.13.1. Item Unique Identification (IUID)

The COMPANY shall provide DoD Item Unique Identification to the system using MIL-STD-130N as a guide and in accordance with DFARS 252.211-7003. IUID markings must survive and remain readable under all operational environmental conditions defined for the life of the weapon system. This requirement will be tested during PT and must survive all the environmental conditions imposed on the weapons system.

2.3.13.2. Ammunition Packaging and Marking

The COMPANY shall package and mark for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

- a. Control Number: Documentation required for test facilities to receive ammunition.

- b. International Air Transport: International Civil Aviation Organization (ICAO) Technical Instructions for the Safe Transport of Dangerous Goods by Air
- c. International Vessel Transport: International Maritime Dangerous Goods Code (IMDG)
- d. Domestic Transport: Code of Federal Regulations (CFR) Title 49 d. Military Air Transport: Joint Service Regulation AFMAN24-204/TM38-250/NAVSUP PUB 505/MCO P4030.19/DLAM 4145.3.

If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the regulations of the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

Wirebound boxes shall be sealed with a metallic seal. Forty-eight wirebound wooden boxes shall be palletized and marked in accordance with the palletization drawing. All markings must be in accordance with MIL-STD-129R. A Product Material Safety Data Sheet(s) (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside a waterproof sealed pouch attached to the outside of the package. Attachment 14 – Ammunition Packaging and Marking Drawings.

The COMPANY shall design and develop packaging for its ammunition, which will be tested during PT. The COMPANY shall provide ammunition packed into fiberboard cartons with added dunnage only if needed to prevent gross movement. Cartons shall be packed into containers with enough cartons to fill the container without excessive filler material. Containers shall be sealed with a metallic security seal. Two containers shall be packed into a wooden wirebound box with associated filler to prevent gross movement. All ammunition shall be delivered in packaging configuration as described above

Deliverables: Special Packaging Instructions in COMPANY format shall be delivered in accordance with the delivery schedule listed in Attachment 3 – Delivery Schedule.

2.3.13.3. Ammunition Container Assembly

The COMPANY shall design, develop, manufacture, assemble, test, and verify the packaging and its components. The COMPANY shall package the PGS Family of Ammunition cartridge type in its own container; a common container type shall be used for all ammunition types. The COMPANY shall use one of the approved unique palletized load systems identified below. The dunnage and internal packaging configuration may be modified to optimize round count, meet environmental and handling tests, and meet the requirement of MIL-STD-1904 and MIL-PRF-32602, for each round type. Additionally, the ammo box could be modified to support IM improvements, however the palletized load configuration cannot be affected. The gross packaging weights shall not exceed 70lbs.

M2A2 ammo box: 13032542. Reference drawings 9209205 and 9209204.

PA120 container: 12564414. Reference drawings 12928042 and 13051591.

PA108 container: and 9396178. Reference drawings 12590217 and 12590219.

2.3.13.4. Ammunition Packaging Marking

All unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129 and CFR 49 including bar coding. The

COMPANY is responsible for the application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not.

2.3.13.5. Ammo Palletization

The COMPANY shall utilize Standard US Army Ammunition palletization of the PGS Family of Ammunition. The COMPANY shall use one of the approved unique palletized load system identified below. Pallet load shall not exceed 3,000 lbs and shall pass MIL-STD-1660 Stacking, Repetitive, Edgewise-rotational drop, Incline impact, Forklifting and Disassembly tests in sequence. The pallet shall meet the requirements per MIL-DTL-15011.

1948-4116/26H: M2A2/wirebound on wood pallet

1948-4116/26S: PA120 on wood pallet

1948-4232/21: PA120 on metal pallet

1948-4116/5C: PA108/wirebound on wood pallet

2.3.13.6. Packaging & Marking Deliverables

For all other items identified within the SOW (inert cartridge models, inert cutaway model, PU cable, PU model, fuze, fuze simulator, warhead etc.) packaging shall be in accordance with ASTM D3951 and shall be IAW CFR 49 for items containing energetic materials. Marking shall be IAW MIL-STD-129 and CFR 49.

2.3.13.7. Wood Packaging Materials (WPM)

Heat treatment and marking of WPM: WPM is defined as wood pallets, skids, load boards, pallet collars, wooden boxes, reels, dunnage, crates, frames, and cleats. Packaging materials exempt from the requirements include wood packaging made wholly of processed wood material, such as plywood, particle board, oriented strand board or veneer that has been created using glue, heat or pressure, or a combination thereof. In accordance with the requirements of International Standards for Phytosanitary Measures (ISPM) 15, the following commercial heat treatment process has been approved by the American Lumber Standards Committee (ALSC) and is required for all WPM. All WPM shall be constructed from heat treated lumber and certified by an accredited agency recognized by the ALSC in accordance with Wood Packaging Material Policy and Wood Packaging Material Enforcement Regulations (see URL: <http://www.alsc.org>). When using a conventional steam or dry kiln heat chamber (treatment code for the mark: HT), the fundamental requirement is to achieve a minimum temperature of 56 degrees Celsius for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including its core). Where dielectric heating is used (e.g. microwave) (treatment code for the mark: DH), wood packaging material composed of wood not exceeding 20 cm when measured across the smallest dimension of the piece or the stack must be heated to achieve a minimum temperature of 60 degrees Celsius for one (1) continuous minute throughout the entire profile of the wood including its surface). The prescribed temperature must be reached within 30 minutes from the start of the treatment. Irrespective of the type of treatment applied, wood packaging material must be made of debarked wood. For this standard, any number of visually separate and clearly distinct small pieces of bark may remain if they are less than three (3) cm in width (regardless of the length) or greater than three (3) cm in width, with the total surface area of an individual piece of bark less than 50 square cm. All materials must include certification markings in accordance with ALSC standards and be placed in an unobstructed area that will be readily visible to inspectors. Pallet markings shall be applied to the stringer or block on diagonally opposite sides

and ends of the pallet and be contrasting and clearly visible. All dunnage used in configuring and/or securing the load shall also comply with ISPM 15 and be marked with an ALSC approved DUNNAGE stamp. Failure to comply with the requirements of this restriction may result in refusal, destruction, or treatment of materials at the point of entry.

2.3.13. Insensitive Munitions (IM)

The COMPANY shall follow the Insensitive Munitions design criteria consistent with MIL-STD-2105. This shall include utilizing the least sensitive energetic materials and other design concepts to meet performance and reliability requirements while meeting the IM requirement. The COMPANY shall provide the Government with a presentation of a system overview and assist the government in the development of an Insensitive Munitions Test Plan for the Army Insensitive Munitions Board (AIMB).

2.3.14. Lot Numbering and Ammunition Data Card (ADC)

All delivered hardware shall be assigned Ammunition Lot Numbers in accordance with MIL-STD-1168 and Marking Drawing 13075800. Prior to marking deliverables (DETs) the COMPANY shall submit for Government review and approval proposed cartridge markings. Each round delivered for DETs (excluding inert delivery items) shall be uniquely serialized for traceability purposes. For each delivery the round count shall begin where it was left off in the prior delivery. The marking shall not interfere with any of the cartridge marking instructions.

Ammunition Data Cards shall be prepared in accordance with MIL-STD-1168 and (DI-MISC-80043B) and shall follow the format required by the worldwide web application identified as WARP or Worldwide Ammunition-data Repository Program at <https://mhp.redstone.army.mil>. Additional details on WARP are provided on the WARP website. Prior to gaining access to WARP, developer/facility personnel involved in the preparation of ammunition data cards shall obtain a username and password for the Army Electronic Product Support (AEPS) network.

Deliverables:

- a. Cartridge Marking Drawing/Information in COMPANY format, delivered per Attachment 3 – Delivery Schedule.
- b. Ammunition Data Cards in COMPANY format, delivered per Attachment 3 – Delivery Schedule.

2.3.15. Manufacturing Maturity Plan (MMP)

The COMPANY shall prepare their MMP. The MMP will document the production concept and approach for the follow-on production effort to include supply chain risk.

Deliverables:

MMP in COMPANY format delivered 90 days after PT start.

2.4. PART C: ITERATIVE PROTOTYPING EFFORTS

The Government may request iterative prototyping efforts to achieve higher level performance capabilities and provide additional ammunition capabilities. Proposals for iterative prototyping efforts will be separately negotiated and included as modifications to the OTA. Iterative prototyping efforts may allow for follow-on production as authorized under 10 U.S.C. §4022(f).

The scope, magnitude, and duration of each iterative prototype effort could be up to \$25M and three years in length.

SECTION 3 – PROPOSAL SUBMISSION AND INSTRUCTION

3.1 Introduction

The purpose of the proposal is to identify innovative solutions for the Department of Defense and preclude efforts on the part of the Offeror whose proposed work is not of interest to the Government. Accordingly, Offerors are encouraged to submit proposal(s) following the instructions detailed below. To be considered for an award, a proposal submission should include a written section. A proposal submission that does not include a written section will not be evaluated and will be eliminated from the competition. While not mandatory, an oral presentation is strongly encouraged. The proposal shall specifically identify how the Offeror will achieve their proposed requirements against the Government's desired capabilities as stated in Attachment 1 – PGS Threshold Requirements. Iterative prototype efforts (reference SOW Section 2.4) shall be excluded from the Offeror's proposal.

In the case of multiple proposal submissions, for each proposal, the Offeror is required to submit a written section. If oral presentations are provided, they shall not be combined and must be separate and distinct from each other.

Additionally with multiple proposal submissions, the Government intends to award up to two prototype OTAs with each Offeror developing weapon, fire control, and ammunition prototypes under the PGS program. If an Offeror submits multiple proposals that share a common weapon configuration that are among the highest rated, the Government prefers to only award one of the Offeror's proposals. This maximizes the number of weapon variants in prototyping and subsequent evaluation. Proposals received after the dates specified will NOT BE ACCEPTED OR EVALUATED. In general, Offerors will be notified approximately six months after the written proposal submission whether their solution is of interest to the Government. The Government and each selected Offeror will then negotiate the terms and conditions of the OTA prior to award.

A notional timeline to OTA award is below:

Weeks	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
PPON Release	■																									
Contractor Proposal Development		■	■	■	■	■	■	■	■																	
Written Proposal Due									■																	
Initial PPON Proposal Evaluation										■	■	■	■													
Oral Presentations													■													
Revised Proposal Due														■	■											
Final PPON Proposal Evaluation															■	■	■	■	■							
Review/Selection																		■	■							
Offeror Notification																				■						
Negotiate and Finalize OTAs																					■	■	■	■		
Execute OTAs																								■		

3.2 Proposal Submission

- 1) The costs of preparing, submitting, and participating in proposal efforts are not considered an allowable direct charge to any contract or agreement.
- 2) The Government does not anticipate negotiating the PGS Model OTA (reference Attachment 15 – PGS Model Other Transaction Agreement).
- 3) Advertising brochures are not desired.
- 4) Multiple proposals may be submitted by the same organization; however, each written proposal must be separate and distinct from one another.
- 5) The proposal(s) shall be valid for a period of 18 months.
- 6) Technical and/or computer software data with military application may require appropriate approval, authorization, or license for lawful exportation.
- 7) All proposals (including any written and oral information) shall be unclassified and will be protected as competitive source selection information.
- 8) Questions regarding the objectives or preparation of the Proposal shall be addressed to Renee Papadopoulos, Agreement Specialist, Army Contracting Command – New Jersey, Email: renee.a.papadopoulos.civ@army.mil.

3.3 Proposal Preparation

Offerors shall provide information by addressing each Factor in the format and sequence identified in the PPON. The Offerors must provide information in sufficient detail to allow the Government to determine the best overall solutions to address the PPON Scope of Work. The Government will not assume the Offeror possesses any capability, understanding, or commitment not specified in the proposal. Offerors shall not assume information submitted in one area of the evaluation will be considered in other areas of the evaluation. However, the Government reserves the right to utilize information submitted in one area of the evaluation in other areas of the evaluation at its sole discretion.

The proposal's written section shall be in English language using 12-point Times New Roman font, 1 inch margins on 8.5 inch by 11 inch page size. Unless requested by the Government, hyperlinks, appendixes, and/or other attachments are not allowed. Section 2 (Factor 1 – Concept Feasibility), Section 3 (Factor 2 – Proposed Threshold Requirements), and Section 4 narrative only (Factor 4 – Integrated Master Schedule) have a combined page limit of 30 pages. All other sections do not have a page limit. Section 9 (Oral Presentation) are not part of the proposal's written section.

3.4 Proposal Content

Each Proposal submitted shall consist of the following separate sections:

Written Sections:

Section 1 – Introduction (no page limit)

Section 2 – Factor 1 – Concept Feasibility (Counts toward combined 30 page limit)
Section 3 – Factor 2 – Proposed Threshold Requirements (Counts toward combined 30 page limit)
Section 4 – Factor 3 – Special License Agreements (No page limit)
Section 5 – Factor 4 – Integrated Master Schedule (Electronic version will not count toward combined page limit. Narrative counts toward combined 30 page limit)
Section 6 – Factor 5 – Price (No page limit)
Section 7 – Data Rights Assertions (No page limit)
Section 8 – Significant Nontraditional Participation Or Cost Share (No page limit)

Oral Presentation Section:

Section 9 – Oral Presentation (not part of the written proposal; three hour maximum)

3.4.1 Proposal Section 1, Introduction

(This section does not have a page count limit.)

Company Name, CAGE Code, Date, Point of Contact Information (Name, Title, E-Mail Address, Phone, and Address), and any significant participants, subcontractors or team members. Include an abstract which provides a concise description of the proposal. Include a statement that the proposal is valid for 18 months.

3.4.2 Proposal Section 2, Factor 1 – Concept Feasibility

(This sections count towards the combined 30 page limit.)

Factor 1 - Concept Feasibility

The Offeror shall provide how their proposed concept will defeat sUAS, personnel in defilade, and personnel in close quarters from target acquisition to target defeat per Attachment 1 - PGS Threshold Requirements.

The Offeror shall provide substantiating data and/or analysis on how their concept will defeat the following target sets:

- a. sUAS
- b. Personnel in defilade
- c. Personnel in close quarters

Substantiating data may be in the form of U.S. Government test data, third party test data, Offeror test data, manufacturers specification sheets, validated modeling and simulation data, analytical support, design documentation and/or other rationale.

3.4.3 Proposal Section 3, Factor 2 – Proposed Threshold Requirement

(This sections count towards the combined 30 page limit.)

Factor 2 – Proposed Threshold Requirements

The Offeror shall provide a completed PGS Threshold Requirements List, column C in Attachment 1 – PGS Threshold Requirements(Attachment 1 does not count towards page limit). The requirements are divided into three priorities (High, Medium, and Lower). Offerors shall propose threshold requirements that are achievable within the Government's OTA's timeline and funding availability. The Offeror shall explain why their proposed threshold requirements are achievable within the OTA timeline. The proposed requirements will be incorporated as

Threshold Performance Requirements in the resulting OTA.

The Offeror shall provide substantiating data and/or plans on how they will achieve their proposed threshold requirements identified in the Threshold Requirement List. Substantiating data may be in the form of U.S. Government test data, third party test data, Offeror test data, manufacturers specification sheets, validated modeling and simulation data, analytical support, design documentation and/or other rationale. The substantiating data shall be correlated with the specified threshold requirement.

3.4.4 Proposal Section 4, Factor 3 – Special License Agreements

(This section does not have a page count limit.)

Factor 3 – Special License Agreements

The Offeror shall submit at least three fully executable Special License Agreements (SLAs) that clearly outline all terms and conditions required to grant the rights as described below including any limitations, restrictions, or other provisions. The first SLA shall be for the ammunition. The second SLA shall be for the weapon. The third SLA shall be for the fire control. The Offeror may provide separate terms and conditions for each SLA. the Attachment 17 – Ammunition Sample SLA, Attachment 18 – Weapons Sample SLA, and Attachment 16 – Fire Control Sample SLA may be utilized/modified and reflect the Government’s preferred SLA terms and conditions. The price of the SLAs shall not be included in Factor 4 – Price. Any royalty costs for third party patents shall be included in the SLA.

The SLAs for the weapons, fire control, and ammunition shall:

1. Include conditions for the Government to receive Government Purpose Rights⁵ (GPR) to the data where the Government is granted less than GPR. Exemplary conditions include:
 - a. meeting a minimum quantity requirement; and/or
 - b. meeting a dollar threshold value; and/or
 - c. waiting for period of time; and/or
 - d. other conditions.
2. Include conditions for the Government to receive Unlimited Rights to the data. Exemplary conditions include:
 - a. meeting a minimum quantity requirement; and/or
 - b. meeting a dollar threshold value; and/or
 - c. waiting for period of time; and/or
 - d. other conditions.
3. Incorporate rights previously granted under the OTA. For example, in the OTA, the

⁵ “Government Purpose Rights” means those rights as defined under DFARS 252.227-7013 (a)(12 &13) (Feb 2014) and DFARS 252.227-7014(a)(11&12)(Feb. 2014) as well as license rights to any patents/patent applications covering either the PGS weapon, fire control and/or FoA.

Government is granted Limited Rights⁶ to data developed at private expense and Unlimited Rights to data that is form, fit and function. Such previously granted rights shall be incorporated into the SLAs.

The proposed SLAs' terms and conditions shall be incorporated into the offeror's SLAs and submitted with its proposal to the PPON. Awardees may be granted an additional opportunity to improve upon the SLA terms and conditions prior to execution of the SLA in conjunction with the follow-on production award. The SLA proposal submissions shall be signed and will be effective upon OTA award.

3.4.5 Proposal Section 5, Factor 4 – Integrated Master Schedule

(Electronic version will not count towards the page limit. The narrative counts towards the combined 30 page limit.)

Factor 4 – Integrated Master Schedule: The Offeror shall submit a program schedule. The IMS shall clearly define the Offeror's plan for the OTA and identify key events consistent with Offeror's concept and proposed threshold requirements. The IMS shall be laid out around the OTA events and deliverables identified in the PPON.

The Offeror shall include the critical subcontractor's detailed schedules that depict their effort(s) and is traceable to the responsible entity in the IMS. The IMS shall clearly indicate, using underlined bold red text, at least one unbroken critical path that reaches from award of the OTA to final delivery. Nomenclature for tasks/milestones on the critical path shall be displayed in underlined, bold red text. If the IMS has multiple critical paths, the proposal shall include the assumptions and logic associated with the multiple critical paths. Assumptions used to develop this IMS shall be provided in sufficient detail to enable Government assessment.

The IMS shall be submitted in a format that is compatible to Microsoft Office 365 and does not count towards the page limit. The file shall be unlocked.

3.4.6 Proposal Section 6, Factor 5 – Price

(This section does not have a page count limit.)

The Offeror shall provide the completed Attachment 4 –Pricing, in Excel format (format must be compatible to Microsoft Office 365). All pricing shall be fixed amounts. All line item numbers will be summed for a total evaluated price. Offerors may propose milestone payments under line item numbers 0001 – PGS 4QFY26 - FY27 Efforts and 0002 – PGS FY28 Efforts. Due to fiscal year budget and funding constraints, Offerors are encouraged to stay within the prescribed funds identified in Attachment 4 - Pricing. The Government reserves the right to order line item numbers 0010 – 0016 multiple times. It is desired that line item numbers 0011-0016 have a lead time of six months or less.

Price Inconsistencies. Any inconsistency, whether real or apparent, between the proposed performance and price, should be explained in the proposal. Any significant inconsistencies, if unexplained, raise a fundamental issue of the Offeror's understanding of the nature and scope of

⁶ "Limited Rights" means those rights as defined under Defense Federal Acquisition Regulations Supplement (DFARS) 252.227-7013(a)(14)(Feb. 2014).

work required and their financial ability to perform the contract, and may be grounds for rejection of the proposal.

Unbalanced Pricing: The Government may determine that a proposal is unacceptable if the prices proposed are materially unbalanced. Unbalanced pricing exists when, despite an acceptable total evaluated price, one or more line items is significantly overstated or understated as indicated by the application of cost or price analysis techniques without an Offeror's documentation (including calculations and supporting rationale) explaining the apparent unbalanced pricing. The Agreement Officer may reject a proposal where the lack of balance poses an unacceptable risk to the Government.

COMPTROLLER GENERAL ACCESS TO INFORMATION

In accordance with 10 U.S.C. 4022(c), any Prototype OTA that provides for payments in a total amount in excess of \$5,000,000 shall include a clause that provides for the Comptroller General, in the discretion of the Comptroller General, to examine the records of any party to the agreement or any entity that participates in the performance of the agreement.

3.4.7 Proposal Section 7, Data Rights Assertions

(This section does not have a page count limit.)

The Proposal will identify any intellectual property involved in the effort and associated restrictions on the Government's use of that intellectual property (including any patents or patent applications) in accordance with DFARS 252.227-7013(e) Identification and Delivery of Data to be Furnished with Restrictions on Use, Release or Disclosure, DFARS 252.227-7014(e) Identification and delivery of computer software and computer software documentation to be furnished with restrictions on use, release, or disclosure, and/or DFARS 252.227-7017 (Jan. 2011) Identification and assertion of use, release, or disclosure restrictions.

The Government may request the Offeror provide additional information/detail provided in the Proposal to clarify data rights assertions. Include documentation proving your ownership of or possession of appropriate licensing rights to all patented inventions (or inventions for which a patent application has been filed) that will be utilized under your proposal for a system demonstrator. If a patent application has been filed for an invention that your proposal utilizes, and the application has not yet been made publicly available, you may provide only the patent application serial number, inventor name(s), assignee names (if any), filing date, filing date of any related provisional application, and title, together with either: (1) a representation that you own the invention, or (2) proof of possession of appropriate licensing rights in the invention.

The Proposal will provide a good faith representation that you either own or possess appropriate licensing rights to all other intellectual property that will be utilized under your proposal.

3.4.8 Proposal Section 8, Significant Nontraditional Participation, Nonprofit Research Institution, or Cost Share

(This section does not have a page count limit.)

To be considered for award, the Offeror shall complete Attachment 19 – Business Status

Certification.

3.4.9 Proposal Section 9, Oral Presentations

(Not to be included in the written section, three hour maximum)

The proposal's oral section shall not exceed three hours. The Government will assign the date of the Offeror's oral presentation following receipt of the written proposal. Oral presentations are anticipated to start no sooner than 7 calendar days after written proposal due date. If Offerors cannot accommodate the assigned date, while not guaranteed, the Government will make an attempt to reschedule.

Oral Presentations and anything discussed in the Oral Presentations will not be used in the evaluation of an Offeror's proposal. Only the originally submitted written proposal or final written proposal will be evaluated for award. Oral presentations will be coordinated by ACC-NJ. The oral presentation should be consistent with and compliment written proposal sections. The oral presentation is the Offeror's opportunity to further explain, and the Government's opportunity to better understand, the Offeror's weapon, fire control, ammunition, SLAs, and Data Rights Assertions, schedule, and price. The Offeror should include the appropriate significant participants and subject matter experts in the oral presentation to aid in the discussion. The Offeror may demonstrate prototype weapons or concepts, provide a slide presentation, and/or utilize the three hours at their discretion. All breaks, caucuses (Government and Offeror), and/or other activities shall be included in the three hours. The Offeror is not required to use the entire three hours; however, the presentation will cease after three hours. Physical copies of the material presented in the oral presentations, (i.e., slides, handouts, video, etc.) are not required nor will they be accepted by the Government. Access to Government computers, network, and internet is not allowed; however, a projector, screen, and conference telephone will be available for use. Physical hardware presented and transported shall adhere to all federal, state, and local laws. Live firing and/or live ammunition are not allowed. Any questions related to material/hardware to be presented shall be submitted to the Agreement Specialist.

Offerors will be provided with a list of Government questions and comments prior to their Oral Presentation.

Within 10 calendar days after the oral presentation, the Offeror will have an opportunity to submit a revised written proposal that replaces the original written proposal and complies with the same requirements outlined above in Section 3.4 Proposal Content. If a revised written proposal is submitted, then any previous versions will be discarded and only the revised written proposal will be evaluated. If a revised written proposal is not submitted, then the Government will continue evaluating the Offeror's originally submitted written proposal. Separate updates to existing written proposal sections are not allowed.

SECTION 4 – BASIS OF EVALUATION

Offeror proposal(s) will be evaluated in a careful, full and impartial manner pursuant to the stated criteria of this PPON. Awards will be made to the Offeror(s) that provide the best overall solution to address the Government's requirements (capabilities, need, price, etc.) based on an

integrated assessment of the evaluation results. Subsequent to the review of a final Proposal(s) submission, the Government may elect to invite an Offeror prior to award of OTA to provide additional clarifying information. The Government reserves the right to conduct a Pre- Award Survey (Safety and Security) or similar, in order to determine COMPANY responsibility.

The Evaluation Criteria below will be used in the selection of up to two OTA awards. The basis for award of OTA(s) resulting from this PPO will be the result of the evaluation of the Factors specified below.

4.1 Evaluation Factors

Factor 1 – Concept Feasibility (Counts toward combined 30 page limit)

Factor 2 – Proposed Threshold Requirements (Counts toward combined 30 page limit)

Factor 3 – Special License Agreements (No page limit)

Factor 4 – Integrated Master Schedule (Electronic version will not count towards the page limit. The narrative counts towards combined 30 page limit.)

Factor 5 – Price (No page limit)

4.2 Order of Importance

Factor 1 – Concept Feasibility is slightly more important than Factor 2 – Proposed Threshold Requirements which is more important than Factor 3 – Special License Agreements, which is more important than Factor 4 – Integrated Master Schedule, which is slightly more important than Factor 5 – Price.

Within Factor 3 – Special License Agreements, the ammunition SLA is more important than the weapon SLA and the fire control SLA. The weapon SLA and the fire control SLA are of equal importance. The individual SLAs will not receive a rating but collectively form the basis of the Factor rating.

The combination of all factors, other than Price, is more important than Price. However, price may become a more significant factor when ratings of acceptable proposals are closely grouped. Offerors will be cautioned, however, that the award may not necessarily be made to the lowest priced Offeror or the Offeror with the highest rating.

4.3 Rating Definitions

The evaluators will use the following terms in support of the ratings for Factor 1 – Concept Feasibility, Factor 2 – Proposed Threshold Requirements and Factor 4 – Integrated Master Schedule.

Rating	Definition
Blue Good	The Offeror's proposal has benefits that far outweigh any shortcomings. The risk of unsuccessful Agreement performance is very low.
Green Acceptable	The Offeror's proposal has benefits that outweigh any shortcomings. The risk of unsuccessful Agreement performance is low.
Yellow Marginal	The Offeror's proposal has benefits that offset the shortcomings. The risk of unsuccessful Agreement performance is medium.

Orange Poor	The Offeror's proposal has one or more shortcomings that are not offset by benefits. The risk of unsuccessful Agreement performance is high.
------------------------	--

A benefit means an aspect of an Offeror's proposal that enhances performance, provides military utility, and/or reduces schedule or performance risk.

A shortcoming means an aspect of an Offeror's proposal that does not provide adequate performance, does not provide military utility, and/or increases schedule or performance risk.

The evaluators will use the following terms in support of the rating for Factor 3 – Special License Agreements.

Rating	Definition
Blue Good	Offeror's proposed terms and conditions for granting rights to the Data ⁷ for the combined value of the SLAs is highly favorable to the Government. The proposed SLAs clearly outline all the terms, conditions, and associated costs.
Green Acceptable	Offeror's proposed terms and conditions for granting rights to the Data for the combined value of the SLAs is favorable to the Government. The proposed SLAs clearly outline all the terms, conditions, and associated costs.
Yellow Marginal	Offeror's proposed terms and conditions for granting rights to the Data for the combined value of the SLAs is less than favorable to the Government. The proposed SLAs outline all the terms, conditions, and associated costs.
Orange Poor	Offeror's proposed terms and conditions for granting rights to the Data for the combined value of the SLAs is unfavorable to the Government. The proposed SLAs do not adequately outline all the terms, conditions, and associated costs or the Offeror did not provide one or all the SLAs.

Factor 5 – Price does not receive a rating.

4.4 Factor 1 – Concept Feasibility

The Government will assess the Feasibility of the Offeror's proposed PGS Concept and the relevant substantiating data and/or analysis provided.

The Government will assess the risk associated with the Offeror's proposed PGS's ability to defeat UAS, personnel in defilade, and personnel in close quarters. Offerors should provide substantiating data and analysis to clearly articulate their decision-making process supporting the feasibility of their concept for providing the PGS capability. Proposals demonstrating greater credibility and insight into the rationale supporting their approach will receive a higher evaluation rating. The hierarchy for substantiating data is as follows: Government test data, Third party test data, Offerors test data, Offerors analysis results, and Offerors judgment.

⁷ Data as defined under the Government's preferred SLAs, Attachments 16, 17, and 18.

4.5 Factor 2 – Proposed Threshold Requirements

The Government will assess the Proposed Threshold Requirements of the Offeror's proposed PGS solution and the relevant substantiating data provided.

The Government will assess the risk that the Offeror's PGS will achieve the proposed performance levels for the requirements identified in Attachment 1 – PGS Threshold Requirements. The High Priority capabilities are more desirable than the Medium Priority capabilities that are more desirable than the Lower Priority capabilities. The individual requirements will not receive a rating but collectively form the basis of the Factor rating.

Offerors can propose within and outside the desired level. Less favorable consideration, if any, will be provided for proposed requirements below the desired level threshold, and some additional favorable consideration may be assessed for proposed requirements at or above the desired level, but only to the extent that it provides additional military utility. Capabilities that are significantly below the desired level could result in a shortcoming that may not be offset by benefits.

The Government may provide additional consideration for design attributes not specifically requested that provide military utility, enhance the usability of the weapon system and/or increase User Acceptance. Examples could include but are not limited to innovative weapon features that improve lethality, survivability, mobility, controllability, ergonomics, and human factors.

4.6 Factor 3 – Special License Agreements

The SLAs will be evaluated based on the price affordability, timing of rights, minimum quantity to be procured, period of time, and/or other conditions required for Government Purpose Rights and Unlimited Rights.

A highly favorable SLA rating may allow Unlimited Rights or Government Purpose Rights upon award of PPON without additional conditions.

If multiple SLAs are submitted for ammunition and/or weapons and/or fire controls, the Government will only use the most favorable ammunition SLA, most favorable weapon SLA and most favorable fire control SLA for the final evaluation.

4.7 Factor 4 – Integrated Master Schedule

The Government will assess whether the Offeror's schedule will successfully meet the program requirements and delivery dates (reference Attachment 3 – Delivery Schedule). The evaluation will consider the completeness of the schedule events, the schedule logic and structure, critical path(s), and associated assumptions and justifications.

4.8 Factor 5 – Price

The Government will conduct price analysis of the overall prices submitted to determine price reasonableness for OTA award(s). Price reasonableness will be based on competitive offers received in response to this PPON and against the Government estimate. A price evaluation will be conducted by summing all line item numbers in Attachment 4 –Pricing to arrive at a total

evaluated price. Pricing significantly outside the designated fiscal year available fund amounts may limit the number of awards made or make an Offerors' proposal unaffordable. All pricing shall be fixed amounts.

SECTION 5 – FOLLOW-ON PRODUCTION AWARD

Companies are advised that any Prototype Other Transaction Agreement(s) awarded in response to this PPON shall include the following statement relative to the potential for follow-on production:

“In accordance with 10 U.S.C. 4022(f), and upon a determination that the prototype project (or any subsequent iterative prototyping efforts) was successfully completed under this competitively awarded OTA, a follow-on production contract(s) or OTA(s) may be awarded without the use of competitive procedures.”

Successful completion means the COMPANY delivers a PGS(s), with a family of ammunition, that are safe, suitable, and effective OR the company achieves a particularly noteworthy and unexpected result during prototyping that substantially improves upon existing capabilities and clearly justifies moving forward with production. This could include but is not limited to significant advancements in range, weight reduction, functionality or cost. In addition, positive results and progress made during each phase of iterative prototyping can independently contribute to the decision to award along with successful completion of iterative prototyping efforts may separately provide for the award of a follow-on production contracts or transactions.

The follow-on production award(s) is anticipated to be a Federal Acquisition Regulation (FAR) based contract award(s), to one or two offerors without further competition but the Government reserves the right to award a follow-on production OTA to one or two offerors without further competition. The follow-on production award(s) is planned to be an Indefinite Delivery / Indefinite Quantity contract with Firm Fixed Price Delivery Orders up to ten years or a fixed amount OTA up to ten years. The production award(s) may include approximately 11,000 total weapons and fire controls, 15,000,000 total rounds of ammunition (including a mixture of TP, CQB, CD, C-sUAS), spare parts, tools/gauges/accessories, and engineering support. Initial production quantities of 35 or more weapons and fire controls per month and 8,500 or more rounds (mixture of TP, CQB, CD, C-sUAS) of ammunition per month are expected to be delivered within one year of award with plans for ramp-up to 125 weapons and fire controls or more total per month within two years and 25,000 or more rounds (mixture of TP, CQB, CD, C-sUAS) or more rounds of ammunition per month within two years.

If the Government contemplates a follow-on production award(s), the Government will request new proposals during PT timeframe. Proposals are expected to be submitted within 60 days of the Government request. The proposal(s) shall be valid for a period of 18 months. The Government intends to select the best overall solution(s) for the Follow-On Production award(s). The Follow-On Production areas of evaluation are anticipated to include Soldier Touch Points, Demonstrated Capabilities (based on prototype testing), Initial & Full Production Capability, Fully Executable Special License Agreements (opportunity may be provided to improve existing SLA terms and conditions), and Price. In general, COMPANIES will be notified approximately

three months after the Follow-on Production Proposal submission of the award decision.

In the event the COMPANY(s) cannot fulfill the follow-on contractual or agreement requirements, the Government reserves the right to terminate the existing contract(s) or agreement(s) if the first required deliverable date is not met. The Government reserves the right to select the next highest rated COMPANY for a follow-on production award(s). This selection period expires 12 months after the follow-on production award(s). Contracts or agreements not selected within 12 months after the follow-on production award(s) will expire and proceed to closeout.

SECTION 6 – OTHER INFORMATION

ACC-NJ policy is to treat all submissions as source selection information, and to disclose their contents only for the purpose of evaluation. Restrictive notices notwithstanding, during the evaluation process, submissions may be handled by support contractors for administrative purposes and/or to assist with technical evaluation. All ACC-NJ and DoD support contractors performing this role are expressly prohibited from performing DoD-sponsored technical research and are bound by appropriate nondisclosure agreements.

Prototype weapons delivered under the awarded OTAs will be owned by the Government.

Offerors are advised that developments arising from the resulting Agreement may constitute a significant enhancement to the national defense, and to the economic vitality of the United States. As such, in the conduct of all work under the subsequent PGS OTA(s), the recipient will comply strictly with the International Traffic in Arms Regulation (22 CFR 120-130), the National Industrial Security Program Operating Manual (DoD 5220.22-M) and the Department of Commerce Export Regulation (15 CFR 730-774).

The total OTA(s) amount will not be obligated at time of award. Funding for the OTA(s) will be obligated once funding is appropriated and per contractual milestone payment schedules. Based on the availability of funds, the Government and OTA Awardees may need to renegotiate the schedule, milestones events, and/or the Statement of Work.

SECTION 7 – CONTACT INFORMATION

U.S. Army Contracting Command - New Jersey
Soldier Weapons
Building 9 Phipps Road
Picatinny Arsenal, NJ 07806-5000

Agreements Specialist – Renee Papadopoulos, Email: renee.a.papadopoulos.civ@army.mil
Agreements Specialist – Lee Luu, Email: lee.n.luu.civ@army.mil
Agreements Officer – Therese Grimm, Email: therese.m.grimm.civ@army.mil

Be advised, only an Agreements Officer has the authority to enter into a binding agreement on behalf of the Government. He or she will sign the agreement, and only an Agreements Officer has the authority to change the terms of the agreement.

SECTION 8 – ATTACHMENTS

Attachment	Title	Document
Attachment 1*	PGS Threshold Requirements	Send request to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil
Attachment 2*	PGS Prototype Characteristics	Send request to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil
Attachment 3	Delivery Schedule	
Attachment 4	Pricing	
Attachment 5	Ammunition and/or Fire Control Programmer ICD TDP Worksheet	
Attachment 6	Operational Effectiveness	
Attachment 7	User Acceptance	
Attachment 8	Weapon/Ammo/Fire Control TDP Selection Worksheet	
Attachment 9	Prototype Test Outline	
Attachment 10	Available Maintenance Tools	
Attachment 11*	Qualified Propellants	Send request to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil
Attachment 12*	Mount Drawings	Send request to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil
Attachment 13	Failure Definition and Scoring Criteria	Not available until final PPON
Attachment 14*	Ammunition Packaging and Marking Drawings M2A2 Can - M2A2 - 13032542 - Pallet - 1948-4116/26H PA120 Can - PA120 – 12564414 - Pallet - 1948-4116/26S - Pallet – 1948-4232/21 PA108 Can - PA120 – 9396178 - Pallet - 1948-4116/5C	Send request to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil

Attachment	Title	Document
Attachment 15	PGS Model Other Transaction Agreement	Not available until final PPON
Attachment 16	Fire Control – Sample SLA	
Attachment 17	Ammunition – Sample SLA	
Attachment 18	Weapon – Sample SLA	
Attachment 19	Business Status Certification	
Distribution F Data Request: Submit completed forms to Agreements Officer, Therese Grimm, Email: therese.m.grimm.civ@army.mil AND Agreements Specialist, Renee Papadopoulos, Email: renee.a.papadopoulos.civ@mail.mil and lee.n.luu.civ@army.mil	DD Form 2345	
	AMSTA-AR Form 1350	
	Non-Disclosure/Non-Use Agreement	

*Controlled distribution. DD Form 2345 and AMSTA-AR Form 1350 shall be submitted to renee.a.papadopoulos.civ@army.mil and lee.n.luu.civ@army.mil to receive attachments via DoD SAFE.