

Section J-1503050
Grounds Maintenance and Landscaping

Section J – 1503050 Grounds Maintenance and Landscaping	
Attachment Number	Attachment Title
J-1503050-01	Definitions and Acronyms
J-1053050-02	Reserved
J-1503050-03	References and Technical Documents
J-1503050-04	Service Level Standards
J-1503050-06	Reserved
J-1503050-07	Site Maps
J-1503050-08	Site Inventory
J-1503050-09	Irrigation System Inventory
J-1503050-10	Pest Group Sheets
J-1503050-10a	Planned Pest Use Sheets
J-1503050-10b	Pest Management Operations Report
J-1503050-11	Storm Water Drainage Systems Inventory
J-1503050-12	Reserved
J-1503050-13	Storm Water Drainage Systems Information (Maps and Maintenance schedules/details)
J-1503050-14	Reserved
J-1503050-15	Reserved
J-1503050-16	Quarters A / VPR - Site Specific Work
J-1503050-17	WRNMMC- Healing Garden- Site Specific Work
J-1503050-18	BASH Requirements (Reserved)
J-1503050-18a	BASH Mitigation Zone (BMZ) Maps (Reserved)

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-01 Definitions and Acronyms	
Definition/Acronym	Description
Aeration	Introduction of air into the soil by mechanical means to promote health and growth.
Appearance	Where there is a sense impression or outward aspect of an area or thing that is consistent, uniform and neat in and around the surroundings.
ATFP	Anti-Terrorism Force Protection
Artificial Turf	An artificial surface that resembles grass.
BASH	Bird/Animal Aircraft Strike Hazard
Berm	A mound or bank of earth typically used as a barrier.
Brow Ditch	A drainage ditch with sufficient slope to prevent erosion of adjacent grading.
Bruising of Lawn	An injury to grass areas resulting in discolored blades of grass, usually caused by mowing with a dull blade.
Caliper	The measurement of a tree trunk at its widest diameter, measured six inches up from the ground for trees under four-inch caliper, and twelve inches from the ground for trees over four-inch caliper. Multi-stem plants are measured at the widest point of all trunks, six inches up from the ground for trees under four inch caliper, and twelve inches from the ground for trees over four inch caliper.
Classification and Ordering of Plants	For the purposes of pruning, trimming, planting, or removal, specific plants shall be identified according to their type and application as specified in the American Horticulture Society Encyclopedia of Garden Plants (latest edition), D.K. Publishing under ISBN-0-7894-1943-2. Example: A Red Tip Photinia bush, which is 15' tall, is classified as a shrub.
Clipping	Any vegetation that is left on paved surfaces, lawns, and plant beds after being cut by means of shears, mowers, etc.
De-thatch	Removal of unwanted thatch from mowed areas to promote health and growth.
Debris	Includes, but is not limited to, paper, cans, bottles, limbs and branches, pine straw and pinecones, leaves, rocks, and other similar items.
Depression	A small area that has sunken below its surroundings.
Diameter at Breast Height (DBH)	The diameter of a tree measured at 4½ feet above ground level.
Edging	Creating a uniform edged cut to promote a neat appearance and prevent ground structures from vegetation encroachment.
Fertilization	Application of natural and synthetic materials to the soil where it has become deficient in nutrients essential for proper plant growth.
Frond	A large leaf or branch of a palm tree, usually with many divisions.
Grade	To bring soil to previously established level or inclination using appropriate tools and equipment.
Ground Cover	A plant, which is chosen for the special task of providing a dense low attractive cover that, prevents weeds and erosion. Varieties include, but are not limited to Vinca, Hosta, Ivy, Alyssum, Ajuga, and Liriope.
Hedge	Shrubs or other plants planted closely together to form an unbroken line during trimming.
Irrigation	Application of water to the soil to promote health and growth.
Irrigation System	A permanent system used for apply water to lawns and plants. The irrigation system includes all pumps, controls, piping and, sprinkler heads. The irrigation system starts at the valve supplying to the system.
Maximum Growth Height	That limit of dominant vegetative growth, including seed heads or pods.
Mowing	Cutting of all grasses, weeds, and other vegetation that is 1 inch or less in diameter (at ground level).

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-01 Definitions and Acronyms	
Definition/Acronym	Description
Operational Areas	Areas driven by operational requirements (e.g., ATPF, BASH, Clear Zone Management, and NAVSEA OP-5).
Parcel	A designated area of land which may be indicated on installation maps or other attachments.
Pesticide	Any substance or mixture of substances, including biological control agents, registered by EPA under FIFRA intended to destroy, repel, or mitigate pests. Includes insecticides, rodenticides, herbicides, fungicides, plant regulators, defoliants, desiccants, disinfectants, anti-fouling paints, and biocides (such as water treatment chemicals). NAVFAC pest management consultants do not approve disinfectants or biocides.
Pruning	The selective removal of unwanted growth to restore a plant or tree to its natural symmetry and appearance. Pruning involves selection and judgment, and does not include the practice of cutting off all branches to an even length. This may include re-sculpting, changing the size, or any other form of work that directly affects the look and growth pattern of the plant.
Registered Pesticide	A pesticide registered by EPA for sale and use within the United States.
Rejuvenation	The severe pruning of overgrown bushes, shrubs and hedges to within a few inches of the ground or as directed by the KO to restore the plant to its natural shape.
Rut	Depressions made in soil or grass by tires of vehicles or heavy equipment.
Shrub	A woody perennial plant generally smaller than a tree, usually having many permanent stems branching from or near the ground, and does not have a definite crown shape. Shrubs may be deciduous or evergreen, and in the area covered by this contract, may be very large in height and width.
Sightly	Attractive, tasteful, or pleasing to the sight and consistent with its intended purpose.
Special Event	Services that could not reasonably have been anticipated and were not contemplated at time of contract award.
Stump	The bottom portion of a tree, which remains in the ground after the tree, has been cut for removal. Usually less than five feet in height.
Swale	A low-lying or depressed area intended for drainage.
Thatch	A layer of slowly decomposing organic residues situated above the soil surface and constituting the upper stratum of the medium that supports turf grass growth. Usually associated with warm season grasses.
Tree	A perennial woody plant having a permanent self-supporting single stem or multiple stems. Ordinarily grows higher than ten feet, and usually develops branches at some distance above the ground with a definite crown shape.
Trimming	Removal of unwanted vegetation around trees, shrubs, flower and shrub beds, cultivated areas, poles, walls, valves, and other similar objects to match the height and appearance of the surrounding grass. Shrub and hedge trimming includes removal of unwanted vegetation to maintain a uniform, and well-shaped appearance, and to prevent interference with pedestrians, vehicle traffic and building encroachment.
Trunk	The main stem of a tree, usually long, large and relatively straight.
Vegetation	Plant life collectively consisting of grass, weeds, and other greenery (excluding shrubs, hedges, and trees) growing wild or cultivated on lawns, fields, and other areas.
Weed	Plant life growing where it is not wanted.
Xeriscape	A trademark for a method of landscaping that emphasizes water conservation in its use of drought-resistant plants

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-02 Reserved
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-03 References and Technical Documents	
Reference	Title
ANSI Z133.1	American National Standard of Tree Care Operations-Pruning, Trimming, Repairing, Maintaining, and Removing and Cutting Brush-Safety Requirements.
ANSI A-300	American National Standard of Tree Care Operations-Tree, Shrub and Other Woody Plant Maintenance-Standard practices, Secretariat-National Arborist Association, Incorporated.
Irrigation Association - Water Management Committee	Turf and Landscape Irrigation Best Management Practices April 2005
NAVFAC DM 5	Drainage for Areas Other Than Airfields
NAVFAC INST 11320.2(most current)	Fire Prevention and Protection
NAVFAC P-73	Natural Resources Management Procedural Manual
NAVFAC MO-100.1	Natural Resources Land Management
NAVFAC MO-100.3	Natural Resources Fish and Wildlife Management
NAVFAC MO-100.4	Natural Resources Outdoor Recreation and Cultural Values
NAVFAC P-905	Planting and Maintenance of Trees, Shrubs, and Vines
NAVFAC P-960	Installation Design, Chapter 1 "Planting Design"
NAVSEA OP 5	Ammunition and Explosives Safety Ashore
OPNAV 5090.1 (most current)	Safe Drinking Water Act Compliance Ashore
OPNAV INST 6240.3 (most current)	Chapter 9, Pest Management
NFPA Fire Protection Handbook	Fire Protection Handbook

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-04 Service Level Standards			
Improved Grounds	Prestige	Standard	
Lawn and Field Maintenance		Lawns	Fields
Mowing and Trimming			
Minimum Frequency	Once in 14 Days	Once in 14 Days	Once in 30 Days
Minimum and Maximum Acceptable Height	Two to Five Inches	Two to Six Inches	Six to Eight Inches
Trimming	Concurrent with Mowing	Concurrent with Mowing	Concurrent with Mowing
Edging	Note 1	M	N/A
Lawn Services			
Aeration	A	N/A	N/A
De-Thatching	A	N/A	N/A
Fertilization	A	A	N/A
Top Dress/Over Seed	A	N/A	N/A
Irrigation	Note 2	Note 2	N/A
Weed Control			
Pre-emergent	A	A	N/A
Post-emergent	A	N/A	N/A
Artificial Turf	Note 3	Note 3	Note 3
Xeriscape Areas	Note 3	Note 3	Note 3
Plant/Plant Bed Maintenance	SA	A	A
Shrub/Hedge Maintenance	Q	SA	SA
Ornamental Tree Maintenance	SA	SA	SA
Vegetation Control	SA	SA	SA
The Contractor shall mow and trim vegetation as frequently as necessary to ensure vegetation height does not exceed the maximum allowable height specified above. At a minimum, the Contractor shall mow and trim vegetation at the minimum frequency specified above during the growing season. Typically, the growing season is 1 April- 1 October The Contractor shall not cut grass blade length less than the minimum height. Notes: Note 1: Concurrent with every other occurrence of Mowing and Trimming Note 2: As necessary to ensure lawns present a healthy appearance Note 3: Maintain clean and free of weeds, grass, and unwanted vegetation Additional services may be ordered under the Recurring Work provisions of this contract via Grounds Maintenance Service Order, incorporated into the contract in accordance with the CHANGES clause, SECTION I, or under the non-recurring work provisions of this contract.			

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-06 Reserved
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-07
Site Maps

Attachment Index

- (a) Washington
 - (a1a) Washington Navy Yard - Grounds
 - (a1b) Washington Navy Yard – Trash
 - (a1c) Washington Navy Yard - Trees
 - (a2) Arlington – Grounds
 - (a2) Arlington - Trees
 - (a3) Naval Research Laboratory
 - (a4) Carderock - Grounds
 - (a5) Naval Observatory
 - (a6) Quarters A
 - (a7) Marine Barracks Washington
- (b) South Potomac (Reserved)
- (c) Patuxent River (Reserved)
- (d) Annapolis (Reserved)
- (e) Quantico
 - (e1) Marine Corps Base
 - (e5) Full Set
 - (e6) Bldg. 24008
- (f) Bethesda
 - (f) Bethesda - Grounds

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-08
Inventory by Site

Attachment Index

- (a) Washington
 - (a1) Washington Navy Yard
 - (a2) Arlington
 - (a3) Naval Research Laboratory
 - (a4) Carderock
 - (a5) Naval Observatory
 - (a6) Quarters A
 - (a7) Marine Barracks Washington
- (b) South Potomac (Reserved)
 - (b1) Dahlgren (Reserved)
 - (b2) Indian Head (Reserved)
- (c) Patuxent River (Reserved)
- (d) Annapolis (Reserved)
- (e) Quantico
- (f) Bethesda

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-09
Irrigation System Inventory

Attachment Index

- (a) Washington
 - (a1) Washington Navy Yard
 - (a7) Marine Barracks Washington

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-10
Pest Group Sheets

Pest Group Number	Pest Group Name	General Requirements
023	Aquatic Plant Control	Control aquatic weeds in ditches, ponds, lakes, and other aquatic sites.
024	Industrial, Sidewalk, Substation, Vault, and Right-Of-Way Weed Control	Provide bare ground weed control in cracks in sidewalks and paved surfaces, at fence line locations, in transformer vaults, around fire hydrants, and other designated locations.
025	Turf and Ornamental Bed Weed Control	Control weeds in turf areas and in ornamental plant beds.

PERFORMANCE STANDARDS

Pest Group Number	Pest Group Name	Time Period to Respond	Time Period to Obtain Control	Time Period to Maintain Control	Level of Control	Notes See Below
023	Aquatic Plant Control	7 days	21 days	60 days	100% control	2, 3, 4
024	Industrial, Sidewalk, Substation, Vault, and Right-Of-Way Weed Control	5 days	14 days	As specified in the SLS	100% control during growing season	3
025	Turf and Ornamental Bed Weed Control	7 days	21 days	As specified in the SLS	More than 4 weed plants per ornamental bed or 1600 ft ² of turf are grounds for retreatment of that area at the Contractor's expense.	1, 2, 3

NOTES:

1. Report conditions conducive to pest infestation to the KO and PAR within one working day following survey.
2. Post/Notify as required by applicable state/local regulations.
3. Misapplication to target areas, or drift, runoff or other off-target effects that kill or damage any vegetation shall result in the Contractor replacing that vegetation at no charge to the Government.
4. Permits may be required to perform this work (i.e., NPDES permit, FWS permit). The Contractor shall obtain all permits and provide a copy to the KO prior to commencing control.

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-10a
Planned Pest Use Sheets

User Guide for Planned Pesticide Use Sheet

This is the User Guide for completing the Planned Pesticide Use Sheet that contains:

- (1) Instructions for completing the Planned Pesticide Use Sheet
- (2) List of Acceptable Terms
- (3) Planned Pesticide Use Sheet Blank Form

The Planned Pesticide Use Sheet shall be included as part of the Contractor's Work Plan (CWP) for Pest Control. One "Planned Pesticide Use Sheet" shall be filled out for each pesticide to be used. These forms shall be filled out on the on-line pest management reporting system. The regional NAVFAC Pest Management Consultant should be contacted to obtain an account and instructions to use the system. A new Planned Pesticide Use Sheet shall be filled out whenever pesticides used to control a pest are added or changed.

The List of Acceptable Terms shall be used to complete the Planned Pesticide Use Sheet (see Step 3A). Completed Planned Pesticide Use Sheets shall be attached to the CWP.

Instructions for Completing the Planned Pesticide Use Sheet

The following is a list of instructions for filling out each line of information required on the Planned Pesticide Use Sheet:

1. INSTALLATION, UIC - Insert the name and Unit Identification Code for the installation. The UIC is a five-digit number preceded by an "N" for Navy installations and an "M" for Marine Corps installations. The UIC is available from the KO.
2. OBJECTIVE:
 - A. TARGET PEST - The name of the pest or pests identified for control. Select the proper pest or pest category from the List of Acceptable Terms.
 - B. PURPOSE - Explain the major reason(s) for controlling the target pest(s). Refer to the List of Acceptable Terms.
3. PESTICIDE:
 - A. TRADE NAME - Insert the manufacturer's name given to the product, e.g., Termidor TM and Maxforce TM are both trade names for fipronil.
 - B. EPA REGISTRATION NUMBER - Insert the number usually found on the front of the label and on the container.
 - C. FORMULATION - Insert the form that the pesticide is in when ready for use. Refer to the List of Acceptable Terms.
 - D. CONCENTRATION OF ACTIVE INGREDIENT - Insert the percent active ingredient of the pesticide before it is mixed with a diluent. This information should be on the front of the label.
4. APPLICATION:
 - A. SITE - Identify the specific site where the pesticide will be applied. Refer to the List of Acceptable Terms.
5. SENSITIVE AREAS - Identify areas to be avoided or where special caution should be taken. Refer to the "Caution and Warning" statements on the label.
6. REMARKS - Include any additional pertinent information. If a general pest category has been listed under Target Pest, the specific pests should be listed here.

Section J-1503050
Grounds Maintenance and Landscaping

<u>Attachment J-1503050-10a</u> Planned Pest Use Sheets		
List of Acceptable Terms for Planned Pesticide Use Sheets		
TARGET PEST	TARGET PEST	TARGET PEST
AGRICULTURAL INSECTS	FLEAS	SCALE INSECTS
ALGAE AND AQUATIC WEEDS	FUNGUS	SNAKES
ALL PESTS (SURVEILLANCE ONLY)		
ANTS, NUISANCE	FUNGUS - PYTHIUM	SOD WEBWORMS
APHIDS	GRASS	SPIDERS
	GRUBS	STORED PRODUCTS PESTS
BATS	HOUSEHOLD PESTS	STRUCTURAL PESTS
BED BUGS	LICE	TERMITES-DRYWOOD
BEEES		
BIRDS	MEDICAL PESTS	TERMITES-FORMOSAN
BITING FLIES	MICE	TERMITES-SUBTERRANEAN
CARPENTER ANTS	MITES	TICKS
CATERPILLARS	MOLE CRICKETS	TURF DISEASE
CHIGGERS	MOLES	TURF PESTS
CHINCH BUGS	MOSQUITO ADULTS	TURF/ORNAMENTAL PESTS
COCKROACHES	MOSQUITO LARVAE	WASPS
CRAB GRASS	NEMATODES	WEEDS – ALL
CRICKETS	NUISANCE PESTS	WEEDS – AQUATIC
CULICOIDES	ORNAMENTAL PESTS	WEEDS – BROAD-LEAVED
EARWIGS	PHARAOH ANTS	WEEDS – GRASSY
FERAL ANIMALS -	PIGEONS	WOOD BORING BEETLES
FILTH FLIES	RATS	WOODY VEGETATION
FIRE ANTS	RODENTS	
<u>PURPOSE</u>	<u>PURPOSE</u>	<u>PURPOSE</u>
AGRICULTURE		
APPEARANCE	LAWN/TURF PESTS	
APPEARANCE/DRAINAGE	LAWN/TURF PROTECTION	SECURITY
BARE GROUND	MAINTENANCE	STING PREVENTION
BARE GROUND/SECURITY		SURVEILLANCE
DECREASE MOWING	NUISANCE	
DRAINAGE	NUISANCE/HEALTH	WEED CONTROL
HEALTH PROTECTION		WILD LIFE MANAGEMENT
INVASIVE SPECIES CONTROL	PREVENT STRUCTURAL DAMAGE	
LAWN/TURF DAMAGE	PROTECT ORNAMENTAL PLANTS	

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-10b
Pest Management Operations Report

New Pesticide Management Record (SAMPLE)

Directions:

1. Select the installation and fill in the Office/Contractor, if applicable
2. Fill in a separate form for each pest management operation. For pesticide applications, the pounds of active ingredient (PAI) will be calculated automatically based on the data you enter.

Installation Name:

Department/Company:

Office/Contractor:
(optional)

☐

Negative Report

Contract or In-House:

Application Date:

Inside or Outside:

Facility: Building # or Area

Operation:

Site:

Pest:

Applicator Name:

Create Applicator List

Pesticide Trade Name:

pesticide list

- Select an installation to see the

Attachment J-1503050-10b
Pest Management Operations Report

--	--

--	--	--

--	--	--

Will be automatically calculated for the appropriate Operations*

Submit Record

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-11
Storm Water Drainage Systems Inventory

Attachment Index

- (a) Washington
 - (a1) Washington Navy Yard
 - (a4) Caderock
- (b) South Potomac (Reserved)
- (c) Patuxent River (Reserved)
- (d) Annapolis (Reserved)
- (e) Quantico (Reserved)
- (f) Bethesda

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-12 Reserved
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-13
Storm Water Drainage Systems Information (Maps and Maintenance schedules/details)

Attachment Index

- (a) Washington
 - (a1) Washington Navy Yard (Storm Water Management/ LID Maintenance Details)
 - (a2) Washington Navy Yard (WNY) LID Map
 - (a5) Carderock SWD/LID Management Specifications/Details
 - (a5) Carderock SWD/LID Location Details
 - (a6) Carderock SWD/LID Map (North Parking Lot Bio-retention)
 - (a7) Carderock SWD/LID Map (Bldg. 125 Bio-retention)
 - (a8) Carderock SWD/LID Map (Bio-retention Cell B3)
 - (a9) Carderock SWD/LID Map (Bio-retention Cell Q2)
 - (a10) Carderock SWD North Swale Management Specifications/Details
 - (a11) Carderock SWD Map (North Swale)
- (b) South Potomac (Reserved)
- (c) Patuxent River (Reserved)
- (d) Annapolis (Reserved)
- (e) Quantico (Reserved)
- (f) Bethesda
 - (f1) Bethesda SWD Management Specifications/Details (Green Roof Maintenance)
 - (f2) Bethesda SWD/LID Management Specifications/Details
 - (f4) Bethesda SWD/LID Maps (NSAB BMP Location Map)
 - (f5) Bethesda SWD Map (Outflow Culvert Locations)

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-14 Reserved
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-15 Reserved
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-16
Quarters A / VPR - Site Specific Work

Quarters A is the 12-acre fence line of the Vice President's Residence (VPR) Grounds. It is site specific due to a staff of Residence Civil Service Gardeners providing primary grounds maintenance effort.

In general, this SOW includes a turf program (fertilizing, over seeding, aeration, undesirable vegetation control), hedge maintenance, tree maintenance, pest management, and mulching.

1. VPR Grounds:

Mowing and trimming

Not required.

Edging

Not required.

Beds

Any work required amongst the VPR Grounds beds will be identified and accomplished through a separate non-recurring work task order.

Hedges

The few hedges surrounding the former greenhouse plot of land are the only trimming requirements for hedges. The Leyland hedges are 85 feet in length and approximately 24 feet in height. It will require specialized equipment and a lift truck. The holly hedges are approximately 100 feet in length each; there are three of them making 300 lineal feet in total. The height of the holly hedges ranges between 10 and 15 feet.

Tree Maintenance / Pest Management

All tree work will be completed under the supervision of an ISA certified Arborist. Tree work includes fertilization, pruning, and pest control.

Tree pruning will be performed in accordance with Prestige Area – COL 1 maintenance standards.

Structural pruning will be performed and includes removal of crossing branches, or those not consistent with standard form, general thinning for good light penetration and air circulation, elevation of lower branches to achieve consistency between the trees and to maintain safe passage of pedestrians and vehicles. Removal of dead branches will be done where it can be identified; however, this is often not detectable in the dormant season. All pruning cuts shall be made to the lateral branches, buds, or flush with the trunk. Stubbing will not be permitted. All debris will be removed from the site. Throughout the growing season, pruning of suckers, water sprouts and low-hanging branches will be performed during regular visits. Pruning dead branches from trees during the growing season is not included in the scope of this contract. This is an unpredictable task and is considered a rejuvenate service. This service can be provided at an additional cost. The contractor shall brace, cable, or guy to keep trees in vertical position. The contractor shall adjust wires, cables, and straps as required. Remove all guy wires, cables, straps, and stakes, when roots are established and trees remain vertical. All clippings and trimmings shall be removed.

Section J-1503050
Grounds Maintenance and Landscaping

The program must include pest-breeding deterrents. This is primarily focused on pests that will negatively affect an event on the grounds. Most commonly, this refers to mosquitos and gnats. The intent of the program is to keep the grounds hospitable to holding events, while not hindering the growth and development of necessary plants and insects. This information is also included in the **Turf Program** section of this SOW because the programs overlap and it is expected the IPM program will be an all-encompassing approach to pest and turf management.

Below is a sample tree maintenance program that may require slight adjustment over the years, but has proven to be effective. If additional services are required as part of that adjustment it would be made on a Task Order basis.

March visit:

- Apply foliar spray to Pin Oaks and evergreens using Horticultural Oil to help suppress overwintering insects and mites.
- Apply bark spray to Beeches using Onyx to help suppress Ambrosia Beetle.
- Apply Imidacloprid drench around the Ash to help suppress Emerald Ash Borer.

April visit:

- Apply foliar sprays to the following:
 - Native Dogwoods using Propiconazole to help suppress anthracnose.
 - Crabapples using Propiconazole to help suppress scale.
 - Photinias using Propiconazole to help suppress Leaf Spot.
 - Susceptible trees using conserve to help suppress Tent Caterpillars.
 - Susceptible trees to help suppress mites.
- Apply bark spray to the following:
 - Photinias using AgriFos and PentraBark to help suppress Bleeding Canker.
- Apply drench as needed using Mefenoxam to help suppress Phytophthora Root Rot.

May visit:

- Apply foliar sprays to the following:
 - Native Dogwoods using Propiconazole to help suppress anthracnose.
 - Crabapples using Propiconazole to help suppress scale.
 - Photinias using Propiconazole to help suppress Leaf Spot.
 - Susceptible trees to help suppress mites.
 - Susceptible trees for White Peach Scale, Japanese Maple Scale, Lace bugs and borers.

June visit:

- Apply foliar sprays to the following:
 - Native Dogwoods using Propiconazole to help suppress Powdery Mildew.
 - Susceptible trees using conserve to help suppress Bagworms.
 - Susceptible trees to help suppress mites
- Apply bark sprays to the following:
 - Ash tree using Onyx to help suppress Ash Borer
 - Beech tree using Onyx to help suppress Ambrosia Beetles.

July visit:

- Apply foliar spray to the following:
 - Susceptible trees to help suppress mites.
 - Susceptible trees for Obscure Scale
 - Susceptible trees for Powdery Mildew
- Apply bark spray to the following:

Section J-1503050
Grounds Maintenance and Landscaping

- Susceptible trees using AgriFos and PentraBark to help suppress Bleeding Canker.
- Apply drench as needed using Mefenoxam to help suppress Phytophthora Root Rot.

September visit:

- Apply foliar sprays to the following:
 - Susceptible trees to help suppress mites.
 - Susceptible trees for Scale
- Apply bark spray to the following:
 - Susceptible trees using AgriFos and PentraBark to help suppress Bleeding Canker.
- Apply drench as needed using Mefenoxam to help suppress Phytophthora Root Rot.

October visit:

- Apply foliar spray to the susceptible trees using Horticultural Oil to help suppress mites and scale.
- Include insect and disease sampling and soil analysis diagnostic reports as part of the program.
- The trees that will be treated for Bleeding Canker are as follows:
 - 8,13,15,20,34,104,108,109,111,112,113,114,124, 125, 142, 154, 170, 183, 195, 200 and 208.
- Inspect for Bacterial Leaf Scorch for treatment in the following year.

Soil Management:

- In early March, subsurface fertilize trees and shrubs with Mycorrhizae augment.
- Perform soil analysis in three (3) locations throughout the grounds and provide results to Facilities Office.

Tree and stump removals will be identified and accomplished through a separate IDIQ task order.

Turf Program

The VPR Grounds turf program is inclusive of fertilizer, herbicides and pesticides to complete a year round program managed to follow the base Pest Management Plan.

The program must include pest-breeding deterrents. This is primarily focused on pests that will negatively affect an event on the grounds. Most commonly, this refers to mosquitos and gnats. The intent of the program is to keep the grounds hospitable to holding events, while not hindering the growth and development of necessary plants and insects. This information is also included in the **Pest Management** section of this SOW because the programs overlap and it is expected the IPM program will be an all-encompassing approach to pest and turf management.

Sample program that has proven affective at the VPR Grounds and should be followed unless otherwise directed:

- Pre-Emergent control for crabgrass with 0-0-7 fertilizer @ .21% active ingredient, applied Mid-April
- Post Emergent control using Confront for broadleaf, chickweed, clover, wild violet etc., applied Mid-April
- Post Emergent control using Confront or Momentum for broadleaf, clover, wild violet, ground ivy, speedwell etc., applied Mid May
- Pre-Emergent control for crabgrass with 0-0-7 fertilizer @ .21% active ingredient, applied Mid-June
- Merit with 14-0-14 fertilizer applied in early June for preventative grub and insect control

Section J-1503050
Grounds Maintenance and Landscaping

- Post Emergent control using Drive or Tenacity for broadleaf, crabgrass and early nutsedge, applied Mid-June
- **Six** fungicide application using Chipco 26019, Banner Maxx, and Disarm for brown patch, summer patch, leaf spot, dollar spot control beginning around Memorial Day and continuing thru Labor Day. Fungicide applications are every 14-21 days and will be applied at high label rate. 6 acres of property will be treated.
- Core Aeration Using John Deere Aercore 2000 or like equipment
- Seeding 4 - 6 lbs. per 1000 sq. ft.
- Core pulverization
- Fertilization with 20-0-5 30% methylene urea and Iron in September (analysis may vary)
- Fertilization with 18-0-18 with 50% slow release in early mid-November (analysis may vary)
- SedgeHammer, confront Tenacity or Drive used during summer months to spot treat for nimblewill, nutsedge, crabgrass etc.

Integrated Pest Management (IPM)

The contractor shall be responsible for the detection, monitoring and control of plant damaging insects. The contractor shall be aware of the potential pests and shall make regular inspections of the plant material and treat as necessary. These principles will be practiced under an Integrated Pest Management (IPM) program. Our goal in implementing an IPM program is to maintain insect and disease problems at acceptable levels. This benefits the client by insuring more frequent inspections by on-site personnel and a safer environment through the use of less pesticide. Pesticides will be applied under the supervision of a certified applicator. Spraying operations will cover all material up to a height of 25 feet. Trees exceeding this height can be serviced under a separate agreement. Dormant oil shall be applied in early March to all plants susceptible to over-wintering insects, to include needled Evergreens, Junipers, Euonymus, Hollies, Cherries, Oaks and Maples. Applications of pesticide shall not be done as calendar scheduled or general cover sprays.

Pesticides shall only be applied as needed, when pests are detected through regular inspections. There are several species of insects, i.e., scale, pine bark beetle, Japanese beetle, mites and borers that require an extensive control program. It may take several seasons to achieve control. Disease of ornamental plant material will be treated on a curative basis as needed. Wildlife such as deer, geese and ducks may cause damage to plant material and turf in certain landscapes. Application of repellents can be performed at an additional charge.

Mulching

The contractor will provide and place in locations within the VPR Grounds as directed:

150 CY of mulch, double shredded
50 CY of pine fines
50 CY of Leafgro or other compost material

This delivery will occur in the spring, likely in March or April.

Misc.

- All landscape should be under a replacement warranty for the duration of the contract if it is decided that the plant was not ruined by neglect.
- Flexibility in scheduled or unscheduled maintenance. Due to the principals' and event schedules, regular scheduled maintenance visits may need to be scheduled or rescheduled on very short notice. In order for the

Section J-1503050
Grounds Maintenance and Landscaping

employees to gain access, they must provide the United States Secret Service, through the Facilities Office, their full name, date of birth, and social security number. Protection of personally identifiable information will be on a strict need to know basis, but is part of the access requirement.

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-17
WRNMMC- Healing Garden- Site Specific Work

WRNMMC – Healing Garden B10 Site Specific Work

Irrigation

Maintain irrigation systems to include spring start up and fall shut down. Periodically adjust system to ensure proper function and coverage. Contractor will be responsible for time and material on repairs up to \$500 per occurrence.

Lawn Maintenance

Mowing as needed to maintain grass between 3 and 4.5 inches tall, line trimming will be conducted at the same time as mowing to keep grass even and off of all adjacent features. Edge all turf areas to ensure clear delineation between turf and hardscape surfaces. Turf will be aerated, fertilized and seeded in the fall with a turf type tall fescue. Weed control will be provided for all turf areas to include pre-emergent and post emergent control of broadleaf and grassy weeds.

Ornamental Bed Maintenance

All perennials and ground cover will be cutback to maintain a neat appearance in accordance with landscape standards. Two inches of fresh mulch shall be applied in the spring; total mulch depth is not to exceed four inches.

Prune all trees and shrubs as needed to ensure a well-kept appearance. All planting beds shall be maintained and weeded regularly once per month.

Annual Flowers

Install summer and fall annuals in planter boxes and decorative pots. For any planter/pot that does not have irrigation manual watering will be conducted to ensure a healthy appearance. Summer annuals will be installed after last frost and fall annuals will be installed by 15 October. In October bulbs will also be installed with a mix of early, mid and late blooms. Bulbs should be removed after blooming the following spring.

Debris

Debris clean-up of leafs, limbs, natural and manmade debris as needed but a weekly servicing should be sufficient to prevent build up.

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-18 BASH Requirements
Reserved

Section J-1503050
Grounds Maintenance and Landscaping

Attachment J-1503050-18a
BASH Mitigation Zone (BMZ) Maps

Reserved