

No.	Question	Reference	Government Response
1	Are any or all parts of the FT004, ST006, and WP003 treatment systems considered government property?	PWS	Yes. Any materials/equipment with recyclable value to be decommissioned will need to be coordinated with the DLA/LRS recycle facility and provided to that facility, which is located on base.
2	Does the FT004 Treatment system include injection or extraction wells that need to be abandoned as part of the system abandonment? If so please provide the number and depths of the wells.	PWS	Yes. FT004 (former name FT-1) includes up to 40 bioventing points with depths to 6 ft bgs. The air sparging system includes up to 19 points, with depths up to 12 feet bgs. AR #2032 and #1942 provide further information
3	Does the ST006 Treatment system include injection or extraction wells that need to be abandoned as part of the system abandonment? If so please provide the number and depths of the wells.	PWS	Yes. ST006 (former name PS-1) includes up to 14 vapor monitoring points (VMPs) served by four blowers housed in "wooden doghouse structures). Depths anticipated to be less than 10 feet bgs. AR #1729 and #2032 provide further information.
4	Can the government provide design drawings or as-builts for the unused treatment systems at FT004, ST006, and WP003?	PWS	AR resources identified above for FT004 and ST006. WP003 AR resources include #1936
5	Can the Government provide Enclosure 3: Government Furnished Property (GFP)?	PWS	Enclosure 3: Government Furnished Property (GFP) will be posted with the RFP.
6	What specific information must the invoice contain to substantiate the "percentage complete of at least 80%" (e.g., cumulative dollar amount invoiced vs. total contract value, cumulative work breakdown structure line-item completion), and is a single invoice showing the cumulative value acceptable?	Section L	The specific information provided on the invoice must clearly demonstrate 80% completion of the project requirement. A single invoice showing the cumulative value may be acceptable if it clearly demonstrates 80% completion.
7	Can the Government provide Section L, Attachment L-1, Labor Categories?	Section L	Section L, Attachment L-1, Labor Categories will be posted with the RFP.
8	Can the Government provide Enclosure 2A GFI Compact Disc? Could the gov't please provide GFI of the documents that include the current remedial actions and decision documents.	PWS	All information required to execute the PWS will be provided in the administrative online record. A revised PWS will be posted with the RFP.
9	Please clarify terms with a definition and or use of the same term if they are all the same thing. In both of these paragraphs on page 2 the Air Force uses the terms "cover page and/or letter", "cover page", and "cover sheet" are these different items or the same item?	Section L, 1) a) 3) b) Page 2 Just under Table 1. and Section L, 1) b) 1) Page 2 (last paragraph on the page)	The language in Section L was revised for clarity - cover page remains, cover sheet was removed
10	Request increase in the page count to 25 pages for Volume 1. A 15 page limit provided for the technical approach which includes two subfactors with an extensive list of mandatory items to address for evaluation is limiting. Please include additional page count and clarity for integration of this section. Could the Government increase the page limit for Volume II (Past Performance) from 15 pages to 25 pages? Table 1 indicates Volume II has a 15 page limit, however list item "b)" states "Volumes II and III do not have page limitations. Can the Government please clarify the page limitations of Volume II?	Section L, Table 1 page 2	Request increase in the page count to 25 pages for Volume I is denied. The government will not increase the page limit for Volume II (Past Performance) from 15 pages to 25 pages. The page limit for Volume II is 15 pages. Volumes III and IV do not have page limitations.
11	Remove this requirement. An audited and approved property management system is not appropriate for a Firm Fixed Price Contract. That system is a requirement for Cost Reimbursable contracts. In this paragraph, the AF requires, "a statement confirming the Offeror has a current and approved property management system."	Section L, Part 2 Volume 1 - Factor 1: Technical Approach, subpart b) Sub-Factor 2: Management Approach, item 1) e). Page 5	Non concur. An audited and approved property management system is required for contracts that contain Government property per FAR 52.245-1
12	Clarify that Interim CPARS can be used when Final CPARS have not been issued in lieu of a PPQ. Stated in this subpart, "Interim CPARS are acceptable for contracts that have not been completed." A project may be complete but a Final CPARS may not have been issued yet.	Section L, item 11) top of page 7	Updated Section L- to read "Interim CPARS are acceptable for contracts that have not been completed."
13	Can any previously received PPQ be submitted regardless of format given other agencies use different formats for PPQs?	PPQ Form (Attachment 4b)	Previously received PPQs may be submitted provided that the documents do not reference any other RFP. A different format is acceptable if it includes all information requested.

14	In the document, Factor 3 is used twice for both past performance and for Price (4.0 Factor 2 Past Performance) (page 6 and page 10 for Price).	Section M, Part 4.0 Factor 3: Past Performance (page 6 and page 10)	Section M, - Factor 3 has been revised to be Price only; the document will be posted with the RFP.
15	Resolve/clarify "key scope characteristics" between L and M. A conflict exists between L and M for "key scope characteristics" for past performance. Item e), sub item 2), sub sub item (1), page 7 of L does not include RCRA just CERCLA however, Section M, Page 7 first bullet includes reference to both CERCAL and RCRA.	Conflict between L page 7 and M page 7 for "Key scope characteristics"	Both documents, L & M, have been revised to ensure past contracts demonstrate the following key scope characteristics to include experience with RCRA & CERCLA. The revised documents will be posted with the final RFP.
16	Does the demolition involve removal of soil and if so is PFAS sampling required?	1.3.1 Table 1 site FT004, 1.3.1 Table 1 ST006.	No soil removal anticipated. Any IDW generated during the demolition activities will need to be managed appropriately
17	At FT004, For budgeting purposes, what assumption should be made for removal tonnage?	1.3.1 Table 1 site FT004	Building and internal structures are to be demolished, slab remains
18	At FT004, what is the condition of the unused treatment system?	1.3.1 Table 1 site FT004	Has not been operated since 2006. Conditions of structure are poor
19	At FT004, has the unused treatment system on site been evaluated for Lead, ACM, or any other disposal characterization?	1.3.1 Table 1 site FT004	No
20	At FT004, This site appears to be co-mingled within an existing PFAS plume, what is the status of PFAS at the site as it pertains to the unused treatment system	1.3.1 Table 1 site FT004	Treatment system is separate from PFAS, abandoned wells will be left in place. Any IDW generated during the demolition activities will need to be managed appropriately
21	At FT004, is working being completed on this site by other contractors addressing an existing PFAS plume?	1.3.1 Table 1 site FT004	Yes
22	Has the USEPA or Ecology requested that the LF002 system be restarted and if not what is the regulatory driver for the restart?	1.3.1 Table 1 LF002	System operation currently on hold. USEPA agreed to this. Pending success of MNA
23	Annual Reports in the AR state the treatment system is currently shut down, how long as it been shut down, and what evaluation of the LOE has been conducted to get it started back up?	1.3.1 Table 1 LF002	System has been shut down since January 2023. No evaluation of LOE at this point
24	Has LF002 been evaluated for PFAS contamination? If so, will the gov't provide the results? Does the treatment plant at LF002 address PFAS contamination? What are the regulatory concerns regarding operation of the treatment plant with a potential PFAS contamination present?	1.3.1 Table 1 LF002	LF002 has not been evaluated for PFAS contamination and its treatment system was not designed to address PFAS contamination. At this time, EPA will not allow restart of the system due to potential for spread of PFAS plume. Provisions to operate the system are included as options if EPA reverses its position
25	Are all extraction wells associated with the treatment system operational? If not, how many are in need of repair, etc.?	1.3.1 Table 1 LF002	All are operational except EW12 which needs some electrical panel work
26	If there is a potential for PFAS entering the reactivated LF002 GETS system will the Government consider other in-situ remedial alternatives instead of system reactivation.	1.3.1 Table 1 LF002	Not at this time
27	Previous RA-O documents indicate there is a groundwater extraction and treatment system and two SVE systems at LF002. Does reactivation include all systems or specific systems?	1.3.1 Table 1 LF002	Likely to involve all systems if it is reactivated
28	If there is a potential for PFAS entering the reactivated LF002 GETS system should the contractor assume PFAS sampling of influent and effluent water and air?	1.3.1 Table 1 LF002	Yes
29	According to available RA-O reports the LF002 GETS system includes air stripping to remove VOCs and reinjection to infiltration gallery. If there is a potential for PFAS entering this system should the contractor include costs to upgrade the GETS for PFAS removal and disposal of PFAS affected media?	1.3.1 Table 1 LF002	Not within the current scope

30	The 2024 RA-O Report indicates that a proposed plan for a ROD Amendment was submitted but remained on hold pending further PFAS investigation. What were the specific USEPA concerns on the proposed plan and what is the current status of this document?	1.3.1 Table 1 WP003	USEPA concerns were presence of PFAS in the water and decisions are on hold pending results of the approved PFAS RI
31	The 2022 Feasibility Study Addendum found Alternative 3 with bioaugmentation, MNA and LUCs best met the evaluation criteria. However, the 2024 RA-O report indicates there are PFAS concerns at WP003. How has PFAS affected the remedy selection and has the UESPA required additional studies or evaluations be completed to assess there remedy affects to PFAS concentrations?	1.3.1 Table 1 WP003	EPA currently will not let AF proceed with remedy due to the possibility that extent of PFAS could spread or additional PFAS precursors formed during implementation of remedy.
32	The 2024 RA-O report indicates that WP003 is being investigated for PFAS contamination. Please provide the know concentrations of PFAS in groundwater and soils at WP003.	1.3.1 Table 1 WP003	See RI report in AR
33	The 2024 RA-O report indicates that WP003 is being investigated for PFAS contamination. What is the status of PFAS as it pertains to the unused treatment system?	1.3.1 Table 1 WP003	See RI report in AR
34	Does the unused treatment system at WP003 include abandonment of former injection sumps or wells, if so please provide the number and depths.	1.3.1 Table 1 WP003	One extraction well and three well points need to be abandoned. Depths are up to 15 ft
35	The 2020 FS for DP064 has two recommended alternatives for DP064. Does the Air Force has a preference between the two alternative recommendations. If so which one?	1.3.1 Table 1 DP064	No determination has been reached at this time
36	PO table lists PO as ROD within 3 years. What is the current status of the site? What is the most recently approved document?	1.3.1 Table 1 DP064	The most recently approved document is the FS. The PP for the site is currently under review by stakeholders to determine the appropriate cleanup alternative
37	Will there be any community review of the CIP and if so what added time for review and response to comments should be added to the CIP?	1.3.1 Table 1 Community Involvement Plan	Yes, there will be a community review of the CIP. Comment time will be 30 days
38	The sampling transition table lists Monthly O&M for LF002. Can the gov't please provide the expected monthly tasks to be completed at the site?	Table 3: LF002	Landfill visual inspection for anomolies to address flora and fauna issues and trash
39	PO table lists a LUCIP, Is there a current LUCIP in place for FAFB and what is the current status of that LUCIP?	1.3.1 Table 1 LUCIP	Yes, there is a LUCIP in place. Updates will be necessary every 2 years per the Sub-CLIN structure
40	PO table lists 1,4-Dioxane step 1-3, are those site specific or across the whole base for an investigation?	1.3.1 Table 1 1,4-Dioxane Steps 1-3	Whole base investigation
41	Table 2 lists site SR939 and SS018 are those sites to be included as a MOD on the ORC?	Table 2	These sites will not be a part of the ORC
42	What assumptions are included for the ORC contractor for RAB support?	1.3.1 Table 1 RAB	Ad-hoc basis, typically semi-annually
43	Request to extend the question period until 2 weeks after the end of the current government shutdown ends	RFP	The Government shutdown extended beyond the original due date and the due date was unable to be extended.
44	Request to extend the due date of the submittal of the proposal to allow for Q&A, site walk, and effects due to current gov't shutdown	RFP	The RFI dated 01 OCT 2025 was for Q&A purposes only. Site walk is not included and no submittals are required at this time.
45	Request for a "Final RFP" to be issued following the evaluation of the questions and comments stemming from this "Draft RFP" and inclusion of missing Gov't GFI and missing Enclosures	RFP	This response constitutes the evaluation of questions and comments stemming from the RFI dated 01 OCT 2025 . Any revisions will be incorporated in the RFP.
46	We are an 8(a) firm with bona fide remediation experience for DoD. We have historical established working relationships with large environmental remediation businesses that we would like to include in our proposal for this solicitation. Will the Government allow the 8(a) offeror to provide experience from a large business who would be a subcontractor to the Offeror? If subcontractor qualifications/experience will not be considered by the Government, then we would likely not propose on this solicitation, as the key scope characteristics require a level of complexity that is beyond most experienced 8(a) companies without a mentor/protege JV.	Section L.3.e	Refer to Section L pgs 13 through 16 for guidance on JV or Teaming arrangements, pg 9 of Section L specifies submittal requirements demonstrating past performance.

47	We do not see a deadline for questions submittal. Please provide the deadline for submission of Offeror questions.		The deadline for submittal was 15 Oct 2025.
48	We do not see a planned site visit in the draft RFP. Will the Government conduct a site visit for Offerors? If yes, please provide the date(s), duration, and registration requirements.		TBD
49	Will AFCEC provide historical treatment performance metrics and monitoring results (e.g., LTM reports, pilot study data, and performance model revisions) for all Active Remedy and Alternate Objective sites prior to proposal submission? If yes, in what format (e.g., PDF, Excel, native model files) and on what timeline will these data be made available?	PWS Section 1.2.6, 1.2.7; Section 8.1.3 (Performance Models)	All data available in the AR
50	Will the Government provide GIS shapefiles or geodatabases for plume boundaries, monitoring wells, and land use controls to support IMS and cost modeling?	PWS Section 4.7 (Spatial Data Requirements)	Not at this time
51	Will innovative optimization approaches (e.g., accelerated closure strategies, advanced treatment technologies) be considered a “strength” under Section M evaluation criteria, even if not explicitly required in the PWS?	PWS Section 8.1.3 (Performance and Optimization); Section M, Factor 1 – Technical Approach	Under Section M Factor 2 Past Performance evaluation criteria, innovative approaches will be considered a strength, even if not explicitly required in the PWS.
52	We respectfully request that the Government reduce the completion percentage for supporting project experience in the final RFP criteria to 50% of the duration of the period of performance (POP). This modification in the requirements for submittal would provide for a more representative pool of qualified contractors, increasing the potential for best value to the Government.	Section L, Volume II – Past Performance; Section M, Factor 2 – Past Performance	Non-concur; 80% completion of relevant and recent past experience has been determined to demonstrate competency for the successful offeror.
53	If the previous request is not acceptable, we respectfully request that the Government reduce the completion percentage for supporting project experience in the final RFP criteria to 50% of the current contract value. Since ORCs were first awarded in 2019, with the majority awarded in 2020 or later, any completion requirement greater than 50% excludes most of the ORC contracts from meeting the demonstration requirements. This change to 50% would allow small businesses that have successfully executed on existing long-term ORC contracts but are not at 80% to have the ability to bid on this solicitation. Many of the ORC contracts have been modified to increase the total funded amount to accommodate unforeseen circumstances and project needs during the POP, including, but not limited to: • The need to dispose of PFAS-impacted soil, wastewater, and IDW; • Recent changes in regulations and policies, including reductions in cleanup action levels (e.g., Regional Screening Levels) resulting in additional investigative needs; and, • Additional stakeholder coordination and community involvement requirements. This modification in the requirements for submittal would provide for a more representative pool of qualified contractors, increasing the potential for best value to the Government.	Section L, Volume II – Past Performance; Section M, Factor 2 – Past Performance	Non concur; 80% completion of relevant and recent past experience has been determined to demonstrate competency for the successful offeror. - The PWS for this requirement is complete and no additional revisions or modifications to the scope are anticipated at this time. - Any changes to regulations or policies regarding cleanup of environmentally impacted areas may be addressed in a new requirement. - All stakeholder coordination and community involvement requirements are clearly defined in the PWS.
54	Is the Government requiring new PPQs to be completed specifically for this solicitation, or may Offerors submit previously completed PPQs for the contracts submitted under Factor 2?	Section L, Volume II – Past Performance; Attachment A (PPQ)	The Government is not requiring new PPQs to be completed specifically for this solicitation. Offerors may submit previously completed PPQs for the contracts submitted under Factor 2.
55	Is the Government requiring both a PPQ and CPARS for each contract submitted under Factor 2, or will one of these documents be sufficient?	Section L, Volume II – Past Performance; Section M, Factor 2 – Past Performance	The Government is requiring both a PPQ and CPARS for each contract submitted under Factor 2.
56	Could the Government allow the cover letter to be placed in Volume I and excluded from the 15-page count limitation?	Section L, Table 1 – Page Submission Requirements	Concur. The cover page can be excluded from the Volume I page count.

57	Could the Government allow for a cover page and organizational tabs/fly sheets to be used for each volume, and excluded from the page count?	Section L, Table 1 – Page Submission Requirements	Non concur. The page count shall be uniform throughout the solicitation requirement.
58	CLIN 0018 has an SI/CMS and then a CAP. Please clarify how the decision document be completed under this SubCLIN structure.	Attachment 2 Schedule B	This site is a WDOE lead voluntary petroleum cleanup site that follows WDOE investigation and reporting processes
59	CLIN 0019 has the same names for the three SubCLINs. Please clarify the expectations if all three objectives for the A-SubCLINs are the same.	Attachment 2 Schedule B	There are five source areas that may require further in-situ treatment to meet I-ROD performance criteria. These Sub-CLINs can be exercised if additional in-situ treatments are necessary to achieve IROD objectives. Further design elements of this treatment can be referenced in AR #'s 2401, 2434, 2387, 2363, 2344, 2333, 2098
60	Were any Critical Process Analysis (CPA) After Action Reports prepared by the AF for sites at Fairchild AFB?	N/A	No
61	The experience of offerors requests contracts demonstrating relevancy based on various criteria. Considering the presence of contamination primarily resides within weathered/fractured bedrock, it is recommended that a successful offeror should have experience with successful implementation of remedies in weather bedrock where porosity is absence due to the matrix.	Section L and M: Experience	Non-Concur, the criteria for evaluation is contained within the solicitation. Section L will be posted in the RFP.
62	List item 1).a).1 states " The proposal shall consist of three volumes". However, on Page 2 Table 1 depicts Volumes I, II, III, and IV. Can the Government confirm that the materials "Solicitation, Offer and Award Documents, Certifications/Representations, , and Teaming Arrangements" should be submitted as Volume IV, and follow the formatting instructions all volumes in the Solicitation?	Section L Page 1	Solicitation, Offer and Award Documents, Certifications/Representations, and Teaming Arrangements should be submitted as Volume IV. Follow the Section L formatting instructions for all volumes.
63	Will the Government please allow the use 8.5x11 landscape pages?	Section L	Concur with the use of 8.5x11 landscape pages.
64	Will the Government allow the use of 11x17 pages? If 11x17 pages are allowed, will they count as 1 page?	Section L	Refer to Section L pg 5
65	Page 10 states "3) Provide a Glossary of Abbreviations and Acronyms for Volume III". This information is not requested for any other Volume. Can the Government please confirm if a Glossary of Acronyms is required for all other Volumes?	Section L	Abbreviations and acronyms for the entire proposal should be included in Volume III.
66	In response to Alternate Objective 1 Advanced Site Characterization, please confirm if the Revised Conceptual Site Model (CSM) is to be represented as 3-D consistent with the similar Performance Objective identified for Site SS039.	PWS 1.3.1 SD037	Yes
67	Para. 1: Pursuant to Section 8(a) of the Small Business Act (15 USC 637(a)(1) and in accordance with the Federal Acquisition Regulation (FAR) Part 19.808-2 and the executed Partnership Agreement between the U.S. Small Business Administration (SBA) and the Department of the Air Force. Please confirm whether the Government will consider award to firms other than those in the 8(a) program, such as Woman-Owned Small Businesses (WOSB), or if participation is restricted solely to 8(a) certified entities under this solicitation.	Draft Cover Letter	This requirement has been determined to be a competitive 8(a) Set-Aside.
68	Performance Category 1: Quality of Deliverable: The rating definitions use subjective terms such as "substantive comments," "major weaknesses," and "significant number of comments." Can the Government provide more objective definitions or quantitative thresholds for these terms to ensure a uniform understanding of performance expectations?	Figure 1, Performance Standards and Ratings Definitions	No, the selection criteria are defined in accordance with AF Source Selection Procedures.
69	Performance Category 3: Schedule: The criteria states that milestone achievement dates are subject to waiver by the COR ("unless the COR waives this requirement"). Under what circumstances or criteria would the COR issue such a waiver?	Figure 1, Performance Standards and Ratings Definitions	A waiver for milestone achievement dates is intended for circumstances not under the contractor's control such as a natural disaster but left open to allow discretion of the COR.

70	Performance Category 4: Safety: The ratings are contingent on the number of "serious safety deficiencies." Please provide the definition of a "serious safety deficiency" or the standard that will be used for this classification.	Figure 1, Performance Standards and Ratings Definitions	The Contractor shall comply with Occupational Safety and Administration (OSHA) safety and health regulations and local safety office requirements; definitions are in their regulations and do not need to be repeated in the PWS
71	Performance Category 5: Management of Key Personnel and Resources: The ratings distinguish between substitutions of "equally or more highly qualified" versus "less qualified" individuals. What criteria will be used to evaluate the qualifications of proposed substitutes, and what is the associated approval process? Furthermore, please clarify what constitutes "resource management issues creating a negative impact."	Figure 1, Performance Standards and Ratings Definitions	The criteria to evaluated the qualifications of proposed substitutes and the associated approval process is provided in Attachment L-1 Key Personnel requirements; it will be posted with the RFP.
72	Performance Category 6: Stakeholder Concurrence: The ratings depend on the level of AFCEC involvement, described as "limited," "moderate," and "significant." Can the Government provide more objective examples or metrics for these levels of involvement?	Figure 1, Performance Standards and Ratings Definitions	Ratings have been updated for consistency and have been provided in Section M.
73	This section indicates that Sub-CLINs for Alternate Objective sites will be awarded only "if the activities are needed to determine the future investment strategy for the site" and that the decision "resides solely at the discretion of the AF." Can the Government provide any insight into the criteria or schedule for determining the need to award these Sub-CLINs to facilitate our resource planning?	PWS Section 1.2.7, Alternate Objectives	Not at this time
74	This section states that additional PFAS work may be added by modification if a State MCL is approved for use by the DoD as an ARAR standard. Is there a list of State MCLs currently under DoD review for potential approval as an ARAR?	PWS Section 1.3.2, Additional Scope Discussion and Limits	No
75	For wastewater treatment sites retrofitted for PFAS by a non-ORC contractor, what is the anticipated process for transitioning O&M responsibilities to the ORC contractor? To what extent will the ORC contractor be involved in the retrofit activities performed by the other contractor to ensure a seamless handover?	PWS Section 1.3.2, Additional Scope Discussion and Limits	No handover under this contract
76	Regarding Investigation-Derived Waste (IDW), the PWS directs that waste with detectable PFAS "must go to a Subtitle C landfill (closest is in Oregon)." Has the Government identified a preferred or pre-approved Subtitle C facility, or is the contractor solely responsible for sourcing a compliant facility?	PWS Section 1.3.2, Additional Scope Discussion and Limits	The contractor is solely responsible for sourcing a Subtitle C facility, but the AF has final approval
77	The Contractor is not responsible for "Reasonably unanticipated contaminants." What is the formal process for notification and resolution if such a contaminant is discovered?	PWS Section 1.3.2, Additional Scope Discussion and Limits	Stop work and call AFCEC
78	The PWS states, "The Contractor may change the site-specific approach for attaining POs, as needed based on approval of the PM/COR." What is the formal process for proposing, documenting, and obtaining approval for such a change to the site-specific approach?	PWS Section 8.0, Environmental Requirements	Any changes deemed necessary by the contractor must be coordinated with AFCEC and other stakeholders before any changes are made
79	It appears that there is a Remedial Action-Operation and Long-term Monitoring (RA-O/LTM) opportunity for Fairchild AFB at the same time as the ORC opportunity. How are these opportunities related and how are they being coordinated by the Air Force? Do they share similar Sites?	Overall Solicitation	There will not be any overlap between the PFAS O&M contract and the ORC contract
80	The previous PBR expired in September 2024 (per GovWin) and the current RA-O/LTM contract is scheduled to end in September 2025 (per GovWin). How will the Government bridge this work until the ORC is awarded, and how does this impact the Sites and performance objectives under the ORC? Tables 2 and 3 of the PWS states the current contracts end on 9/26/2026. Please clarify?	Overall Solicitation and Table 3 of the PWS	This requirement is not tied to or effected by the previous PBR or bridge contract.

81	Does the IMS need to be submitted in all three formats (MS Project, Excel, PDF) as part of the proposal submission? Do all count against file/page limits? Please confirm that the IMS is excluded from the page count for Volume I? Are all figures, tables, charts, and "schedules," including the IMS Gantt chart and staffing/org charts, excluded from the page count for Volume I?	Section L; PWS 4.2 IMS Submission Format	Yes, the IMS should be submitted in all three formats. No, the IMS does not count against page limitations. Refer to the revised Section L to be posted with the RFP.
82	Will the Government provide a specific file naming convention for each required volume or section?	Section L File Naming Convention	No, the Government will not mandate a file name. Please clearly name what is in the document.
83	The MPS is required for management, but PWS says "not part of the proposal." Is a draft MPS required as part of the proposal or only post-award? If required, does it count against page/file limits?	PWS 4.3; Section L; Table 1 - Milestone Payment Schedule (MPS)	A draft MPS is not required as part of the proposal but shall be coordinated post-award.
84	Terms like "Duration of OP8," "continue RA-O", etc. undefined in proposal context. Can the Government clarify how offerors should interpret "Duration of OP8" for scheduling and pricing?	PWS Table 1, Sec 1.3 Site Performance Periods & Milestones	The duration of Option Period 8 "OP8" is for 1 year
85	Language suggests some sub-CLINs are awarded at AF discretion. Should all Alternate Objective Sub-CLINs be priced and included in the TEP, or only priced when exercised? How is this handled for evaluation and award? Price Volume CLIN/Sub-CLIN instructions for optional/alternate sub-CLIN pricing not explicit. Should the TEP include all Sub-CLINs regardless of option status, or should any be "priced for information only" or left unpriced? How will these be handled in evaluation?	PWS 1.2.7 Alternate Objectives/Sub-CLINs	All CLINs/ Sub CLINs, including Alternate Objective, should be fully priced. The TEP should include all Sub-CLINs regardless of option status. All CLINs/Sub-CLINs will be evaluated per Section M.
86	AF cannot guarantee regulator review durations; historic data provided. What review durations should be used in IMS and schedule risk planning for proposal purposes? Will delays be considered excusable?	PWS 6.2 Regulatory Review Timeframe	Use historical data for IMS and schedule risk planning. Contractor should communicate regularly with stakeholders regarding potential delays
87	Exact scope for proposal varies, sample plan not provided. Is a detailed GIS/Geospatial Data Management Plan required in the proposal, or is a commitment to comply sufficient?	PWS 4.7 GIS/CADD Data Deliverables	A commitment to comply is sufficient
88	Definition of "major" unclear, threshold not specified. What constitutes a "major subcontractor" for mandatory letters of commitment? (e.g., value, scope, criticality?)	Section L; PWS 4.1 Major Subcontractor Letters	For the purposes of mandatory letters of commitment, a "major subcontractor" is any subcontractor doing work that is within the critical path of the project. More specifically when a "major subcontractor" is not available when the work is scheduled to happen, there is work stoppage.
89	Past Performance/PPQ Submission: What if PPQ is not received by proposal deadline; is partial submission compliant? Will submission of page 1 of the PPQ and reference POC information satisfy the past performance requirement if the client does not return the PPQ by the deadline?	Section L. Past Performance; Section M	If the Offeror is unable to obtain a completed PPQ from an owner for a contract(s) before proposal closing date, the Offeror should complete and submit with the proposal the first page of the PPQ, which will provide contract and client information for the respective contract(s). Refer to Section L Factor 2 to be posted with the RFP.
90	Font/margin requirements for Excel files not clear. Should Excel submissions (IMS, pricing) follow 12 pt Times New Roman and margin rules, or is standard legible Excel formatting acceptable?	Section L Formatting/Excel Formats (Price/Schedule)	Excel file submissions should use standard format and margins; font should be legible.
91	Base access, badge/escort protocols may impact schedule. Are there any pending changes to on-base access/escort/security protocols offerors should account for in the IMS?	PWS 4.13, 7.3 Site Access/Security	Contractor should plan in advance to mitigate delays
92	PWS rating categories differ from Section M adjectival colors. For contract performance/CPARS, should we reference Section M Table 2 or PWS Figure 1 criteria?	Section M, PWS 9.0 Performance Scoring	Refer to contract performance/CPARS Section M Table 3 to be posted with the RFP.
93	Requirements scattered across documents, inconsistently named. Will an official deliverables list by volume (or by attachment) be issued for proposal compliance?	All - Consolidated Deliverables List	The PWS is complete and will be provided with the RFP.

94	Is the milestone (I)RA-O or RA-O? Its listed as both in the referenced sections of the RFP. Is the RA-O for the new post ROD Amendment remedy?	PWS/Schedule B for Site WP003	Site is currently in RA-O, will become (I)RA-O once ROD Amendment is approved
95	Can the Government add RCRA experience to, "Experience that demonstrates progression through the phases of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)"? Some of the sites included in the PWS are RCRA sites.	Section L, 3) e) 2) (1)	Refer to Section M pg 7; individual contracts demonstrating RCRA experience may receive a higher Relevancy rating.
96	Please confirm the Period of Performance (POP) for the contract? Ten (10) years is referenced and one (1) base year, and eight (8) option years (e.g., 9 years) is also referenced.	RFP Cover Letter	Added clarifying statement in RFP cover page - " (PoP) will be approximately 10 years from date of award. One (1) base year, and eight (8) option years with the final year ten (10) allowing time to finalize reporting for all data collected."
97	Please confirm the date of the anticipated contract award from the Government?	Overall Solicitation	Anticipated award date is September 2026
98	The PWS states here that the MPS "...excludes unacceptable milestone payments representing a "progress" payment or a monthly payment for level of effort expended including... submittal of a monthly status and management and overhead costs (e.g., program/project management, monthly reporting, etc.)." However, the 2nd paragraph on page 23 states "The Contractor shall maintain and submit an MPS monthly, in electronic format, in accordance with the requirements above and include updates to progress (e.g., Percent Complete, Invoice Number)..." Section 4.4 states that a CPSMR with IMS must be prepared and submitted monthly. Please clarify if monthly submittals of the MPS that are to include the project progress updates are NOT to be included as payment milestones for the preparation and submittal of those monthly progress updates and report.	Sections 4.3 Milestone Payment Schedule and 4.4 Cost and Status Reporting, pages 22-24	Monthly submittals of the CPSMR, IMS, and MPS should not be included as monthly payment milestones. Quarterly milestones of IMS and MPS submittals are generally considered acceptable.

99

What documentation is required to prove compliance? Is a signed certification/description sufficient for proposal, or must we also submit evidence (certificates, audit results)?

Section L PWS 3
Property
Management
System

The Offeror will provide a statement confirming the Offeror has a current and approved property management system per FAR 52.245-1. Refer to Section L to be posted with the RFP.