

Section J – 0200000
Management and Administration

Attachment Number	Attachment Title
J-0200000-01	Definitions and Acronyms
J-0200000-02	Wage Determinations
J-0200000-03	Directives, Instructions, and References
J-0200000-04	Invoice Form
J-0200000-05	Forms
J-0200000-05-01	NNSY Service Interruption Request
J-0200000-05-02	Critical Lift Plan
J-0200000-05-03	Contractor Incident Report System (CIRS)
J-0200000-05-04	Crane And Rigging Gear Accident Report
J-0200000-05-05	Crane And Rigging Gear Near Miss Report
J-0200000-05-06	Monthly On-Site Labor Report
J-0200000-05-07	Contractor Hazardous Material Inventory Log
J-0200000-05-08	Emission Data Tracking
J-0200000-05-09	Transfer, Handling and Storage Procedure Inspection Form
J-0200000-06	Installation Spill Prevention, Control, and Countermeasure Plan
J-0200000-06-01	Installation NNSY Spill Control Plan
J-0200000-07	Solid Waste Management NNSY
J-0200000-08	Exhibit Line Item Numbers (ELINs)
J-0200000-09	PIEE Vendor Access Instructions
J-0200000-10	Corporate Experience Data Sheet
J-0200000-11	Past Performance Questionnaire

Attachment J-0200000-01 Definitions and Acronyms	
Definition	Description
Assessment	A general term referring to either a survey or inspection of a facility to determine condition.
Asset	A general term used to refer to an item, such as a component, system, building or facility, which is managed by an automated data management program.
Competent Person	A person who has the professional experience and training necessary to identify existing and predictable hazards at a work or service environment, and who has the authority to take prompt and corrective action to eliminate or remove dangers from the environment. One who can identify existing and predictable hazards in the working environment or working conditions that are dangerous to personnel and who has authorization to take prompt corrective measures to eliminate them.
Component Inventory Management Unit (CIMU)	An organization of like-kind real property into manageable maintenance units. CIMU is a building component, group of components or component assemblies, serving a specific purpose in a facility that can be expected to follow a common and predictable lifecycle behavior. This class of non-equipment will include items such as exterior walls, exterior windows, interior finish, and roofs. This class of equipment will include items such as fan coil units, air handling units, lighting, and water closets. CIMUs can include one or more items of installed equipment typically subject to routine scheduled maintenance.
Confined Workspace	A space that is large enough and so configured that a person may bodily enter a space (such as in tanks, vessels, silos, storage bins, hoppers, vaults, pits, and like spaces where there is limited means of entry) and is hindered or restricted from escaping during an emergency.
Construction Equipment	Construction equipment refers to specialized heavy machinery that covers one industry and is specifically designed for executing construction work. Construction equipment requirements shall include a list of equipment establishing the size, quality, number of units, and unit prices. Construction equipment prices provided by the Contractor shall be the lowest price available considering the availability of equipment and the time constraints of the job. The direct equipment price shall be adjusted by all discounts and rebates that accrue to the Contractor. All indirect cost associated with construction equipment, such as: the Contractor's hourly composite trade wage, adjusted to allow for workforce productivity; sub-contractor cost, costs for pre-expended bin materials, shipping and handling, union agreements, crew sizes, hand tools, universal equipment (excluding construction equipment), mobilization, demobilization, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance, general and administrative (home office) overhead, profit, and all other associated markups shall not be included in the construction equipment price since the cost for these items were included in the labor hour unit price bid. Additionally, time for job preparation, safety standby personnel, and similar indirect labor elements shall not be included.
Contracting Officer (KO)	That individual with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings. The term includes certain authorized representatives of the Contracting Officer acting within the limits of their authority as delegated by the Contracting Officer.
Contracting Officer's Representative (COR)	The individual appointed by the KO responsible for monitoring the Contractor's technical compliance and progress, relative to assigned contract(s)/orders(s), based on the contract requirements specified in the PWS and in accordance with the PAP. The COR performs a variety of contract administration duties that includes oversight of PA, documenting and rating Contractor performance, reviewing invoices, and acceptance of work. Assignment as a COR is a collateral duty typically performed by the FSCM or SPAR.
Contractor	That entity or its representative responsible for the delivery of the services or materials specified in this contract, as designated by contract award. The term Contractor as used herein refers to both the prime Contractor and any subcontractors. The prime Contractor shall insure that subcontractors comply with the provision of this contract.
Contractor Representative	That individual appointed by the Contractor, either orally or in writing, who has been assigned responsibility for executing the requirements of this contract.
Crane, Category 1	Portal cranes, Hammerhead cranes, Locomotive cranes, Derricks, Floating cranes (YD), Tower cranes, Container cranes, Mobile cranes (except those indicated as category 4),

Attachment J-0200000-01
Definitions and Acronyms

Definition	Description
	including truck, cruiser, crawler, warehouse/industrial cranes, and cranes used for dragline, pile driving, clamshell, magnet, bucket work, and Aircraft crash cranes.
Crane, Category 2 & 3	Cranes with rated capacities of 20,000 pounds or greater are category 2. Examples are Overhead traveling cranes, Gantry cranes (rail mounted), Wall cranes, Jib cranes, Pillar cranes, Pillar jib cranes, Monorails and associated hoists, Fixed hoists including chain falls. Pedestal mounted commercial boom assemblies (fixed length, telescoping, and articulating types) attached to stake trucks, trailers, flatbeds, or railcars, or stationary mounted to piers, etc., with OEM rated capacities less than 2,000 pounds.
Crane, Category 4	Commercial truck mounted cranes, Truck mounted articulating boom cranes, Pedestal mounted commercial boom assemblies (fixed length, telescoping, and articulating types) attached to stake trucks, trailers, flatbeds, or railcars, or stationary mounted to piers, etc., with OEM rated capacities of 2,000 pounds and greater. Commercial truck mounted cranes and truck mounted articulating boom cranes with OEM capacities of 2,000 pounds and greater require a licensed operator even if the cranes are down rated below 2,000 pounds capacity for administrative purposes.
Direct Material Costs	The actual vendor invoice charges for materials used for performance of work under this contract. Direct material costs shall include sales tax and transportation charges when such charges are included on the invoice by the vendor, as well as any discounts allowed for prompt payment and discounts or rebates for core value or salvage value that accrue to the Contractor. When questions arise concerning the cost of direct materials, direct material costs will be based on the lowest of quotes provided by the Contractor from at least three different commercial vendors for the direct material cost. The Government retains the right to obtain additional quotes in questionable situations. The lowest price will be used. All other cost such as sub-contractor cost, costs for pre-expended bin materials, shipping and handling, union agreements, crew sizes, hand tools, universal equipment, mobilization, demobilization, time for job preparation, safety standby personnel, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance, general and administrative (home office) overhead, profit, and all other associated markups shall not be included in the direct material price since the cost for these items are included in the UPL Hour unit price bid.
Electronic Operation and Maintenance and Support Information (eOMSI)	A set of consultant-prepared data and document files that contain detailed, as-built technical information that describes the efficient, economical and safe operation, maintenance and repair of a facility, plant, equipment or system throughout its life cycle. Generally, it is prepared during construction and submitted upon completion of a new facility or major facility upgrade. eOMSI's typically include asset information, staffing and budgeting information, supply support including critical spare parts, operating procedures, troubleshooting and diagnostic guides, extended warranty data, maintenance task frequencies and documentation, technical data, repair procedures and manufacturer's product data. eOMSI data and document files are provided in electronic formats.
Equipment	Tangible asset that is functionally complete for its intended purpose, durable, and non-expendable.
Facility	A building or structure designed and created to serve a particular function.
Fixed Burden Rate (FBR)	The additional costs (expressed in percent of direct material cost) for ordering, handling, and stockpiling materials and repair parts. For example, if the offeror's Fixed Burden Rate for materials in the Base Period is 10% then: $\$100,000.00 + (\$100,000.00 \times 10\%) = \$110,000.00$ The Government will compensate the Contractor for the required parts and materials and not the total amount shown in Schedule of Indefinite Delivery Indefinite Quantity Work.
Frequency Of Service	Annual (A). Services performed once during each 12-month period of the contract at intervals of 335 to 395 days. Biennial (B). Services performed once during each 24-month period of the contract at intervals of 670 to 790 days. Daily (D5). Services performed once each calendar day, Monday through Friday, including holidays unless otherwise noted.

Attachment J-0200000-01
Definitions and Acronyms

Definition	Description
	Daily (D7). Services performed once each calendar day, seven days per week, including weekends and holidays. Monthly (M). Services performed 12 times during each 12-month period of the contract at intervals of 28 to 31 calendar days. Quarterly (Q). Services performed four times during each 12-month period of the contract at intervals of 80 to 100 calendar days. Semiannual (SA). Services performed twice during each 12-month period of the contract at intervals of 160 to 200 calendar days. Semimonthly (SM). Services performed 24 times during each 12-month period of the contract at intervals of 14 to 16 calendar days. Three times weekly (3W). Services performed three times a week, such as Monday, Wednesday, and Friday. Twice weekly (2W). Services performed twice a week, such as Monday and Thursday or Tuesday and Friday. Weekly (W). Services performed 52 times during each 12-month period of the contract at intervals of six to eight calendar days.
Government Furnished Property (GFP)	Property in the possession of, or directly acquired by, the Government and subsequently furnished to the contractor for performance of a contract. Government furnished property includes, but is not limited to, spares and property furnished for repairs, maintenance, overhaul, or modification. Government furnished property also includes contractor acquired property if the contractor acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract.
Hazardous Material (HM)	A material that because of its quality, concentration, physical, chemical or infectious nature may pose a threat to human health or the environment if released or spilled into the environment or any material designated by the Department of Transportation (DOT) or any materials that require a SDS form as posing a potential threat while being transported. Hazardous materials are listed in 49 CFR Part 172.
Hazardous Waste (HW)	Any discarded solid waste (liquid, semi-solid, solid, or gaseous) that meets the definition of a hazardous waste by USEPA, state authorities, or the Navy. In accordance with RCRA, a solid waste is a listed hazardous waste if it is specifically listed, or it is a characteristic hazardous waste if it exhibits the characteristics of ignitability, corrosivity, reactivity, or toxicity.
Hazardous Waste Management Plan	In accordance with OPNAV M-5090.1, every Navy shore activity that generates HW shall develop and use a Hazardous Waste Management Plan or a Hazardous Waste management component in its P2 Plan and EMS. A Hazardous Waste Management Plan shall: • Identify applicable federal, state, and local regulations pertaining to the generation and management of hazardous waste. • Identify training requirements and describe procedures for obtaining training and maintaining training records. • Assign responsibilities for the generation, designation, handling, storage, treatment, disposal, and all documentation. • Describe all hazardous waste generation and management procedures. • Include or reference the hazardous waste minimization plan and goals. • Include or reference contingency plans and emergency response procedures. The plan shall be kept up to date to include changes in hazardous waste generation and management procedures, as well as changes in applicable federal, state, and local hazardous waste regulations. The plan shall include or reference minimization procedures sufficient to achieve DOD minimization goals. Tenant activities are covered by the host CO's Hazardous Waste Management Plan.
Hazardous Waste Manifest	A hazardous waste manifest as defined in 40 CFR 260 is required for the transport of hazardous waste. The installation commanding officer (ICO) or the ICO's designated representative shall retain signature authority for hazardous waste manifests.
Infrastructure Condition Assessment Program (ICAP)	A Navy automated data management program that utilizes historical asset lifecycle data and a structured assessment process to evaluate the condition facilities and their components.
Inspection	A rigorous, detailed assessment of the condition of a facility performed to generate a fundable scope and cost estimate for prioritization and funding of maintenance and repair.

Attachment J-0200000-01
Definitions and Acronyms

Definition	Description
Integrated Maintenance Program (IMP)	IMP is a recurring state-of-the-art, reliability-centered inspection, testing, maintenance and repair program that determines best practices for managing the functions and consequences of failures of facilities equipment and system components. IMP encompasses accepted commercial practices, including reactive, preventive, predictive and proactive maintenance, into one optimal program. The IMP approach gives the Contractor full responsibility to maintain systems and equipment and perform repairs whenever necessary to ensure equipment and systems are operational and remain in a constant state of readiness. Service orders will not be issued for accomplishment of repairs on systems and equipment maintained under IMP.
Job or Work Order	An authorization for work that requires planning and estimating and has an individual line of accounting for financial and performance evaluation.
Life-Cycle Costs	A form of economic analysis that considers the total cost of owning, operating, and maintaining a building or system over its useful life.
Less-than-90-day Accumulation Areas or Storage Facilities	Temporary HW storage areas where HW may be stored for up to 90 days without a RCRA permit.
Maintenance and Repair	The preservation or restoration of a piece of equipment, system, or facility to such condition that it may be effectively used for its designated purposes. Maintenance/repair may be adjustment, overhaul, reprocessing, or replacement of constituent parts or materials that are missing or have deteriorated by action of the elements or usage, or replacement of the entire unit or system if beyond economical repair.
Monthly On-Site Labor Report	A compilation of all Contractor and subcontractor employee-hours involved in delivering contract services on a Government property.
NAVFAC MAXIMO	A specially configured software version of MAXIMO®, a commercially available computerized maintenance management system (CMMS), adopted by NAVFAC for enterprise facility asset data management. The terms “MAXIMO”, “NAVFAC MAXIMO” or “Government’s MAXIMO” shall be used interchangeably in the document.
Non-RCRA Regulated Waste	Waste that is not regulated as a hazardous waste under RCRA; however, is waste may be regulated by other federal, state or local regulations including but not limited to TSCA, Clean Air Act, Clean Water Act or other regulations and statutes. Examples include Used Oil, Universal Waste, Oily Water, antifreeze, etc. Non-RCRA regulated waste (while not meeting the definition of a Hazardous Waste) must be managed according to its applicable regulations and may not be discarded into the general trash.
Non-Regulated Solid Waste (Debris and Rubbish)	Waste not associated with an industrial process such as refuse and scraps resulting from preparation, cooking, dispensing, and consumption of food. Non-hazardous construction and demolition wastes such as dimension and non-dimension lumber, plywood, chipboard, and hardboard are included.
Partnering	The terms “partnering” and “partnership” used herein shall mean a relationship of open communication and close cooperation that involves both Government and Contractor personnel working together for the purpose of establishing a mutually beneficial, proactive, cooperative environment within which to achieve contract objectives and resolve issues and implementing actions as required.
Performance Assessment	A method used by the Government to provide some measure of control over the quality of purchased goods and services received.
Performance Assessment Representative (PAR)	The individual(s) assigned as a Technical Point of Contact (TPOC) / Subject Matter Expert (SME) to the COR to perform duties as the on-site representative who assesses Contractor performance. The PAR periodically observes Contractor performance, reviews delivered services, reviews quality management corrective actions, periodically assesses and documents Contractor performance on PAWs and the MPAS, and communicates findings as necessary with the Contractor, SPAR, and COR.
Pre-Expended Bin Materials And Supplies	The minor materials and supplies that are incidental to the job, for which the total direct cost of any one material line item shown on the material estimate is \$10.00 or less. Examples of pre-expended bin materials and supplies include, but are not limited to, solder, lead, flux, electrical connectors, electrical tape, fuses, nails, screws, bolts, nuts, washers, spacers, masking tape, sand paper, solvent, cleaners, lubricants, grease, oil,

Attachment J-0200000-01
Definitions and Acronyms

Definition	Description
	rags, mops, glue, epoxy, spackling compound, joint tape, plumbers tape and compound, clips, welding rods, and touch up paint.
Property Administrator	An authorized representative of the Contracting Officer who is responsible for administering contract property requirements, terms and conditions of the contract
Property Management Program	A Government program established for the purpose of reviewing and approving the Contractor's Property Management Plan and System through performance of a system analysis whenever government property is in the possession of the Contractor.
Quality Assurance (QA)	The planned and systematic activities implemented in a quality system so that quality requirements for a product or service will be fulfilled.
Quality Control (QC)	The observation techniques and activities used to fulfill requirements for quality.
R. S. Means	A data collection and organization system developed by R. S. Means Company which can be used to prepare accurate, dependable construction estimates and budgets in a variety of ways. The Contractor shall use the latest edition. Material prices are based on a national average and computed labor costs are based on a 30-city national average. An estimate prepared using this data is called a "Means estimate"; data may simply be referred to as "Means".
Real Property	Land and improvements to land (i.e., facilities). It includes equipment affixed and built into the facility as an integral part of the facility (such as heating systems), but not movable equipment (e.g., plant equipment, industrial equipment, buoys).
Real Property Inventory Equipment (RPIE)	A Government owned or leased individual pieces of equipment, apparatus, or fixture that are essential to the function of the real property (i.e. plumbing, electrical, heating, cooling and elevators). It is physically attached to, integrated into, and built in or on the property. Individual RPIE's can be combined to make a CIMU to facilitate facilities management. An individual RPIE can also be a CIMU if the equipment is complex enough to require its own management planning.
Regulated Waste	Any hazardous, non-hazardous, industrial process waste (aka special waste), e-waste, and/or off-specification HM, which because of its physical characteristics, chemical make-up or biological nature requires either special handling procedures and permitting, or poses an unusual threat to human health, equipment, property, or the environment. Examples include (but are not limited to) liquid sludge, pastes, and/or filter cakes, chemical compounds and/or petroleum products, fine powders or highly dusty materials, spent blast media and/or grit, demolition wastes from industrial facilities, debris and/or residues from spill cleanup work, underground storage tank remediation materials, pollution control wastes, ash from fires, furnaces, boilers or incinerators, off-specification products, other materials that have the potential to be a hazardous waste. All RW may be used or unused excess hazardous materials. Laboratory analysis may be required to verify the waste is not a RCRA-regulated hazardous waste.
Response Time	The time allowed the Contractor after initial notification of a work requirement to be physically on the premises at the work site with appropriate personnel, tools, equipment, and materials, ready to perform the work required.
Restoration	Restoration of real property to such a condition that it can be used for its intended purpose. Includes repair or replacement work to restore facilities damaged by inadequate sustainment, excessive age, natural disaster, fire, accident or other causes.
Sampling Plan	Plan and procedures to conduct sampling, field testing and laboratory analysis for a defined testing objective.
Satellite Accumulation Areas	Designated approved areas, at or near the point of generation and under the control of the operator generating the waste, where no more than 55 gallons (cumulative total) of all types of HW or 1 quart of acutely HW may be accumulated. The 55-gallon limit does not include non RCRA regulated waste, universal waste and used oil etc.
Service Order Each Annually (EA Annually)	Annotates the total amount of Service Orders recurring annually each year.
Spill Prevention Control and Countermeasure (SPCC) Plan	The SPCC Plan establishes engineering controls including procedures, methods, equipment and other requirements to prevent the discharge of oil into or upon navigable waters. The Plan includes procedures for oil spill prevention, measures to contain spills and an established spill drill exercises to ensure effective countermeasures in the event of oil spill.
Sustainment	Maintenance and repair activities necessary to keep a typical inventory of facilities in "normal working condition". Sustainment includes regularly scheduled maintenance as

Attachment J-0200000-01
Definitions and Acronyms

Definition	Description
	well as cyclical major repairs or replacement of components that occur periodically over the expected service life of the facilities.
System	An assemblage of mechanically and/or electrically interlocked parts, equipment and/or components forming a unitary whole.
Unit Priced Labor (UPL) Hour	The fully burdened unit price bid by the Contractor to perform one hour of work-in-place. With the exception of direct material and construction equipment costs, the unit priced labor hour price shall include all indirect and direct costs associated with performing work, such as: the Contractor's hourly composite trade wage, adjusted to allow for workforce productivity; sub-contractor cost, costs for pre-expended bin materials, shipping and handling, wage determinations, union agreements, crew sizes, hand tools, equipment, universal equipment (excluding construction equipment), mobilization, demobilization, payroll burdens and fringes, overtime, job (field) overhead, clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance, general and administrative (home office) overhead, profit, and all other associated markups. Any indirect cost or additional markups not allowed in the definition of direct materials shall be included in the UPL price. Additionally, time for job preparation, safety standby personnel, and similar indirect labor elements are included.
Unifomat Classification	A standard classification of building components established by the National Institute of Standards and Technology.
Universal Equipment	Universal equipment refers to equipment that can cover two or more industries and is commercially employed in execution of operation, maintenance, and repair work, such as: Aerial Work Platforms, Backhoes, Cranes, Dump Trucks, Excavators, Generators, Graders, Lifts, Loaders, Man Lifts, Monitoring and Test Equipment, Pumps, Tractors, Trailers, etc.
Universal Waste (UW)	Universal Waste (UW) (defined in 40 CFR Part 273) means batteries, fluorescent lamps, some pesticides, and mercury-containing equipment formally classified as a HW, but that are now subject to less stringent regulations, when recycled if recycling is available.
Utility Infrastructure Condition Assessment Program (UICAP)	A comprehensive assessment processes for planning, managing, and executing Navy utility infrastructure inspections.
XX Each (XX EA)	Annotates the number of individual item(s)/ unit(s) in the inventory per piece of equipment /per system that service(s) will be performed in accordance with OEM recommended maintenance and contractor's maintenance plan and scheduling

Attachment J-0200000-01 Definitions and Acronyms	
Acronym	Title
ACO	Administrative Contracting Officer
AFFF	Aqueous Film Forming Foam
BFR	Basic Facility Requirements
BW	Biweekly
CBMM	Condition Based Maintenance Management Program
CDR	Contract Discrepancy Report
CIA	Controlled Industrial Area
CIMU	Component Inventory Management Unit
CMMS	Computerized Maintenance Management System
CNSSI	Committee on National Security Systems Instruction
COR	Contracting Officer Representative
COR	Condition of Readiness
DBH	Diameter at Breast Height
DCR	Direct Condition Rating
DoD	Department of Defense
DoDI	Department of Defense Instruction
DoN	Department of Navy
DRMO	Defense Reutilization Management Office
EMS	Environmental Management System
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
FAR	Federal Acquisition Regulation
FFP	Firm Fixed Price
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FSC	Facility Support Contract
FSCM	Facility Support Contract Manager
GIS	Geospatial Information System
GFE	Government-furnished Equipment
GFF	Government-furnished Facilities
GFM	Government-furnished Materials
HCA	Head Contracting Agency
ICAP	Infrastructure Condition Assessment Program
ICP	Integrated Contingency Plan
IDIQ	Indefinite Delivery Indefinite Quantity
iNFADS	Internet Navy Facilities Asset Data Store
IPM	Integrated Pest Management
IPMIS	Integrated Pest Management Information System
IPMP	Integrated Pest Management Plan
KO	Contracting Officer
LAN	Local Area Network
M	Monthly
MAP	Maintenance Action Plan
MDI	Mission Dependency Index
MEP	Mechanical, Electrical and Plumbing
MILCON	Military Construction
MPAS	Monthly Performance Assessment Summary
MRI	Mission Readiness Index
SDS	Safety Data Sheets
NAVFAC	Naval Facilities Engineering Command
NIST	National Institute of Standards and Technology
NIST SP	National Institute of Standards and Technology Special Publication
NMCI	Navy Marine Corps Intranet
NOSC	Navy-On-Scene Coordinator
PAP	Performance Assessment Plan
PAR	Performance Assessment Representative
PAW	Performance Assessment Worksheet
PEO	Program Executive Officer
PM	Project Manager
PM	Planned Maintenance or Preventative Maintenance

Attachment J-0200000-01 Definitions and Acronyms	
Acronym	Title
POAM	Plan of Action and Milestones
PRCSP	Permit Required Confined Space Program
PWS	Performance Work Statement
PWO	Public Works Officer
Q	Quarterly
QC	Quality Control
RSIP	Regional Shore Infrastructure Plan
RPIE	Real Property Inventory Equipment
RSL	Remaining Service Life
SC	Security Clearances
SM	Semimonthly
SPAR	Senior Performance Assessment Representative
TE	Technical Exhibit
VIQ	Variation in Quantity
WBS	Work Breakdown Structure

"REGISTER OF WAGE DETERMINATIONS UNDER		U.S. DEPARTMENT OF LABOR
THE SERVICE CONTRACT ACT		EMPLOYMENT STANDARDS ADMINISTRATION
By direction of the Secretary of Labor		WAGE AND HOUR DIVISION
		WASHINGTON D.C. 20210
		Wage Determination No.: 2015-4341
Daniel W. Simms	Division of	Revision No.: 30
Director	Wage Determinations	Date Of Last Revision: 04/25/2025

Note: Contracts subject to the Service Contract Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658.

If the contract is entered into on or	Executive Order 14026 generally applies to	
after January 30, 2022, or the	the contract.	
contract is renewed or extended (e.g.,	The contractor must pay all covered workers	
an option is exercised) on or after	at least \$17.75 per hour (or the applicable	
January 30, 2022:	wage rate listed on this wage determination,	
	if it is higher) for all hours spent	
	performing on the contract in 2025.	

If the contract was awarded on or	Executive Order 13658 generally applies to	
between January 1, 2015 and January 29,	the contract.	
2022, and the contract is not renewed	The contractor must pay all covered workers	
or extended on or after January 30,	at least \$13.30 per hour (or the applicable	
2022:	wage rate listed on this wage determination,	
	if it is higher) for all hours spent	
	performing on the contract in 2025.	

The applicable Executive Order minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the Executive Orders

is available at www.dol.gov/whd/govcontracts.

States: North Carolina, Virginia

Area: North Carolina Counties of Currituck, Gates

Virginia Counties of Chesapeake, Gloucester, Hampton, Isle of Wight, James

City, Mathews, Newport News, Norfolk, Poquoson, Portsmouth, Suffolk, Virginia

Beach, Williamsburg, York

****Fringe Benefits Required Follow the Occupational Listing****

OCCUPATION CODE - TITLE	FOOTNOTE	RATE
01000 - Administrative Support And Clerical Occupations		
01011 - Accounting Clerk I		17.92
01012 - Accounting Clerk II		20.12
01013 - Accounting Clerk III		22.50
01020 - Administrative Assistant		32.04
01035 - Court Reporter		23.33
01041 - Customer Service Representative I		14.66***
01042 - Customer Service Representative II		15.99***
01043 - Customer Service Representative III		17.95
01051 - Data Entry Operator I		15.80***
01052 - Data Entry Operator II		17.23***
01060 - Dispatcher, Motor Vehicle		22.18
01070 - Document Preparation Clerk		15.83***
01090 - Duplicating Machine Operator		15.83***
01111 - General Clerk I		16.45***

01112 - General Clerk II	17.94
01113 - General Clerk III	20.13
01120 - Housing Referral Assistant	23.97
01141 - Messenger Courier	18.48
01191 - Order Clerk I	17.93
01192 - Order Clerk II	19.56
01261 - Personnel Assistant (Employment) I	18.72
01262 - Personnel Assistant (Employment) II	20.94
01263 - Personnel Assistant (Employment) III	23.35
01270 - Production Control Clerk	30.09
01290 - Rental Clerk	18.43
01300 - Scheduler, Maintenance	19.23
01311 - Secretary I	19.23
01312 - Secretary II	21.51
01313 - Secretary III	23.97
01320 - Service Order Dispatcher	19.83
01410 - Supply Technician	32.04
01420 - Survey Worker	18.14
01460 - Switchboard Operator/Receptionist	16.67***
01531 - Travel Clerk I	16.68***
01532 - Travel Clerk II	18.72
01533 - Travel Clerk III	20.51
01611 - Word Processor I	16.56***
01612 - Word Processor II	18.59
01613 - Word Processor III	20.79
05000 - Automotive Service Occupations	
05005 - Automobile Body Repairer, Fiberglass	25.82
05010 - Automotive Electrician	23.82
05040 - Automotive Glass Installer	22.59
05070 - Automotive Worker	22.59
05110 - Mobile Equipment Servicer	20.36
05130 - Motor Equipment Metal Mechanic	25.00
05160 - Motor Equipment Metal Worker	22.59

05190 - Motor Vehicle Mechanic	25.00
05220 - Motor Vehicle Mechanic Helper	19.18
05250 - Motor Vehicle Upholstery Worker	21.46
05280 - Motor Vehicle Wrecker	22.59
05310 - Painter, Automotive	23.82
05340 - Radiator Repair Specialist	22.59
05370 - Tire Repairer	17.34***
05400 - Transmission Repair Specialist	25.00
07000 - Food Preparation And Service Occupations	
07010 - Baker	14.77***
07041 - Cook I	17.88
07042 - Cook II	19.82
07070 - Dishwasher	13.76***
07130 - Food Service Worker	14.98***
07210 - Meat Cutter	19.08
07260 - Waiter/Waitress	14.72***
09000 - Furniture Maintenance And Repair Occupations	
09010 - Electrostatic Spray Painter	28.37
09040 - Furniture Handler	15.20***
09080 - Furniture Refinisher	21.32
09090 - Furniture Refinisher Helper	17.16***
09110 - Furniture Repairer, Minor	19.21
09130 - Upholsterer	22.19
11000 - General Services And Support Occupations	
11030 - Cleaner, Vehicles	16.05***
11060 - Elevator Operator	15.14***
11090 - Gardener	20.98
11122 - Housekeeping Aide	15.14***
11150 - Janitor	15.14***
11210 - Laborer, Grounds Maintenance	17.50***
11240 - Maid or Houseman	14.39***
11260 - Pruner	16.03***
11270 - Tractor Operator	19.78

11330 - Trail Maintenance Worker	17.50***
11360 - Window Cleaner	16.53***
12000 - Health Occupations	
12010 - Ambulance Driver	20.43
12011 - Breath Alcohol Technician	21.51
12012 - Certified Occupational Therapist Assistant	34.69
12015 - Certified Physical Therapist Assistant	34.36
12020 - Dental Assistant	22.42
12025 - Dental Hygienist	45.47
12030 - EKG Technician	36.53
12035 - Electroneurodiagnostic Technologist	36.53
12040 - Emergency Medical Technician	20.43
12071 - Licensed Practical Nurse I	23.47
12072 - Licensed Practical Nurse II	26.26
12073 - Licensed Practical Nurse III	29.27
12100 - Medical Assistant	18.71
12130 - Medical Laboratory Technician	26.57
12160 - Medical Record Clerk	21.28
12190 - Medical Record Technician	23.80
12195 - Medical Transcriptionist	18.19
12210 - Nuclear Medicine Technologist	46.27
12221 - Nursing Assistant I	13.05***
12222 - Nursing Assistant II	14.68***
12223 - Nursing Assistant III	16.02***
12224 - Nursing Assistant IV	17.98
12235 - Optical Dispenser	24.66
12236 - Optical Technician	20.83
12250 - Pharmacy Technician	20.29
12280 - Phlebotomist	19.78
12305 - Radiologic Technologist	35.29
12311 - Registered Nurse I	26.81
12312 - Registered Nurse II	32.80
12313 - Registered Nurse II, Specialist	32.80

12314 - Registered Nurse III	39.68
12315 - Registered Nurse III, Anesthetist	39.68
12316 - Registered Nurse IV	47.56
12317 - Scheduler (Drug and Alcohol Testing)	32.54
12320 - Substance Abuse Treatment Counselor	27.68
13000 - Information And Arts Occupations	
13011 - Exhibits Specialist I	24.76
13012 - Exhibits Specialist II	30.69
13013 - Exhibits Specialist III	37.20
13041 - Illustrator I	25.87
13042 - Illustrator II	32.05
13043 - Illustrator III	39.22
13047 - Librarian	35.79
13050 - Library Aide/Clerk	17.34***
13054 - Library Information Technology Systems Administrator	32.05
13058 - Library Technician	18.63
13061 - Media Specialist I	23.13
13062 - Media Specialist II	25.87
13063 - Media Specialist III	28.85
13071 - Photographer I	18.36
13072 - Photographer II	21.89
13073 - Photographer III	27.12
13074 - Photographer IV	31.12
13075 - Photographer V	37.65
13090 - Technical Order Library Clerk	21.76
13110 - Video Teleconference Technician	24.51
14000 - Information Technology Occupations	
14041 - Computer Operator I	18.79
14042 - Computer Operator II	21.01
14043 - Computer Operator III	23.42
14044 - Computer Operator IV	26.03
14045 - Computer Operator V	28.83

14071 - Computer Programmer I	(see 1)	25.93
14072 - Computer Programmer II	(see 1)	
14073 - Computer Programmer III	(see 1)	
14074 - Computer Programmer IV	(see 1)	
14101 - Computer Systems Analyst I	(see 1)	
14102 - Computer Systems Analyst II	(see 1)	
14103 - Computer Systems Analyst III	(see 1)	
14150 - Peripheral Equipment Operator		18.79
14160 - Personal Computer Support Technician		26.03
14170 - System Support Specialist		28.83
15000 - Instructional Occupations		
15010 - Aircrew Training Devices Instructor (Non-Rated)		33.58
15020 - Aircrew Training Devices Instructor (Rated)		40.63
15030 - Air Crew Training Devices Instructor (Pilot)		48.71
15050 - Computer Based Training Specialist / Instructor		33.58
15060 - Educational Technologist		40.49
15070 - Flight Instructor (Pilot)		48.71
15080 - Graphic Artist		29.22
15085 - Maintenance Test Pilot, Fixed, Jet/Prop		48.71
15086 - Maintenance Test Pilot, Rotary Wing		48.71
15088 - Non-Maintenance Test/Co-Pilot		48.71
15090 - Technical Instructor		28.53
15095 - Technical Instructor/Course Developer		34.90
15110 - Test Proctor		23.03
15120 - Tutor		23.03
16000 - Laundry, Dry-Cleaning, Pressing And Related Occupations		
16010 - Assembler		14.40***
16030 - Counter Attendant		14.40***
16040 - Dry Cleaner		16.56***
16070 - Finisher, Flatwork, Machine		14.40***
16090 - Presser, Hand		14.40***
16110 - Presser, Machine, Drycleaning		14.40***
16130 - Presser, Machine, Shirts		14.40***

16160 - Presser, Machine, Wearing Apparel, Laundry	14.40***
16190 - Sewing Machine Operator	17.26***
16220 - Tailor	17.95
16250 - Washer, Machine	15.17***
19000 - Machine Tool Operation And Repair Occupations	
19010 - Machine-Tool Operator (Tool Room)	26.66
19040 - Tool And Die Maker	31.95
21000 - Materials Handling And Packing Occupations	
21020 - Forklift Operator	22.38
21030 - Material Coordinator	30.09
21040 - Material Expediter	30.09
21050 - Material Handling Laborer	18.53
21071 - Order Filler	16.74***
21080 - Production Line Worker (Food Processing)	22.38
21110 - Shipping Packer	19.25
21130 - Shipping/Receiving Clerk	19.25
21140 - Store Worker I	16.44***
21150 - Stock Clerk	20.60
21210 - Tools And Parts Attendant	22.38
21410 - Warehouse Specialist	22.38
23000 - Mechanics And Maintenance And Repair Occupations	
23010 - Aerospace Structural Welder	38.30
23019 - Aircraft Logs and Records Technician	31.28
23021 - Aircraft Mechanic I	36.45
23022 - Aircraft Mechanic II	38.30
23023 - Aircraft Mechanic III	40.09
23040 - Aircraft Mechanic Helper	27.99
23050 - Aircraft, Painter	34.75
23060 - Aircraft Servicer	31.28
23070 - Aircraft Survival Flight Equipment Technician	34.75
23080 - Aircraft Worker	32.92
23091 - Aircrew Life Support Equipment (ALSE) Mechanic	32.92

23092 - Aircrew Life Support Equipment (ALSE) Mechanic	36.45
II	
23110 - Appliance Mechanic	26.58
23120 - Bicycle Repairer	24.55
23125 - Cable Splicer	32.15
23130 - Carpenter, Maintenance	23.70
23140 - Carpet Layer	27.22
23160 - Electrician, Maintenance	29.23
23181 - Electronics Technician Maintenance I	29.66
23182 - Electronics Technician Maintenance II	31.31
23183 - Electronics Technician Maintenance III	32.84
23260 - Fabric Worker	25.87
23290 - Fire Alarm System Mechanic	26.45
23310 - Fire Extinguisher Repairer	24.55
23311 - Fuel Distribution System Mechanic	33.28
23312 - Fuel Distribution System Operator	27.11
23370 - General Maintenance Worker	22.43
23380 - Ground Support Equipment Mechanic	36.45
23381 - Ground Support Equipment Servicer	31.28
23382 - Ground Support Equipment Worker	32.92
23391 - Gunsmith I	24.55
23392 - Gunsmith II	27.22
23393 - Gunsmith III	30.14
23410 - Heating, Ventilation And Air-Conditioning Mechanic	29.11
23411 - Heating, Ventilation And Air Contidioning Mechanic (Research Facility)	30.59
23430 - Heavy Equipment Mechanic	29.68
23440 - Heavy Equipment Operator	23.97
23460 - Instrument Mechanic	32.70
23465 - Laboratory/Shelter Mechanic	28.74
23470 - Laborer	18.53
23510 - Locksmith	26.33

23530 - Machinery Maintenance Mechanic	30.32
23550 - Machinist, Maintenance	30.91
23580 - Maintenance Trades Helper	18.52
23591 - Metrology Technician I	32.70
23592 - Metrology Technician II	34.36
23593 - Metrology Technician III	35.96
23640 - Millwright	29.08
23710 - Office Appliance Repairer	25.03
23760 - Painter, Maintenance	21.70
23790 - Pipefitter, Maintenance	29.34
23810 - Plumber, Maintenance	27.97
23820 - Pneudraulic Systems Mechanic	30.14
23850 - Rigger	30.23
23870 - Scale Mechanic	27.22
23890 - Sheet-Metal Worker, Maintenance	29.71
23910 - Small Engine Mechanic	21.16
23931 - Telecommunications Mechanic I	29.09
23932 - Telecommunications Mechanic II	30.54
23950 - Telephone Lineman	32.68
23960 - Welder, Combination, Maintenance	30.59
23965 - Well Driller	29.66
23970 - Woodcraft Worker	30.14
23980 - Woodworker	24.55
24000 - Personal Needs Occupations	
24550 - Case Manager	19.13
24570 - Child Care Attendant	13.62***
24580 - Child Care Center Clerk	16.98***
24610 - Chore Aide	13.36***
24620 - Family Readiness And Support Services Coordinator	19.13
24630 - Homemaker	19.13
25000 - Plant And System Operations Occupations	
25010 - Boiler Tender	31.14

25040 - Sewage Plant Operator	25.96
25070 - Stationary Engineer	31.14
25190 - Ventilation Equipment Tender	23.89
25210 - Water Treatment Plant Operator	25.96
27000 - Protective Service Occupations	
27004 - Alarm Monitor	23.40
27007 - Baggage Inspector	18.18
27008 - Corrections Officer	24.40
27010 - Court Security Officer	26.21
27030 - Detection Dog Handler	20.34
27040 - Detention Officer	24.40
27070 - Firefighter	28.02
27101 - Guard I	18.18
27102 - Guard II	20.34
27131 - Police Officer I	26.13
27132 - Police Officer II	29.04
28000 - Recreation Occupations	
28041 - Carnival Equipment Operator	16.12***
28042 - Carnival Equipment Repairer	17.11***
28043 - Carnival Worker	13.05***
28210 - Gate Attendant/Gate Tender	20.36
28310 - Lifeguard	14.67***
28350 - Park Attendant (Aide)	22.78
28510 - Recreation Aide/Health Facility Attendant	16.63***
28515 - Recreation Specialist	28.23
28630 - Sports Official	18.15
28690 - Swimming Pool Operator	19.26
29000 - Stevedoring/Longshoremen Occupational Services	
29010 - Blocker And Bracer	30.70
29020 - Hatch Tender	30.70
29030 - Line Handler	30.70
29041 - Stevedore I	29.17
29042 - Stevedore II	32.41

30000 - Technical Occupations

30010 - Air Traffic Control Specialist, Center (HFO) (see 2)	46.76
30011 - Air Traffic Control Specialist, Station (HFO) (see 2)	32.25
30012 - Air Traffic Control Specialist, Terminal (HFO) (see 2)	35.51
30021 - Archeological Technician I	19.51
30022 - Archeological Technician II	21.83
30023 - Archeological Technician III	27.05
30030 - Cartographic Technician	27.05
30040 - Civil Engineering Technician	28.45
30051 - Cryogenic Technician I	29.95
30052 - Cryogenic Technician II	33.08
30061 - Drafter/CAD Operator I	19.51
30062 - Drafter/CAD Operator II	21.83
30063 - Drafter/CAD Operator III	24.34
30064 - Drafter/CAD Operator IV	29.95
30081 - Engineering Technician I	19.81
30082 - Engineering Technician II	22.24
30083 - Engineering Technician III	24.87
30084 - Engineering Technician IV	30.81
30085 - Engineering Technician V	37.68
30086 - Engineering Technician VI	45.59
30090 - Environmental Technician	25.87
30095 - Evidence Control Specialist	27.05
30210 - Laboratory Technician	23.12
30221 - Latent Fingerprint Technician I	28.48
30222 - Latent Fingerprint Technician II	31.45
30240 - Mathematical Technician	35.52
30361 - Paralegal/Legal Assistant I	22.65
30362 - Paralegal/Legal Assistant II	28.06
30363 - Paralegal/Legal Assistant III	34.34
30364 - Paralegal/Legal Assistant IV	41.53
30375 - Petroleum Supply Specialist	33.08
30390 - Photo-Optics Technician	27.05

30395 - Radiation Control Technician	33.08
30461 - Technical Writer I	26.31
30462 - Technical Writer II	32.18
30463 - Technical Writer III	38.93
30491 - Unexploded Ordnance (UXO) Technician I	29.72
30492 - Unexploded Ordnance (UXO) Technician II	35.95
30493 - Unexploded Ordnance (UXO) Technician III	43.09
30494 - Unexploded (UXO) Safety Escort	29.72
30495 - Unexploded (UXO) Sweep Personnel	29.72
30501 - Weather Forecaster I	29.95
30502 - Weather Forecaster II	36.43
30620 - Weather Observer, Combined Upper Air Or	(see 2) 24.34
Surface Programs	
30621 - Weather Observer, Senior	(see 2) 27.05
31000 - Transportation/Mobile Equipment Operation Occupations	
31010 - Airplane Pilot	35.95
31020 - Bus Aide	17.48***
31030 - Bus Driver	22.08
31043 - Driver Courier	17.61***
31260 - Parking and Lot Attendant	14.16***
31290 - Shuttle Bus Driver	16.99***
31310 - Taxi Driver	14.88***
31361 - Truckdriver, Light	18.68
31362 - Truckdriver, Medium	19.68
31363 - Truckdriver, Heavy	23.57
31364 - Truckdriver, Tractor-Trailer	23.57
99000 - Miscellaneous Occupations	
99020 - Cabin Safety Specialist	17.53***
99030 - Cashier	13.83***
99050 - Desk Clerk	14.45***
99095 - Embalmer	30.76
99130 - Flight Follower	29.72
99251 - Laboratory Animal Caretaker I	16.07***

99252 - Laboratory Animal Caretaker II	17.07***
99260 - Marketing Analyst	31.22
99310 - Mortician	30.76
99410 - Pest Controller	18.68
99510 - Photofinishing Worker	15.62***
99710 - Recycling Laborer	23.39
99711 - Recycling Specialist	26.50
99730 - Refuse Collector	21.31
99810 - Sales Clerk	14.32***
99820 - School Crossing Guard	17.38***
99830 - Survey Party Chief	25.34
99831 - Surveying Aide	15.82***
99832 - Surveying Technician	23.04
99840 - Vending Machine Attendant	18.05
99841 - Vending Machine Repairer	21.24
99842 - Vending Machine Repairer Helper	18.05

***Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$17.75 per hour) or 13658 (\$13.30 per hour). Please see the Note at the top of the wage determination for more information. Please also note that the minimum wage requirements of Executive Order 14026 and 13658 are not currently being enforced as to contracts or contract-like instruments entered into with the federal government in connection with seasonal recreational services or seasonal recreational equipment rental for the general public on federal lands. The minimum wage requirements of Executive Order 14026 also are not currently being enforced as to any contract or subcontract to which the states of Texas, Louisiana, or Mississippi, including their agencies, are a party.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal

Contractors, applies to all contracts subject to the Service Contract Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is the victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

ALL OCCUPATIONS LISTED ABOVE RECEIVE THE FOLLOWING BENEFITS:

HEALTH & WELFARE: \$5.36 per hour, up to 40 hours per week, or \$214.40 per week or \$929.07 per month

HEALTH & WELFARE EO 13706: \$4.93 per hour, up to 40 hours per week, or \$197.20 per week, or \$854.53 per month*

*This rate is to be used only when compensating employees for performance on an SCA-covered contract also covered by EO 13706, Establishing Paid Sick Leave for Federal Contractors. A contractor may not receive credit toward its SCA obligations for any paid sick leave provided pursuant to EO 13706.

VACATION: 2 weeks paid vacation after 1 year of service with a contractor or successor, 3 weeks after 8 years, and 4 weeks after 15 years. Length of service includes the whole span of continuous service with the present contractor or successor, wherever employed, and with the predecessor contractors in the performance of similar work at the same Federal facility. (See 29 CFR 4.173)

HOLIDAYS: A minimum of eleven paid holidays per year: New Year's Day, Martin

Luther King Jr.'s Birthday, Washington's Birthday, Memorial Day, Juneteenth National Independence Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day. (A contractor may substitute for any of the named holidays another day off with pay in accordance with a plan communicated to the employees involved.) (See 29 CFR 4.174)

THE OCCUPATIONS WHICH HAVE NUMBERED FOOTNOTES IN PARENTHESES RECEIVE THE FOLLOWING:

1) COMPUTER EMPLOYEES: This wage determination does not apply to any individual employed in a bona fide executive, administrative, or professional capacity, as defined in 29 C.F.R. Part 541. (See 41 C.F.R. 6701(3)). Because most Computer Systems Analysts and Computer Programmers who are paid at least \$27.63 per hour (or at least \$684 per week if paid on a salary or fee basis) likely qualify as exempt computer professionals under 29 U.S.C. 213(a)(1) and 29 U.S.C. 213(a)(17), this wage determination may not include wage rates for all occupations within those job families. In such instances, a conformance will be necessary if there are nonexempt employees in these job families working on the contract.

Job titles vary widely and change quickly in the computer industry, and are not determinative of whether an employee is an exempt computer professional. To be exempt, computer employees who satisfy the compensation requirements must also have a primary duty that consists of:

(1) The application of systems analysis techniques and procedures, including consulting with users, to determine hardware, software or system functional specifications;

(2) The design, development, documentation, analysis, creation, testing or modification of computer systems or programs, including prototypes, based on and related to user or system design specifications;

(3) The design, documentation, testing, creation or modification of computer programs related to machine operating systems; or

(4) A combination of the aforementioned duties, the performance of which requires the same level of skills. (29 C.F.R. 541.400).

Any computer employee who meets the applicable compensation requirements and the above duties test qualifies as an exempt computer professional under both section 13(a)(1) and section 13(a)(17) of the Fair Labor Standards Act. (Field Assistance Bulletin No. 2006-3 (Dec. 14, 2006)). Accordingly, this wage determination will not apply to any exempt computer employee regardless of which of these two exemptions is utilized.

2) AIR TRAFFIC CONTROLLERS AND WEATHER OBSERVERS - NIGHT PAY & SUNDAY PAY: If you work at night as part of a regular tour of duty, you will earn a night differential and receive an additional 10% of basic pay for any hours worked between 6pm and 6am.

If you are a full-time employed (40 hours a week) and Sunday is part of your regularly scheduled workweek, you are paid at your rate of basic pay plus a Sunday premium of 25% of your basic rate for each hour of Sunday work which is not overtime (i.e. occasional work on Sunday outside the normal tour of duty is considered overtime work).

**** HAZARDOUS PAY DIFFERENTIAL ****

An 8 percent differential is applicable to employees employed in a position that represents a high degree of hazard when working with or in close proximity to ordnance, explosives, and incendiary materials. This includes work such as screening, blending, dying, mixing, and pressing of sensitive ordnance, explosives, and pyrotechnic compositions such as lead azide, black powder and photoflash powder.

All dry-house activities involving propellants or explosives. Demilitarization, modification, renovation, demolition, and maintenance operations on sensitive ordnance, explosives and incendiary materials. All operations involving re-grading

and cleaning of artillery ranges.

A 4 percent differential is applicable to employees employed in a position that represents a low degree of hazard when working with, or in close proximity to ordnance, (or employees possibly adjacent to) explosives and incendiary materials which involves potential injury such as laceration of hands, face, or arms of the employee engaged in the operation, irritation of the skin, minor burns and the like; minimal damage to immediate or adjacent work area or equipment being used. All operations involving, unloading, storage, and hauling of ordnance, explosive, and incendiary ordnance material other than small arms ammunition. These differentials are only applicable to work that has been specifically designated by the agency for ordnance, explosives, and incendiary material differential pay.

**** UNIFORM ALLOWANCE ****

If employees are required to wear uniforms in the performance of this contract (either by the terms of the Government contract, by the employer, by the state or local law, etc.), the cost of furnishing such uniforms and maintaining (by laundering or dry cleaning) such uniforms is an expense that may not be borne by an employee where such cost reduces the hourly rate below that required by the wage determination. The Department of Labor will accept payment in accordance with the following standards as compliance:

The contractor or subcontractor is required to furnish all employees with an adequate number of uniforms without cost or to reimburse employees for the actual cost of the uniforms. In addition, where uniform cleaning and maintenance is made the responsibility of the employee, all contractors and subcontractors subject to this wage determination shall (in the absence of a bona fide collective bargaining agreement providing for a different amount, or the furnishing of contrary affirmative proof as to the actual cost), reimburse all employees for such cleaning and maintenance at a rate of \$3.35 per week (or \$.67 cents per day). However, in those instances where the uniforms furnished are made of "wash and wear"

materials, may be routinely washed and dried with other personal garments, and do not require any special treatment such as dry cleaning, daily washing, or commercial laundering in order to meet the cleanliness or appearance standards set by the terms of the Government contract, by the contractor, by law, or by the nature of the work, there is no requirement that employees be reimbursed for uniform maintenance costs.

**** SERVICE CONTRACT ACT DIRECTORY OF OCCUPATIONS ****

The duties of employees under job titles listed are those described in the "Service Contract Act Directory of Occupations", Fifth Edition (Revision 1), dated September 2015, unless otherwise indicated.

**** REQUEST FOR AUTHORIZATION OF ADDITIONAL CLASSIFICATION AND WAGE RATE, Standard Form 1444 (SF-1444) ****

Conformance Process:

The contracting officer shall require that any class of service employee which is not listed herein and which is to be employed under the contract (i.e., the work to be performed is not performed by any classification listed in the wage determination), be classified by the contractor so as to provide a reasonable relationship (i.e., appropriate level of skill comparison) between such unlisted classifications and the classifications listed in the wage determination (See 29 CFR 4.6(b)(2)(i)). Such conforming procedures shall be initiated by the contractor prior to the performance of contract work by such unlisted class(es) of employees (See 29 CFR 4.6(b)(2)(ii)). The Wage and Hour Division shall make a final determination of conformed classification, wage rate, and/or fringe benefits which shall be paid to all employees performing in the classification from the first day of work on which contract work is performed by them in the classification. Failure to pay such unlisted employees the compensation agreed upon by the interested parties and/or fully determined by the Wage and Hour Division retroactive to the

date such class of employees commenced contract work shall be a violation of the Act and this contract. (See 29 CFR 4.6(b)(2)(v)). When multiple wage determinations are included in a contract, a separate SF-1444 should be prepared for each wage determination to which a class(es) is to be conformed.

The process for preparing a conformance request is as follows:

- 1) When preparing the bid, the contractor identifies the need for a conformed occupation(s) and computes a proposed rate(s).
- 2) After contract award, the contractor prepares a written report listing in order the proposed classification title(s), a Federal grade equivalency (FGE) for each proposed classification(s), job description(s), and rationale for proposed wage rate(s), including information regarding the agreement or disagreement of the authorized representative of the employees involved, or where there is no authorized representative, the employees themselves. This report should be submitted to the contracting officer no later than 30 days after such unlisted class(es) of employees performs any contract work.
- 3) The contracting officer reviews the proposed action and promptly submits a report of the action, together with the agency's recommendations and pertinent information including the position of the contractor and the employees, to the U.S. Department of Labor, Wage and Hour Division, for review (See 29 CFR 4.6(b)(2)(ii)).
- 4) Within 30 days of receipt, the Wage and Hour Division approves, modifies, or disapproves the action via transmittal to the agency contracting officer, or notifies the contracting officer that additional time will be required to process the request.
- 5) The contracting officer transmits the Wage and Hour Division's decision to the contractor.
- 6) Each affected employee shall be furnished by the contractor with a written copy

of such determination or it shall be posted as a part of the wage determination (See 29 CFR 4.6(b)(2)(iii)).

Information required by the Regulations must be submitted on SF-1444 or bond paper.

When preparing a conformance request, the "Service Contract Act Directory of Occupations" should be used to compare job definitions to ensure that duties requested are not performed by a classification already listed in the wage determination. Remember, it is not the job title, but the required tasks that determine whether a class is included in an established wage determination. Conformances may not be used to artificially split, combine, or subdivide classifications listed in the wage determination (See 29 CFR 4.152(c)(1))."

Attachment J-0200000-03
Directives, Instructions, and References

Reference	Title
29 CFR 1910	Occupational Safety and Health Standards
29 CFR 1915	Occupational Safety and Health Standards for Shipyard Employment
29 CFR 1926	Safety And Health Regulations for Construction
29 CFR 1910.120	Hazardous Waste Operations and Emergency Response
29 CFR 1926.59	Hazard Communication
29 CFR 1910.1025	Toxic And Hazardous Substances
29 CFR 1926.62	Occupational Health and Environmental Controls
29 CFR 1910.134	Respiratory Protection
29 CFR 1904	Recording And Reporting Occupational Injuries and Illness
40 CFR 82	Protection Of Stratospheric Ozone
40 CFR 247	Comprehensive Procurement Guideline for Products Containing Recovered Materials
ANSI Z359.1	Fall Protection Code
ANSI/ISEA 107	Standard For High-Visibility Safety Apparel and Headwear
CNSSI 1253	Security Categorization and Control Selection for National Security Systems
Code of Federal Regulations (CFR) 40	Environmental Protection Regulations
COMNAVREGMIDLAND HRINST 11320.11	Fire Prevention and Protection Regulations
DFARS Clause 252.223-7004	Drug-Free Work Force
DoD Directive 5200.2	DoD Personnel Security Program (PSP)
DoDI 8582.01	Security of Unclassified DoD Information on Non-DoD Information Systems
DODD 6055.9	DoD Explosives Safety Management and the DoD Explosives Safety Board
P.L. 91-596	Occupational Safety and Health Act
EM 385-1-1	U.S. Army Corps of Engineers Safety and Health Requirements
FAR Clause 52.232-36	Payment By Third Party
FAR 52.228-5	Insurance – Work on A Government Installation
FAR 52.237-2	Protection Of Government Buildings, Equipment, And Vegetation
FAR 52.237-3	Continuity Of Services
FAR 52.246-4	Inspection Of Services – Fixed Price
FAR 52.243	The "CHANGES" Clause, Section I
NAVFACINST 4161.1	Accountability, Tracking, and Management of Government-Furnished Property
NAVFACINST 11010.45	Regional Planning Instruction (Site Approval Process)
NAVFACINST 11013.40	Project Partnering Policy
NAVFAC Clause 5252.245-9300	Government-Furnished Property, Materials and Services
NAVFAC P-78	Real Property Inventory Procedures Manual
NAVSHIPYDNORINST 11450.2B (latest revision)	Contractor Operated Crane Access and Utilization With the Confines of Norfolk Naval Shipyard; Aerial Platforms ANSI/SAI A92.2-1990, ANSI/SAI A92.3-1990, ANSI/SAI A92.5-1992, ANSI/SAI A92.6-1990; OSHE/SLC.GOV 1910.66, 1910.67, and 1910.68
NAVSHIPYDNORINST 4101.2A 22 June 1981	Energy Conservation Standard
NAVSHIPYDNORINST P11320.6 29 April 1982	Fire Prevention
NAVSHIPYDNORINST P.5090.1	Environmental Protection Manual
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 15 Personal Protective Equipment
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 25 Man-made Vitreous Fibers
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 27 Hazardous Material Controls and Management

NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 38 Non-Bulk Recovery Material Control
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 40 Emergency & Hazardous Materials Discharge Contingency Plan
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 45 Bulk Recovery Material Program
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 51 Environmental Coordinators Program
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 52 Solid Waste Management
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 58 Water Pollution Control Plan
NAVY OSHE Program Manual(s) NAVSHIPYDNORINST P.5090.2, Volume II	Chapter 63 Clean Air Act (CAA) Compliance
NAVFAC P-78	Real Property Inventory Procedures Manual
NIST SP 800-171 Revision 1	Protecting Controlled Unclassified Information in Nonfederal Information Systems and Organizations
NIST SP 800-53	Security and Privacy Controls for Federal Information Systems and Organizations
OPNAVINST 11000.16	Command Responsibility for Shore Activity Land and Facilities
OPNAVINST 11010.20	Navy Facilities Projects
OPNAVINST 11011.10	Utilization of Navy Real Property
OPNAV M-5090.1 (latest change)	Environmental Readiness Program Manual
OPNAVINST 5100.23F	Navy Occupational Safety and Health Program Manual
P.L. 91-596	Occupational Safety and Health Act
Resource Conservation and Recovery Act (RCRA)	Section 6002 and Executive Order 13101
SECNAVINST 11011.47	Acquisition, Management, and Disposal of Real Property and Real Property Interests by the Department of the Navy
UFC 2-000-5N	Facility Planning Criteria for Navy/Marine Corps Shore Installations
UFC 3-560-01	Operation and Maintenance: Electrical Safety

Attachment J-0200000-04
Invoice Form
TO BE INSERTED BY CONTRACT SPECIALIST

Attachment J-0200000-05
Forms

See PDF Below

NNSY SERVICE INTERRUPTION REQUEST

SUBJ: REQUEST FOR UTILITIES OUTAGE

Ref: (a) PWCINST 11310.5

1. As set forth in reference (a), an outage is requested.

Contract No. _____

Title: _____

Contractor: _____

PAR: _____

(Contractor shall fill out all information below and return to the Government Representative)

Description of work to be accomplished: _____

Boundaries of work: _____

Expected start date: _____ Days Required: _____

Expected completion date: _____

Requested by: _____ Date: _____

Authorized by: _____ Date: _____

Work completed: _____

ATTACHMENT "A"

CONTRACTOR CRANE OPERATING CHECKLIST FOR CRITICAL LIFTS		YES	NO
1	Does the operator know the weight of the load to be lifted?		
2	Is the load to be lifted within the crane manufacturer's rated capacity in its present configuration?		
3	Is the crane level and on firm ground?		
4	Are outriggers required?		
5	If so, are outriggers fully extended and down, and the load off the wheels.		
6	If blocking is required, is the entire surface of the outrigger pad supported, and is the blocking material of sufficient strength to safely support the loaded outrigger pad?		
7	If outriggers are not used, is the crane rated for on-rubber lifts by the manufacturer's load chart?		
8	Is the swing radius of the crane counterweight clear of people, obstructions, and accessible areas within the swing area barricaded to prevent injury, damage and unplanned encroachment?		
9	Has the hook been centered over the load in such a manner to prevent swing (deflection, side loading, load-moment)?		
10	Is the load well secured and balanced in the sling or lifting device before it is lifted (free and clear) more than a few inches?		
11	Is the lift swing path clear of obstructions?		
12	If rotation of the load being lifted is hazardous, is tag line or restraint line being used?		
13	Are personnel prevented from standing or passing under a suspended load?		
14	Are personnel prevented from entering the load fall zone?		
15	Is the crane operator's attention diverted?		
16	Are proper signals being used at all times?		
17	If radio communications are used, is the frequency isolated to the crane team.		
18	Do the operations ensure that side and tip loading is prohibited?		
19	Are start and stop motions in a smooth fluid motion (no sudden acceleration or deceleration)?		
20	If operating near electric power lines, are the rules and guidelines understood and adhered to as specified in NAVFAC P-307?		
21	Is the lift a critical lift?		
22	If so, are critical lift regulations understood, check-off sheets initialed and signed off, and was there an interactive brief conducted with associated personnel?		
23	Is Attachment "A" current, filled out completely, and posted in the crane?		

Contractor Name (Print Legibly):

Contractor Name (Signature):

Location:

Date:

ATTACHMENT J-0200000-05-03
FORMS
Contractor Incident Report System (CIRS)
Initial Report Follow-up Report Final Report

Date ____/____/____

1. Contract Information		Incident Information
Prime Contractor:	Cage Code:	
Contract Number:	Installation of Incident:	
Task Order #:	Contracting Activity/ROICC Office:	
Contractor Contact Information		
Name (Last, First):	Phone #:	
Email Address:	Date Notified:	
2. Incident Type (Please Check/Bold All That Apply)		
Assault/Violent Act	Extreme Environmental Exposure	Man over the side (No water entry)
Diving	Falls, slip, trip, or bodily exertion	Man Overboard - Water Entry
Electrical Shock/Burns	Fires - All Types	Material Handling Equipment
Equipment Installation/Repair	Hazardous Material (any type)	Ordnance-Related (Explosive)
Explosion, Non-Ordnance	Industrial (Select Additional Below)	Vehicle (Government or Private)
Industrial Incident Additional Information (Please Check/Bold All That Apply)		
Confined Space	Hand and Power Tools	Work Platforms and Scaffolding
Demolition/Renovation	Rigging	Underground Construction, Shafts, and Caissons
Trenching/Entrapment	Cranes and Hoisting Equipment	Concrete, Masonry, Steel Erection and Residential Construction
Traffic Control	Floating Plant and Marine Activities	Tree Maintenance and Removal
Welding and Cutting	Pressurized Equipment and System	Airfield and Aircraft Operations
Control of Hazardous Energy	Fall Protection	

3. General Information		Incident Information							
Date of Accident:		Time of Accident:							
Describe the accident in detail in your words: <i>(Use the back of page if you need additional space)</i>									
Exact Location of Accident:									
Were Hazardous Material(s) Involved Yes No If Yes, Explain What Hazardous Materials Were Involved and Why:									
Who Provided Clean-up? Onsite Base Public									
Activity of the injured person at the time of incident:									
Personal Protective Equipment: (Check/Bold Response) <table border="0" style="width: 100%;"> <tr> <td>Available and used</td> <td>Available and not used</td> <td>Not Required</td> </tr> <tr> <td>Not related to Mishap</td> <td>Wrong PPE for job</td> <td></td> </tr> </table> List PPE Used:				Available and used	Available and not used	Not Required	Not related to Mishap	Wrong PPE for job	
Available and used	Available and not used	Not Required							
Not related to Mishap	Wrong PPE for job								

4. Fully Explain What Allowed or Caused the Incident:					Incident Information	
Direct Cause:						
Indirect Cause:						
Additional Action Taken: (Please Include a Begin Date and Est. End Date in Description)						
Additional Action Taken: (Please Include a Begin Date and Est. End Date in Description) <i>(Use the back of page if you need additional space)</i>						
5. Contributing Factors:						
Was Visibility Restricted?			Yes	No	Distance Visibility was restricted:	
Unit of Measure (Check/Bold):			Feet	Yards	Meters	Miles Nautical Miles
Visibility Restricted By: (Check/Bold all that apply)						
Fog		Smoke		Rain	Sleet	Snow
Mist		Dust		Sandstorm	Unknown Object	Other:
Lighting Conditions at Site of Mishap:			Was Noise Level a Factor:		Was Carbon Monoxide (CO) a Factor:	
(Please Check)			(Please Check)		(Please Check)	
Adequate Inadequate Unknown			Yes No Unknown		Yes No	
					If Yes CO Alarm Manufacturer:	

[illegible]

1. Injured Data		(if applicable)		Person #
Age:	Gender: (Check/Bold) Male Female	Prime Contractor Company Name:		Subcontractor Company Name:
2. General Information				
Drug or Alcohol Involved: (Check/Bold all that apply) None Unknown Alcohol Drugs Alcohol and Drugs				
Who Provided First Aid? Onsite Base Public				
Was Ergonomics a Factor: (Check/Bold) Yes No Type of Ergonomic Injury: (Check/Bold All That Apply) Lifting Positioning Bending Equipment Placement Office Equipment Placement Industrial Repetitive Motion Impact Strain				
3. Injury Illness/Fatality Information				
Severity of Injury/Illness: (Check/Bold) Fatality Lost Workday Case Involving Days Away From Work Temporary Disability Recordable Workday Case Involving Restricted Duty Permanent Total Disability Other Recordable Case Recordable First Aid Case Permanent Partial Disability Non-Recordable Case No Injury				
Where There Days Lost: (Check/Bold) Yes No		Where There Days Hospitalized: (Check/Bold) Yes No		Where There Days Restricted Duty: (Check/Bold) Yes No
Part of Body Affected:				
Nature of Injury or Illness:				
Event or Exposure:				
Source of Injury or Illness:				
General Location Description:				
Injury Activity Code:				

[illegible]

[illegible]

4. License			(if applicable) Property Damage
Are Appropriate License and Certification/Medical Current: (Check/Bold)			Yes No
Describe or Explain:			
Attach Image of License or Certification Name/Description:	Date Added:	Uploaded By:	
5. Training			
Was all the contract-required training provided to the employee? (Check/Bold)			Yes No
Explain:			

CONTRACTOR INCIDENT REPORT SYSTEM (CIRS) INSTRUCTIONS
Complete Only Sections Appropriate to Incident (Rev. 03/11).

NOTE: THE ATTACHED CIRS FORM IS TO BE USED BY CONTRACTORS TO RECORD THE RESULTS OF THEIR ACCIDENT/INCIDENTS INVESTIGATIONS AND SHALL BE PROVIDED TO THE CONTRACTING OFFICER WITHIN THE REQUIRED TIMEFRAMES.

GENERAL. Complete a separate report for each person who was injured in the accident pages 5-6. A report needs to be completed for all OSHA recordable accidents and property damage cases. Please type or print legibly. Appropriate items shall be Checked/Bolded, non-applicable sections shall be marked "N/A". If additional space is needed, provide the information on a separate sheet of paper and attach to the completed form.

Mark the report: (Check/Bold)

Initial: If this form is being used as initial notification of a Fatality or High Visibility Mishap. The initial form is due within 4 hours of a serious accident. A form marked 'Follow-up' or 'Final' is required within 5 days.

Follow-Up: If you are providing additional information on a report previously submitted.

Final: If you are providing a completed report and expect no changes.

Incident Information

Section 1 Contract Information – Incident Information

Prime Contractor: Name as it appears on contract documents.

Cage Code: If known.

Contract Number: Number as it appears on the contract documents.

Installation: Name of installation where incident occurred.

Task Order #: Insert number if applicable.

Contracting Activity/ROICC Office: Enter the name and address of the Contracting Office administering the contract under which the mishap took place (e.g. ROICC MCBH, ROICC NORFOLK, PWC GUAM, etc.).

Contractor Contact Information: (Contractor point of contact information for the individual responsible for completing the form) Self Explanatory

Section 2 Incident Type: Check/Bold most applicable category, if you select Industrial you must Check/Bold at least one additional category from the **Industrial Incident Additional Information Section**.

Section 3 General Information Incident Information

Date of Accident: Enter the month, day, and year of accident.

Time of Accident: Enter the local time of accident in military time. Example: 14:30 hrs (not 2:30 p.m.).

Describe the Accident in Detail in your words: Fully describe the accident in the space provided. If property damage involved, give estimated dollar amount of damage and/or repair costs involved. If additional space is needed continue on a separate sheet and attach to this report. Give the sequence of events that describe what happened leading up to and including the accident. Fully identify personnel and equipment involved and their role(s) in the accident. Ensure that relationships between personnel and equipment are clearly specified. Ensure questions below regarding direct cause(s), indirect cause(s), and actions taken are answered. **NOTE!** Review questions in Section 4 (Fully Explain What Allowed or Caused the Incident - Incident Information) below before completing.

Exact Location of Accident: Enter facts needed to locate the accident scene (e.g. installation/project name, building/room number, street, direction and distance from closest landmark, etc.).

Were Hazardous Material(s) Involved Yes No

If Yes, Explain What Hazardous Materials Were Involved and Why: Check or Bold appropriate block and list name(s) and quantities of hazardous materials spilled/released during the mishap. List why the hazardous chemicals were being used.

Activity at the time of incident: What type of work/task was being performed by the injured when the injury took place or property damage occurred.

Personal Protective Equipment– Check/Bold appropriate items and list PPE which was being used by the injured person at the time of the accident (e.g. protective clothing, shoes, glasses, goggles, respirator, safety belt, harness, etc.)

Section 4 Fully Explain What Allowed or Caused the Incident - Incident Information

Direct Cause(s): The direct cause is that single factor which most directly lead to the accident. See examples below.

Indirect Cause(s): Indirect cause are those factors, which contributed to, but did not directly initiate the occurrence of the accident.

Examples for Direct and Indirect Cause:

1. Employee was dismantling scaffold and fell 12 feet from unguarded opening.

Direct cause: Failure to provide fall protection at elevation

Indirect causes: Failure to enforce safety requirements: improper training/motivation of employee (possibility that employee was not knowledgeable of fall protection requirements or was lax in his attitude toward safety); failure to ensure provision of positive fall protection whenever elevated; failure to address fall protection during scaffold dismantling in phase hazard analysis.

2. Private citizen had stopped his vehicle at intersection for red light when vehicle was struck in rear by contractor vehicle. (note contractor vehicles was in proper safe working condition.)

Direct cause: Failure of contractor driver to maintain control of and stop contractor vehicle within safe distance.

Indirect cause: Failure of employee to pay attention to driving (defensive driving).

Additional Action Taken: Fully describe all the actions taken, anticipated, and recommended to eliminate the cause(s) and prevent reoccurrence of similar accidents/illnesses. Continue in the additional box and or on additional sheets of paper if necessary to fully explain and attach to the completed report form.

Please Include a Begin Date and Estimated Completion Date in Description

(1) Begin: Enter the date when the corrective action(s) identified above will begin.

(2) Est. End Date - Enter the date when the corrective action(s) identified above will be completed.

Section 5 Contributing Factors Incident Information: Check/Bold appropriate items fill in information where required **Other Contributing Factors:** Describe in detail any additional contributing factors not listed in previous information provided.

Section 6 Attached Documents: Provide the appropriate information for each document/file attached or uploaded.
Injured Data Person #

Complete Pages 5 and 6 for each injured person at the upper right hand corner of pages 5 and 6 differentiate between each person by using a numerical value (e.g. Person #1, Person #, Person #3, etc.)

Section 1 Injured Data: Fill in all applicable information, Check/bold appropriate responses.

Section 2 General Information:

Check/bold appropriate responses.

Section 3 Injury/Illness Fatality Information: Check/bold appropriate responses

Part of Body Affected: Enter the most appropriate primary and when applicable, secondary, etc. body part(s) affected.

(e.g. arm: wrist: abdomen: single eye; jaw: both elbows: second finger: great toe: collar bone: kidney, etc.)

CRANE AND RIGGING GEAR ACCIDENT REPORT
Accident Category: ☐ Crane Accident ☐ Rigging Gear Accident
From:
To: Navy Crane Center
 Bldg. 491 NNSY
 Portsmouth, VA 23709
 Fax: 757-967-3808
UIC:**Activity:****Report No:****Crane No:****Category:****Accident Date:****Time: hrs:****Category of Service:**☐ SPS☐ GPS**Crane Type:****Crane Manufacturer:****Was Crane/Rigging Gear Being Used in SPS:** ☐ Yes ☐ No
**Was Crane/Rigging Gear Being Used in a Complex Lift/Critical
 Non-Crane Rigging Operation:** ☐ Yes ☐ No
Location:**Weather:****Crane Capacity:****Hook Capacity:****Weight of Load on hook:****Fatality or Permanent Disability?**☐ Yes☐ No**Material/Property Cost Estimate:****Reported to NAVSAFECEN?**☐ Yes☐ No**Accident Type:**☐ Personal Injury☐ Overload☐ Derail☐ Damaged Rigging Gear☐ Load Collision☐ Two Blocked☐ Dropped Load☐ Damaged Crane☐ Crane Collision☐ Damaged Load☐ Other: Specify _____**Cause of Accident:**☐ Improper Operation☐ Equipment Failure☐ Inadequate Visibility☐ Improper Rigging☐ Switch Alignment☐ inadequate Communication☐ Track Condition☐ Procedural Failure☐ Other: Specify _____**Chargeable to:**☐ Crane Walker☐ Rigger☐ Operator☐ Maintenance☐ Management/Supervision☐ Other: Specify _____**Crane Function:**☐ Travel☐ Hoist☐ Rotate☐ Luffing☐ Telescoping☐ Other☐ N/A**Is this accident indicative of a recurring problem?** ☐ Yes ☐ No**If yes, list Accident Report Nos.:** _____

ATTACH COMPLETE AND CONCISE SITUATION DESCRIPTION AND CORRECTIVE/PREVENTIVE ACTIONS TAKEN AS ENCLOSURE (1). Include probable cause and contributing factors. Assess damages and define responsibility. For equipment malfunction or failure, include specific description of the component and the resulting effect or problem caused by the malfunction or failure. List immediate and long term corrective/preventive actions assigned and respective codes.

Preparer:**Phone:****E-mail:****Code:****Date:****Concurrences: (Include Code, Signature and Date)****Code:****Date:****Code:****Date:****Certifying Official (Crane Accident Only):****Code:****Date:**

CRANE AND RIGGING GEAR ACCIDENT REPORT INSTRUCTIONS

This form is designed for fax transmission without a cover page or by e-mail and, with enclosures and signatures shall be the official document. Electronic submission will be accepted without signatures but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is m_nfsh_ncc_accident@navy.mil. The fax number is (757) 967-3808.

1. Accident Category: Indicate either crane accident or rigging gear accident.
2. From: The naval activity that is responsible for reporting the accident and UIC number.
3. Activity: The naval activity where the accident took place.
4. Report No.: The activity assigned accident number (e.g., 95-001).
5. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
6. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
7. Accident Date: The date the accident occurred.
8. Time: The time (24 hour clock) the accident occurred (e.g., 1300).
9. Category of Service: Check the applicable service (SPS as defined by NAVSEA 0989-030-7000).
10. Crane Type: The type of crane involved in the accident (e.g., mobile, bridge), if applicable.
11. Crane Manufacturer: The manufacturer of the crane (e.g., Drava, Grove, P&H), if applicable.
12. SPS: Was the crane or rigging gear being used in an SPS lift?
13. Complex lift: Was the crane or rigging gear being used in a complex lift?
14. Location: The detailed location where the accident took place (e.g., building 213, dry dock 5).
15. Weather: The weather conditions at time of accident (e.g., wind, rain, cold).
16. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
17. Hook Capacity: The capacity of the hook involved in the accident at the max radius of the operation, if applicable.
18. Weight of Load on Hook: If applicable, the weight of the load on the hook.
19. Fatality or Permanent Disability? Check yes or no.
20. Material/Property Cost Estimate: Estimate total cost of damage resulting from the accident.
21. Reported to NAVSAFECEN? Self-explanatory.
22. Accident Type: Check all that apply.
23. Cause of Accident: Check all that apply.
24. Chargeable to: Check all that apply.
25. Crane Function: Check all functions in operation at time of accident. Check N/A if a rigging gear accident.
26. Is this a recurring problem? Check yes or no. Identify any other similar accidents.
27. Situation Description/Corrective Actions: Self-explanatory.
28. Preparer: Self-explanatory.
29. Concurrences: Self-explanatory.
30. Certifying Official (Crane Accidents Only): Self-explanatory.
31. Brief Description: No more than one paragraph summarizing the resultant incident.
32. Background and Detailed Description: Provide the relevant background in a descriptive timeline of preconditions leading up to the event, as well as a detailed description of the event.
33. Corrective Actions: List all short term and long term corrective actions that are taken to prevent recurrence of the incident. Short Term Corrective Actions are those actions taken that will allow return to work in short time frame. Long Term actions are more 'programmatic' in nature and typically include process revision, changes in training, 'mistake proofing', etc.

CRANE AND RIGGING GEAR NEAR MISS REPORT

Near Miss Category: ☐ Crane Near Miss ☐ Rigging Gear Near Miss			
From:		To: Navy Crane Center Bldg. 491 NNSY Portsmouth, VA 23709 Fax (757) 967-3808 nfsh_ncc_accident@navy.mil	
UIC:			
Activity:			Report No:
Crane/Equipment No:	Category:	Near Miss Date:	Time: hrs.
Category of Service: ☐ SPS ☐ GPS	Crane /Equipment Type:	Crane/Equipment Manufacturer:	
Location:		Weather:	
Crane/Equipment Capacity:	Hook Capacity:	Weight of Load on Hook:	

Is this near miss indicative of a recurring problem? ☐ Yes ☐ No

If yes, list report numbers: _____

In the space below, include a brief description of the event and corrective actions taken to prevent recurrence:

Preparer:	Phone and email	Code	Date
------------------	------------------------	-------------	-------------

ATTACHMENT J-0200000-05-05 FORMS

CRANE AND RIGGING GEAR NEAR MISS INSTRUCTIONS

This form is designed for fax transmission without a cover page or by e-mail and, with enclosures and signatures shall be the official document. Electronic submission will be accepted without signatures but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is nfsh_ncc_accident@navy.mil. The fax number is (757) 967-3808.

1. Near Miss Category: Indicate either crane or rigging gear near miss.
2. From: The naval activity that is responsible for reporting the near miss and UIC number.
3. Activity: The naval activity where the near miss took place.
4. Report No.: The activity assigned near miss number (e.g., 95-001).
5. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
6. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
7. Near Miss Date: The date the near miss occurred.
8. Time: The time (24 hour clock) the near miss occurred (e.g., 1300).
9. Category of Service: Check the applicable service (SPS as defined by NAVSEA 0989-030-7000).
10. Crane Type: The type of crane involved in the near miss (e.g., mobile, bridge), if applicable.
11. Crane Manufacturer: The manufacturer of the crane (e.g., Drava, Grove, P&H), if applicable.
12. Location: The detailed location where the near miss took place (e.g., building 213, dry dock 5).
13. Weather: The weather conditions at time of the near miss (e.g., wind, rain, cold).
14. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
15. Hook Capacity: The capacity of the hook involved in the near miss at the maximum radius of the operation, if applicable.
16. Weight of Load on Hook: If applicable, the weight of the load on the hook.
17. Is this a recurring problem? Check yes or no. Identify any other similar near misses or accidents.
18. Situation Description/Corrective Actions: Self-explanatory.
19. Preparer: Self-explanatory.

Attachment J-0200000-05-06

Forms

Spec Item 2.9.7 - Monthly On-Site Labor Report - Non-Recurring Work

Solicitation/Contract No.: N40085- -24-R-2604

Company Name:

Date Submitted:

Labor Hours for the Month of:

ELIN/ Sub-ELIN	Order Number (Task Order, Work Authorization, Fed-MALL, etc.)	Description	Spec Item 4 Labor Hours	Spec Items 1 and 2 On-Site Labor Hours
X700		Unit Priced Labor Hour Work - MUST BE NEGOTIATED BY KO.		
X701		BSVE Unit Priced Labor Hour Work – MUST BE NEGOTIATED BY KO.		
X702		Direct Material and Construction Equipment - MUST BE NEGOTIATED BY KO.		
X703				
X704				
X705				
X706				
Total Non-Recurring Work:				

Directions for Process Material Log Sheets**Chemical Description:**

- Material Name - List the brand or generic name of the chemical material.
- Manufacturer - List the name of the manufacturer of the product.
- Constituents of Concern - List the constituents (ingredients) as listed on the Safety Data Sheet (SDS).
- CAS # - List the Chemical Abstract Service (CAS) Number for each Constituent of Concern listed. This information is found on the SDS. If no CAS number is listed, state "N/L".
- % - List the concentration of each Constituent of Concern listed. This information is found on the SDS. If the concentration is not listed, state "N/L".
- Product Weight - List the weight of material contained in one container of the product. This information is normally listed on the SDS or can be determined from the density or specific gravity of the product listed on the SDS.
- In addition, check all the boxes that apply to this chemical:
 - Pure or Mix - choose only one.
 - Solid, Liquid or Gas - choose only one.
 - Extremely Hazardous Substance (EHS), Ozone Depleting Substance (ODS), SARA TITLE III Chemical (SARA III), Air Toxic Chemical (AIR TOX) or Carcinogen
- (CARC) - based on the information provided by the material's SDS. Choose all that apply.
 - HM exempt - per EPCRA section 312 and based upon user knowledge, choose this box if the material would normally be exempt from reporting for hazardous material storage.
 - Tri exempt - per EPCRA section 313 and based upon user knowledge, choose this box if the material would normally be exempt from reporting for the Toxic Release Inventory (TRI).

Physical and Chemical Hazards:

- For each material listed, check all the physical and health hazard boxes that apply. These hazard categories are defined in 40 CFR 370.2.
- Fire Hazard - flammable, combustible liquid, pyrophoric, oxidizer.
- Sudden Release of Pressure - explosive, compressed gas.
- Reactive - unstable reactive, organic peroxide, water reactive.
- Immediate (acute) Health Hazard - highly toxic, toxic, irritant, sensitizer, corrosive.
- Delayed (chronic) Health Hazard - carcinogens, mutagens, other long-term health hazards.

Storage Description: Storage Code:

- List the appropriate storage type, pressure and temperature condition codes for the material based upon the codes listed below. List the storage type in the first box, the applicable pressure code in the second box and the applicable temperature code in the third box. More than one storage code may apply if material is stored in different types of containers.

Storage Type:

- A - Above Ground Storage Tank F Can L Cylinder
- B - Below Ground Storage Tank G Carboy M Glass Bottle or Drum
- C - Tank Inside Building I Fiber Drum N Plastic Bottle or Drum
- D - Steel Drum J Bag R Other
- E - Plastic/Non-metallic Drum K Box

Pressure and Temperature Conditions:

- 1 - Ambient Pressure 4 Ambient Temperature
- 2 - Greater than Ambient Pressure 5 Greater than Ambient Temperature
- 3 - Less than Ambient Pressure 6 Less than Ambient Temperature but not Cryogenic
- 7 - Cryogenic Conditions

Inventory in Pounds:

- Maximum Amount - List the maximum amount of a material that was on-hand (stored) at any one time. Amount must be recorded in pounds.
- Average Amount - List the average amount of a material that was on-hand during the reporting period. Amount must be recorded in pounds.
- Days on Site - List the number of days during the reporting period each material was on-site. If the material was present for the whole year, record as 365.

Amount Used in Pounds:

- List the amount of each material used during the reporting period. Amount must be recorded in pounds. Amount used is the best estimate based on the contractor material tracking system.

Contractor Hazardous Material Inventory Log (EPRCA)	
--	--

PRIME COMPANY NAME: _____ CONTRACT NO: _____

PROJECT TITLE / LOCATION: _____

[illegible]

Contractor(s) certifies that the hazardous material(s) removed from installation will be used/reused for its intended purpose.

Company Using Material Listed Above	Company Representative's Signature
-------------------------------------	------------------------------------

Submitted By: _____ Phone: _____ Fax: _____ Date: _____
Printed Name

Contracting Officer _____ Phone: _____ Fax: _____ or ROICC
Representative

Page ____ of ____

VOC/HAP Tracking Form

Emission Data

REPORTING PERIOD (Month):

Product Name (Manufacturer's Name & Product Identification on Name Or Number)	Product Type (I.E. Paint, Solvent, Adhesive) & Usage (I.E.	AUL Unique Identifier Number	Quantity Used (Gal)	Product Density (Lb./Gal.)	VOC Content (lb./gal.)	Total VOC Weight (lbs.)	HAP Name (NONE if none present in product)	% Weight of HAP in Product	Weight of HAP (lbs.) (N/A if NONE present)
Totals:									

ATTACHMENT J-0200000-05-09
TRANSFER, HANDLING AND STORAGE PROCEDURE INSPECTION FORM

COMMAND/SHOP: _____ AREA INSPECTED: _____

POC: _____ PHONE/FAX: _____

MARINE COATING OPERATIONS IN PROGRESS __ YES __ NO (CHECK ONE)

INSPECTOR: _____ (NAME) _____ (SIGNATURE)


DATE: _____

	YES/NO	COMMENTS
Are containers of paint and solvents maintained in good order? e.g.: minimal rusting and dents, no openings or leaks		
Are solvent and paint contaminated wastes transferred to a Closed container with a tight fitting cover at the end of each shift?		
Are paint and solvent containing systems (e.g.: spray systems) maintained in good order to minimize chance of leaks?		
Are containers of paint and solvent, (material and waste) kept closed unless material/waste is being added/removed from the container?		
Are funnels or other such devices/practices used to minimize chance of paint/solvent (material or waste) spillage?		
Are spills cleaned up immediately, and are spill contaminated wastes properly containerized?		

NOTES:

1. Work practice inspections to be performed at least monthly for each area where marine coating operations are performed.
2. Bring any findings to the immediate attention of work leader/shop supervisor, if it can be done so safely.
3. Describe finding and corrective actions taken in comment section. Use additional comment section if more space is needed.
4. All completed inspection forms are to be maintained by the shore environmental staff.

ADDITIONAL COMMENTS:

DOCUMENT NO.:		
SOP-Spills-CNRMA AOR-01		
TITLE:		
CNRMA INSTALLATION SPILL REPORTING AND DOCUMENTATION STANDARD OPERATING PROCEDURE		
CONTENTS		
1. PURPOSE.....2 2. REFERENCES.....2 3. PROCEDURES AND RESPONSIBILITIES.....2 4. ATTACHMENT 1-Reporting/Documentation Matrix.....5 5. ATTACHMENT 2- State Reporting Requirements for Land Based Spills6 6. ATTACHMENT 3- EV POC Contact Listing7 7. ATTACHMENT 4- Mid-Atlantic Regional Spill Report8 8. ATTACHMENT 5- Excerpt from Appendix C of OPNAV 5090.1D9 9. ATTACHMENT 6- Oil Spill Message Template.....21 10. ATTACHMENT 7- Hazardous Substance Spill Message Template.....22		
DOCUMENT OWNER: CNRMA NOSC		AUTHORIZED BY: CNRMA N4
REV. NO.	EFFECTIVE DATE	DESCRIPTION OF REVISION
1		ORIGINAL ISSUE
2		Approval Signature:  CAPT, LEC, USN 30 NOV 2018

Form EMS 1 (Revision A)

Revised: December 2018

This document is uncontrolled when printed.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

1. Purpose:

This procedure describes the reporting and documentation actions required in response to environmental spills and/or releases. Proper reporting and documentation ensures that both chain of command and regulatory reporting requirements are met. Reporting requirements vary by spill/release severity and must be strictly adhered to.

The list below describes the various products that are addressed in this procedure:

- Fuels (i.e. JP-5, F76, Diesel Fuel Marine, gasoline)
- Oils (i.e. lubricants, cooking oils, oily waste/bilge water)
- Hazardous substance (i.e. acids/bases, reactives, oxidizers, poisons)
- Aqueous Fire Fighting Foam (AFFF)
- Sewage, untreated

2. References:

- (a) OPNAVINST 5090.1D & OPNAV M-5090.1, - Navy Environmental Readiness Program Manual.
- (b) OPNAVINST F3100.6J, Special Incident Reporting (OPREP 3, Navy Blue and Unit SITREP) Procedures

3. Procedures and Responsibilities:

a. Spiller or Party that discovers the spill/release shall:

- Identify the spill/release source and product spilled/released.
- Stop the spill/release if safe to do so. If untrained or unsure of substance spilled, avoid area and warn others in the area.
- Prevent material from entering storm drains or waterways. Possible actions include covering storm drains, diverting the spill, and creating dikes or containment berms.
- Immediately call the base emergency number and report the spill to the installation Emergency Communications Center (ECC). The ECC phone will automatically divert to the Regional Dispatch Center (RDC) who will gather the information and make appropriate notifications. Report the following information, if known, but do not wait to call the RDC:
 - What was spilled?
 - How much was spilled?
 - Has the spill been stopped?
 - Was anyone hurt?
 - Where did it happen?
 - Why did it happen?
 - Has the spill been contained?
 - Did the spill reach a storm drain or waterway?
 - Name of the impacted waterway
 - Is any assistance required?

DOCUMENT NO.:			SOP-Spills-CNRMA AOR-01		
TITLE:			CNRMA INSTALLATION SPILL REPORTING AND DOCUMENTATION STANDARD OPERATING PROCEDURE		
CONTENTS					
1. PURPOSE.....2 2. REFERENCES.....2 3. PROCEDURES AND RESPONSIBILITIES.....2 4. ATTACHMENT 1-Reporting/Documentation Matrix.....5 5. ATTACHMENT 2- State Reporting Requirements for Land Based Spills6 6. ATTACHMENT 3- EV POC Contact Listing7 7. ATTACHMENT 4- Mid-Atlantic Regional Spill Report8 8. ATTACHMENT 5- Excerpt from Appendix C of OPNAV 5090.1D9 9. ATTACHMENT 6- Oil Spill Message Template.....21 10. ATTACHMENT 7- Hazardous Substance Spill Message Template.....22					
DOCUMENT OWNER: CNRMA NOSC			AUTHORIZED BY: CNRMA N4		
REV. NO.	EFFECTIVE DATE	DESCRIPTION OF REVISION			
1		ORIGINAL ISSUE			
2		Approval Signature:  CAPT, LEC, USN 30 NOV 2018			

Form EMS 1 (Revision A)

Revised: November 2018

This document is uncontrolled when printed.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

1. Purpose:

This procedure describes the reporting and documentation actions required in response to environmental spills and/or releases. Proper reporting and documentation ensures that both chain of command and regulatory reporting requirements are met. Reporting requirements vary by spill/release severity and must be strictly adhered to.

The list below describes the various products that are addressed in this procedure:

- Fuels (i.e. JP-5, F76, Diesel Fuel Marine, gasoline)
- Oils (i.e. lubricants, cooking oils, oily waste/bilge water)
- Hazardous substance (i.e. acids/bases, reactives, oxidizers, poisons)
- Aqueous Fire Fighting Foam (AFFF)
- Sewage, untreated

2. References:

- (a) OPNAVINST 5090.1D & OPNAV M-5090.1, - Navy Environmental Readiness Program Manual.
- (b) OPNAVINST F3100.6J, Special Incident Reporting (OPREP 3, Navy Blue and Unit SITREP) Procedures

3. Procedures and Responsibilities:

a. Spiller or Party that discovers the spill/release shall:

- Identify the spill/release source and product spilled/released.
- Stop the spill/release if safe to do so. If untrained or unsure of substance spilled, avoid area and warn others in the area.
- Prevent material from entering storm drains or waterways. Possible actions include covering storm drains, diverting the spill, and creating dikes or containment berms.
- Immediately call the base emergency number and report the spill to the installation Emergency Communications Center (ECC). The ECC phone will automatically divert to the Regional Dispatch Center (RDC) who will gather the information and make appropriate notifications. Report the following information, if known, but do not wait to call the RDC:
 - What was spilled?
 - How much was spilled?
 - Has the spill been stopped?
 - Was anyone hurt?
 - Where did it happen?
 - Why did it happen?
 - Has the spill been contained?
 - Did the spill reach a storm drain or waterway?
 - Name of the impacted waterway
 - Is any assistance required?

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

b. The RDC shall:

- Notify base Fire Department/Police Department
- Notify Command Duty Officer (CDO)
- Notify Installation Environmental (EV) staff
- Notify National Response Center (NRC) at (800) 424-8802, if required by Attachment 1 - Reporting/Documentation Matrix
- Notify Navy On-Scene Coordinator (NOSC) Representative @ (757) 636-4378, if the spill is >100 gallons, is a hazardous substance or may require additional resources
- Complete ATTACHMENT 4- Mid-Atlantic Regional Spill Report and email the completed form to the appropriate Installation Environmental (EV) staff. Installation EV mailboxes and after-hours phone numbers are listed in ATTACHMENT 3- EV POC Contact Listing.

c. Command Duty Officer shall:

- Report to the scene of the spill
- Conduct a preliminary investigation as to the material type, extent of the spill, cause of the spill, and required cleanup actions.

Note: Discharges or spills that might endanger critical water areas, have the potential to generate public concern, become the focus of enforcement action, or pose a threat to public health or welfare require an **OPREP-3 NAVY BLUE report**. OPREP-3 NAVY BLUE series messages are used to provide the Chief of Naval Operations (CNO) and other naval commanders notification of military, political, or media interest incidents.

- Determine if the spill meets the requirements of **OPREP-3 NAVY BLUE** reporting per reference b. If so, consult with the ICO for concurrence.
- If spill meets the requirements of an OPREP-3 NAVY BLUE report, then make a voice report to the Maritime Operations Center (MOC) @ 757 836-5387/8 within 5 minutes.
- For any OPREP-3 NAVY BLUE spills, generate a FOLUP record message report within 60 minutes. The OPREP-3 NAVY BLUE FOLUP report includes only the sections of the report that require additional information. The code word FOLUP will be placed in the third field of the event time and position (TIMELOC). The initial report DTG shall be referenced.
- Determine if additional assistance from other resources are needed to clean up the spill. If so, contact the NOSC @ 757 636-4378 for assistance.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

d. Environmental Staff shall:

- Report to the scene of the spill if requested by the Fire Dept or CDO.
- Confirm the findings of the CDO's preliminary investigation.
- Provide on-site guidance for spill clean-up when necessary.
- Confirm the need for additional resources to clean up the spill and contact the NOSC @ 757 636-4378 for assistance.
- Determine the reporting and documentation requirements for the spill utilizing ATTACHMENT 1 - Reporting/Documentation Matrix and ATTACHMENT 2- State Reporting Requirements for Land Based Spills.
- Ensure the RDC has contacted the NRC, if applicable.
- Generate, or ensure the Responsible Party (RP) generates, a Navy Spill Message as required by ref. a within 24 hours. Instructions for completing the Navy Spill Message are included in Attachment 5 with Attachments 6 and 7 providing the spill reporting templates. The NRC number should be noted in the Navy Spill Message.
- An updated message may be released as additional information becomes available. If original Navy Spill Message information differs substantially, then an updated Navy Spill Message must be generated.
- Notify applicable installation Media Manager(s)
- Make initial notifications to appropriate State regulators as per the agency's preferred reporting method. Where applicable, these initial notifications should include NRC numbers for cross-referencing purposes.
- If the spill is associated with a permitted process or operation, ensure regulatory reporting is made in accordance with the permit.
- Draft required State spill reports and submit to the IEPD for review, finalization, signature, and distribution to the appropriate regulatory agencies within the established deadline.
- Communicate with regulatory agencies as appropriate and provide updated information when/if it becomes available.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 1 - Reporting/Documentation Matrix

Material Spilled: Oil/Fuels				
Spill Caused By	Area Affected	Volume Spilled	EV Reporting Requirements	Navy Documentation
All Cases	State Waters Storm Drains	Any Quantity	State Reporting NRC Reporting	Navy Spill Message (OPNAV 5090.1D Appendix C)
All Cases	Land	Any Quantity	State Reporting **	Navy Spill Message
All Cases	Land	≥1000 Gallons	State Reporting NRC Reporting	Navy Spill Message

Note: All oil spills >100 gallons, spills of a hazardous substance, or spills that may require additional resources contact the NOSC at 757 636-4378

Material spilled : Hazardous Substance/Hazardous Waste				
Spill Caused By	Area Affected	Volume Spilled	EV Reporting Requirements	Navy Documentation
All Cases	State Waters Storm Drains	Any Quantity	State Reporting NRC Reporting NOSC	Navy Spill Message
All Cases	Sanitary Sewer	Any Quantity	Water Program Manager NOSC WW treatment authority	Navy Spill Message
All Cases	Land	≥Reportable Quantity^ (for spilled substance)	State Reporting NRC Reporting LEPC^^ NOSC	Navy Spill Message

^ check with EV staff to determine reportable quantity as it varies by substance

^^ LEPC – Local Emergency Planning Committee, EPCRA MM will notify the LEPC

Material Spilled: AFFF				
Spill Caused By	Area Affected	Volume Spilled	EV Reporting Requirements	Navy Documentation
All Cases	State Waters Storm Drains Land	Any Quantity	State Reporting	Navy Spill Message
All Cases	Sanitary Sewer	Any Quantity	State Reporting Water Program Manager WW treatment authority	Navy Spill Message

Material Spilled: Sewage, untreated				
Spill Caused By	Area Affected	Volume Spilled	EV Reporting Requirements	Navy Documentation
All Cases	State Waters Storm Drains	Any Quantity	State Reporting	None
All Cases	State Waters Storm Drains Land	>10,000 gallons*	State Reporting	OPREP- 3 Navy Blue

*10 Kgal is recommended as a threshold where public concern or media interest might occur

** State Reporting includes completing notifications in accordance with Attachment 2 or environmental permit conditions.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 2- State Reporting Requirements for Land Based Spills

State	Oil/Fuel	HS/HW	AFFF	Sewage
CT	Any Quantity	Any Quantity	Any Quantity	Any Quantity
VA	Land >25 Gal	> RQ CERCLA*	Any Quantity	Land >500 Gal
PA	Land >25 Gal	> RQ CERCLA*	N/A	Land >25 Gsl
IL	Land > 25 Gal	> RQ CERCLA*	Any Quantity	Any overflow or system bypass
ME	Any Quantity	Any Quantity	Any Quantity	Any Quantity
RI	> 5 Gal	> RQ CERCLA*	City of Newport	verbal report within 24 hours and a written report within 5 business days
IN	Outside facility = 55 Gal Inside facility = 1000 Gal	Outside => RQ* or 100 lbs Inside =>RQ	N/A	Any overflow or system bypass
NJ	Any Quantity	Any Quantity	N/A	Any overflow or system bypass

* See 40 CFR 302.4 for a listing of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) hazardous substances

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 3 - EV POC Contact Listing

Installation	EV email	EV phone
NSY BOS Portsmouth NH	NAVFACML_PWD_MAINE4@navy.mil	207-210-4310
NAVSTA Newport RI	NAVFACML_PWD_NEWPORT4@navy.mil	401-862-8430
SUBASE New London CT	NAVFAC_ML_PWDNewLondon-Spill@navy.mil	860-215-1384
WPNSTA Earle NJ	NAVFAC_ML_PWD_EARLE4@navy.mil	908-686-4220
NSA Mechanicsburg PA	NAVFAC_ML_PWDPennsylvania4@navy.mil	215-284-7641
NAVSTA Great Lakes IL	NRFK_NFECML_PWD_GREATLAKES4@navy.mil	847-971-1222
NSA Crane IN	NRFK_NFECML_PWD_CRANE41@navy.mil	812-854-7273
WPNSTA Yorktown VA	NAVFAC_ML_PWDYorktown41@navy.mil	757-272-8982
NAVSTA Norfolk VA	NAVFACML_PWD_NORFOLK4@navy.mil	757-635-5740
NSA Hampton Roads VA	NAVFAC_ML_PWD_NSAHAMPTONROADS41@navy.mil	757-836-1862
NSS Norfolk Naval Shipyard VA	NAVFAC_ML_PWDPortsmouth4@navy.mil	757-705-1362
JEB Little Creek-Fort Story VA	NAVFACML_PWD_LITTLECREEK4@navy.mil	757-373-9753*
NAS Oceana VA	NAVFACML_PWD_OCEANA4@navy.mil	757-328-4673

* LC/FS rotates phone numbers, this one is a default value.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 4 – Mid-Atlantic Regional Spill Report

MID-ATLANTIC Regional Spill Report	
Installation Environmental staff shall be notified for all spills	
Caller: Phone #:	Installation/Base: Command Causing Spill:
Spill Location: Vessel/Aircraft: Substance Spilled: Quantity Spilled:	Has spill source been stopped? Has spill been contained? Has spill reached: Waterway Unpaved Surface Storm Drain Ditch
*Is Quantity >100 Gallons?	Quantity Reaching Water: Quantity of Spill Recovered:
Date of Spill: Time:	Cause of Spill:
Weather Conditions: Clear Cloudy Rainy	Response Actions:
Notifications	
<u>Mandatory</u> Fire Dept. ☐ Time Installation CDO ☐ POC Time Environmental ☐ POC Time *After Hours: Call Environmental Duty Person: POC: Phone Number: Time: Call Action: Date of Report: Dispatcher: Date: Time: Start Time of Report: Installation: End Time of Report: Email:	<u>Mandatory</u> Do Not Call NRC for AFFF (Fire Fighting Foam) Spills Notify NRC for all spills in the water, to include a waterway, storm drain or ditch, hazardous materials, and all POL spills 25 gallons or greater on land. USCG National Response Center (NRC) 1-800-424-802 ☐ POC: Time: NRC#: *NOSC- For Spills >100 Gallons, On Non-NAVY Property, or High Media Interest Contact NOSC: 757-636-4378 (24 HOUR) ☐ Time:
Send	

Environmental Notes:

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 5 – Excerpt from Appendix C of OPNAV 5090.1D

MESSAGE FORMATS

Table of Contents

C-2	Hazardous Substance Release Report	10
C-3	Oil Spill Report	15

C-2 Hazardous Substance Release Report

C-2.1. Precedence (for messages only). Provided that prior voice reports have been made both to the U.S. Coast Guard (USCG) National Response Center (NRC) and the reporting command's chain of command, use "Routine" precedence for Hazardous Substance (HS) Release Report Messages not classified as an extremely hazardous substance (EHS). If either voice report has not been made, use "Priority" precedence. If EHS, always use "Priority" precedence.

C-2.2. Classification or Special Handling Marks. HS Release Report Messages are unclassified and do not warrant special handling marks unless classified or sensitive business information must be incorporated. Avoid inclusion of such information to the maximum extent possible to allow HS Release Report Messages to be handled on a solely unclassified basis.

C-2.3. Correcting HS Release Report Messages. HS Release Report Messages should be updated with a follow-up message as soon as the reporting activity becomes aware of new information concerning the origin, amount, nature of substance, type of operation at source or root cause, or lessons learned of release. Similarly, if the final estimate of the amount released differs substantially from the amount initially reported, the reporting activity must send an update message to all action and info addresses on the original message.

C-2.4. Action and Info Addressees

FROM: Navy activity/ship responsible for or discovering spill

TO: Navy On-Scene Coordinator
Chain of Command

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

INFO: Area Environmental Coordinator
Host Activity
CNO WASHINGTON DC//N45//
CNIC WASHINGTON DC//N45//
CHINFO WASHINGTON DC//JJJ//
COMNAVSEASYS COM WASHINGTON DC//00C//
NAVFAC EXWC PORT HUENEME CA//424//
NAVJAG WASHINGTON DC//11//
[Add NRC for releases into or upon the navigable waters
of the United States, its contiguous zone (generally
within 12 nautical miles (NM) of U.S. shores), and
adjacent shorelines.]
COAST GUARD NATIONAL RESPONSE CENTER WASHINGTON DC//JJJ//

C-2.5. Body of Report. Use the following format for the body
of all HS Release Report Messages. It is important for data
management purposes that the format be followed.

UNCLAS//N05090//
SUBJ: HAZARDOUS SUBSTANCE RELEASE REPORT (MIN: CONSIDERED)
MSGID/GENADMIN/ORIGINATOR//
RMKS/

1. LOCAL TIME AND DATE RELEASE [OCCURRED/DISCOVERED].
2. [FACILITY/VESSEL] ORIGINATING RELEASE:
 - a. For Navy ships, list ship name and hull number.
 - b. For Navy shore facilities, list facility name.
 - c. For release occurring during transportation, list name
of activity responsible for shipment.
 - d. For non-Navy spills, list name of the responsible party,
if known.
 - e. For organizations under contract to Navy, list firm name
and contracting Navy activity.
 - f. If the source is unknown at time of this report, list
only "Unknown" until such time as definitively established.
3. RELEASE LOCATION:

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

a. For release at sea, list latitude, longitude, and distance to nearest land.

b. For release in port, list port name, host naval command (NAVSTA, Shipyard), and specific location.

c. For release ashore, list city, state, facility name, and specific location (building designation).

d. For release during transportation, give exact location (highway mile marker or street number and city).

4. AMOUNT RELEASED:

a. Use convenient units of weight or volume (e.g., kg, lb, gal, liters).

b. For continuous release, estimate rate of release and amount left in container.

c. Estimates should be made by examining loss at source (e.g., checking the sounding tank, calculating flow rate of spill).

d. Unreliable estimates of volume using visual observation of HS on water may not be reported here.

e. If amount unknown at time of this report, list only "Unknown" until such time as definitively established.

5. HAZARDOUS SUBSTANCE RELEASED:

a. If EHS, headline this paragraph "EXTREMELY HAZARDOUS SUBSTANCE RELEASED:" Refer to chapter 39 (Oil and Hazardous Substance Spill Preparedness and Response) section 39-3.6.a for additional notification requirements.

b. Consult container labels, user directions, reference books, and experts for advice.

c. Provide chemical and product names, formula, synonym, physical and chemical characteristics, and inherent hazards. For example, "Container label identifies substance as acrylonitrile. Synonyms: cyansethylene, vintleyanide.

Characteristics and hazards: poisonous liquid and vapor,

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

skin irritant, highly reactive or flammable."

d. Describe appearance, physical and chemical characteristics, and actual or potential hazards observed. For example, "Substance released is colorless to light yellow unidentified liquid; highly irritating to eyes and nose; smells like kernels of peach pits; vaporizing quickly, posing ignition problem."

6. TYPE OF OPERATION AT SOURCE: Plating shop, painting shop, hazardous waste (HW) facility, truck, ship, pipeline, ship rebuilding, entomology shop, etc.

7. CAUSE OF RELEASE:

a. Provide narrative description of specific cause of release.

b. Account for personnel error, equipment failure, etc., directly contributing to release. For example: "Railing supporting 55-gal drums on a flatbed truck gave way because it was not securely fastened, causing seven drums to fall and rupture."

c. If cause unknown at time of this report, list only "Unknown" until such time as definitively established.

8. TYPE OF CONTAINER FROM WHICH SUBSTANCE ESCAPED:

a. 55-gal drums, 5-lb bags, tank truck, storage tank, can, etc.

b. Estimate number of containers damaged or dangerously exposed.

9. RELEASE ENVIRONMENT:

a. Describe scene of release.

b. Include information on physical characteristics, size and complexity of release, and weather conditions. For example: "Solvent released formed shallow pool covering area about 30 ft by 45 ft of bare concrete. Solvent slowly running into storm

drain. Pool emitting highly toxic, flammable vapors. Dark

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

clouds threatening rain. Light wind drifting vapors northbound to residential area about 30 ft above ground."

10. AREAS DAMAGED OR THREATENED:

a. Describe actual and potential danger or damage to surrounding environment.

b. Identify body of water, area, or resources threatened or affected.

c. Describe nature and extent of damage to property, wildlife, or other natural resources (if any).

11. NOTIFICATIONS MADE AND ASSISTANCE REQUESTED:

a. List all organizations informed of release within and beyond Navy jurisdiction. Include Navy, Federal, State, and local authorities, response teams, fire departments, hospitals, etc.

b. Specify type of assistance requested from these organizations.

c. If telephonic report to NRC made, list: Date, time, group of telephonic report; NRC report and case number; name of NRC official taking report; quantity of HS released; and Navy command making telephonic report.

12. FIELD TESTING: Indicate findings and conclusions as to concentration, pH, etc.

13. CONTROL AND CONTAINMENT ACTIONS [PLANNED/TAKEN]:

a. If none, explain why.

b. Specify method used to control and contain release. For example: "Gas barriers used to control and contain vapor emissions. Runoff contained by excavating ditch circumscribing affected area."

14. CLEAN-UP ACTIONS [PLANNED/TAKEN]:

a. If none, explain why.

b. Identify on-site or off-site treatment, method used, parties involved in clean-up and removal, and disposal area.

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

For example: "No clean-up action taken. Toxic vapors present, potential danger to clean-up crew. Contaminated soil will be excavated and shipped by NAS personnel to Class I HW disposal site in Portstown, CA when conditions allow."

15. AMOUNT OF SUBSTANCE RECOVERED [VOLUME/WEIGHT] (Pure product):

16. PARTIES PERFORMING [CONTAINMENT/CLEAN-UP] ACTIVITIES:

a. Identify lead organization in charge (e.g., Navy command, USCG, EPA).

b. Identify all other parties involved: Commercial firms, supporting Navy activities, and state or local agencies.

17. FEDERAL, STATE, OR LOCAL REGULATORY ACTIVITY DURING THIS INCIDENT:

a. Identify by name and agency any regulatory official attending on-scene or making telephonic inquiry.

b. Note whether officials boarded vessel and include date, time, and spaces inspected.

18. ASSISTANCE REQUIRED/ADDITIONAL COMMENTS.

19. LESSONS LEARNED: How could this release have been avoided?

20. ACTIVITY CONTACT FOR ADDITIONAL INFORMATION: List name, rank and rate, command, code, DSN, e-mail address, and or commercial telephone numbers.//

C-3 Oil Spill Report

C-3.1. Precedence (for messages only). Provided that prior voice reports have been made both to the USCG NRC and the reporting command's chain of command, use "Routine" precedence for Oil Spill Report Messages. If either voice report has not been made, use "Priority" precedence.

C-3.2. Classification or Special Handling Marks. Oil Spill Report Messages are unclassified and do not warrant special handling marks unless classified or sensitive business information must be incorporated. Avoid inclusion of such information to the maximum extent possible to allow Oil Spill

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Report Messages to be handled on a solely unclassified basis.

C-3.3. Spill Volume Classification. To better advise the Navy on-scene coordinator and Navy leadership of the magnitude of each oil spill, the subject line of an Oil Spill Report Message should bear a volume estimate of the spill, if known, in the following format:

- a. OIL SPILL REPORT, X GALLONS, [ACTIVITY NAME] (MINIMIZE CONSIDERED);
- b. OIL SPILL REPORT, UNKNOWN VOLUME, [ACTIVITY NAME] (MINIMIZE CONSIDERED); or
- c. OIL SPILL REPORT, SHEEN SIGHTING (MINIMIZE CONSIDERED).

C-3.4. Updating Oil Spill Report Messages. Oil Spill Report Messages shall be updated with a follow-up message as soon as the reporting activity becomes aware of new information concerning the origin, quantity, type, operation under way, root cause, or lessons learned of the spill. Similarly, if the final estimate of the amount spilled differs substantially from the amount initially reported, the reporting activity must send an update message to all action and information addresses on the original spill message.

C-3.5. Action and Information Addressees

FROM: Navy activity/ship responsible for or discovering spill

TO: Navy On-Scene Coordinator
Chain of Command

INFO: Area Environmental Coordinator
Host Activity
OPNAV WASHINGTON DC//N45//
CNIC WASHINGTON DC//N45//
CHINFO WASHINGTON DC//JJJ//
COMNAVSEASYS COM WASHINGTON DC//00C//
NAVFAC EXWC PORT HUENEME CA//424//
NOLSC DC FT BELVOIR VA//JJJ//
NAVJAG WASHINGTON DC//11//
NAVSURFWARCENCARDIV PHILADELPHIA PA//923//
[Add NRC for spills into or upon the navigable waters of the United States, its contiguous zone (generally within 12 NM of U.S. shores) and adjacent

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

shorelines.]

COAST GUARD NATIONAL RESPONSE CENTER WASHINGTON DC//JJJ//

C-3.6. Body of Report. Use the following format for the body of all Oil Spill Report Messages. It is important for data management purposes that this format be followed.

UNCLAS//NO5090//

SUBJ: OIL SPILL REPORT, X GALLONS, [ACTIVITY NAME] (MINIMIZE CONSIDERED) or OIL SPILL REPORT, UNKNOWN VOLUME, [ACTIVITY NAME] (MINIMIZE CONSIDERED) or OIL SPILL SHEEN SIGHTING, (MINIMIZE CONSIDERED)

MSGID/GENADMIN/ORIGINATOR// RMKS/

1. LOCAL TIME AND DATE SPILL [OCCURRED/DISCOVERED]

2. [FACILITY/VESSEL] ORIGINATING SPILL:

a. For Navy ships, list ship name and hull number.

b. For Navy shore facilities, list facility name.

c. For non-Navy spills, list name of responsible party, if known.

d. For organizations under contract to Navy, list firm name and contracting Navy activity.

e. If the facility or vessel of spill is unknown at time of this report, list only "Unknown" until such time as definitively established.

3. SPILL LOCATION:

a. For spills at sea, list latitude, longitude, and distance to nearest land.

b. For spills in port, list port name, host naval command (NAVSTA, Shipyard), and specific location (pier or mooring designation).

c. For spills ashore, list city, state, facility name, and specific location (building designation).

4. VOLUME SPILLED IN GALLONS:

a. Estimates must be made by examining loss at source

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

(e.g., checking the sounding tank, calculating flow rate of spill).

b. If amount is unknown at time of this report, list only "Unknown" until such time as definitively established.

c. Estimating volume by visual observation of oil on water can be very unreliable.

d. If volume estimate can only be made by visual observation of oil on water, do not report estimate here.

e. If oil and water mixture, indicate percent oil.

5. TYPE OF OIL SPILLED:

a. List whether marine gas oil, naval distillate (F-76), jet fuel (JP-4 or 5), aviation or automotive gasoline, automotive diesel, heating fuels (e.g., grade 1 or 2, kerosene), residual burner fuel (e.g., grade 4, 5, or 6), lubricating oil; hydraulic oil, oil/oil mixture (including slops and waste oil), or oil/water mixture (including bilge waste).

b. If type unknown at time of this report, list only "Unknown" until such time as definitively established.

6. OPERATION UNDER WAY WHEN SPILL [OCCURRED/DISCOVERED]:

a. If fueling or defueling, list whether underway or in port by pipeline, truck, or barge.

b. Specify whether conducting internal fuel oil transfer operations (including movement from one storage tank to another), pumping bilges, conducting salvage operations, aircraft operations, or "Other" (specify). Include any evolution or operation that had been conducted within 4 hours of spill discovery that may have resulted in oil discharge.

c. If operation unknown or if no evolution can be attributable at time of this report, list only "Operation Not Known" or "To Be Determined" until such time as definitively established.

7. SPILL CAUSE:

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

a. Classify the spill cause by citing one or more of the following categories and then provide a narrative description of the specific spill cause: Structural; electrical; hose; valve or fitting; tank level indicator; oil and water and separator and oil content monitor; other equipment (specify component that failed); collision, grounding, or sinking; valve misalignment; monitoring error; procedural and communications error; chronic or recurring; or weather related. This information will be used

by Commander, Naval Sea Systems Command for causal analysis and spill prevention.

b. If the spill resulted from a mechanical or equipment failure, identify failed equipment or suspected failed equipment by system, nomenclature, allowance part list, service, part number, and or location.

c. If cause unknown or undetermined at time of this report, list only "To Be Determined" or "Under Investigation" until such time as definitively established.

8. SLICK DESCRIPTION AND MOVEMENT:

a. Size: Length and width (yards or NM) and percentage of that area covered.

b. Color: Silver transparent, gray, rainbow, blue, dull brown, dark brown, black, brown-orange mousse.

c. Odor: Noxious, light, undetectable.

d. Slick movement: Set (degrees true toward) and drift (knots).

9. SPILL ENVIRONMENT:

a. Weather: Clear, overcast, partly-cloudy, rain, snow, etc.

b. Prevailing wind at scene: Direction (degrees true from), speed (knots), and fetch (yards or NM).

c. Air and water temperature: Indicate ice cover.

d. Sea state: Beaufort Force number.

e. Tide: High, low, ebb, flood, or slack or current: Set

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

(degrees true toward) and drift (knots).

10. AREAS DAMAGED OR THREATENED:

a. Body of water, area, or resources threatened or affected.

b. Nature and extent of damage to property, wildlife, or other natural resources (if any).

11. TELEPHONIC REPORT TO NATIONAL RESPONSE CENTER:

a. If made, list:

(1) Time and date of telephonic report.

(2) NRC report and case number.

(3) Name of NRC official taking report and quantity of oil reported.

b. If not made, provide reason why: Beyond 12 NM from U.S. shores, no threat to navigable water, etc.

c. Navy command making telephonic report.

12. SAMPLES [WERE/WERE NOT] TAKEN: If taken, identify location(s) from which taken (e.g., tanks, hoses, piping, slip, jetty, etc.) and collecting officer by name, rank, and agency.

13. CONTAINMENT METHOD [PLANNED/USED]:

a. If none, state reason.

b. Otherwise, indicate equipment utilized (e.g., boom, ship's hull, camel, water spray, chemical agent).

14. SPILL REMOVAL METHOD [PLANNED/USED]:

a. If none, state reason.

b. Equipment planned and used (e.g., Rapid Response Skimmer or Dip 3001 skimmer, portable skimmer, absorbent materials (oil absorbent pads, chips, etc.), dispersants, vacuum trucks or pumps, other (specify)).

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

15. VOLUME OF OIL RECOVERED IN GALLONS.

16. PARTIES PERFORMING SPILL REMOVAL:

a. Identify lead organization in charge (e.g., Navy command, USCG, EPA).

b. Identify all other parties involved (e.g., commercial firms, supporting Navy activities, state or local agencies).

17. FEDERAL, STATE, OR LOCAL REGULATORY ACTIVITY DURING THIS INCIDENT:

a. Identify by name and agency any official attending on-scene or making telephonic inquiry.

b. Note whether officials boarded vessel and include date, time, and spaces inspected.

18. ASSISTANCE REQUIRED OR ADDITIONAL COMMENTS

19. LESSONS LEARNED: How could this spill have been avoided?

20. COST OF RECOVERY: Probably not known for initial report. Include in follow up report to the extent known.

21. ACTIVITY CONTACT FOR ADDITIONAL INFORMATION: List name, rank and rate, command, code, e-mail address, and DSN and or commercial telephone numbers.//

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 6 - Oil Spill Message Template

FM NAVY ACTIVITY/SHIP RESPONSIBLE FOR, OR DISCOVERER OF RELEASE
TO COMNAVREG MIDLANT NORFOLK VA//N34/N45//
INFO: INSTALLATION: IE..NAVSTA NORFOLK VA
OPNAV WASHINGTON DC//N45//
CNIC WASHINGTON DC//N45//
CHINFO WASHINGTON DC//JJJ//
COMNAVSEASYS COM WASHINGTON DC//00C//
NAVFAC EXWC PORT HUENEME CA//424//
NOLSC DC FT BELVOIR VA//JJJ//
NAVJAG WASHINGTON DC//11//
NAVSURFWARCENCARDIV PHILADELPHIA PA//923//
(Add NATIONAL RESPONSE CENTER (NRC) for releases into or upon the
navigable waters of the US)
COGARD NATIONAL RESPONSE CENTER WASHINGTON DC//JJJ//
COGARD MSO HAMPTON ROADS//JJJ//
NAVFAC LANT//EV//
YOUR PARENT COMMANDS AS APPROPRIATE
UNCLAS//NO5090//
MSGID/GENADMIN/ORIGINATOR//
SUBJ/OIL SPILL REPORT, X GALLONS, (ACTIVITY NAME)//
REF/A/DOC/OPNAVINST 5090.1D//
REF/B/DOC/OPNAV M-5090.1//
REF/C/DOC/COMNAVREGMIDLANT HRINST 5400.1A//
NARR/REF A IS THE 10JAN14 CHIEF OF NAVAL OPERATIONS ENVIRONMENTAL
READINESS PROGRAM INSTRUCTION. REF B IS THE NAVY ENVIRONMENTAL
READINESS PROGRAM MANUAL OPNAV M-5090.1 FROM 10JAN14. REF C IS THE
COMMANDER NAVY REGION MIDATLANTIC HAMPTON ROADS SOPA/ADMIN INSTRUCTION//
RMKS/1. LOCAL TIME AND DATE SPILL (OCCURRED/DISCOVERED):
2. (FACILITY/VESSEL) ORIGINATING SPILL: YOUR COMMAND UNLESS YOU
ARE REPORTING AS SOPA AND SPILL ORIGIN IS UNKNOWN
3. SPILL LOCATION: INSTALLATION, LOCATION/BUILDING NUMBER
4. VOLUME SPILLED IN GALLONS: XXX GALLONS
5. TYPE OF OIL SPILLED: DIESEL FUEL/ASPHALT/JP-5/ETC
6. OPERATION UNDERWAY WHEN SPILL OCCURRED/DISCOVERED:
7. SPILL CAUSE:
8. SLICK DESCRIPTION AND MOVEMENT:
9. SPILL ENVIRONMENT: LAND/SOIL/GRASSY AREA/CONCRETE/WATER/PIER
10. AREAS DAMAGED OR THREATENED: SURROUNDING WATER NEAR THE PIER
11. TELEPHONIC REPORT TO NATIONAL RESPONSE CENTER WAS/WAS NOT MADE:
BASE ECC AND NRC (REPORT #XXXXXXX IF HAVE IT)
12. SAMPLES WERE/WERE NOT TAKEN:
13. CONTAINMENT METHOD (PLANNED/USED):
14. SPILL REMOVAL METHOD (PLANNED/USED):
15. VOLUME OF OIL RECOVERED IN GALLONS:
16. PARTIES PERFORMING SPILL REMOVAL: USUALLY WILL BE NAVFAC MIDLANT
OIL RECOVERY
17. FEDERAL, STATE, OR LOCAL REGULATORY ACTIVITY DURING THIS INCIDENT:
MAY BE COAST GUARD BUT USUALLY WILL ONLY BE NAVFAC MIDLANT
ENVIRONMENTAL ON SCENE
18. ASSISTANCE REQUIRED OR ADDITIONAL COMMENTS:
19. LESSONS LEARNED:
20. COST OF RECOVERY: CAN BE GOTTEN FROM OIL RECOVERY IF THEY
PERFORMED CLEAN-UP
21. ACTIVITY CONTACT FOR ADDITIONAL INFORMATION:

**CNRMA INSTALLATION
SPILL REPORTING AND DOCUMENTATION
STANDARD OPERATING PROCEDURE**

Attachment 7 - Hazardous Substance Spill Message Template

FM NAVY ACTIVITY/SHIP RESPONSIBLE FOR, OR DISCOVERER OF RELEASE
TO COMNAVREG MIDLANT NORFOLK VA//N34/N45//
INFO: INSTALLATION/HOST ACTIVITY, (IE. NAVSTA NORFOLK VA)
OPNAV WASHINGTON DC//N45//
CNIC WASHINGTON DC//N45//
CHINFO WASHINGTON DC//JJJ//
COMNAVSEASYS COM WASHINGTON DC//00C//
NAVFAC EXWC PORT HUENEME CA//424//
NOLSC DC FT BELVOIR VA//JJJ//
NAVJAG WASHINGTON DC//11//
NAVSURFWARCENCARDIV PHILADELPHIA PA//923//
(Add NATIONAL RESPONSE CENTER (NRC) for releases into or upon the
navigable waters of the US)
COGARD NATIONAL RESPONSE CENTER WASHINGTON DC//JJJ//
COGARD MSO HAMPTON ROADS//JJJ//
NAVFAC LANT//EV//
YOUR PARENT COMMANDS AS APPROPRIATE
UNCLAS//NO5090//
MSGID/GENADMIN/ORIGINATOR//
SUBJ/OIL SPILL REPORT, X GALLONS, (ACTIVITY NAME)//
REF/A/DOC/OPNAVINST 5090.1D//
REF/B/DOC/OPNAV M-5090.1//
REF/C/DOC/COMNAVREGMIDLANT HRINST 5400.1A//
NARR/REF A IS THE 10JAN14 CHIEF OF NAVAL OPERATIONS ENVIRONMENTAL
READINESS PROGRAM INSTRUCTION. REF B IS THE NAVY ENVIRONMENTAL
READINESS PROGRAM MANUAL OPNAV M-5090.1 FROM 10JAN14. REF C IS THE
COMMANDER NAVY REGION MIDATLANTIC HAMPTON ROADS SOPA/ADMIN INSTRUCTION//
RMKS/
1. LOCAL TIME AND DATE SPILL (OCCURRED/DISCOVERED):
2. (FACILITY/VESSEL) ORIGINATING SPILL: YOUR COMMAND UNLESS YOU
ARE REPORTING AS SOPA AND SPILL ORIGIN IS UNKNOWN
3. SPILL LOCATION: INSTALLATION, LOCATION/BUILDING NUMBER OR LAT LONG
4. VOLUME SPILLED IN GALLONS: XXX GALLONS
5. HAZARDOUS SUBSTANCE RELEASED: PB-680 TYPE 1/MEKP/ ETC
6. OPERATION UNDERWAY WHEN SPILL OCCURRED/DISCOVERED:
7. SPILL CAUSE:
8. SLICK DESCRIPTION AND MOVEMENT:
9. SPILL ENVIRONMENT: LAND/SOIL/GRASSY AREA/CONCRETE/WATER/PIER
10. AREAS DAMAGED OR THREATENED: SURROUNDING WATER NEAR THE PIER
11. TELEPHONIC REPORT TO NATIONAL RESPONSE CENTER WAS/WAS NOT MADE:
BASE ECC AND NRC (REPORT #XXXXXXX IF HAVE IT)
12. SAMPLES WERE/WERE NOT TAKEN:
13. CONTAINMENT METHOD (PLANNED/USED):
14. SPILL REMOVAL METHOD (PLANNED/USED):
15. VOLUME OF SUBSTANCE RECOVERED IN GALLONS:
16. PARTIES PERFORMING SPILL REMOVAL: USUALLY WILL BE NAVFAC
ENVIRONMENTAL SERVICES
17. FEDERAL, STATE, OR LOCAL REGULATORY ACTIVITY DURING THIS INCIDENT:
MAY BE COAST GUARD BUT USUALLY WILL ONLY BE NAVFAC MIDLANT
ENVIRONMENTAL ON SCENE
18. ASSISTANCE REQUIRED OR ADDITIONAL COMMENTS:
19. LESSONS LEARNED:
20. ACTIVITY CONTACT FOR ADDITIONAL INFORMATION:

Attachment J-0200000-06-01
Norfolk Naval Shipyard (NNSY)
Installation Spill Control Plan

Norfolk Naval Shipyard (ECC) 757-396-3333 Environmental 757-396-8270
St. Juliens Creek Annex
Scott Center Annex
Southgate Annex

Spill Procedures

1. Stop the Spill Source (If safe to do so)
*If unsure of material, or un-trained, leave the area and call the ECC.
2. Contact the Installation Emergency Communications Center
3. If Safe, Prevent Spill from Reaching Waterways and/or Storm Drains
4. Prevent Unauthorized Personnel from Entering Spill Area
5. Notify Supervision

ATTACHMENT J-0200000-07
SOLID WASTE MANAGEMENT NNSY

I DEFINITIONS

- 1) Solid Waste: For purposes of the waste management program, solid waste shall be categorized as material for disposal in a landfill or incinerator (for energy recovery such as SEPSA), or as waste materials for salvage or resale, salvage for reuse, or recycling.
- 2) Recyclable Materials: Products and materials that can be recovered and remanufactured into a new product. Recyclable materials include, but are not limited to, the following:
 - a) Metals (ferrous and non-ferrous), including banding, metal studs, ductwork, piping
 - b) Asphalt
 - c) Concrete, including concrete compression test cylinders, and rubble
 - d) Land clearing and grubbing debris, dirt and soil
 - e) Gypsum board
 - f) Paper and cardboard
 - g) Wood products, including crates and pallets
 - h) Brick and masonry
 - i) Carpet and padding
 - j) Plastics
 - k) Aluminum, including beverage cans
 - l) Copper wiring
 - m) Mechanical and electrical products and equipment
- 3) Recycling Facility: A business that specializes in collecting, handling, processing, distributing, or remanufacturing waste materials such as those generated by this project, into products or materials that can be used by others.
- 4) Salvage and Reuse: Existing usable product or material that can be saved and reused in some manner on the project site. Materials that can be salvaged and reused must comply with the applicable technical specifications and include, but are not limited to, the following:
 - a) Dimensional lumber and other wood products
 - b) Metal scrap
 - c) Structural steel items
 - d) Mechanical or electrical equipment
 - e) Gypsum board
 - f) Brick and masonry
- 5) Salvage for Resale: Existing usable product or material that can be saved and removed intact (as is) from the project site to another site for resale to others without re-manufacturing.
- 6) Trash: Product or material unable to be salvaged for resale, salvaged and reused, returned, or recycled.

II SOLID WASTE MANAGEMENT

- 1) General Intent: The Contracting Officer is concerned with the polluting effect, on the local environment, associated with waste generated by this project being sent to a landfill or SEPSA incinerator. Therefore, it is the intent of the Contracting Officer, to the greatest extent practical and economically feasible, to provide for affirmative procurement requirements IAW reference 2.12, that all solid waste materials generated be salvaged for resale, salvaged and reused, or appropriately recycled, rather than transported to a landfill, and control and dispose of solid waste IAW reference 2.13.
- 2) An effective waste management program will benefit the Contractor through reduced landfill tipping fees and reduction in material usage.
- 3) Waste Management Operations: Take a pro-active, responsible role in management of waste and require all subcontractors, vendors, and suppliers to participate in the effort. Establish a management program that includes, but is not limited to:
 - a) Salvage for resale
 - b) Salvage and reuse
 - c) Recycling
 - d) Disposal

- e) Minimizing Packaging Waste
- 4) Salvage and Reuse: Salvage and reuse is a better waste management method than recycling because little or no reprocessing is necessary, thus less pollution is created when items are reused in their original form. Therefore, a diligent effort shall be made to salvage and reuse products and materials. Waste materials that cannot be salvaged and reused, and have value as being recyclable, shall be recycled. Only trash shall be transported to a landfill or SEPSA incinerator. The Contractor shall be responsible for implementation of any special programs involving rebates or similar incentives related to recycling waste for this project. Revenues or other savings obtained for recycling or returns shall accrue to the Contractor.
- 5) Solid Waste Management Plan: Perform a waste analysis to determine the types and quantity of waste anticipated and identify salvage for resale, salvage and reuse, recycling and disposal options available. Within 30 days after contract award and prior to performing work, submit a Waste Management Plan for review and approval. The Solid Waste Management Plan shall include the following:
 - a) Project waste analysis.
 - b) Landfill or incinerator name, address and phone number, tipping fee amounts, projected cost of disposing of all trash and waste materials in the landfill or incinerator as if there would be no salvage or recycling on this project.
 - c) A list of waste materials that will be salvaged for resale and salvaged and reused, and the recycling facilities that will be utilized.
 - d) Anticipated net cost savings determined by subtracting the cost of separating and recycling from the following:
 - (1) Revenue from the sale of salvaged for resale products and materials.
 - (2) Revenue from the sale of recycled products and materials.
 - (3) Landfill or incinerator tipping fees saved due to diversion of materials to recycling.
 - e) Description of the means by which waste materials, selected for recycling, will be protected from contamination and a description of the means to be employed in recycling waste materials so they will be consistent with the requirements for acceptance by the recycling facilities.
 - f) Description of the means of transportation of recyclable materials and the destination of the materials.
- 6) Transportation of Recyclable Materials: Contractor must comply with all federal, state, and local environmental regulations and laws, including, but not limited to, the following:
 - a) DOT requirements for 49 CFR 173 and 178.

III EXECUTION

- 1) Program Implementation And Monitoring: Implement and maintain, for the duration of the project, the solid waste management program. Establish a method of documenting and monitoring the program, and submit a report by the 10th of the next month for the prior month with each application for payment that includes the following:
 - a) Amount and type of material that is recycled, by weight, including the means of transportation and the destination.
 - b) Amount and type of material disposed of in a landfill or SEPSA incinerator, by weight.
 - c) Earned revenue and the savings projected from tipping fee savings.
 - d) Cost benefit to the Project and general effectiveness of the program.
- 2) Salvage And Reuse: Encourage the practice of efficient waste management when using, sizing, cutting, and installing the products and materials required for this project, and reuse as many discarded original materials as possible (that would traditionally become waste) that are within the limits of other specification requirements concerning material quality.
- 3) Separation Of Recyclable Waste Materials: Provide the necessary containers and bins, to facilitate the solid waste management program, that are clearly and appropriately marked with Contractor Name and acceptable waste. Prevent contamination of recyclable materials from non-compatible products and materials. Separate waste at the project site by one of the following methods:
 - a) Source Separated Method: Waste products and materials, that are recyclable, are separated from trash and sorted into appropriately marked separate containers and then transported to the respective recycling facility for further processing. Trash is transported to a landfill or SEPSA incinerator.
 - b) Co-Mingled Method: All waste is placed into a single container and then transported to a recycling facility where the recyclable materials are sorted and processed, and the remaining trash is transported to a landfill or SEPSA incinerator.

Other methods that are proposed by the Contractor and approved by the Contracting Office.

Attachment J-0200000-08 Exhibit Line Item Numbers (ELINs)
--

SEE EXCEL SPREADSHEET J-0200000-08

Procurement Integrated Enterprise Environment

Vendor Registration Guide



A vendor portal for solicitations was introduced as an enterprise-level service for the Department of Defense (DoD) within the Procurement Integrated Enterprise Environment (PIEE) platform. This capability allows DoD to have a more automated and secure process for capturing solicitations and their attachments and responses from industry.

There are two vendor roles (Proposal Manager, Proposal View Only) for the PIEE Solicitation Module. The Proposal Manager role is required to submit an offer to a solicitation posted in the PIEE Solicitation Module.

In this guide, you will find step by step by step instructions for new users to self-register for a PIEE user account and existing users to add additional roles. Refer to the Roles and Actions/Functions Matrix, in the help section, to assist with determining which PIEE Solicitation Module role you will need to add.

Guide Contents

Step by Step Instructions	2
<i>New User</i>	2
<i>Existing User</i>	6
Help	7
<i>Getting Started</i>	7
<i>Account Support</i>	7
<i>Technical Support</i>	7
<i>Roles and Actions/Functions Matrix</i>	7

Step by Step Instructions

New User

Follow the steps to self-register for a PIEE user account if your company already has an Account Administrator.

1. Click on **Register** (Top Right) from the PIEE Landing Page
<https://wawf.eb.mil/>

REGISTER

LOG IN

2. Select Vendor

What type of user are you?

- ☐ Government - DoD
- ☐ Government - Non-DoD
- ☐ Government Support Contractor - Supporting DoD Organization
- ☐ Government Support Contractor - Supporting Non-DoD Organization
- ☒ Vendor

Note: A security clearance is NOT required to access any of the applications in the Procurement Integrated Enterprise Environment.

Previous

Help

3. Enter a User ID, Password, and CAPTCHA text. Then, select Next.

- You cannot change your User ID once you register.

Authentication

- Error: Password must contain minimum of 13 characters.
- Error: Password must contain at least 1 capital letter.
- Error: Password must contain at least 1 lower case letter.
- Error: Password must contain at least 1 special character.

How will you be accessing the Procurement Integrated Enterprise Environment applications? *

User ID \ Password

User ID *

Password *

Password Confirmation *

CAPTCHA Image

089396

Enter in text in image above.

Next Previous Home Help

User ID Rules


- Minimum 8 Characters.
- May Contain ONLY the following special characters = ! # \$ % & ' () * + , - . : ; [\] ^ _ { | } ~
- May NOT contain spaces.
- Must not already be registered in the Procurement Integrated Enterprise Environment.

Password Rules

- Minimum 13 characters
- Must contain at least 1 capital letter
- Must contain at least 1 lower case letter
- Must contain at least 1 number
- Must contain at least 1 special character
- Entered passwords must be different from last 10 passwords used
- Cannot be changed within 24 hours
- Entered passwords cannot be the same as User ID

4. Create your security questions. Then, select Next.

- Security Answers must be unique.



Security Questions


WARNING! We suggest picking unique security questions/answers which cannot be looked up via the following means: Answers might be obtained via googling, blogs, personal websites, personality charts, online social networks (Facebook, Myspace, etc), high school websites, picture sites (Flickr, Photobucket, Shutterfly), online phone books, reverse phone look-ups, and other online resources.

Question 1 *	Answer 1 *	Answer Confirmation 1 *
What is your high school mascot?		
Question 2 *	Answer 2 *	Answer Confirmation 2 *
What are the last four digits of your driver's license number?		
Question 3 *	Answer 3 *	Answer Confirmation 3 *
What is your favorite song?		

[Next](#) [Previous](#) [Help](#)

5. Complete your User Profile. Then, select Next.

- Required fields are marked with an asterisk (*).




User Profile

First Name *	Middle Name	Last Name *	Suffix
Organization *	Job Title *	Grade/Rank	
Email *	Confirm Email *		
Commercial Telephone *	Extension	Intl Country Code and Phone *	Mobile Telephone
Citizenship *			
US			

[Next](#) [Previous](#) [Save Registration](#) [Help](#)

6. Complete your Supervisor and Company Information. Then, select Next.



Additional Profile Information

Supervisor Information

First Name	Last Name	Job Title
Email	Confirm Email	
DSN Telephone	Phone	Extension
	Intl Country Code and Phone	

Company Information

Name *	Address *
City *	Zip *
	Country *
	--- Please Select ---

[Next](#) [Previous](#) [Save Registration](#) [Help](#)

Procurement Integrated Enterprise Environment

Vendor Registration Guide



7. Complete Roles. Then, select Next.
 - A. Step 1. Select **SOL - Solicitation** from the dropdown.
 - B. Step 2. Select **Proposal Manager** (or **Proposal View Only**).
 - C. Step 3. Click **Add Roles**.
 - D. Step 4. Enter your CAGE Code in the Location Code field.

8. Enter a justification for access and upload any necessary attachments. Then, select Next.


9. Verify the information on the Registration Summary page is correct. Then, select Next.

Procurement Integrated Enterprise Environment

Vendor Registration Guide

10. Review the Statement of Accountability Agreement. Then, select Signature.

- The 'Password Confirmation' modal window will appear.
- Enter password created in [Step 3](#).
- Click Submit Registration.



The screenshot shows a web browser window titled "Agreement". The main heading is "Statement of Accountability Agreement". Below this, there is a paragraph stating: "I understand my obligation to protect my password/certificate. I assume the responsibility for the data and system I am granted access to. I will not exceed my authorized access." This is followed by a link to the "Standard Mandatory Notice & Consent Provision For All DoD Information System User Agreements 9 May 2008". Below that is a link to the "Security and Privacy Rules of Behavior (ROB) / Acceptable Use Policy (AUP) 14 Jan 2010". The main body of the agreement contains several paragraphs detailing the U.S. Government's routine interception and monitoring of communications, the use of this information for security purposes, and the user's consent to interception and monitoring. At the bottom, there is a checkbox labeled "By signing below, I accept the System User Agreement and Rules of Behavior / Acceptable Use Policy." which is currently checked. Below the checkbox, there is a "Signature Date" field showing "2020/04/22". At the bottom left, there is a "Signature" button with a checkmark icon. At the bottom right, there are two buttons: "Previous" and "Next".

11. You will see a success message that your registration was successful. You will receive a confirmation email shortly. Once your account has been activated by an Account Administrator, you can login into PIEE.

Successful Registration

You have successfully registered for the following applications. You will receive an e-mail containing your User ID:

- SOL - Solicitation

Once you have been activated by an administrator, you will receive another email notifying you of the role(s) for which you have been activated. You may log into Procurement Integrated Enterprise Environment to check the status of your request or make changes to your profile and role information. If you have any questions, please contact the Customer Support.

Existing User

Follow the steps to add additional roles (Proposal Manager, Proposal View Only) to your PIEE user account.


12. After logging into PIEE, click **My Account** (Top Left)



My Account


Help

13. Select Add Additional Roles.



The screenshot shows the 'My Account' page with three main sections: Profile, Roles, and Security. The 'Roles' section is highlighted with a red box, and the 'Add Additional Roles' link is visible within it. The 'Profile' section includes links for User, Supervisor, and Company. The 'Security' section includes links for Change Authentication Type, Change Password, and Change Security Questions.


14. Verify all profile information within your account is up-to-date. Then, select Next.



The screenshot shows the 'User Profile' form with various input fields. The 'First Name' field is highlighted. The form includes fields for First Name, Middle Name, Last Name, Suffix, Organization, Job Title, Grade/Rank, Email, Confirm Email, Commercial Telephone, Extension, Intl Country Code and Phone, Mobile Telephone, DSN Telephone, and Citizenship. Navigation buttons for Next, Previous, and Help are at the bottom.

15. Follow [Steps 7 - 10](#) above.

16. You will receive a confirmation email that the new role(s) were activated by your Account Administrator.



The screenshot shows a 'Success' message box. It states: 'You have successfully added roles for the following applications: • SOL - Solicitation'. Below this, it says: 'Your approval request, for your new roles, will now go to an administrator for approval. Once you have been approved by an administrator, you will receive an email indicating the activated role(s) for your account. If you have any questions or concerns, please contact Customer Support.' A 'Home' button is at the bottom.

Help

Getting Started

If your company is new to PIEE and has no Account Administrator, the link below provides the general steps in getting started as a vendor to use the PIEE Solicitation Module and other PIEE applications:

<https://wawf.eb.mil/xhtml/unauth/web/homepage/vendorGettingStartedHelp.xhtml>

Account Support

Your company's Account Administrator can help you view or edit profile information, reset a password or certificate. You can enter your five-character CAGE Code to find your company's Account Administrator at the link below:

<https://wawf.eb.mil/xhtml/unauth/lookup/gamLookup.xhtml>

Technical Support

If you are experiencing technical problems with PIEE and your company's Account Administrator cannot resolve, please contact the DISA DECC Ogden Electronic Business Service Desk or visit the link below and click "Ogden Help Desk" to submit a ticket.

<https://wawf.eb.mil/xhtml/unauth/web/homepage/vendorCustomerSupport.xhtml>

Email: disa.global.servicedesk.mbx.eb-ticket-requests@mail.mil

Phone: 866-618-5988, 801-605-7095

Roles and Actions/Functions Matrix

The Roles and Actions Matrix provides a depiction of the available actions for each vendor role.

Action	Role(s)
Submit Offers	▪ Proposal Manager
View Offers	▪ Proposal Manager ▪ Proposal View Only
Posts Offer Revision	▪ Proposal Manager

The Roles and Functions Matrix provides a depiction of the Menu Items available for each vendor role.

Menu Item	Role(s)
Create Unsolicited Proposal	▪ Proposal Manager
Search	▪ Proposal Manager ▪ Proposal View Only
Lookup Product/Service Codes	▪ Proposal Manager ▪ Proposal View Only
Lookup NAICS	▪ Proposal Manager ▪ Proposal View Only

ATTACHMENT J-0200000-10: CORPORATE EXPERIENCE DATA SHEET

Factor 2: Corporate Experience

This form is to be completed by the Offeror in accordance with Factor 2

Contract No. (check one) : ☐ #1 ☐ #2 ☐ #3 ☐ #4 ☐ #5

1. Contract Information for: ☐ Offeror ☐ Joint-Venture ☐ Other (Explain)

Offeror Name & UEID:

JV Partner Name & UEID (if applicable):

Address:

Point of Contact:

Contact Phone Number:

2. Work Performed as: ☐ Prime Contractor ☐ Sub Contractor ☐ Joint Venture ☐ Other
(Explain)

Percent of contract work self-performed:

If subcontractor, who was prime (Name/Phone #/UEID):

If the firm who performed the work on this contract differs from the Offeror submitting a proposal under this solicitation, identify relationship to the Offeror below:

3. Contract Number:

Delivery/Task Order Number:

Title:

Location:

Contract Customer POC Name/Email/Phone Number:

4. Type of work:

☐ Maintenance ☐ Repair ☐ Alteration ☐ Minor Construction ☐ Other (explain):

5. Type of Contract/Task Order: (Check **ALL** that apply)

☐ Firm-Fixed Price ☐ Indefinite Delivery/Indefinite Quantity ☐ BOS ☐ Delivery/Task Order ☐ Other
(explain):

6. Award Date (mm/dd/yy):

Estimated Performance End date (mm/dd/yy):

7. The Relevancy Size requirement for this solicitation is totaling at least \$500,000.00, either on one contract or collectively over multiple contractors, over the past five years.

Contract Initial Award Amount: \$ _____

Contract Final Award Amount: \$ _____

8a. Provide a detailed narrative that describes how this project meets the **Scope** requirements of this RFP: “Offeror must have provided all labor, management, supervision, tools, materials, and equipment to provide tree trimming services such as those described in the Performance Work Statement (PWS).”

8b. Provide a detailed narrative that describes how this project meets the **Complexity** requirements of this RFP: “Responsible for responding simultaneously to requirements for several customers or installations.”

Note that the description of the contract shall clearly describe the scope of work performed and the relevancy to the requirements of this RFP as it relates to Size, Scope, and Complexity as defined above, or the Government may consider the contract not relevant.

10. Provide a detailed description of what work your firm self-performed on this contract.

11. Other Relevant Information:

ATTACHMENT J-0200000-11
Past Performance Questionnaire Instructions

1. Solicitation Submittal Requirements: For projects submitted for Factor 2, Corporate Experience:
 - a. If CPARS EVALUATIONS ARE AVAILABLE, THEY SHALL BE SUBMITTED WITH THE PROPOSAL. The Offeror shall submit all CPARS evaluations available for that project, not just the most recent.
 - b. IF A CPARS EVALUATION IS NOT AVAILABLE, ensure correct phone numbers and email addresses are provided for the client point of contact. Completed PPQs should be submitted with your proposal.
1. The NAVFAC Form PPQ shall be utilized for all evaluations that require a Past Performance Questionnaire (PPQ). If the offeror is unable to obtain a completed PPQ from a client for a project(s) before proposal closing date, the offeror should complete and submit with the proposal the first page of the PPQ (Attachment D), which will provide contract and client information for the respective project(s). Offerors should follow-up with clients/references to ensure timely submittal of questionnaires. If the client requests, questionnaires may be submitted directly to the Government's point of contact, Chamel R. Adams, via email at chamel.r.adams.civ@us.navy.mil prior to proposal closing date. Offerors shall not incorporate by reference into their proposal PPQs or CPARS previously submitted for other RFPs. However, this does not preclude the Government from utilizing previously submitted PPQ information in the past performance evaluation

ATTACHMENT J-0200000-11
NAVFAC/USACE PAST PERFORMANCE QUESTIONNAIRE (Form PPQ-0)
CONTRACT INFORMATION (Contractor to complete Blocks 1-4)
1. Contractor Information Firm Name: CAGE Code: Address: Entity Identifier Number: Phone Number: Email Address: Point of Contact: _____ Contact Phone Number: _____
2. Work Performed as: ☐ Prime Contractor ☐ Sub Contractor ☐ Joint Venture ☐ Other (Explain) Percent of project work performed: If subcontractor, who was the prime (Name/Phone #):
3. Contract Information Contract Number: Delivery/Task Order Number (if applicable): Contract Type: ☐ Firm Fixed Price ☐ Cost Reimbursement ☐ Other (Please specify): Contract Title: Contract Location: Award Date (mm/dd/yy): Contract Completion Date (mm/dd/yy): Actual Completion Date (mm/dd/yy): Explain Differences: Original Contract Price (Award Amount): Final Contract Price (to include all modifications, if applicable): Explain Differences:
4. Project Description: Complexity of Work ☐ High ☐ Med ☐ Routine How is this project relevant to project of submission? (Please provide details such as similar equipment, requirements, conditions, etc.)
CLIENT INFORMATION (Client to complete Blocks 5-8)
5. Client Information Name: Title: Phone Number: Email Address:
6. Describe the client's role in the project:
7. Date Questionnaire was completed (mm/dd/yy):
8. Client's Signature:

NOTE: NAVFAC REQUESTS THAT THE CLIENT COMPLETES THIS QUESTIONNAIRE AND SUBMITS DIRECTLY BACK TO THE OFFEROR. THE OFFEROR WILL SUBMIT THE COMPLETED QUESTIONNAIRE TO NAVFAC WITH THEIR PROPOSAL, AND MAY DUPLICATE THIS QUESTIONNAIRE FOR FUTURE SUBMISSION ON NAVFAC SOLICITATIONS. CLIENTS ARE HIGHLY ENCOURAGED TO SUBMIT QUESTIONNAIRES DIRECTLY TO THE OFFEROR. HOWEVER, QUESTIONNAIRES MAY BE SUBMITTED DIRECTLY TO NAVFAC. PLEASE CONTACT THE OFFEROR FOR NAVFAC POC INFORMATION. THE GOVERNMENT RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

*ADJECTIVE RATINGS AND DEFINITIONS TO BE USED TO BEST REFLECT
YOUR EVALUATION OF THE CONTRACTOR'S PERFORMANCE*

RATING	DEFINITION	NOTE
(E) Exceptional	Performance meets contractual requirements and exceeds many to the Government/Owner's benefit. The contractual performance of the element or sub-element being assessed was accomplished with few minor problems for which corrective actions taken by the contractor was highly effective.	An Exceptional rating is appropriate when the Contractor successfully performed multiple significant events that were of benefit to the Government/Owner. A singular benefit, however, could be of such magnitude that it alone constitutes an Exceptional rating. Also, there should have been NO significant weaknesses identified.
(VG) Very Good	Performance meets contractual requirements and exceeds some to the Government's/Owner's benefit. The contractual performance of the element or sub-element being assessed was accomplished with some minor problems for which corrective actions taken by the contractor were effective.	A Very Good rating is appropriate when the Contractor successfully performed a significant event that was a benefit to the Government/Owner. There should have been no significant weaknesses identified.
(S) Satisfactory	Performance meets minimum contractual requirements. The contractual performance of the element or sub-element contains some minor problems for which corrective actions taken by the contractor appear or were satisfactory.	A Satisfactory rating is appropriate when there were only minor problems, or major problems that the contractor recovered from without impact to the contract. There should have been NO significant weaknesses identified. Per DOD policy, a fundamental principle of assigning ratings is that contractors will not be assessed a rating lower than Satisfactory solely for not performing beyond the requirements of the contract.
(M) Marginal	Performance does not meet some contractual requirements. The contractual performance of the element or sub-element being assessed reflects a serious problem for which the contractor has not yet identified corrective actions. The contractor's proposed actions appear only marginally effective or were not fully implemented.	A Marginal is appropriate when a significant event occurred that the contractor had trouble overcoming which impacted the Government/Owner.
(U) Unsatisfactory	Performance does not meet most contractual requirements and recovery is not likely in a timely manner. The contractual performance of the element or sub-element contains serious problem(s) for which the contractor's corrective actions appear or were ineffective.	An Unsatisfactory rating is appropriate when multiple significant events occurred that the contractor had trouble overcoming and which impacted the Government/Owner. A singular problem, however, could be of such serious magnitude that it alone constitutes an unsatisfactory rating.
(N) Not Applicable	No information or did not apply to your contract	Rating will be neither positive nor negative.

Contractor Information (Firm Name): _____

Client Information (Name): _____

TO BE COMPLETED BY CLIENT

**PLEASE CIRCLE THE ADJECTIVE RATING WHICH BEST REFLECTS
YOUR EVALUATION OF THE CONTRACTOR'S PERFORMANCE.**

1. QUALITY:	
a) Quality of technical data/report preparation efforts	E VG S M U N
b) Ability to meet quality standards specified for technical performance	E VG S M U N
c) Timeliness/effectiveness of contract problem resolution without extensive customer guidance	E VG S M U N
d) Adequacy/effectiveness of quality control program and adherence to contract quality assurance requirements (without adverse effect on performance)	E VG S M U N
2. SCHEDULE/TIMELINESS OF PERFORMANCE:	
a) Compliance with contract delivery/completion schedules including any significant intermediate milestones. <i>(If liquidated damages were assessed or the schedule was not met, please address below)</i>	E VG S M U N
b) Rate the contractor's use of available resources to accomplish tasks identified in the contract	E VG S M U N
3. CUSTOMER SATISFACTION:	
a) To what extent were the end users satisfied with the project?	E VG S M U N
b) Contractor was reasonable and cooperative in dealing with your staff (including the ability to successfully resolve disagreements/disputes; responsiveness to administrative reports, businesslike and communication)	E VG S M U N
c) To what extent was the contractor cooperative, businesslike, and concerned with the interests of the customer?	E VG S M U N
d) Overall customer satisfaction	E VG S M U N
4. MANAGEMENT/ PERSONNEL/LABOR	
a) Effectiveness of on-site management, including management of subcontractors, suppliers, materials, and/or labor force?	E VG S M U N
b) Ability to hire, apply, and retain a qualified workforce to this effort	E VG S M U N
c) Government Property Control	E VG S M U N
d) Knowledge/expertise demonstrated by contractor personnel	E VG S M U N
e) Utilization of Small Business concerns	E VG S M U N
f) Ability to simultaneously manage multiple projects with multiple disciplines	E VG S M U N
g) Ability to assimilate and incorporate changes in requirements and/or priority, including planning, execution and response to Government changes	E VG S M U N
h) Effectiveness of overall management (including ability to effectively lead, manage and control the program)	E VG S M U N
5. COST/FINANCIAL MANAGEMENT	

a) Ability to meet the terms and conditions within the contractually agreed price(s)?	E	VG	S	M	U	N
b) Contractor proposed innovative alternative methods/processes that reduced cost, improved maintainability or other factors that benefited the client	E	VG	S	M	U	N
c) If this is/was a government cost type contract, please rate the Contractor's timeliness and accuracy in submitting monthly invoices with appropriate back-up documentation, monthly status reports/budget variance reports, compliance with established budgets and avoidance of significant and/or unexplained variances (under runs or overruns)	E	VG	S	M	U	N
d) Is the Contractor's accounting system adequate for management and tracking of costs? <i>If no, please explain in Remarks section.</i>	Yes		No			
e) If this is/was a government contract, has/was this contract been partially or completely terminated for default or convenience or are there any pending terminations? <i>Indicate if show cause or cure notices were issued, or any default action in comment section below.</i>	Yes		No			
f) Have there been any indications that the contractor has had any financial problems? <i>If yes, please explain below.</i>	Yes		No			
6. SAFETY/SECURITY						
a) To what extent was the contractor able to maintain an environment of safety, adhere to its approved safety plan, and respond to safety issues? (Includes: following the users rules, regulations, and requirements regarding housekeeping, safety, correction of noted deficiencies, etc.)	E	VG	S	M	U	N
b) Contractor complied with all security requirements for the project and personnel security requirements.	E	VG	S	M	U	N
7. GENERAL						
a) Ability to successfully respond to emergency and/or surge situations (including notifying COR, PM or Contracting Officer in a timely manner regarding urgent contractual issues).	E	VG	S	M	U	N
b) Compliance with contractual terms/provisions (<i>explain if specific issues</i>)	E	VG	S	M	U	N
c) Would you hire or work with this firm again? (<i>If no, please explain below</i>)	Yes		No			
d) In summary, provide an overall rating for the work performed by this contractor.	E	VG	S	M	U	N

Please provide responses to the questions above (*if applicable*) and/or additional remarks. Furthermore, please provide a brief narrative addressing specific strengths, weaknesses, deficiencies, or other comments which may assist our office in evaluating performance risk (*please attach additional pages if necessary*):