

**Attachment 1
Escort Program Services
Performance Work Statement 06 Mar 26**

PERFORMANCE WORK STATEMENT

FOR

ESCORT PROGRAM SERVICES

Solicitation Number: FA520526R0005

TABLE OF CONTENTS

1.0	SCOPE	3
1.1	Background.....	3
1.2	Mission.....	3
1.3	Objective.....	3
1.4	Performance Locations.....	3
2.0	DESCRIPTION OF SERVICES.....	3
2.1	Escort Program Services (EPS).....	4
2.2	Specific Tasks.....	4
2.3	Specific Personnel Requirements.....	4
2.4	Contractor Requirements Contract.....	4
2.5	Human Resources Management.....	8
2.6	Financial Management.....	10
2.7	Duty Hours, Holidays, Base Shutdowns.....	11
2.8	Outside Continental United States (OCONUS) Working	11
2.9	Status of Forces Agreement (SOFA).....	11
3.0	EQUIPMENT.....	12
3.1	Equipment.....	12
3.2	Equipment Safety.....	12
4.0	QUALITY CONTROL.....	12
4.1	Quality Control Plan (QCP).....	12
4.2	Records of Inspection.....	13
4.3	Performance Evaluation.....	13
4.4	Deliverables.....	14
4.5	Services Summary (SS).....	17
5.0	ENVIRONMENTAL, SAFETY, HEALTH, SECURITY.....	18
5.1	Environmental Requirements	18
5.2	Safety and Health Requirements.....	19
5.3	Bioenvironmental Engineering/Hazmat Requirements.....	19
5.4	Security	20
5.5	Anti-Terrorism	23
6.0	LABOR CATEGORIES	24

APPENDICES

Escort Program Services Requirements PWS Solicitation No. FA520526R0005	
APPENDIX A	LABOR CATEGORIES AND DESCRIPTIONS 25
APPENDIX B	ACRONYMS..... 26

TABLES

Table 1	Government Legal Holidays 11
Table 2	Requirements Contract Deliverables..... 15
Table 3	Services Summary 18
Table 4	Labor Categories and Description..... 25

DRAFT

1.0 **SCOPE.**

1.1 **Background.**

The purpose of this Performance Work Statement (PWS) is to establish requirements for the Contractor to provide non-personal services supporting an Escort Program to enable secure escorted access and movement of personnel within restricted and controlled areas at Misawa Air Base (MAB), Japan, including the flightline, restricted areas, construction zones, and while performing work exterior to Sensitive Compartmented Information Facility (SCIFs) that may affect SCIF security.

1.2 **Mission.**

1.2.1 The mission of the Escort Program Services is to provide continuous escort coverage to support operational requirements and ensure all escorted personnel remain under proper supervision and control during entry, movement, and work performed within restricted/controlled areas.

1.3 Objective. The objective of this Performance Work Statement (PWS) is to ensure escorted access is performed in compliance with installation and Department of the Air Force requirements and procedures, to include strict surveillance, visitor accountability, and prevention of unauthorized access, intelligence gathering, criminal acts, sabotage, or tampering with resources.

1.4 Performance Locations. Performance under this contract shall be required outside the Continental United States (OCONUS) at Misawa Air Base, Japan.

2.0 **DESCRIPTION OF SERVICES.**

2.1 **Escort Program Services (EPS).**

2.1.1 Lead Escort will oversee all the escorts and scheduling after direction from Program Management Office (PMO) or the Contracting Officer Representative (COR). Lead escort will be responsible for tracking all escorts locations and status at all times. This member shall be able to speak on behalf of the company for matters involving execution of this PWS and respond to US Government CO, PMO, or COR requests in a timely manner – within two (2) hours of requests.

2.1.2 The Contractor shall provide all personnel, supervision, travel, logistics, expenses and other items necessary to execute Escort Program Services (EPS). This is a non-personal services contract under which the personnel rendering services are not subject, either by the contract's terms or by matter of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees.

2.1.2.1 The Contractor shall provide Cleared Escort Officials to execute escorted entry and escort duties for personnel requiring access to restricted/controlled areas including the base and flightline. Escorts must meet all requirements to receive a Restricted Area Badge (RAB) in accordance with the Base Defense Plan and DAFI 31-101.

2.1.2.2 Cleared Escort Officials shall execute their responsibilities in accordance with DAFI 31-101 and local operating instructions, ensuring the safe and secure conduct of all personnel under their supervision within restricted and controlled areas and while performing work around the exterior of the SCIFs that may affect SCIF security.

Escort Program Services Requirements PWS Solicitation No. FA520526R0005

They must always maintain constant surveillance and control of their visitors, positively identify all escorted individuals before granting access, inspect vehicles and hand-carried items, and verify all required documentation with the Entry Controller, as applicable.

2.1.2.3 Escort officials assume responsibility for the safe and secure conduct of their visitors and are required to maintain constant surveillance and control of their visitors at all times while in the restricted/controlled area and when Construction Surveillance Technician (CSTs) or Cleared American Guard (CAGs) are not involved. Escort officials must positively identify escorted individuals before allowing entry, inspect vehicles and hand-carried items, and verify completed to entry controller (as applicable).

2.2 **Specific Tasks:** The Contractor shall provide nonpersonal services of Cleared Escort Officials to successfully protect the integrity of the facilities, flightline, and other projects throughout renovations, construction, Warranty Calls, and FF&E of the facility. The purpose of Escorts is to escort personnel to the worksite from the gate and to monitor personnel in controlled/restricted areas where CSTs and CAGs are not required applicable.

2.2.1 Provide non-personal services of Flightline Cleared Escort Officials responsible for maintaining security and control of visitors within restricted areas by possessing a valid MAB RAB or being designated under the 35 FW Escort Program. They must be properly trained to detect unauthorized activities such as intelligence gathering, criminal acts, or sabotage. Training to be provided locally by US Government representatives. Escort Officials (EOs) verify visitor identities, brief them on local safety and security rules, and inspect vehicles and hand-carried items. They ensure that individuals without RABs are either escorted or listed on an Entry Access List (EAL) and may delegate escort duties to other qualified personnel when necessary. EOs must maintain constant surveillance, never leave visitors unattended, and ensure their safe departure from the area.

2.2.2 Provide lead Escort

2.3 **Specific Personnel Requirements**

2.3.1 Roles & Responsibilities of Flightline Escorts include but are not limited to:

- **Credential Requirements:** Attain and maintain a valid MAB RAB and Flightline driving privilege, for the designated area or be officially designated under the 35th Fighter Wing (35 FW) Escort Program.
 - There is a maximum of 3 attempts allowed to obtain the flightline driving privilege. Contractor shall be responsible to provide personnel able to attain and maintain this requirement.
- **Training & Competency:** Be properly trained in escort duties and demonstrate competence in identifying unauthorized activities, including intelligence gathering, criminal behavior, and sabotage.
- **Safety & Security Briefing:** Provide a thorough briefing on local safety protocols and security regulations to all escorted personnel.
- **Inspection Duties:** Conduct inspections of vehicles and hand-carried items entering restricted areas to ensure compliance with security standards.
- **Surveillance & Control:** Maintain continuous surveillance and effective control over construction workers or visitors within restricted/controlled zones.
- **Accountability:** Assume full responsibility for the safe and secure conduct of escorted individuals, ensuring adherence to all applicable rules and procedures.
- **Restricted Area Protocol:** Ensure that escorted personnel are never left unattended in restricted/controlled areas under any circumstances.
- **Escort Procedures:** Personally escort all authorized visitors or construction workers to and

from restricted/controlled area zones, maintaining control throughout the duration of their visit.

- Driving: Possess and maintain a valid US drivers license and 4EJ license. Escorts will be required to drive from access point to job sites and vice versa. Privately Owned Vehicle (POV).
- Vehicles: Contractor shall provide and maintain a minimum of one (1) per project. The number of projects needed shall be directed in each service.

GONZALEZ COLON, CRISTIAN O SSgt USAF
PACAF 35 SFS/S3OB
2026-02-20 00:57:00

Could it be 2 per project? Could need more than 2 vehicles and you will need know coverage for the multiple projects going on at the same time. Plus you will need

2.4 **Contractor Requirements Contract Management.**

2.4.1 Contract Management Capability. The Contractor shall provide a contract management capability (personnel and all other required resources) to properly manage the resulting contract. The Contractor shall:

- 2.4.1.1** Be responsible for contract performance IAW this contract PWS.
 - 2.4.1.2** Manage short notice suspenses, operational constraints, and other potential impacts to maintain schedule requirements on all projects.
 - 2.4.1.3** Provide primary point(s) of contact (POC(s)) to accomplish the managerial, contractual, financial, and administrative aspects of the requirements contract, and work with the US Government on all requirements contract issues.
 - 2.4.1.4** Respond to US Government CO, PMO, PIO, or COR requests in a timely manner – within 1 workday for contract management related inquiries.
 - 2.4.1.5** Only perform work IAW the PWS or CO direction. The Contractor shall not perform work unless it is specified in the PWS unless otherwise directed by the CO or captured in a modification signed by all applicable parties.
 - 2.4.1.6** Notify the CO of direction received from Government personnel that the Contractor considers outside the scope of PWS requirements prior to performing the work.
 - 2.4.1.7** Notify the CO of any known details regarding current or prior performance by another Government agency or Contractor for the same work required in the execution of any task in the resulting contract.
 - 2.4.1.8** Assume total performance responsibility for work performed and supplies/services delivered under the resulting contract. The Contractor shall actively manage all subcontractors, teaming partners, and all non-prime contractor entities and personnel providing support for performance of the resulting contract. Actions may include analysis, critique and assessment of the adequacy, timeliness and cost effectiveness of all work to be performed. The Government will hold the Contractor responsible for all actions taken or not taken to ensure successful contract performance.
 - 2.4.1.9** Develop, populate, address, update and deliver all required deliverables in the timelines specified in this PWS.
- 2.4.2 Inherently Governmental Functions / Decision Making.** The Contractor and all Contractor personnel shall not perform inherently Governmental functions, as described in Federal Acquisition Regulation (FAR) Subpart 7.5. The Contractor as an entity and individual Contractor personnel are not authorized to make decisions on behalf of the US Government. The Contractor shall make recommendations to US Government personnel for the US Government's decision-making purposes.

2.4.3 **Communication.**

- 2.4.3.1** The Contractor shall communicate within the Contractor's overall organization (to include any teaming partners, subcontractors, hired foreign nationals, or in country support to ensure successful contract performance), such that appropriate Contractor personnel are aware of contract actions, activities, and performance and that the US Government receives a consistent, transparent and timely message regarding contract performance.
- 2.4.3.2** US Government, not Contractor, personnel will keep Government leadership informed of performance status. This is particularly important for OCONUS performance where Contractors often work in the same location(s) as Government personnel. Onsite contractors may be asked to accompany US Government personnel to meetings to provide firsthand knowledge.
- 2.4.3.3** Contractor personnel shall communicate professionally and only with respect to business concerns with non-acquisition personnel. All pertinent information shall be provided to the CO, PMO and/or COR(s), as applicable, to affect appropriate contract action and address in-country issues. Only the CO, PMO, COR(s), or officially designated representative, will report contract performance status within applicable Government management chains.
- 2.4.3.4** The Contractor shall monitor and report all situations that could cause delays in performance or unsuccessful contract performance within 24 hours of discovery. The Contractor shall provide an initial electronic mail (e-mail) notification to the PMO/COR(s) describing the situation and planned course of action, to include timeline for delivery of the detailed course of action, to include a realistically achievable solution in a timely manner that minimizes risk to successful contract performance. A reasonable timeline for delivery of the detailed course of action will be addressed on a case-by-case basis.

2.4.4 Documentation.

- 2.4.4.1** Delivery will be required only in electronic media form. Electronic documentation developed under this contract shall be delivered in editable and searchable versions of Portable Document Format (PDF) using Adobe Acrobat 9.0 or Microsoft Office 365, or (or the latest Government versions), unless otherwise specified by the CO. The Contractor shall submit all electronic documentation without embedding or using security rules (locking spreadsheet cells, or implementing password protection or document security restrictions). All such deliveries shall be virus free and unlocked.
- 2.4.4.2** The US Government will specify standard naming conventions for submissions, as deemed appropriate.
- 2.4.4.3** The CO/COR/PMO shall specify documentation delivery / media type and format, as well as the quantity of copies and recipients of the work products required for delivery for each project.
- 2.4.4.4** Administrative Records: The Contractor shall maintain administrative records containing at a minimum the training and certifications of all employees furnished under this contract, time and attendance records, and final security clearance findings. The COR(s) and CO will be authorized to review all certifications, time and attendance records, and security clearance information, as required.
- 2.4.4.5** Monthly Activity Report: The Lead Escort shall provide a monthly activity report to the COR(s) by the 3rd day of the following month. The report shall be in Microsoft Office and sent via email. The report will include at a minimum: names of personnel assigned to the site; the number of hours spent on each project, the number of personnel hired, resigned, or terminated; security problems encountered with resolution(s); and a general summary of personnel-related issues.
- 2.4.4.6** Personnel Roster: The Contractor shall provide the COR(s) and CO a roster of all EOs to include name, date, and place of birth, passport number, and level of clearance. The personnel roster is due no later

than twenty-one (21) business days before start of a project. When personnel are employed or terminated, an updated roster must be provided to the COR(s) and CO within five (5) business days.

2.4.4.7 All documentation must be turned in to the COR(s) in digital format upon completion of this project and/or as requested by the US Government throughout the project. The Contractor will provide the means to accomplish digital documentation through the supply of digital note taking devices that are also capable of taking accompanying photos of documented activities. Examples of such devices are tablets, or similar devices. The Contractor will also provide a computer system capable of compiling all documentation from the digital devices for turn over to the US Government. All documentation shall be in a searchable format to allow the US Government to search for specific records. Handwritten documentation will NOT be accepted and it is the responsibility of the Contractor to develop a digital documentation process. All documentation shall be written in English.

2.4.4.8 Data Rights: The US Government has unlimited rights to all documents/material produced under this contract. All documents and material produced under this contract shall be US Government owned and are the property of the US Government with all rights and privileges of ownership/copyright belonging exclusively to the US Government. These documents and materials may not be used or sold by the Contractor without written permission from the CO. All materials supplied to the US Government shall be the sole property of the US Government and may not be used for any other purpose. This right does not abrogate any other Government rights. The contractor shall not retain any documents produced under this contract for personal use upon completion.

2.4.5 Controlled Unclassified Information (CUI) and Personal Identifiable Information (PII): The EPS Contractor shall provide the US Government with any hardware, software or documents that contain or contained CUI/PII, to include but not limited to, electronic data storage devices, Identification Badges, Logbooks, etc. and will become the property of the US Government at the completion of the contract. These materials are required to be under the supervision of the Lead Escort at all times. At no time will the Contractor remove anything that contains or contained CUI/PII from the Secure Construction Site (SCS) without the proper authorization of the COR or CO. The Contractor shall maintain all applicable NIST SP 800 series registration and compliance throughout the duration of the contract.

2.4.6 Performance Reviews.

2.4.6.1 Program Management Reviews (PMR). The Contractor shall attend scheduled PMRs, as notified by the US Government. The CO, PM, and other Government personnel, as appropriate, will meet periodically with the Contractor to review performance. PMRs will be held at least annually via teleconference, as appropriate. The US Government reserves the right to conduct PMRs semi-annually. When possible/appropriate, the US Government will attempt to conduct PMRs via teleconference to mitigate travel costs. PMRs will cover status and feedback on performance measures, Contractor performance, and any significant events. PMRs are intended to serve as an opportunity for open and frank discussions on the current status of the contract. The US Government will provide advance copies of PMR agendas, seeking Contractor input/discussion items, and will provide meeting minutes for Contractor review and approval prior to making them official. The Contractor shall provide slide inputs in the format and timeline directed by the US Government and shall provide written notice to the specified PMR point of contact identifying any areas of nonoccurrence or points of discussion.

2.4.6.2 Other Performance Reviews. In addition to PMRs, the US Government may meet with the Contractor, at US Government or Contractor request, to discuss any specific issues. The purpose of these meetings is to foster proactive continuous improvement and transparency between the US Government and Contractor by analyzing past performance problems as well as exceptional performance levels. These meetings may cover compliance; performance improvement; quality strategic planning; teamwork; training opportunities; explore and/or implement industry best practices, quality tools and methods; and/or review the Contractor's Quality Management System (QMS) efforts and/or the US Government's Quality

Escort Program Services Requirements PWS Solicitation No. FA520526R0005

Assurance function. Additionally, the contractor shall participate in recurring meetings with the GC, project progress updates and specific US Government requested meetings.

2.5 Human Resources Management.

2.5.1 Personnel Qualifications. The Contract shall attract, hire, train and retain qualified personnel, for the requirements contract, for requirements contract performance, that:

- 2.5.1.1** Meet or exceed stated Knowledge, Skills, and Abilities (KSA) qualification requirements or other minimum qualifications specified for required work at all levels of performance as defined in the contract and this PWS;
- 2.5.1.2** Meet or exceed KSAs and/or qualifications stated in a proposal when considered as an evaluation factor relevant to an award decision;
- 2.5.1.3** Meet or exceed PWS qualifications specified in the PWS. Labor Categories are included in PWS Appendix A.
- 2.5.1.4** Capable of working independently toward successful contract performance without US Government involvement or direction.
- 2.5.1.5** Competently, legibly, clearly, and articulately communicate in the languages appropriate for successful contract performance. Correspondence related to the contract performance is largely conducted via telephone and e-mail; therefore, proper communication in terms of content and comprehension are critical to performance success.
- 2.5.1.6** Further requirements for personnel qualifications are set forth in Appendix A.

2.5.2 Personnel Training.

- 2.5.2.1** All Government-provided training will be approved and scheduled through the applicable Government representative in advance. However, the Government may provide training to Contractor personnel only if the contract requires it. Training to include but not limited to: Security Education and Motivation/Escort Official Training, flightline drivers license training, Anti-Terrorism and Force Protection training. No Government-provided Contractor training is authorized without CO coordination and approval.
- 2.5.2.2** Anti-Terrorism (AT) Level I Training: All employees under this contract must complete Level I AT training located at <https://jkodirect.jten.mil/pdf/at1/launch.html> within fifteen (15) days after contract start date and submit certificate of completion to the CO and COR(s) within ten (10) days after completion of training. The Contractor shall submit certificates of completion for each new employee and subcontractor employee to the CO & COR(s) within ten (10) days after completion of this training. All new employees hired by the Contractor to perform under this contract *after* the commencement of the period of performance, must complete Level I AT training. Contractor personnel must complete refresher training every twelve (12) months.
 - 2.5.2.3.1** If training cannot be conducted on the website, the Contractor shall coordinate with the CO and COR(s) who will contact the local AT Officer at Misawa AB for classroom training. Contractor personnel completing training in the classroom will receive a certificate, or the training attendance roster, signed by the AT Officer. Verification of the training shall be provided to the COR(s) within ten (10) days after completion of this training.
- 2.5.2.4** OPSEC Training: Contractor employees, including subcontractors shall complete Level I OPSEC

training within fifteen (15) business days of employment under this contract. OPSEC Level I training is available at <https://securityawareness.usalearning.gov/opsec/story.html>. Contractor personnel must complete refresher training every twelve (12) months. If training cannot be conducted on the website, the Contractor shall coordinate with the COR(s) who will contact the OPSEC Signature Manager at Misawa AB for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the OPSEC Signature Manager. Verification of the training shall be provided to the Co and COR(s) within ten (10) days after completion of this training.

- 2.5.3 Theater and Country Clearance Requirements:** The Contractor shall ensure all US Citizens performing services under this contract comply with the training and Theater Country Clearance requirements listed in the US Government Foreign Clearance Guide for the country in which they will be employed if applicable. The requirements can be found at <https://www.fcg.pentagon.mil/fcg.cfm>. Verification of the training will be made available to the CO or COR(s) upon request.
- 2.5.4 Rapid Response.** The Contractor shall possess the capability and experience to rapidly increase existing workforce to meet large requirements with very short timelines.
- 2.5.5 Personnel Turnover.** The Contractor shall maintain minimal personnel turnover throughout the life of the contract to ensure continuation of services during personnel absences due to sickness, leave, and voluntary or involuntary termination from employment such that impact to the Government is minimal.
- 2.5.6 Key Personnel.** The Contractor shall identify and maintain any key personnel deemed critical to managing the overall performance of the requirements contract. Any positions proposed as key as part of the requirements proposal will be considered binding key positions for the life of the contract. Changes to key personnel shall be submitted to the CO for coordination prior to implementation of change. The Contractor shall provide a detailed description of the change, to include criteria demonstrating appropriate expertise and credentials to properly manage the entire requirement.
- 2.5.6.1 US Government-Identified Key Personnel.** The CO/COR/PMO will provide a list of US Government identified key personnel for each project.
- 2.5.6.2 Contractor-Identified Key Personnel.** The Contractor may propose key personnel at the project level.
- 2.5.6.3 Key Personnel Retention.** The Contractor shall make every reasonable effort to retain key personnel in order to ensure continuity of services in key personnel positions.
- 2.5.6.4 Key Personnel Turnover.** Key personnel are subject to specific turnover requirements. If it should become necessary to substitute or replace key personnel, the Contractor shall notify the CO and the applicable COR(s), via e-mail, of any intent to substitute or replace key personnel within 24 hours of discovery that a vacancy will occur. This e-mail notification shall include the date and time the position will be vacant, anticipated replacement date, and what management corrective action will be taken to ensure mission completion. The Contractor shall ensure that replacements/substitutions meet the minimum qualifications as proposed for the affected position.
- 2.5.6.5 Key Personnel Replacement/Substitution.** Contractor shall make all effort to ensure no position is vacant at any time. Position vacancies shall not exceed 30 calendar days from start of vacancy to request for CO acceptance of replacement, unless otherwise approved in writing or directed in advance by the CO. The Contractor shall provide a detailed description of the change, to include the title and criteria for the position(s) and demonstrate the appropriate expertise and credentials to properly meet the requirements and qualifications of the subject position. The Contractor shall also submit, no later than (NLT) 14 days after start of vacancy, a Country Clearance Request (CCR) to the US Government IAW applicable Foreign Clearance Guidance if applicable, unless otherwise approved in writing or directed in advance by

the CO. The CCR shall include a detailed itinerary / plan for completion of required training, processing, clearances, travel, date of arrival in country and date of performance start. The US Government may also request coordination of qualification summaries on proposed personnel replacing or substituting for non-key positions. This paragraph shall also apply when the Contractor provides any personnel for work who were not part of or who replace any personnel submitted and evaluated as part of the contract proposal. These replacements/substitutions/additions shall comply with Personnel Qualifications, Personnel Training, and Key Personnel Turnover paragraphs above.

2.5.7 Removal of Personnel at Government Request. Contractor personnel do not work for the Government. However, in rare cases, the US Government, at the direction of the CO, may request or direct removal (permanent or temporary) of Contractor personnel from performance on the contract for security, safety, environmental or health reasons, upon discovery of fraudulent qualification documentation, or when Contractor personnel behave in an unprofessional manner, which may include but not limited to threats of violence, use of profanity, sexual harassment/misconduct, and participation in discriminatory practices, that would be considered unacceptable by a reasonable person. As is the case for all personnel turnover, the Contractor shall ensure continuation of services such that impact to the US Government is minimal. Additionally, the Contractor shall ensure replacement personnel are qualified per the Personnel Qualifications and Personnel Training paragraphs above.

2.5.8 Contractor Identification. Each Contractor employee shall, while on duty, wear in plain view on the upper portion of one's outer garment at all times identification badge such as their RAB (except in locations where such display would threaten the safety and security of the Contractor employee). Additionally, Contractor employees shall clearly identify themselves as "Contractor" at all times, in all communications and representations, including in the workplace, at meetings, in conversations, telecommunications, mail, e-mail, and faxes, whether with Government personnel, other Contractor personnel, or with the public.

2.6 Financial Management.

2.6.1 Billing / Invoicing.

2.6.1.1 Unless otherwise specified, the Contractor shall bill for services performed under this contract on a monthly basis by submitting a combination invoice/receiving (combo) or 2in1 Services report in Procurement Integrated Enterprise Environment (PIEE) - Wide Area Workflow (WAWF) in US dollars, unless otherwise approved by the CO, IAW Section G of the requirements contract. Any variations from the monthly requirement must be approved, in writing, by the CO.

2.7 Duty Hours, Holidays, Base Shut Downs.

2.7.1 Duty Hours. The normal working hours of the Construction Site workers are Monday to Friday 0700 to 1800 . Working hours will depend on the construction contractor's schedule. There may be times when the Construction Site workers will be required to work outside the normal hours to include weekends, evening, overnight emergency operations and holidays, in this case the Contractor will be given twenty-four (24) hours' notice normal to allow for scheduling of personnel. In these events the US Government will specify required start and end times in each escort schedule request. The Contractor must always maintain an adequate workforce for the uninterrupted coverage and performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons.

2.7.2 Recognized Holidays. The following US holidays apply to OCONUS performance:

Table 1 – Government Legal Holidays

Holidays	Dates
New Year's Day	1 January (or substitute)

Escort Program Services Requirements PWS Solicitation No. FA520526R0005

Martin Luther King, Jr. Birthday	Third Monday in January
President's Day	Third Monday in February
Memorial Day	Last Monday in May
Juneteenth	19 June
Independence Day	4 July
Labor Day	First Monday in September
Columbus Day	Second Monday in October
Veteran's Day	11 November
Thanksgiving Day	Fourth Thursday in November
Christmas Day	25 December

Although it is intended for the contractor to work during Japanese holidays, there may be impacts to construction work or logistics.

2.7.3 Base Shutdowns. In events such as a base / performance location shutdown due to severe weather or security issues, IAW FAR Clause 52.249-14, Excusable Delays, in Section I of the contract, the Contractor shall coordinate with the CO for contracting related resolution. Contractor shall coordinate with COR and PMO for any schedule resolution.

2.8 OCONUS Working. The Contractor and Contractor personnel shall be required to comply with all country entry requirements, including but not limited to, work visas and authorized to work in Japan at the start of the contract. The Contractor shall notify the CO and COR(s) immediately if there any problems meeting personnel requirements due to the inability of extended delay obtaining or extending a visa. Any associated costs with visas and any other country entry requirements should be incorporated into the price of the contract. The Contractor is responsible for ensuring they are able to legally operate in Japan.

2.9 Status of Forces Agreement (SOFA). SOFA is applicable to this requirement for US citizens.

Individual logistical support is provided under this contract in accordance with FAR 25.802, Defense Federal Acquisition Regulation Supplement (DFARS) 225.802, DFARS 252.225- 7976 and the policies and procedures of DoD 4525.6-M and US Air Force Instruction (AFI) 36-3026. Policies and procedures are subject to change. Examples of support are: DoD Directives Division (DD) Form 1173 – Uniformed Services Identification and Privilege Card; Commissary (including rationed items); US Army and Air Force Exchange Service (AAFES) Facilities (Post/Base Exchange) (including rationed items); Armed Forces Recreation Facilities; Local Morale/Welfare Recreation Services; Military Banking Facilities; Military Postal Service (APO/FPO); Officer or NCO/EM Clubs; Privately-Owned Vehicle (POV) license; purchase of Petroleum, Oil and Lubricants (POL); Transient Billets or Visiting Officers Quarters (VOQ) on space-available and reimbursable basis when travel is performed on Official US Government Orders; Billeting in deployed areas is on a space-required basis (non-reimbursable); Messing Facilities at deployed sites only; Department of Defense Dependent Schools on a space available and tuition paying basis; Medical services on a reimbursable space available basis; and Dental care only for emergency conditions and on a space available and reimbursable basis. All and any logistical support will be granted on each individual contractor's letter of Authorization (LOA) granted in Synchronized Redeployment and operational Tracker – Enterprise Suite (SPOT-ES). The contractor is required to attain and maintain contractor access to the system to process LOAs. SPOT-ES can be access via: <https://spot.dmdc.mil>.

3.0 EQUIPMENT.

3.1 Mobilization: The Contractor shall provide a list of proposed equipment to provide the required capabilities at time of proposal submission. The mobilization will consist of providing the equipment and costs associated with getting both personnel and equipment in place after contract award. The Contractor

shall provide for mobilization for each project under this contract. The required capabilities are as follows:

3.1.1 The Contractor shall provide all PPE as needed for use in an active construction area IAW Occupation Safety Health Association (OSHA) and or Japanese equivalent and the General Contractor requirements (e.g. hard hats, reflective vest, etc.) The Contractor shall be required to furnish all management, supervision, labor, transportation, supporting facilities, equipment, supplies, and materials necessary to comply with requirements under the resulting contract of this PWS. Escorts are anticipated to actively be on construction sites and will require appropriate PPE.

3.2 Equipment Safety: The Contractor shall ensure that all equipment meets limits set by international standards for human safety, as well as be safe for heart pacemakers, pregnant women, and magnetic recording materials. The Contractor shall ensure that contractor personnel are trained and certified to use all equipment.

4.0 QUALITY CONTROL.

4.1 Quality Control Plan (QCP).

4.1.1 The Contractor shall develop, submit, and maintain a QCP to ensure services are performed IAW the standard defined in the Service Summary (SS) listed in paragraph 4.5.3. A detailed QCP shall be submitted to the CO submitted at time of proposal submittal. Changes made after award must be approved by the CO. Contractor shall provide amended copy to the COR(s) and CO within 15 business days. The QCP is developed by the Contractor for its internal uses to identify and prevent defective services from recurring. However, the US Government reserves the right to perform additional inspections as necessary, utilizing the US Government's Quality Assurance Surveillance Plan (QASP). The QCP shall include at minimum: key control procedures, processes for identifying and preventing defective services from recurring, procedures for badge turn-in of former employees, the procedures for employees to report to their employer or Government, any potential incidents which may affect their security clearance, the processes for documenting security violations, reports and logs, and the procedures for securing all PII.

4.2 Performance Evaluation. Contractor performance is subject to US Government COR(s) surveillance to ensure PWS compliance. The US Government COR(s) will utilize the QASP to evaluate Contractor performance and ensure PWS compliance. The Contractor shall comply with the following:

4.2.1 Access. The Contractor shall permit the CO or COR(s) access to all work areas, records, and data used in the performance of contracted services. The Contractor shall provide support, and not interfere with the CO, COR(s), and other designated personnel in the performance of their official duties. Access shall be provided as soon as possible, but not to exceed one (1) workday after the request. The Contractor shall notify the US Government immediately when outside agencies request access.

4.2.2 Nonconformance. A failure to fulfill any contract or performance requirement is a "nonconformance." The Contractor shall take immediate corrective action for all nonconformance's identified during US Government surveillance and internal inspections, with focus on eliminating the cause to prevent reoccurrence. When identified by the Government, nonconformance's are assessed for risk then categorized and communicated as follows:

4.2.2.1 Major Nonconformance. A major nonconformance means a nonconformance, other than critical, that is likely to result in failure of the supplies or services, or to materially reduce the usability of the supplies or services for their intended purpose. The CO will communicate major nonconformance to the Contractor on a Corrective Action Request (CAR) form with a suspense date for the Contractor's Corrective Action Plan.

4.2.2.2 Minor Nonconformance. Means a nonconformance that is not likely to materially reduce the usability of the supplies or services for their intended purpose or is a departure from established standards having little bearing on the effective use or operation of the supplies or services. This category of nonconformance is evaluated as Low in a standard 5x5 Risk Assessment matrix. Minor conformances are communicated to the Contractor through notices. First Notices are issued for any identified nonconformance; Second Notices are issued for repeat minor nonconformances or for failing to correct issues within a reasonable amount of time. Notices will typically be sent via e-mail with a requested suspense date for the Contractor's Corrective Action Plan.

4.2.2.3 Corrective Action Plan. The Contractor shall provide a Corrective Action Plan in response to all First or Second Notices and CARs. As a minimum, the Contractor's Corrective Action Plan will address:

- Action taken to fix the immediate problem (correction).
- Root cause analysis of the problem to determine cause.
- Corrective action on the cause of the problem (how performance will be returned to acceptable levels (how to get back on schedule / within cost / appropriate quality level of performance)).
- Actions taken to prevent recurrence to include a follow-up plan (how and when).
- Actions required by the Contractor's Quality Manual.
- All supporting evidence for actions taken, such as updated manuals, instructions, procedures, etc. Include supporting evidence in response to maintain a single point document unless size is restrictive, requires a document to be embedded, or security policies prevent inclusion. In these cases, send the documents separately or provide location.

4.2.2.4 Initial Performance Status. The Contractor shall report contract performance status per PWS Table 2 and paragraph 4.4.4.5.

4.3 Deliverables.

4.4.1 The Contractor shall provide deliverables as specified the contract.

4.4.2 If a deliverable due date falls on a weekend or holiday, the Contractor shall submit the deliverable on the last workday prior to the due date.

4.4.3 The Contractor shall develop and provide thorough and detailed deliverables that are editable and searchable IAW PWS paragraph 2.4.4.1 and subparagraphs.

4.4.4 The contract deliverable requirements are as follows:

Table 2 – Requirements Contract Deliverables

Deliverable	Details
Management/Staffing Plan	Reference: Contract RFP; PWS paragraphs 4.4.4.1 Due Date: All items / plans shall be submitted as part of the Contract Proposal and will be incorporated into the contract. Delivery: All documents shall be delivered IAW the specified PWS paragraphs and IAW the criteria established in the contract RFP. Updates: The Contractor shall provide any changes or updates to the US Government CO, PMO and COR(s) prior to Contractor implementation.
Quality Control Plan Outline	Reference: Contract RFP; PWS paragraphs 4.1. Due Date: QCP shall be submitted as part of the Contract Proposal and will be incorporated into the contract. Delivery: All documents shall be delivered IAW the specified PWS paragraphs and IAW the criteria established in the contract RFP. Updates: The Contractor shall provide any changes or updates to the US Government CO, PMO and COR(s) prior to Contractor implementation.
Contractor-Identified Concerns/Issues	Reference: PWS paragraph 4.4.4.3. Due Date / Delivery: • Verbal and electronic notification identifying the nature of the issue to the COR(s) and PMO within three (3) calendar days of identification. • Written recommendations and corrective actions required to meet milestones / timeline within eight (8) calendar days of identification to the COR and PMO, unless otherwise approved in writing by the COR(s). • Concerns/Issues involving Government-provided items will be appropriately documented for the record by the PMO, COR(s), and/or CO.

4.4.4.1 Management / Staffing Plan. The Contractor shall provide a Management / Staffing Plan that defines the Contractor’s approach to planning and controlling the contract and execution of its multiple projects. The Management / Staffing Plan shall include the following:

- Management structure for contract oversight, to include all subcontractors, teaming partners, etc.
- Listing of all personnel involved in contract execution, to include name, title, phone number and e-mail contact information
- Description of personnel responsibilities and organizational alignment
- Description of lines of communication
- Estimated time (hours) dedicated to contract management per position
- Events and milestones (planned and executed) which are critical to execution of the contract.
- Hiring plan for attacking, attaining and maintaining employees.
- On-ramping plan for new employees
- Employee retention approach
- Employee replacement approach
- Approach to leverage personnel local to Misawa / Spouses if applicable
- Integration of Quality, Security and other functions key to contract oversight of performance
 - Name and contact information of person responsible for each function
 - Standard operating procedures for each function (reference other documents, as necessary, such as Quality Manual)

The Contractor shall submit the Management / Staffing Plan as part of the contract proposal, for incorporation into the resulting contract. The Contractor shall provide any changes or updates to the

CO, PM, and COR(s) prior to Contractor implementation.

4.4.4.2 Quality Control Plan. The Contractor shall provide an outline of its Quality Control Plan, describing its Quality Control process / Quality Management System, as part of the contract proposal. The Contractor shall deliver the complete Quality Control Plan to the US Government, as specified below and in PWS paragraph 4.1, NLT 30 calendar days after the requirements contract award date. The US Government will conduct an electronic review of the Quality Control Plan. The Contractor shall provide updated versions to the COR(s) prior to Contractor implementation. At a minimum, the Contractor's Quality Control Plan shall contain documented processes and procedures to monitor and control:

- Objectives in Services Summary (See Table 3 – Services Summary)
- Personnel involved in Contractor Quality activities (by name and title)
- Contract risks
- Internal quality control processes, frequency applied, and documents generated
- Review process for each contract deliverable to ensure US Government acceptance and validation (to include invoices)
- Subcontractor performance: how oversight will be conducted to ensure all subcontractor inputs or contributions (supplies, services, invoices, supporting documentation, deliverables, etc.) meet or exceed PWS requirements
- Proficiency of personnel
- Availability of required test and inspection resources necessary to ensure that nonconforming products or services can be identified and corrected in a timely manner
- All procured supplies and services conform to contract requirements
- Quality and timeliness of all subcontractor supplies and services
- Maintenance of records of all tests and inspections to demonstrate that the quality approach satisfied contract requirements
- Latest revision of drawings, specifications, work instructions, inspection/test instructions and other documents required to satisfy the contract requirements
- Nonconformance's (see PWS paragraph 4.3.2 and subparagraphs)
- Response to and handling of Government and Contractor identified nonconformance's
- Corrective action tracking

The Contractor shall evaluate the need to update the Quality Control Plan as projects are started, as risk is updated, or other changes occur. The Contractor shall submit updates to the Quality Manual to the COR(s) for review and acceptance prior to Contractor implementation.

4.4.4.3 Contractor-identified Concerns/Issues. Meeting the contract performance schedule is critical to the success of contract requirements. Therefore, the Contractor shall notify the US Government in writing of any issue that impacts the Contractor's ability to meet established milestones or timelines. These notifications shall include any instance in which the Contractor believes that the US Government has not provided requested or promised information, materials, equipment, etc. in a reasonable amount of time or if the item provided does not meet the promised standards for continued successful performance. This notification shall consist of both verbal and electronic notification to the COR(s)/PMO initially identifying the nature of the issue within three (3) calendar days of identification and prior to the concern/issue having any impact on cost/schedule/performance or specified delivery/milestone date. In these instances, the Contractor shall then provide written recommendations and corrective actions required to meet milestones / timelines within five (5) calendar days of identification, unless otherwise approved in writing by the COR(s). Concerns/Issues involving Government-provided items will be appropriately documented for the record by the PM, COR(s) and/or CO. NOTE: All concerns with the PWS or scope of responsibility shall be addressed by the contractor prior to contract award.

4.4.4.4 Initial Performance Report. The Contractor shall report contract status to the PMO and COR(s) NLT 30 days after full contract performance starts. The report shall include an assessment of schedule, management, technical, and performance. The Contractor shall provide a Corrective Action Plan for

any negative variations in schedule, staffing, and performance, and provide root causes. The Contractor shall also specifically address any negative variances between proposed and delivered capabilities.

4.5 Services Summary (SS). This SS implements (AFI 63-138, Acquisition of Services, and identifies critical success factors for the contract. The SS items are listed in Table 3 below.

4.5.1 Purpose. The SS lists performance objectives for the required services that the US Government will surveil. The US Government reserves the right to surveil all services and requirements called for in this PWS IAW FAR Subpart 52.246 to determine whether performance objectives and goals were met. The absence of any contract requirement from the SS shall not detract from its enforceability or limit the rights or remedies of the US Government under any other provision of the contract including the clauses entitled “Inspection of Services” or “Inspection” or “Default” in Section E and Section I of the contract.

4.5.2 Components. The SS states the performance objective (required service), and threshold (performance standard, accept and reject points (if applicable)) in either a qualitative or quantitative fashion for each critical success factor.

4.5.3 Quality Assurance Surveillance Plan (QASP). The SS will be used as the baseline to develop the US Government QASP. The QASP will identify the audit methods and procedures the US Government will use to evaluate Contractor performance.

Table 3 – Services Summary

Performance Objectives/Statements	PWS Para. Reference	Performance Thresholds/Acceptable Quality Levels (AQLs)
Contractor shall develop and maintain a QCP to ensure services are performed at or above the standard defined in the SS.	4.1	QCP shall be submitted at time of proposal submittal. If any changes are made after award, a copy is provided to the COR(s) and CO within 15 days for approval. AQL: QCP submission – 100% compliance. AQL: Changes – No more than three (3) infractions per year
Contractor personnel shall have a valid and in-scope personnel a Tier-1 investigation (NACI) s as	5.4	AQL: Clearance maintained 100% of the time.
Contractor employees shall wear badges to identify themselves as contractor personnel.	2.5.8	Contractor Personnel badges shall be visible and worn when on site. AQL: No more than three (3) infractions per year.
Contractor personnel shall undertake required training as needed and submit training records within the specified time.	2.5.2	Contractor shall submit training certificates to the COR(s) for all personnel within specified time. AQL: No more than three (3) infractions per year.
Contractor shall provide needed equipment to include employee PPE.	3.0	Equipment shall be in good working order. AQL: No more than two (2) instances per year.
Contractor shall provide trained and experienced personnel.	2.3 2.5.2.1	Contractor shall provide enough trained and qualified personnel. AQL: Provided 100% of the time.
The Contractor shall provide the US Government with any hardware, software or documents that contain or contained CUI or PII, to include but not limited to, electronic data storage devices, Identification Badges, Logbooks, etc.	2.4.5	Contractor shall provide all CUI/PII to the US Government and AO within timelines stated and at contract completion. AQL: Provided 100% of the time.

5.0 ENVIRONMENTAL, SAFETY, HEALTH, SECURITY

5.1 Environmental Requirements. The Contractor shall comply with all applicable federal, state and local environmental statutes, instructions, manuals, handbooks, regulations, guidance, policy letters and rules (including all changes and amendments), and all Presidential Executive Orders in effect on the date of issuance of the contract. The Contractor shall comply with the highest degree of environmental protection where any disagreements exist. For OCONUS work, the Contractor shall also comply with all applicable

host nation statutes and agreements. In addition, the Contractor shall comply with the following publications: the DoD Overseas Environmental Baseline Guidance Document (OEBGD) or the Final Governing Standards (FGS), if adopted for a particular location.

5.2 Safety and Health Requirements. The Contractor shall comply with all applicable OSHA, Air Force Occupational Safety and Health (AFOSH), and applicable Japanese standards, technical orders, regulations and referenced publications both within and outside of the US. The Contractor shall comply with the highest degree of safety protection where any disagreements exist. The General Contractor is the owner of the safety program within the construction site. The IMPS contractor must adhere to the General contractor's safety requirements within the General Contractor's area of responsibility, to include mandatory site inductions, PPE, training/certifications, etc.

5.3 Bioenvironmental Engineering/Hazmat Requirements.

- 5.3.1** Environmental, Health, And Safety. The Contractor shall ensure all employees receive the necessary environmental, health, and safety training to ensure compliance with all OSHA, federal and local host nation laws. The Contractor shall protect the health and safety of employees and the community, minimizing the risk of environmental pollution.
- 5.3.2** Pollution Prevention. "Pollution Prevention" and "Source Reduction" are defined in the Pollution Prevention Act of 1990, Code of Federal Regulations (CFR) 42 U.S.C. §§ 13101-13109. Contractor's obligation under this section is limited to identifying pollution prevention opportunities and shall not be construed to require the contractor to conduct activities not otherwise required by the program.
- 5.3.3** The Contractor shall comply with energy saving conservation practices as deemed necessary by the facility manager.
- 5.3.4** Ionizing and Non-Ionizing Radiation: Contractors must obtain authorization from Bioenvironmental Engineering (BE) prior to bringing on site ionizing or non-ionizing sources/equipment onto the installation. Contractors must provide list of items and description of how they will be used to 35 BE at least ten (10) days prior to the date required to bring them on base.
- 5.3.5** Non-Ionizing Radiation: Electromagnetic Frequency (EMF) Radiation and LASERS: Contact BE/Installation Laser Safety Officer at least ten (10) days prior to bringing on site. (Example: LASER Classes: 1M, 2M, 3R, 3B, or 4; Transmitting antennas, radars etc.) Reference: AFI 48-139, LASER and Optical Radiation Protection Program, Paragraph 2.21).
- 5.3.6** Ionizing sources: Contact BE at least ten (10) days prior to bringing on site ionizing sources/equipment. For regulated sources, provide copies of permits or sealed source certifications. (Example: Troxler density gauges, sealed sources in various gauges/devices). Reference: AFI 48 -148, Ionizing Radiation Protection.
- 5.3.7** Hazardous Materials/Chemical Management: Hazardous Materials/Chemical Management: All hazardous material use requires prior authorization before bringing the hazardous material on base. "Hazardous material" includes many materials for which there is a manufacturer Safety Data Sheets (SDS), such as cleaning supplies, paints, solvents, sealants, lead acid batteries, fuels, herbicides, etc. The Contractor shall submit an inventory list of ALL chemical products to be used (if applicable), along with copies of the SDS for each chemical product, for review before bringing any potentially hazardous material onto a DoD Installation using the attached "HazMat Authorization Request Template". The Contractor shall submit completed inventories and SDSs to the 1) CO and COR, 2) CE Environmental, and 3) Bioenvironmental Engineering at least ten (10) days prior to the date required to bring them on base. The COR or CO shall provide the contractor with the contact information for the respective installation's agencies.

- 5.3.8** Once approved, the Contractor shall maintain an inventory of all hazardous materials along with corresponding SDSs. The Contractor shall track and report actual hazardous material usage during the performance of the contract. Hazardous material usage for any contract that is less than one month in duration shall be reported at the end of the contract period. Hazardous material usage for any contract over a month in duration shall be reported no less than monthly. Hazardous material usage shall be reported using the attached “HazMat Monthly Usage Log Template”.
- 5.3.9** The Contractor shall not leave any excess hazardous materials or empty containers on site following completion of the project. The Contractor is responsible for the removal of all unused hazardous materials and proper disposal of all hazardous waste generated. Reference: AFI-32-7086, Hazardous Materials Management.
- 5.3.10** Controls of other hazards: Contractors must coordinate with the Installation’s Bioenvironmental Engineering Agency at least ten (10) days prior to start of project, regarding all contracts with potential health impact to personnel (Example: Noise above 85 dBA, activities with potential airborne contaminants or particulates). Hazardous work areas/perimeters shall be established to control exposures and limit access to nearby facilities and personnel. Work shall be performed IAW all applicable occupational health and safety regulations.
- 5.3.11** Contractors must coordinate with facility managers and receive a safety brief of hazards present within work areas.

5.4 Security.

- 5.4.1** Contractor personnel performing work under this contract as Escorts shall have a valid and in scope personnel security Tier-1 investigation (formally NACI) background check in DISS at the time of the proposal submission and maintain the level of security required for the life of the contract. The US Government will not sponsor new investigations.
- 5.4.2** Installation Access: Access to DoD Installations is limited to personnel with valid installation access pass. Failure to submit required information to obtain required documentation will result in the exclusion of such employees from DoD Installations until such documentation is obtained. Contractor employees who do not possess a valid installation access pass will be restricted from the workplace until the pass is (re)activated. The Contractor employees may be subject to personal and vehicle searches when entering any installation.
- 5.4.3** The Government will provide the Contractor the required information and documents for installation access passes. The Contractor shall provide a list of all employees working on this contract, including those who need installation access. The list format and content will be provided by the COR(s). The Contractor shall provide this installation access pass log and required identification documents no later than twenty-one (21) business days before in country work is to commence. The installation access pass log shall be updated as employees are added or removed and submitted to the COR(s) and CO within twenty-four (24) hours after changes.
- 5.4.4** Upon the termination of employment or termination/cancellation of this contract, the Contractor is responsible to collect the installation access passes. The Contractor shall collect the installation access passes the same day employment of an individual has expired/terminated, notify the COR(s) and CO, and shall return them to the issuing office within one (1) workday. Exception to this clause will be approved upon request directly with the COR, the CO, and the TASS Trusted Agent.
- 5.4.5** Operations Security (OPSEC) Requirements: Contractor personnel shall adhere to facility security policies and restrictions. If applicable, Government issued installation access passes shall not be

displayed outside designated facilities. For example, passes cannot be displayed on your person, or left in vehicles, visible to the general public. The Contractor shall immediately report suspicious activities to security personnel. The Contractor shall properly control critical program information, classified material, and sensitive data. Contractor must execute all requirements in compliance with DoDM5220.22V2 and AFMAN16-1406V2.

- 5.4.6** The US Government will provide a situational briefing identifying the unique conditions that may affect normal daily operations when conditions change. General and specific orders will be promulgated by the COR(s) and provided to the Contractor for posting and implementations. The Contractor will ensure that all SSP under their supervision are familiar with all orders before assuming duty. The Contractor must be available to receive and implement these orders and special instructions from the COR(s).

5.5 Performance on DoD / AF Installations.

- 5.5.1** Listing of Employees. The Contractor shall maintain a current listing of employees. The list shall include the employee's name, social security number and level of security clearance. The Contractor shall provide an updated listing when a new employee's status or information changes.
- 5.5.2** Reporting Requirements. The Contractor shall report to an appropriate authority (CO, PMO, COR(s)) any information or circumstances which may pose a threat to the security of DoD personnel, Contractor personnel, resources and classified or unclassified defense information. Contractor personnel shall be briefed by USG representative upon initial on-base assignment.
- 5.5.3** Pass and Identification Items. The Contractor shall ensure the pass and identification items required for contract performance are obtained for employees, privately owned vehicles (POVs) and non-government owned vehicles in compliance with local regulations and requirements.
- 5.5.4** Retrieving Identification Media. The Contractor shall retrieve all identification media, including vehicle passes from employees who depart for any reason before the contract expires, e.g. terminated for cause, retirement, etc.
- 5.5.5** Traffic Laws. The Contractor and its employees shall comply with base traffic regulations.
- 5.5.6** Weapons, Firearms, and Ammunition. Contractor employees are prohibited from possessing weapons, firearms, or ammunition, on themselves or within their Contractor-owned vehicle or POV while on DoD installations.

5.6 Clearance Requirements.

- 5.6.1** Physical Security. The Contractor shall safeguard all Government property and controlled forms provided for Contractor use and adhere to the Government property requirements contained in this contract. At the end of each workday, all Government facilities, equipment and materials shall be secured.
- 5.6.2** Controlled Unclassified Information (CUI) and Privacy Act. The Contractor shall comply with requirements of DoD 5400.07, Chapter 4, DoD Freedom of Information Act (FOIA) Program, as well as The Privacy Act of 1974, as amended at CFR 5 U.S.C. §§ 552. This regulation/guidance sets policy and procedures for the disclosure of records to the public and for marking, handling, transmitting and safeguarding CUI and Privacy Act information/material. DoDM 5200.48
- 5.6.3** Key / Access Badge Control. The Contractor shall establish and implement procedures to ensure all keys / access badges issued to the Contractor by the Government are not lost or misplaced and

Escort Program Services Requirements PWS Solicitation No. FA520526R0005

are not used by unauthorized persons. The Contractor shall not duplicate any keys / access badges issued by the Government.

- 5.6.4** Lost / Duplicated Keys or Access Badges. The Contractor shall immediately report to the COR(s) or PM any occurrences of lost or duplicated keys within 24 hours of discovery of occurrence.
- 5.6.5** In the event keys (other than master keys) or access badges are lost or duplicated, the Contractor may be required, upon written direction of the CO, to re-key or replace the affected lock or locks or access badge(s) with no additional cost to the Government. The Government may replace the affected lock or locks or access badges(s) or perform re-keying and deduct the cost of such from the monthly payment due the Contractor.
- 5.6.6** In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.
- 5.6.7** Prohibited Use. The Contractor shall not loan issued keys / access badges to any other persons or allow access by use of issued keys / access badges to any other persons.
- 5.6.8** Lock Combinations. The Contractor shall control access to all Government-provided lock combinations to prevent unauthorized entry. The Contractor is not authorized to record lock combinations without written approval by the COR. Records with written combinations to authorized secure storage containers, secure storage rooms, or certified vaults, shall be marked and safeguarded at the highest classification level as the classified material maintained inside the approved containers.

5.7 Anti-Terrorism

- 5.7.1** Special Security Requirements: The contractor shall comply with all Misawa AB security requirements. The government will provide escorts for the contractor, as required. Failure to comply with the security requirements is cause for termination.
- 5.7.2** Random Antiterrorism Measures (RAMS): RAMS are conducted on Misawa Air Base at varying times during a 24-hour period and may consist of measures such as spot checks of identification credentials, random vehicle searches, and site security sweeps. The contractor is subject to participating and cooperating with RAMS as directed by competent authority. Anticipate increased RAMS during implementation of elevated Force Protection Conditions (FPCONs).
- 5.7.3** Reporting Suspicious Activity: It is the responsibility of all personnel working and residing on Misawa Air Base to be alert for detecting and reporting suspicious criminal or terrorist activity. The contractor shall immediately report any on-base observed suspicious activity to the 35 SFS/BDOC, Bldg. 646. All contractor-employed personnel shall be familiar with suspicious activity reporting numbers and procedures. The primary number for reporting suspicious activity on Misawa Air Base is 911 from a base phone or 0176-53-1911 from a mobile phone or off-base.
- 5.7.4** Performance of service during crisis declared by the national command authority or overseas combatant commander. This service is not determined to be essential for performance during crisis as declared by the National Command Authority or Overseas Combatant Commander. In the event of crisis, the contractor will be notified by the CO of the need to discontinue services due to base closure or other causes. If notification to discontinue services is not received, the contractor will be expected to continue performance in accordance with this PWS.

6 LABOR CATEGORIES.

6.1 General.

- 6.1.1** Minimum Requirements. Appendix A specifies the required minimum levels of education and experience for Contractor employees provided under the labor categories listed in Table 4. There may also be a requirement that the individual possess a specified security clearance in addition to the specified requirements listed in Table 4.
- 6.1.2** Application of Specified Labor Categories. The categories listed below are the US Government's best estimate of the labor categories that will be required for contract performance throughout the life of the requirements contract. There is no guarantee that requirements will exist for all categories listed and that some categories may not be utilized during the performance of this contract. The pricing for labor categories will be fully burdened and incorporated into the contract at time of award. Fully burdened rates must include all personnel relocation costs and assigned equipment for each labor category.
- 6.1.3** Non-Disclosure Agreement. The Contractor is responsible for obtaining all non-disclosure agreements with all applicable Government, corporate, supplier, and sub-tier vendors with proprietary, restricted, competition sensitive, or any other restricted (e.g., non-foreign disclosure due to public law) data that will be used or accessed during the contract execution. Upon request, the Contractor shall provide a copy of each NDA to the CO and PMO/COR. The Contractor shall comply with all program office established procedures for the handling and protection of all data in both physical and electronic form.
- 6.1.4** Associate Contractor Agreements. The Contractor shall enter into Associate Contractor Agreements (ACA) for any portion of the contract requiring joint participation in the accomplishment of the Government's requirement. The agreements shall include the basis for sharing information, data, technical knowledge and/or resources essential to meet the Government requirement, which shall ensure the greatest degree of cooperation for the term of the contract.
- 6.1.5** Contractor Misconduct. The Contracting Officer may remove any contract employee that is found to be disrupting the normal work operations. Disruption may include, but is not limited to, threats of violence, use of profanity, sexual harassment/misconduct, and participation in discriminatory practices, failure to abide by base rules, regulations, or policies.
- 6.1.6** Conflict of Interest. The contractor shall notify the Contracting Officer if it becomes aware of an actual or potential conflict of interest during performance. This requirement applies to actual or perceived conflicts of interest. If an actual or potential conflict of interest arises, the contractor shall work with the Contracting Officer to resolve it and/or put mechanisms in place to avoid mitigate or neutralize it. The Contractor shall not employ, hire, or contract with employees of the United States Government or the DoD, either military or civilian, if such employment would create a conflict of interest. The Contractor shall not employ any person who is an employee of the DoD, unless such person receives prior approval, in writing, from the CO. The Contractor shall ensure that its employees receive training, with periodic refresher training, on how to avoid organizational conflicts of interest.

**APPENDIX A
LABOR CATEGORY
DESCRIPTIONS**

Table 4 – Labor Categories Descriptions

Cleared Escort Officials	<u>Requirements:</u> • Tier-1 investigation (formally NACI) • Possess a valid MAB/RAB for the designated area or be officially designated under the 35th Fighter Wing (35 FW) Escort Program. <u>Responsibilities:</u> • Training & Competency: Be properly trained in escort duties and demonstrate competence in identifying unauthorized activities, including intelligence gathering, criminal behavior, and sabotage. • Safety & Security Briefing: Provide a thorough briefing on local safety protocols and security regulations to all escorted personnel. • Inspection Duties: Conduct inspections of vehicles and hand-carried items entering restricted areas to ensure compliance with security standards. • Surveillance & Control: Maintain continuous surveillance and effective control over construction workers or visitors within restricted zones. • Accountability : Assume full responsibility for the safe and secure conduct of escorted individuals, ensuring adherence to all applicable rules and procedures. • Restricted Area Protocol: Ensure that escorted personnel are never left unattended in restricted areas under any circumstances. • Escort Procedures: Personally escort all authorized visitors or construction workers to and from restricted area zones, maintaining control throughout the duration of their visit. • Driving: possess and maintain valid driver's license • Flightline Driving Privilege & RAB: possess and maintain valid RAB and Flightline driving license.
--------------------------	---

APPENDIX B ACRONYMS

Acronym/Abbreviation	Definition
AAFES	US Army and Air Force Exchange Services
ACA	Associate Contractor Agreement
ACF	Access Control Facility
ACS	Access Control System
ADP	Automated Data Processing
AFFARS	Air Force Federal Acquisition Regulation
AFI	Air Force Instruction
AFOSH	Air Force Occupational Safety and Health
AO	Accrediting Officer
AQL	Acceptable Quality level
AT	Anti-Terrorism
BE	Bioenvironmental Engineering
CAG	Cleared American Guard
CAR	Corrective Action Request
CCR	Country Clearance Request
CDM	Construction Design and Management
CFR	Code of Federal Regulations
CLIN	Contract Line Item Number
CO	Contracting Officer
COI	Conflict of Interest
CONS	Contracting Squadron
COR	Contracting Officer Representative
CSI	Construction Specifications Institute
CSP	Construction Security Plan
CST	Construction Surveillance Technician
CUI	Controlled Unclassified Information
DD	DoD Directives Division
DFARS	Defense Federal Acquisition Regulation
DISCO	Defense Industrial Security Clearance Office
DISS	Defense Information Security System
DoD	Department of Defense
DSS	Defense Security Service
eCMRA	Enterprise-Wide Contractor Manpower Reporting Application
EMSEC	Emissions Security
FAR	Federal Acquisition Regulation
FGS	Final Governing Standards
FOIA	Freedom of Information Act
FSO	Facility Security Officer
FW	Fighter Wing
GC	General Contractor
HVAC	Heating, Ventilation, and Air Conditioning
IAW	In Accordance With
ICD	Intelligence Community Directive
ICS	Information Community Standard
IDS	Intrusion Detection System
IMPS	Information Monitoring and Protection Services
JAFAN	Joint Air Force-Army-Navy
KSA	Knowledge, Skills, and Abilities

Escort Program Services Requirements PWS Solicitation No. FA520526N0003

MILCON	Military Construction
NDA	Non-Disclosure Agreement
NLJD	Non-Linear Junction Detector
NLT	No Later Than
OCONUS	Outside Continental United States
ODS	Ozone Depleting Substances
OEBGD	DoD Overseas Environmental Baseline Guidance Document
OPM	Office of Personnel Management
OPSEC	Operational Security
OSHA	Occupational Safety and Health Administration
PDF	Portable Document Format
PIEE	Procurement Integrated Enterprise Environment
PII	Personal Identifiable Information
PM	Program Manager
PMO	Project Management Office
PMR	Program Management Review
POC	Point of Contact
POV	Privately Owned Vehicle
PPE	Personal Protective Equipment
PWS	Performance Work Statement
QASP	Quality Assurance Surveillance Plan
QCP	Quality Control Plan
RAF	Royal Air Force
RAMS	Random Antiterrorism Measures
RFP	Request for Proposal
RP	Real Property
RPIE	Real Property Installed Equipment
SCI	Sensitive Compartmented Information
SCIF	Sensitive Compartmented Information Facility
SCS	Secure Construction Site
SS	Service Summary
SSA	Special Secure Area
SSM	Site Security Manager
SSP	Site Security Personnel
SWA	Secure Work Area
TASS	Trusted Associate Sponsorship System
TS	Top Secret
US	United States
USFJ	US Air Forces Japan
VOQ	Visiting Officers Quarters
WAWF	Wide Area Workflow

PRICE, SHANNA M CIV USAF PACAF 35
CONS/PKB
2026-02-04 06:02:00

Need to ensure all page numbers are sequential and table of contents reflects correct page number once updated