


A. COLD CUT EXISTING TWO EACH 2" WASTE DRAIN PIPES LOCATED IN THE PORT SIDE EOS A/C COMPARTMENT (3-66-02). ON THE OUTBOARD PIPE LABELED OVERBOARD INSTALL 4 EACH, 2" CARBON STEEL FLANGES TO ALLOW FOR ONE REMOVABLE SPOOL. ON THE INBOARD PIPING LABELED GW CUT EXISTING PIPING APPROXIMATELY 1 FOOT BEFORE EXISTING LOCK RING AND INSTALL TWO FLANGES WITH A NIPPLE AND CAP TO BLANK PIPING FOR A CLEANOUT. ON THE OTHER END INSTALL ONE EACH 2 INCH Y TO CONNECT PIPING TO THE INBOARD PIPE LABELED OVERBOARD. INSTALL GASKETS AND HARDWARE.




A photograph of a workshop interior. A man with a beard and a green beanie is reaching up with both hands, using a tool on a horizontal pipe. The pipe is part of a larger system of pipes and machinery. A large yellow beam is visible on the right side of the frame. The background shows various tools hanging on the wall and shelves filled with equipment. The lighting is bright, coming from overhead fluorescent lights. A red dotted line points from the text block to the pipe being worked on.

D. COLD CUT EXISTING 2" WASTE DRAIN PIPE LOCATED
UPPER SHOP (3-70-1), INSTALL 2 EACH 2" 150# CARBON
STEEL SOCKET WELDED FLANGES TO FABRICATE
REMOVABLE PIPING SECTIONS.
INSTALL GASKETS AND HARDWARE.



E. COLD CUT EXISTING 2" WASTE DRAIN PIPING FROM 3-72-3 JOINER DOOR TO OVERHEAD CRANE CONTROLLER, INSTALL 8 EACH 2" 150# CARBON STEEL SOCKET WELDED FLANGES TO FABRICATE REMOVABLE PIPING SECTIONS. INSTALL GASKETS AND HARDWARE.



E. COLD CUT EXISTING 2" WASTE DRAIN PIPING FROM 3-72-3 JOINER DOOR TO OVERHEAD CRANE CONTROLLER, INSTALL 8 EACH 2" 150# CARBON STEEL SOCKET WELDED FLANGES TO FABRICATE REMOVABLE PIPING SECTIONS. INSTALL GASKETS AND HARDWARE.

A photograph of an industrial facility, likely a shipyard or large warehouse, featuring a complex network of overhead cranes and piping. The cranes are painted yellow and have black cables and orange safety devices. The piping is primarily white, with some sections marked with blue and white checkered patterns. A black cable runs diagonally across the frame, with several red dots marking a specific section of it. The background shows a steel structure with various pipes and conduits.

E. COLD CUT EXISTING 2" WASTE DRAIN PIPING FROM
3-72-3 JOINER DOOR TO OVERHEAD CRANE
CONTROLLER, INSTALL 8 EACH 2" 150# CARBON STEEL
SOCKET WELDED FLANGES TO FABRICATE REMOVABLE
PIPING SECTIONS. INSTALL GASKETS AND HARDWARE.