

Ship/HULL NO. LSD-47	Ship/HULL NAME USS RUSHMORE	JON:	ICN: 38E9313902 38E9213901	Rev:	Key Op: A01
TITLE: Nonskid Deck Covering on Flight Deck; replace					

JOB SPECIFICATION

Anticipated Award Date 7/16/2026	Production Completion Date: 3/24/2027	PREPARING ACTIVITY: SASEBO	
POP Start Date: 9/14/2026	POP End Date: 6/30/2027		
PREPARED BY: Y. TOMOKUBO	CODE H TO	DATE 10/28/2024	
APPROVED BY: S. MURAKAMI	CODE S225		
CONCURRED BY: S. MOROOKA	CODE S231		
ASSIST PLANNER'S NAME:	CODE		
ASSIST PLANNER'S NAME:	CODE		
ASSIST PLANNER'S NAME:	CODE		
All pages of this documents will change ICN from 38E9213901 to 38E9313902 where written as shown on this cover sheet. All pages of this documents will change avail from 5C1 to 6C1 where written as shown on this cover sheet.			
DESCRIPTION:			
JSN(S): DA01-ZAP5 and ES01-NP4M		CASREP	
S/F CONTACT: CIV		CWP #	CCNS-LSD47-007-25
Approved by S300/S900 <i>[Signature]</i>		Date: 8/29/25	AVL: 6C1 5G1 <i>[Signature]</i> 8/29/25
		LWC:	
Work Completed			
S/Force:		Rate:	Date:
Ship Supt:		Date:	SRF CONTROL NO.: 1301317748
WORK CERTIFICATION SIGNATURES			
COMPLETION OF WORK REVIEW:	BADGE NO.:	SHOP/CODE:	PHONE:
			DATE:

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38E9313902 38E9213901	Rev:	Key Op: A01
LSD-47	USS RUSHMORE				

TITLE:

Nonskid Deck Covering on Flight Deck; replace

1. SCOPE:

1.1 Title: Nonskid Deck Covering on Flight Deck; replace

1.2 Location of Work:

1.2.1 Flight Deck "CRITICAL COATED AREA"

1.3 Identification:

1.3.1 A Total of (Approximately 17,200 SF) of Nonskid Deck Covering on Flight Deck Including Each Hatch Cover and Flight Deck Vehicle Ramp Located in 1.2.1, See ENCLOSURE (A)

1.3.2 A Total of (Approximately 2,180 SF) around Nonskid Deck Area Including up to 12 Inches (Maximum Height) above Each Surface of Each Structure Member, Deck, Deck Fitting, Aircraft Securing Fitting, Coaming, Wheel Stop, Drain Trough, Grating, Liquid Spill Retainer and Hatch Cover Located in 1.2.1, See ENCLOSURE (A)

1.3.3 A Total of (Approximately 10 SF) of Flight Deck Plate, Deck Edge Coaming, Drain Trough and Safety Net Securing Latch Foundation to be Build Up Weld Repaired, Located in 1.2.1

1.3.4 Quantity (12 EA), Drain Trough Grating (DET 19-A of 2.2) Located in 1.2.1

1.3.4.1 Quantity (48 EA), Mounting Support with Stud (DET 19-C of 2.2)

1.3.5 A Total of (Approximately 10 SF) of Deck Edge Coaming on Each Forward, Aft, Port and Starboard Side Located in 1.2.1

1.3.5.1 A Total of (Approximately 15 LF) of Chafing Bar

1.3.6 A Total of (Approximately 5 SF) of Fender Stowage Foundation (ELEV 31-F of 2.9) Located in 1.2.1

1.3.6.1 Quantity (6 EA), Securing Staple

1.3.7 Quantity (20 EA), Safety Net Securing Latch Foundation on Each Aft, Port and Starboard Side Located in 1.2.1

1.3.8 Quantity (2 EA), Ensign Staff Stowage Foundation (Detail 19-A of 2.12) Located in 1.2.1

2. REFERENCES:

26

2.1 Standard Items (FY25)

2.2 137-6102544 Rev G, UNIT 500 HELO DK FRS 92-98

2/10

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LSD-47	USS RUSHMORE		38E9213901		A01

TITLE:

Nonskid Deck Covering on Flight Deck; replace

- 2.3 137-6102545 Rev F, UNIT 501 HELO DK FRS 98-107 C/L
- 2.4 137-6102546 Rev F, UNIT 502 HELO DK FRS 107-118 C/L
- 2.5 137-6102547 Rev D, UNIT 503 HELO DK FRS 118-128 C/L
- 2.6 137-6102548 Rev F, UNIT 504 HELO DK FRS 128-137 C/L
- 2.7 137-6102549 Rev B, UNIT 505 HELO DK FRS 137-145 C/L
- 2.8 123-6100498 Rev B, Maintenance Platform House Unit 479
- 2.9 611-6100447 Rev C, Fenders, ARR & DET
- 2.10 612-6100350 Rev E, Helicopter & Trunk Safety Nets
- 2.11 612-8354695 Rev B, Helicopter Deck Edge Safety Net Modifications
- 2.12 611-6100412 Rev C, Jack & Ensign Staff ARRGT & DET
- 2.13 603-6100435 Rev E, Draft Marks Ships Name and Distinguishing Marks
- 2.14 80020-620521 Rev G, Visual Landing Aids Installation, Lamps MK1 Configuration LSD-41 Class Ships
- 2.15 80020-619403 Rev K, Floodlight Assembly Dual Lamp Deck Surface
- 2.16 80020-609024 Rev V, Light Assembly Flight Deck Guide Light
- 2.17 80020-508447 Rev M, Guide Light Assembly Single Unit Uni-Directional
- 2.18 T9074-AS-GIB-010/271 Rev-1, Requirements for Nondestructive Testing for Methods

3. REQUIREMENTS:

3.1 Prior to commencement of any nonskid work, inspect each counter measure washdown nozzle and test each deck drain to ensure that washdown nozzle and drain are not clogged and not damaged.

(V) "REPORT"

3.1.1 Submit one legible copy of a report listing results of the requirement of 3.1 to SUPERVISOR.

3.1.2 Remove each damaged and install (20) new counter measure washdown nozzles (CRES helical insert and ball only).

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38E9213901	Rev:	Key Op: A01
LSD-47	USS RUSHMORE				

TITLE:

Nonskid Deck Covering on Flight Deck; replace

3.2 Accomplish the requirements for each repair and nonskid deck covering system replacement work listed in 1.3.1 through 1.3.8 as follows, using 2.2 through 2.17 and ENCLOSURE (A) for guidance.

(V) "REPORT"

3.2.1 Submit one legible copy of report of VLA marking record and drawing for the areas (existing periphery lines, exact locations, colors, dimensions of nonskid deck covering, and markings on the deck surface) to SUPERVISOR prior to removal of nonskid deck covering.

3.2.2 Remove each existing nonskid deck covering system with water jetting for each inspection.

3.2.3 Accomplish a visual inspection of each flight deck surface prepared in 3.2.2, structure members of each drain trough grating, mounting support, deck edge coaming, chafing bar, fender stowage foundation, securing staple, safety net securing latch foundation and ensign staff stowage foundation for each corrosion, pit, crack, hole, distortion, other damage and deterioration.

(V) "REPORT"

3.2.3.1 Submit one legible copy of a report listing results of the requirement of 3.2.3 to SUPERVISOR including each sketch, exact location, area, size, depth, and repair recommendation.

(I) "UT THICKNESS READING"

3.2.4 Accomplish UT thickness reading of each suspected reducing, pitted and corroded surface in accordance with 2.18, using 2.2 through 2.8 for guidance. (Estimated total thickness reading: 100 points) **-Certified Contractor**

(V) "REPORT"

3.2.4.1 Submit one legible copy of reports listing results of the requirement of 3.2.4 to SUPERVISOR including each sketch of exact location, ultrasonic test reading, original material thickness, existing material thickness, calculating reduction percent of base metal thickness and repair recommendation.

3.2.5 Build up each pitted surface of each flight deck plate, deck edge coaming, drain trough and safety net securing latch foundation listed in 1.3.3 by welding, and grind down each built up area to smooth flush.

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LSD-47	USS RUSHMORE		38E9213901		A01

TITLE:

Nonskid Deck Covering on Flight Deck; replace

3.2.6 Remove each damaged existing, template, fabricate and install each new drain trough grating, mounting support with stud, deck edge coaming, chafing bar, fender stowage foundation, securing staple, safety net securing latch foundation and ensign staff stowage foundation listed in 1.3.4 through 1.3.8 out of each new 1/4 and 3/8 inch thick high tensile steel plate (ABS Grade AH-36), 3/8 and 1/2 inch thick mild steel flat bar (ASTM A-36), 3/8 inch diameter mild steel round bar (ASTM A-36) and 3/8 inch diameter corrosion resistant steel 316 stud.

3.2.7 Accomplish the requirements of **009-12** of 2.1, including Table 2, Columns A, B and D, Lines One through 7 for welding.

3.2.7.1 Accomplish magnetic particle (MT) or liquid penetrant (PT) nondestructive testing in accordance with Line 10 or 11.

3.2.8 Accomplish the requirements of **009-32** of 2.1, including Table 2, Line 17, Columns A, B, C and E for each nonskid deck covering area listed in 1.3.1 and 1.3.2.

3.2.8.1 Power tool clean each narrow area to SSPC-SP-11 where blast nozzle cannot reach.

3.2.8.2 Power tool clean each narrow area to SSPC-SP-3 where power tool in 3.2.8.1 cannot reach.

3.2.8.3 Hand tool clean each narrow area to SSPC-SP-2 where power tool in 3.2.8.2 cannot reach.

3.2.9 Apply each new marking on each surface of flight deck nonskid deck covering system using manufacturer's "color topping".

(V) "NOTIFICATION"

3.2.9.1 Prior to application of each new marking at least one week, submit a notification to Project Team to coordinate the Yokosuka NAWCAD ASIR assistance.

3.3 Upon completion of the work, inspect each counter measure washdown nozzle and test each deck drain to ensure that washdown nozzle and drain are not clogged and not damaged.

3.4 Accomplish the requirements of **009-32** of 2.1 for cleaning and preservation of each new and disturbed surface to match surrounding area.

4. NOTES:

4.1 Initial Condition - Existing nonskid deck covering on flight deck has been degraded, required to be replaced.

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LSD-47	USS RUSHMORE		38E9213901		A01

TITLE:

Nonskid Deck Covering on Flight Deck; replace

4.2 Offeror is responsible to determine actual square feet for each area.

5. GOVERNMENT FURNISHED MATERIAL (GFM) :

5.1 Government Furnished Materials.

MATERIAL LIST								
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	DOC NO.	QTY REQD/ UNIT	PARA NO.
001			M	PARTS KIT,NOZZLE WE, COUNTERMEASURE WASHDOWN NOZZLE (DWG NO.803-1385828). PARTS KIT, NOZZLE WEB. CONSIST OF (1 EA) THREE- PRONGED WEB (CRES), (1 EA) 1/2 INCH ROUND HEAD SCREW, (1 EA) FLAT WASHER, (1 EA) 1/2 INCH CRES BALL, (1 EA) 1/2 INCH ID HELICAL INSERT	9B 4730 011717185	4292B032	50/EA	3.2
002			M	COVER ASSEMBLY,LIGH, LINE UP LIGHT, P/N: 422912-2	9B 6210 010278470	4292B033	10/EA	3.2
003			M	FILTER,LIGHT, LINE UP LIGHT, CLEAR, P/N: 422915-1	9B 6210 010245051	4292B034	20/EA	3.2
004			M	LENS,LIGHT, DECK EDGE LIGHT, RED, P/N: 318837-2	9B 6210 005508876	4292B035	5/EA	3.2
005			M	SEAL,NONMETALLIC RO, GASKET FOR DECK EDGE LIGHT, P/N: 319218-7	9B 5330 001437046	4290B088	10/EA	3.2
006			M	BOLT,MACHINE, HEX HEAD, 5/16 INCH DIA, 5/8 INCH LG, 5/16-18UNC-2A, CRES, P/N: 43338-1, FOR DECK EDGE LIGHT	9B 5306 000409809	4290B078	50/EA	3.2
007			M	LAMP,INCANDESCENT, WHITE, FOR DECK EDGE LIGHT, P/N: A50451-6	9B 6240 002952729	4292B036	10/EA	3.2
008			M	ADHESIVE, SILICON,RTV 732, MIL-A-46106 GR-1 TY-1,CLEAR, 12OZ/CA	9B 8040 010108758		4/KT	3.2
009			M	ANTISEIZE COMPOUND, ANTISEIZE COMPOUND, A-A-59313, 8OZ/TU	9B 8030 002921102		3/TU	3.2
010			M	ELECTRODE 3/32" 110, SMAW, 3/32 INCH DIAMETER, 14 INCH LG, MIL-DTL-22200/1H, MIL-11018-M1, 10 LBS/CN, P/N: 255113326	9B 3439 SA5113326		5/CN	3.2
011			M	ELECTRODE 1/8" 110, SMAW, 1/8 INCH DIAMETER, 14 INCH LG, MIL-DTL-22200/1H, MIL-11018-M1, 10 LBS/CN, P/N: 255111825	9B 3439 SA5111825		5/CN	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38E9213901	Rev:	Key Op: A01
LSD-47	USS RUSHMORE				

TITLE:

Nonskid Deck Covering on Flight Deck; replace

MATERIAL LIST								
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	DOC NO.	QTY REQD/ UNIT	PARA NO.
012			M	ELECTRODE, 3/32" 70, MIL-7018-M, 3/32 INCH DIA X 14 INCH LG, MIL-E-22200/10, 10 LB/CN, P/N: 255014102	9G 3439 SA4742861	4289E913	5/CN	3.2
013			M	ELECTRODE 1/8" 70, MIL-7018-M, 1/8 INCH DIA X 14 INCH LG, MIL-E-22200/10, 10 LB/CN, P/N: 255014110	9G 3439 SA4742863	4289E914	5/CN	3.2
014			M	STUD, WELDING, 5/8-11UNC-2A, 0.625 INCH DIA, 1.75 INCH LG, PARTIALLY THREADED, STAINLESS STEEL 316, WITH FERRULE	9B 5307 SA2401388		75/EA	3.2
015			M	NUT, SELF-LOCKING, HE, 5/8-11UNC-3B, 0.625 INCH DIA, STAINLESS STEEL 316, MS-17830	9B 5310 015311591 EY	4292B037	75/EA	3.2
016			M	WASHER, FLAT, 5/8 INCH, STAINLESS STEEL 316	9B 5310 013845385	4292B038	75/EA	3.2
017			M	BAR, METAL, FLAT BAR, 3/8 INCH THICK, 2 INCHES W BY 20 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891590	4292B039	20/FT	3.2
018			M	BAR, METAL, FLAT BAR, 3/8 INCH THICK, 2 INCHES W BY 20 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891590	4292B040	20/FT	3.2
019			M	BAR, METAL, FLAT BAR, 3/8 INCH THICK, 2 INCHES W BY 20 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891590	4292B041	20/FT	3.2
020			M	BAR, METAL, FLAT BAR, 3/8 INCH THICK, 2 INCHES W BY 20 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891590	4292B042	20/FT	3.2
021			M	BAR, METAL, FLAT BAR, 1/2 INCH THICK, 4 INCHES W BY 10 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891620	4292B178	10/FT	3.2
022			M	BAR, METAL, FLAT BAR, 1/2 INCH THICK, 4 INCHES W BY 10 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891620	4292B179	10/FT	3.2
023			M	BAR, METAL, FLAT BAR, 1/2 INCH THICK, 4 INCHES W BY 10 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891620	4292B180	10/FT	3.2
024			M	BAR, METAL, FLAT BAR, 1/2 INCH THICK, 4 INCHES W BY 10 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891620	4292B181	10/FT	3.2
025			M	BAR, METAL, FLAT BAR, 1/2 INCH THICK, 4 INCHES W BY 10 FEET LG, CARBON STEEL, ASTM A36	9B 9510 001891620	4292B182	10/FT	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LSD-47	USS RUSHMORE		38E9213901		A01

TITLE:

Nonskid Deck Covering on Flight Deck; replace

MATERIAL LIST								
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	DOC NO.	QTY REQD/ UNIT	PARA NO.
026			M	STUD, WELDING, 5/8-11UNC-2A, 0.625 INCH DIA, 2 INCH LG, PARTIALLY THREADED, STAINLESS STEEL 316, WITH FERRULE	9B 5307 SA2401389		25/EA	3.2
027			C	METAL, EXPANDED, SHEET SIEZE: 48 INCH W BY 96 INCH L, STAINLESS STEEL 304, STANDARD EXPANDED METAL, STYLE & TYPE: 3/4 NO.9, SWD: 0.923 INCH, LWD: 2.000 INCHES, SWO: 0.703 INCH, LWO: 1.484 INCHSTRAND THK: 0.135 INCH, STRAND WIDTH: 0.140 INCH, OVERALL THK: 0.290 INCH	9B 5680 SA2401390		1/SH	N/A
028			C	LIGHT,GUIDE, GUIDE LIGHT ASSEMBLY, P/N: 609024-1	3B 6220 008623221 EY	4292B383	1/EA	N/A
029			C	GUARD,LAMP, 6 INCHES DIA, CRES, P/N: 505085-1, FOR DECK EDGE LIGHT	9B 6210 008451426	4292B384	2/EA	N/A
030			C	LIGHT,GUIDE ASSEMBL, CRES, P/N: 508447-1	3B 6210 008781127 EY	4292B385	1/EA	N/A
031			M	PLATE,METAL, 3/8 INCH THICK, 60 INCHES W X 20 FEET LG, MILD STEEL, ABS GRADE A	9B 9515 001533223	4292B193	1/PM	3.2
032			M	PLATE, METAL, 3/8 INCH THICK, 60 INCHES W X 120 INCHES LG, ABS GRADE AH-36	9B 9515 SAAH00375	4291E527	1/PM	3.2
033			M	PIPE,METALLIC, 2 INCHES NPS, 20 FEET LG, SCHEDULE 40, CARBON STEEL, ASTM A106	9B 4710 008490871	4292B386	10/FT	3.2
034			M	PIPE,METALLIC, 2 INCHES NPS, 20 FEET LG, SCHEDULE 40, CARBON STEEL, ASTM A106	9B 4710 008490871	4292B387	10/FT	3.2
035			M	PLATE, METAL, 3/16 INCH THICK (7.65#), 48 INCHES W BY 96 INCHES LG, ABS GRADE AH-36	9B 9515 SAAH00187	4295CS05	1/PM	3.2
036			M	BAR,METAL, 3/8 INCH DIAMETER, 16 FT LG, CARBON STEEL, ASTM A36	9B 9510 001881738	4292B201	16/FT	3.2
037			M	PLATE,METAL, 1/4 INCH THICK, 48 INCHES W BY 96 FEET LG, STAINLESS STEEL 316L, ASTM A240	9B 9515 002044622	4297B115	1/PM	3.2
038			M	WELDING ROD, GTAW, 3/32 INCH DIAMETER, 36 INCH LG, MIL-E-19933 CLASS 2, 10 LBS/CN, P/N: ARCOS 309	SA4916404	4295CS06	2/CN	3.2
039			C	BAR,METAL, ROUND, 3/4 INCH DIAMETER, 10 FEET LG, STAINLESS STEEL 316, QQ-S-763	9B 9510 001890622	4295B017	10/FT	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LSD-47	USS RUSHMORE		38E9213901		A01

TITLE:

Nonskid Deck Covering on Flight Deck; replace

MATERIAL LIST								
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	DOC NO.	QTY REQD/ UNIT	PARA NO.
040			M	PLATE, METAL, 1/4 INCH THICK, 48 INCHES W BY 96 FEET LG, CARBON STEEL, ASTM A36	9B 9515 SAMS00250	4295CS07	1/PM	3.2
041			M	ELECTRODE, 3/32", 70, MIL-7018-M, 3/32 INCH DIA X 14 INCH LG, MIL-E-22200/10, 10 LB/CN, P/N: 255014102	9G 3439 SA4742861	4295E900	5/CN	3.2
042			M	SCREW,CAP,HEXAGON H, 1/2-13UNC-2A, 0.50 INCH DIA, 1.250 INCH LG, STAINLESS STEEL 316, P/N: 93190A714, 5EA/PG	9B 5305 015290063	4296B101	1/PG	3.2
043			M	SCREW,CAP,HEXAGON H, 1/2-13UNC-2A, 0.50 INCH DIA, 1.50 INCH LG, STAINLESS STEEL 316, P/N: 93190A716, 5EA/PG	9B 5305 015430481	4296B102	1/PG	3.2
044			M	NUT,SELF-LOCKING,HE, 1/2-13UNC-3B, STAINLESS STEEL 316, MS17830-8C	9B 5310 013853803	4296B103	5/EA	3.2
045			M	PLATE, METAL, 3/16 INCH THICK, 48 INCHES W BY 96 INCHES LG, CARBON STEEL, ASTM A36	9B 9515 SAMS00187		1/PM	3.2
046			M	BAR, ROUND, 3/4 INCH DIA, 4 FEET LG, STAINLESS STEEL 316, COMMERCIAL GRADE	9B 9510 SA2400842		4/FT	3.2
047			M	BAR, ROUND, 3/4 INCH DIAMETER, 2 FEET LG, STAINLESS STEEL 316, P/N: 89325K17	9B 9510 SA2300007	4297CS18	2/FT	3.2
048			M	PIPE,METALLIC, 3/4 INCH NPS, 4 FEET LG, STAINLESS STEEL 316, COMMERCIAL GRADE	9B 4710 SA2401392		4/FT	3.2
049			M	PIPE,METALLIC, 3/4 INCH NPS, 2 FEET LG, STAINLESS STEEL 316, COMMERCIAL GRADE	9B 4710 SA2401393		2/FT	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38E9213901	Rev:	Key Op: A01
LSD-47	USS RUSHMORE				

TITLE:

Nonskid Deck Covering on Flight Deck; replace

