



C-12-25-951S

December 12, 2025

Attn: Jessica Wilson
Office of the Commanding Officer
NAVFAC MID-LANT
9324 Virginia Avenue, EV35 Environmental Restoration North
Norfolk, VA 23511-3624

Reference: Contract No. N4008516D3003
Contract Task Order No. N4008520F4592

Subject: Event #20 Data Memorandum, Site 17, Gould Island Long-Term Groundwater Monitoring
Naval Station - Newport, Jamestown, RI

Attached is the data package for long-term groundwater monitoring Event #20 at Site 17, Gould Island, Naval Station Newport, Jamestown, RI. This data package is being distributed for informational purposes to the Project Team, U.S. Environmental Protection Agency (EPA) and Rhode Island Department of Environmental Management (RIDEM), in accordance with the Draft Sampling and Analysis Plan (SAP; July 2020). A complete review and interpretation of the data will be provided in the Long-Term Groundwater Monitoring Report (Years 7 and 8).

The field team, consisting of Helios-TT 8a JV personnel, was onsite from September 15, 2025, through September 18, 2025, to perform groundwater sampling at the wells identified in the SAP. In accordance with the SAP, all groundwater samples were analyzed for the following:

- β Volatile organic compounds (VOCs)
- β Metals (total and dissolved)
- β Polycyclic aromatic hydrocarbons (PAHs) plus pentachlorophenol
- β Polychlorinated biphenyls (PCBs)
- β Anions (chloride, N-nitrate, sulfate)
- β Alkalinity

Enclosed are two data tables (Tables 1 and 2). Table 1 presents the comparison of detections to Project Action Levels¹ (PALs) as described in the SAP; PALs are the "clean-up levels" listed in the Record of Decision (ROD) (Tetra Tech, 2015) with the exception of a few analytes that do not have ROD clean-up levels. Table 2 presents all data reported without any comparison. All data have been validated in accordance with the SAP.

Items also included with this submittal are figures that present data for parameters that have been detected in groundwater samples at concentrations exceeding their PALs during at least one long-term groundwater monitoring event; and figures presenting overburden and bedrock groundwater flow.

¹ PAL for benzo(k)fluoranthene presented on the table differs from the SAP because it has been updated to the most recent EPA Regional Screening Level.

Distribution Statement A. Approved for public release: distribution is unlimited.

As part of this mobilization, a PVC stickup pipe near Former Building 54 was investigated in accordance with the project team request related to other ongoing work at the site. The PVC stickup is a white 2-inch diameter pipe with no cover, extending approximately 3 feet (ft) above the ground surface, and located at the following coordinates recorded on a handheld GPS (41.536483 °N, -71.343847 °W). The depth to water was measured using a groundwater monitoring interface probe: 8.19 ft below top of casing (btoc) and a total depth of 14.21 ft btoc. No non-aqueous phase liquid was not observed. The contents of the pipe were collected for observation via a bailer and additionally screened for total organic vapors using a calibrated photoionization detector (PID). The contents were clear water with no odor, and no detections were reported by the PID (reading = 0.0 ppm; no PID response detected). Photographs are provided in Attachment A.

Additionally, an abandoned blue closed top polyethylene 55-gallon drum near Former Building 38, which had been identified during the 2024 and 2025 land use control inspections, was removed from the Site and addressed as investigation derived waste (IDW). The coordinates of the location were logged using a handheld GPS (41.53702836 °N, -71.34419099 °W). The top of the drum was observed to be broken, revealing contents that appeared to be primarily sediment and leaves. Both the contents of the drum (which were sampled for waste characterization) and the drum itself were disposed of in conjunction with the IDW generated during long-term groundwater monitoring Event #20. Photographs are provided in Attachment A.

The next semi-annual long-term groundwater monitoring event [Event #21] at Site 17 is expected to proceed on schedule next year, except for the possibility of a one-event delay (spring 2026) while work transitions to a new contractor.

If you have any questions regarding these items, please feel free to reach out to me to discuss.


Respectfully,



Thomas Zacrow,
Project Manager

Encl.

c, w/ encl. - (electronic via web-link):
E. Ross, NAVFAC Mid-Atlantic
D. Dorocz, NAVSTA IR POC
P. Crump, NAVSTA IR POC
L. O'Connor, EPA
P. Kulpa, RIDEM
S. Cucinotta, RIDEM
N. Ouellette, AECOM/Resolution Consultants
S. Parker, TT
R. Lynch, Helios




Long-Term GW Monitoring Event #20
Site 17, Gould Island


VOC EXCEEDANCES

NAVSTA Newport
Jamestown, Rhode Island



DRAWN BY	DATE	CTO
K. NEINAST	12/05/25	N4008520F4592
CHECKED BY	DATE	FIGURE NUMBER
D. GRIBEN	12/05/25	1






Long-Term GW Monitoring Event #20
Site 17, Gould Island

PCB EXCEEDANCES

NAVSTA Newport
Jamestown, Rhode Island



DRAWN BY	DATE	CTO
K. NEINAST	12/05/25	N4008520F4592
CHECKED BY	DATE	FIGURE NUMBER
D. GRIBEN	12/05/25	3



G32-MW306BR	
LTM	Mn(mg/L)
12/2017	0.140
03/2018	0.300
06/2018	0.574
09/2018	0.612
12/2018	0.711
04/2019	0.641
06/2019	0.592
09/2019	0.505
08/2020	0.484
11/2020	0.512
03/2021	0.579
09/2021	0.234
04/2022	0.536
09/2022	0.585
03/2023	0.544
09/2023	0.500
04/2024	0.547
10/2024	0.480
04/2025	0.537 J
09/2025	0.519

G32-MW306SR		
LTM	Mn(mg/L)	As(mg/L)
12/2017	1.04000	0.0038 J
03/2018	0.25800	0.0048 J
06/2018	0.67800	0.0037 J
09/2018	0.49300	0.0100
12/2018	0.74000	0.0067
04/2019	0.58000	ND
06/2019	0.77000	ND
09/2019	0.97800	ND
08/2020	0.95300	ND
11/2020	0.64700	ND
03/2021	0.20200	ND
09/2021	0.28700	ND
04/2022	0.03200	0.0029 J
09/2022	0.43900	ND
03/2023	0.24900	ND
09/2023	0.60700	ND
04/2024	0.00976 J+	ND
10/2024	0.41500	ND
04/2025	0.00594	ND
09/2025	0.50100	0.0014

G44S-MW202RR	
LTM	Mn(mg/L)
12/2017	2.910
03/2018	0.870
06/2018	4.540
09/2018	1.060
12/2018	1.440
04/2019	1.940
06/2019	1.100
09/2019	1.910
08/2020	1.760
11/2020	1.630
03/2021	1.300
09/2021	1.020
04/2022	0.957
09/2022	1.000
03/2023	0.468
09/2023	0.254
04/2024	0.180
10/2024	0.123
04/2025	0.322
09/2025	0.144

G44S-MW-209			
LTM	Mn(mg/L)	Cd(mg/L)	Pb(mg/L)
12/2017	0.0769	0.000180 J	0.001700
03/2018	0.0055	ND	0.001200
06/2018	0.4230	0.005400	0.445000
09/2018	0.1280	ND	0.006800
12/2018	0.0192	0.000250 J	0.001300
04/2019	0.0048	0.000240 J	ND
06/2019	0.0103	0.000190 J	0.001260
09/2019	0.0508	0.001560	0.078800
08/2020	0.0055	ND	0.001590
11/2020	0.0626	ND	0.001310
03/2021	0.0095	0.000100 J	0.005160
09/2021	0.0567	0.000340 J	0.003610
04/2022	0.0220	ND	0.002990
09/2022	0.0910 J+	ND	0.001800 J
03/2023	0.0160	0.000310 J	0.002560
09/2023	0.0156	0.000095 J	0.000881 J
04/2024	0.0153	ND	0.000200 J
10/2024	0.0394	ND	0.004900 J
04/2025	0.0207	0.000085 J	0.002970
09/2025	0.0920	0.000240 J	0.001100

G32-MW300B		
LTM	Mn(mg/L)	As(mg/L)
12/2017	1.52	0.0100
03/2018	1.26	0.0071
06/2018	1.18	0.0067
09/2018	1.27	0.0036 J
12/2018	1.22	0.0079
04/2019	1.60	0.0077
06/2019	1.34	0.0054
09/2019	1.32	0.0060
08/2020	1.74	0.0084
11/2020	1.27	0.0063
03/2021	1.04	0.0026 J
09/2021	1.29	0.0056
04/2022	1.31	0.0080
09/2022	1.33 J+	0.0068
03/2023	1.27	0.0059
09/2023	1.33 J	0.0052
04/2024	1.26	0.0050
10/2024	0.429	ND
04/2025	1.14	0.0055
09/2025	1.20	0.0053

G32-MW300S	
LTM	Mn(mg/L)
12/2017	0.02370
03/2018	0.02150
06/2018	0.01420
09/2018	0.06530
12/2018	0.00384
04/2019	0.00784
06/2019	0.06340
09/2019	0.20200
08/2020	0.23200
11/2020	0.12700
03/2021	0.00868
09/2021	0.47700
04/2022	0.01190
09/2022	0.36400
03/2023	0.00168
09/2023	0.33600 J
04/2024	0.02210
10/2024	0.10500
04/2025	0.01750 J
09/2025	0.21400

MW-406	
LTM	Mn(mg/L)
12/2017	2.330
03/2018	1.620
06/2018	3.410
09/2018	2.930
12/2018	1.580
04/2019	0.896 J
06/2019	0.744
09/2019	1.640
08/2020	1.390
11/2020	2.040
03/2021	1.710
09/2021	1.790
04/2022	5.010
09/2022	2.220 J
03/2023	3.000
09/2023	1.830
04/2024	0.928
09/2024	1.600
04/2025	1.620 J
09/2025	2.240

MW-405	
LTM	Pb(mg/L)
12/2017	0.00340
03/2018	0.00170
06/2018	0.00800
09/2018	0.00440
12/2018	0.00070 J
04/2019	0.00240
06/2019	0.00158
09/2019	0.00380
08/2020	0.01650
11/2020	0.00214
03/2021	0.00106
09/2021	0.00632
04/2022	0.00122
09/2022	0.00195
03/2023	0.00079 J+
09/2023	0.00750
04/2024	0.00189 J
09/2024	0.00288
04/2025	0.00160 J+
09/2025	0.00514

MW-404		
LTM	Mn(mg/L)	Pb(mg/L)
12/2017	1.200	0.00062 J
03/2018	1.210	0.02780
06/2018	0.910 J	ND
09/2018	0.462	0.00068 J
12/2018	0.252	ND
04/2019	0.252 J	ND
06/2019	0.289	ND
09/2019	1.353	ND
08/2020	0.342	ND
11/2020	0.233	0.00175
03/2021	0.175	0.00026 J
09/2021	0.204	ND
04/2022	0.171	ND
09/2022	0.246	0.00935
03/2023	0.174	ND
09/2023	0.295	ND
04/2024	0.146	0.00010 J
10/2024	0.131	ND
04/2025	0.120	ND
09/2025	0.123	ND

G32-MW303B		
LTM	Mn(mg/L)	As(mg/L)
12/2017	1.12	0.0140
03/2018	1.14	0.0100
06/2018	1.31 J	0.0096
09/2018	1.24	0.0130
12/2018	1.46	0.0071
04/2019	1.65 J	0.0088
06/2019	1.05	0.0068
09/2019	1.51	0.0065
08/2020	1.50	0.0066
09/2021	1.27	0.0078
03/2021	1.81	0.0059
09/2021	1.13	0.0075
04/2022	1.06	0.0057
09/2022	1.38 J	0.0076
03/2023	1.28	0.0267
09/2023	1.25	0.0066
04/2024	1.01	0.0069
10/2024	1.09	0.0062
04/2025	0.984 J	0.0140
09/2025	1.330	0.0120

MW-401	
LTM	Mn(mg/L)
12/2017	0.055
03/2018	0.206
06/2018	0.330
09/2018	0.272
12/2018	0.215
04/2019	0.254
06/2019	0.206
09/2019	0.228
08/2020	0.188
11/2020	0.248
03/2021	0.162
09/2021	0.168
04/2022	0.144
09/2022	0.103
03/2023	0.173
09/2023	0.146
04/2024	0.129
10/2024	0.081
04/2025	0.190 J
09/2025	0.135

MW-402	
LTM	Mn(mg/L)
12/2017	0.133
03/2018	0.582
06/2018	0.763
09/2018	1.530
12/2018	1.280
04/2019	0.620
06/2019	0.676
09/2019	0.735
08/2020	0.276
11/2020	3.360
03/2021	0.617
09/2021	0.336
04/2022	0.480
09/2022	2.780
03/2023	0.715
09/2023	0.660
04/2024	0.799
09/2024	0.265
04/2025	0.721 J
09/2025	0.482





Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	G32-MW300B G32-MW300B-091825 20250918	G32-MW300S G32-MW300S-091825 20250918	G32-MW301B G32-MW301B-091625 20250916	G32-MW301S G32-MW301S-091625 20250916	G32-MW302B G32-MW302B-091825 20250918
VOLATILES (µg/L)						
TETRACHLOROETHENE	5	0.5 U	1.2 J+	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)						
BENZO(A)ANTHRACENE	380	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(A)PYRENE	0.2	0.095 U	0.093 U	0.094 UJ	0.093 UJ	0.094 U
BENZO(B)FLUORANTHENE	380	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(G,H,I)PERYLENE	120	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(K)FLUORANTHENE	2.5	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
CHRYSENE	37700	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
DIBENZO(A,H)ANTHRACENE	NC	0.095 UJ	0.093 UJ	0.094 U	0.093 U	0.094 UJ
FLUORANTHENE	157200	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
INDENO(1,2,3-CD)PYRENE	375	0.095 UJ	0.093 UJ	0.094 UJ	0.093 UJ	0.094 UJ
PENTACHLOROPHENOL	NC	0.48 UR	0.47 UR	0.47 UR	0.47 UR	0.47 UR
PHENANTHRENE	118000	0.087 J	0.084 J	0.062 J	0.059 J	0.16 J
PYRENE	120	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
PCBS (µg/L)						
AROCLOR-1260	NC	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
TOTAL AROCLOR	NC	2.1 U	2.1 U	2.1 UJ	2.4 U	2.1 U
METALS (µg/L)						
ARSENIC	10	5.3	0.64 J	0.45 J	0.31 J	1.1
CADMIUM	5	0.3 U	0.4 J	0.3 U	0.3 U	0.3 U
LEAD	15	0.3 U	1.55	0.3 U	0.54 J	0.098 J
MANGANESE	300	1200	214	20.8	10.1	354
METALS FILTERED (µg/L)						
ARSENIC	10	5.19	0.59 J	0.55 J	0.6 U	1.7
CADMIUM	5	0.3 U	0.42 J	0.092 J	0.3 U	0.3 U
LEAD	15	0.3 U	0.55 J	0.3 U	0.1 J	0.3 U
MANGANESE	300	1180	221	21.9	1 U	403
MISCELLANEOUS (mg/L)						
ALKALINITY	NC	26	66	24	32	70
CHLORIDE	NC	72	130	12	4.5	26
NITRATE-N	NC	0.027 J	1	4.9	1.7	0.031 J
SULFATE	NC	33	170	27	6.7	3.9

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goal

Concentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception of the PALs for 1,2-DCE and vinyl chloride because they are not listed in the ROD. 1,2-DCE and vinyl chloride are monitored because they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	G32-MW302B G32-MW302B-091825-AVG 20250918	G32-MW302B G32-MW302B-091825-D 20250918	G32-MW302S G32-MW302S-091725 20250917	G32-MW303B G32-MW303B-091625 20250916	G32-MW304SR G32-MW304SR-091825 20250918
VOLATILES (µg/L)						
TETRACHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.5 U	0.5 U	0.5 U	0.5 U	0.69 J
TRICHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J+
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)						
BENZO(A)ANTHRACENE	380	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(A)PYRENE	0.2	0.094 U	0.094 U	0.1 U	0.094 UJ	0.097 U
BENZO(B)FLUORANTHENE	380	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(G,H,I)PERYLENE	120	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(K)FLUORANTHENE	2.5	0.094 U	0.094 U	0.06 J	0.094 U	0.097 U
CHRYSENE	37700	0.094 U	0.094 U	0.063 J	0.094 U	0.097 U
DIBENZO(A,H)ANTHRACENE	NC	0.094 U	0.094 UJ	0.1 U	0.094 U	0.097 UJ
FLUORANTHENE	157200	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
INDENO(1,2,3-CD)PYRENE	375	0.094 U	0.094 UJ	0.1 U	0.094 UJ	0.097 UJ
PENTACHLOROPHENOL	NC	0.47 R	0.47 UR	0.51 U	0.47 UR	0.48 UR
PHENANTHRENE	118000	0.155	0.15 J	0.15 J	0.075 J	0.097 U
PYRENE	120	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
PCBS (µg/L)						
AROCLOR-1260	NC	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
TOTAL AROCLOR	NC	2.1 U	2.1 U	2.1 U	2.2 U	2.2 U
METALS (µg/L)						
ARSENIC	10	1.1	1.1	1.6	12	0.34 J
CADMIUM	5	0.3 U	0.3 U	0.3 U	0.3 U	1.9
LEAD	15	0.129	0.16 J	0.3 U	0.3 U	0.75 J
MANGANESE	300	348	342	842	1330	151
METALS FILTERED (µg/L)						
ARSENIC	10	1.7	1.7	1.2	7.39	0.26 J
CADMIUM	5	0.3 U	0.3 U	0.3 U	0.3 U	1.84
LEAD	15	0.3 U	0.3 U	0.3 U	0.3 U	0.22 J
MANGANESE	300	403.5	404	851	1380	149
MISCELLANEOUS (mg/L)						
ALKALINITY	NC	70	--	38	18	84
CHLORIDE	NC	26	--	240	120	51
NITRATE-N	NC	0.031 J	--	0.031 J	0.031 J	1
SULFATE	NC	3.9	--	110	28	12

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goal

Concentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception of the PALs for 1,2-DCE and vinyl chloride because they are not listed in the ROD. 1,2-DCE and vinyl chloride are monitored because they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	G32-MW305B G32-MW305B-091725 20250917	G32-MW305B G32-MW305B-091725-AVG 20250917	G32-MW305B G32-MW305B-091725-D 20250917	G32-MW305S G32-MW305S-091625 20250916	G32-MW306BR G32-MW306BR-091625 20250916
VOLATILES (µg/L)						
TETRACHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)						
BENZO(A)ANTHRACENE	380	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(A)PYRENE	0.2	0.11 U	0.102 U	0.094 U	0.093 UJ	0.093 UJ
BENZO(B)FLUORANTHENE	380	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(G,H,I)PERYLENE	120	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(K)FLUORANTHENE	2.5	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
CHRYSENE	37700	0.11 U	0.053 J	0.053 J	0.093 U	0.093 U
DIBENZO(A,H)ANTHRACENE	NC	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
FLUORANTHENE	157200	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
INDENO(1,2,3-CD)PYRENE	375	0.11 U	0.102 U	0.094 U	0.093 UJ	0.093 UJ
PENTACHLOROPHENOL	NC	0.56 U	0.32 J	0.32 J	0.47 UR	0.47 UR
PHENANTHRENE	118000	0.2 J	0.225	0.25	0.093 U	0.065 J
PYRENE	120	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
PCBS (µg/L)						
AROCLOL-1260	NC	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
TOTAL AROCLOR	NC	2.2 U	2.15 U	2.1 U	2.2 U	2.1 U
METALS (µg/L)						
ARSENIC	10	0.34 J	0.34 J	0.6 U	2.2	0.5 J
CADMIUM	5	0.17 J	0.175	0.18 J	8.64	0.3 U
LEAD	15	0.3 U	0.25	0.35 J	1.95	0.3 U
MANGANESE	300	2060	2010	1960	160	519
METALS FILTERED (µg/L)						
ARSENIC	10	0.6 U	0.6 U	0.6 U	2.2	0.41 J
CADMIUM	5	0.13 J	0.135	0.14 J	8.51	0.3 U
LEAD	15	0.3 U	0.415	0.68 J	1.21	0.3 U
MANGANESE	300	1990	2015	2040	168	531
MISCELLANEOUS (mg/L)						
ALKALINITY	NC	36	36	--	36	50
CHLORIDE	NC	19	19	--	20	180
NITRATE-N	NC	1.5	1.5	--	32 J-	0.038 J
SULFATE	NC	33	33	--	20	19

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goal

Concentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception

of the PALs for 1,2-DCE and vinyl chloride because they are not

listed in the ROD. 1,2-DCE and vinyl chloride are monitored because

they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and

pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	G32-MW306BR G32-MW306BR-091625-AVG 20250916	G32-MW306BR G32-MW306BR-091625-D 20250916	G32-MW306SR G32-MW306SR-091725 20250917	G44S-MW-202RR G44S-MW-202RR-091525 20250915	G44S-MW-209 G44S-MW209-091825 20250918
VOLATILES (µg/L)						
TETRACHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)						
BENZO(A)ANTHRACENE	380	0.093 U	0.093 UJ	0.094 U	0.094 UJ	0.87
BENZO(A)PYRENE	0.2	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.87 J
BENZO(B)FLUORANTHENE	380	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	1.2 J
BENZO(G,H,I)PERYLENE	120	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.56 J
BENZO(K)FLUORANTHENE	2.5	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.46 J
CHRYSENE	37700	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.94 J
DIBENZO(A,H)ANTHRACENE	NC	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.13 J
FLUORANTHENE	157200	0.093 U	0.093 UJ	0.094 U	0.094 UJ	1.8
INDENO(1,2,3-CD)PYRENE	375	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.57 J
PENTACHLOROPHENOL	NC	0.47 R	0.47 UR	0.47 U	0.47 UR	0.52 UR
PHENANTHRENE	118000	0.065 J	0.093 UJ	0.079 J	0.094 U	0.82
PYRENE	120	0.093 U	0.093 UJ	0.094 U	0.094 UJ	1.6
PCBS (µg/L)						
AROCLOR-1260	NC	0.23 U	0.23 U	0.23 U	0.23 U	0.48 J
TOTAL AROCLOR	NC	2.1 U	2.1 U	2.1 U	2.1 U	0.48 J
METALS (µg/L)						
ARSENIC	10	0.47	0.44 J	1.4	1.8 J	1.1
CADMIUM	5	0.3 U	0.3 U	0.14 J	0.3 UJ	0.24 J
LEAD	15	0.3 U	0.3 U	0.3 U	0.3 UJ	9.69
MANGANESE	300	513.5	508	501	144	92
METALS FILTERED (µg/L)						
ARSENIC	10	0.43	0.45 J	1.4	1.7	0.44 J
CADMIUM	5	0.3 U	0.3 U	0.1 J	0.3 U	0.3 U
LEAD	15	0.3 U	0.3 U	0.3 U	0.3 U	0.74 J
MANGANESE	300	529.5	528	462	142	25.2
MISCELLANEOUS (mg/L)						
ALKALINITY	NC	50	--	94	110	200
CHLORIDE	NC	180	--	3100	1600	30
NITRATE-N	NC	0.038 J	--	0.36	0.17 J+	2.9
SULFATE	NC	19	--	440	260	13

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goal

Concentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception

of the PALs for 1,2-DCE and vinyl chloride because they are not

listed in the ROD. 1,2-DCE and vinyl chloride are monitored because

they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and

pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	GI-MW400 GI-MW400-091725 20250917	GI-MW401 GI-MW401-091625 20250916	GI-MW402 GI-MW402-091725 20250917	GI-MW403 GI-MW403-091625 20250916	GI-MW404 GI-MW404-091725 20250917
VOLATILES (µg/L)						
TETRACHLOROETHENE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.5 U	1.2 J+	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	5	0.5 U	4.9 J+	0.5 U	0.5 U	0.5 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)						
BENZO(A)ANTHRACENE	380	0.096 U	0.068 J	0.098 U	0.094 U	0.097 U
BENZO(A)PYRENE	0.2	0.096 U	0.098 UJ	0.098 U	0.094 UJ	0.097 U
BENZO(B)FLUORANTHENE	380	0.096 U	0.096 J	0.098 U	0.094 U	0.097 U
BENZO(G,H,I)PERYLENE	120	0.096 U	0.066 J	0.098 U	0.094 U	0.097 U
BENZO(K)FLUORANTHENE	2.5	0.096 U	0.092 J	0.098 U	0.094 U	0.097 U
CHRYSENE	37700	0.096 U	0.092 J	0.098 U	0.094 U	0.097 U
DIBENZO(A,H)ANTHRACENE	NC	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
FLUORANTHENE	157200	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
INDENO(1,2,3-CD)PYRENE	375	0.096 U	0.054 J	0.098 U	0.094 UJ	0.097 U
PENTACHLOROPHENOL	NC	0.48 U	0.49 UR	0.49 U	0.47 UR	0.48 U
PHENANTHRENE	118000	0.14 J	0.11 J	0.098 U	0.094 U	0.097 U
PYRENE	120	0.096 U	0.074 J	0.098 U	0.094 U	0.097 U
PCBS (µg/L)						
AROCOR-1260	NC	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
TOTAL AROCLOR	NC	2.2 U	2.1 U	2.2 U	2.3 U	2.2 U
METALS (µg/L)						
ARSENIC	10	0.3 J	1.3	1.2	0.4 J	0.43 J
CADMIUM	5	0.3 U	0.1 J	0.3 U	0.3 U	0.3 U
LEAD	15	0.3 U	0.21 J	0.3 U	0.3 U	0.3 U
MANGANESE	300	1.3 J	135	482	24.6	123
METALS FILTERED (µg/L)						
ARSENIC	10	0.27 J	1	0.72 J	0.35 J	0.3 J
CADMIUM	5	0.3 U	0.1 J	0.3 U	0.3 U	0.3 U
LEAD	15	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U
MANGANESE	300	1.2 J	130	484	13.2	122
MISCELLANEOUS (mg/L)						
ALKALINITY	NC	490	38	16	56	38
CHLORIDE	NC	15	21	11	11	44
NITRATE-N	NC	2	0.048 J	0.019 J	7.1 J-	0.033 J
SULFATE	NC	30	42	50	27	85

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goal

Concentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception

of the PALs for 1,2-DCE and vinyl chloride because they are not

listed in the ROD. 1,2-DCE and vinyl chloride are monitored because

they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and

pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 1: Groundwater Analytical Results for Detected Parameters

LOCATION SAMPLE ID SAMPLE DATE	PAL	GI-MW405 GI-MW405-091625 20250916	GI-MW406 GI-MW406-091825 20250918
VOLATILES (µg/L)			
TETRACHLOROETHENE	5	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	70	0.64 J	0.5 U
TRICHLOROETHENE	5	1.2 J+	0.5 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)			
BENZO(A)ANTHRACENE	380	0.095 U	0.096 U
BENZO(A)PYRENE	0.2	0.095 UJ	0.096 U
BENZO(B)FLUORANTHENE	380	0.095 U	0.096 U
BENZO(G,H,I)PERYLENE	120	0.095 U	0.096 U
BENZO(K)FLUORANTHENE	2.5	0.095 U	0.096 U
CHRYSENE	37700	0.095 U	0.096 U
DIBENZO(A,H)ANTHRACENE	NC	0.095 U	0.096 UJ
FLUORANTHENE	157200	0.095 U	0.072 J
INDENO(1,2,3-CD)PYRENE	375	0.095 UJ	0.096 UJ
PENTACHLOROPHENOL	NC	0.48 UR	0.48 UR
PHENANTHRENE	118000	0.079 J	0.096 U
PYRENE	120	0.095 U	0.065 J
PCBS (µg/L)			
AROCLOR-1260	NC	0.24 U	0.24 U
TOTAL AROCLOR	NC	2.1 U	2.1 U
METALS (µg/L)			
ARSENIC	10	0.58 J	1.5
CADMIUM	5	0.15 J	0.3 U
LEAD	15	5.14	0.3 U
MANGANESE	300	1.3 J+	2240
METALS FILTERED (µg/L)			
ARSENIC	10	0.66 J	1.4
CADMIUM	5	0.15 J	0.3 U
LEAD	15	5.02	0.3 U
MANGANESE	300	1.4 J+	1750
MISCELLANEOUS (mg/L)			
ALKALINITY	NC	110	190
CHLORIDE	NC	1500	120
NITRATE-N	NC	1.2	0.04 J
SULFATE	NC	220	56

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed PAL - Project Action Level

mg/L - milligrams per liter NC - No Criteria

Concentration greater than PAL/ROD (Record of Decision) goalConcentrations in **bold** indicate detections

- The PAL is the "Cleanup Level" as listed in the ROD with the exception of the PALs for 1,2-DCE and vinyl chloride because they are not listed in the ROD. 1,2-DCE and vinyl chloride are monitored because they are daughter products of PCE.

- PALs for benzo(g,h,i)perylene, benzo(k)fluoranthene and pyrene differ from Sampling and Analysis Plan (SAP) due to Regional Screening Level (RSL) updates.

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	G32-MW300B G32-MW300B-091825 20250918	G32-MW300S G32-MW300S-091825 20250918	G32-MW301B G32-MW301B-091625 20250916	G32-MW301S G32-MW301S-091625 20250916	G32-MW302B G32-MW302B-091825 20250918
VOLATILES (µg/L)					
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	1.2 J+	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)					
2-METHYLNAPHTHALENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(A)ANTHRACENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(A)PYRENE	0.095 U	0.093 U	0.094 UJ	0.093 UJ	0.094 U
BENZO(B)FLUORANTHENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(G,H,I)PERYLENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
BENZO(K)FLUORANTHENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
CHRYSENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
DIBENZO(A,H)ANTHRACENE	0.095 UJ	0.093 UJ	0.094 U	0.093 U	0.094 UJ
FLUORANTHENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
INDENO(1,2,3-CD)PYRENE	0.095 UJ	0.093 UJ	0.094 UJ	0.093 UJ	0.094 UJ
NAPHTHALENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
PENTACHLOROPHENOL	0.48 UR	0.47 UR	0.47 UR	0.47 UR	0.47 UR
PHENANTHRENE	0.087 J	0.084 J	0.062 J	0.059 J	0.16 J
PYRENE	0.095 U	0.093 U	0.094 U	0.093 U	0.094 U
PCBS (µg/L)					
AROCLOR-1016	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1221	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1232	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1242	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1248	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1254	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1260	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1262	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
AROCLOR-1268	0.23 U	0.23 U	0.24 UJ	0.26 U	0.23 U
TOTAL AROCLOR	2.1 U	2.1 U	2.1 UJ	2.4 U	2.1 U
METALS (µg/L)					
ARSENIC	5.3	0.64 J	0.45 J	0.31 J	1.1
CADMIUM	0.3 U	0.4 J	0.3 U	0.3 U	0.3 U
LEAD	0.3 U	1.55	0.3 U	0.54 J	0.098 J
MANGANESE	1200	214	20.8	10.1	354
METALS FILTERED (µg/L)					
ARSENIC	5.19	0.59 J	0.55 J	0.6 U	1.7
CADMIUM	0.3 U	0.42 J	0.092 J	0.3 U	0.3 U
LEAD	0.3 U	0.55 J	0.3 U	0.1 J	0.3 U
MANGANESE	1180	221	21.9	1 U	403
MISCELLANEOUS (mg/L)					
ALKALINITY	26	66	24	32	70
CHLORIDE	72	130	12	4.5	26
NITRATE-N	0.027 J	1	4.9	1.7	0.031 J
SULFATE	33	170	27	6.7	3.9

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data generated

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	G32-MW302B G32-MW302B-091825-AVG 20250918	G32-MW302B G32-MW302B-091825-D 20250918	G32-MW302S G32-MW302S-091725 20250917	G32-MW303B G32-MW303B-091625 20250916	G32-MW304SR G32-MW304SR-091825 20250918
VOLATILES (µg/L)					
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.69 J
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J+
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)					
2-METHYLNAPHTHALENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(A)ANTHRACENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(A)PYRENE	0.094 U	0.094 U	0.1 U	0.094 UJ	0.097 U
BENZO(B)FLUORANTHENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(G,H,I)PERYLENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
BENZO(K)FLUORANTHENE	0.094 U	0.094 U	0.06 J	0.094 U	0.097 U
CHRYSENE	0.094 U	0.094 U	0.063 J	0.094 U	0.097 U
DIBENZO(A,H)ANTHRACENE	0.094 U	0.094 UJ	0.1 U	0.094 U	0.097 UJ
FLUORANTHENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
INDENO(1,2,3-CD)PYRENE	0.094 U	0.094 UJ	0.1 U	0.094 UJ	0.097 UJ
NAPHTHALENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
PENTACHLOROPHENOL	0.47 R	0.47 UR	0.51 U	0.47 UR	0.48 UR
PHENANTHRENE	0.155	0.15 J	0.15 J	0.075 J	0.097 U
PYRENE	0.094 U	0.094 U	0.1 U	0.094 U	0.097 U
PCBS (µg/L)					
AROCLOR-1016	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1221	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1232	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1242	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1248	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1254	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1260	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1262	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
AROCLOR-1268	0.235 U	0.24 U	0.23 U	0.24 U	0.24 U
TOTAL AROCLOR	2.1 U	2.1 U	2.1 U	2.2 U	2.2 U
METALS (µg/L)					
ARSENIC	1.1	1.1	1.6	12	0.34 J
CADMIUM	0.3 U	0.3 U	0.3 U	0.3 U	1.9
LEAD	0.129	0.16 J	0.3 U	0.3 U	0.75 J
MANGANESE	348	342	842	1330	151
METALS FILTERED (µg/L)					
ARSENIC	1.7	1.7	1.2	7.39	0.26 J
CADMIUM	0.3 U	0.3 U	0.3 U	0.3 U	1.84
LEAD	0.3 U	0.3 U	0.3 U	0.3 U	0.22 J
MANGANESE	403.5	404	851	1380	149
MISCELLANEOUS (mg/L)					
ALKALINITY	70	--	38	18	84
CHLORIDE	26	--	240	120	51
NITRATE-N	0.031 J	--	0.031 J	0.031 J	1
SULFATE	3.9	--	110	28	12

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	G32-MW305B G32-MW305B-091725 20250917	G32-MW305B G32-MW305B-091725-AVG 20250917	G32-MW305B G32-MW305B-091725-D 20250917	G32-MW305S G32-MW305S-091625 20250916	G32-MW306BR G32-MW306BR-091625 20250916
VOLATILES (µg/L)					
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)					
2-METHYLNAPHTHALENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(A)ANTHRACENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(A)PYRENE	0.11 U	0.102 U	0.094 U	0.093 UJ	0.093 UJ
BENZO(B)FLUORANTHENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(G,H,I)PERYLENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
BENZO(K)FLUORANTHENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
CHRYSENE	0.11 U	0.053 J	0.053 J	0.093 U	0.093 U
DIBENZO(A,H)ANTHRACENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
FLUORANTHENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
INDENO(1,2,3-CD)PYRENE	0.11 U	0.102 U	0.094 U	0.093 UJ	0.093 UJ
NAPHTHALENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
PENTACHLOROPHENOL	0.56 U	0.32 J	0.32 J	0.47 UR	0.47 UR
PHENANTHRENE	0.2 J	0.225	0.25	0.093 U	0.065 J
PYRENE	0.11 U	0.102 U	0.094 U	0.093 U	0.093 U
PCBS (µg/L)					
AROCLOR-1016	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1221	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1232	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1242	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1248	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1254	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1260	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1262	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
AROCLOR-1268	0.25 U	0.24 U	0.23 U	0.24 U	0.23 U
TOTAL AROCLOR	2.2 U	2.15 U	2.1 U	2.2 U	2.1 U
METALS (µg/L)					
ARSENIC	0.34 J	0.34 J	0.6 U	2.2	0.5 J
CADMIUM	0.17 J	0.175	0.18 J	8.64	0.3 U
LEAD	0.3 U	0.25	0.35 J	1.95	0.3 U
MANGANESE	2060	2010	1960	160	519
METALS FILTERED (µg/L)					
ARSENIC	0.6 U	0.6 U	0.6 U	2.2	0.41 J
CADMIUM	0.13 J	0.135	0.14 J	8.51	0.3 U
LEAD	0.3 U	0.415	0.68 J	1.21	0.3 U
MANGANESE	1990	2015	2040	168	531
MISCELLANEOUS (mg/L)					
ALKALINITY	36	36	--	36	50
CHLORIDE	19	19	--	20	180
NITRATE-N	1.5	1.5	--	32 J-	0.038 J
SULFATE	33	33	--	20	19

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	G32-MW306BR G32-MW306BR-091625-AVG 20250916	G32-MW306BR G32-MW306BR-091625-D 20250916	G32-MW306SR G32-MW306SR-091725 20250917	G44S-MW-202RR G44S-MW-202RR-091525 20250915	G44S-MW-209 G44S-MW209-091825 20250918
VOLATILES (µg/L)					
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)					
2-METHYLNAPHTHALENE	0.093 U	0.093 UJ	0.094 U	0.094 U	0.1 U
BENZO(A)ANTHRACENE	0.093 U	0.093 UJ	0.094 U	0.094 UJ	0.87
BENZO(A)PYRENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.87 J
BENZO(B)FLUORANTHENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	1.2 J
BENZO(G,H,I)PERYLENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.56 J
BENZO(K)FLUORANTHENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.46 J
CHRYSENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.94 J
DIBENZO(A,H)ANTHRACENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.13 J
FLUORANTHENE	0.093 U	0.093 UJ	0.094 U	0.094 UJ	1.8
INDENO(1,2,3-CD)PYRENE	0.093 U	0.093 UJ	0.094 UJ	0.094 UJ	0.57 J
NAPHTHALENE	0.093 U	0.093 UJ	0.094 U	0.094 U	0.1 U
PENTACHLOROPHENOL	0.47 R	0.47 UR	0.47 U	0.47 UR	0.52 UR
PHENANTHRENE	0.065 J	0.093 UJ	0.079 J	0.094 U	0.82
PYRENE	0.093 U	0.093 UJ	0.094 U	0.094 UJ	1.6
PCBS (µg/L)					
AROCLOR-1016	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1221	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1232	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1242	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1248	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1254	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1260	0.23 U	0.23 U	0.23 U	0.23 U	0.48 J
AROCLOR-1262	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
AROCLOR-1268	0.23 U	0.23 U	0.23 U	0.23 U	0.25 UJ
TOTAL AROCLOR	2.1 U	2.1 U	2.1 U	2.1 U	0.48 J
METALS (µg/L)					
ARSENIC	0.47	0.44 J	1.4	1.8 J	1.1
CADMIUM	0.3 U	0.3 U	0.14 J	0.3 UJ	0.24 J
LEAD	0.3 U	0.3 U	0.3 U	0.3 UJ	9.69
MANGANESE	513.5	508	501	144	92
METALS FILTERED (µg/L)					
ARSENIC	0.43	0.45 J	1.4	1.7	0.44 J
CADMIUM	0.3 U	0.3 U	0.1 J	0.3 U	0.3 U
LEAD	0.3 U	0.3 U	0.3 U	0.3 U	0.74 J
MANGANESE	529.5	528	462	142	25.2
MISCELLANEOUS (mg/L)					
ALKALINITY	50	--	94	110	200
CHLORIDE	180	--	3100	1600	30
NITRATE-N	0.038 J	--	0.36	0.17 J+	2.9
SULFATE	19	--	440	260	13

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	GI-MW400 GI-MW400-091725 20250917	GI-MW401 GI-MW401-091625 20250916	GI-MW402 GI-MW402-091725 20250917	GI-MW403 GI-MW403-091625 20250916	GI-MW404 GI-MW404-091725 20250917
VOLATILES (µg/L)					
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.5 U	1.2 J+	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	4.9 J+	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)					
2-METHYLNAPHTHALENE	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
BENZO(A)ANTHRACENE	0.096 U	0.068 J	0.098 U	0.094 U	0.097 U
BENZO(A)PYRENE	0.096 U	0.098 UJ	0.098 U	0.094 UJ	0.097 U
BENZO(B)FLUORANTHENE	0.096 U	0.096 J	0.098 U	0.094 U	0.097 U
BENZO(G,H,I)PERYLENE	0.096 U	0.066 J	0.098 U	0.094 U	0.097 U
BENZO(K)FLUORANTHENE	0.096 U	0.092 J	0.098 U	0.094 U	0.097 U
CHRYSENE	0.096 U	0.092 J	0.098 U	0.094 U	0.097 U
DIBENZO(A,H)ANTHRACENE	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
FLUORANTHENE	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
INDENO(1,2,3-CD)PYRENE	0.096 U	0.054 J	0.098 U	0.094 UJ	0.097 U
NAPHTHALENE	0.096 U	0.098 U	0.098 U	0.094 U	0.097 U
PENTACHLOROPHENOL	0.48 U	0.49 UR	0.49 U	0.47 UR	0.48 U
PHENANTHRENE	0.14 J	0.11 J	0.098 U	0.094 U	0.097 U
PYRENE	0.096 U	0.074 J	0.098 U	0.094 U	0.097 U
PCBS (µg/L)					
AROCLOR-1016	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1221	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1232	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1242	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1248	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1254	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1260	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1262	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
AROCLOR-1268	0.24 U	0.24 U	0.24 U	0.26 U	0.24 U
TOTAL AROCLOR	2.2 U	2.1 U	2.2 U	2.3 U	2.2 U
METALS (µg/L)					
ARSENIC	0.3 J	1.3	1.2	0.4 J	0.43 J
CADMIUM	0.3 U	0.1 J	0.3 U	0.3 U	0.3 U
LEAD	0.3 U	0.21 J	0.3 U	0.3 U	0.3 U
MANGANESE	1.3 J	135	482	24.6	123
METALS FILTERED (µg/L)					
ARSENIC	0.27 J	1	0.72 J	0.35 J	0.3 J
CADMIUM	0.3 U	0.1 J	0.3 U	0.3 U	0.3 U
LEAD	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U
MANGANESE	1.2 J	130	484	13.2	122
MISCELLANEOUS (mg/L)					
ALKALINITY	490	38	16	56	38
CHLORIDE	15	21	11	11	44
NITRATE-N	2	0.048 J	0.019 J	7.1 J-	0.033 J
SULFATE	30	42	50	27	85

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections

Table 2: Groundwater Analytical Results

LOCATION SAMPLE ID SAMPLE DATE	GI-MW405 GI-MW405-091625 20250916	GI-MW406 GI-MW406-091825 20250918
VOLATILES (µg/L)		
BENZENE	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U
TOTAL 1,2-DICHLOROETHENE	0.64 J	0.5 U
TRICHLOROETHENE	1.2 J+	0.5 U
VINYL CHLORIDE	1 U	1 U
SEMIVOLATILE SELECTIVE ION MONITORING (µg/L)		
2-METHYLNAPHTHALENE	0.095 U	0.096 U
BENZO(A)ANTHRACENE	0.095 U	0.096 U
BENZO(A)PYRENE	0.095 UJ	0.096 U
BENZO(B)FLUORANTHENE	0.095 U	0.096 U
BENZO(G,H,I)PERYLENE	0.095 U	0.096 U
BENZO(K)FLUORANTHENE	0.095 U	0.096 U
CHRYSENE	0.095 U	0.096 U
DIBENZO(A,H)ANTHRACENE	0.095 U	0.096 UJ
FLUORANTHENE	0.095 U	0.072 J
INDENO(1,2,3-CD)PYRENE	0.095 UJ	0.096 UJ
NAPHTHALENE	0.095 U	0.096 U
PENTACHLOROPHENOL	0.48 UR	0.48 UR
PHENANTHRENE	0.079 J	0.096 U
PYRENE	0.095 U	0.065 J
PCBS (µg/L)		
AROCLOR-1016	0.24 U	0.24 U
AROCLOR-1221	0.24 U	0.24 U
AROCLOR-1232	0.24 U	0.24 U
AROCLOR-1242	0.24 U	0.24 U
AROCLOR-1248	0.24 U	0.24 U
AROCLOR-1254	0.24 U	0.24 U
AROCLOR-1260	0.24 U	0.24 U
AROCLOR-1262	0.24 U	0.24 U
AROCLOR-1268	0.24 U	0.24 U
TOTAL AROCLOR	2.1 U	2.1 U
METALS (µg/L)		
ARSENIC	0.58 J	1.5
CADMIUM	0.15 J	0.3 U
LEAD	5.14	0.3 U
MANGANESE	1.3 J+	2240
METALS FILTERED (µg/L)		
ARSENIC	0.66 J	1.4
CADMIUM	0.15 J	0.3 U
LEAD	5.02	0.3 U
MANGANESE	1.4 J+	1750
MISCELLANEOUS (mg/L)		
ALKALINITY	110	190
CHLORIDE	1500	120
NITRATE-N	1.2	0.04 J
SULFATE	220	56

Notes:

U Undetected at the stated limit.

J Concentration reported is approximate.

J+/- Concentration is approximated and biased high/ low.

UJ Undetected at approximated reported limit.

R/UR- The sample result (detected/nondetected) is unusable due to the quality of the data

µg/L - micrograms per liter -- - Not Analyzed

mg/L - milligrams per liter NC - No Criteria

Concentrations in **bold** indicate detections



Date:
09/17/25

Photographer:
Grant Magee

Location: Pipe near Former Building 54



Date:
09/17/25

Photographer:
Grant Magee

Location: Pipe near Former Building 54



Date:
09/17/25

Photographer:
Kody Neinast

Location: Bailer contents from pipe near Former Building 54



Date:
09/17/25

Photographer:
Kody Neinast

Location: Bailer contents from pipe near Former Building 54



Date:
09/17/25

Photographer:
Kody Neinast

Location: Bailer contents from pipe near Former Building 54



Date:
09/17/25

Photographer:
Grant Magee

Location: Drum near Former Building 38



Date:
09/17/25

Photographer:
Grant Magee

Location: Inside contents of drum near Former Building 38