

Sources-Sought Notice

The Indian Health Service, Chinle Service Unit, Chinle Comprehensive Health Care Facility is issuing this sources-sought synopsis as a means of conducting market research (FAR 10.001) in identifying prospective sources to fill a government requirement for Household Kitchen Appliances. Refer to attached Specifications.

The applicable North American Industry Classification System (NAICS) code assigned to this requirement is 335220 Major Household Appliance Manufacturing with a small business size standard of 1,500 employees.

THIS IS NOT A SOLICITATION. Information collected from this notice is purely for market research only and will be used to determine the contracting office's acquisition strategy including competition, set asides, and locating Indian-owned economic enterprises. Submission of any information in response to this market survey is purely voluntary. The government assumes no financial responsibility for any costs incurred in response to this request for information.

Delivery Timeframe: 3 months after receipt of Purchase Order.

In accordance with FAR 4.1102(a), offerors and quoters are required to be registered in System for Award Management at SAM.gov, at the time an offer or quotation is submitted in order to comply with the annual representations and certifications requirements.

Submission Instructions: Interested parties who consider themselves qualified to perform the above-listed services are invited to submit a response to this notice by March 18, 2026, at 5:00PM MST to Teola Autaubo at teola.autaubo@ihs.gov with the subject line "SSN IHS1521799". Your submission must include the following information, at a minimum:

1. Company Profile that includes: UEI, Name and Address, Primary POC information, business size and type of ownership, socio-economic status/participation such as 8(a), WOSB/EDWOSB, SDVOSB and HUBZone, identification of Native American ownership (if applicable), SAM.gov representations and certifications, and other related documentation.
2. A brief statement of the company's capability that relates to the described government requirement. Additional demonstration of capability may include current and past performance history for the same or similar requirement, established contracts such as GSA or VA Schedule, etc.
3. If claiming Indian-owned Small Business Economic Enterprise (ISBEE) or Indian-owned Economic Enterprise (IEE), submit completed IHS IEE Representation Form (attached).

Telephone inquiries will not be accepted or acknowledged, and no feedback or evaluations will be provided to companies regarding their submissions.

Features and Benefits

Edge-To-Edge Cooktop – A large cooking surface gives you extra room for pots and pans of all sizes and lets cookware move easily from burner to burner.

Extra-Large Integrated Griddle – Cook up to six grilled cheeses at once on the industry's largest integrated griddle.

15,000 BTU Power Boil Burner – Delivers high heat for fast boiling.

Center Oval Burner – Large oval fifth burner is ideal for griddle cooking.

Steam Clean – Save time and effort by steam-cleaning the oven after cooking. No special water, kits or extra steps required.

Precise Simmer Burner – Delicate foods don't burn with low, even heat.

Heavy Duty, Dishwasher-Safe Grates – Easily and safely clean grates in the dishwasher.


5.0 Cu. Ft. Oven Capacity – Cook more dishes at once.

Sealed Cooktop Burners – Contain spills and make cleaning quick and easy.

Deep-Recessed Cooktop – Contains spills for quick and easy cleaning.

Model JGBS66DEKWW – White on White


Model JGBS66DEKBB – Black on Black



Dimensions and Installation Information (in Inches)

Electrical Rating: 120V, 60Hz, 15A



Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.



Gas Pipe And Electrical Outlet Locations

Recommended area for 120V outlet on rear wall and area for through-the-wall connection of pipe stub and shut-off valve.

Recommended area for through-the-floor connection of pipe stub and shut-off valve.



Read and follow all instructions and warnings in the installation manual before installing the range.

21.1 Cu. Ft. Top-Freezer Refrigerator



FEATURES

Temperature Management Features	Air Tower in Freezer
Control Type	Upfront Temperature Controls
Icemaker	Optional (IM4D Ready)
Freezer Cabinet Shelves	1 Adjustable 1 Full-Width 1 Total
Performance Features	Easily Removable Door Gaskets Never Clean Condenser
Freezer Door Bins	2 Full-Width 2 Total Fixed
Defrost Type	Frost Free
Fresh Food Door Features	Dairy Compartment Gallon Storage
Leveling System	Leveling Legs
Fresh Food Cabinet Shelves	2 Adjustable 2 Full-Width 2 Total - Glass Spill-Resistant
Fresh Food Door Bins	2 with Gallon Storage 3 Total
Freezer Features	Spillproof Freezer Floor
Exterior Style	Free-Standing
Fresh Food Features	
Fresh Food Cabinet Drawers	1 Snack Drawer 2 Adjustable Humidity Drawers 3 Total Clear
Product Type	Top Freezer Refrigerator

- #1 in Quality and Dependability - Among 16-22 cu. ft. refrigerators based on an independent study of property maintenance personnel. Source: The Stevenson Company, 2020—Market research company with over 20 years of experience in the appliance industry
- 32-7/8" wide
- Upfront temperature controls - Easy-to-use controls regulate both fresh food and freezer sections
- Adjustable spill-resistant glass shelves - Designed to contain spills for easy cleaning
- Snack drawer - Conveniently stores favorite foods and allows for quick, easy access
- Adjustable-humidity drawers - Controls helps food stay fresh
- Large door bins - Deep bins handle large containers in the door and free up valuable shelf space
- Wire freezer shelf - Better organization for the freezer
- Spillproof freezer floor - Seamless design of the freezer floor wipes up easily for quick cleanup

Have more questions? Please contact 1-800-626-2000

21.1 Cu. Ft. Top-Freezer Refrigerator

APPROXIMATE DIMENSIONS(HxDxW)

- 66 3/4 H x 32 7/8 W x 34 D

CAPACITY

- Fresh Food Capacity - 15.1cu ft
- Total Capacity (cubic feet) - 21.10cu ft
- Freezer Capacity - 6.04cu ft

APPEARANCE

- Exterior Design - Textured Rounded Doors
- Door Stops - Yes
- Textured Steel Case - Color Matched
- Handle Color - White
- Door Swing - Reversible Door
- Coil-Free Back - Yes
- Color Appearance - White

WEIGHTS & DIMENSIONS

- Overall Depth (in) - 34in
- Height to Top of Hinge (in) - 66 3/4in
- Overall Width (in) - 32 7/8in
- Net Weight (lb) - 214lb
- Back Air Clearances (in) - 1in
- Approximate Shipping Weight (lb) - 238lb
- Depth with Door Open 90° (in) - 62 3/4in
- Width w/Door Open 90 Degrees Incl. Handle (in) - 35 1/2in
- Case Depth Without Door (in) - 29in
- Top Air Clearances (in) - 0 1/8in
- Side Air Clearances (in) - 0 1/8in
- Depth Without Handle (in) - 32 1/4in
- Height to Top of Case (in) - 66 1/4in
- Overall Height (in) - 66 3/4in

POWER / RATINGS

- Volts/Hertz/Amps - 120v; 60Hz; 15A

ACCESSORIES

- Optional Icemaker Kit - IM4D, IM4LED

WARRANTY

- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 1-year entire appliance
- Parts Warranty - Limited 1-year entire appliance

CERTIFICATIONS

- Claims & Certifications - ADA Compliant
- ENERGY STAR® Qualified
- California Prop 65
- California AB-100 Compliant

1.6 cu. ft. Over-the-Range Microwave Oven with Recirculating Venting

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)


NOTE: Requires 120V grounded outlet. Electrical receptacle must be located in cabinet above microwave oven. No additional wiring, venting or cabinet rebuilding necessary in many cases. Complete detailed, easy-to-follow installation instructions and convenient full-size templates are packed with the microwave oven.

IMPORTANT INFORMATION: When installing the microwave oven over a range, allow minimum of 2" from bottom of microwave oven to top of range backguard to allow for removal of light covers.

VENTILATION OPTIONS: The Spacemaker microwave ovens are designed for adaptation to the following three types of ventilation:

- Outside exhaust (vertical – as shown)
- Outside exhaust (horizontal)
- Recirculating (non-vented ductless – see Filter Kit drawing)

INSTALLATION INFORMATION: This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.



Listed by
Underwriters
Laboratories

Specification Revised 5/18

1.6 cu. ft. Over-the-Range Microwave Oven with Recirculating Venting

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

HOOD EXHAUST DUCT: Outside ventilation requires a **HOOD EXHAUST DUCT**. Read the following carefully.

EXHAUST CONNECTION: The hood exhaust has been designed to mate with a standard 3-1/4" x 10" rectangular duct. If a round duct is required, a rectangular-to-round transition adaptor must be used. Do not use less than a 6" diameter duct.


REAR EXHAUST: If a rear or horizontal exhaust is to be used, care should be taken to align exhaust with space between studs, or wall should be prepared at the time it is constructed by leaving enough space between the wall studs to accommodate exhaust.

MAXIMUM DUCT LENGTH: For satisfactory air movement, the total duct length of 3-1/4" x 10" rectangular or 6" diameter round duct should not exceed 120 equivalent feet.

ELBOWS, TRANSITIONS, WALL AND ROOF CAPS, etc., present additional resistance to airflow and are equivalent to a section of straight duct which is longer than their actual physical size. When calculating the total duct length, add the equivalent length of all transitions and adaptors plus the lengths of all straight duct sections. The chart below shows the approximate feet of equivalent length of some typical ducts.

DUCT	EQUIVALENT FEET
A. Rectangular-To-round Transition Adaptor	5 ft.
B. Wall Cap	40 ft.
C. 90° Elbow	10 ft.
D. 45° Elbow	5 ft.
E. 90° Elbow	25 ft.
F. 45° Elbow	5 ft.
G. Roof Cap	24 ft.

OPTIONAL ACCESSORIES (AVAILABLE AT ADDITIONAL COST)



Specification Revised 3/18

1.6 cu. ft. Over-the-Range Microwave Oven with Recirculating Venting

FEATURES AND BENEFITS

1.6 cu. ft. capacity - 950 Watts (IEC-705 test procedure)

Convenience cooking controls - Operating made quick and easy

Auto and time defrost - Defrosting times and power levels are programmed automatically or manually for optimal results

Turntable on/off - Controls turntable operation


Two-speed, 300-CFM venting system - Removes smoke, steam and odors

"Add 30 seconds" button - Add 30 seconds of microwave cooking time

10 power levels - Multiple power levels offer cooking flexibility

Model JNM3163DJBB - Black

Model JNM3163DJWW - White



Specification Revised 5/18



DEPARTMENT OF HEALTH & HUMAN SERVICES

Indian Health Service
Office of Management Services
Division of Acquisition Policy (DAP)
5600 Fishers Lane
Rockville, MD 20857

**INDIAN HEALTH SERVICE
BUY INDIAN ACT
INDIAN ECONOMIC ENTERPRISE
REPRESENTATION FORM**

SOLICITATION/SOURCES SOUGHT/RFI #: _____

PROJECT TITLE: _____

DATE: _____

In accordance with 25 U.S.C. 47 the Buy Indian Act, the signature below constitutes self-certification that the Offeror meets the definition of an "Indian Economic Enterprise" (HHSAR 326.601) in response to this Sources Sought Notice, Request for Information (RFI) or Solicitation and resultant contract.

The enterprise must meet the definition of "Indian Economic Enterprise" throughout the following time periods:

- (1) At the time an offer is made in response to this solicitation;
- (2) At the time of contract award; and
- (3) During the full term of the contract performance period. At any point during these periods, if the Contractor no longer meets the eligibility requirements, the contractor must provide immediate written notification to the Contracting Officer.

Individual Contracting Officers may require documentation of eligibility before awarding a set-aside or sole source contracts under the Buy Indian Act and awards may be subject to protest if the eligibility of the successful Offeror is in question. In addition to the self-certification requirements, successful Offerors must also be registered with the System of Award Management (SAM).

Any false or misleading information submitted by an enterprise when submitting an offer in consideration of an award set-aside under the authority of the Buy Indian Act is a violation of the law and punishable under 18 U.S.C. 1001. False claims submitted as part of contract performance are subject to the penalties enumerated in 31 U.S.C. 3729 to 3731 and 18 U.S.C. 287.

REPRESENTATION

The Offeror represents as part of its offer that it does ☐, does not ☐ meet the definition of an "Indian Economic Enterprise" with "Indian Ownership" under the authority of the Buy Indian Act.

Name of Federally Recognized Tribal Entity

Name of the 51% owner of IEE Firm

Business Name

Certifying Signature

DUNS Number

Print Name