

Navy Region NW, Washington
Casegoods

This is a combined synopsis/solicitation for commercial items prepared in accordance with the format in Subpart 12.6 – Streamlined Procedures for Evaluation and Solicitation for Commercial Items, as supplemented with additional information included in this notice. This announcement constitutes the only solicitation; quotes are being requested, and a separate written solicitation document will not be issued. This solicitation is being issued under the authority of FAR Part 13 Simplified Acquisition Procedures.

The requirement is to procure casegoods that will be used at Navy Region NW, WA. The combined synopsis/solicitation/Request For Quote (RFQ) number is W912DY-26-Q-A080. This number shall be referenced by contractors on their quotes and related correspondence. This RFQ is full and open competition. The NAICS code is 337126. Contractors must be registered in the System of Award Management (SAM) with no exclusions in order to be considered for award. The website for SAM is: <https://www.sam.gov/portal/public/SAM/>.

Contractor is required to sign this document and return 1 copy to issuing office. Contractor agrees to furnish and deliver all items set forth or otherwise identified above and on any additional sheets subject to the terms and conditions specified.

Signature of offeror/contractor: _____

Name and Title of Signer: _____

Quotes must be sent to Contract Specialist Salednika McKenzie,
salednika.i.mckenzie@usace.army.mil
No later than 25 March 2026, 8:00 AM Central Standard Time.

Please submit questions NLT 11 March 8:00AM Central Standard Time.

The contract will be a Firm Fixed Price (FFP) with the CLIN structure as reflected below.

CONTRACT LINE ITEMS:

Item No	Supplies Services	Quantity	Unit	Unit Price	Amount
0001	Furnishings: Navy Region NW, Bldg. 885	1	Unit		
0002	Furnishings: Navy Region NW, Bldg. 2309	1	Unit		
Item No	Supplies Services	Quantity	Unit	Unit Price	Amount
0003	Storage: Navy Region NW, Bldg. 885	6	Months		
0004	Storage: Navy Region NW, Bldg. 2309	6	Months		

Please submit quotes valid for 120 days

Freight On Board (FOB): Destination
Furniture Installation Start Date (FISD): 20 July 2026
Furniture Installation Completion Date (FICD): 25 August 2026
Furniture Installation Location: Navy Region NW, Building 885, 2309

The following attachments are included in this RFQ:

- (1) Attachment 1, Line-Item Pricing Spreadsheet (Excel Format) - To be completed by contractor and returned to the Government POC listed above.
- (2) Attachment 2 - Furniture Item Description (FID)
- (3) Attachment 3 - Statement of Work (SOW)
- (4) Attachment 4 – Contractor Performance Evaluation
- (5) Attachment 5 – Accident Prevention Plan Worksheet
- (6) Attachment 6 – Order Completion Statement
- (4) Attachment 7, Technical Document Checklist - To be completed by contractor and returned to the Government POC listed.

The Government will award a contract resulting from this solicitation to the responsible offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The successful contractor will be the one whose quote is rated acceptable on technical, schedule and past performance, and provides the best value to the Government. Best value will be determined by the quote that is technically acceptable and has the lowest total price. The following factors shall be used to evaluate offers:

- (1) Price;
- (2) Past Performance;
- (3) Technical *capability of the item(s) offered to meet the Government requirement*;
- (4) Schedule

Amendments to this RFQ will be provided in the same manner as the initial RFQ, which is by public notice on <https://sam.gov/>.

The solicitation document and incorporated provisions and clauses are those in effect through Federal Acquisition Circular (FAC) 2024-05 effective 22 April 2024. Full text versions of clauses can be found at <https://www.acquisition.gov/>. The following provisions and clauses apply to this acquisition.

Section I - Contract Clauses

CLAUSES INCORPORATED BY REFERENCE

52.202-1	Definitions	JUN 2020
52.203-2	Certificate of Independent Price Determination	APR 1985
52.203-3	Gratuities	APR 1984
52.203-6 Alt I	Restrictions on Subcontractor Sales To The Government (Jun 2020) -- Alternate I	OCT 1995
52.203-11	Certification and Disclosure Regarding Payments To Influence Certain Federal Transactions	SEP 2007
52.203-12	Limitation On Payments To Influence Certain Federal Transactions	JUN 2020
52.203-18	Prohibition on Contracting With Entities That Require Certain Internal Confidentiality Agreements or Statements--Representation	JAN 2017
52.204-7	System for Award Management	FEB 2026
52.204-13	System for Award Management Maintenance	FEB 2026
52.204-19	Incorporation by Reference of Representations and Certifications.	DEC 2014
52.209-6	Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment	FEB 2026
52.212-1	Instructions to Offerors--Commercial Items	FEB 2026

52.212-1 (Dev)	Instructions to Offerors - Commercial Items. (DEVIATION 2018-O0018)	FEB 2026
52.212-4	Contract Terms and Conditions—Commercial Products and Commercial Services	FEB 2026
52.217-4	Evaluation of Options Exercised at the Time of Contract Award	FEB 2026
52.217-5	Evaluation of Options	FEB 2026
52.229-6	Taxes-Foreign Fixed-Price Contract	FEB 2013
52.228-3	Worker's Compensation Insurance (Defense Base Act)	JUL 2014
52.229-3	Federal, State and Local Taxes	FEB 2013
52.232-1	Payments	APR 1984
52.232-17	Interest	MAY 2014
52.232-18	Available Funds	APR 1984
52.232-23	Assignment of Claims	MAY 2014
52.232-39	Unenforceability	JUN 2013
52.233-1	Disputes	FEB 2026
52.242-13	Bankruptcy	JUL 1995
52.243-1	Changes—Fixed Price	FEB 2026
52.244-6	Subcontracts for Commercial Products and Commercial Services	FEB 2026
52.246-15	Certificate of Conformance	APR 1984
52.246-16	Responsibility for Supplies	APR 1984
52.253-1	Computer Generated Forms	FEB 2026
252.203-7000	Requirements Relating to Compensation of Former DoD Officials	SEP 2011
252.203-7002	Requirements to Inform Employees of Whistleblower Rights	SEP 2013
252.204-7003	Control of Government Personnel Work Product	APR 1992
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting	OCT 2016
252.204-7015	Notice of Authorized Disclosure of Information for Litigation Support	MAY 2016
252.209-7004	Subcontracting with Firms that are owned or controlled by the Government of a Country that is a State Sponsor of Terrorism	MAY 2019
252.211-7003	Item Unique Identification and Valuation	MAR 2016
252.223-7006	Prohibition on Storage, Treatment, and Disposal of Toxic or Hazardous Materials	SEP 2014
252.225-7001	Buy American and Balance of Payment Program—Basic	DEC 2017
252.225-7002	Qualifying Country Sources as Subcontractors Preference	DEC 2017
252.225-7012	For Certain Domestic Commodities	DEC 2017
252.225-7021	Trade Agreements—Basic	SEP 2019
252.225-7036	Buy American—Free Trade Agreements—Balance of Payments Program—Basic	DEC 2017
252.225-7048	Export-Controlled Items	JUN 2013
252.232-7003	Electronic Submission of Payments Requests and Receiving Reports	DEC 2018
252.232-7010	Levies on Contract Payments	DEC 2006
252.243-7001	Pricing of Contract Modifications	DEC 1991
252.243-7002	Requests for Equitable Adjustment	DEC 2012
252.247-7022	Representation of Extent of Transportation by Sea	JUN 2019
252.247-7023	Transportation of Supplies by Sea	FEB 2019

CLAUSES INCORPORATED BY FULL TEXT

(a) (1) The Offeror certifies, to the best of its knowledge and belief, that—

(i) The Offeror and/or any of its Principals—

(A) Are () are not () presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency;

(B) Have () have not (), within a three-year period preceding this offer, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) contract or subcontract; violation of Federal or State antitrust statutes relating to the submission of offers; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, violating Federal criminal tax laws, or receiving stolen property (if offeror checks "have", the offeror shall also see 52.209-7, if included in this solicitation);

(C) Are () are not () presently indicted for, or otherwise criminally or civilly charged by a governmental entity with, commission of any of the offenses enumerated in paragraph (a)(1)(i)(B) of this provision;

(D) Have (), have not (), within a three-year period preceding this offer, been notified of any delinquent Federal taxes in an amount that exceeds the threshold at 9.104-5(a)(2) for which the liability remains unsatisfied.

(1) Federal taxes are considered delinquent if both of the following criteria apply:

(i) The tax liability is finally determined. The liability is finally determined if it has been assessed. A liability is not finally determined if there is a pending administrative or judicial challenge. In the case of a judicial challenge to the liability, the liability is not finally determined until all judicial appeal rights have been exhausted.

(ii) The taxpayer is delinquent in making payment. A taxpayer is delinquent if the taxpayer has failed to pay the tax liability when full payment was due and required. A taxpayer is not delinquent in cases where enforced collection action is precluded.

(2) Examples.

(i) The taxpayer has received a statutory notice of deficiency, under I.R.C. § 6212, which entitles the taxpayer to seek Tax Court review of a proposed tax deficiency. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek Tax Court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.

(ii) The IRS has filed a notice of Federal tax lien with respect to an assessed tax liability, and the taxpayer has been issued a notice under I.R.C. § 6320 entitling the taxpayer to request a hearing with the IRS Office of Appeals contesting the lien filing, and to further appeal to the Tax Court if the IRS determines to sustain the lien filing. In the course of the hearing, the taxpayer is entitled to contest the underlying tax liability because the taxpayer has had no prior opportunity to contest the liability. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek tax court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.

(iii) The taxpayer has entered into an installment agreement pursuant to I.R.C. § 6159. The taxpayer is making timely payments and is in full compliance with the agreement terms. The taxpayer is not delinquent because the taxpayer is not currently required to make full payment.

(iv) The taxpayer has filed for bankruptcy protection. The taxpayer is not delinquent because enforced collection action is stayed under 11 U.S.C. 362 (the Bankruptcy Code).

(ii) The Offeror has () has not (), within a three-year period preceding this offer, had one or more contracts terminated for default by any Federal agency.

(2) "Principal," for the purposes of this certification, means an officer, director, owner, partner, or a person having primary management or supervisory responsibilities within a business entity (e.g., general manager; plant manager; head of a division or business segment; and similar positions).

This Certification Concerns a Matter Within the Jurisdiction of an Agency of the United States and the Making of a False, Fictitious, or Fraudulent Certification May Render the Maker Subject to Prosecution Under Section 1001, Title 18, United States Code.

(b) The Offeror shall provide immediate written notice to the Contracting Officer if, at any time prior to contract award, the Offeror learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

(c) A certification that any of the items in paragraph (a) of this provision exists will not necessarily result in withholding of an award under this solicitation. However, the certification will be considered in connection with a determination of the Offeror's responsibility. Failure of the Offeror to furnish a certification or provide such additional information as requested by the Contracting Officer may render the Offeror nonresponsible.

(d) Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by paragraph (a) of this provision. The knowledge and information of an Offeror is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

(e) The certification in paragraph (a) of this provision is a material representation of fact upon which reliance was placed when making award. If it is later determined that the Offeror knowingly rendered an erroneous certification, in addition to other remedies available to the Government, the Contracting Officer may terminate the contract resulting from this solicitation for default.

(End of provision)

52.209-11 REPRESENTATION BY CORPORATIONS REGARDING DELINQUENT TAX LIABILITY OR A FELONY CONVICTION UNDER ANY FEDERAL LAW (FEB 2026)

(a) As required by sections 744 and 745 of Division E of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235), and similar provisions, if contained in subsequent appropriations acts, the Government will not enter into a contract with any corporation that--

(1) Has any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability, where the awarding agency is aware of the unpaid tax liability, unless an agency has considered suspension or debarment of the

corporation and made a determination that suspension or debarment is not necessary to protect the interests of the Government; or

(2) Was convicted of a felony criminal violation under any Federal law within the preceding 24 months, where the awarding agency is aware of the conviction, unless an agency has considered suspension or debarment of the corporation and made a determination that this action is not necessary to protect the interests of the Government.

(b) The Offeror represents that--

(1) It is [] is not [] a corporation that has any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability; and

(2) It is [] is not [] a corporation that was convicted of a felony criminal violation under a Federal law within the preceding 24 months.

(End of provision)

52.212-2 EVALUATION--COMMERCIAL ITEMS (FEB 2026)

As prescribed in 12.301(c), the Contracting Officer may insert a provision substantially as follows:

Evaluation—Commercial Products and Commercial Services (Nov 2021)

(a) The Government will award a contract resulting from this solicitation to the responsible offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The following factors shall be used to evaluate offers:

_____ [Contracting Officer shall insert the significant evaluation factors, such as (i) technical capability of the item offered to meet the Government requirement; (ii) price; (iii) past performance (see FAR 15.304); and include them in the relative order of importance of the evaluation factors, such as in descending order of importance.]

Technical and past performance, when combined, are _____ [Contracting Officer state, in accordance with FAR 15.304, the relative importance of all other evaluation factors, when combined, when compared to price.]

(b) Options. The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. Evaluation of options shall not obligate the Government to exercise the option(s).

(c) A written notice of award or acceptance of an offer, mailed or otherwise furnished to the successful offeror within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

(End of provision)

52.219-33 Nonmanufacturer Rule. (Deviation) 2026-02

Nonmanufacturer Rule (Feb 2026) (Deviation)

(a) Definitions. As used in this clause-

Manufacturer means the concern that transforms raw materials, miscellaneous parts, or components into the end item. Concerns that only minimally alter the item being procured do not qualify as manufacturers of the end item. Concerns that add substances, parts, or components to an existing end item to modify its performance will not be considered the end item manufacturer, where those identical modifications can be performed by and are available from the manufacturer of the existing end item.

Nonmanufacturer means a concern, including a supplier, that provides an end item it did not manufacture, process, or produce.

(b) Applicability.

(1) This clause does not apply to contracts awarded pursuant to the unrestricted portion of a partial set-aside or to a contractor that is the manufacturer of the product or end item.

(2) This clause applies to-

(i) Contracts that have been awarded pursuant to a set-aside for any of the small business concerns identified in 19.000(a)(3);

(ii) Contracts that have been awarded on a sole-source basis in accordance with sections 19.105, 19.106, 19.107, and 19.108;

(iii) Orders expected to exceed the simplified acquisition threshold and that are set aside for small business under multiple-award contracts, as described in 8.4 and 16.5;

(iv) Orders, regardless of dollar value, that are set aside in accordance with sections 19.105, 19.106, 19.107, and 19.108 under multiple-award contracts as described in 8.4 and 16.5; and

(v) Contracts using the HUBZone price evaluation preference to award to a HUBZone concern unless the Contractor waived the evaluation preference.

(c) Requirements.

(1) The Contractor shall-

(i) Provide an end item that a small business has manufactured, processed, or produced in the United States or its outlying areas; for kit assemblers who are nonmanufacturers, see paragraph (c)(2) of this clause instead;

(ii) Be primarily engaged in the retail or wholesale trade and normally sell the type of item being supplied; and

(iii) Take ownership or possession of the item(s) with its personnel, equipment, or facilities in a manner consistent with industry practice; for example, providing storage, transportation, or delivery.

(2) When the end item being acquired is a kit of supplies, at least 50 percent of the total cost of the components of the kit shall be manufactured, processed, or produced in the United States or its outlying areas by small business concerns.

(End of clause)

252.225-7000 BUY AMERICAN—BALANCE OF PAYMENTS PROGRAM CERTIFICATE—BASIC (FEB 2024)

(a) *Definitions.* “Commercially available off-the-shelf (COTS) item,” “component,” “critical component,” “critical item,” “domestic end product,” “foreign end product,” “qualifying country,” “qualifying country end product,” and “United States,” as used in this provision, have the meanings given in the 252.225-7001, Buy American and Balance of Payments Program—Basic clause of this solicitation.

(b) *Evaluation.* The Government—

(1) Will evaluate offers in accordance with the policies and procedures of Part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will evaluate offers of qualifying country end products without regard to the restrictions of the Buy American statute or the Balance of Payments Program.

(c) *Certifications and identification of country of origin.*

(1) For all line items subject to the Buy American and Balance of Payments Program—Basic clause of this solicitation, the Offeror certifies that—

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product and that each domestic end product listed in paragraph (c)(4) of this provision contains a critical component or a critical item; and

(ii) For end products other than COTS items, components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country. For those end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select “no”.

(2) The Offeror certifies that the following end products are qualifying country end products:

(Country of Origin)

(Line Item Number)

(3) The following end products are other foreign end products, including end products manufactured in the United States that do not qualify as domestic end products. For those foreign end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select “no”.

Line Item Number

Country of Origin

Exceeds 55% Domestic Content (yes/no)

(4) The Offeror shall separately list the line item numbers of domestic end products that contain a critical component or a critical item (see Federal Acquisition Regulation 25.105).

Domestic end products containing a critical component or a critical item:

Line Item Number _____

List as necessary

(End of provision)

Alternate I. As prescribed in [225.1101](#) (1) and (1)(ii), use the following provision, which adds “South Caucasus/Central and South Asian (SC/CASA) state” and “South Caucasus/Central and South Asian (SC/CASA) state end product” in paragraph (a), and replaces “qualifying country end products” in paragraphs (b)(2) and (c)(2) with “qualifying country end products or SC/CASA state end products”:

BUY AMERICAN—BALANCE OF PAYMENTS PROGRAM CERTIFICATE—ALTERNATE I (FEB 2024)

(a) *Definitions.* “Commercially available off-the-shelf (COTS) item,” “component,” “critical component,” “critical item,” “domestic end product,” “foreign end product,” “qualifying country,” “qualifying country end product,” “South Caucasus/Central and South Asian (SC/CASA) state,” “South Caucasus/Central and South Asian (SC/CASA) state end product,” and “United States,” as used in this provision, have the meanings given in the 252.225-7001, Buy American and Balance of Payments Program—Alternate I clause of this solicitation.

(b) *Evaluation.* The Government—

(1) Will evaluate offers in accordance with the policies and procedures of part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will evaluate offers of qualifying country end products or SC/CASA state end products without regard to the restrictions of the Buy American statute or the Balance of Payments Program.

(c) *Certifications and identification of country of origin.*

(1) For all line items subject to the Buy American and Balance of Payments Program—Alternate I clause of this solicitation, the Offeror certifies that—

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product and that each domestic end product listed in paragraph (c)(4) of this provision contains a critical component or a critical item; and

(ii) For end products other than COTS items, components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country. For those end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select “no”.

(2) The Offeror certifies that the following end products are qualifying country end products or SC/CASA state end products:

(Line Item Number)

(Country of Origin)

(3) The following end products are other foreign end products, including end products manufactured in the United States that do not qualify as domestic end products . For those foreign end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select “no”.

Line Item Number

Country of Origin

Exceeds 55% Domestic Content (yes/no)

(4) The Offeror shall separately list the line item numbers of domestic end products that contain a critical component or a critical item (see Federal Acquisition Regulation 25.105).
Domestic end products containing a critical component or a critical item: Line Item Number

List as necessary

(End of provision)

252.225-7020 TRADE AGREEMENTS CERTIFICATE—BASIC (NOV 2014)

(a) *Definitions.* “Designated country end product,” “nondesignated country end product,” “qualifying country end product,” and “U.S.-made end product” as used in this provision have the meanings given in the Trade Agreements—Basic clause of this solicitation.

(b) *Evaluation.* The Government—

(1) Will evaluate offers in accordance with the policies and procedures of Part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will consider only offers of end products that are U.S.-made, qualifying country, or designated country end products unless—

(i) There are no offers of such end products;

(ii) The offers of such end products are insufficient to fulfill the Government’s requirements; or

(iii) A national interest waiver has been granted.

(c) Certification and identification of country of origin.

(1) For all line items subject to the Trade Agreements—Basic clause of this solicitation, the offeror certifies that each end product to be delivered under this contract, except those listed in paragraph (c)(2) of this provision, is a U.S.-made, qualifying country, or designated country end product.

(2) The following supplies are other nondesignated country end products:

(Line Item Number)	(Country of Origin)

(End of provision)

Alternate I. As prescribed in [225.1101](#) (5) and (5)(ii), use the following provision, which uses different paragraphs (a), (b)(2), and (c) than the basic provision:

TRADE AGREEMENTS CERTIFICATE—ALTERNATE I (NOV 2014)

(a) *Definitions.* “Designated country end product,” “nondesignated country end product,” “qualifying country end product,” “South Caucasus/Central and South Asian (SC/CASA) state,” “South Caucasus/Central and South Asian (SC/CASA) state end product,” and “U.S.-made end product,” as used in this provision, have the meanings given in the Trade Agreements—Alternate I clause of this solicitation.

(b) *Evaluation.* The Government—

(1) Will evaluate offers in accordance with the policies and procedures of part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will consider only offers of end products that are U.S.-made, qualifying country, SC/CASA state, or designated country end products unless—

(i) There are no offers of such end products;

(ii) The offers of such end products are insufficient to fulfill the Government’s requirements; or

(iii) A national interest waiver has been granted.

(c) Certification and identification of country of origin.

(1) For all line items subject to the Trade Agreement—Alternate I clause of this solicitation, the offeror certifies that each end product to be delivered under this contract, except those listed in paragraph (c)(2)(ii) of this provision, is a U.S.-made, qualifying country, SC/CASA state, or designated country end product.

(2)(i) The following supplies are SC/CASA state end products:

(Line Item Number)	(Country of Origin)

(ii) The following are other nondesignated country end products:

(Line Item Number)

(Country of Origin)

(End of provision)

Attachment 1 - Navy, Kitsap Bremerton, Bldg 885, Wood Casegoods											
When completing this form, do not delete or alter any columns or workbook tabs.							Nominal Dimensions For Information Only			Unit Cost	Total Cost
#	Qty	FID Para.	FID Item Code / Description	Vendor Quoted	Product Line Quoted	Model Quoted	Provide dimensions in Inches				
							W	H	D		
1	304	2.1	BL03: Pillow Top Mattress, Single XL								\$0.00
2	320	2.4	BL08: Mattress Cover, Single XL								\$0.00
3	320	2.15	BL12: Bed in a Bag, Single XL								\$0.00
4	320	3.1	WC01: Bunkable Bed, Single XL								\$0.00
5	320	3.5	WC07: Five Drawer Chest								\$0.00
6	320	3.7	WC10: Side-by-Side Underbed Drawers								\$0.00
7	320	3.8	WC11: Nightstand								\$0.00
8	320	3.9	WC13: Table Desk								\$0.00
9	320	3.10	WC15: Study Carrel								\$0.00
10	320	3.11	WC16: Wardrobe								\$0.00
11	8	3.12	WC17: Bookcase								\$0.00
12	11	4.3	TB01: Square Activity Table								\$0.00
13	7	4.4	TB06: Round Cafe Table								\$0.00
14	2	5.1	CT01: Ergonomic Chair								\$0.00
15	320	5.2	CT02: Ergonomic Chair								\$0.00
16	8	5.4	LC03: Upholstered Lounge Chair								\$0.00
17	1	5.6	LS05: Upholstered Three Seat Sofa								\$0.00
18	8	5.7	CS02: Metal Counter Stool								\$0.00
19	6	5.8	CS04: Metal Barstool								\$0.00
20	12	5.9	DF03: Ladder Back Dining Chair								\$0.00
21	20	5.10	CG01-1: Nesting Guest Chair								\$0.00
22	1	6.1	RC01: Pool Table								\$0.00
23	1	6.3	RC03: Foosball Table								\$0.00
24	3	6.4	RC04: 3-in-1 Game Table								\$0.00
25	3	6.5	RC05: 3-in-1 Game Chairs								\$0.00
26	322	7.1	AV01: Column Lamp								\$0.00
27	12	7.2	AV03: Floor Lamp								\$0.00
28	5	7.3.a	AV04-1: 75" TV with Wall Mount								\$0.00
29	4	7.4	AV07: Blu-ray Player with Shelf								\$0.00
30	160	7.5	EQ01-1: Stick Vacuum								\$0.00
31	2	8.2	AP05: Refrigerator Freezer, 20-22 cu.ft.								\$0.00
32	3	8.4	AP11: Microwave Oven with Exhaust Vent								\$0.00
33	3	8.5	AP13: Electric Range, 30" W								\$0.00
34	2	8.6	AP15: Dishwasher								\$0.00
35	102	9.1	AC01: Trash Container, Small								\$0.00
36	320	9.2	AC02: Trash Container, Medium								\$0.00
37	320	9.4	AC04: Shower Curtain Liner with Rings								\$0.00
38	20	9.7	AC09: Ficus Benjamin Tree								\$0.00
39	10	9.8	AC10: Dieffenbachia								\$0.00
40	12	9.9	AC11: Philodendron								\$0.00
41	1	9.10.b	Lot of Artwork - Metal Artwork								\$0.00
Furniture Subtotals:						HNC Cost:				\$0.00	
Installation & Shipping:											
Shipping (CONUS)											
Tariffs											
Installation - Includes new and existing items, if applicable, in accordance with SOW											
Removal of Existing Items and Disposal/Relocation in accordance with SOW											
GRAND TOTAL:										\$0.00	
Do not alter any formulas in shaded cells											

Attachment 1 - Navy, Kitsap Bremerton, Bldg 2309, Wood Casegoods														
When completing this form, do not delete or alter any columns or workbook tabs.										Nominal Dimensions For Information Only Provide dimensions in Inches			Unit Cost	Total Cost
#	Qty	FID Para.	FID Item Code / Description	Vendor Quoted	Product Line Quoted	Model Quoted	W	H	D					
1	50	2.1	BL03: Pillow Top Mattress, Single XL									\$0.00		
2	50	2.4	BL08: Mattress Cover, Single XL									\$0.00		
3	50	2.13	BL12: Bed in a Bag, Single XL									\$0.00		
4	50	3.5	WC07: Five Drawer Chest									\$0.00		
5	50	3.7	WC10: Side-by-Side Underbed Drawers									\$0.00		
6	50	3.8	WC11: Nightstand									\$0.00		
7	5	3.12	WC17:Bookcase									\$0.00		
8	8	4.1	TL01: End Table									\$0.00		
9	2	4.6	TL09: Console Table									\$0.00		
10	4	5.3	LC01: Lounge Chair with Nesting Ottoman									\$0.00		
11	2	5.4	LC03: Upholstered Lounge Chair									\$0.00		
12	2	5.5	LS02: Upholstered Two Seat Sofa									\$0.00		
13	2	6.4	RC04: 3-in-1 Game Table									\$0.00		
14	2	6.5	RC05: 3-in-1 Game Chairs									\$0.00		
15	58	7.1	AV01: Column Lamp									\$0.00		
16	6	7.2	AV03: Floor Lamp									\$0.00		
17	6	7.3.b	AV05: 55" TV with Wall Mount									\$0.00		
18	6	7.4	AV07: Blu-ray Player with Shelf									\$0.00		
19	30	7.5	EQ01-1: Stick Vacuum									\$0.00		
20	30	8.1	AP02: Refrigerator Freezer Microwave, 10 cu.ft.									\$0.00		
21	54	9.2	AC02: Trash Container, Medium									\$0.00		
22	50	9.4	AC04: Shower Curtain Liner with Rings									\$0.00		
23	8	9.7	AC09: Ficus Benjamina Tree									\$0.00		
24	8	9.8	AC10: Dieffenbachia									\$0.00		
25	12	9.9	AC11: Philodendron									\$0.00		
26	1	9.10.a	AR-01 Lot of Artwork - Framed Artwork									\$0.00		
27	1	9.10.b	AR-02 Lot of Artwork - Metal Artwork									\$0.00		
Furniture Subtotals:											HNC Cost:	\$0.00		
Installation & Shipping:														
Shipping (CONUS)														
Tariffs														
Installation - Includes new and existing items, if applicable, in accordance with SOW														
GRAND TOTAL:												\$0.00		
Do not alter any formulas in shaded cells														

Attachment 2
Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

Furniture Item Descriptions (FID)
Housing Furnishings Program

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

TABLE OF CONTENTS	PAGE NO.
1.0 GENERAL	5
1.1 Cut Sheets	5
1.2 Appearance of Furnishings	5
1.3 Finish	5
1.4 Upholstery	6
1.5 Electrical	7
1.6 Model Numbers	Error! Bookmark not defined.
2.0 MATTRESSES AND BEDDING	7
2.1 BL03: Pillow Top Mattress, Single XL	7
2.2-2.3 Not Used	8
2.4 BL08: Mattress Cover, Single XL	8
2.5-2.12 Not Used	8
2.13 BL13: Bed in a Bag, Single XL	8
3.0 WOOD CASEGOODS	9
3.1 WC01: Bunkable Bed, Single XL	11
3.2-3.4 Not Used	11
3.5 WC07: Five Drawer Chest	11
3.6 Not Used	11
3.7 WC10: Side-by-Side Underbed Drawers	11
3.8 WC11: Nightstand	12
3.9 WC13: Table Desk	12
3.10 WC15: Study Carrel	12
3.11 WC16: Wardrobe	12
3.12 WC17: Bookcase	13
4.0 TABLES	13
4.1 TL01: End Table	13
4.2 Not Used	14
4.3 TB01: Square Activity Table	14
4.4 TB06: Round Café Table	14
4.5 Not Used	14
4.6 TL12: Console Table	14

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

5.0	SEATING	14
5.1	CT01: Ergonomic Chair (Bldg. 885 & 2309)	15
5.2	CT02: Ergonomic Chair (Bldg. 885)	15
5.3	LC01: Lounge Chair with Nesting Ottoman	15
5.4	LC03: Upholstered Lounge Chair	16
5.5	LS02: Upholstered Two Seat Sofa	16
5.6	LS05: Upholstered Three Seat Sofa	17
5.7	CS02: Metal Counter Stool	18
5.8	CS04: Metal Barstool	18
5.9	DF03: Ladder Back Dining Chair	18
5.10	CG01-1: Nesting Guest Chair	19
6.0	RECREATIONAL & EXTERIOR FURNITURE	19
6.1	RC01: Pool Table	19
6.2	Not Used	20
6.3	RC03: Foosball Table	20
6.4	RC04: 3-in-1 Game Table	20
6.5	RC05: 3-in-1 Game Chairs	20
7.0	ELECTRONICS & EQUIPMENT	20
7.1	AV01: Column Lamp	20
7.2	AV03: Floor Lamp	21
7.3.a	AV04-1: 75" TV with Wall Mount	21
7.3.b	AV05: 55" TV with Wall Mount	22
7.4	AV07: Blu-ray Player with Shelf	22
7.5	EQ01-1: Stick Vacuum Cleaner	22
8.0	APPLIANCES	23
8.1	AP02: Refrigerator Freezer Microwave, 10 cu.ft.	23
8.2	AP05: Refrigerator Freezer, 20-22 cu.ft.	23
8.3	Not Used	24
8.4	AP11: Microwave Oven with Exhaust Vent	24
8.5	AP13: Electric Range	24
8.6	AP15: Dishwasher	25
9.0	ANCILLARY	25
9.1	AC01: Trash Container, Small	25

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

9.2	AC02: Trash Container, Medium.....	25
9.3	Not Used.....	25
9.4	AC04: Shower Curtain Liner with Rings.....	25
9.5-9.6	Not Used	26
9.7	AC09: Ficus Benjamina Tree	26
9.8	AC10: Dieffenbachia	26
9.9	AC11: Philodendron	26
9.10.a	AR-01: Framed Artwork	26
9.10.b	AR-02: Metal Artwork	30

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

1.0 GENERAL

1.1 Cut Sheets

Cut sheets are required for all items in this RFQ. A blanket statement that FID requirements are met shall be unacceptable. Cut sheets shall conform to the following requirements to be considered acceptable for this RFQ:

- a. Shall be legible with highlighted model numbers, dimensions, warranty information, and all salient features required.
- b. Cut sheets which have more than one model, size, type, or which show statement of line options shall be clearly marked or highlighted to show the model, size, type, and all salient features proposed.
- c. Shall clearly state all required features that have been provided. List all the features if printed literature is not available. The features shall be listed on the cut sheet with the name, phone number, and company of the person who is providing the information.
- d. Shall clearly state FID item number, name brand, and model numbers for all items quoted.
- e. Shall include line drawings or images that address all required features.
- f. Shall include color photographs of all fabric selections being submitted for approval. Include fabric content, flame resistance, warranty, and testing.
- g. Shall be provided in 1-3 searchable PDF documents or other type of searchable documents. PDFs created using scanned documents shall use text recognition, e.g., OCR, to ensure search functions are enabled.
- h. Shall be assembled and labeled in numerical order based on the FID section number.
- i. Label each PDF file with the pages contained within, e.g., Vendor's cutsheets pgs. 1-10, Vendor's cutsheets pgs. 11-25, etc.

1.2 Appearance of Furnishings

The following characteristics shall be considered in the furniture selection and manufacturing processes:

- a. All furniture in each room to include casegoods, tables, recreational furniture, and upholstered furniture shall be the same color, sheen, and finish unless otherwise noted in the FID.
- b. The wood species, color, and finish on a single piece of furniture shall be uniform in appearance.
- c. All furniture styles within a given room shall be uniform in appearance.

1.3 Finish

1.3.1 Wood

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

Wood stain shall be applied before finishing. Unless otherwise noted in FID, stain shall be Bldg 885 bleached finish equal to Wilsonart – Raw Chestnut 7975 and Bldg 2309 medium oak finish equal to Minwax 230 Early American.

1.3.2 Laminate

Unless otherwise noted in the FID, laminate shall match wood finish.

1.4 Upholstery

Unless noted otherwise in FID, all upholstery shall meet or exceed the following requirements:

a. Woven Fabrics:

- i.  Colorfastness to Crocking – AATCC* 8 Dry Crocking Grade 4, minimum and Wet Crocking Grade 4, minimum
- ii.  Colorfastness to Light – AATCC* 16 Option 1 or 3, minimum Grade 4 at 40 hours
- iii.  Physical Properties:
 - a. Pilling – ASTM* D3511 (Brush Pill) or ASTM D4970 (Martindale) minimum Class 3
 - b. Breaking Strength – ASTM* D5034 (Grab Test), 50 lb. minimum warp and weft
 - c. Seam Slippage – ASTM* D4034, 25 lb. minimum in warp and weft
- iv.  Abrasion – ASTM* D4157 (Oscillatory Cylinder Method) 75,000 double rubs Wyzenbeek method
- v.  Flammability - California Technical Information Bulletin 117-2013 Section 1 (pass)
- vi. Shall have stain resistant fibers or coating

b. Coated Fabrics:

- i.  Colorfastness to Crocking – AATCC* 8 Dry Crocking Grade 4, minimum and Wet Crocking Grade 4, minimum
- ii.  Colorfastness to Light – AATCC* 16 Option 1 or 3, minimum Grade 4 at 200 hours or ASTM D4329. No appreciable change at 150 hours
- iii.  Physical Properties:
 - a. Adhesion to Coating – ASTM* D751 Sections 45-48, 3 lbs. f/inch, minimum
 - b. Tear Strength – ASTM* D2261 (Tongue Tear) for Knits and Woven Substrates, 4 x 4 lbs. or ASTM* D751 Sections 27-31, 4 x 4 lbs., ASTM D5733 (Trap Tear) for Nonwoven Substrates & Nonwoven Composites, 15 x 15 lbs. or ASTM D751 Sections 32-35, 15 x 15 lbs.
 - c. Breaking Strength – ASTM* D751 (Grab Test), 50 x 50 lbs. minimum

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- d. Seam Strength – ASTM* D751 (Tack Tear) Woven Substrates, 25 x 25 lbs., Knit Substrates, 30 x 25 lbs., Nonwoven Substrates & Nonwoven Composites, 35 x 35 lbs.
- e. Flex Resistance – ASTM* D2097, 25,000 cycles, visual evaluation for no appreciable surface crazing, cracking, whitening, or delamination
- f. Hydrolysis Resistance (Poly only) – ISO* 1419 (Tropical Test Method C), 5 weeks visual evaluation for no cracking, peeling, or delamination
- iv. **A** Abrasion – ASTM* D4157 Standard Test Method for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), 100,000 double rubs Wyzenbeek method
 - a. Print Retention – ASTM D3389 (modified to evaluate visual determination of print loss), Rating of 3 or higher*, H-18 Wheel, 250 grams, 250 cycles Taber Tester method
- v.  Flammability - California Technical Information Bulletin 117-2013 Section 1 (pass)
- c. Shall not contain perfluoro octane sulfonate (PFOS) or perfluorooctanoic acid (PFOA) fabrics or coatings.
- d. Padding, barrier materials, and resilient filling materials shall comply with California Technical Information Bulletin 117-2013 Section 1 (pass).
- e. Fabric substitutions equal to the specified shall be allowed. Proposed fabrics shall be equal in pattern, scale, and color to the ones listed.
- f. If providing equals, Vendor shall provide documentation to verify proposed substitutes meet or exceed all requirements including salient design features, testing criteria, warranty, and all other fabric requirements.
- g. Fabric name, pattern, color, specifications, and electronic swatch are required for this RFQ.
- h. Fabrics shall be warranted for a minimum of 5 years.

*AATCC refers to the American Association of Textile Chemist and Colorists @AATCC.org, ASTM refers to ASTM International @ www.astm.org, and ISO refers to the International Organization for Standardization @iso.org

1.5 Electrical

Unless noted otherwise in FID, all electrical requirements shall meet the following:

- a. Standard: 120 V, 60 Hz.
- b. Range: 240 V, 60 Hz.

2.0 MATTRESSES AND BEDDING

2.1 BL03: Pillow Top Mattress, Single XL

- a. Shall be 38"W x 80"L x 11"H.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- b. Shall be reversible and have a pillow top on each side.
- c. Shall have minimum 260 innerspring coil count.
- d. Shall have minimum 13-gauge Bonnell type coils.
- e. Shall have a continuous 6-gauge steel border rod.
- f. Ticking shall be:
 - i. Polyester or polyester blend damask
 - ii. Quilted with polyurethane foam and fire barrier material
- g. Binding tape shall be minimum 1 1/4"W, if used.
- h. Insulator pad on each side shall be minimum 1/4" thick with scrim or equal.
- i. Foam topper/padding shall be minimum 1/2" thick each side.
- j. Shall provide minimum 1" thick felt padding or equal.
- k. Shall comply with Federal flammability standards:
 - i. 16 CFR Part 1632 – Standard for the Flammability of Mattresses and Mattress Pads (FF 4-72, Amended)
 - ii. 16 CFR Part 1633 - Standard for the Flammability (Open Flame) of Mattress Sets
- l. Euro style pillow top mattress shall not be acceptable.
- m. Provide 5 year warranty on workmanship and materials.

2.2-2.3 Not Used

2.4 BL08: Mattress Cover, Single XL

- a. Shall be for mattress size 38"W x 80"L x 11"H.
- b. Shall be breathable 210 Denier nylon or equal.
- c. Shall be sewn using an inside seam in the middle of the border on 3 sides.
- d. End flap shall be closed with minimum 48"L rust proof zipper.
- e. Cover shall have the following properties:
 - i. Crack resistant
 - ii. Stain resistant
 - iii. Antimicrobial (antifungal, antibacterial)
 - iv. Fluid proof
 - v. Non-allergenic
 - vi. Flame retardant
 - vii. Anti-static
- f. Provide minimum 1 year warranty on workmanship and materials.

2.5-2.12 Not Used

2.13 BL13: Bed in a Bag, Single XL

Shall be for 38"W x 80"L x 11"H mattress. Each complete set of bedding shall be contained in a fabric bag with a drawstring closure. Open weave or mesh bags shall not be acceptable. Pillowcase and sheets shall be from the same manufacturer.

A. Pillow

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- a. Shall be 26"W x 20"L.
- b. Shall contain minimum 20 oz. of 70% polyester/30% Tencel fill or 100% polyester fill.
- c. Ticking shall be antimicrobial, 100% breathable white cotton.
- d. Shall have care label sewn into edge.

B. Pillowcase

- a. Shall be 30-32"W x 20-22"L.
- b. Shall be 35% polyester/65% Tencel or minimum 60% cotton with polyester blend.
- c. Shall be percale weave with minimum 200 thread count.
- d. Shall be white.

C. Flat Sheet

- a. Shall be minimum 66"W x 108"L.
- b. Shall be 35% polyester/65% Tencel or minimum 60% cotton with polyester blend.
- c. Shall be percale weave with minimum 200 thread count.
- d. Shall be white.

D. Fitted Sheet

- a. Shall be 39"W x 80"L.
- b. Shall be 35% polyester/65% Tencel or minimum 60% cotton with polyester blend.
- c. Shall be percale weave with minimum 200 thread count.
- d. Shall be white.

E. Blanket

- a. Shall be minimum 66"W x 90"L.
- b. Shall be minimum 70% cotton with Tencel or polyester blend or 100% cotton.
- c. Shall be woven construction with finished edges.
- d. Shall weigh minimum 3 lbs.
- e. Shall be beige.
- f. Shall have care label sewn into edge.

3.0 WOOD CASEGOODS

- A. The Manufacturer or Vendor shall provide a warranty guaranteeing all materials and labor against defect or failure for a minimum period of 5 years.
- B. Casegoods shall comply with GSA/HNC UH specification-
HuntsvilleAmendment99.doc and is referred to as the "UH Specification" in this document. Huntsville Amendment 99 can be found on the GSA website, Dept. of the

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

Army UH Furniture Program, listed as Army UH Furniture Specifications at: <https://www.gsa.gov/buy-through-us/purchasing-programs/multiple-award-schedule/army-unaccompanied-housing-standards>.

- C. The paragraphs below supplement the UH specification. If there is a difference between specifications listed below and UH Specification, these specifications will govern for the section that is different. All other sections of the UH Specification shall remain in effect.
- D. Bunkable and loftable beds, beds with drawers, and drawer units for use under beds (underbed drawers) shall be tested in accordance with and comply with all current requirements of General Services Administration (GSA). Additionally, the following requirements apply:
 - a. GSA bed testing requires the bed decks to be located in the uppermost position for testing. A bed may not be provided with any height adjustments above the uppermost height in which the bed deck was tested.
- E. Casegoods shall have the following added requirements:
 - a. All hardware used on furniture in each room shall be the same.
 - b. Tops shall be minimum 3/4" thick hardwood veneer core plywood with minimum 3 mm PVC edge banding on all exposed edges. Particleboard or MDF shall not be used. High pressure laminate shall be provided in accordance with the Amendment 99 specification and the requirements below.
 - c. All other edges shall be finished with a minimum 3mm PVC edge banding.
 - d. For all construction types, drawer fronts shall be minimum 3/4" solid wood.
 - e. Minimum 3/16" thick dust shields shall be provided in the bottom of all units with drawers.
 - f. Drawers shall be suspended at the sides by 2 heavy duty, self-lubricating, ball bearing slides that allow for a minimum 3/4 (75%) extension of the drawer. The drawers shall operate smoothly without binding or catching.
 - g. Doors shall be minimum 3/4" thick 5-ply hardwood veneer core plywood. Particleboard or MDF shall not be used. If the door is recessed flush with the edges of the side panels or face frame, provide veneer edge banding on all 4 sides. If the door is on the face of the cabinet so that the hinged edge of the door is readily accessible and susceptible to damage, provide a minimum 3/8" thick solid oak or hardwood edge banding on the hinged edge of the door. Other edges shall have minimum of veneer edge banding.
 - h. Document any item or feature which exceeds the requirements of the UH specification.
 - i. All casegoods shall be identified with the manufacturer's label. The label shall be permanent, no stickers, and shall include the month/year the casegoods were manufactured along with "UH".

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

F. Construction type shall be:

Type A: Veneer applied on hardwood veneer core plywood with all “wet” construction. All joints screwed and glued using traditional furniture construction methods.

G. Exposed edges of side and back panels shall be:

Option NF - No Face Frame “Type A” or Construction: Exposed front edges shall be finished with a minimum 3/8” solid oak or hardwood edge banding. Bottom, back, and other edges shall be finished with minimum 3/8” thick solid oak, hardwood, or veneer edge banding.

H. Drawer and door pulls shall be:

Type P1: Recessed metal - Black pull. This pull is an insert placed into the drawer or door front. Other hardware associated with the casegoods shall match in finish.

3.1 WC01: Bunkable Bed, Single XL

- a. Shall accommodate a 38”W x 80”L mattress.
- b. Shall be stackable with hardware necessary to bunk the beds.
- c. The entire sagless spring deck shall be 1 piece which attaches to head frame and foot frame without any other pieces.
 - i. Shall be provided with solid oak or hardwood fascia rails
 - ii. Shall be height adjustable through a hook-in system utilizing metal to metal connectors or wedge lock
 - iii. Head frame and foot frame shall have a minimum of 5 different height adjustments, evenly spaced, from 12-20” above the finished floor
- d. Head frame and foot frame shall function as a ladder when beds are stacked.
- e. Shall have nylon glides.

3.2-3.4 Not Used

3.5 WC07: Five Drawer Chest

- a. Shall be 30-36”W x 18-24”D x 42-50”H.
- b. Shall have 5 drawers, all the same depth.
- c. Capacity of all drawers shall be minimum of 12,500 cu.in.
- d. Shall have high pressure laminate top.
- f. Shall have adjustable glides.

3.6 Not Used

3.7 WC10: Side-by-Side Underbed Drawers

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- a. Shall be 58-62"W x 22-26"D x 12-16"H.
- b. Shall have 2 drawers.
- c. Shall be installed under the beds.
- d. Shall have high pressure laminate top.
- e. Provide locking mechanism.
- f. Shall have nylon glides.

3.8 WC11: Nightstand

- a. Shall be 20-22"W x 18-20"D x 22-24"H.
- b. Shall have 2 drawers with the same depth
- c. Shall have high pressure laminate top.
- d. Shall have nylon glides.

3.9 WC13: Table Desk

- a. Shall be 40-44"W x 22-25"D x 29-30"H.
- b. Shall have 4 legs and an apron.
- c. Shall have horizontal bracing between the legs.
- d. Shall have a minimum 24"W pencil drawer.
- e. Shall have adjustable floor glides.

3.10 WC15: Study Carrel

- a. Overall width shall be no less than 2" of the overall width of the desk.
- b. Overall height shall be minimum of 24".
- c. Shall have 1 shelf, task light, and a fabric tackboard.
 - i. Task light shall be located behind a rail
 - ii. Provide a minimum 2.5"Diameter grommet in back panel under the rail for task light cord to exit
 - iii. Cord shall be a minimum of 6'L
 - iv. Tackboard fabric shall be gray.
 - v. Provide 1.5-3"H access at bottom of back panel for additional cord exit
- d. Shall be used with Item 3.9 and attached to desktop with concealed fasteners.

3.11 WC16: Wardrobe

- a. Shall be 40-44"W x 24-26"D x 72-84"H.
- b. Shall have a 3-point locking mechanism to allow locking with a padlock.
- c. Each door shall be attached with minimum of 3 hinges.
- d. Shall include 3 drawers at the bottom of the unit, a clothing rod, mirror, and a fixed shelf.
- e. If providing a unit over 72"H, provide security wall attachments appropriate for gypsum board over metal studs.
- f. Shall have adjustable floor glides.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

3.12 WC17: Bookcase

- a. Shall be 32-37"W x 10-13"D x 72-78"H.
- b. Shall have 5 shelves total with minimum of 3 adjustable shelves.
- c. If providing a unit over 72"H, provide security wall attachments appropriate for gypsum board over metal studs.
- d. Shall have adjustable floor glides.


4.0 TABLES

- A. The Manufacturer or Vendor shall provide a warranty guaranteeing all materials and labor against defect or failure for a minimum period of 5 years.
- B. Tables shall comply with HNC UH specification-HuntsvilleAmendment99.doc and is referred to as the "UH Specification" in this document. Huntsville Amendment 99 can be found on the website, Dept. of the Army UH Furniture Program, listed as Army UH Furniture Specifications at: <https://www.gsa.gov/buy-through-us/purchasing-programs/multiple-award-schedule/army-unaccompanied-housing-standards>.
- C. Tabletops shall be a balanced construction with minimum 1-3/16" thickness. Substrate shall be 5-ply hardwood plywood. Top shall be high pressure laminate and shall match the stain color. Laminate shall be type HGS series, per AWI Section 200, and meet or exceed the test results in ANSI/NEMA LD3-2005.
- D. All exposed edges, unless otherwise specified, shall be 3 mm PVC edge banding. PVC finish shall match wood stain finish. Exposed table components shall be hardwood or #1 grade oak per AWI 100-S. All internal framing, if necessary, shall be of mixed hardwoods.
- E. Tables shall have simple lines and be free of ornamentation, durable, and easy to maintain. Styles of tables in any one room shall be identical.
- F. The wood species, color, and finish on all items shall be uniform in appearance and style. Drawings below are to represent style only and are not an indication of dimensions or construction required.
- G. Lounge (coffee) / (and end) tables shall be from the same manufacturer as lounge seating.

4.1 TL01: End Table

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods



- a. Shall be 21-26"W x 21-32"D x 20-22"H.
- b. Shall have an apron and 4 legs.
- c. Shall have nylon glides.
- d. Shall have lower shelf.

4.2 Not Used

4.3 TB01: Square Activity Table

- a. Shall be 42"W x 42"D x 29-30"H.
- b. Shall have square tabletop.
- c. Provide solid oak or hardwood apron.
- d. Provide 4 square wood legs.
- e. Shall have adjustable glides.

4.4 TB06: Round Café Table

- a. Shall be 30" Diameter x 40-44"H.
- b. Shall have round tabletop.
- c. Provide metal column and metal X base.
- d. Base finish shall be black powder coat.
- e. Base spread shall not be less than half the size of the tabletop.
- f. Shall have adjustable glides.

4.5 Not Used

4.6 TL12: Console Table

- a. Shall be 40-48"W x 18-24"W x 30-34"H.
- b. Shall have an apron and 4 legs.
- c. Shall have nylon glides.
- d. Shall have lower shelf.

5.0 SEATING

- A. The exposed wood components shall be hardwood or #1 grade oak per AWI 100-S.
- B. Construction of fabric coverings on upholstered goods shall be of the same process and quality for COM fabrics as for the manufacturer's standardly offered fabrics.
- C. All finished upholstered products shall meet or exceed NFPA requirements.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

D. Drawings below are to represent style only and are not an indication of dimensions or construction required.

5.1 CT01: Ergonomic Chair (Bldg. 885 & 2309)

- a. Shall be minimum of 27"W x 24"D x 42"H.
- b. Shall have upholstered seat and back.
- c. Seat size shall be a minimum of 20"W x 18"D.
- d. Shall have back height and pneumatic seat height adjustments.
- e. Shall have height and width adjustable arms.
- f. Shall have tilt lock and tension control.
- g. Frame, arms, base, and casters shall be manufacturer's standard black.
- h. Casters shall be appropriate for hard surface flooring.
- i. Fabric shall be Architex, Pattern: Thesis, Color: Graphite or equal vinyl, woven look, dark gray.
- j. Shall have a minimum 12 year warranty.

5.2 CT02: Ergonomic Chair (Bldg. 885)

- a. Shall be minimum of 20"W x 24"D x 42"H.
- b. Shall have an upholstered seat and mesh back.
- c. Seat size shall be a minimum of 20"W x 18.5"D.
- d. Shall have pneumatic seat height adjustment.
- e. Shall be armless.
- f. Shall have tilt lock and tension control.
- g. Casters shall be appropriate for hard surface flooring.
- h. Frame, base, and casters shall be manufacturer's standard black.
- i. Mesh shall be black.
- k. Fabric shall be Architex, Pattern: Poplin, Color: Black Cherry or equal vinyl, woven look, dark gray.
- j. Shall have a minimum 12 year warranty. Mesh shall have minimum 10 year warranty.

5.3 LC01: Lounge Chair with Nesting Ottoman


- a. Shall be 26-34"W x 29-34"D x 37-42"H.
- b. Seat height shall be 18-19".
- c. Chair and ottoman shall be fully upholstered.
- d. Shall have full coverage wood caps on arms.
- e. Shall be from the same manufacturer as lounge tables.
- f. Ottoman shall fit flush into the frame of chair under the seat.
- l. Fabric shall be Architex, Pattern: Catwalk, Color: Ritts or equal woven, multicolored grid with black accents.
- g. Shall meet GSA "Performance Tested" requirements.
- h. Shall have nylon glides.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods


- i. Shall provide a minimum 3 year warranty on frame and foam.

5.4 LC03: Upholstered Lounge Chair



- a. Shall be 30-36"W x 31-35"D x 33½ -40"H.
- b. Shall be fully upholstered in a contemporary style with full coverage wood caps on arms.
- c. Seat height shall be 18–19".
- d. Front panel beneath cushions shall extend 2-4" above the finished floor.
- e. Seat and back cushions shall be reversible without causing damage to the frame, fabric, or finish.
- f. Seat and back cushions shall securely attach to the frame with a concealed theft deterrent mechanism.
- g. The upholstery shall be finished with no raw edges where the mechanism attaches to the cushion and to the frame.
- h. Standardly available tool(s) shall be required to release the mechanism.
- i. Padlocks, combination locks, and similar items are non-conforming. Clips, hooks, hook and loop fasteners (e.g., Velcro), and similar items that can be released without the use of tools are non-conforming.
- j. Seating shall match each other in style and construction.
- k. Shall have solid hardwood or veneer core plywood internal frame construction. Chipboard or MDF shall be non-conforming.
- l. Slipcovers or loop fasteners (e.g., Velcro) used for the fabric covering is non-conforming.
- m. Shall be from the same manufacturer as lounge tables.
- m. Fabric shall be Architex, Pattern: Catwalk, Color: Ritts or equal woven, multicolored grid with black accents.
- n. Shall meet GSA "Performance Tested" requirements.
- o. Shall have nylon glides.
- p. Shall provide a minimum 3 year warranty on frame and foam.

5.5 LS02: Upholstered Two Seat Sofa



- a. Shall be 54-60"W x 31-35"D x 33½ -40"H.
- b. Shall be fully upholstered in a contemporary style with full coverage wood caps on


Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

arms.

- c. Seat height shall be 18–19”.
- d. Front panel beneath cushions shall extend 2-4” above the finished floor.
- e. Seat and back cushions shall be reversible without causing damage to the frame, fabric, or finish.
- f. Seat and back cushions shall securely attach to the frame with a concealed theft deterrent mechanism.
- g. The upholstery shall be finished with no raw edges where the mechanism attaches to the cushion and to the frame.
- h. Standardly available tool(s) shall be required to release the mechanism.
- i. Padlocks, combination locks, and similar items are non-conforming. Clips, hooks, hook and loop fasteners (e.g., Velcro), and similar items that can be released without the use of tools are non-conforming.
- j. Seating shall match each other in style and construction.
- k. Shall have solid hardwood or veneer core plywood internal frame construction. Chipboard or MDF shall be non-conforming.
- l. Slipcovers or loop fasteners (e.g., Velcro) used for the fabric covering is non-conforming.
- m. Shall be from the same manufacturer as lounge tables.
- n. Fabric shall be Architex, Pattern: Relax, Color: Porpoise or equal vinyl, leather look greige.
- o. Shall meet GSA “Performance Tested” requirements.
- p. Shall have nylon glides.
- q. Shall provide a minimum 3 year warranty on frame and foam.

5.6 LS05: Upholstered Three Seat Sofa



- a. Shall be fully upholstered in a contemporary style.
- b. Shall be 78-84"W x 31-35"D x 33½-40"H.
- c. Seat height shall be 18–19”.
- d. Front panel beneath cushions shall extend 2-4” above the finished floor.
- e. Seat and back cushions shall be reversible without causing damage to the frame, fabric, or finish.
- f. Seat and back cushions shall securely attach to the frame with a concealed theft deterrent mechanism.
- g. The upholstery shall be finished with no raw edges where the mechanism attaches to the cushion and to the frame.
- h. Standardly available tool(s) shall be required to release the mechanism.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- i. Padlocks, combination locks, and similar items are non-conforming. Clips, hooks, hook and loop fasteners (e.g., Velcro), and similar items that can be released without the use of tools are non-conforming.
- j. Seating shall match each other in style and construction.
- k. Shall have solid hardwood or veneer core plywood internal frame construction. Chipboard or MDF shall be non-conforming.
- l. Slipcovers or loop fasteners (e.g., Velcro) used for the fabric covering is non-conforming.
- m. Shall be from the same manufacturer as lounge tables.
- n. Fabric shall be Architex, Pattern: Tailor Made, Color: Graphite or equal vinyl, textured with dark gray.
- o. Shall meet GSA "Performance Tested" requirements.
- p. Shall have nylon glides.
- q. Shall provide a minimum 3 year warranty on frame and foam.

5.7 CS02: Metal Counter Stool

- a. Shall be 17-24"W x 18-25"D x 36-42"H.
- b. Shall have 4 metal legs, upholstered seat, and metal slat or ladder back.
- c. Seat height shall be 23-25".
- d. Provide horizontal bracing between all legs.
- e. Shall not swivel.
- f. Fabric shall be Architex, Pattern: Tailor Made, Color: Graphite or equal vinyl, textured with dark gray.
- g. Metal finish shall be black.
- h. Shall have nylon glides.

5.8 CS04: Metal Barstool

- a. Shall be 17-24"W x 19-25"D x 42-48"H.
- b. Shall have 4 metal legs, upholstered seat, and metal slat or ladder back.
- c. Seat height shall be 29-31".
- d. Provide horizontal bracing between all legs.
- e. Stools shall not swivel.
- f. Fabric shall be Architex, Pattern: Connect, Color: Emotion or equal silicone, medium scale geometric pattern with various shades of blue.
- g. Metal finish shall be black.
- h. Shall have nylon glides.

5.9 DF03: Ladder Back Dining Chair

- a. Shall be 18-24"W x 18-26"D.
- b. Shall have metal frame without arms.
- c. Seat height shall be 17-19".
- d. Provide 4 legs with horizontal bracing between legs.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- e. Shall have upholstered seat and metal slat or ladder back.
- f. Fabric shall be Architex, Pattern: Prescription, Color: McBride or equal poly, leather look, navy blue.
- g. Shall have nylon glides.

5.10 CG01-1: Nesting Guest Chair

- a. Seat shall be 17"W x 16.5"D minimum.
- b. Fully upholstered seat with mesh or polymer elastomeric back:
 - i. Mesh portion of back shall be completely encapsulated by the frame to prevent edges of mesh fabric from contacting work surfaces or walls
- c. 2-Piece construction.
- d. Shall have a flexing back mechanism.
- e. Flip up seat/nesting capable.
- f. Open or cantilevered arms.
- g. 275 lb minimum capacity.
- h. 4-Leg metal frame.
- i. Casters shall be appropriate for hard surface flooring.
- j. Frame and mesh shall be black.
- k. Fabric shall be Architex, Pattern: Connect, Color: Emotion or equal silicone, medium scale geometric pattern with various shades of blue.
- l. Provide minimum 15 year warranty.

6.0 RECREATIONAL & EXTERIOR FURNITURE

6.1 RC01: Pool Table

- a. Shall be commercial quality model with 50"W x 100"L playing field and overall size of 64"W x 114"L x 32"H.
- b. All exposed wood shall be solid hardwood and veneers.
- c. Shall have a minimum 1" thick, 3-piece diamond ground slate playing area.
- d. Provide the following accessories:
 - i. 4 Cue sticks
 - ii. 1 Set of billiard balls
 - iii. 1 Hard plastic triangle
 - iv. 1 Dust cover
 - v. 1 Bridge stick
 - vi. 1 Dozen chalk
 - vii. Wall mounted cue rack in Black or equal finish
- e. Playing surface shall be:
 - i. 75/25 or 80/20 Nylon/wool fabric blend, minimum 21 oz.
 - ii. Red Fabric
- f. Stain shall be Matte Black on Maple or equal.
- g. Provide minimum 1 year warranty.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

6.2 Not Used

6.3 RC03: Foosball Table

- a. Shall be 30"W x 55.25"L x 36"H overall, minimum.
- b. Shall be commercial quality, full-size table.
- c. Playing surface shall be 26-27"W x 46-47"L with minimum 14"D cabinet.
- d. Sides shall be minimum 1½" thick particleboard with high pressure laminate.
- e. Provide required accessories including 1 set of 6 foosballs.
- f. The playing surface shall be non-glare and stain resistant.
- g. Shall have scorekeepers and a side ball return.
- h. Rods shall be solid triple chrome plated steel with ball bearings.
- i. Shall have adjustable height leg levelers.
- j. Finish shall be black laminate.
- k. Provide minimum 1 year warranty.

6.4 RC04: 3-in-1 Game Table

- a. Provide a solid oak and/or maple 54" Diameter table.
- b. Tabletop shall include a removable wood dining top and a gaming-to-bumper pool convertible top.
- c. Convertible top gaming side shall include game trays and moisture resistant cup holders.
- d. Provide a set of bumper pool balls and 2 cues.
- e. Convertible top shall be covered with a wool blend felt, minimum of 21 oz., in red.
- f. Provide minimum 1 year warranty.

6.5 RC05: 3-in-1 Game Chairs


- a. Provide a set of 4 solid oak and/or maple chairs.
- b. Shall have a solid oak and/or maple 5-star base.
- c. Shall swivel and be height adjustable.
- d. Shall have a fully upholstered back and seat in Mayer, Pattern: Sonnet, Color: Titanium or equal vinyl gray with stria pattern.
- e. Provide minimum 1 year warranty.

7.0 ELECTRONICS & EQUIPMENT

Shall be UL listed.

7.1 AV01: Column Lamp

Attachment 2
Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods



- a. Shall be overall 25-29"H metal column style.
- b. Lampshade shall be hardback drum style.
- c. Provide an on/off switch, power outlet, and USB port at the base of the lamp.
- d. Lamp cord shall be 7'L minimum.
- e. Shall be weighted to pass UL 153 tilt test.
- f. A bulb shall be provided with each unit and shall meet the following criteria:
 - i. Medium screw base LED
 - ii. Rated wattage shall be 10-15 watts.
 - iii. Brightness shall be minimum 800 lumens
 - iv. Light appearance warm white 2700 – 3500 Kelvin
 - v. Color quality shall be 85 CRI minimum
 - vi. Life 25,000 hours minimum
- g. Lampshade color shall be ivory.
- h. Lamp body color shall be black.
- i. Provide minimum 1 year warranty.

7.2 AV03: Floor Lamp

- a. Shall be commercial quality and 55-65"H.
- b. Lampshade shall be hardback drum style.
- c. Provide on/off switch on the socket.
- d. Shall be weighted to pass UL 153 tilt test.
- e. Lamp cord shall be 7'L minimum.
- f. A bulb shall be provided with each unit and shall meet the following criteria:
 - i. Medium screw base LED
 - ii. Rated wattage shall be 10-15 watts
 - iii. Brightness shall be minimum 800 lumens
 - iv. Light appearance warm white 2700 – 3500 Kelvin
 - v. Color quality shall be 85 CRI minimum
 - vi. Life 25,000 hours minimum
- g. Lampshade color shall be ivory.
- h. Lamp body color shall be black.
- i. Provide minimum 1 year warranty.

7.3.a AV04-1: 75" TV with Wall Mount

- a. Shall have diagonal screen measurement of 74"-75".

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- b. Shall be smart TV.
- c. Shall be 4K with LCD / LED display screen.
- d. Commercial signage or display TVs shall be non-conforming.
- e. Shall be Energy Star certified.
- f. Provide anti-theft attachment mechanism.
- g. Provide minimum 1 year warranty.
- h. Wall mount shall have the following features:
 - i. Rated to hold the television provided
 - ii. Shall tilt up and down and right to left.
 - iii. Mounting connection shall be tamper resistant

7.3.b AV05: 55” TV with Wall Mount

- a. Shall have diagonal screen measurement of 54-55”.
- b. Shall be smart TV.
- c. Shall be 4K with LCD / LED display screen.
- d. Commercial signage or display TVs shall be non-conforming.
- e. Shall be Energy Star certified.
- f. Provide anti-theft attachment mechanism.
- g. Provide minimum 1 year warranty.
- h. Wall mount shall have the following features:
 - i. Rated to hold the television provided
 - ii. Shall tilt up and down and right to left.
 - iii. Mounting connection shall be tamper resistant

7.4 AV07: Blu-ray Player with Shelf

- a. Shall be 4K and able to play 4K and standard Blu-ray discs, standard and audio DVDs, CDs, and digital media files.
- b. Provide the following features:
 - i. USB in
 - ii. HDMI out
 - iii. Wi-Fi connectivity
 - iv. Digital audio out
- c. Provide 6’L HDMI cable.
- d. Shall be Energy Star certified.
- e. Provide anti-theft attachment mechanism.
- f. Provide minimum 1 year warranty.
- g. Shelf shall have the following features:
 - i. Rated to hold the Blu-ray provided
 - ii. Mounting connection shall be tamper resistant
 - iii. Black finish

7.5 EQ01-1: Stick Vacuum Cleaner.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- a. Shall be a rechargeable stick style vacuum.
- b. Shall function on various types of flooring.
- c. Cleaning path shall be minimum of 9.5"W.
- d. Provide dust cup.
- e. Cordless with rechargeable battery.
- f. Provide minimum 1 year warranty parts and labor.

8.0 APPLIANCES

Shall be UL listed. Manufacturer's warranty shall be provided. Contractor shall verify onsite that clearances are adequate for appliances.

8.1 AP02: Refrigerator Freezer Microwave, 10 cu.ft.

- a. Unit shall be 2 separate pieces combined by manufacturer's standard attachment methods.
- b. Refrigerator freezer shall have at minimum the following features:
 - i. Capacity of 10.0 cu.ft.
 - ii. 2 Full width adjustable shelves in the main compartment
 - iii. 1 Crisper
 - iv. 3 Shelves in the door
 - v. 1 Full width shelf in the freezer compartment
- c. Freezer shall be frost free or have auto defrost.
- d. Microwave shall have the following features:
 - i. Minimum capacity of 0.9 cu.ft.
 - ii. Minimum 850 watts
 - iii. Electronic touch controls
 - iv. Food turntable
- e. Microwave shall be mounted no deeper than 8" from the front edge of the refrigerator.
- f. Unit shall be operated separately with 2 plugs.
- g. Unit may be provided with circuit limiting mechanism.
- h. Doors shall be installed hinged 50% on the left and 50% on the right.
- i. Shall be Energy Star certified.
- j. Color shall be black.
- k. Provide minimum 10 year warranty on the microwave magnetron, the refrigerator/freezer sealed system, and compressor. Provide minimum 2 year warranty on all other refrigerator, freezer, and microwave parts.

8.2 AP05: Refrigerator Freezer, 20-22 cu.ft.

- a. Shall be maximum 33"W x 34"D x 67"H.
- b. Shall have capacity of 20-22 cu.ft.
- c. Shall have 2 doors with separate refrigerator and freezer compartments.
- d. Shall have at minimum the following features:

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- i. 2 Full width adjustable shelves in the main compartment
- ii. 2 Crispers
- iii. 3 Shelves in the door of main compartment
- iv. 1 Full width shelf in the freezer compartment
- v. 2 Shelves in freezer door
- vi. Icemaker and connections
- e. Freezer shall be frost free or have auto defrost.
- f. Doors shall be installed hinged 50% on the left and 50% on the right.
- g. Shall be Energy Star certified.
- h. Color shall be black.
- i. Provide minimum 1 year warranty on parts and labor.

8.3 Not Used

8.4 AP11: Microwave Oven with Exhaust Vent

- a. Shall be maximum 29 15/16"W x 16"D x 17.25"H.
- b. Shall have minimum capacity of 1.9 cu.ft.
- c. Shall have minimum of 950 watts.
- d. Shall be mounted over the range and have an exhaust fan.
- e. Shall be vented outside.
- f. Shall provide all the components to vent outside.
- g. Shall include:
 - i. Electronic touch controls
 - ii. Food turntable
- h. Color shall be black.
- i. Provide minimum 1 year warranty on parts and labor.

8.5 AP13: Electric Range

- a. Shall be 30"W.
- b. Shall be electric, freestanding unit.
- c. Provide digital temperature display and timer.
- d. Oven shall have the following features:
 - i. Minimum capacity of 4.8 cu.ft.
 - ii. Bake and broil elements
 - iii. 2 Removable racks with a minimum of 5 rack positions
- e. Range top shall have minimum 4 heating coils.
- f. Range top coils shall include a temperature limiter.
- g. Provide storage drawer.
- h. Color shall be black.
- i. Provide 3 wire cord.
- j. Provide minimum 1 year warranty on parts and labor.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

8.6 AP15: Dishwasher

- a. Shall be 24"W.
- b. Shall include the following features:
 - i. Minimum 4 wash cycles
 - ii. Sound insulation
 - iii. Stainless steel tub
- c. Shall be Energy Star certified.
- d. Shall be black.
- e. Provide minimum 1 year warranty on parts and labor.

9.0 ANCILLARY

9.1 AC01: Trash Container, Small

- a. Shall be plastic, rectangular, and slightly tapered with rounded corners.
- b. Shall have a capacity of 27 qt.
- c. Shall be fire resistant.
- d. Shall meet UL 242 requirements.
- e. Color shall be black.
- f. Provide minimum 1 year warranty.

9.2 AC02: Trash Container, Medium

- a. Shall be plastic, rectangular, and slightly tapered with rounded corners.
- b. Shall have a capacity of 40 qt.
- c. Shall be fire resistant.
- d. Shall meet UL 242 requirements.
- e. Color shall be black.
- f. Provide minimum 1 year warranty.

9.3 Not Used

9.4 AC04: Shower Curtain Liner with Rings

- a. Shall be 36"W x 72"H.
- b. Shall have a reinforced top hem with rust-proof metal grommets.
- c. Shall not have a bottom hem.
- d. Shall be minimum 7-gauge vinyl treated against mold and mildew.
- e. Shall be machine washable.
- f. Shall meet or exceed NFPA 701.
- g. Provide rust-proof metal rings.
- h. Color shall be white.

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

9.5-9.6 Not Used

9.7 AC09: Ficus Benjamina Tree

- a. Shall be minimum of 6'H.
- b. Shall be 100% "silk" made of inherently flame retardant polyester.
- c. Shall have single, molded, flexible construction and secured and weighted with a plaster planter insert.
- d. Planter insert coverings shall be flame retardant and shall be glued moss or other appropriate "ground cover".
- e. Container shall be fiberglass.
- f. Container finish shall be black.

9.8 AC10: Dieffenbachia

- a. Shall be minimum of 3'H.
- b. Shall be 100% "silk" made of inherently flame retardant polyester.
- c. Shall have single, molded, flexible construction and secured and weighted with a plaster planter insert.
- d. Planter insert coverings shall be flame retardant and shall be glued moss or other appropriate "ground cover".
- e. Container shall be fiberglass.
- f. Container finish shall be black.

9.9 AC11: Philodendron

- a. Shall be minimum of 2'H.
- b. Shall be 100% "silk" made of inherently flame retardant polyester.
- c. Shall have single, molded, flexible construction and secured and weighted with a plaster planter insert.
- d. Planter insert coverings shall be flame retardant and shall be glued moss or other appropriate "ground cover".
- e. Container shall be fiberglass.
- f. Container finish shall be brushed nickel.

9.10.a AR-01: Framed Artwork

Image substitutions shall not be allowed, but if images have been discontinued, provide 2 recommended substitutions per discontinued print.

- a. Metal frames shall have a flat or curved face which shall be minimum 7/8"W and shall be joined with metal corner angles and screws.
- b. Frames shall have mitered corners.
- c. All framed art shall receive a UV filtering hard coat acrylic sheet protection, Cyro Acrylite FF or equal, at a minimum 1/8" thickness.

Attachment 2


Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

- d. Images shall be mounted to 3/16" paper-faced foam board, Foam-Core or equal, for stability.
- e. All art shall include 4-point security mounting hardware, United Manufacturers or equal. Security mountings systems secured through the face of the frame shall be unacceptable.
- f. Art and frames shall be warp free and devoid of other defects.
- g. Images for this solicitation shall meet the following guidelines:
 - i. Shall be cropped if border includes white space
 - ii. Digital image files used shall have a minimum resolution of 300 PPI
 - iii. Art from digital image files shall have a minimum resolution of 300 DPI
 - iv. Where images are grouped together in a series, e.g., corridors, the proposed images shall relate to one another
 - v. Artwork shall not include black and white or sepia tone print, threatening or frightening animals and insects, or images that appear to be foggy, foreboding, or depressing
 - vi. People featured in images shall not be easily identifiable
- h. Shall be provided in portrait or landscape orientation as shown by the images provided in the table below.
- i. The table below comprises one lot.

Attachment 2
Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

Artwork Schedule						
	Image	Qty.	Size Excludes mat and frame	Mat Color	Frame Material	Frame Color
Bldg 2309						
1	 Allposters.com Dungeons and Dragons - Adventure Poster	1	15 x 22	N/A	Metal	Black
2	 Allposters.com Warhammer 40K - Ultramarine Poster	1	15 x 22	N/A	Metal	Black

Attachment 2
Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

3	 Allposters.com Dungeons & Dragons: Honor Among Thieves - Teaser One Sheet Poster	1	22 x 34	N/A	Metal	Black
4	 Allposters.com Magic: The Gathering - Collage Poster	1	22 x 34	N/A	Metal	Black
5	 Allposters.com Magic: The Gathering - Worlds Poster	1	22 x 34	N/A	Metal	Black

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

6	 Allposters.com Warhammer 40K - The Battle of Baal Poster	1	22 x 34	N/A	Metal	Black
---	---	---	---------	-----	-------	-------

9.10.b AR-02: Metal Artwork

Image substitutions shall not be allowed, but if images have been discontinued, provide 2 recommended substitutions per discontinued print.

- a. Shall be printed on metal face with brushed nickel standoffs.
 - i. Provide four standoffs per piece of artwork
 - ii. Standoffs shall be 1" diameter x 2"D offsets secured by molly bolts
 - iii. Provide 4 predrilled holes per piece of artwork in each corner for standoff installation
 - iv. Holes shall be sized to fit standoffs and inset a minimum of 1" from the sides
- b. Metal prints shall be 1/8" aluminum composite material.
- c. Surface of the metal print shall be scratch resistant and glossy.
- d. Metal prints shall have UV protection.
- e. All corners shall be rounded with 3/8" radius curve.
- f. Edges shall be smooth.
- g. Images for this solicitation shall meet the following guidelines:
 - i. Shall be cropped to not include any solid border around image
 - ii. Digital image files used shall have a minimum resolution of 300 PPI
 - iii. Art from digital image files shall have a minimum resolution of 300 DPI
 - iv. Where images are grouped together in a series, e.g., corridors, the proposed images shall relate to one another
 - v. Artwork shall not include black and white or sepia tone print, threatening or frightening animals and insects, or images that appear to be foggy, foreboding, or depressing
 - vi. People featured in images shall not be easily identifiable
- h. Shall be provided in portrait or landscape orientation as shown by the images provided in the table below.
 - i. The table below comprises one lot.

Attachment 2
Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

Artwork Schedule						
	Image	Qty.	Size Excludes mat and frame	Mat Color	Frame Material	Frame Color
Bldg 885						
1	 https://pixabay.com/images/download/america-1441980_1920.jpg	3	24 x 36	N/A	N/A	N/A
2	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAyMi8wOS8xMi8xOS8zOC9tb3VudGFpbi03NDUwMzE0XzEyODAu nBn	3	24 x 36	N/A	N/A	N/A
3	 https://pixabay.com/images/download/mountains-6467352_1920.jpg	3	24 x 36	N/A	N/A	N/A

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

4	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAyNC8wMy8xOS8yMC8wOC9t b3VudGFpbi04NjQ0MDMzXzEyODAu anBn	3	24 x 36	N/A	N/A	N/A
5	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAxNi8xMC8wMy8wMS81MC93 YXRlci0xNzEwODEwXzEyODAu anBn	3	24 x 36	N/A	N/A	N/A
6	 https://pixabay.com/photos/lake-trees-forest-cascade-mountains-6571820/	3	24 x 36	N/A	N/A	N/A


Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

7	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAyMC8wNy8wNy8wNC8zNC9z YXVrLXJpdmVyLTUzNzkyMjBfMTI4MC5qcGc~	3	24 x 36	N/A	N/A	N/A
8	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAyMC8wNi8xNC8yMi81My9iY XI2aWV3LTUyOTk2MDI4fMTI4MC5qcGc~	3	24 x 36	N/A	N/A	N/A
9	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAxNC8xMC8yNy8xOS8wMC93 YXRlci01MDU0MjNfMTI4MC5qcGc~	3	24 x 36	N/A	N/A	N/A



Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

10	 https://www.istockphoto.com/photo/arnica-meadows-at-sunrise-gm977183046-265704812?utm_source=pixabay&utm_medium=affiliate&utm_campaign=sponsored_photo&utm_content=srp_{location}_media&utm_term=washington+state+gold+mountain	3	24 x 36	N/A	N/A	N/A
11	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAxNC8wNy8yMC8xMy80Mi9jb2x1bWJpYS1yaXZlci0zOTc4MzRfMTI4MC5qcGc~	3	24 x 36	N/A	N/A	N/A
12	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9jZG4ucGI4YWJheS5jb20vcGhv dG8vMjAxNC8wNy8yMC8xMy80Mi9jb2x1bWJpYS1yaXZlci0zOTc4MzRfMTI4MC5qcGc~	3	24 x 36	N/A	N/A	N/A

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

13	 https://us-east1-menlo-view.menlosecurity.com/c/0/i/aHR0cHM6Ly9tZWRpYS5pc3RvY2twag90by5jb20vaWQvMTc0ODYyODczL3Bob3RvL2ZhbGwtY29sb3ltb2YtdHVtd2F0ZXltY2FueW9uLndIYnA_cz0xMDI0eDEwMjQmdz1pcyZrPTlwJmM9eIU3eVpaQkJZM2pPWxVseFpoWnFNU1Zxd04wNER0UjA4OWISTm9EMXRPbz0~	3	24 x 36	N/A	N/A	N/A
14	 https://pixabay.com/images/download/mountain-lake-7388964_1920.jpg	3	24 x 36	N/A	N/A	N/A
15	 https://www.istockphoto.com/photo/intestate-5-bridge-over-columbia-river-between-oregon-and-washington-state-gm900925952-248559403?utm_source=pixabay&utm_medium=affiliate&utm_campaign=sponsored_photo&utm_content=srp_{location}_media&utm_term=washington+state+bridges	3	24 x 36	N/A	N/A	N/A

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

16	 https://www.istockphoto.com/photo/lewis-and-clark-bridge-gm1150399615-311395779?utm_source=pixabay&utm_medium=affiliate&utm_campaign=sponsored_photo&utm_content=srp_{location}_media&utm_term=Washington+state+bridges	3	24 x 36	N/A	N/A	N/A
17	 https://pixabay.com/images/download/daisies-7405940_1920.jpg	3	24 x 36	N/A	N/A	N/A
18	 https://pixabay.com/images/download/forested-trail-7344864_1920.jpg	3	24 x 36	N/A	N/A	N/A


Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

19	 https://www.istockphoto.com/photo/cap-e-disappointment-lighthouse-gm1211361413-351273110?utm_source=pixabay&utm_medium=affiliate&utm_campaign=sponsored_image&utm_content=srp_{location}_media&utm_term=lighthouse+Washington+state	3	24 x 36	N/A	N/A	N/A
Bldg 2309						
20	 https://www.istockphoto.com/photo/bainbridge-island-harbor-panoramic-view-winslow-washington-beautiful-sunny-day-gm1130230124-298844789?searchscope=image%2Cfilm	3	18 x 24	N/A	N/A	N/A
21	 https://www.istockphoto.com/photo/ferry-and-olympic-mountains-gm531412847-55312822?searchscope=image%2Cfilm	3	18 x 24	N/A	N/A	N/A


Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

22	 https://www.istockphoto.com/photo/summer-sunrise-gm995691982-269496783?searchscope=image%2Cfilm	3	20 x 30	N/A	N/A	N/A
23	 https://www.istockphoto.com/photo/poulsbo-harbor-gm938092954-256542601?searchscope=image%2Cfilm	3	20 x 30	N/A	N/A	N/A

Attachment 2

Navy Region NW – Kitsap Bremerton Bldg. 885 & 2309 Casegoods

24	 https://www.istockphoto.com/photo/scenic-view-overlooking-the-sea-of-grassy-area-and-sailboat-gm182219468-10949608	3	24 x 36	N/A	N/A	N/A
25	 https://www.istockphoto.com/photo/summer-garden-gm1491422754-515771429	3	24 x 36	N/A	N/A	N/A

END OF FID

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

1. GENERAL

1.1 The Contractor shall provide all necessary materials, equipment, labor, supervision, and management to: (1) coordinate delivery; (2) remove existing furniture from rooms; (3) deliver removed furniture to location specified; (4) load and unload new furniture; (5) place/install in designated rooms; (6) assemble items as required; (7) secure and store, as designated; and (8) properly dispose of all associated packaging/crating materials.

1.2 Awarded Contractor is responsible for verifying all existing field conditions, i.e., electrical power including, but not limited to, voltage, hertz, amperage, and outlets at each building.

1.3 The Technical Representative (TR) for this project is as shown in Table 1 of this document.

1.4 The contractor shall provide a digital color board of all furniture finishes and fabrics to the TR for reference, prior to manufacturing.

1.5 Upon final approval of the customer, the vendor shall reserve adequate quantities of fabrics from the manufacturer as soon as possible to avoid delays due to “out of stock” and/or “discontinued” fabrics.

1.6 If the awarded fabric is discontinued after award, the vendor shall contact the HNC PM to develop a path forward.

2. DELIVERY

DELIVERY TYPES:

- Staged Delivery – This type of delivery is selected for occupied buildings whereby the rooms must be emptied of old furnishings and reinstalled with the new furnishings by the end of each workday. The number of rooms that must be completed per day will be stated in the Table 1 of the Statement of Work (SOW). If there is a limited space for containers in the staging area, this will also be noted in the Table 1 of the Statement of Work. This information is important as it may dictate how the containers are loaded for delivery.
- Non-Staged Delivery – This type of delivery is selected typically for empty buildings whereby the entire building is accessible during the install dates listed in the contract. This is important because it will dictate how the items are loaded into the containers for shipment.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

2.1 The Contractor shall contact the TR at least 15 working days prior to shipping to ensure that the building is ready. The Contractor shall coordinate item delivery from all sub-contractors and ship the goods only if the TR confirms that the building is ready. At this time, the Contractor shall also ensure they fully understand all security regulations for the installation and have started any required procedures to minimize the impact on the installation personnel.

2.2 In the event that a delay in delivery is requested by the TR, or if the Contractor is unable to confirm that the building is ready, the Contractor shall notify the Contracting Officer within 1 working day.

2.3 The Contractor shall provide the TR with a minimum of 48-hour notification as to the date and time that the trucks will be arriving. The Contractor shall also provide email notification as to the date and time the trucks will be arriving to:
furnishinginvoices@usace.army.mil at least 48 hours prior to scheduled arrival time.

2.3 Contractor must ensure that the driver of the delivery vehicle has copies of the Delivery Order (contract) for the items being delivered in order to gain entry to the facility.

2.4 Drivers of the delivery vehicles shall not attempt to deliver any items before the scheduled delivery date. In the event the delivery date falls on a Saturday, Sunday, or federally recognized holiday, the delivery date shall be the next workday after the Saturday, Sunday, or holiday.

2.5 Shipping Label shall read as specified in Table 1 of this document.

2.6 Items shall be labeled with the building number(s) provided in Contract Line Item (CLIN) 0001, unless otherwise noted in this paragraph.

3. REMOVAL OF EXISTING FURNITURE

3.1 Contractor shall start removing existing items in the rooms between the hours specified in Table 1. The Contractor may work outside this time frame with prior approval of the TR.

3.2 If a furniture listing is not provided in Table 1, assume existing furniture to include some or all of the following: bed and mattress, wall unit, desk, chair, and chest.

3.3 Contractor shall deliver all removed furniture to location specified by the TR.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

3.4 If the Contractor is unable to complete the removal and storage of items before end of the workday, the contractor will secure those items and ensure they are protected from the elements. If the items are moved to a different storage site overnight, the Contractor will be responsible for moving the items from the overnight storage site to its final location.

3.5 Contractor shall take care to ensure removed furniture is not damaged during removal, transport, and final disposition.

3.6 Contractor shall reference Table 1 below to determine if removed furnishings require palletizing and shrink wrapping. If required, this cost shall be included in the removal line of attachment 1.

3.7 After removal of existing furnishings, rooms shall be swept or vacuumed, as required by flooring type, before placement of new furnishings.

4. RECEIVE AND UNLOAD

4.1 Contractor shall start assembling and installing items in rooms upon completion of furniture removal, between the hours specified in Table 1. The Contractor may work outside this time frame with prior approval of the TR.

4.2 If the Contractor is unable to complete the assembly and placement of all unloaded items before end of the workday, the contractor will transport those items to a location designated by the TR for storage until the next workday. The Contractor will be responsible for moving the items from the overnight storage site to its designated position in the building.

4.3 The Contractor shall verify and inspect all items. Any deficiencies (damage/overage/shortage) shall be brought to the attention of the TR. The Contractor shall store damaged items in the location designated by the TR.

4.4 The Contractor shall maintain a complete file of all documents relating to each discrepancy. Copies of discrepancy reports shall be forwarded to the TR on a daily basis.

4.5 The Contractor shall repair or coordinate for replacement of damaged, defective, or missing items.

4.6 Additional items identified in Table 1 shall be picked up from location specified in Table 1, on the date and time specified by the TR, and installed. If these items have been picked up, but not installed, they must be handled in accordance with paragraph

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

3.2. above. If no items are identified in Table 1, then there are no items in storage that must be installed under this contract.

4.7 Mattresses and box springs (if applicable) shall be installed whether provided by the Contractor or by the Government, even if not noted in Table 1. If mattresses are provided by the Government, the Contractor shall pick up these items from the location specified by the TR and install in accordance with this Statement of Work.

5. PLACE AND INSTALL

5.1 Contractor shall place items in building(s) noted in CLIN 0001 of the contract. Items shall be placed in the rooms in accordance with the drawings attached to this Statement of Work. If no drawings are provided herein, the furniture shall be placed as directed by the TR. Information about the building may be found in Table 1.

5.2 The Contractor shall complete installation of furnishings under this Statement of Work in the time period specified in Table 1.

5.3 The contractor shall clean and polish all items that have been installed.

5.4 The Contractor shall ensure all light fixtures have the appropriate bulbs as identified in the contract as well as ensure they are in working order.

5.5 The Contractor shall remove all protective coverings off of electronics (such as protective film on the microwaves, TVs, and lamp shades, etc.).

5.6 The Contractor shall ensure that all stickers and labels are removed, and no adhesive residue remains on the surface.

5.7 The Contractor shall ensure that items which requires batteries have been provided with new alkaline batteries, and that they are working properly.

5.8 If recreational equipment is provided in this procurement, the Contractor shall install the recreational equipment. In addition, the Contractor shall be responsible for providing equipment, material, and expertise needed to place assemble, and level pool tables, soccer tables, table tennis, and dart boards as identified in the contract.

5.9 If electric appliances are provided in this procurement, the Contractor shall install the appliances. In addition, the Contractor shall be responsible for providing all equipment and material to install the ice machines, refrigerators, electric ranges, microwaves, clothes washers, and electric dryers as identified in the contract. The contractor shall provide power cords for all electrical items, which are appropriate for the item and the building's electrical service, as well as hoses, vent kits, and/or other

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

accessories required to have a fully functioning unit. Vendor is not responsible for connecting gas appliances to the gas supply.

5.10 If artwork is provided in this procurement, the Contractor shall install the artwork. In addition, the Contractor shall be responsible for providing equipment and material needed to install artwork in TV rooms, dayrooms, game rooms, etc., of each building as identified in the contract. The TR will provide locations for placement of artwork. Mount artwork at standing eye-level height of 5'-6" on center above finished floor, or at seated eye-level height of 4'-4" on center above finished floor, per direction from TR.

5.11 If floor cleaning equipment is provided in this procurement, the Contractor shall uncrate, assemble, and provide all materials and equipment necessary to ensure the buffer, shampooers, and vacuum cleaners are in operational condition, and locate equipment within the building per direction from the TR.

5.12 The Contractor shall be responsible for installing other items that have been shipped to and/or stored at the installation as noted in Table 1. If no items are identified in these blocks, then there are no other items that must be installed under this contract.

5.13 Mattresses and box springs (if applicable) shall be installed whether provided by the Contractor or by the Government, even if not noted in Table 1. If mattresses are provided by the Government, the Contractor shall pick up these items from the location specified by the TR and install in accordance with this Statement of Work.

6. ASSEMBLY

6.1 The Contractor shall uncrate all items received and perform all required assembly in accordance with the manufacturers' instructions.

6.2 All furniture, equipment and accessories shall be level, plumb, square, and in proper alignment with adjoining furniture. Furnishings shall be securely attached to the building where applicable.

6.3 The Contractor shall inspect to ensure that the furniture is free of surface dirt and defects, and that the installation is complete, and the furniture is ready to use.

6.4 If required, the Contractor shall reverse doors and handles on the refrigerators in sleeping rooms.

7. PROTECTION OF PROPERTY

7.1 The Contractor shall perform an inspection of the buildings and grounds with the TR prior to starting work. The Contractor shall protect all items from damage during both

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

removal and installation. The Contractor shall take precaution against damage to the building, grounds, and other furnishings. The Contractor shall perform a final inspection of the buildings and grounds after completing work. A corrective action plan shall be provided by the Contractor that details type, source, and schedule of repairs.

7.2 The Contractor shall repair or replace any items, building components, or grounds damaged due to negligence and/or direct action by the Contractor using materials of the same quality, size, texture, and color to match adjacent existing work. All repairs beyond simple surface cleaning require concurrence of the TR before the Contractor or anyone other than the facility construction contractor (or its subcontractors) may perform any significant repair work. Use of the facility construction contractor (or appropriate subcontractor) is required for all significant repairs so that the building warranty is maintained.

7.3 The Contractor shall be responsible for security of the area in which work is being performed and prior to completion and transfer to the Government. The Contractor shall maintain accountability and control of any keys provided and shall return them to the TR upon completion of work.

7.4 Material-handling equipment shall have rubber wheels.

8. PRODUCT DOCUMENTATION

8.1 The Contractor shall ensure that all owner's manuals, warranty information, assembly instructions, maintenance and care instructions, operating instructions, and any other information is provided to the TR upon completion of the installation.

8.2 The Contractor shall collect special assembly tools, the security hardware wrench, and any spare parts provided with the furnishings and turn them over to the TR.

9. CLEANUP

9.1 The Contractor will be responsible for the removal and disposal of all trash connected with uncrating and assembling furniture and other items installed under this contract. Final acceptance of the furniture (Technical Representative signing acceptance on Delivery Order/contract), from the contractor will not occur until all trash connected with the furniture installation is removed from the site.

9.2 Recyclable cardboard products shall be disposed of in accordance with Table 1.

9.3 Packing materials will not be stored in the buildings for any period exceeding 24 hours.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

9.4 Personal trash (food wrappers, drinks, etc.) shall be removed from the site on a daily basis by the contractor.

10. EXCESS ITEMS

10.1 Once equipment is installed as shown on the furniture layout, the Contractor shall coordinate with the TR as to where any excess items are to be stored. Contractor will be responsible for delivery of excess items to storage area designated by TR.

11. SAFETY

11.1 Safety Compliance Requirements. Contractor shall comply with FAR 52.236-13 Accident Prevention and execute all work in accordance with (IAW) the latest version of Safety Manual EM 385-1-1 per base contract.

11.2 Site Visit Accident Prevention Plan (SVAPP). A SVAPP is required if an APP with a site/survey activity hazard analysis (AHA) has not been provided and accepted by the furnishings program CEHNC KO in coordination with (ICW) CEHNC Safety and Occupational Health Office (SOHO). The SVAPP is intended and necessary for any site visit not covered by an APP and these site visits shall be for visual inspection/observation or office type work only. If work must be performed (i.e., metering, work on energized equipment), an Accident Prevention Plan (APP) must be submitted and accepted.

11.3 Accident Prevention Plan. The APP shall follow the minimum requirements of EM 385-1-1 Chapter 2-7 and this PWS. Follow the mandatory ENG Form 6293 (Accident Prevention Plan Worksheet). The APP must be submitted and accepted by the CEHNC KO ICW CEHNC SOHO prior to starting any work at the site. The contractor is responsible for preparing an APP per EM 385-1-1 for all work that goes beyond the scope of a site. The completed APP shall be submitted to the KO Furnishings Invoice box at least thirty (30) business days prior to field work performance. Field work shall not take place until the APP has been submitted, reviewed, and accepted by the CEHNC Safety Office.

11.4 Contractor shall verify with the controlling installation, the applicability, and requirements for emergency procedures, permit required work procedures, and hazardous environments and waste disposal. These findings shall be incorporated into the APP.

11.5 Activity Hazard Analysis (AHA). All AHAs shall be written in accordance with section 6 in each applicable chapter in EM 385-1-1. The identification and proof of qualification for competent/qualified persons (e.g., Confined Space, Electrician, Crane Operator, etc.) and proof of qualification shall be included IAW EM 385-1-1 Chapter 2-6. d(4)(g). Define the steps to be performed for the activity/task/DFOW and the work

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

sequences (for example, site conditions, materials, personnel) needed. Job steps should be detailed so that the reader clearly understands how that job will be accomplished (for example, how the part will be installed or removed, anticipated voltages, quantities of chemicals utilized, equipment utilized to accomplish the task, heights being accessed).

11.6 Site-Specific Addendum (SSA). SSAs are required for each site if work will be conducted on two or more distinct sites. The SSAs shall be submitted to the KO Furnishings invoice box for review and acceptance by the CEHNC Safety Office prior to work starting. Each SSA shall contain detailed site-specific information only applicable to a specific location. It shall be attached to the APP as an appendix and be readily available on the jobsite.

11.7 Safety document resubmittal shall include the original local SOHO comments with detailed responses (Form 7 or 4025) and highlight all changes.

11.8 Any Proposals, Change Orders, and Contract Modifications shall be verified that they are covered under the current accepted APP. If the pending work effort is NOT covered under the initial task order APP, the contractor shall submit, for government review and acceptance, an addendum to the APP.

11.9 Notifications and Reports. All accidents and near misses will be reported in accordance with EM 385-1-1 Table 2-1. Most current version of the ENG Form 3394 Aug 2021 shall be used for all reporting measures. Failure to comply with these requirements will be reflected on CPARS (If applicable).

11.10 Monthly Exposure Hours Report. This report is a compilation of employee-hours worked each month for all site workers, both prime and subcontractors. Hours associated with administrative activities such as payroll, human resource, service order managers/technicians, etc., are not counted. Exposure hours shall be submitted to HNC Contracting Office (CT). The data must be posted/submitted not later than 10 calendar days after the end of each month. Exposure data consists of man-hours expended in direct performance of the work performed on the jobsite. The monthly submission shall be broken down by Contract and identify exposure hours for each Contract. If no hours are worked on the project/task, a report showing zero (0) is required. Contractors should report monthly exposure hours by using the Excel Exposure Hour Report via email to *either contract specialist or PGM.

11.11 Prime Contractor Corporate Safety Official / Corporate Official (CSO/CO). This contract requires a minimum of one Corporate Safety Official / Corporate Official to manage and oversee the implementation of the Prime Contractor's Safety Program. The CSO or CO shall conduct roles and responsibilities listed in EM 385-1-1 (2024) Chapter 2-4. f.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

11.12 Site Safety and Health Officer (SSHO). No work shall be conducted at the site of the work until an SSHO (L2 / L3) is present as described and EM 385-1-1 (2024) Chapter 2-8. b. L2s are required for this project that include work that includes LOTO (208V or above), Fall Protection, Confined Space, Use of LHE, Scaffolding, or any other higher hazard activity. L3 is acceptable for any phases of work outside of what is listed above to include office work, providing furniture/equipment support, the receiving and unloading of materials/furniture, or any other low hazard activities. L2/L3 are only permitted on projects with a residual risk of low or medium.

11.13 The SSHO on site must be employed by the prime contractor unless otherwise approved by the KO/COR ICW CEHNC SOHO. If a subcontractor employee is allowed, SSHOs must work under direction of the prime contractors CSO or CO equivalent (CSO or CO does not need to be onsite) from the Prime Contractor. The APP shall include discussion as to how the CSO or CO will ensure the L2 and/or L3 is/are implementing the requirements of the prime contractor's safety program, EM 385-1-1, OSHA, consensus standards, any additional local laws and regulations, and all accepted safety plans. This shall include but is not limited to the review of site documentation, site audits, training, meetings, and accident reports.

11.14 After Hours Work/Multiple Shifts. Planned after hours work or multiple shifts like dual shifts or scheduled work designed to not impact the customer is considered normal shift operations and shall still ensure that an SSHO, as required by scope of work, is on-site while work is being performed.

11.15 Multiple sites / Locations outside of 45 minutes: shall still ensure that an L2 is on the main site while work is being performed but would additionally need an L3 or L2 (depending on scope of work) for each location, however processes and procedures must be identified in the APP how communication and reporting will be established between the L3 and L2 for these evolutions.

12. AT-OPSEC

12.1 General security requirements and guidance: The security requirements described below apply to all contract personnel (including employees of the prime Contractor ("Contractor") and all subcontractor employees) supporting the performance requirements of this contract. The Contractor is responsible for compliance with these security requirements. Questions regarding security matters shall be addressed to the designated Government representative (e.g., Contracting Officer Representative (COR), Requiring Activity (RA) representative, or Contracting Officer (if a COR or other RA representative is not appointed)). Contract personnel are critical to the overall security and safety of US Army Corps of Engineers (USACE) installations, facilities and activities, and security awareness training contributes to those efforts. The Department

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

of Defense (DoD) and Army security training requirements specified below, if applicable, are performance requirements; all applicable contract personnel shall complete initial training within 30 days of contract award or the date new contract personnel begin performance on the contract. Within five business days from the completion of training, the Contractor shall provide written documentation (e.g., email or memorandum) to the Government representative. The documentation shall include the names of contract personnel trained and which training they completed; the Contractor shall maintain training records as part of their contract files and be prepared to provide copies of training certificates to the Government representative. Contractor personnel and vehicles are subject to search when entering federal installations. Additionally, all contract personnel shall comply with Force Protection Condition (FPCON) measures, Random Antiterrorism Measures (commonly referred to as "RAMs"), and Health Protection Condition (HPCON) measures. The Contractor is responsible for meeting performance requirements during elevated FPCON and/or HPCON levels in accordance with applicable RA plans and procedures --this includes identifying mission essential and non-mission essential personnel. In addition to the changes otherwise authorized by the changes clause of this contract, should the FPCON or HPCON levels at any individual facility or installation change, the Government may implement security changes that affect contract personnel. The Contractor shall ensure all contract personnel are aware of their security responsibilities, including any site-specific requirements identified in local policies or procedures.

12.2 Suspicious Activity Reporting training (e.g., iWATCH, CorpsWatch, or See Something, Say Something): All contract personnel shall receive initial and annual refresher training from the RA representative on the local suspicious activity reporting program. This locally developed training provides contract personnel with general information on suspicious behavior, and guidance on reporting suspicious activity to the project manager, security representative or law enforcement entity.

12.3 Escorting in classified and/or sensitive areas: In accordance with applicable regulations, all contract personnel who do not possess the appropriate security clearance or access privileges will be escorted in areas where they may be exposed to classified information or operations, sensitive information or activities, or restricted areas.

12.4 Pre-screen candidates using E-Verify Program: Contractors shall comply with the requirements set forth in FAR clause 52.222-54 Employment Eligibility Verification and FAR Subpart 22.18 in using the E-Verify Program at (<https://www.e-verify.gov/>) (website subject to change) to meet the contract employment eligibility requirements. The Vendor must ensure that the Candidate has two (2) valid forms of Government issued identification prior to enrollment to ensure the correct information is entered into the E-Verify system. Contractors are encouraged to cooperate with Federal and State agencies responsible for enforcing labor requirements to include eligibility for

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

employment under United States immigration laws in accordance with FAR 22.102-1(i). An initial list of verified/eligible candidates shall be provided to the COR no later than three business days after the initial contract award. When contracts are with individuals, the individuals will be required to complete a Form I-9, Employment Eligibility Verification, and submit it to the Contracting Officer to become part of the official contract file.

12.5 All contractor and all associated sub-contractors' employees shall comply with applicable installation or facility access and local security policies and procedures (provided by government representative). The contractor shall also provide all information required for background checks or background investigation and to meet installation and MEDOCM access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements as directed by DoD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition at any installation or facility change, the Government may require changes in contractor security matters or processes.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

TABLE 1. Project specific information.

NBK 885

Technical Representative:	Kelli Ballein
Tech. Rep. Phone:	360-476-8537
Tech. Rep. Email:	kelli.d.ballein.civ@us.navy.mil
Will the Building be Occupied During Install	Yes
Delivery Type	Staged
If staged, how many rooms accessible per day? (Min of 10-12 double occupancy rooms)	10 Double Occupancy
Acceptable Hours of Delivery:	M-TH 0730-1600, F 0700-1530
Number of floors:	10
Elevator Available for Use During Install	Yes
Elevator Dimensions	Entry door 72W x 84H; Interior 46.5W x73W x 88.5H

DRMO: It is the responsibility of the TR to coordinate with DRMO to ensure they are aware of the project

DRMO Location:	N/A
Point of Contact Name:	N/A
Phone/Email:	N/A
Address:	
Building Number	N/A
Street Address	
City, State, Zip Code	
Business Hours:	
Do they accept mattresses?:	
DRMO Special Requirements (Pallets, Shrink Wrap):	

UH Furnishings Program

Statement of Work – Removal and Installation of Furnishings

Navy Region NW - NBK 885 & 2309 Casegoods

All recyclable cardboard products to be delivered to:

Address:	
Building Number	Contractor is responsible for the removal and disposal of all recyclables and trash.
Street Address	
City, State, Zip Code	
Phone:	

Access & Delivery Information:

Security Requirements:	Naval Base Kitsap is a controlled access installation. Base Access and Visitor Requests (BAVR) must be submitted 2 weeks in advance. Failure to comply may result in delayed access. Direct questions to: desiree.r.hartman.civ@us.navy.mil (360)315-5990 **NO ESCORTS WILL BE PROVIDED** ----- Visitor Control Centers (VCCs) are responsible for authenticating an individual's identity, vetting, and determining their eligibility prior to authorizing access to the installation. NAVAL BASE KITSAP VCC LOCATIONS ☐ BANGOR: Bldg. 1035 [located off Trident Blvd., adjacent to Trident Main Gate] (360)396-4665 M-F 0700-1520 ☐ BREMERTON: Bldg. 981 [located off WA-304, adjacent to Missouri Gate] (360)476-4882 M-F 0700-1520 ----- BAVR Web page: https://www.bavr.cnmc.navy.mil/ The link can also be found via the NBK Visitor Information page: https://cnrnw.cnmc.navy.mil/Installations/NAVBASE-Kitsap/About/Installation-Guide/Visitor-Information/ A SEPARATE REQUEST IS REQUIRED FOR EACH INDIVIDUAL Fill out all *Required Fields, guidance provided below for the specified areas: -Work Information: *Personnel Type: CONTRACTOR *Command You Are Visiting: CNRNW SM *Company Name or Command: YOUR EMPLOYER/COMPANY NAME -Sponsor/Point of Contact Information:
------------------------	---

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

*Sponsor E-Mail:
desiree.r.hartman.civ@us.navy.mil
-Visit Information:
*Purpose of Visit: PROVIDE A DETAILED EXPLANATION OF WHAT YOU WILL BE DOING TO INCLUDE AWARD INFORMATION, LOCATIONS, AND BUILDING NUMBERS. IT IS POSSIBLE TO AUTHORIZE VISITS FOR MULTIPLE INSTALLATIONS WITH ONE BAVR REQUEST, INCLUDE THE DATES YOU WILL REQUIRE ACCESS FOR EACH SITE HERE.
-Submit your request.
-Once you have received an email notification that your BAVR request has been approved, you will then present a valid/current government issued photo identification and current proof of citizenship to VCC personnel. Not all REAL ID-compliant driver's licenses will meet the requirement for NBK. Please see specifics below or contact the VCC directly with any questions.
REQUIRED DOCUMENTS
In order to be vetted with a background check and identify proofing by VCC personnel, you must bring valid/current government issued photo identification and current proof of citizenship. This applies to all individuals except for active-duty service members and federal civilian employees.

Accepted proof of citizenship:

- ☐ State issued birth certificate: This must be an original or certified copy.
- ☐ Enhanced state-issued driver's license only accepted from Michigan, Minnesota, New York, Vermont, and Washington.
- ☐ U.S. passport (book or card): can NOT be expired.
- ☐ Certification of Naturalization: This document (FS-550/560) must be an original.
- ☐ Born-abroad Certificate: This document (FS-240) must be an original.

If driving onto base: Current driver's license, vehicle registration and proof of insurance is required.

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

Shipping Label for Furniture:		
Physical Address:		
Building Number	Street Address	City, State, Zip Code
		NBK Bremerton, Bldg. 885 Attn: Kelli Ballein (360)476-8537 KEPPLER HALL 885 Gatewood Ave. Bremerton WA 98314
Shipping Label for Soft Goods (If different from furniture)		NA
Warehouse information:		
Address:		
Building Number		
Street Address		Warehouse 1: P1 Naval Base Kitsap – Bremerton, B1001 P1 1001 Longshaw Drive Bremerton, WA 98314 POC Kelli Ballein (360)476-8537 Warehouse 2: Garage Naval Base Kitsap – Bangor, Perch/Pickerel Complex 3126 Pickerel Circle Silverdale, WA 98315 POC Kelli Ballein (360)476-8537 Warehouse 3: B2300 Naval Base Kitsap – Bangor, B2300 Whse 2300 Gato St Silverdale, WA 98315 POC Kelli Ballein (360)476-8537 Warehouse 4: B885 1st floor Kitchen
City, State, Zip Code		
Items stored at warehouse location noted above, to be installed under this contract: example: if you have mattresses in your warehouse and the vendor		885 Warehouse 4: (16) movie theater chairs -3rd and 8th floor lounges

UH Furnishings Program

Statement of Work – Removal and Installation of Furnishings

Navy Region NW - NBK 885 & 2309 Casegoods

needs to pick them up and install with the new furnishings. Provide list of items and how many there are.

Building Specific Information:

Other Information such as truck parking, how close the truck can get to the building, can a vendor provided forklift be used on location, are the rooms accessible from the outside via a catwalk or the inside.

Delivery Notifications must be made as required in the award contract.
Include the following POCs on All correspondence: TR, Alternate POC, and Region POC.
****ALL DELIVERIES/WAREHOUSE PICK-UP MUST BE SCHEDULED WITH THE TR****

C885: Installers will report to building 885 daily. This is a 10 Story building, 2 Elevators and exterior stairwells available for use. Trailers over 45ft may be difficult to maneuver on NBK Bremerton. NO LOADING DOCK, a truck with lift gate recommended. Parking within 20 ft of back door to building. There is room for 1-2 storage trailers on site within 100' of the building.

The fields required if furnishings/window treatments/hardware are being removed as part of this contract.

Old furnishing to be delivered to: If DRMO/DLA is being used, state that in this box. If the vendor needs to dispose of, please say so here.

Vendor is responsible for the removal and disposal of all old furnishings and ancillary items

List ALL furnishings to be removed: Be specific and list the item and how many there are. If Captains beds are being removed, list the size and number of drawers: If drop lid desk or Armoires are being removed, list dimensions.

B885: (2) freestanding range
(2) OTR Microwave
(1) dishwasher
(1) refrigerator
(4) cafe tables
(1) dining table
(7) barstools
(3) kitchen chairs
(60) Metal stackable beds with two drawer slots (No drawers present)
(48) wood lift deck beds with 3 drawers
(304) wood wardrobes,
(304) single XL mattresses

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

	The following items will need to be removed from resident rooms, palletized and shrink wrapped for storage, and transported to Warehouse 1: (196) Bunk Bed, Single XL (38"x80") -Wood. (196) wood wardrobes. Inside delivery to designated area of warehouse. (16) surplus sets of case goods will not be installed in resident rooms and can remain palletized for storage in Warehouse 1. Inside delivery to designated area of warehouse. B1001 P1: Basement storage (Building is directly beside B885) (10) televisions, (10) wood wardrobes, (10) lift deck beds
--	--

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

NBK 2309

Technical Representative:	Kelli Ballein
Tech. Rep. Phone:	360-476-8537
Tech. Rep. Email:	kelli.d.ballein.civ@us.navy.mil
Will the Building be Occupied During Install	No
Delivery Type	Not Staged
If staged, how many rooms accessible per day? (Min of 10-12 double occupancy rooms)	N/A
Acceptable Hours of Delivery:	M-TH 0730-1600, F 0700-1530
Number of floors:	3
Elevator Available for Use During Install	No
Elevator Dimensions	N/A

DRMO: It is the responsibility of the TR to coordinate with DRMO to ensure they are aware of the project

DRMO Location:	N/A
Point of Contact Name:	N/A
Phone/Email:	N/A
Address:	
Building Number	
Street Address	N/A
City, State, Zip Code	
Business Hours:	N/A
Do they accept mattresses?:	N/A
DRMO Special Requirements (Pallets, Shrink Wrap):	N/A

All recyclable cardboard products to be delivered to:

Address:	
Building Number	
Street Address	Contractor is responsible for the removal and disposal of all recyclables and trash.

UH Furnishings Program

Statement of Work – Removal and Installation of Furnishings

Navy Region NW - NBK 885 & 2309 Casegoods

City, State, Zip Code	
Phone:	

Access & Delivery Information:

Security Requirements:	Naval Base Kitsap is a controlled access installation. Base Access and Visitor Requests (BAVR) must be submitted 2 weeks in advance. Failure to comply may result in delayed access. Direct questions to: desiree.r.hartman.civ@us.navy.mil (360)315-5990 **NO ESCORTS WILL BE PROVIDED** ----- Visitor Control Centers (VCCs) are responsible for authenticating an individual's identity, vetting, and determining their eligibility prior to authorizing access to the installation. NAVAL BASE KITSAP VCC LOCATIONS ☐ BANGOR: Bldg. 1035 [located off Trident Blvd., adjacent to Trident Main Gate] (360)396-4665 M-F 0700-1520 ☐ BREMERTON: Bldg. 981 [located off WA-304, adjacent to Missouri Gate] (360)476-4882 M-F 0700-1520 ----- BAVR Web page: https://www.bavr.cnmc.navy.mil/ The link can also be found via the NBK Visitor Information page: https://cnrnw.cnmc.navy.mil/Installations/NAVBASE-Kitsap/About/Installation-Guide/Visitor-Information/ A SEPARATE REQUEST IS REQUIRED FOR EACH INDIVIDUAL Fill out all *Required Fields, guidance provided below for the specified areas: -Work Information: *Personnel Type: CONTRACTOR *Command You Are Visiting: CNRNW SM *Company Name or Command: YOUR EMPLOYER/COMPANY NAME -Sponsor/Point of Contact Information: *Sponsor E-Mail: desiree.r.hartman.civ@us.navy.mil -Visit Information: *Purpose of Visit: PROVIDE A DETAILED EXPLANATION OF WHAT YOU WILL BE DOING
------------------------	--

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

	TO INCLUDE AWARD INFORMATION, LOCATIONS, AND BUILDING NUMBERS. IT IS POSSIBLE TO AUTHORIZE VISITS FOR MULTIPLE INSTALLATIONS WITH ONE BAVR REQUEST, INCLUDE THE DATES YOU WILL REQUIRE ACCESS FOR EACH SITE HERE. -Submit your request. -Once you have received an email notification that your BAVR request has been approved, you will then present a valid/current government issued photo identification and current proof of citizenship to VCC personnel. Not all REAL ID-compliant driver's licenses will meet the requirement for NBK. Please see specifics below or contact the VCC directly with any questions. REQUIRED DOCUMENTS In order to be vetted with a background check and identify proofing by VCC personnel, you must bring valid/current government issued photo identification and current proof of citizenship. This applies to all individuals except for active-duty service members and federal civilian employees. Accepted proof of citizenship: ☐ State issued birth certificate: This must be an original or certified copy. ☐ Enhanced state-issued driver's license only accepted from Michigan, Minnesota, New York, Vermont, and Washington. ☐ U.S. passport (book or card): can NOT be expired. ☐ Certification of Naturalization: This document (FS-550/560) must be an original. ☐ Born-abroad Certificate: This document (FS-240) must be an original. If driving onto base: Current driver's license, vehicle registration and proof of insurance is required.
Shipping Label for Furniture:	
Physical Address:	
Building Number Street Address City, State, Zip Code	Naval Base Kitsap – Bangor, 2309 Attn: Kelli Ballein (360)476-8537 2309 Gato Street Silverdale, WA 98315

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

Shipping Label for Soft Goods (If different from furniture)	Naval Base Kitsap – Bangor, 2309 Attn: Kelli Ballein (360)476-8537 2309 Gato Street Silverdale, WA 98315
Warehouse information:	
Address:	
Building Number	
Street Address	Warehouse 1: P1 Naval Base Kitsap – Bremerton, B1001 P1 1001 Longshaw Drive Bremerton, WA 98314 POC Kelli Ballein (360)476-8537 Warehouse 2: Garage Naval Base Kitsap – Bangor, Perch/Pickerel Complex 3126 Pickerel Circle Silverdale, WA 98315 POC Kelli Ballein (360)476-8537 Warehouse 3: B2300 Naval Base Kitsap – Bangor, B2300 Warehouse 2300 Gato St Silverdale, WA 98315 POC Kelli Ballein (360)476-8537
City, State, Zip Code	
Items stored at warehouse location noted above, to be installed under this contract: example: if you have mattresses in your warehouse and the vendor needs to pick them up and install with the new furnishings. Provide list of items and how many there are.	Warehouse 1: (48) trash container, medium (6) trash container, medium for lounges (24) trash container, small (24) irons (24) ironing boards (24) iron & ironing board caddys (Hardware is provided by TR) (48) ergonomic desk chairs (48) Wardrobe/Locker, wood (48) Single, Stackable Bed, wood Warehouse 2: (48) Wardrobe/Locker, wood (48) Single, Stackable Bed, wood (48) Drop – Lid Desks, wood
Building Specific Information:	

UH Furnishings Program
Statement of Work – Removal and Installation of Furnishings
Navy Region NW - NBK 885 & 2309 Casegoods

Other Information such as truck parking, how close the truck can get to the building, can a vendor provided forklift be used on location, are the rooms accessible from the outside via a catwalk or the inside.	Delivery Notifications must be made as required in the award contract. Include the following POCs on All correspondence: TR, Alternate POC, and Region POC. **ALL DELIVERIES/WAREHOUSE PICK-UP MUST BE SCHEDULED WITH THE TR** ----- Installers will report to building 2309 daily. NBK Bangor buildings are all 3 stories. All floors have staircases that are u-shaped with landing and metal railings that cannot be removed. Large truck and trailer parking will be in the WEST parking lot off Gato Street. Trailers over 45ft may be difficult to navigate on NBK Bangor. NO LOADING DOCK, a truck with a lift gate is recommended. Box trucks will be able to pull up near the front of the building for delivery and installation purposes. Pallet jacks may not be usable on uneven walking paths. Up to 2 Storage trailers can be placed with-in 100' of the building.
---	---

The fields required if furnishings/window treatments/hardware are being removed as part of this contract.

Old furnishing to be delivered to: If DRMO/DLA is being used, state that in this box. If the vendor needs to dispose of, please say so here.	N/A
List ALL furnishings to be removed: Be specific and list the item and how many there are. If Captains beds are being removed, list the size and number of drawers: If drop lid desk or Armoires are being removed, list dimensions.	No removal for Building 2309.

END OF SOW

CONTRACTOR PERFORMANCE EVALUATION

PERFORMANCE EVALUATION (SERVICES AND SUPPLY)

1. Contract Number b. Del Order

2. CEC/DUNS Number B. SIC Code

3. TYPE OF EVALUATION () INTERIM (X) FINAL () AMENDED 4. Terminated For Default ()
Convenience ()

5. Contractor (Name, address and ZIP code)

6A. Procurement Method
() Sealed Bid (X) Negotiated

6B. Type of Contract
(X) FFP () Cost Reimbursement () Other

7. Description of Requirements and Location of Work

8. Type of Subcontracting

[illegible]

10. Significant A. Date of Award	B. Original Contract /DO Date	C. Revised Contract /DO Date	D. Date Work Completed

PART II – PERFORMANCE EVALUATION OF CONTRACT (Check appropriate box)

11. Overall Rating

() Outstanding () Above Average () Satisfactory () Marginal () Unsatisfactory

12. EVALUATED BY

A. Organization

B. Phone Numbers
Comm
Autovon

13. EVALUATION REVIEWED BY

A. Organization

B. Phone Numbers

Autovon

C. Name and Title

D. Signature

E. Date

14. A. Federal Supply Class:

B. Business Status:

CONTRACTOR PERFORMANCE EVALUATION

N/A= Not Applicable O= Outstanding A= Above Average S= Satisfactory M= Marginal U= Unsatisfactory

PART III – EVALUATION OF PERFORMANCE ELEMENTS

15. Quality Control	N/A	O	A	S	M	U	16. Effectiveness of Management	N/A	O	A	S	M	U
a. Quality of Product							a. Cooperation and responsiveness						
b. Quality of service							b. Management of resources/personnel						
c. Implementation of the CQC plan							c. Forecast and control of costs						
d. Met Contract requirement							d. Adequacy of site clean-up						
e. Storage of materials							e. Effectiveness of jobsite supervision						
f. Adequacy of materials							f. Compliance with laws and regulations						
g. Adequacy of submittals							g. Professional conduct						
h. Adequacy of as-builts							h. Review/resolution of subcontracting plan						
j. Use of specified materials							i. Accomplishments under						
k. Identification/correction of deficient work in a timely manner							18. Compliance with Labor Standards						
17. Timely Performance							a. Correction of noted deficiencies						
a. Adherence to delivery schedule							b. Payrolls properly completed and submitted						
b. Resolution of delays							c. Compliance with labor laws and regulations: Davis Bacon/Service Act and EEO Requirements						
c. Submission of required documentation							19. Compliance with Safety Standards						
d. Correction of minor deficiencies Warranty response							a. Adequacy of safety plan						
							b. Implementation of safety plan						
							c. Correction of noted deficiencies						
20. Remarks: <u>Explanation of evaluation is required.</u> Continue on separate sheet if needed.													

U.S. Army Corps of Engineers (USACE)
ACCIDENT PREVENTION PLAN (APP) WORKSHEET

For use of this form, see EM 385-1-1; the proponent agency is CESO.

This form serves as a guide. It does not replace or eliminate the need to comply with the requirements set forth in Engineering Manual 385-1-1, Safety and Occupational Health Requirements Manual. The references included in this form correspond to the applicable chapters of EM 385-1-1. No work will begin onsite until the accident prevention plan (APP) is developed according to the EM 385-1-1, reviewed to ensure minimum requirements are met, and approved by the appropriate personnel identified in "Part 1 -Signatures"

PART 1 - SIGNATURES

Plan Preparer - For example: Qualified Person (QP), Competent Person (CP), or project Quality Control (QC).

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature	

Plan Approver - Corporate Safety Official

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature	

Plan Concurrence - For example: Industrial hygienist, Project Manager, Superintendent, Site Safety & Health Officer, Quality Control, etc.

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature:	

PART 2: PROJECT INFORMATION

1. Project Name:	
2. Project Address (attach map in Appendix 1):	
3. Estimated Project Start Date:	4. Estimated Project Completion Date:
5. Project Description / Description of work to be performed:	

PART 3: PRIME CONTRACTOR INFORMATION

1. Prime Contractor Name:

2. Contract Number:

3. Project Manager Name:

4. Quality Control (QC) Manager Name:

5. Contractor Corporate Safety Official Name:

6. Primary Site Safety & Health Officer (SSHO) Name:

7. Alternate Site Safety & Health Officer (SSHO) Name(s):

PART 4: SOH COMMITMENT AND POLICY

1. Provide a statement of safety and health policy detailing commitment to providing a safe and healthful workplace for all employees on this project.

2. Provide a statement outlining the Contractor's safety program goals and objectives.

3. Identify policies and procedure regarding non-compliance with safety requirements.

4. Provide written procedures for holding managers and supervisors accountable for safety.

5. Prime contractor is responsible for the implementation and enforcement of the SOH program for contractor employees, subcontractors, suppliers, and visitors at the site of work?

☐ Yes☐ No

6. Prime contractor will require subcontractors, suppliers, and visitors to comply with the APP and EM 385-1-1?

☐ Yes☐ No

7. No work will be performed unless a designated SSHO is present on the site of work.

☐ Yes☐ No

8. A list of all known subcontractor(s) and supplier(s) are listed in Appendix 2.

☐ Yes☐ No

9. If all subcontractor(s) and supplier(s) are not known at the time of initial APP submittal, Appendix 2 will be updated and resubmitted to the KO/COR for acceptance prior to the start of any work activities.

☐ Yes☐ No

10. All subcontractors will have a copy of the APP, applicable AHAs and will be required to comply with them.

☐ Yes☐ No

11. Subcontractors and suppliers at the site of work will abide by the EM 385-1-1, this APP, and all AHAs.

☐ Yes☐ No

12. This APP and AHAs will be available to all workers at the site of work.

☐ Yes☐ No

PART 5: TRAINING

1. All employees will be trained according to applicable EM 385-1-1, federal, state, and local requirements prior to the commencement of work. ☐ Yes ☐ No
2. The following personnel are identified and designated as personnel responsible for SOH on this project. Add the following documentation to Appendix 3 of this worksheet: 1) SSHO designation letter (ENG Form 6282), 2) instructor signed OSHA 30-hour card (or course completion certificate if within 90 days of having completed the OSHA 30-hour training), and 3) proof of 24 hours of competency of SOH training within the last 3 years for the personnel identified below. (EM 385-1-1, Chapter 2, 2-3 Personnel Qualification/Training):
(Check and list names of personnel being designated)
- ☐ Primary SSHO Name:
- ☐ Alternate SSHO Name(s):
3. QP(s) and CP(s) required by EM 385-1-1 (for example, excavation, confined space, scaffolding, fall protection, etc.) for this project will be included in Appendix 3. Include 1) List of names or designation letters and 2) proof of qualification/competency.

PART 6: SOH INSPECTIONS

1. All applicable inspections required by EM 385-1-1, contract, federal, state, and local requirements will be completed. ☐ Yes ☐ No
2. The following personnel are assigned to conduct inspections, the type of inspection and frequency for the worksite. At minimum the SSHO must conduct daily site inspections.
- | Who will conduct inspection? | Frequency? | What type of inspection? |
|------------------------------|------------|--------------------------|
| | | |
3. Employees that conduct inspections will have technical proficiency needed to perform inspections. Proof of inspector's training/qualification is included in Appendix 3. ☐ Yes ☐ No
4. Deficiencies will be documented and tracked as required by this EM 385-1-1? ☐ Yes ☐ No
6. Will any external inspections be required (for example, USCG, OSHA, etc.)? ☐ Yes ☐ No
If yes, describe:

PART 7: ACCIDENT REPORTING AND INVESTIGATION

1. Exposure data (man-hours worked) will be reported to KO/COR as required by the contract? ☐ Yes ☐ No
2. All accidents will be reported as soon as possible according to EM 385-1-1? ☐ Yes ☐ No
3. All accidents occurring incidentally to an operation, project, or facility for which the EM 385-1-1 is applicable will be thoroughly investigated and analyzed. Corrective actions to prevent reoccurrence will be implemented as soon as reasonably possible. The KO/COR will be notified when corrective actions are completed. ☐ Yes ☐ No
4. Accident notification will be provided to the KO/COR as stated below: ☐ Yes ☐ No

ACCIDENT TYPE	KO/COR NOTIFICATION TIME
Fatality, permanent and partial disability, or property damage over \$600,000	Immediately, no later than (NLT) 8 hours
All other accidents and near misses	Immediately, NLT 24 hours

PART 8: SOH OVERSIGHT

1. A risk management process that meets or exceeds the requirement of the EM 385-1-1 will be implemented on this project site?	☐ Yes	☐ No
2. Hazardous conditions and unsafe acts will be immediately corrected?	☐ Yes	☐ No
3. APP and AHAs will be prepared by a QP or CP according to the EM 385-1-1 prior to the start of any work activities on the site of work (as much as the information can be known at that point in time).	☐ Yes	☐ No
4. The plans and AHAs will be updated throughout the life of the project to include changes in personnel, equipment, conditions, etc. Additional revisions must be incorporated as necessary to reflect changing site conditions, construction methods, personnel roles and responsibilities and construction schedules.	☐ Yes	☐ No
5. No activity/work will be started at the site of work until the APP is reviewed and submitted to the KO/COR for acceptance, with the site-specific plans and procedures required by the EM 385-1-1 to complete the project?	☐ Yes	☐ No
6. APP and AHAs will be provided to and reviewed by all workers involved in the activity prior to work?	☐ Yes	☐ No
7. Workers will sign AHA(s) to concur with identified job steps and controls needed to mitigate hazards?	☐ Yes	☐ No

PART 9: SEVERE WEATHER PLAN

1. The SSHO or designated onsite personnel is responsible for checking the weather conditions at a minimum of twice a day?	☐ Yes	☐ No
2. What severe weather forecast will require the SSHO to monitor weather conditions continuously? Describe.		
3. What are the training requirements for severe weather precautions and actions?		
4. Identify area of retreat or other actions to be taken such as evacuation, shelter in place, etc.		
5. Identify procedures to stop outdoor activities if extreme weather conditions to include thunderstorms are in the area.		

PART 10: ACTIVITY HAZARD ANALYSIS (RISK MANAGEMENT)

1. Major phases of work anticipated:

2. Definable Features of Work (DFOW)

Note. An activity-specific AHA will be submitted to the KO/COR for each DFOW prior to any work being performed.

3. List equipment to be used:

4. Anticipated High-Risk Activities: (See examples below, check all that apply):

☐ Electrical and/or Hazardous Energy	☐ Confined Space
☐ Working at Heights	☐ Excavations & Trenching
☐ Scaffolding	☐ Other: _____
☐ Diving	☐ Other: _____
☐ Load Handling Equipment	☐ Other: _____
☐ Occupational Exposure	☐ Other: _____

5. Detailed project-specific hazards and controls will be provided utilizing AHAs for each activity/DFOW.	☐ Yes	☐ No
6. No work will begin on an activity/DFOW until the initial AHA addressing the project-specific hazards has been developed, reviewed, and accepted by the KO/COR. (See EM 385-1-1 Chapter 2 section 2-6).	☐ Yes	☐ No
7. AHAs are living documents and are intended to be created, utilized in the field, and updated (by the workers) as necessary.	☐ Yes	☐ No
8. Workers/crews will have accepted AHA(s) that reflects current site conditions, personnel, equipment, control measures, etc. while the work is being performed?	☐ Yes	☐ No
9. AHA will be used by the contractor personnel to assure work is being performed consistent with the AHA?	☐ Yes	☐ No
10. Once the activity has been completed, the AHA will be available and kept onsite for the length of the contract.	☐ Yes	☐ No
11. AHAs for unknown work activities will be submitted to the KO/COR prior to work and attached to Appendix 4 of this document.	☐ Yes	☐ No
12. Who has the authority to accept residual risk on AHA(s)? (List below)		

Category of Risk	Approval Authority (Name and Title)
Extremely High Risk	
High Risk	
Medium Risk	
Low Risk	

PART 11: REQUIRED PROJECT SITE-SPECIFIC PLANS AND PROCEDURES

1. Based on a risk assessment of contracted activities and on mandatory OSHA compliance programs, the contractor will ensure that all applicable SOH risks and associated compliance plans are in place.		☐ Yes	☐ No
2. Include all project-specific compliance plans, as applicable to the work being performed, and as identified below. The plans will incorporate project-wide procedures to control hazards to which the employees of all project employers may be exposed.		☐ Yes	☐ No
3. These plans and procedures will be coordinated with all project employers and be included in project-specific emergency response and evacuation procedures.		☐ Yes	☐ No
4. Address each of the plans in the outline below in the order that they are listed. Option 1: If a plan is applicable, develop and attach it to Appendix 5. Submit to the KO/COR with this worksheet for acceptance prior to work. Option 2: If a plan is applicable, but all of the minimum required information for the plan is not yet known, provide justification next to each plan title, and provide an expected date the plan will be created, reviewed, and attached to Appendix 5. Submit to the KO/COR with this worksheet for acceptance prior to work. Option 3: If a plan is not applicable because of the nature of the work to be performed, provide justification next to each plan title.			
Minimum plans required by EM 385-1-1	Reference EM 385-1-1 paragraph:	Select Option	Justification for Option 2 and Option 3
Exposure Control Plan	3-7.a		
AED Program	3-7.b		
Construction Site Plan	4-7.a		
Access/Haul Road Plan	4-7.b		
Hearing Conservation Program	5-7.a		
Respiratory Protection Program	5-7.b		
Hazard Communication (HazCom) Program	6-7.a		
Process Safety Management (PSM) Program	6-7.b		
Lead Compliance Plan	6-7.c		
Asbestos Management Plan	6-7.d		
Ionizing Radiation Safety Plan	6-7.e		
Radiofrequency Plan	6-7.e		
Abrasive Blasting Plan	6-7.g		
Thermal Stress Management Plan	6-7.h		
Mold Remediation Plan	6-7.i		
Silica Compliance Plan	6-7.j		
Fatigue Management Plan	6-7.k		
Night Operations Lighting Plan	7-7		
Traffic Control Plan	8-7		
Fire Prevention Plan	9-7.a		
Wildland Fire Management Plan	9-7.b		
Housekeeping Plan	10-7		
Electrical Safety Plan	11-7		
Assured Equipment Grounding Conductor Program	11-7.b		
Energy Control Plan	12-7.a		
Hazard Isolation Procedures	12-7.b		

Demolition Plan	17-7		
Emergency Plan for Marine Activities	19-7.a		
Severe Weather Plan for Marine Activities	19-7.b		
Float Plans	19-7.c		
Tow Plans	19-7.d		
Fall Protection and Prevention Plan	21-7.a		
Rescue Plan	21-7.b		
Scaffold Work Plan	21-7.b		
Rope Access Work Plan	23-7		
Excavation and Trenching Plan	25-7		
Fire Prevention and Protection Plan	26-7 a & f		
Compressed Air Work Plan	26-7 a & b		
Contingency Response Plan	26-7 a & c		
Emergency Rescue Plans and Equipment	26-7 a & d		
Ventilation and Dust Control Plan	26-7 a & e		
Formwork and Shoring Plan	27-7.a		
Masonry Bracing Plan	27-7.b		
Steel Erection Plan	28-7.a		
Site Layout Plan	28-7.b		
Explosive Site Safety Plan	29-7.a		
Master Blasting Plan	29-7.b		
Vibrations Monitoring Plan	29-7.c		
Dive Operations Plan	30-7.a & d		
Emergency Management Plan	30-7.a & e		
Safe Practices Manual	30-7.b		
Snorkeling Plan	30-7.f		
Tree Maintenance and Removal Plan	31-7		
Construction Safety and Phasing Plan	32-7.a		
Safety Plan Compliance Document	32-7.b		
Aviation Pre-Accident Plan	33-7		
Standard Lift Plan	34-7.b		
Confined Space Plan	34-7.b & c		
Standard Lift Plan - Floating Plan	34-7.c		
Critical Lift Plan	34-7.d		
Pile Driving	34-7.e		
Housekeeping Plan	35-7.a		
Extermination Plan	35-7.b		
Site Safety and Health Plan	36-7.a		
Comprehensive Work Plan	36-7.b		
Emergency Response Plan	36-7.c		

PART 12: PROJECT SITE COORDINATION

1. Provide procedures for coordinating SOH activities with other employers on the site of work:

PART 13: REQUIRED APPENDICES

Indicate if each of the following items are, or are not, attached to this plan.

Appendix 1. Project Map	☐ Yes	☐ No
Appendix 2. Subcontractor/Suppliers	☐ Yes	☐ No
Appendix 3. Personal Qualifications and Designations	☐ Yes	☐ No
Appendix 4. Activity Hazard Analysis	☐ Yes	☐ No
Appendix 5. Site-specific plans and procedures	☐ Yes	☐ No
Appendix 6. Any additional plans, procedures, etc. can be added to this appendix and will be coordinated with the KO/COR.	☐ Yes	☐ No

Order Completion Statement

Delivery OrderNumber: _____

Vendor: _____

Address: _____

I acknowledge that I have received final payment on the total order amount of \$_____, and that no other invoices or demands for payment under the Delivery Order will be submitted. The total order amount accurately accounts for any discounts or other changes from the original award amount. The Delivery Order may be closed out upon receipt of the final payment.

Signature: _____

Name: _____

Title: _____

***** PLEASE SUBMIT THIS COMPLETED FORM WITH FINAL INVOICE *****

Technical Review

Round #1

Navy Region NW, Bldgs 885 & 2309 Casegoods

Vendor Instructions: The Technical Documents Checklist must be completed and returned in Word format by the contractor performing as the lead quoter. Each Vendor shall demonstrate in written form how they are meeting the FID (Att. 2) requirements. Manufacturer's published catalogs and CAD drawings are acceptable forms of demonstrations. A blanket statement that Vendor is "meeting the FID requirement" or a quote submitted without the necessary documentation is considered non-conforming. Vendors must comment in the light blue fields only, in black text. HNC's comments in the white fields in red text denotes the item is technically unacceptable or will be in black text when the item is technically acceptable. Vendor shall not modify prior rounds or HNC comments.

Technical Documents Checklist	
Vendor or Lead Quoter:	
Point of Contact for this RFQ:	
Email Address:	
Telephone Number:	

For Admin Furnishings Tech Review answer questions 1-4. For Housing Furnishings Tech Review answer 2-4.

1. Do all quoted items meet all current environmental certificates?

Yes		
No		If no, do not continue. To be considered for award all items shall meet current environmental certificates.

2. Are technical documents organized sequentially according to the Furniture Item Descriptions (FID)?

Yes		
No		If no, do not continue; to be considered for award, technical documents shall be as stated above.

3. Do all quoted items meet all current required warranties?

Yes		
No		If no, do not continue. To be considered for award, all items shall meet current warranties.

4. Are technical documents annotated to draw attention to the construction requirements and item descriptions required in the FID?

Yes		
No		If no, do not continue. To be considered for award, technical documents shall be as stated above.

Vendors: Do not go beyond this point until requested as a response to clarifications / communications by HNC .

Technical Review
Round #1
Navy Region NW, Bldgs 885 & 2309 Caseloads

Vendor Technical Review of Quoted Items
HNC Clarification/Comment - white fields Vendor Reply- light blue fields

(INSERT EXCEL TABLE HERE)

To be completed by HNC only:

1st Round Technical Review						
Technically Acceptable:	Yes:		No:		Date:	
					HNC Technical Evaluator:	
Comments:						

2nd Round Technical Review						
Technically Acceptable:	Yes:		No:		Date:	
					HNC Technical Evaluator:	
Comments:						

3rd Round Technical Review						
Technically Acceptable:	Yes:		No:		Date:	
					HNC Technical Evaluator:	
Comments:						

4th Round Technical Review						
Technically Acceptable:	Yes:		No:		Date:	
					HNC Technical Evaluator:	
Comments:						