

**DRAFT PERFORMANCE WORK STATEMENT (PWS)
INFANTRY IMMERSION TRAINER (IIT) ROLE PLAYERS (RP) AND SUBJECT MATTER
EXPERT (SME) AND HOME STATION TRAINING (HST) RP SUPPORT SERVICES**

**Marine Corps Systems Command
Program Manager Training Systems**

Part 1

General Information

1. GENERAL:

This is a Firm-Fixed-Price (FFP) agreement for non-personal support services. The contract provides Role Players (RPs) and Subject Matter Experts (SMEs) for the Infantry Immersion Trainer (IIT) and Home Station Training (HST). Under this contract, the government will not supervise or control the contractor's personnel. The contractor's employees are accountable only to the contractor, and the contractor is, in turn, accountable to the government for delivering the required services.

1.1 Description of Services/Introduction: The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, material, supervision, and non-personal services necessary to perform RP and SME support services. These support services are defined in this Performance Work Statement (PWS), except for those items specified as Government-Furnished Property (GFP) and services. The contractor shall perform to the standards in this contract.

1.2 Background: The Training and Education Command (TECOM), through its Range and Training Area Management (RTAM) Branch, sponsors the Immersive Training Range Support (ITRS) program. This program, which includes Infantry Immersion Trainer (IIT) facilities and immersive support for Home Station Training (HST), is managed by several U.S. Marine Corps (USMC) entities:

- Installation Training Support Divisions (ITSD)
- Range Training Area Management Division (RTAM D)
- Range Control and Current Operations (G3)

The primary goal of the ITRS program is to provide Marines with realistic, immersive training environments. This is achieved using IIT facilities, along with crucial contracted support from Role Players (RPs) and Subject Matter Experts (SMEs). This realistic training helps standardize Training and Readiness (T&R) tasks and non-standard training by simulating the complexities and stressors of the battlefield, thereby enhancing tactical decision-making skills. The USMC utilizes these training exercises to prepare Marines for deployment. The IIT focuses on developing decision-making abilities in small unit leaders and improving collective skills in a culturally realistic and repeatable setting.

RPs and immersive support are also vital for HST for United States Marine Corps units undergoing pre-deployment, quarterly, semi-annual, and annual training, as required by Marine Corps Mission Essential Task Lists and T&R Manuals. The use of RPs enhances the realism of HST events. SMEs contribute by assisting in scenario design and conducting after-action reviews within the IITs to help Marines meet their training objectives.

1.3 Objectives: The main objective of this effort is to provide comprehensive Role Player (RP) and Subject Matter Expert (SME) support services to military units at the Infantry Immersion Trainers (IITs) and during Home Station Training Events. Included Support Services and Items will be described further in Section 5. Installation details will be described below.

1.4 Scope: The scope of this Performance Work Statement (PWS) is to provide Role Player (RP), Subject Matter Expert (SME), and Infantry Immersion Trainer (IIT) services. This includes supporting Home Station Training (HST) for the U.S. Marine Corps (USMC) with RPs and realistic Battlefield Effects (BFX). The primary goal of all services and items is to replicate battlefield realism.

1.4.1 Service Details: The Contractor shall provide all personnel, equipment, materials, and supervision necessary to deliver the services as defined in this Performance Work Statement (PWS). The services shall be performed in a manner that is efficient, effective, and consistently meets or exceeds the performance standards outlined herein. The primary objective is to ensure all required services are completed in a timely and professional manner, with minimal disruption to government operations. Performance will be measured against the standards detailed in the Performance Requirements Summary (PRS) of this document.

1.4.1.1 Subject Matter Expert (SME) Services: SMEs provided by the contractor will be responsible for:

- Demonstrating expertise in USMC doctrine, tactics, and command relationships.
- Developing training documentation and scenarios.
- Planning, scheduling, and preparing for training events.
- Executing and facilitating live, standards-based training.
- Managing training support instrumentation and conducting after-action evaluations.

1.4.1.2 Role Player (RP) Services: RPs must be linguistically and culturally accurate to meet mission-specific requirements. They will portray a variety of roles, including:

- Opposition Forces and terrorists.
- Embedded foreign command staff.
- Foreign military and police units.
- Other personnel encountered in any given theater of operations.

1.4.1.3 Training Locations: Services will be provided at primary IIT locations and various HST sites across the United States and OCONUS.

Location Type	Sites
IIT Locations	• Camp Pendleton, CA; Camp Lejeune, NC; MCTAB, Oahu, HI.
HST Locations	• AZ: Yuma, AZ and Phoenix, AZ • CA: Camp Pendleton, Twenty-nine Palms, Bridgeport, Fort Hunter Liggett, Ft. Irwin. Blythe, CA, and Fort Hueneme, CA • GA: Ft. Stewart, GA • HI: Marine Corps Base Hawaii (MCBH), Kahuku Training Area (KTA, Oahu), Pohakuloa Training Area (PTA, Hawaii) • NC: Camp Lejeune, Bogue Field, Atlantic Field, Fort Bragg. • VA: Quantico MCB, Fort Story, Fort A.P. Hill, and Fort Pickett (Barfoot), VA.

CDRL B001: DI-ADMN-81249C - Conference Agenda
CDRL B002: DI-ADMN-81250C - Conference Minutes

1.4.1.4 Integrated Product Team Meetings: A specific IPT dedicated to SME support will be held quarterly and will include the SMEs, the vendor's Project Manager, and the Requirements Sponsor. Key deliverables (CDRLS) and timelines for these meetings are as follows:

<u>Deliverable</u>	<u>Responsibility</u>	<u>Timeline</u>	<u>CDRL Ref.</u>
Meeting Agenda	Contractor	Submit 5 business days prior to any scheduled IPT or SME meeting.	B001
SME IPT Meeting Minutes (Draft)	Contractor	Submit within 5 business days after each monthly SME IPT meeting.	B002
SME IPT Meeting Minutes (Final)	Contractor	Submit within 5 business days after receiving Government comments.	B002

1.4.1.5 Concept Development Conference: The contractor shall attend the Concept Development Conference (CDC) alongside base representatives, training units, and other stakeholders upon the initial request for support. During this meeting, participants will discuss and define the training objectives, exercise design requirements, role player and BFX support needs, and all relevant dates, timelines, and locations for the exercise. The primary goals of the CDC are to assess the feasibility of the exercise, finalize a Point of Contact (POC) list using the Role Player Request Form (RPRF), and schedule all future planning conferences. To ensure proper planning, the CDC must be held no later than 65 days before the start of training support if role players are required.

1.4.1.6 Mid-Planning Conference: The contractor shall attend the Mid Planning Conference (MPC) alongside base representatives, training units, and other stakeholders, if this meeting is deemed necessary during the CDC. This conference serves to finalize the details of the exercise, including the training objectives, personnel and equipment requirements, dates, locations, and the training scheme of maneuver. To ensure readiness, and based on the unit's schedule, the MPC must be held no later than 14 days before the training is scheduled to begin.

1.4.1.7 Final Planning Conference: The contractor is required to attend the Final Planning Conference (FPC) alongside base representatives, training units, and other stakeholders. This conference serves as the last formal review to confirm the final training objectives, personnel, and equipment. Additionally, the FPC will cover the planned hours of the exercise, verify equipment requirements, confirm dates, and include range walk-throughs. To ensure all final details are confirmed, this conference must take place no earlier than 7 days before the start of training.

1.5 Period of Performance: The Period of Performance (PoP) for this contract is sixty (60) months from the date of contract award.

This is a Multi-Year Contract. Performance under this contract is subject to the availability of funds appropriated for each fiscal year. In accordance with FAR 52.232-19, "Availability of Funds for the Next Fiscal Year," the Government's obligation for performance of this contract beyond the current fiscal year is

contingent upon the availability of appropriated funds from which payment for contract purposes can be made. The Government may cancel this contract if funds are not appropriated for any succeeding fiscal year.

1.6 General Information:

CDRL B003: DI-MGMT-80934C- Management Plan

1.6.1 Quality Control: The contractor shall develop and maintain an effective Quality Control Program (QCP) to ensure services are performed IAW this PWS. The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The contractor's QCP is the means by which the contractor will ensure that the work complies with the requirements of the contract. The contractor shall deliver a QCP in its Management Plan submitted pursuant to Contract Data Requirements List (CDRL) B003 to the Government within 30 days after contract award.

1.6.2 Quality Assurance: The government shall evaluate the contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan. This plan is primarily focused on what the Government must do to ensure that the contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the minimum acceptable defect rate(s).

1.6.3 Management Plan: The contractor shall develop and follow a management plan, which entails the management application of Integrated Product and Process Development (IPPD) tenets, including proactive identification and management of Risk. The management plan shall be delivered to the Government within 30 days after contract award, then updated as required pursuant to the delivery instructions in CDRL B003 and shall address the following:

- The plan must describe how the contractor will achieve full performance prior to contract expiration. The plan's format is at the contractor's discretion.
- Staffing resources allocated to the hiring of new and replacement personnel.
- The contractor shall provide a detailed response to their approach to managing performance and personnel.
- The plan shall provide staffing for the most efficient organization to execute the scope of the requirements at specific geographic locations. The Plan shall reflect how the staffing resource allocations shall be employed to accomplish the PWS fluctuations in training requirements. PWS fluctuations in schedules, such as personnel used to accomplish multiple tasks for timely response to workload fluctuations while maximizing efficiency and economy. In addition to maintaining workforce stability, personnel motivation, complete and timely personnel training, education and experience, personnel selection criteria, and personnel types and b.
- Communication includes team reporting structure for the project, assignment of tasks, methods for communication, coordination, and project team interface with both the contractor's corporate structure and government team structure at each location.
- Quality and productivity with defined procedures for quality control and performance control, tracking procedures, and continuous quality improvements, attaining performance economies/efficiencies.
- Quality Assurance (QA) processes and procedures shall include trend analysis and delivery schedule. The QA program shall apply to all vendors and subcontractors performing work for the contractor.
- Subcontractor management describing the subcontractor(s) involvement in the performance of these requirements and how each subcontractor shall be managed for cohesive integration into the overall management approach and satisfaction of all objectives.

- Organizational chart of the proposed support organization (to include any subcontractors) shall include position, titles, and the number of Full Time Equivalents (FTEs) proposed for each support position.
- The contractor shall maintain and provide the Government with a list of contact numbers (including cell phones) and email addresses for the contractor's representatives at their respective locations.
- The government shall have 15 working days for review and acceptance/rejection. The Contractor shall then have 15 working days to revise and resubmit.

1.6.4 Recognized Holidays:

New Year's Day	Labor Day
Martin Luther King Jr.'s Birthday	Columbus Day
President's Day	Veteran's Day
Memorial Day	Thanksgiving Day
Juneteenth National Independence Day	Christmas Day
Independence Day	

1.6.5 Hours of Operation: The contractor is responsible for conducting business, between the hours of 0700 and 1800 local time, Monday through Friday except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. For other than firm fixed price contracts, the contractor will not be reimbursed when the government facility is closed for the above reasons. The Contractor must at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce are essential.

1.6.6 Place of Performance: The contractor shall deliver the personnel, equipment, and materials needed for performance at any given training location. The contractor shall subsequently remove those resources and any resulting debris from those locations after the completion of that performance. Locations of training are referenced in section 1.4 of this PWS.

1.6.7 Type of Contract: The government will award a (Type of contract to be determined by CCE and the customer).

1.6.8 Security Requirements: The contractor shall comply with and adhere to the following security requirements.

1.6.8.1 Common Access Card Requirements: The Contracting Officer's Representative (COR) will identify and only approve those contractor employees performing on this contract that require a Common Access Card (CAC) to perform their job function. IAW Headquarters United States Marine Corps issued guidance, relative to Homeland Security Presidential Directive – 12 (HSPD-12), all personnel must meet eligibility criteria to be issued a CAC. To meet the eligibility criteria, contractor employees requiring a CAC must obtain and maintain a favorably adjudicated Personnel Security Investigation (PSI). Prior to authorizing a CAC, the employee's Defense Information System for Security (DISS) record must indicate a completed and favorably adjudicated PSI, or at a minimum, that a PSI has been submitted and accepted (opened). The minimum acceptable investigation is a T-1 or a National Agency Check with Written Inquiries (NACI). If a contractor employee's open investigation closes, and is not favorably adjudicated, the CAC must be immediately retrieved and revoked. CACs are not issued for convenience.

Facility Security Officers (FSOs) are responsible for notifying the MCSC AC/S G-2 Personnel Security Office (PERSEC Office) at 703-432-3490/3952 if any contractor performing on this contract receives an unfavorable adjudication after being issued a CAC. Due to insider threat concerns, the company is requested to notify the MCSC AC/S G-2 PERSEC Office at 703-432-3952/3490/3374, within 24 hours of

any adverse/derogatory information associated with the 13-Adjudicative Guidelines concerning any contractor performing on this contract, if they have been issued a CAC and/or a MCSC building badge.

Each CAC is issued with a "ctr@usmc.mil" e-mail account that the individual contractor is responsible to maintain as active by logging in on a regular basis (at least twice a month), sending an e-mail, and clearing any unneeded e-mails. Contractors issued a CAC are prohibited from "auto-forwarding" e-mail from their dot mil e-mail account to their dot com e-mail account. If the "ctr@usmc.mil" e-mail account is not kept active, G-6 will deactivate the account, and the CAC will lose its functionality. Contractor employees shall solely use their government furnished "ctr@usmc.mil" e-mail accounts for work supporting the USMC, conducted in fulfillment of this contract. Contractor employees shall not use a contractor supplied or personal e-mail account to conduct official U.S. Government business. The use of a contractor or personal e-mail account for contractor business or personal use is allowed, but only when using cellular or a commercial internet service provider.

If a contractor loses their eligibility for a CAC due to an adverse adjudicative decision, they have also lost their eligibility to perform on MCSC contracts.

CDRL B004: DI-MGMT-80934C-Operations Security Plan (OPSEC)

1.6.8.2 Information Security Requirements/Protecting Controlled Unclassified Information (CUI)/OPSEC: The information provided to the contractor will be unclassified and/or Controlled Unclassified Information (CUI). The contractor is not required or expected to have a Facility Clearance and contractor personnel supporting this effort are not required to possess Personnel Clearance Levels. If the company has a DISS account, the Facility Security Officer (FSO) is required to establish, populate and own the DISS record of every contractor processed for and/or issued a Common Access Card (CAC). Any contractor personnel requiring access to U.S. Government CUI shall possess a completed background investigation (minimum of a T-1/NACI) for this Public Trust Position. Due to Insider Threat concerns, the Company is requested to notify the MARCORSYSCOM AC/S G-2 Personnel Security (PERSEC) Office at 703-432-3952/3490/3374, within 24 hours of any adverse/derogatory information associated with the 13 Adjudicative Guidelines concerning any contractor performing on this contract, if they have been issued a CAC and/or a MARCORSYSCOM building badge.

In accordance with DoDI 5200.48 - Controlled Unclassified Information (CUI), all contractors supporting MARCORSYSCOM who receive, store, or generate CUI are required to take the DoD Mandatory CUI Training, available on the Security Awareness Hub at: <https://securityawareness.usalearning.gov/cui/index.html>. Per DoDI 5200.48 and pursuant to contractual requirements, DoD contractors require initial CUI training and annual CUI refresher training. Additional MARCORSYSCOM specific CUI training and guidance can be attained by contacting the MARCORSYSCOM AC/S G-2 at 703-432-3141 / 3140 or MCSC_ACSG2_SCMO@usmc.mil.

While performing aboard NAVY/USMC sites, the contractor shall comply with the provisions of DoD Directive 5205.02, "DoD Operations Security (OPSEC) Program," SECNAVINST 3070.2A, MARCORSYSCOM 3070.1B, MCO 3070.2A, and the MARCORSYSCOM P5510.2C Security Manual, at all other sites the contractor shall comply with the local command and/or program OPSEC plan.

Contractor personnel shall follow OPSEC concepts and principles in the conduct of this requirement to protect critical information, personnel, facilities, equipment, and operations from compromise. All Contractors (including Subcontractors) shall supplement their current security practices by requiring any personnel involved in executing this contract to complete Government-sponsored and administered OPSEC training.

The contractor shall deliver its OPSEC Plan to the Government within 30 days after contract award, IAW CDRL B004. After the Government's approval of the contractor's OPSEC Plan, the contractor shall obtain KO's approval before applying any proposed changes to its OPSEC Plan. The contractor shall update/revise the plan as required. The government shall have 15 working days for its review and acceptance/rejection. If rejected, the Contractor shall have 15 working days to revise and resubmit.

If the contractor does not have an established OPSEC plan, the Government will provide a template for its development. The contractor shall deliver its OPSEC Plan in accordance with CDRL B004 within 30 days of the contract award. After the Government's approval, the contractor shall obtain the Contracting Officer's (KO) approval before applying for any changes.

CDRL A001: DI-MGMT-82247 - Contractor's Systems Security Plan

CDRL A002: DI-SCRE-82258 - Record of Tier 1 Level Suppliers

1.6.8.21 Protecting CUI in Nonfederal Information Systems and Organizations: The contractor shall provide "adequate security" for covered defense information that is processed, stored, or transmitted on the contractor's internal information system or network. To provide adequate security, the contractor shall implement National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171. The contractor shall deliver a System Security Plan (SSP) IAW CDRL A001. The contractor shall inform the Government when the plan's recommendations are implemented. The submission shall be delivered 30 days after award and the updated as required. Revisions if needed shall be submitted throughout the period of performance as required. The government shall have 15 working days for review and acceptance/rejection. If rejected, the Contractor shall have 15 working days to revise and resubmit. The contractor shall attach to the SSP a populated Plans of Action & Milestones (POA & M) with all outstanding findings discovered during the self-audit, describing compliance or non-compliance and plan of action(s) of the total list of security controls. The contractor shall control SSPs and plans of action, in a manner that affords a level of security commensurate with content that describes the contractor's system vulnerabilities, including pending actions to implement NIST 800-171 security controls. IAW DoDI 5200.48, released 6 March 2020, contractors with access to CUI must complete the initial DoD Mandatory CUI Training via <https://securityhub.usalearning.gov/index.html> and annually thereafter.

Within 30 days of award, the contractor shall deliver IAW the instructions in CDRL A002, its Record of Tier 1 Level Suppliers Receiving/Developing Covered Defense Information, otherwise known as CUI. The contractor shall revise and resubmit when the information changes. Within 15 days the Government will review and either approve or return for corrections. If rejected, the Contractor shall resubmit within 15 days.

The contractor shall allow Naval Criminal Investigative Service (NCIS) access to its computers and networks to install sensors, owned and maintained by NCIS, to monitor the contractor's networks if and when intelligence indicates an actual or potential vulnerability. The contractor shall review user privileges annually and provide the Government with the audit results during the In Process Review (IPR).

CDRL A003: DI-MISC-80508B Scientific and Technical Report – Cyber Incident Reporting

1.6.8.22 Cyber Incident Response: The contractor shall submit CDRL A003 Scientific and Technical Report - Cyber Incident Report, within 15 calendar days of discovering the cyber incident (inclusive of the NIST 800-171), deliver all data used in performance of the contract that the contractor determines is impacted by the incident and begin assessment of potential warfighter/program impact.

Incident data shall be delivered IAW the Department of Defense (DOD) Cyber Crimes Center (DC3) Instructions for Submitting Media available at

http://www.acq.osd.mil/dpap/dars/pgi/docs/Instructions_for_Submitting_Media.docx. In delivery of the incident data, the contractor shall, to the extent practical, remove contractor-owned information from Government covered defense information.

If the contractor subsequently identifies any such data not previously delivered to DC3, then the contractor shall immediately notify the KO in writing and shall deliver the incident data within 10 calendar days of identification. In such a case, the contractor may request a delivery date later than 10 calendar days after identification. The KO will approve or disapprove the request after coordination with DC3.

1.6.8.3 Personnel Security Requirements: The contractor shall comply with all requirements IAW the most recent version of the USMC RPTS Policy. The RPTS policy, dated 07 August 2015, which can be requested from the COR. This information shall be provided by the base security office. The mission of the RPTS is to conduct name-based checks, biometric screening, and continuous vetting to deter, detect, and mitigate any RP threats. It is also to:

- Safeguard Marine Corps warfighting tactics, techniques, and procedures from unauthorized disclosure
- Protect Personally Identifiable Information (PII) from unauthorized use, disclosure, or loss
- Protect our forces, assets, facilities, and families from malicious activity

The contractor shall submit to the local base RPTS program, anyone representing the contractor who is supporting the training evolution, interacting with the Marines associated with the evolution, and requiring installation access.

The contractor shall submit the candidate names to the local base RPTS program for background checks. A biometric screening, conducted by the installation, shall follow the name-based checks. The Federal Bureau of Investigation (FBI) as national security interest information will maintain all RP biometrics from RPTS. The FBI will continuously screen derogatory information against the National Crime Information Center (NCIC) database, the DoD Automated Biometric Identification System (ABIS), the FBI Next Generation Integrated Automated Fingerprint Identification System (NG-IAFIS), and the Automated Biometric Identification System (IDENT). Through the RPTS process, the USMC units can conduct training events on schedule, employing fully vetted RPs.

1.6.8.4 Physical Security: The contractor shall be responsible for safeguarding all government equipment, information, and property provided for the contractor's use. At the close of each work period, the contractor shall secure all government facilities, equipment, and materials.

All contractor personnel must comply with the access control policies set forth in **MCO 5530.14A**, *Marine Corps Physical Security and Law Enforcement Program*, and the installation-specific procedures outlined in **MCINCR-MCBQO 5530.2A**, *Perimeter Access Control*, to be granted access to Marine Corps Base Quantico.

Access into Marine Corps Systems Command (MCSC) facilities is a separate privilege that requires the use of a Command-issued facility access badge, which is controlled by the MCSC Physical Security (PHYSEC) Team. The issuance of an MCSC facility badge is contingent upon the contractor first meeting the base access requirements. The process is as follows:

<u>Badge Type</u>	<u>Intended For</u>	<u>Description</u>
Green Badge	"On-site" contractors	For personnel with a dedicated, by-name workspace within MCSC spaces.
Orange Badge	"Off-site" contractors	For personnel who frequently visit MCSC spaces (three or more times per week).

The MCSC facility access badge shall be initiated by the COR using the Badge Request process on the MCSC VIPER website. A badge may be issued prior to the final adjudication of a CAC or DBIDS credential; however, an unfavorable response will result in the immediate deactivation of any issued MCSC facility access badge. All other vendors who do not meet the "Green" or "Orange" badge standards must have their visit notified in advance via the MCSC Visitor Notification System by an authorized MCSC sponsor. Visitors without an approved notification will be denied entry unless an authorized escort can be coordinated.

In accordance with MCO 5530.14A, certain contractors will require enrollment in the Defense Biometric Identification System (DBIDS) to gain unescorted access to Marine Corps installations. The COR will

identify and approve only those contractor employees who require DBIDS credentials to perform their duties. All personnel must comply with the perimeter access control order specific to the Marine Corps installation being accessed (e.g., MCINCR-MCBQO 5530.2A for MCB Quantico)

For contractors providing Role Player (RP) services, the following biometric screening process is required: The contractor shall deliver all RP representatives to the designated installation location for biometric enrollment as part of the Role Player Threat Screening (RPTS) process. This enrollment must be completed by 1600 local time the day before the Government's 48-hour biometric review period begins. The RPTS biometric enrollment includes rolled and flat fingerprints, a full-frontal facial photo, and all required biographical information.

The Government will issue an installation-specific credential to verify the completion of the pre-employment RPTS. This credential is for identification purposes only and does not grant unescorted installation access. The escorting of RPs shall be conducted in accordance with local installation access policies. The contractor shall coordinate all screening with the appointed base RPTS program coordinator, who will maintain the master RP security roster.

1.6.8.5 Contraband/Weapons Searches: While on-board military installations, the representatives of the contractor and their property are subject to search by the Provost Marshall Office/Marine Corps Base (PMO/MCB) gate personnel, IAW federal law and local installation security measures. All cameras and electronic media devices discovered during the physical inspection shall be collected at the discretion of the installation.

1.6.8.6 Vehicles: The applicable base operations and training divisions, or Installation G3, may authorize the contractor to drive government-owned or commercial-leased vehicles, if available, in the performance of their official duties. The COR will identify those representatives of the contractor who are authorized to drive government vehicles. At no expense to the Government, the contractor shall ensure that all its representatives who have authorization to drive government vehicles meet local and state licensing requirements. Vehicles driven on ranges shall adhere to local base policy. Government vehicles will include the normal range of vehicles operated by range control or base motor pools (e.g. 4WD off-road vehicles, cars, trucks, or vehicles equipped with emergency lights and sirens). Motorcycles are not authorized. Government vehicle use will be IAW FAR Subpart 51.1 and 51.2.

1.6.10 Key Control. The Contractor shall establish and implement methods of making sure all keys/key cards issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Quality Control Plan. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The Contractor shall immediately report any occurrences of lost or duplicate keys/key cards to the Contracting Officer.

In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the Contracting Officer, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

The Contractor shall prohibit the use of Government issued keys/key cards by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the Contracting Officer.

1.6.11 Lock Combinations: The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The Contractor shall ensure that lock

combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Contractor's Quality Control Plan.

CDRL B005: DI-MGMT-81928 - Process, Status and Management Report

1.6.12 Special Qualifications: The contractor shall strictly adhere to the Role Player Threat Screening (RPTS) Policy briefly described in the following:

Role Player Threat Screening Data Submissions

The contractor shall submit the following to the training installation; RPTS program coordinator for all RP candidates, at least 21-calendar days before a given training event. The contractor shall provide no more than 20% of the requested number of RPs to RPTS for biometrics and background checks, this to adhere to base PMO guidelines.

If a Role Player is denied the person shall be removed from all current and future events.

Submit a completed RP candidate list, which includes:

- Full name, date of birth, place of birth, citizenship, current address of residence, and social security number
- Submit results of an E-Verify check
- Provide proof with an Employment Eligibility Verification, Form I-9
- Verify the identification of the RP candidate through one of the required documents identified in MARADMIN 533-08, dated 22 September 2008
- Complete and return the SECNAV 5512/1 (APR 2025) Form, which can be requested from the COR

Role Player Threat Screening Requirements

To ensure continuous compliance with all security standards, screening standards, and Role Player Threat Screening (RPTS) obligations, the contractor shall submit a monthly RP Security Audit Report to the COR. This report shall accompany the contractor's progress, status, and management report, as specified in CDRL B005. All submissions are due no later than the 15th of each month, starting the first full month following contract award and continuing until contract completion. Government acceptance of this report, or any progress report, does not signify agreement to changes in contractual requirements, standards, or specifications; only written directions from the Contracting Officer (KO) can authorize such modifications.

RPTS Process – Denials

A given RP shall be denied, and findings documented if any of the following applies to the individual:

- On the National Terrorist Watch list
- Immigration violations involving fraud or willful misrepresentation, illegally present in the United States, or whose United States citizenship, immigration status, or social security number cannot be verified
- An outstanding National Crime Information Center criminal warrant
- Registered sex offender, as defined by state law in which the installation resides
- Listed on the arson registry, regardless of date of criminal offense
- Former military active duty with bad conduct, dismissal, or dishonorable discharge
- Issued a debarment order, or is currently banned from any United States military installation

A given RP shall be denied, and findings documented if any of the following applies to the individual. If received a felony conviction for:

- Criminal offense of sexual nature
- Criminal offense of violence within the past ten years
- Criminal offense via gang related activity, supremacist, or extremist behavior

- Criminal offenses in which a weapon was used either as a means of violence or a threat of violence
- Criminal offense involving possession, use, distribution, trafficking, and/or manufacturing of any controlled or illegal substance
- Other criteria established by Headquarters Marine Corps (HQMC) and/or the installation commander

1.6.13 Post Award Conference/Periodic Progress Meetings: The Contractor agrees to attend any post award conference convened by the contracting activity or contract administration office in accordance with Federal Acquisition Regulation Subpart 42.5. The contracting officer, Contracting Officers Representative (COR), and other Government personnel, as appropriate, may meet periodically with the contractor to review the contractor's performance. At these meetings the contracting officer will apprise the contractor of how the government views the contractor's performance and the contractor will apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the government.

The PAC is the first meeting of key contractor and Government participants and expected to occur in Orlando, Florida NLT 20 business days after the contract is awarded. The Government reserves the right to conduct the PAC virtually if necessary. The principal purpose of the PAC is for the contractor to demonstrate to the Government their operating procedures, methodologies, and processes that will be used by the business contractor to perform the specific requirements of the contract. This PAC will include a review of the contract terms, conditions, and specific requirements. During the PAC, the participants will review the applicable roles and responsibilities of the parties. The PAC also provides the parties with an opportunity to identify, and resolve, any ambiguity with respect to the contract terms and conditions.

The contractor shall deliver a PAC Agenda, which meets the minimum requirements provided below for the PAC in accordance with CDRL B001 Conference Agenda, CDRL B002 Conference Minutes. The data deliverable shall be generated and delivered to the Government IAW the specific performance requirements that accompany this contract.

- Entrance Criteria for the PAC:
 - (1) Government Acceptance of the PAC agenda
 - (2) Submission of CDRLs B001 and B002 for Government review five business days prior to PAC
- Agenda for the PAC (minimum requirements)
 - (1) Introduction and Organizational Overview
 - (2) Discussion and clarification of requirements including CDRLs
 - (3) Risk identification and risk assessment
 - (4) Management Plan
 - (5) Phase-In Plan
 - (6) Phase-Out Plan
 - (7) QA / Quality Control Process
 - (8) Staffing Plan
 - (9) Review of Action Items
- PAC Exit Criteria
 - (1) Government acceptance of the PAC minutes IAW CDRL B002 Conference Minutes.

1.6.14 Contracting Officer Representative (COR): The (COR) will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract; perform inspections necessary in connection with contract performance; maintain written and oral communications with the Contractor concerning technical aspects of the contract; issue written interpretations of technical requirements, including Government drawings, designs, specifications; monitor Contractor's performance and notifies both the Contracting Officer and Contractor

of any deficiencies; coordinate availability of government furnished property, and provide site entry of Contractor personnel. A letter of designation issued to the COR, a copy of which is sent to the Contractor, states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

1.6.15 Key Personnel: The following personnel are considered key personnel by the government: Contract Project Manager, Assistant Project Manager, On-site Project Manager and RP Manager. The contractor shall provide a contract manager who shall be responsible for the performance of the work. The name of this person and an alternate who shall act for the contractor when the manager is absent shall be designated in writing to the contracting officer. The contract manager or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The contract manager or alternate shall be available between 8:00 a.m. to 4:30p.m EST., Monday through Friday except Federal holidays or when the government facility is closed for administrative reasons. Qualifications for all key personnel are listed below:

Key Personnel

Key Positions	Certifications	Skill	Project Segment
Contract Project Manager	Project Management Professional (PMP) Certification provided by the Program Management Institute (PMI) or equivalent experience	Proven leadership, cost control, planning, scheduling, management and organizational skills	Implementation
Assistant Project Manager	PMP Certification provided by PMI or equivalent experience	Proven leadership, cost control, planning, scheduling, management and organizational skills	Implementation
On-site Project Manager	PMP Certification provided by PMI or equivalent experience	Proven leadership, military operations, organizational skills, resource management, scope and schedule management	Implementation
RP Manager	No certifications required	Proven leadership, conflict resolution skills, scope, military operations, management, and organizational skills	Implementation

1.6.16 Identification of Contractor Employees: All contract personnel attending meetings, answering Government telephones, and working in other situations where their contractor status is not obvious to third parties are required to identify themselves as such to avoid creating an impression in the minds of members of the public that they are Government officials. The contractor shall ensure that all documents or reports produced by contractors are suitably marked as contractor products or that contractor participation is appropriately disclosed. Contractors shall obtain visitor badges IAW a given base's security policy.

1.6.17 Contractor Travel: The contractor's personnel shall travel both within the Continental United States (CONUS) and Outside the Continental United States (OCONUS) as needed to attend meetings, conferences, and training sessions. This may also include travel to offsite training locations and the shipment of necessary training aids.

Travel Authorization and Expenses	
Aspect	Requirement
Approval	All travel requires prior notification to the Contracting Officer's Representative (COR) and formal approval from the government.
Expenses	Travel expenses will be reimbursed in accordance with the Joint Travel Regulation (JTR) and are subject to the funding limits specified in the contract.

Role Player (RP) Sourcing and Travel

The contractor shall prioritize sourcing RPs locally for each training exercise.

- **Local Sourcing Preference**: The contractor shall prioritize sourcing all Role Player (RP) personnel from the local commuting area of the training event to minimize travel costs.
- **Authorization for Non-Local Personnel**: If qualified local RPs are unavailable to meet specific, essential scenario requirements, the contractor is authorized to utilize non-local personnel. This requires the pre-authorization of transportation and lodging.
- **Travel Cost and Per Diem Limitations**: When non-local travel is authorized, costs for lodging, meals, and incidental expenses (M&IE) incurred are allowable only to the extent that they do not exceed, daily, the maximum per diem rates for the travel location as prescribed by the Federal Travel Regulation (FTR). All travel-related costs are governed by the principles of reasonableness and allowability outlined in Federal Acquisition Regulation (FAR) 31.205-46(a)(2).

1.6.18 Other Direct Costs: This category includes travel (outlined in 1.6.13), reproduction, and shipping expenses associated with training activities and visits to contractor facilities.

1.6.19 Data Rights: The Government has unlimited rights to all documents/material produced under this contract. All documents and materials produced under this contract shall be Government owned and are the property of the Government with all rights and privileges of ownership/copyright belonging exclusively to the Government. These documents and materials may not be used or sold by the contractor without written permission from the Contracting Officer. All materials supplied to the Government shall be the sole property of the Government and may not be used for any other purpose. This right does not abrogate any other Government rights.

1.6.20 Organizational Conflict of Interest: To the extent that the work under this contract requires access to proprietary, business confidential, or financial data of other companies, and as long as these data remain proprietary or confidential, the contractor shall protect the data from unauthorized use and disclosure and

agrees not to use it to compete with other companies. "Organizational Conflict of Interest" means that because of other activities or relationships with other persons, a person is unable or potentially unable to render impartial assistance or advice to the Government, or the person's objectivity in performing the contract work is or might be otherwise impaired, or a person has an unfair competitive advantage. "Person" as used herein includes corporations, partnerships, joint ventures, and other business enterprises. The contractor warrants that to the best of the contractor's knowledge and belief, and except as otherwise set forth in the contract, the contractor does not have any organizational conflict of interest(s) as defined in the paragraph above.

It is recognized that the effort to be performed by the contractor under this contract may create a potential organizational conflict of interest, on the instant contract or on a future acquisition. To avoid potential conflicts of interest, and to avoid prejudicing the best interest of the Government, the right of the contractor to participate in future procurement of equipment and/or services that are the subject of any work under this contract, shall be limited as described below IAW the requirements of Federal Acquisition Regulation (FAR) Subpart 9.5.

1.6.21 PHASE IN /PHASE OUT PERIOD: To minimize any decreases in productivity and to prevent possible negative impacts on additional services, the Contractor shall have personnel on board, during the 30-day phase in/ phase out periods. During the phase in period, the Contractor shall become familiar with performance requirements in order to commence full performance of services on the contract start date.

1.6.22 Contractual Clarification: The requirements contained in the PWS do not constitute the provision or sale of devices where the primary purpose of the device or devices is instruction for the use, operation and/or maintenance of military equipment of any nature or kind and the training in the use, operation or maintenance with all military simulator equipment. Based on the above, DFARS Class Deviation prohibiting the use of the 8(a) Business Development Program to acquire Military Simulation and Military Simulation Training does not apply to this requirement.

PART 2
DEFINITIONS & ACRONYMS

2. DEFINITIONS AND ACRONYMS:

2.1. DEFINITIONS:

2.1.1. **CONTRACTOR.** A supplier or vendor awarded a contract to provide specific supplies or service to the government. The term used in this contract refers to the prime.

2.1.2. **CONTRACTING OFFICER.** A person with authority to enter into, administer and or terminate contracts and make related determinations and findings on behalf of the government. Note: The only individual who can legally bind the government.

2.1.3. **CONTRACTING OFFICER'S REPRESENTATIVE (COR).** An employee of the U.S. Government appointed by the contracting officer to administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the Contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have authority to change the terms and conditions of the contract.

2.1.4. **DEFECTIVE SERVICE.** A service output that does not meet the standard of performance associated with the Performance Work Statement.

2.1.5. **DELIVERABLE.** Anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

2.1.6. **KEY PERSONNEL.** Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the Key Personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.7. **PHYSICAL SECURITY.** Actions that prevent the loss or damage of Government property.

2.1.8. **QUALITY ASSURANCE.** The government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.9. **QUALITY ASSURANCE SURVEILLANCE PLAN (QASP).** An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.10. **QUALITY CONTROL.** All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

2.1.11. **SUBCONTRACTOR.** One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

2.1.12. **WORKDAY.** The number of hours per day the Contractor provides services in accordance with the contract.

2.1.13. **WORK WEEK.** Monday through Friday, unless specified otherwise.

2.2. ACRONYMS:

AAR	After Action Review
ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement

AR	Army Regulation
BFO	Blank Fire Only
CCE	Contracting Center of Excellence
CDC	Concept Development Conference
CFR	Code of Federal Regulations
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer Representative
COTR	Contracting Officer's Technical Representative
COTS	Commercial-Off-the-Shelf
DA	Department of the Army
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DBIDS	Defense Biometric Identification System
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center
DOD	Department of Defense
FAR	Federal Acquisition Regulation
GTSS	Ground Training Systems Support
HIPAA	Health Insurance Portability and Accountability Act of 1996
IPT	Integrated Product Team
KO	Contracting Officer
LVC-TE	Live, Virtual, and Constructive Training Environment (LVC-TE)
MPC	Mid-Planning Conference
OCI	Organizational Conflict of Interest
OCNUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
RP	Role Player
SOUM	Safety of Use Memorandum
TE	Technical Exhibit
TL	Team Lead
TSC	Training Support Center
WSESRB	Weapons Safety Explosive Safety Review Board

PART 3
GOVERNMENT FURNISHED PROPERTY, EQUIPMENT, AND SERVICES

3. GOVERNMENT FURNISHED ITEMS AND SERVICES:

3.1 General: The Government will not furnish any property, equipment, materials, facilities, or services for the performance of this contract. The Contractor shall be solely responsible for providing all necessary resources, including but not limited to personnel, supervision, supplies, equipment, facilities, and transportation, required to perform all work described herein.

PART 4

CONTRACTOR FURNISHED ITEMS AND SERVICES

4. CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES:

4.1 General: The Contractor shall furnish all supplies, equipment, facilities and services required to perform work under this contract that are not listed under Section 3 of this PWS.

DRAFT

PART 5 SPECIFIC TASKS

5. SPECIFIC TASKS:

CDRL B005: DI-MGMT-81928 - Progress, Status and Management Report

5.1. Basic Services. The contractor shall provide services for program management for both the Infantry Immersion Trainer (IIT) and Home Station Training (HST) programs. This includes providing all necessary Role Player (RP) and Subject Matter Expert (SME) support at various Marine Corps installations.

Training Locations

The training locations are divided into two distinct categories. It is important to note that HST sites are not located within the IIT facilities.

Location Type	Sites
Infantry Immersion Trainer (IIT) Facilities	• Camp Pendleton, CA • Camp Lejeune, NC • MCTAB, Oahu, HI
Home Station Training (HST) Locations	• AZ: Yuma, AZ and Phoenix, AZ • CA: Camp Pendleton, Twenty-nine Palms, Bridgeport, Fort Hunter Liggett, Ft. Irwin, Blythe, CA, and Fort Hueneme, CA • GA: Ft. Stewart, GA • HI: Marine Corps Base Hawaii (MCBH), Kahuku Training Area (KTA, Oahu), Pohakuloa Training Area (PTA, Hawaii) • NC: Camp Lejeune, Bogue Field, Atlantic Field, Fort Bragg. • VA: Quantico MCB, Fort Story, Fort A.P. Hill, and Fort Pickett (Barfoot), VA

Reporting Requirements

The contractor shall prepare and submit the Contractor's Progress, Status, and Management Report (CPSMR) in accordance with the Contract Data Requirements List (CDRL) B005.

Program Management Office

The contractor shall operate a program management office that serves as the logistical hub and physical depot for all required operational support. The office must be located and function in a manner that ensures timely and effective support to all government activities and personnel.

Role Players Participants

The scope of the IIT and HST, RP efforts are to deliver RP services in support of USMC training. This training requires the employment of RPs to serve as Foreign Language Specialists (FLS)/Civilians on the Battlefield (COB) to ensure that training is linguistically and culturally accurate. General RPs will be supplied to fill the role of opposition forces, terrorists, embedded foreign command staff/military/police units, and other personnel encountered in the intended theater of operations. This training will be performed at HST locations throughout CONUS.

The RP training day shall include the following services:

- Minimum of five-hours/day per RP
- Two-Three Hours of transportation on and off base per day, outside of training time) as indicated on the request form
- RP Clothing and Uniforms, as designated by the scenario
- RP transportation
- Role Player Lead
- Security processing time
- Biometric screening time prior to the exercise for the RPs

5.2. Role Player Support: The Contractor shall provide all necessary and qualified personnel to execute and support the following Role Player activities:

5.2.1 General Role Player: The contractor shall provide personnel to serve as role players in support of various training scenarios. These role players are critical to creating a realistic and immersive training environment that simulates real-world interactions and operational conditions. Role players shall be capable of portraying a diverse range of characters and personas as specified for each training exercise, including but not limited to: local civilians, government officials, security forces, and/or opposing forces. Personnel must be able to follow complex scripts, adapt to dynamic training situations through improvisation, and respond authentically to trainee actions. They shall effectively communicate and interact with trainees in a manner consistent with their assigned role and the scenario objectives. The contractor shall ensure role players are physically and mentally prepared for the demands of the training environment, which may include varying weather conditions, extended hours, and simulated high-stress situations.

5.2.2 Amputee Role Player: The contractor shall provide amputee RPs to act during training events as victims of traumatic injuries within the scenario. The contractor shall provide RPs either missing or with various types of limb amputations. The contractor shall provide RPs with previously amputated limbs (hands/arms/legs) to simulate battlefield casualties.

5.2.3 Interpreter: The contractor shall provide interpreter RPs specific to the languages spoken during the training mission scenario. The contractor shall provide RPs with various language skills to meet the needs of each training scenario. The contractor shall provide RPs who can interpret needed language and/or specific dialects, as requested.

Program Management Personnel

5.2.4 Contract Project Manager: There shall be one contract PjM responsible for the overall management of the IIT and HST, RP and SME support services program. The contract PjM or Assistant PjM shall be immediately accessible to the COR on a 24-hour a day basis. The contract PjM provides overall leadership and administrative oversight for the contract and is responsible for managing cost, schedule, and performance of the contract. The contract PjM will be responsible for resolving contract, labor, and management issues and will be the principal Point of Contact (POC) for the Government. The contract PjM will assume ultimate responsibility for site staffing, quality performance standards, reporting, budget, schedules, safety, and environmental compliance monitoring. The contract PjM will manage the implementation of the program plan, manage day-to-day contract and technical performance, ensure quality control, and resolve any site-level issues. The contract PjM will also facilitate IPT meetings with team personnel and the Government. An assistant contract PjM will be responsible for the overall management of the IIT and HST, RP and SME support, if for some reason the contract PjM is unavailable.

5.2.5 On-Site Project Manager: There shall be three on-site PjMs, one for each IIT location. The on-site PjM will report directly to the contract PjM and assistant contract PjM. The on-site PjM will be the

contractor's direct point of contact for the local installation and available from Monday through Friday between 0800 to 1630 local time, for the given location. The on-site PjM will assume responsibility for the overall management and performance of their respective site support staff and will be responsible for the coordination of training efforts with local commanders and base commands. The on-site PjM will provide SME in exercise design; scenario development; tactics, techniques, procedures, and T&R events for use in a Live, Virtual, and Constructive Training Environment (LVC-TE). Each On-site PjM will support planning for their respective IIT location.

5.2.6 Role Player Manager: The contractor shall provide an RP manager at each IIT location. The RP manager is the primary interface to the customer for detailed mission planning. The RP manager, who acts as the SME, advises training units on best practices to incorporate staff, RPs, special effects (mouflage and battlefield effects), and atmospherics into planned scenarios and training events. The RP manager works with the on-site PjM and the logistics manager to formulate a training plan, which maps the contractor's support requirements to the unit-training schedule and scenario event requirements. Each RP manager will support planning for the respective IIT location and on-site during HST support.

5.2.7 Assistant Role Player Manager: There shall be two assistant RP managers, one for the CPCA IIT facility and one for the CLNC IIT facility. Functionally, the assistant RP manager is no different from the RP manager and has the same qualifications and capabilities. The assistant RP manager can step in for the RP manager and lead exercises in the event of simultaneous training requirements or missions requiring large numbers of RP personnel. The assistant RP manager provides primary support for administrative and recruiting efforts at their respective IIT RP locations. Due to its lower operational tempo, MCTAB is the only location without an assistant RP manager.

5.2.8 Logistics Manager: There shall be one logistics manager. The logistics manager is directly responsible for planning, implementing, and controlling the flow of all staff, supplies, equipment, and services to and from each base installation in support of training exercises. The logistics manager works with input from each RP manager and assistant RP manager to manage the entire supply chain associated with each training exercise from 90-days and beyond, through exercise completion, cleanup, and closeout.

5.2.9 Program Administrator: There shall be one program administrator. The program administrator works with the logistics manager, each RP manager, and each assistant RP manager to carry out all contract related purchasing, ordering, booking, scheduling, invoicing, reporting, timekeeping, and record keeping associated with the contract.

5.2.10 Quality Control/Safety Manager: There shall be one Quality Control (QC)/safety manager. The QC/safety manager provides independent assessment of the contractor's performance on the contract with emphasis on QASP standards and safety. The QC/safety manager reports directly to the contractor's director to ensure an independent chain of command.

5.2.11 Subject Matter Expert Support: The contractor shall provide on-site SME support for all IIT locations. Locations are noted above in Paragraph 1.4.

The contractor shall assist in conducting all pre-event coordination with the training unit and ensure understanding of appropriate pre-requisite training, preparation, and planning.

The contractor's SMEs shall possess an understanding of USMC training standards for all listed mission tasks as well as the tactical considerations for employment of RP during the mission/exercise. SMEs shall be infantry experts that will be required to be current with Marine Corps' tactics, techniques and procedures pertaining to current and future operations. During execution of the exercise, the contractor shall observe actions and control/cue events and actions of RPs/opposing forces in support of stated training objectives and mission essential tasks.

The contractor shall coordinate with other on-site contractor system operators of GTSS to capture relevant data to support unit AARs. The contractor shall facilitate AAR discussions as required. During the AAR, the contractor shall facilitate performance discussions with the Unit commanders to help determine decision points and relevant criteria, as well as possible options to facilitate learning.

The contractor shall assist with equipment, set and scenario preparation, sim-munition issues, and scenario role participation, as required.

5.2.12 Scenario Design: The contractor shall provide onsite scenario-design support for all IIT locations. The contractor shall participate in planning conferences (e.g. CDC, MPC and FPC) to manage scenarios, develop training support products, and other coordination with user units. The contractor shall deliver exercise design (the linkage of training events to training objectives) and recommendations on resources available to meet unit training needs. The contractor shall develop products to support exercise framework including but not limited to setting, threat event focus, intelligence products, RP biographies and AAR products. The contractor shall deliver support for training analysis with SME in intelligence scenario development, joint operations scenario development, threat scenario research and development, interagency operations scenario development, and scenario development specific to current theater operations and employment of Command, Control, Communications, Computers, and Intelligence (C4I). Outcome of the contractor's efforts and activities is to deliver tailored training support products that enable Unit commanders to attain the Commanders training objectives. The contractor shall develop training scenarios and vignettes that support training units' requests and objectives. The contractor shall be familiar with executing exercise development with use of MCRP 7-20A.2 (Exercise Design Reference). The contractor shall archive all its developed training scenario design products in a medium, easily accessible to the Government, or easily provided to the Government, on an as requested basis.

5.2.13 Weapons Handler: The contractor shall provide a qualified weapons handler/armorer to transport weapons on and off the installation in accordance with all installation policies and local, state, and federal laws. This individual must be on-site during any training event involving the use of contractor-provided weapons and is responsible for all required cleaning and maintenance of those weapons. A weapons handler is also required on days when only weapons are requested for situational training exercises where Marines act as the opposing force and no other contractor personnel are present. To meet this requirement, IIT Managers will act as the Weapons Handlers for IIT events, and Mission Managers will serve as the Weapons Handlers for HST events, with their presence being mandatory whenever weapons are in use by Marines.

5.2.14 Makeup Artists and Special Effects (SFX Artists): The contractor shall provide, for a minimum 5-hour to maximum 12-hour training day, trained makeup artists skilled in applying simulated battlefield wounds utilizing moulage kits, makeup, and human-worn partial task surgical simulators (e.g. cut suits). The contractor shall provide battlefield wounds, moulage kits, makeup, and human worn partial task surgical simulators (e.g. cut suits) for use in medical RP simulations. Contractors shall consider any pre- or post-mission work that the makeup artists must complete to meet federal, state, or local policies and to properly plan and fulfill the requirement of the mission. The contractor shall be accountable for in the per-hour cost.

5.2.15 Battlefield Effects Simulators and Battlefield Effects Supervisor and Assistant: The contractor shall provide all supervision, personnel, equipment, and materials required to execute Battlefield Effects (BFX) and operate Battlefield Effects Simulators (BES) for each exercise day.

CDRL A004: DI-SAFT-81626 – Systems Safety Program Plan

5.2.16 Safety and Compliance: The contractor shall comply with all applicable federal, state, local, and installation policies regarding explosives and hazardous materials. The contractor shall maintain current Safety Data Sheets (SDS), formerly MSDS, for all materials readily available at the training area. The contractor is responsible for the positive control of all explosives, pyrotechnics, and munitions for the duration of the event.

Within 30 days of contract award, the contractor shall submit a System Safety Program Plan (A004). This plan must adhere to the standards outlined in 29 CFR 1910.120, 29 CFR 1926.65, and the NAVMC DIR 5100.8C Marine Corps Occupational Safety and Health (OSH) Program Manual. It will include a detailed, site-specific Safety and Health Plan, an activity hazard analysis for all work to be performed and serve as a

practical safety guide for the project team. The plan shall be updated as required and made available to the Contracting Officer's Representative (COR) upon request.

The Government will provide its Limited Technical Inspection (LTI) of the BFO weapons to the contractor. The contractor is then required to perform its own initial LTI on the weapons and submit the findings to the Government within 30 days' post-award. Thereafter, the contractor must conduct a follow-up LTI every six months, submitting the report to the Government no later than five working days after each inspection is completed.

The contractor shall adhere to all safety protocols during training exercises. All operations must comply with the established Minimum Safe Distances (MSD) for all pyrotechnics. Participants and staff are required to use appropriate Personal Protective Equipment (PPE) as required for use of simulators, weapons, generators, and all other equipment in support of this contract, as specified within the appropriate technical manuals, local base, state, and federal regulations. This includes mandatory eye protection and hearing protection to mitigate risks from noise levels, which can exceed OSHA's permissible exposure limit of 90 dBA, when required. The contractor is responsible for identifying and mitigating all fire hazards, ensuring that appropriate fire suppression equipment is readily available and that all personnel are trained in its use. A comprehensive risk assessment must be conducted prior to any training event. Furthermore, the contractor shall maintain and make accessible all relevant Safety Data Sheets (SDS) for all hazardous materials used, including explosive compounds and smoke compositions, as required by OSHA. All safety measures must adhere to local base regulations as directed by the local Range Safety Officer.

5.2.17 Coordination: The contractor shall coordinate with the installation Explosive Safety Officer (ESO) during the Main Planning Conference (MPC) to confirm all planned effects are authorized. Final coordination, including a detailed list of all explosives, pyrotechnics, BES, and quantities, shall be completed with the ESO no later than three (3) business days prior to the event.

Transportation and Escort: The contractor shall adhere to all installation policies for the coordination, transportation, and storage of BFX and BES. For any transport of explosives onto the installation, the contractor shall meet the designated unit armed escort at a pre-approved location for escort to and from the training site.

BFX Personnel Staffing

The contractor shall provide certified BFX supervisors and assistants based on the quantity and complexity of effects required for a given mission. The Government will specify the required staffing level in the task order based on the following matrix:

BFX Items Ordered / Mission Complexity	Required Contractor Personnel
1 to 10 BFX Items	1 BFX Supervisor, 1 BFX Assistant
10 to 20 BFX Items, OR Support for 3+ simultaneous lanes	1 BFX Supervisor, 2 BFX Assistants
20 to 30 BFX Items	1 BFX Supervisor, 3 BFX Assistants

Caveat: The final required quantity of BFX personnel may be adjusted by the Government based on an analysis of mission complexity. For example, if all BFX are confined to a single, small area, fewer assistants may be required. This determination will be based on the TSC's recommendation.

Non-Pyrotechnic Simulators

When non-pyrotechnic effects are required, the contractor shall provide a qualified operator. The non-pyrotechnic BES equipment itself will be requested by the Government from the local GTSS warehouse at the installation. If requested by the Government, the contractor shall be responsible for the checkout, transport, and return of this Government-furnished equipment.

5.2.18 Mission Manger/Assistant Mission Manager: The contractor shall provide at least one experienced RP Mission Manager for each distinct training location. Mission Managers are responsible for the overall command, control, and sustainment of all RPs. All Mission Managers shall possess prior experience in military operations. Their key responsibilities include:

- Organizing, transporting, and controlling all RP personnel during the event.
- Ensuring the health and welfare of all RPs, to include providing food, water, and facilitating medical attention when required.
- Serving as the primary liaison between installation security (for threat screening), unit operations staff, exercise controllers, and the RPs to help direct training events.

Required Staffing Levels: The contractor shall provide the following minimum supervision levels based on the number of RPs ordered for a given mission:

Number of RPs / Mission Complexity	Required Contractor Personnel
1 - 15 RPs	Mission Manager
6 - 30 RPs	Mission Manager, 1 Assistant Mission Manager
1 - 45 RPs	Mission Manager, 2 Assistant Mission Managers
Multiple Simultaneous Lanes/Locations	1 Mission Manager (Overall) + 1 Assistant Mission Manager per lane/location, as required

5.2.19 Cultural Meals (Key Leader Engagement Support): The contractor shall provide Marine leaders and key RPs with culturally accurate food and beverage service. KLE support will be limited to four to eight Marines and four to six RPs who represent leaders in their communities. During KLE, both Marines and key RPs typically consume light food and drink that is representative of that culture. The RP are authorized to cook cultural meals during the exercise to increase immersion. KLE support will not include providing cultural meals to entire units, RP or entire classes during training

5.2.20 Cut Suit: The contractor shall provide a cut suit to support the medical training for injuries on the battlefield. The cut suit shall include the following:

- Consumables
- Supporting technicians for eight-hours
- All the materials needed for safe and realistic operation (i.e. fake blood, torn clothing)

5.2.21 Roadside Improvised Explosive Device (IED)/Anti-Personnel Explosive Device (APED): The contractor shall provide Improvised Explosive Device (IED) simulator. The IED shall be a pyrotechnic charge-based, or other approved system that confines and directs the energy upwards, therefore eliminating any secondary or tertiary debris while amplifying the audible signature 360 degrees. The IEDs shall be activated, as required, to provide a thick layer of smoke and varying audible reports up to a decibel (dB) amount of 140 at 30 feet.

5.2.22 Vehicle-born Improvised Explosive Device (VBIED): The contractor shall provide a Vehicle-Borne IED (VBIED) simulator. The moving or stationary VBIED shall be a pyrotechnic charge-based, or other approved system that confines and directs the energy upwards, therefore eliminating any secondary or tertiary debris while amplifying the audible signature 360 degrees. The VBIED shall be activated, as required, to provide a thick layer of smoke and varying audible reports up to 140 dB at 30 feet.

5.2.23 Rocket Propelled Grenade (RPG) Simulator: The contractor shall provide a simulated Rocket Propelled Grenade (RPG) shot device. The RPG simulation system shall be a simulated RPG with a sound and smoke signature when the RPG is launched. When the object is hit, an IEDs pyrotechnic charge-based, or other approved system confines and directs the energy upwards, therefore eliminating any secondary or tertiary debris while amplifying the audible signature 360 degrees.

5.2.24 Blank Fire Only AK-47: The contractor shall provide contractor-owned Blank Fire Only (BFO) AK-47s and blank ammunition for training events as requested. BFO AK-47s are actual AK-47 weapons that have been physically altered to prevent the firing of live ammunition. The process used by the contractor to make the AK-47 BFO must be approved by the Navy Weapons Safety Explosive Safety Review Board (WSESRB). Despite physical alterations to prevent the use of live ammunition, BFO AK-47s training devices are considered weapons by the USMC. Accordingly, the contractor shall comply with all Federal Firearms License requirements IAW TECOM Safety of Use Memorandum 1-19 (SOU). This document shall be obtained by the COR upon request.

The contractor shall be responsible for the operation, maintenance, functionality, and serviceability of all contractor-owned weapon systems and blank fire ammunition. This includes a bi-annual inspection by X-ray to determine whether the weapons are free of cracks or any other damage, and to check metal integrity according to the manufacturer's required specifications.

A detailed report will be generated once an authorized vendor, of the contractor's choosing, has completed X-ray inspection. This vendor must have an X-ray machine that is in working order, be able to conduct the X-rays of the weapons, and generate the report. The report will note any issues, and/or if the weapons are in working condition. These reports will be kept in file by the contractor and be ready to show at the Government's request.

The contractor shall ensure at least a five-meter standoff distance (distance to the person being fired at) is maintained during all blank firing evolutions. The contractor shall ensure that operators wear Personal Protective Equipment (PPE), to include, as a minimum, eye and hearing protection and protective clothing during firing evolutions. The contractor shall make the BFO training devices available for a Limited Technical Inspection (LTI) to confirm that the weapons are safe for firing IAW the SOU or upon request by the Government. The LTI will be conducted jointly by the Government and the contractor. Coordination for the LTI shall be through the COR. The LTI will assess both external and internal components of the BFO training devices for loose parts, damaged parts, parts that need replacement, and any structural defects. The LTI will assess if the weapon is safe for firing, proper functionality, cleanliness, and the need for preventative maintenance. If preventative maintenance is required, a certified gunsmith of the contractor's choosing will conduct it. This inspection should be conducted on every weapon that has a safety block modification. The contractor shall carry current documentation proving the weapons have received a semi-annual LTI by a certified gunsmith along with the weapons. This documentation will be provided to the Government upon request and submitted to the COR semiannually. Any manufacturing of new BFOs or repairs or modifications of existing BFOs shall be performed by a certified gunsmith. A certified welder shall perform any completed welding. Certifications for the servicing gunsmith or welder shall be made available to the Government upon request.

The Officer in Charge (OIC) or Range Safety Officer (RSO) will inspect 100% of all personnel, magazines, and equipment prior to and immediately following the exercise using the current LTI. If signs of wear, deterioration, or any issues are observed at time of inspection, that weapon shall not be used and shall be removed from the contractor's inventory until the weapon(s) is repaired in accordance with the WSESRB approved procedures or replaced.

The OIC/RSO will supervise the issue of 7.62mm blank cartridges and ensure no live ammunition is present.

Blank 7.62x39mm Full Flash cartridges for outdoor training is the only type of blank ammunition the contractor is authorized to use.

5.2.25 Atmospheric Protesters: The contractor shall provide all equipment and props necessary to simulate protest, riot, and civil disturbance scenarios. All items must be safe for the intended training environment. Required items include, but are not limited to, the following:

Item Category	Examples and Specifications
Protest/Riot Items	Picket signs, bullhorns.
Safe Projectiles	Faux rocks (e.g., dense foam/sponge), faux bricks.
Scenario-Specific Props	Faux passports, identification cards, faux currency, etc.
Simulated Media Equipment	Faux microphones, faux cameras, faux recording devices. Note: All media equipment must be clearly non-functional.

5.2.26 Atmospherics Market: The contractor shall provide daily market atmospherics, including a diverse range of items for sale. This shall include, but not be limited to, small carts, simulated food and vegetables, spices, non-functional electronics, suitcases, and appropriate marketplace signage and other props to establish a realistic market environment.

5.2.27 Atmospherics Village: The contractor shall provide, deploy, and manage a comprehensive suite of props and sensory effects to create realistic and immersive village atmospherics tailored to specific training scenarios. The specific items will be adjusted based on scenario requirements.

5.2.28 Civilian Vehicles on the Battlefield: The contractor shall provide a fleet of safe, fully operational Civilian Vehicles on the Battlefield (CVOB) for daily use in the training area, as requested. The contractor is responsible for all maintenance, fuel, and safety inspections to keep the vehicles in operational condition. The required vehicle types include, but are not limited to:

Vehicle Type	Description / Requirements
Technical Truck	An open-backed civilian vehicle (e.g., pickup truck) modified to mount a non-functional, realistic simulated crew-served weapon.
Sedan / Small Pickup	Standard civilian sedans or small pickup trucks suitable for general transport and scenario use.
Bus	A bus capable of transporting role players and equipment as required by the scenario.
VBIED Simulation Vehicle	A vehicle designed for simulating a Vehicle-Borne Improvised Explosive Device (VBIED). The vehicle itself shall not contain hazardous materials.

5.2.29 Indirect Fire Simulators: The contractor shall provide a safe and effective indirect fire simulation system. The device must be capable of realistically simulating incoming mortar fire without causing any damage to personnel, equipment, or the training environment.

Capability	Requirement / Specification
Auditory Effect	The simulator shall produce a loud report consistent with a nearby mortar detonation.
Visual Effect	The simulator shall produce a corresponding visual signature, examples such as a bright flash and/or a puff of white or gray smoke.

Safety Standard	The device must be non-pyrotechnic, non-fragmenting, and certified as safe for use near personnel and vehicles, subject to manufacturer's guidelines.
Environmental Impact	The system shall leave no residue, craters, or any other damage to the training area upon completion of the event.

5.2.30 Direct Fire Simulator: The contractor shall provide a direct fire simulator designed to simulate round impacts. The system must be guaranteed to be non-damaging to the training area, personnel, or equipment. The contractor shall be responsible for the setup, operation, and removal of these devices, ensuring no damage or residue remains.

5.2.31 Suicide Vest: The contractor shall provide Suicide Vest (SV) IED simulation capability, including both inert visual mock-ups and functional, wearer-activated simulators that produce a carbon dioxide (CO2) effect.

5.2.32 Smoke Generators: The contractor shall provide smoke generators for HST and IIT events, meeting the following criteria, when requested by the government:

- Rating: Suitable for both indoor and outdoor deployment.
- Activation: Capable of scheduled and pressure-sensitive activation, with all required pressure sensor kits provided by the contractor.
- Safety: Produces non-toxic smoke that is free of human health and environmental hazards.

5.2.33 Replica Assault Weapons, Handguns, and other various mock weapons: The contractor shall provide a range of replica weapons and mock training aids as required for specific training scenarios. All items must be clearly identifiable as non-functional and safe for training.

5.2.34 Replica Assault Weapons, Handguns, and other various mock weapons: The contractor shall provide a range of replica weapons and mock training aids as required for specific training scenarios. All items must be clearly identifiable as non-functional and safe for training.

Item Category	Required Examples	Key Characteristics
High-Fidelity Replica Weapons	AK-47 style rifles, various handgun models.	Must be realistic in weight, dimensions, and appearance to their real-world counterparts.
General Mock Training Aids	An assortment including, but not limited to, other mock guns, rubber training knives, and simulated Unmanned Aircraft System (UAS) platforms.	Visually representative of the item being simulated. Items like knives must have blunted edges and be safe for physical interaction.

5.2.35 Uniforms: The contractor shall provide an assortment of military and law enforcement uniforms, as required. These uniforms are used to increase immersion and realism to all scenarios.

5.2.36 Role Players Subsistence and Supporting Equipment: The contractor shall provide all subsistence and support equipment required to support RP personnel. The contractor will ensure all RPs are fully supported while on site.

5.2.37 Role Player Vehicle Transportation: The contractor is responsible for providing all transportation for Role Players (RPs) to and from training areas, ensuring they arrive at the designated location on time for all scheduled activities. Any exception to this requirement must be formally agreed

upon with the Government. Furthermore, the contractor shall certify that all drivers possess a valid driver's license and that any contractor vehicle entering a Government installation has current registration and proof of insurance meeting the state's minimum requirements. When transporting contractors, all personnel shall adhere to transportation rules and local policies.

5.2.38 Vehicles and Parking: The contractor is responsible for all aspects of its vehicle operations on Government installations and shall adhere to the following requirements:

- **POV Prohibition:** Role Player Privately Owned Vehicles (POVs) are strictly prohibited from entering any Government installation.
- **Vehicle Identification:** All contractor vehicles (owned or rented) must be visually marked with the company's name.
- **Required Documentation:** For access to training areas, each vehicle must have a valid base pass, current registration, and state-mandated insurance, all of which must be listed on the Range Control access letter.
- **Operational Rules:** Operators must have a valid driver's license. Driving is restricted to direct routes between the gate and training/staging areas. The contractor must adhere to all base regulations, NEPA requirements, and any specific vehicle requirements (e.g., 4WD) for designated areas.

5.2.39 Contractor Managed Inventory (CMI): The Contractor shall be responsible for all items identified as Contractor Managed Inventory (CMI), which are delineated in the RP Inventory List. Upon acceptance from the Government, the Contractor assumes all risk and liability for the loss or damage of CMI. This liability excludes reasonable wear and tear from normal operational use. In accordance with local policy, the Responsible Officer will conduct an inventory on a regular basis or formally delegate this duty.

5.3 Safety: Accidents, Mishaps and Government Declared Emergencies are reportable incidents that shall be reported to the Government by the contractor, within 2 hours. The contractor may experience an unexpected suspension of training or operation aboard USMC facilities due to Government declared medical or other emergencies. Performance under this contract may require contractor action in response to Government declared medical or other emergencies to ensure the training systems and related equipment are suitable for training.

5.4 Personnel Safety Training: The contractor shall coordinate with the safety office at each respective installation to ensure all its personnel attend required Government-provided safety training. Topics vary by location but may include Base Rules and Regulations, Unexploded Ordnance (UXO) awareness, environmental compliance, security protocols, and specific range safety briefs. The contractor is responsible for scheduling these mutually agreed-upon sessions and ensuring all personnel complete the training mandated by the specific installation where work is being performed.

5.5 Inclement Weather: In the event of inclement weather, the contractor shall comply with the local installation's Inclement Weather Policy. The contractor will provide notice to the KO and COR, as soon as is reasonably possible, when inclement weather conditions impact one or more of the places of performance

5.6 Environmental: The contractor shall comply with all applicable federal, state, and local environmental protection requirements and laws. All such environmental protection matters shall be coordinated through the COR. In the event any regulatory agency assesses a monetary fine against the Government for violations caused by the contractor's negligence, the contractor shall reimburse the Government for the fine and all related costs.

DRAFT

PART 6
APPLICABLE PUBLICATIONS

6. APPLICABLE PUBLICATIONS (CURRENT EDITIONS)

Table 5-1. Current Publications

Publication	Title
MIL-STD-882E W/Change 1 (dated 27 September 2023)	Department of Defense Standard Practice: System Safety
Base Rules and Regulations	(site specific)
Base Safety Orders and/or Procedures	(site specific)
USMC Role Player Threat Screening (RPTS) Policy (dated 07 August 2015)	The RPTS program synchronizes RP vetting, screening, and employment processes across the USMC
TECOM Safety of Use Memorandum 1-19, dated 03 April 2019	Safety Of Use Memorandum (SOUM). Use Of the AK 7.62x39mm Variant Weapon Systems with Blank Firing Adapters and Blank Ammunition
MCINCR-MCBQO 5530.2A	Perimeter Access Control
DoD Directive 5220.22-M and DoD Manual 5220.22 Volume 2	DoD Operations Security (OPSEC) Program
MARADMIN 533-08, dated 22 Sep 2008	Installation Access Control Policy
SECNAV 5512/1 (APR 2014)	Department of the Navy Local Population ID CARD/BASE Access Pass Registration
MCRP 7-20A.2	Event and Exercise Design

6.1. The Contractor must abide by all applicable regulations, publications, manuals, and local policies and procedures.

PART 7
ATTACHMENT/TECHNICAL EXHIBIT LISTING

7. Attachment/Technical Exhibit List:

7.1. Attachment 1/Technical Exhibit 1 – Performance Requirements Summary

The contractor's service requirements are summarized as performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. These thresholds are critical to mission success.

Table 5-2. Performance Requirements

Performance Objective/Task	Performance Standard	Acceptable Quality Level	Method of surveillance
CDRLs A001 through A004 and B001 through B005	Performance Standard: Quality All CDRLs shall comply with the Data Item Description (DID), and the requirements delineated in the PWS and DD Form 1423 for each CDRL deliverable item. Performance Standard: Timeliness All CDRLs shall be submitted on or before the delivery due date identified in the PWS and DD Form 1423 for each CDRL deliverable item.	AQL: CDRLs A001 and B001 through B007 are accepted by the Government with two or less revisions required. Each revision shall not include more than five substantive government comments. A timely received CDRL item that receives more than five substantive government comments is unacceptable and will be memorialized as such, in the CPARS for the interim period. The contractor shall adjudicate any comments identified by the Government within five calendar days of receipt of the Government's comments or the date identified in the specific CDRL, whichever is later.	100% Inspection by the COR, Planned sampling inspection, Unscheduled inspections, Random sampling inspections

Performance Objective/Task	Performance Standard	Acceptable Quality Level	Method of surveillance
PWS paragraph 1.4.1, The contractor shall participate in all Integrated Product Team (IPT) meetings and	Performance Standard: Completion/Participation	AQL: The contractor's failure to attend more than a total of four IPT or performance review meetings required	COR will note attendance per IPT meeting and

Performance Objective/Task	Performance Standard	Acceptable Quality Level	Method of surveillance
provide input on its functional area requirements. The contractor shall participate in performance review meetings that address the status of each immersive range. This meeting shall be held on-site or via alternative methods as appropriate. Meetings and formal reviews shall be mutually agreed upon between the contractor and the Government.		pursuant to PWS paragraph 1.4.1.4 will result in an unacceptable CPARS rating for quality of performance.	review SME IPT meeting minutes
PWS Paragraph 5.2, The contractor shall provide correct number and type of RPs for the exercise.	Performance Standard: Completion/Quantity of RPs	AQL: On an annual basis 95% of all exercises executed provide the correct number and type of RPs ordered.	Direct Observation (Site SME) or Validated User/Customer Complaint.
PWS Paragraph 5.25-5.26, The contractor shall provide the design, BES, BFX, and atmospherics required to support the planned exercises provided.	Performance Standard: Quality	AQL: On an annual basis 95% of all exercises provide the design, BES, BFX, and atmospherics identified in the exercise plans.	Direct Observation (Site SME) or Validated User/Customer Complaint.
PWS Paragraph 5.2.24, the contractor shall inspect all personnel, magazines, and equipment prior to and following an event	Performance Standard: 100% Inspection Blank Firing Adapter (BFA) must be inspected for cracks, damage, and proper installation. The gas system, chamber, and bore must be clean and free of obstructions. The trigger mechanism and charging handle must be function-checked	AQL: Critical defects: 0%. If signs of wear, deterioration, or any issues are observed at time of inspection, that weapon shall not be used and shall be removed from the contractor's inventory until the weapon(s) is repaired in accordance with the WSESRB approved procedures or replaced.	Direct Observation (Site SME), Random Sampling, User/Customer Complaint

DRAFT