

PERFORMANCE WORK STATEMENT (PWS)

Tri-Carb 3110 TR Liquid Scintillation Counter Repair

PART 1 GENERAL INFORMATION

1. **GENERAL:** This is a non-personal services contract for **troubleshooting, repair, and preventative maintenance of PerkinElmer Tri-Carb 3110 TR Liquid Scintillation Counter SN 106627** [REDACTED]. The Government shall not exercise any supervision or control over the contract service providers performing the services herein. Such contract service providers shall be accountable solely to the Contractor who, in turn is responsible to the Government.

1.1 Description of Services/Introduction: The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform **troubleshooting, repair, and preventative maintenance of PerkinElmer Tri-Carb 3110 TR Liquid Scintillation Counter SN 106627** as defined in this Performance Work Statement except for those items specified as government furnished property and services. The contractor shall perform to the standards in this contract.

1.2 Background: **The Radioassay Laboratory of the PSNS Radiological Controls Department requires a contractor to provide troubleshooting, repair, and preventative maintenance support for mission-vital instrumentation.**

1.3 Objectives:

- **Provide onsite professional troubleshooting, repair, and preventative maintenance of the Tri-Carb 3110 TR Liquid Scintillation Counter SN 106627**
- **Provide necessary parts to bring the instrument to a functional state.**

1.4 Scope: **Perform troubleshooting of PerkinElmer Tri-Carb 3110 TR Liquid Scintillation Counter SN 106627 to determine cause of malfunction. Provide required repair parts and perform repair and preventative maintenance to bring instrument to functional state. Confirm instrument and peripherals function within manufacturer standard(s) prior to completion.**

1.5 Period of Performance: **The period of performance shall be 03/24/2026 to 9/30/2026.**

1.6 Quality Control: **Equipment will be inspected upon work completion to verify equipment operates per manufacturer requirements.**

1.7 Location:

1.7.1 Place of Performance: The work to be performed under this contract will be performed at [REDACTED].

1.7.2 Hours of Operation: The contractor is responsible for conducting business, between the hours of **0700 to 1600** Monday thru Friday except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. For other than firm fixed price contracts, the contractor will not be reimbursed when the government facility is closed for the above reasons. The Contractor must at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce are essential.

1.7.3 Recognized Holidays:

New Year's Day
Martin Luther King Jr.'s Birthday
President's Day
Memorial Day
Independence Day

Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

1.8 Security Requirements: Contractor personnel performing work under this contract must be able to pass a security screening to obtain clearance (green badge equivalent) to enter [REDACTED].

1.8.1 Physical Security: The contractor shall be responsible for safeguarding all government equipment, information and property provided for contractor use. At the close of each work period, government facilities, equipment, and materials shall be secured.

1.8.2 Key Control: Not applicable

1.8.3 Lock Combinations: Not applicable

1.9 Special Qualifications: Not applicable

1.10 Post Award Conference/Periodic Progress Meetings: The Contractor agrees to attend any post award conference convened by the contracting activity or contract administration office in accordance with Federal Acquisition Regulation Subpart 42.5. The contracting officer, Contracting Officers Representative (COR), and other Government personnel, as appropriate, may meet periodically with the contractor to review the contractor's performance. At these meetings the contracting officer will apprise the contractor of how the government views the contractor's performance and the contractor will apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the government.

1.11 Contracting Officer Representative (COR): The (COR) will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract; perform inspections necessary in connection with contract performance; maintain written and oral communications with the Contractor concerning technical aspects of the contract; issue written interpretations of technical requirements, including Government drawings, designs, specifications; monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies; coordinate availability of government furnished property, and provide site entry of Contractor personnel. A letter of designation issued to the COR, a copy of which is sent to the Contractor, states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

1.12 Key Personnel: The follow personnel are considered key personnel by the government: The contractor shall provide a contract manager who shall be responsible for the performance of the work. The name of this person and an alternate who shall act for the contractor when the manager is absent shall be designated in writing to the contracting officer. The contract manager or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The contract manager or alternate shall be available between 0700 to 1600 Pacific Time, Monday thru Friday except Federal holidays or when the government facility is closed for administrative reasons. Qualifications for all key personnel are listed below:

1.12.1 Identification of Contractor Employees: All contract personnel attending meetings, answering Government telephones, and working in other situations where their contractor status is not obvious to third parties are required to identify themselves as such to avoid creating an impression in the minds of members of the public that they are Government officials. They must also ensure that all documents or reports produced by contractors are suitably marked as contractor products or that contractor participation is

appropriately disclosed. [REDACTED]

1.12.1.1 Qualifications: The Contract Manager and Alternate must be familiar with the services provided in this PWS and have experience with contracting with the Department of Defense.

1.13 Contractor Travel: **Not applicable**

1.14 Other Direct Costs: **Not applicable**

1.15 Data Rights: **Not applicable**

1.16 Organizational Conflict of Interest: Contractor and subcontractor personnel performing work under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent Organizational Conflict of Interests (OCI) as defined in FAR Subpart 9.5. The Contractor shall notify the Contracting Officer immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the Contracting Officer to avoid or mitigate any such OCI. The Contractor's mitigation plan will be determined to be acceptable solely at the discretion of the Contracting Officer and in the event the Contracting Officer unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the Contracting Officer may effect other remedies as he or she deems necessary, including prohibiting the Contractor from participation in subsequent contracted requirements which may be affected by the OCI.

1.17 Phase In /Phase Out Period: **Not applicable**

PART 2 DEFINITIONS & ACRONYMS

2. DEFINITIONS AND ACRONYMS:

2.1. DEFINITIONS:

2.1.1. **CONTRACTOR**. A supplier or vendor awarded a contract to provide specific supplies or service to the government. The term used in this contract refers to the prime.

2.1.2. **CONTRACTING OFFICER**. A person with authority to enter into, administer, and or terminate contracts, and make related determinations and findings on behalf of the government. Note: The only individual who can legally bind the government.

2.1.3. **CONTRACTING OFFICER'S REPRESENTATIVE (COR)**. An employee of the U.S. Government appointed by the contracting officer to administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the Contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have authority to change the terms and conditions of the contract.

2.1.4. **DEFECTIVE SERVICE**. A service output that does not meet the standard of performance associated with the Performance Work Statement.

2.1.5. **DELIVERABLE**. Anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

2.1.6. KEY PERSONNEL. Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the Key Personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.7. PHYSICAL SECURITY. Actions that prevent the loss or damage of Government property.

2.1.8. QUALITY ASSURANCE. The government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.9. QUALITY ASSURANCE Surveillance Plan (QASP). An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.10. QUALITY CONTROL. All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

2.1.11. SUBCONTRACTOR. One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

2.1.12. WORK DAY. The number of hours per day the Contractor provides services in accordance with the contract.

2.1.12. WORK WEEK. Monday through Friday, unless specified otherwise.

2.2. ACRONYMS:

ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement
AR	Army Regulation
CCE	Contracting Center of Excellence
CFR	Code of Federal Regulations
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer Representative
COTR	Contracting Officer's Technical Representative
COTS	Commercial-Off-the-Shelf
DA	Department of the Army
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center
DOD	Department of Defense
FAR	Federal Acquisition Regulation
HIPAA	Health Insurance Portability and Accountability Act of 1996
KO	Contracting Officer
OCI	Organizational Conflict of Interest
OCNUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program

PART 3
GOVERNMENT FURNISHED PROPERTY, EQUIPMENT, AND SERVICES

3. GOVERNMENT FURNISHED ITEMS AND SERVICES:

3.1. Services: Not applicable

3.2 Facilities: Not applicable

3.3 Utilities: Not applicable

3.4 Equipment: Not applicable

3.5 Materials: Not applicable

PART 4
CONTRACTOR FURNISHED ITEMS AND SERVICES

4. CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES:

4.1 General: The Contractor shall furnish all supplies, equipment, facilities and services required to perform work under this contract that are not listed under Section 3 of this PWS.

4.2 Secret Facility Clearance: Not applicable

4.3. Materials: The contractor shall provide material necessary to perform instrument repairs and preventative maintenance.

4.4. Equipment: The contractor shall provide equipment and tools necessary to perform instrument repairs and preventative maintenance.

PART 5
SPECIFIC TASKS

5. SPECIFIC TASKS:

5.1. Basic Services: Perform troubleshooting of PerkinElmer Tri-Carb 3110 TR Liquid Scintillation Counter SN 106627 to determine cause of malfunction. Provide required repair parts and perform repair and preventative maintenance to bring instrument to functional state. Confirm instrument and peripherals function within manufacturer standard(s) prior to completion.

5.2. Deliverables: Upon completion of onsite repairs and preventative maintenance, the contractor must provide a field service report identifying the instrument malfunction, the repairs made (parts and labor), and confirmation that the instrument functions as intended from factory.

PART 6
APPLICABLE PUBLICATIONS

6. APPLICABLE PUBLICATIONS (CURRENT EDITIONS):

6.1. The Contractor must abide by all applicable regulations, publications, manuals, and local policies and procedures.

PART 7
ATTACHMENT/TECHNICAL EXHIBIT LISTING

7. ATTACHMENT/TECHNICAL EXHIBIT LIST:

7.1 Attachment 1/Technical Exhibit 1 – Performance Requirements Summary

7.2. Attachment 2/Technical Exhibit 2 – Deliverables Schedule

TECHNICAL EXHIBIT 1

Performance Requirements Summary

The contractor service requirements are summarized into performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. These thresholds are critical to mission success.

Performance Objective (The Service required—usually a shall statement)	Standard	Performance Threshold (This is the maximum error rate. It could possibly be “Zero deviation from standard”)	Method of Surveillance
PRS # 1. The contractor shall provide repair and preventative maintenance services such that equipment functions per manufacturer requirements.	The contractor provides 100% compliance.	Zero deviation from manufacturer requirements outlined on field service report.	

TECHNICAL EXHIBIT 2

Deliverables Schedule

Deliverable	Frequency	# of Copies	Medium/Format	Submit To
Field Service Report	At the completion of the repair visit.	1 original (paper) or an electronic copy.	Paper or pdf/electronic	