

C-5 HONEYCOMB PANEL SOURCE QUALIFICATION STATEMENT

(Prepared IAW AFMCI 23-113)

AMSC C: This AMSC code is used to designate parts and components that require Engineering Source Approval by the Design Control Activity to assure the integrity of the Aircraft. Any potential source must qualify in accordance with the Design Control Activity's procedures as approved by the applicable Government engineering office.

SECTION A: ITEM IDENTIFICATION

Part Numbers (PN)/National Stock Numbers (NSN): A list of part numbers and national stock numbers are found in Appendix A of this document.

Nomenclature(s): Honeycomb structural panels.

Applications: C-5 Aircraft

Original Equipment Manufacturer (OEM): Lockheed Aircraft Corp. (CAGE 98897)

Engineering Support Activity (ESA): C-5 Galaxy Division, AFLCMC/WLSEBA Robins AFB, GA.

Qualified Sources: A list of qualified sources is found in Appendix B of this document. The sources listed have successfully completed all qualification requirements as determined by the ESA. This list will be updated on a periodic basis as vendors become qualified or have their qualification revoked.

SECTION B: JUSTIFICATION FOR ESTABLISHING A QUALIFICATION REQUIREMENT

1. The C-5 aircraft relies on various adhesively bonded honeycomb panels to provide aerodynamic contours and structural integrity to airframes.
2. Manufacturing bonded panels requires strict control in facility contamination levels, building temperature/humidity, tracking adhesive life, autoclave operation and bond line surface preparations. C-5 bonded panel manufacturing follows detailed processing specifications, and in the case of highly contoured areas, requires an experienced technical staff to interpret aircraft loft data.
3. First Article testing data has shown the abovementioned NSNs with a 17% rejection/conditional rate from 2006 to 2013. Modifying the 1G code to 1C or 2C will save considerable engineering and First Article testing costs. Furthermore, by allowing only prequalified facilities to manufacture bonded panels, the procurement process will be streamlined, and waste in terms of time and cost reduced.

4. This qualification will result in an improved supply support posture that translates directly to increased C-5 aircraft availability. C-5 Programmed Depot Maintenance (PDM) follows a time-sensitive, event-driven process. Under the current schedule, there is only a short window for damaged panels to be identified, removed and replaced. When replacement panels are not available in supply due to delays in the procurement process, failed first article test and delinquent contracts, damaged panels are repaired beyond economical cost or serviceable panels are cannibalized from another aircraft. Both options put risk on the planned depot maintenance schedule and the C-5 delivery rate. Pre-qualifying suppliers will enable a robust and efficient procurement process thus ensuring availability of quality panels when needed. Improved supply support will eliminate work stoppage during PDM and ensure that aircraft are repaired on time.

SECTION C: QUALIFICATION REQUIREMENTS

1. Listed in this section are the minimum requirements necessary for a vendor to become a qualified source for the parts listed in Section A. Prospective vendor should submit their Source Qualification Request in accordance with MIL-HDBK-831 or follow the guidance given in the Aviation Source Approval and Management Handbook. A copy of the *handbook is available at <http://www.aviation.dla.mil/userweb/sarguide.doc>* (A recommended format for is listed as Exhibit A in the abovementioned handbook)
2. Potential source shall provide a summary of the company's capabilities, including a detailed factory layout; a list of the equipment appropriate for composite/metal bond manufacturing per STP60-101/102, i.e., autoclave, oven, freezer for adhesive storage; and layup room air quality control equipment.
3. Potential source shall demonstrate the ability to operate or have access to ultrasonic and radiographic inspection equipment meeting inspection criteria outlined in STP60-101 sections 7.
4. Potential source shall demonstrate the experience and ability to manufacture aerospace bonded honeycomb panels that are currently in use on commercial or military aircraft by providing a list of applicable contracts for the past three years. The list should at a minimum include:

Partnumber/Nomenclature
Contract Number
Procuring Agency
Contract Value
Number of assets shipped

5. Potential source shall provide a detailed Company Quality Plan implementing AS9100 (or equivalent).
6. Potential source shall provide a Supplier/Subcontractor Quality Assurance Plan. This plan should describe the quality requirements imposed on the potential source's supplier

or subcontractor necessary to assure that materials, products, and services delivered are in conformance with the requirements imposed on the purchase order.

7. Potential source shall provide documentation to demonstrate the availability of a production manager(s) experienced in production, scheduling, and supply management.
8. Potential source shall provide documentation to demonstrate the availability of a planning and engineering staff experienced in an aerospace production environment.
9. Potential source shall substantiate meeting the lay-up room and adhesive storage requirements outlined by submitting internal process orders for lay-up room and adhesive storage operations. At a minimum, the process orders shall demonstrate that the potential source meets the following requirements:

Storage operation:

- 9.1 On initial receipt, all material shall be stored in its original container at 0°F or below.
- 9.2 Material shall be used within the manufacturer's recommended storage life.
- 9.3 Material shall be tracked by Storage Times and Out-Times. Both Storage and Out-Time sheets shall be tracked to every individual roll, batch, or lot and monitored to prevent overage materials or similar looking material being used.
- 9.4 Material such as film adhesives, pre-impregnated composites, and core splices shall be kept cool and free of moisture prior to use.
- 9.5 The first time materials are removed from the freezer, the material tracking sheet shall record the following information:
 - Type of Adhesive (From container)
 - Maximum out time (hrs.) (From Table 1 or Engineering)
 - Mfg. Date (From container)
 - Batch Number (From container)
 - Roll Number (From container)
 - Expire Date (From Table 1 or Engineering)
- 9.6 Each subsequent time materials are removed from the freezer, the material tracking sheet shall record the following information:
 - Date removed from freezer (The date it passes the freezer door)
 - Time removed from freezer (The time it passes the freezer door)
 - Date end of working life. (The date the out time of the material will be exceeded.)
 - Time end of working life. (The time of day the out time of the material will be exceeded.)

- 9.7 All materials removed from storage shall remain sealed in their storage container until they are within 10°F of the ambient temperature in the lay-up room. Materials removed from storage shall never be unsealed if there is any visible moisture on the container. Materials shall be unsealed in the lay-up room only.
- 9.8 Rolls of material not in sealed containers shall be kept in a lay-up room. The materials shall be suspended horizontally by the center tube and not allowed to contact other objects.
- 9.9 Material shall be left on the roll until needed. When unrolled, the separator shall remain on the side that touches the table.
- 9.10 During lay-up, all defective sections shall be discarded. Defects shall include folded sections, areas not impregnated, discolored areas and other areas marked by the manufacturer.
- 9.11 When a roll is returned to the freezer, the material tracking sheet shall record the following information:
- Max Ambient Temperature (Maximum temperature the roll was exposed to)
 - Date returned to freezer (This is the date it passes the freezer door)
 - Time returned to the freezer (The time it passes the freezer door)
 - Equivalent out Time in hours (When the temperature in the lay-up room exceeds 75°F. The Out Time of materials is reduced at an accelerated rate as shown Table 1.)
 - Total hours out of freezer.

TABLE 1. Equivalent Out Times based on Maximum temperature exposure	
Maximum Temperature	Equivalent out time
35°F to 50°F	¼ * Time out of freezer
50°F to 75°F	Time out of freezer
75°F to 85°F	2 * Time out of freezer
Round Equivalent Out time up to the nearest half hour	

- 9.12 When a roll is returned to the freezer, one copy of the Composite Materials Tracking Sheet shall be attached to the storage container with the header information visible. A second copy of the Composite Materials Tracking Sheet shall be sealed inside the container. Containers that are returned to storage shall be sealed with a desiccant bag inside while in the lay-up room to keep the material free of moisture.
- 9.13 Each time the temperature exceeds a break point (50°F, 75°F, 85°F) in the lay-up room; the following information shall be recorded on the material tracking sheet:

- Date temperature exceeds break point in the Date Returned to Freezer column.
- Time temperature exceeds break point in the Time Returned to Freezer column.
- Equivalent out time in hours (calculated per table 1).
- Total out time is the running total of the hours in the equivalent out time column.

9.14 Each time the temperature falls below a break point (50°F, 75°F, 85°F) in the lay-up room; the following information shall be recorded on the material tracking sheet:

- Date temperature goes below break point in the Date Returned to Freezer column.
- Time temperature goes below break point in the Time Returned to Freezer column.
- Equivalent out time in hours (calculated per table 1).
- Total out time is the running total of the hours in the equivalent out time column.

9.15 If the ambient temperature in the lay-up room approaches or exceeds 85°F, the material shall be returned to the freezer using the procedures in section 2.2. If the material is exposed to temperatures greater than 85°F for more than two hours in the lay-up room the material shall be recertified before use.

9.16 If the relative humidity exceeds 60% in the lay-up room, all lay-up shall stop and the parts in the process of being laid-up shall be bagged with one ply of bleeder and bagging film and de-bulked at a minimum of 15 inches of mercury vacuum. All composite materials shall be wrapped in plastic and taped shut. When the relative humidity drops below 60 the composite materials shall be unsealed and the three outer layers shall be discarded from the roll. If the material is exposed to a relative humidity greater than 60% for more than two hours, the material shall be reconditioned for 48 hours at a temperature of 65-70 °F and relative humidity below 25%.

Lay-up room operations:

9.17 General Construction Requirements: Walls, ceiling, service utilities and furniture shall be smoothly finished, sealed and painted with white or light colored enamel. To minimize dirt traps, overhangs and protrusions should be kept to a minimum.

9.18 Ambient Environment Requirements: The lay-up room shall be maintained under a slight, positive air pressure differential at all times by a continuously operating air handling system. Air handling system shall filter the air per applicable OSHA standards. Documentation shall be kept on the routine inspection and maintenance of lay-up room air filters. The following environmental conditions shall be maintained in the lay-up room at all times:

- a. Minimum of five air changes per hour.

- b. Temperature between $65^{\circ} \pm 10^{\circ}\text{F}$.
- c. Relative Humidity 60% to 15%.

- 9.19 The temperature and relative humidity shall be monitored and recorded a minimum of twice daily.
- 9.20 Lay-up room shall be free from accumulation of dust, dirt, or other contamination. If applicable disposable protective covers on the workbenches shall be changed at the start of each shift, or more frequently if they become contaminated. If protective covers are not used, workbench surfaces shall be cleaned with a suitable solvent at the start of each shift or more frequently if they become contaminated.

The following activities shall be prohibited in the lay-up room:

- Smoking and eating.
- Operation of air tools or other power tools.
- Processes that produce aerosols, sprays, fumes or dust.
- Operation of non-electric powered vehicles.
- Application of parting agents, releases, waxes or similar items.
- Use of materials not specifically required for bonding.
- Unpacking materials other than pre pregs, adhesives and composite products.
- Use of dust mops, polishes or sweeping compounds.

- 9.21 Prior to entry into the lay-up room equipment, all tools, metal bond fixtures, detail parts, etc., shall be completely cleaned. Only non-silicone containing parting agents may be applied to tooling details prior to entering the area.
- 9.22 All personnel handling cleaned or primed unwrapped parts, honeycomb, pre preg and/or adhesives at any time shall wear clean, white, lint-free, cotton gloves, or disposable powder free nitrile rubber gloves which will be changed whenever they become soiled.
- 9.23 When applicable, each new batch of film adhesive shall be certified by coupon testing per STP60-101. Passing values are established in STP60-101 and applicable ECO (Engineering Change Order).
- 9.24 Certification of material conforming to specifications other than STP60-101 shall be performed per the material's respective process specifications.
10. Potential source shall substantiate meeting the C-5 adhesive bonding Process Specification STP60-101 and STP60-102 requirements by submitting the following:
- 10.1 Documentation that quality assurance provisions meet or exceed STP60-101 section 4.0. (This can be a submitted as a section in the Company Quality Plan required previously, or as a standalone document specific for the bonding operations.)

- 10.2 Sample manufacturing plan showing all critical steps to demonstrate vendor understanding of procedure and sequence of manufacturing bonded panels.
 - 10.3 Internal process orders for certifying bonding technicians per STP60-101 (or equivalent).
 - 10.4 Certification of test results from five (5) samples per STP60-101. Tensile shear test per STP60-101 section 4.2.1, drum peel test per STP60-101 section 4.2.2. Testing shall be accomplished by an independent testing facility for the purpose of this Source Qualification.
 - 10.5 Potential source shall perform the surface preparation adhesive bonding/cure cycle workload in a single geographic location to reduce time between operations. Tank PAA, post-bonding surface finishing, Non-Destructive Testing, such as ultrasonic or radiographic inspections/certification testing, may be accomplished at other geographic locations.
 - 10.6 Potential source shall describe its Corrective Action Procedure if a Government Quality Deficiency Report is filed against one of its bonded panels because of fit issues.
- 11 After Source Qualification Request is submitted, the Government will review and submit a response within 120 calendar days. Within the review period, the Government may request a qualification site visit to the vendor's manufacturing facility.
- 11.1 In the source qualification Request, the potential source shall submit a Point of Contact information consisting of name, phone number, email and facility address for the Government to arrange the site visit. The Government will give the potential source 30 calendar days advance notice of site visit.
 - 11.2 Site visits will be conducted with the following purpose:
 - a. Verify that the engineering staff have the technical capability to successfully convert C-5 aircraft (or equivalent weapon system) loft data to tooling data, and to finished product (potential vendor may show this capability with a combination of computer-aided design program demonstration, production floor walk around, tooling manufacturing examples and other equivalent processes).
 - b. Verify during adhesive storage, transport and layup, process parameters are specified and controlled to assure repeatability.
 - c. Verify during autoclave/oven cures, statistical process control and process monitors are used.

- d. Verify that an internal training program exists and is adequately documented; training and certification records are kept and updated.
 - e. Verify that an ongoing self-audit program is in place and comply with the military or the manufacturer's internal specifications.
- 11.3 Should the potential source provide insufficient documentation or did not fully demonstrate ability in bonded panel construction. The Government then reserves the right to request the potential source to submit a sample panel built to blue print. The Government will supply the contractor with a Technical Data Package selected from the list of NSN in appendix A at the time of request. The sample panel will be at no cost to the Government. The potential source will have 150 calendar days to build this panel.
- 11.4 The potential source will be notified and instructed in writing on submitting the panel to the Government for inspection. The sample panel will be destructively tested by the Government (or a Government designated testing entity) and will not be returned to the potential bidder.
- 11.5 Any source that successfully completes all qualification requirements as determined by the ESA will be identified as an approved and qualified source for all NSNs listed in Appendix A. However, successful completion of the qualification process does not guarantee contract award.
- 11.6 After qualification, all associated manufacturing processes, quality assurance plans, etc. shall not be changed without approval from AFLCMC/WLSEBA, obtained through the Government Contracting Officer. The Government reserves the right to require an already qualified vendor to resubmit any or all of the documents stated in this qualification plan to ensure quality consistency.
- 11.7 Qualified sources will not be subject to First Article Testing. A qualified source will have its process reviewed if it is the subject of a Quality Deficiency Report. The Government reserves the right to revoke source qualification and require full recertification per this document.
- 11.8 A qualified source may be subject to production lot testing after contract award.

SECTION D: QUALIFICATION REQUIREMENT COST ESTIMATE

The estimated cost of document evaluation for a single source is \$2,800.

The estimated cost of site visit for a single source ranges from \$200.00 - \$1700.00.

The estimated sample inspection is \$9,679.92 (ref. FA testing cost worksheet, FY2014 dollars)

SECTION E: GOVERNMENT CONTACT

The Government Point of Contact for the technical requirements specified in this document is

Steve Warren
AFLCMC/WLSBEA
235 Byron Street Suite 19A, Robins AFB, GA 31098
(478) 926-6866, steven.warren.3@us.af.mil

SECTION F: SIGNATURES

Jonathan Harrison
C-5M Structures Engineering
Chief AFLCMC/WLSEBA

Enclosures
Appendix A, Part Number Listing, 09 Apr 2025
Appendix B, List of Qualified Manufacturers, 09 Apr 2025

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT			DATE: 21 May 2025
APPENDIX A			
Part Number Listing			
DESCRIPTION	SOS	NSN	P/N
Lower Wing-Fuselage	USAF	1560001081768	4W14756-147A
Lower Wing-Fuselage	USAF	1560001081769	4W14756-148A
Wing-to-Fuselage Fairing	USAF	1560001081770	4W14754-156A
Wing-to-Fuselage Fairing	USAF	1560001081771	4W14754-155A
Wing-to-Fuselage Fairing	DLA	1560001082071	4W12542-147A
Wing-to-Fuselage Fairing	DLA	1560001082073	4W12542-148A
Scoop	USAF	1560001200146	4W12559-126A
Scoop	USAF	1560001200149	4W12559-125A
Wing-to-Fuselage Fairing	DLA	1560001298703	4W12573-125A
Wing-to-Fuselage Fairing	DLA	1560001298704	4W12573-126A
Scoop	USAF	1560001298936	4W12039-201A
Scoop	USAF	1560001298951	4W12039-202A
Lower Wing-Fuselage	USAF	1560001363075	4W14751-151A
Scoop	USAF	1560002290937	4W12561-601A
Scoop	USAF	1560002290940	4W12561-602A
Upper Wing-Fuselage	USAF	1560002364404	4W13500-119A
Wing-to-Fuselage Fairing	DLA	1560002391495	4W12510-164A
Wing-to-Fuselage Fairing	USAF	1560002391504	4W12548-132B
Wing-to-Fuselage Fairing	USAF	1560002391505	4W12548-131B
Wing-to-Fuselage Fairing	DLA	1560002600162	4W12546-103C
Wing-to-Fuselage Fairing	DLA	1560008784233	4W12546-104C
Wing-to-Fuselage Fairing	DLA	1560003507651	4W12545-156A
Wing-to-Fuselage Fairing	DLA	1560003510172	4W12539-163A
Wing-to-Fuselage Fairing	DLA	1560003510179	4W12545-155A
Upper Wing-Fuselage	USAF	1560003581090	4W12572-144A
Upper Wing-Fuselage	USAF	1560003581091	4W12572-143A
Wing-to-Fuselage Fairing	DLA	1560004026385	4W12550-139A
Upper Wing-Fuselage	USAF	1560004041803	4W13500-120A
Lower Wing-Fuselage	USAF	1560004423764	4W14751-152A
Lower Wing-Fuselage	USAF	1560004512006	4W14750-204C
Lower Wing-Fuselage	USAF	1560004512007	4W14750-203C
Wing-to-Fuselage Fairing	DLA	1560004647934	4W12502-109A
Wing-to-Fuselage Fairing	DLA	1560004647935	4W12502-110A
Wing-to-Fuselage Fairing	DLA	1560004647963	4W12024-302A
Wing-to-Fuselage Fairing	DLA	1560004842056	4W12501-109A
Wing-to-Fuselage Fairing	USAF	1560004842057	4W12501-110A
Wing-to-Fuselage Fairing	DLA	1560004842058	4W12503-109A
Wing-to-Fuselage Fairing	DLA	1560004842059	4W12503-110A
Wing-to-Fuselage Fairing	DLA	1560004842118	4W12024-301A
Wing-to-Fuselage Fairing	DLA	1560004851620	4W12500-108A
Wing-to-Fuselage Fairing	DLA	1560004943076	4W12500-107A
Upper Wing-Fuselage	USAF	1560008246425	4W14175-149A
Upper Wing-Fuselage	USAF	1560008246426	4W14175-150A
Wing-to-Fuselage Fairing	DLA	1560008246427	4W14176-121A
Wing-to-Fuselage Fairing	DLA	1560008246429	4W14178-121A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT APPENDIX A Part Number Listing			DATE: 21 May 2025
--	--	--	-------------------

DESCRIPTION	SOS	NSN	P/N
Wing-to-Fuselage Fairing	DLA	1560008246430UC	4W14178-122A
Upper Wing-Fuselage	USAF	1560008246473	4W14177-155A
Upper Wing-Fuselage	USAF	1560008246474	4W14177-156A
Lower Wing-Fuselage	USAF	1560008246476	4W14752-151A
Lower Wing-Fuselage	USAF	1560008246479	4W14752-152A
Wing-to-Fuselage Fairing	USAF	1560008246481	4W14753-153A
Wing-to-Fuselage Fairing	DLA	1560008246490	4W12510-163A
Wing-to-Fuselage Fairing	DLA	1560008254270	4W12556-114A
Wing-to-Fuselage Fairing	DLA	1560008267474	4W12552-137A
Wing-to-Fuselage Fairing	DLA	1560017092038	4W12552-138A
Wing-to-Fuselage Fairing	DLA	1560008301558	4W12512-125A
Wing-to-Fuselage Fairing	DLA	1560008301559	4W12511-159A
Wing-to-Fuselage Fairing	DLA	1560008301560	4W12511-160A
Wing-to-Fuselage Fairing	DLA	1560008316840	4W12555-113A
Wing-to-Fuselage Fairing	DLA	1560008316841	4W12555-114A
fuselage fillet	DLA	1560008394560	4F12364-121B
fuselage fillet	DLA	1560008394561	4F12364-122B
fuselage fillet	DLA	1560008465701	4F11560-139B
fuselage fillet	DLA	1560008465737	4F11560-140B
fuselage fillet	DLA	1560008466057	4F11560-141B
fuselage fillet	DLA	1560008466068	4F11581-123B
fuselage fillet	DLA	1560008551846	4F11573-121B
Wing-to-Fuselage Fairing	DLA	1560008784233	4W12546-104C
Wing-to-Fuselage Fairing	USAF	1560008784435	4W14753-154A
Wing-to-Fuselage Fairing	DLA	1560008784440	4W14755-152A
Wing-to-Fuselage Fairing	USAF	1560010996722UC	4W14181-121B
Wing-to-Fuselage Fairing	USAF	1560010996723UC	4W14181-122B
Upper Wing-Fuselage	USAF	1560011160450	4W13501-602B
Upper Wing-Fuselage	USAF	1560011177822	4W13501-601B
Upper Wing-Fuselage	USAF	1560011783470	4W14179-121B
Wing-to-Fuselage Fairing	USAF	1560011789183	4W14181-132A
Upper Wing-Fuselage	USAF	1560011791704	4W14179-122B
Wing-to-Fuselage Fairing	USAF	1560011819940	4W14181-131A
Wing-to-Fuselage Fairing	DLA	1560011873139	4W54027-103A
Wing-to-Fuselage Fairing	DLA	1560011873140	4W54027-104A
Wing-to-Fuselage Fairing	DLA	1560011891504	4W54029-103A
Wing-to-Fuselage Fairing	DLA	1560017211091	4W54029-104A
Wing-to-Fuselage Fairing	DLA	1560011891508	4W54032-103A
Wing-to-Fuselage Fairing	DLA	1560011891509	4W54032-104A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT

DATE: 21 May 2025

APPENDIX A

Part Number Listing

DESCRIPTION	SOS	NSN	P/N
fuselage fillet	DLA	1560011922678	4F11577-117A
fuselage fillet	DLA	1560011964406	4F11576-113A
fuselage fillet	DLA	1560011964407	4F11576-114A
fuselage fillet	DLA	1560011964410	4F11554-115A
Wing-to-Fuselage Fairing	DLA	1560013325293	4W14755-151A
Wing-to-Fuselage Fairing	DLA	1560013325294	4W12539-164A
Wing-to-Fuselage Fairing	DLA	1560015289566	4W12011-303A
Wing-to-Fuselage Fairing	DLA	1560015289831	4W12012-281A
Wing-to-Fuselage Fairing	DLA	1560015289835	4W12012-282A
Wing-to-Fuselage Fairing	DLA	1560015788824	4W12556-113A
MLG fairing FWD	USAF	1560000088035	4F75325-145A
MLG fairing FWD	USAF	1560000146137	4F75032-251A
Wing-to-Fuselage Fairing	DLA	1560000526346UC	4W13535-115B
Wing-to-Fuselage Fairing	DLA	1560001200151	4W13512-107A
Wing-to-Fuselage Fairing	DLA	1560001298701	4W13516-107A
Wing-to-Fuselage Fairing	DLA	1560001298702	4W13516-108A
Wing-to-Fuselage Fairing	DLA	1560001418551	4W13520-108A
Wing-to-Fuselage Fairing	DLA	1560001418555	4W13520-107A
Wing-to-Fuselage Fairing	DLA	1560001418572	4W13525-113A
Wing-to-Fuselage Fairing	DLA	1560001418574	4W13524-113A
Wing-to-Fuselage Fairing	DLA	1560001418575	4W13524-114A
Wing-to-Fuselage Fairing	DLA	1560008577674	4W13522-107A
Wing-to-Fuselage Fairing	DLA	1560001418578	4W13522-113A
Wing-to-Fuselage Fairing	DLA	1560001418579	4W13522-114A
Wing-to-Fuselage Fairing	DLA	1560001418582	4W13519-114A
Wing-to-Fuselage Fairing	DLA	1560001418583	4W13519-113A
Wing-to-Fuselage Fairing	DLA	1560001418584	4W13518-113A
Wing-to-Fuselage Fairing	DLA	1560001418585	4W13518-114A
Wing-to-Fuselage Fairing	DLA	1560001418586	4W13515-120A
Wing-to-Fuselage Fairing	DLA	1560001418587	4W13515-119A
Wing-to-Fuselage Fairing	DLA	1560001418591	4W13514-113A
Wing-to-Fuselage Fairing	DLA	1560017198299	4W13514-114A
Wing-to-Fuselage Fairing	DLA	1560001418596UC	4W13512-114A
Lower Wing-Fuselage	USAF	1560001418597	4W13512-113A
Wing-to-Fuselage Fairing	DLA	1560001418600	4W13527-117A
Wing-to-Fuselage Fairing	DLA	1560001418611	4W13527-118A
Wing-to-Fuselage Fairing	DLA	1560001441037	4W13517-107A
Wing-to-Fuselage Fairing	DLA	1560001441038	4W13517-108A
Wing-to-Fuselage Fairing	DLA	1560001441039	4W13513-108A
center cargo door	USAF	1560001441040	4F61419-101B
Lower Wing-Fuselage	USAF	1560001705197	4W13521-108A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT
DATE: 21 May 2025
APPENDIX A
Part Number Listing

DESCRIPTION	SOS	NSN	P/N
Lower Wing-Fuselage	USAF	1560001705198	4W13521-107A
after body fairing	DLA	1560001733733UC	4F41184-105A
after body fairing	DLA	1560001758094	4F41184-103A
after body fairing	USAF	1560001856766	4F43031-169A
MLG fairing AFT	USAF	1560002251770	4F75242-173A
MLG fairing AFT	USAF	1560002251771	4F75390-166A
MLG fairing AFT	USAF	1560002251772	4F75390-165A
heat exchange panel	DLA	1560002399285	4W12568-105A
Lower Wing-Fuselage	USAF	1560002467268	4W13508-107A
Lower Wing-Fuselage	USAF	1560002467269	4W13508-108A
MLG fairing FWD	USAF	1560002489184	4F75288-179A
MLG fairing FWD	USAF	1560002489187	4F75281-247A
MLG fairing FWD	USAF	1560002489204	4F75281-245A
MLG fairing AFT	USAF	1560002489212	4F75371-249B
MLG fairing AFT	USAF	1560002489218	4F75734-123A
MLG fairing AFT	USAF	1560002495730UC	4F75395-239B
MLG fairing AFT	USAF	1560002495789UC	4F75395-237B
MLG fairing AFT	USAF	1560011765263UC	4F75395-247A
heat exchange panel	DLA	1560002551429	4W12568-106A
NLG fairing	DLA	1560002564380UC	4F77243-101D
MLG fairing AFT	DLA	1560003581083UC	4F75396-210A
Wing-to-Fuselage Fairing	DLA	1560004003904	4W13506-108A
MLG fairing AFT	USAF	1560004220052	4F75370-172B
Wing-to-Fuselage Fairing	DLA	1560004228331	4W13513-107A
MLG fairing FWD	USAF	1560004389288	4F75205-233A
MLG fairing AFT	USAF	1560004502244	4F75370-171B
MLG fairing AFT	USAF	1560004506097	4F75342-209B
MLG fairing AFT	USAF	1560004506098	4F75342-211B
MLG fairing fwd	DLA	1560004506100	4F75296-198A
MLG wheel well fairing	DLA	1560004507931	4F75261-641B
MLG fairing fwd	DLA	1560004584730	4F75295-254A
MLG fairing Aft	DLA	1560004591039	4F75009-156A
MLG fairing AFT	USAF	1560004662736	4F75389-222A
MLG fairing AFT	USAF	1560004814503	4F75215-190A
MLG fairing AFT	DLA	1560004814504	4F75215-189A
MLG fairing AFT	USAF	1560004814511	4F75371-250B
Lower Wing-Fuselage	USAF	1560004842060	4W13510-108A
Lower Wing-Fuselage	USAF	1560004842061	4W13510-107A
heat exchange panel	DLA	1560004842119	4W12516-103A
heat exchange panel	DLA	1560004851574	4W12567-104A
Lower Wing-Fuselage	USAF	1560004858675	4W13511-107A
Lower Wing-Fuselage	USAF	1560004858676	4W13511-108A
MLG fairing AFT	USAF	1560004896558	4F75341-163A
MLG fairing AFT	USAF	1560004896560	4F75389-223A
MLG fairing FWD	USAF	1560004921208	4F75286-159A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT**DATE: 21 May 2025****APPENDIX A****Part Number Listing**

DESCRIPTION	SOS	NSN	P/N
MLG FWD	USAF	1560004943075	4F75360-485A
MLG fairing AFT	USAF	1560004947727	4F75389-224A
MLG fairing AFT	USAF	1560006147814UC	4F75734-101A
Wing-to-Fuselage Fairing	DLA	1560006898190	4W13533-110B
MLG fairing AFT	USAF	1560007627641	4F75184-172A
MLG fairing AFT	USAF	1560007627642	4F75184-171A
MLG fairing AFT	USAF	1560007627643	4F75186-163A
MLG fairing AFT	USAF	1560007627644	4F75186-164A
side cargo door	USAF	1560007772386	4F61600-101B
side cargo door	USAF	1560007772387	4F61600-102B
MLG fairing AFT	USAF	1560007871305	4F75372-119A
MLG fairing AFT	USAF	1560007871699	4F75372-120A
Wing-to-Fuselage Fairing	DLA	1560008246431	4W21121-103A
Wing-to-Fuselage Fairing	DLA	1560008267429	4W13505-107A
Wing-to-Fuselage Fairing	DLA	1560008267430	4W13505-108A
Wing-to-Fuselage Fairing	DLA	5340008577673	4W13534-114A
Wing-to-Fuselage Fairing	DLA	1560008784444	4W13506-107A
Wing-to-Fuselage Fairing	DLA	1560008784449	4W13507-107A
Wing-to-Fuselage Fairing	DLA	1560008784450	4W13507-108A
MLG fairing AFT	USAF	1560011795636	4F75242-179A
MLG wheel well fairing	DLA	1560011819938	4F21641-101A
MLG fairing AFT	DLA	1560011964401UC	4F72629-107A
MLG fairing AFT	DLA	1560011964403UC	4F75980-107A
MLG fairing AFT	DLA	1560016978184	4F75980-108A
Wing-to-Fuselage Fairing	DLA	1560011968903	4W13509-107C
Wing-to-Fuselage Fairing	DLA	1560011968904	4W13509-108C
MLG fairing FWD	DLA	1560012500254UC	4F75096-183A
side cargo door	USAF	1560012966314	4F69050-102A
side cargo door	USAF	1560012966315	4F69050-101A
MLG fairing AFT	DLA	1560013325292	4F75277-217B
MLG fairing FWD	DLA	1560013325297UC	4F75240-435A
after body fairing	DLA	1560001800076	4F41184-101A
after body fairing	DLA	1560016206975	4F41184-102A
Lower Trailing Edge	USAF	1560000031971	4J31138-132C
Wing Leading Edge	USAF	1560000031975	4J11002-216B
Flap box fairing	DLA	1560000086293	4J33861-101C
Flap box fairing	DLA	1560000086294UC	4J33861-102C
Flap box fairing	DLA	1560000086295	4J33862-101B
Flap box fairing	DLA	1560000086296	4J33863-102B

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT**DATE: 21 May 2025****APPENDIX A****Part Number Listing**

DESCRIPTION	SOS	NSN	P/N
Wing Leading Edge, Access Door Assembly	DLA	1560001024895	4J11040-101A
Wing Leading Edge, Access Door Assembly	DLA	1560001024896	4J11040-102A
Wing Leading Edge	DLA	1560001024901	4J11040-108A
Lower Trailing Edge	DLA	1560001614133	4J52007-291A
Lower Trailing Edge	USAF	1560001614134	4J52007-283C
Lower Trailing Edge	DLA	1560001614136	4J52007-203A
Lower Trailing Edge	DLA	1560001614137	4J52007-198B
Lower Trailing Edge	DLA	1560001614139	4J52007-292A
Lower Trailing Edge	DLA	1560001661218	4J52007-202B
Lower Trailing Edge	DLA	1560001744974	4J52007-201B
Wing tip LW INBD	USAF	1560001753843	4J22067-102D
Flap box fairing	DLA	1560001852104UC	4J33864-101D
Elevator	USAF	1560001921190	4T51137-103A
Elevator	USAF	1560001921191	4T51137-104A
moving island OB	USAF	1560002202882	4J12001-101B
Wing Leading Edge	USAF	1560002410994	4J11115-102B
Wing Leading Edge	DLA	1560002410995UC	4J11115-101B
Flap panel 1	USAF	1560002489131	4J41119-140A
Lower Trailing Edge	USAF	1560003829065	4J50012-108D
Flap box fairing	DLA	1560004005665	4J33866-102A
Flap panel 1	USAF	1560004005684	4J41160-111A
Wing Leading Edge	USAF	1560004119992	4J11013-190B
Flap panel 5	USAF	1560004389373	4J41515-138A
Flap box fairing	USAF	1560004432416	4J32361-121G
Wing Leading Edge	USAF	1560004603368	4J11027-237B
Wing Leading Edge	USAF	1560004603369	4J11027-238B
Wing Leading Edge	USAF	1560004603371	4J11028-239B
Wing Leading Edge	USAF	1560004603372	4J11028-240B
Flap box fairing	DLA	1560004616065UC	4J33886-101B
center bullet	DLA	1560004647933UC	4T63025-101A
Flap panel 5	USAF	1560004662737	4J41515-137A
Wing Leading Edge	DLA	1560004681662	4J11007-193B
Wing Leading Edge	USAF	1560004695521	4J11024-241B
Wing Leading Edge	USAF	1560004695522	4J11024-242B
Wing Leading Edge	USAF	1560004814509	4J11026-263B
Wing Leading Edge	USAF	1560004814510	4J11026-264B
Upper Wing Trailing Edge	DLA	1560004851542	4J31111-150A
Flap panel 1	USAF	1560004851689	4J41149-158A
Upper Wing Trailing Edge	DLA	1560004851692	4J31107-115A
Wing Leading Edge	USAF	1560004851713	4J11003-193B
Wing Leading Edge	USAF	1560004851714	4J11003-194B
Wing Leading Edge	DLA	1560004851719	4J11006-103A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT**DATE: 21 May 2025****APPENDIX A****Part Number Listing**

DESCRIPTION	SOS	NSN	P/N
No. 2 fixed Leading Edge	USAF	1560004851724	4J11001-195B
No. 2 fixed Leading Edge	USAF	1560004851725	4J11001-196B
door, fixed leading edge	DLA	1560004851758	4J11037-101A
Flap panel 1	USAF	1560004851940	4J41149-157A
Upper Wing Trailing Edge	DLA	1560004851955	4J31107-116A
Upper Wing Trailing Edge	DLA	1560004851956	4J31111-149A
Flap panel 1	USAF	1560004858672	4J41123-189A
Upper Wing Trailing Edge	DLA	1560004858699	4J31106-127A
Upper Wing Trailing Edge	DLA	1560004858700	4J31106-128A
Upper Wing Trailing Edge	DLA	1560004858702	4J31108-128A
Upper Wing Trailing Edge	DLA	1560004858703	4J31110-127A
Upper Wing Trailing Edge	USAF	1560004858704	4J31110-128A
Upper Wing Trailing Edge	DLA	1560004858713	4J31103-115A
Upper Wing Trailing Edge	DLA	1560004858714	4J31103-116A
Upper Wing Trailing Edge	DLA	1560004864936	4J31109-127A
Upper Wing Trailing Edge	USAF	1560004864937	4J31109-128A
Flap panel 1	USAF	1560004864942	4J41123-190A
Upper Wing Trailing Edge	USAF	1560004864945	4J31101-115B
Upper Wing Trailing Edge	DLA	1560004864946	4J31101-116B
Upper Wing Trailing Edge	DLA	1560004864955	4J31102-116A
Upper Wing Trailing Edge	DLA	1560004868791	4J31104-115A
Upper Wing Trailing Edge	DLA	1560004868792	4J31104-116A
Upper Wing Trailing Edge	DLA	1560004868793	4J31105-115A
Upper Wing Trailing Edge	DLA	1560004868794	4J31105-116A
Wing Leading Edge	USAF	1560004921217	4J11007-194B
Flap panel 1	USAF	1560004943080	4J41147-113A
Upper Wing Trailing Edge	DLA	1560004943107	4J31102-115A
Wing Leading Edge	USAF	1560004947721	4J11016-189B
Wing Leading Edge	USAF	1560004947722	4J11016-190B
Flap panel 3	USAF	1560004960620	4J41331-143A
Flap panel 3	USAF	1560004960621	4J41323-144A
Flap panel 3	USAF	1560004960622	4J41323-143A
Flap panel 1	USAF	1560004960624	4J41121-137A
Flap panel 3	USAF	1560004960626	4J41319-134A
Flap panel 3	USAF	1560004960628	4J41319-133A
Flap panel 3	USAF	1560004960631	4J41320-129A
Flap panel 6	USAF	1560004960632	4J41616-137A
Flap panel 6	USAF	1560004960636	4J41615-138A
Flap panel 6	USAF	1560004960641	4J41615-137A
Flap panel 2	USAF	1560004960650	4J41221-147A
Flap panel 1	USAF	1560004960651	4J41121-138A
Flap panel 5	USAF	1560004970523	4J41525-180A
Flap panel 5	USAF	1560004970526	4J41525-179A
Flap panel 2	USAF	1560004970538	4J41223-185A
Flap panel 4	USAF	1560004970543	4J41416-140A
Flap panel 4	USAF	1560004970544	4J41415-138A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT**DATE: 21 May 2025****APPENDIX A****Part Number Listing**

DESCRIPTION	SOS	NSN	P/N
Flap panel 4	USAF	1560004970545	4J41415-137A
Flap panel 4	USAF	1560004970546	4J41416-139A
Flap panel 1	USAF	1560004981138	4J41119-139A
Flap panel 6	USAF	1560004981147	4J41625-182A
Flap panel 6	USAF	1560004981152	4J41625-181A
Flap panel 5	USAF	1560004981161	4J41516-140A
Flap panel 2	USAF	1560004981163	4J41220-146A
Flap panel 1	USAF	1560004981166	4J41120-138A
Flap panel 4	USAF	1560004981185	4J41425-179A
Flap panel 4	USAF	1560004981186	4J41425-180A
Flap panel 3	USAF	1560004981189	4J41321-149A
Flap panel 5	USAF	1560004983166	4J41516-139A
Flap panel 3	USAF	1560004983167	4J41331-144A
Flap panel 2	USAF	1560004983168	4J41219-154A
Flap panel 2	USAF	1560004983169	4J41223-186A
Flap panel 3	USAF	1560004983173	4J41333-139A
Aft Torque Box #3 Fairing	DLA	1560004987523	4J33914-103A
Flap panel 2	USAF	1560006160627	4J41221-148A
access door bonded WING	USAF	1560007616267	4W31032-102C
Wing Leading Edge	USAF	1560007627638	4J11025-261B
Wing Leading Edge	USAF	1560007627639	4J11025-262B
Wing Leading Edge	DLA	1560008190413	4J11030-102A
door, fixed leading edge	DLA	1560008941822	4J11036-113A
Upper Wing Trailing Edge	DLA	1560010144479	4J31113-147A
Upper Wing Trailing Edge	DLA	1560010144480	4J31113-148A
Upper Wing Trailing Edge	DLA	1560010144481	4J31114-129A
Upper Wing Trailing Edge	DLA	1560010144482	4J31114-130A
Upper Wing Trailing Edge	DLA	1560010144483	4J31115-125A
Upper Wing Trailing Edge	DLA	1560010144484	4J31115-126A
Upper Wing Trailing Edge	DLA	1560010148029	4J31116-149A
Upper Wing Trailing Edge	DLA	1560010148030	4J31116-150A
Upper Wing Trailing Edge	DLA	1560010148031	4J31117-149A
Upper Wing Trailing Edge	DLA	1560010148032	4J31117-150A
Upper Wing Trailing Edge	DLA	1560010148033	4J31118-147A
Upper Wing Trailing Edge	DLA	1560010148034	4J31118-148A
Upper Wing Trailing Edge	DLA	1560010148035	4J31119-143A
Upper Wing Trailing Edge	DLA	1560010148036	4J31119-144A
Upper Wing Trailing Edge	DLA	1560010148037	4J31120-149A
Upper Wing Trailing Edge	DLA	1560010148038	4J31120-150A
Lower Trailing Edge	USAF	1560010939088	4J31135-132D
Lower Trailing Edge	USAF	1560010939782	4J31140-134D
Lower Trailing Edge	USAF	1560010939787	4J31137-135D
Lower Trailing Edge	USAF	1560010939789	4J31139-130D
Lower Trailing Edge	DLA	1560010939790	4J31134-135D

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT

DATE: 21 May 2025

APPENDIX A

Part Number Listing

DESCRIPTION	SOS	NSN	P/N
Lower Trailing Edge	DLA	1560010939791	4J31133-132D
Lower Trailing Edge	DLA	1560010939793	4J31138-132D
Lower Trailing Edge	USAF	1560010939794	4J31133-133D
Lower Trailing Edge	USAF	1560010939795	4J31137-136D
Lower Trailing Edge	USAF	1560010939796	4J31140-133D
Lower Trailing Edge	USAF	1560010939797	4J31139-129D
Lower Trailing Edge	USAF	1560010939798	4J31135-131D
SLAT 5	USAF	1560011137337	4J12290-707A
SLAT 5	USAF	1560011137338	4J12290-708A
SLAT 5	USAF	1560011139403	4J12293-170C
Lower Trailing Edge	USAF	1560011160443	4J31121-101F
Lower Trailing Edge	USAF	1560011160444	4J31121-102F
Lower Trailing Edge	USAF	1560011160445	4J31122-125C
Lower Trailing Edge	USAF	1560011160446	4J31122-126C
Lower Trailing Edge	USAF	1560011160447	4J31123-125C
Lower Trailing Edge	USAF	1560011160448	4J31123-126C
Upper Wing Trailing Edge	DLA	1560011161911	4J31112-161A
Lower Trailing Edge	USAF	1560011161912	4J31125-125D
Lower Trailing Edge	USAF	1560011161913	4J31125-126D
Lower Trailing Edge	USAF	1560011161914	4J31126-125E
Lower Trailing Edge	USAF	1560011161915	4J31126-126E
Lower Trailing Edge	USAF	1560011161916	4J31127-141D
Lower Trailing Edge	USAF	1560011161917	4J31127-142D
Lower Trailing Edge	USAF	1560011161918	4J50012-105C
Lower Trailing Edge	USAF	1560011161919	4J50012-106C
Lower Trailing Edge	USAF	1560011161920	4J50012-107D
Upper Wing Trailing Edge	DLA	1560011161921	4J31112-162A
Lower Trailing Edge	USAF	1560011161924	4J31128-133E
Lower Trailing Edge	USAF	1560011161925	4J31128-134E
Lower Trailing Edge	USAF	1560011161926	4J31129-133E
Lower Trailing Edge	USAF	1560011161927	4J31129-134E
Lower Trailing Edge	USAF	1560011161928	4J31130-131D
Lower Trailing Edge	USAF	1560011162214	4J31130-132D
Lower Trailing Edge	DLA	1560011162216	4J31131-135E
Lower Trailing Edge	DLA	1560011162217	4J31131-136E
Lower Trailing Edge	USAF	1560011162218	4J31138-131D
Lower Trailing Edge	USAF	1560011162220	4J50012-111C
Lower Trailing Edge	USAF	1560011162221	4J50012-113B
Lower Trailing Edge	USAF	1560011162222	4J50012-115C
Lower Trailing Edge	USAF	1560011162223	4J50012-116C
Lower Trailing Edge	USAF	1560011163767	4J31124-125D
Lower Trailing Edge	DLA	1560011165663	4J31134-136D
Lower Trailing Edge	USAF	1560011172875	4J31124-126D
Lower Trailing Edge	USAF	1560011216504	4J50012-112C

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT
DATE: 21 May 2025
APPENDIX A
Part Number Listing

DESCRIPTION	SOS	NSN	P/N
Lower Trailing Edge	DLA	1560011237382	4J53081-101B
Lower Trailing Edge	DLA	1560011247408	4J53082-103A
Wing Leading Edge	USAF	1560011783521	4J11013-197A
Lower Trailing Edge	DLA	1560012094247	4J53081-102B
Flap box fairing	DLA	1560012124040UC	4J32488-130B
Lower Trailing Edge	USAF	1560012749358	4J50012-114B
Lower Trailing Edge	DLA	1560012808665	4J31133-131D
Wing Leading Edge	USAF	1560015900937	4J11002-215B
troop comp	DLA	1560000016887	4F21013-239C
crew comp	DLA	1560000016892	4F11002-229E
interior partition	USAF	1560000880778	4E23215-101A
crew comp	DLA	1560001336164	4F11002-223D
crew comp	DLA	1560001336240	4F11003-289B
shear panel	DLA	1560001646966	4F42201-602C
interior partition	USAF	1560002278910	4E12076-101A
interior partition	USAF	1560002278912	4E12066-109B
interior partition	USAF	1560002278913	4E12067-107A
interior partition	USAF	1560002278914	4E12074-101A
crew comp	DLA	1560002357213	4F11001-231C
interior partition	USAF	1560002364410	4E23209-115B
shear panel	USAF	1560002391499	4F42201-601C
troop comp	DLA	1560002399289	4F41202-220A
troop comp	DLA	1560002399290	4F41200-129A
troop comp	DLA	1560002399291	4F41200-130A
cargo walkway	DLA	1560003374899	4F34210-601A
troop comp	DLA	1560004012321	4F21015-141B
troop comp	DLA	1560004012322	4F21015-142B
interior partition	USAF	1560004222988	4E22202-111G
interior partition	USAF	1560004379379	4E21090-119A
troop comp	DLA	1560004389289	4F21014-211A
troop comp	DLA	1560004389290	4F21014-212A
troop comp	DLA	1560004389321	4F21016-187A
troop comp	DLA	1560004389322	4F21016-188A
troop comp	DLA	1560004389323	4F21013-237B
crew comp	DLA	1560004708612	4F11001-221C
crew comp	DLA	1560004777018	4F41201-209A
crew comp	DLA	1560004777019	4F41201-210A
shear panel	DLA	1560004777049	4F42213-165A
crew comp	DLA	1560004777065	4F11002-237A
troop comp	DLA	1560004814512	4F41202-219A
shear panel	DLA	1560004842010	4F42204-185C
crew comp	DLA	1560004842014	4F11003-301B
crew comp	DLA	1560004842052	4F11002-225D

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT**DATE: 21 May 2025****APPENDIX A****Part Number Listing**

DESCRIPTION	SOS	NSN	P/N
crew comp	DLA	1560004842070	4F11003-287B
interior shear panel	USAF	1560004851469	4F23986-103B
crew comp	DLA	1560004851690	4F11001-609A
crew comp	DLA	1560004851691	4F11001-257B
interior partition	USAF	1560004851739	4E22204-109B
flight station	DLA	1560004851843	4F10003-539A
flight station	DLA	1560004851845	4F10003-545A
interior partition	USAF	1560004864971	4E23218-109A
interior partition	USAF	1560004864996	4E21205-127A
interior partition	USAF	1560004865040	4E32216-101A
crew comp	DLA	1560004865050	4F11003-285A
interior partition	USAF	1560004865122	4E32202-105B
interior partition	USAF	1560004970547	4E23213-111B
interior partition	USAF	1560004981167	4E20134-101C
interior partition	USAF	1560004987528	4E21203-106C
interior partition	USAF	1560005580621	4E21092-117B
pressure door, under floor	DLA	5340008301445UC	4F33469-101A
flight station	DLA	1560008394574	4F10003-409C
cargo walkway	DLA	1560010056995	4F34210-602A
crew comp	DLA	1560010131716	4F11001-249D
crew comp	DLA	1560010785353	4F11001-229G
flight station	DLA	1560011018775	4F10003-559A
flight station	DLA	1560011059503	4F10003-555A
flight station	DLA	1560011059504	4F10003-563A
flight station	DLA	1560011059505	4F10003-561A
flight station	DLA	1560011059506	4F10003-567A
flight station	DLA	1560011059507	4F10003-557A
flight station	DLA	1560011059509	4F10003-681A
crew comp	DLA	1560011721451	4F11054-109A
crew comp	DLA	1560011724837	4F11051-113A
crew comp	DLA	1560011735438	4F11054-107A
crew comp	DLA	1560011740765	4F11052-107A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT

DATE: 21 May 2025

APPENDIX A

Part Number Listing

DESCRIPTION	SOS	NSN	P/N
crew comp	DLA	1560011740766	4F11052-109A
crew comp	DLA	1560011740767	4F11052-111A
crew comp	DLA	1560011740768	4F11052-113A
crew comp	DLA	1560011740769	4F11052-115A
crew comp	DLA	1560011740770	4F11052-117A
crew comp	DLA	1560011740771	4F11065-101A
crew comp	DLA	1560011740772	4F11066-101A
crew comp	DLA	1560011740773	4F11074-101A
crew comp	DLA	1560015521889	200317991-10
crew comp	DLA	1560011740775	4F11051-105A
crew comp	DLA	1560011740776	4F11051-107A
crew comp	DLA	1560011740777	4F11051-109A
crew comp	DLA	1560011740778	4F11051-111A
crew comp	DLA	1560011740779	4F11051-115A
crew comp	DLA	1560011740780	4F11051-117A
crew comp	DLA	1560011740781	4F11053-107A
crew comp	DLA	1560011740782	4F11053-109A
crew comp	DLA	1560015521917	200317994-10
crew comp	DLA	1560011740783	4F11053-111A
Crew comp	DLA	1560015521925	200317992-10
crew comp	DLA	1560011744032	4F11059-101A
crew comp	DLA	1560011744033	4F11064-101A
crew comp	DLA	1560011744034	4F11053-103A
crew comp	DLA	1560011744035	4F11053-105A
crew comp	DLA	1560011744828	4F11075-101A
crew comp	DLA	1560011755822	4F11052-103A
crew comp	DLA	1560011755823	4F11052-105A
crew comp	DLA	1560011755824	4F11054-103A
crew comp	DLA	1560011755825	4F11054-105A
crew comp	DLA	1560011755826	4F11061-101A
crew comp	DLA	1560011771745	4F11060-101A
flight station	DLA	1560011832022	4F11055-123A
flight station	DLA	1560011832023	4F11055-125A
flight station	DLA	1560011832024	4F11055-127A
flight station	DLA	1560011832025	4F11055-129A
flight station	DLA	1560011832026	4F11055-131A
flight station	DLA	1560011832027	4F11055-133A
flight station	DLA	1560011834280	4F11055-117A
flight station	DLA	1560011834281	4F11055-119A
flight station	DLA	1560011834282	4F11055-121A
flight station	DLA	1560011922373	4F11055-107A
flight station	DLA	1560011922374	4F11055-115B
flight station	DLA	1560011953989	4F11055-109A
flight station	DLA	1560016435897	4F11051-109B
flight station	DLA	1560011964395	4F11055-103A

C-5 STRUCTURAL PANEL SOURCE QUALIFICATION STATEMENT
DATE: 21 May 2025
APPENDIX A
Part Number Listing

DESCRIPTION	SOS	NSN	P/N
flight station	DLA	1560011964396	4F11055-105A
flight station	DLA	1560011964408	4F11055-111A
troop comp	DLA	1560011968899	4F21017-178A
flight station	DLA	1560011990607	4F11055-113A
troop comp	DLA	1560012037172	4F21017-177A
troop comp	DLA	1560012067651	4F41272-136A
troop floor panel assy	DLA	1560015522209	200317987-10
flight station	DLA	1560012149865	4F10003-103A
troop comp	DLA	1560012304293	4F41272-135A
troop comp	DLA	1560012312352	4F41271-139B
troop comp	DLA	1560012312353	4F41271-140A
flight station	DLA	1560012738113	4F11055-227A
flight station	DLA	1560012765135	4F11055-225A
flight station	DLA	1560014749929	4F10003-441A
flight station	DLA	1560014750018	4F10003-445A
flight station	DLA	1560014750220	4F11055-169A
crew comp	DLA	1560015522214	200317993-10
crew comp	DLA	1560004842053	4F11004-135H
crew comp	DLA	1560004842054	4F11004-137H
crew comp	DLA	1560016329073	4F11051-111B
Upper Wing Trailing Edge	DLA	1560004858701	4J31108-127A
Wing-to-Fuselage Fairing	DLA	1560004026384	4W12550-140A
Fixed trailing edge	USAF	1560011162222	4J50012-115C
NO. 1 FLAP LE	USAF	1560004858672	4J41123-189A
NO. 1 FLAP LE	USAF	1560004864942	4J41123-190A
Flap Track Fairing	DLA	1560017031417	4J32447-110E
MLG fairing fwd	DLA	1560004584728	4F75295-253A
Flap Panel 1	DLA	1560017108520	4J41148-157A
MLG Fairing AFT	USAF	1560011765364UC	4F75385-249A
MLG fairing RH FWD	DLA	1560004842020	4F75089-147A
MLG fairing AFT	USAF	1560011765264	4F75395-249A
Wing-to-Fuselage Fairing	DLA	1560011873141	4W54028-103A
Wing-to-Fuselage Fairing	DLA	1560011891501	4W54028-104A
Wing-to-Fuselage Fairing	DLA	1560017207304	4W13524-107A
Wing-to-Fuselage Fairing	DLA	1560017210562	4W13524-108A
Aileron Trailing Edge	DLA	1560004040013	4J50007-231A
Aileron Trailing Edge	DLA	1560004040014	4J50007-232A
Fairing Assy	DLA	1560004987520	4J33915-103A
Fairing Assy	DLA	1560004987521	4J33915-104A
Fairing Assy	DLA	1560011891510	4W54039-103A
Fairing Assy	DLA	1560016989726	4W54039-104A
Crew Baggage Compartment	DLA	1560004202727	4E22214-107A
Pannel Assy, Floor-Flight Station	DLA	1560015522210	200317990-10