

PM SPE ENGINEERING CHANGE REQUEST (ECR) (Vendors – Complete Blocks 2 – 19 and Submit to PM SPE)		1. PM SPE CONTROL NUMBER RFD 25-01171027A1	
2. ORIGINATOR		3. ECR TYPE ☐ ECP ☒ RFD ☐ RFW	
a. TYPED NAME (First, Middle Initial, Last) Timothy M. Horne	b. ADDRESS (Street, City, State, Zip Code) 10125 Kingman Road, Bldg 317 Fort Belvoir, VA 22060	4. CLASSIFICATION ☐ Critical ☐ Minor ☒ Major	
5. TITLE OF ECR MIL-PRF-32432A Insect Repellent Update			
6. ITEM DESIGNATION		7. PROCUREMENT ACTIVITY N/A	8. BASELINE AFFECTED ☒ Functional ☐ Product ☐ Allocated
a. MCN / NSN ALL MCEP/APEL Products	b. MODEL / DESIGN CODE All		
9. END ITEM NOMENCLATURE ALL APEL Approved Products		10. CONTRACT NUMBER AND LINE ITEM MCEP APEL® requisitions	
11. LOTS / MATERIAL AFFECTED All lots and end items		12. REOCCURRING DEVIATION (if Yes, Provide CAR# in Block 12 & Status in Block 18) No.	
13. EFFECT ON COST / PRICE No RFD affects testing of product		14. EFFECT ON DELIVERY SCHEDULE No RFD affects testing of product	
15. OTHER SYSTEMS / CONFIGURATION ITEMS / INTERFACES AFFECTED None.			
16. DESCRIPTION OF ECR Document deviation from 3.8.3. Chemical resistance for insect repellent-controlled release diethyl toluamide (30% concentration DEET) due to discontinuation of recommended 3M Ultrathon Cream			
17. NEED FOR ECR The recommended insect repellent for testing has been discontinued due to the use of benzene, a known carcinogen. A new source for testing needs to be recommended.			
18. CORRECTIVE ACTION TAKEN N/A			
19. SUBMITTING ACTIVITY			
a. TYPED NAME (FIRST, MIDDLE INITIAL, LAST) Timothy M Horne		c. SIGNATURE HORNE.TIMOTHY.MAR TIN.1528909465 Digitally signed by HORNE.TIMOTHY.MARTIN.1528909465 Date: 2025.01.16 10:42:30 -05'00'	
b. TITLE / ORGANIZATION Product Engineer / PdM SPE		d. DATE (YYYYMMDD) 20250116	

PM SPE ENGINEERING CHANGE REQUEST (ECR)	PM SPE CONTROL NUMBER RFD 25-01171027A1		
TITLE OF ECR MIL-PRF-32432A Insect Repellent Update			
20. PM SPE JUSTIFICATION In accordance with 3.8.3 Chemical resistance, the eyewear should be resistance to insect repellent - controlled release diethyl toluamide (30% concentration DEET). The recommended product in 6.12 Source of Supply has been 3M Ultrathon Insect Repellent Lotion (water based), or equivalent. Army Public Health Center (APHC) has provided a DoD Insect Repellent Fact Sheet (18-009-1218) as well as maintain a website. The website, is an up to date representation of their fact sheet, and the URL can be found at the bottom of the attached fact sheet. The attached picture shows that APHC has discontinued all of their previously recommended DEET containing products. Notably most of these were lotions, with the designation "controlled release". In order to maintain testing continuity, PdM SPE will recommend a new product in the interim while APHC conducts their evaluation for new products. PdM SPE recommends using Ben's 30 Tick & Insect Repellent Pump Spray which is readily available through several online retailers. Note this is a pump spray, is water based, and not an aerosol. Testing should still be conducted in accordance with 4.7.3 however PdM SPE recognizes that Ben's 30 Tick & Insect Repellent Pump Spray is not a "controlled-release" product. However due to the 30% concentration being not controlled-release, the concentration is considered harsher on the lense therefore a more strict test requirement. PdM SPE will however monitor test results and will re-evaluate should testing without a controlled-release result in repeated failure. PdM SPE approves the deviation to suspend the requirement to use controlled-release insect repellent, and to recommend Ben's 30 Tick & Insect Repellent Pump Spray. This deviation will be in effect until either APHC releases their recommended DEET products or shall be updated in Revision B of MIL-PRF-32432.			
21. ATTACHMENTS DoD Insect Repellent Fact Sheet 18-009-1218 Picture from DoD Insect Repellent Website concerning DEET products			
22. COR (APPROVAL AUTHORITY FOR MINOR ECRS) / PM SPE TECHNICAL STAFF APPROVAL / DISAPPROVAL FOR MAJOR OR CRITICAL ECRS)			
a. APPROVAL ☒ Approved ☐ Disapproved	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;"> b. SIGNATURE LICHWELL.REID.ERIC. 1503343840 </td> <td style="width: 50%; border: none; vertical-align: top;"> Digitally signed by LICHWELL.REID.ERIC.1503343840 Date: 2025.01.17 16:08:42 -05'00' </td> </tr> </table>	b. SIGNATURE LICHWELL.REID.ERIC. 1503343840	Digitally signed by LICHWELL.REID.ERIC.1503343840 Date: 2025.01.17 16:08:42 -05'00'
b. SIGNATURE LICHWELL.REID.ERIC. 1503343840	Digitally signed by LICHWELL.REID.ERIC.1503343840 Date: 2025.01.17 16:08:42 -05'00'		
23. APM APPROVAL / DISAPPROVAL (APPROVAL AUTHORITY FOR MAJOR ECRS)			
a. APPROVAL ☒ Approved ☐ Disapproved	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;"> b. SIGNATURE HEWITT.JOSHUA.ALRI NGTON.1293723245 </td> <td style="width: 50%; border: none; vertical-align: top;"> Digitally signed by HEWITT.JOSHUA.ALINGTON.1293723245 Date: 2025.01.21 19:52:50 -05'00' </td> </tr> </table>	b. SIGNATURE HEWITT.JOSHUA.ALRI NGTON.1293723245	Digitally signed by HEWITT.JOSHUA.ALINGTON.1293723245 Date: 2025.01.21 19:52:50 -05'00'
b. SIGNATURE HEWITT.JOSHUA.ALRI NGTON.1293723245	Digitally signed by HEWITT.JOSHUA.ALINGTON.1293723245 Date: 2025.01.21 19:52:50 -05'00'		
24. PM SPE APPROVAL / DISAPPROVAL (APPROVAL AUTHORITY FOR CRITICAL ECRs)			
a. APPROVAL ☐ Approved ☐ Disapproved	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;"> b. SIGNATURE </td> <td style="width: 50%; border: none; vertical-align: top;"> c. DATE SIGNED (YYYYMMDD) </td> </tr> </table>	b. SIGNATURE	c. DATE SIGNED (YYYYMMDD)
b. SIGNATURE	c. DATE SIGNED (YYYYMMDD)		

PM SPE ENGINEERING CHANGE REQUEST (ECR)	PM SPE CONTROL NUMBER RFD 25-01171027A1
TITLE OF ECR MIL-PRF-32432A Insect Repellent Update	