

SECTION C – DESCRIPTIONS AND SPECIFICATIONS

UNITED STATES (U.S.) ARMY TEST AND EVALUATION COMMAND (ATEC) INFORMATION TECHNOLOGY SUPPORT SERVICES (ITSS) PERFORMANCE WORK STATEMENT (PWS)

<u>Para #</u>	<u>Title</u>
C.1	<u>General</u>
C.1.1	Scope
C.1.2	Summary
C.1.3	Background
C.1.4	Installation Information
C.1.5	Organizational Conflict of Interest
C.1.6	Contractor Management and Administration
C.1.7	Key Personnel
C.1.8	Personnel
C.1.9	Hours of Operation
C.1.10	Training
C.1.11	Certifications
C.1.12	Travel/Temporary Duty
C.1.13	Safety
C.1.14	Security
C.1.15	Government Vehicles and Equipment Operations
C.1.16	Vehicle Registration
C.1.17	Identification of Contractor Employees
C.1.18	Quality Control (QC)
C.1.19	Quality Assurance (QA)
C.1.20	Internal Controls
C.1.21	Accounting for Direct and Indirect Charges
C.1.22	Items Purchased under Other Direct Costs (ODCs) Cost Category
C.1.23	Hazardous Material Reporting
C.1.24	Interface with Government Operations
C.1.25	Business Relations
C.1.26	Work Areas
C.1.27	Files
C.1.28	Accountability of Government-Furnished Facilities/Office Space/ Property/Items
C.1.29	Personal/Contractor-Owned Property
C.1.30	Data Rights
C.1.31	Electronic Invoicing
C.1.32	Transition
C.1.33	Post Award Conference/Performance Evaluation Meetings Technical Coordination

C.2	<u>Definitions and Acronyms</u>
C.2.1	Definitions
C.2.2	Acronyms
C.3	<u>Government-Furnished Items and Services</u>
C.3.1	Government-Furnished Facilities/Office Space
C.3.2	Government-Furnished Property/Items
C.3.3	Government-Furnished Services
C.4	<u>Contractor-Furnished Items and Services</u>
C.4.1	General
C.4.2	Contractor-Furnished Facilities/Office Space
C.4.3	Contractor-Furnished Items
C.4.4	Contractor-Furnished Services
C.5	<u>Specific Tasks</u>
C.5.1	General
C.5.2	Information Technology Support
C.5.3	Software Development and Software Support Activity
C.5.4	Logistics
C.5.5	Other Support Services
C.6	<u>Deliverables</u>
C.7	<u>Regulations</u>

SECTION C.1. GENERAL.

SCOPE. This is a non-personal services contract to provide Information Technology (IT), IT logistics, and cybersecurity support to Army Test and Evaluation Command (ATEC) Headquarters (HQs), Aberdeen Proving Ground (APG), MD; the U.S. Army Aberdeen Test Center (ATC), APG, MD; the Operational Evaluation Command (OEC), Fort Hood, TX and APG, MD; White Sands Missile Range (WSMR) White Sands Missile Range, NM; and possibly other test locations. Minimal support may also be required at Fort Bragg, NC; Fort Huachuca, AZ; Fort Bliss, TX; Fort Sill, OK; Huntsville, AL or other locations throughout the life of this contract. The level of effort and staffing at each location may vary based on mission needs. The contractor shall provide all qualified personnel, equipment, tools, materials, supervision, management, and other items/services not otherwise provided to fulfil these requirements. The contractor shall provide all qualified personnel, equipment, tools, supplies, materials, facilities, transportation, supervision, and other items and non-personal services necessary to provide Information Technology (IT) Management Support Services as defined in this Performance Work Statement (PWS), except for those items specified as government furnished property and services

The scope of support covers the following networks:

- Non-secure Internet Protocol Router Network (NIPRNET)
- Secret Internet Protocol Router Network (SIPRNET)
- Defense Research and Engineering Network (DREN) and Secret DREN (SDREN)
- Defense Research and Engineering Domain (DRED) and Secret DRED (SDRED)

- White Sands Internet Service Provider Resource (WISPR)
- Test Support Network (TSN Black & TSN Red)
- Fast Burst Reactor Network (FBRNet)

C.1.1 SUMMARY: Currently, there are approximately 900 IT users at ATEC HQs/AEC, 1,500 at ATC, 900 at OEC and 1,100 at WSMR. On an intermittent basis, the contractor shall be required to perform non-personal services in support of other Department of Defense (DOD) activities at locations other than the locations identified in Paragraph C.1 above. Not all of the functions described within this PWS will be required at all of the locations. Performance requirements and locations will be determined at the task order level. As set forth in Revolutionary FAR Overhaul (RFO) Federal Acquisition Regulations (FAR) 7.5, the contractor shall not perform inherently governmental functions. The Government will not exercise any supervision or control over the contract personnel performing services herein. All personnel engaged in performing the services under this contract (i.e., direct labor and subcontracted labor) shall be accountable solely to the contractor who, in turn, is responsible to the Government. Any effort reflected in this PWS may be identified during contract performance for higher priority, different performance locations, and varied level of intensity. The Government will provide to the contractor's leaders all workforce prioritization requirements, which may include intermittent/infrequent and fluctuating efforts for IT, IT-associated services, and direct test support. The contractor shall be capable of meeting these requirements by means of increasing, decreasing, or relocating personnel, equipment, and materials at various locations in the continental United States (CONUS). The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to provide Information Technology (IT) Support Services as defined in this Performance Work Statement (PWS) except for those items specified as government furnished property and services.

C.1.2 BACKGROUND.

C.1.2.1 ATEC is one of DOD's foremost test and training organizations supporting DOD, non-DOD, and commercial materiel developers by testing a broad spectrum of equipment throughout their life cycles, from concept through deployment. As such, ATEC is not a material, item, or system developer. Rather, it provides crucial test support to such developers who are ATEC's primary customers. This contract support is devoted primarily to support ATEC HQ and its subordinate organizations as they conduct tests, operate and maintain the ranges, facilities, and equipment necessary to perform testing for their customers.

C.1.2.2 ATEC's mission is to plan, conduct, and integrate developmental testing, independent operational testing, independent evaluations, assessments, and experiments in order to provide essential information to decision makers for our Nation's Warfighter. ATEC provides the most flexible, responsive, innovative, and diverse set of test capabilities, assets, and services throughout the Army for providing test and test support services for authorized customers.

C.1.2.3 One of the major missions of the Enterprise Services is to manage and maintain the IT infrastructure and manage the IT assets including but not limited to servers, workstations, notebook computers (including all peripherals), tablets, switches, routers, supporting software, Cloud Technology solutions, Printers (MFD and desktop), Virtual Private Networks (VPN), Communications Security (COMSEC), public facing and internal web services, Cybersecurity (CS) Operations, Intrusion Detection Systems (IDS), and a wide variety of other IT services.

C.1.2.4 To accomplish this, ATEC will:

- a. Deliver value-added products and services to its customers.
- b. Identify and optimize the process and capabilities essential to providing quality and timely products and services.
- c. Provide, develop, sustain, and integrate people, technological capabilities, and procedures; and,
- d. Identify, secure, and allocate resources necessary to meet ATEC's mission requirement through efficient, flexible and responsive management.

C.1.2.5. To successfully support ATEC's mission, ATEC requires the ability to rapidly move, store, and retrieve data from a wide variety of sources and locations in a highly reliable and secure manner. ATEC requires a high level of technical expertise, flexibility, and depth of professional and technical expertise in order to meet its mission goals and objectives. A technical staff capable of modifying and operating sophisticated information management systems in a timely and cost-efficient manner is required to meet the needs of ATEC.

C.1.3 INSTALLATION INFORMATION. Information regarding the locations in Paragraph C.1 above can be found on the following websites:

<https://home.army.mil/apg>
<https://home.army.mil/bliss>
<https://home.army.mil/bragg>
<https://home.army.mil/hood>
<https://home.army.mil/huachuca>
<https://home.army.mil/sill>
<https://home.army.mil/wsmr>

C.1.3.1 The contractor shall fully comply with local military installation, city, county, state, and federal laws, regulations, and/or ordinances pertinent to performance of the contractual services required under this contract.

C.1.3.2 The contractor and employees shall observe all rules and regulations issued by the Installation Commanding Officers pertaining to but not limited to fire, safety, sanitation, severe weather, admission to the installation, conduct of operations, etc.

C.1.3.3 The contractor shall be in compliance with all Army, federal, state, local, ATEC, OEC, ATC, APG, Fort Hood, Fort Huachuca, Fort Bliss, Fort Sill, and Fort Bragg regulations, policies, and procedures. Compliance shall be required where services are provided under this contract, as they apply to the following: IT, cybersecurity, information security, operational security (OPSEC), physical security, personnel security, public affairs, and foreign disclosure and contact.

C.1.3.4 Road Closures: Access roads to and within the boundaries for some locations are subject to closing for live missile firings or other military operations. Roadblocks are normally one to two hours in duration. This does not relieve the contractor from performance of contractual responsibilities. Occasional rescheduling of work requirements may result due to missile firings or other military operations. It is the contractor's responsibility to reschedule any and all work requirements due to roadblocks and evacuations

C.1.3.5 Accident Reporting. The contractor shall report all accidents resulting in injury, death, or property damage in accordance with (IAW) the regulations of the organization/military installation at their designated performance locations.

C.1.3.6 Fraud, Waste, and Abuse. The contractor shall be responsible for maintaining proper conduct and good discipline within contractor occupied work area(s). Contractor personnel shall be encouraged to be alert to and report suspected situations of fraud, waste, and abuse, or other intentionally dishonest conduct against the Government to the Contracting Officer's Representative (COR).

C.1.4 CONFLICT OF INTEREST (OCI).

C.1.4.1 The contractor, to include the prime and all subcontractors, shall remain OCI- free during the entire duration of the contract IAW Title 10, USC Section 2399, and RFO FAR, Subpart 9.5.

C.1.4.2 In the event that the prime or a subcontractor intends to or becomes involved in development of DOD systems under eventual ATEC test and evaluation (T&E) oversight as part of its Title 10 responsibilities, the contractor shall provide written notification to the COR within three (3) working days of the potential OCI issue. The contractor shall not begin or continue performance once the contractor becomes aware of a 10 USC Section 2399 violation or any other OCI situation without the Contracting Officer's (KO) approval. The contractor shall own the burden to monitor, report, and resolve any Title 10, USC Section 2399, violations and all potential OCI issues that arise during the performance of this contract.

C.1.4.3 The Contracting Officer (KO) will analyze all potential OCIs and determine if an actual OCI exists and whether an actual OCI can be mitigated. The KO will provide the rationale for an OCI determination and request a mitigation plan when the OCI is of a type that can be mitigated. The KO will evaluate the mitigation plan and either approve or disapprove the mitigation plan.

C.1.4.4 The contractor shall not employ off-duty Government personnel who represent the KO or who perform contract surveillance, nor any other person who is an employee of the U.S. Government or DOD, either military or civilian, if such employment would create a conflict of interest or be contrary to the policies contained in Section I clauses regarding conflicts of interest. The contractor shall not employ any person who is an employee of the Department of the Army (DA), military or civilian, to perform work under this effort without first obtaining approvals required by DOD 5500.7-R and implementing Army regulations. In no event shall such personnel be used in a supervisory capacity in the performance of this contract. In addition, the contractor shall not employ any person who is a family member of either current contractor employees or current ATEC employees (either military or civilian) without first providing personnel qualifications, supervisory chain, and proposed employment duration to the KO for review and concurrence.

C.1.5 CONTRACTOR MANAGEMENT AND ADMINISTRATION.

C.1.5.1 The contractor shall provide personnel with the necessary skills to perform the required support and services of this PWS. The contractor shall ensure that all personnel employed against this effort are properly trained and meet the minimum qualifications in

Attachment 4 - Position Qualifications for their job position prior to employment. Personnel performing work are not considered employees of the Government.

C.1.5.2 The Contractor shall maintain records of training, qualifications, and applicable certification or licenses as required and shall ensure that the employees remain fully qualified. The Contractor shall provide records, when requested, to the COR for evaluation in compliance with this PWS.

C.1.5.3 The Contractor shall perform Program Management and provide an on-site Program Manager (PM). The PM shall be the central point of contact with the Government for performance of all work under this Contract Agreement. The Contractor shall notify the Contracting Officer Representative (COR) when the PM is absent and designate an acting alternate PM. The PM and any individuals designated to act in that capacity shall have full authority to bind the contractor for prompt action on matters pertaining to execution of the Contract Agreement to the KO and COR. In addition, on-site management must be available 24 hours to respond to any Government concern or situation. The on-site management's responsibility includes coordinating work schedules, travel requirements, reporting, accountability, conduct, and performance of Contractor personnel.

C.1.6 KEY PERSONNEL. Key personnel are those contractor employees considered to be essential to the successful performance of the requirements. This includes certain skilled/experienced professional and/or technical personnel as designated by the Government. Key personnel for this contract are one (1) Program Manager (PM) and three (3) Project Managers (one at ATC, one at OEC, and the other at WSMR). There will also be one Facility Security Officer (FSO) at WSMR. The PM shall be physically present at APG, MD during normal duty hours and perform overall management of the contract.

C.1.7 PERSONNEL. At a minimum, all contractor personnel shall have high school diploma or equivalent. All contractor personnel shall be able to speak, read, write, and understand English proficiently and be a U.S. citizen. All contractor personnel must be proficient in the use of computers and software required to perform work (e.g., Microsoft Office software). Also, on contract start date, all personnel shall possess the required training, certification(s), security clearance and experience IAW Attachment 4 – Position Qualifications.

C.1.7.1 Prior to starting the process to backfill for a vacated position, creating a new position, or increasing labor support, the contractor shall provide the following information to the COR to ensure that the additional support is necessary to support the PWS requirements and that sufficient space is available at the Government site:

- Contract Number/Contractor Name;
- Contract Period of Performance and current year of performance;
- Labor category and level;
- Number of employees to be hired and hourly rate;
- Relevant PWS Task Area(s) employee will support;
- Description of duties.

- *If backfill, name of employee who departed and date position was vacated; If new contractor position or additional labor support, identify begin and end dates of new requirement. (NOTE: the begin date is needed but the end date can be indefinite.);

- * If new contractor position or additional labor support, identify if additional space

at Government facility will be required.

*If new contractor position or additional labor support, identify if a contract modification has or will be executed to support the additional support.

*If no contract modification will be executed, explain why additional personnel are required above that identified in the contract as awarded; and Government technical POC name and phone number (if other than relevant COR).

Any changes in labor support or labor rates require KO approval prior to implementation.

C.1.7.2 Prior to making an offer to an employee, the contractor shall provide a resume to the COR not later than five (5) calendar days prior to the effective date of employment. Resumes should include the following: current and previous employment history to include employer names, position titles, relevant duties and accomplishments, dates of employment, education, licenses/certifications, and other relevant information. The COR will review the resume to ensure qualifications and/or experience identified in Attachment 4 – Position Qualifications have been met. If the qualifications and/or experience have not been met, the resume will be returned to the contractor within two (2)-work days of receipt. In emergency situations and cases of adverse action where five (5) calendar days' notice is not possible, the contractor shall submit the change in writing and resume to the COR not later than 24 hours after the change is implemented. Key personnel positions shall not be vacant longer than 45 calendar days, unless the KO grants an extension.

C.1.7.3 Contractor personnel shall practice high standards of personal hygiene and maintain a clean, neat appearance while on duty. Additionally, contractor personnel shall comply with the dress code applicable for the facility and location being supported.

C.1.7.4 The contractor shall manage its workforce to ensure that excessive turnover does not interfere with mission requirements. The contractor shall track and analyze hiring and termination trends as well as the number of personnel employed by labor category, by location, and by cost center. The contractor shall ensure that all vacancies for non-key personnel are filled within 45 calendar days of notification of the requirement. Any issues outside of the contractor's control that may delay bringing individuals on board passed the 45-calendar day requirement, such as backlog at Defense Security Services, shall be brought to the COR's attention one week prior to the 45 calendar-day expiration date.

C.1.7.5 The contractor shall ensure that all contractor employees return all Government identification/security badges and permits issued by the Government at the completion of their employment. All Government identification/security badges shall be returned to the Government on the employee's last day of employment with the Government. If departure is after normal business hours, the contractor Facility Security Officer will collect the badges on the last day of employment and turn the badge(s) in to the Government Security Manager the next work day. Keys will be returned to the issuing key custodian prior to the employee departing the installation. In addition, contractor personnel briefed on Special Access Programs (SAPs) shall contact Government Security personnel to complete a termination briefing prior to termination of employment. The contractor shall develop in/out- processing procedures and checklists to be used by all contractor employees and shall be completely filled in and signed by designated individuals below on the first and last days of employment. The contractor shall develop an employment/installation clearance procedure and checklist to ensure that an employee has turned in all Government identification/security badges, Government property, and keys before leaving employment on the installation and access to the local area network (LAN)/email has been cancelled. At a minimum, the in/out- processing checklist

will contain signature blocks for these Government employees: COR/ACOR; Technical Monitors (TMs); ATEC HQs/ATC/OEC/WSMR Security Manager; and the designated IT LAN representative; to ensure contractor employees have cleared all aspects of employment at the various locations. Contractor personnel shall not begin or end employment without a completed and signed checklist.

C.1.8 Recognized Holidays: The contractor is not required to perform services on these holidays unless specifically stated in assigned Task Orders (TO):

New Year's Day	Labor Day
Martin Luther King Jr.'s Birthday	Columbus Day
President's Day	Veteran's Day
Memorial Day	Thanksgiving Day
Independence Day	Juneteenth
Christmas Day	

C.1.9 HOURS OF OPERATION. Unless indicated below, contractor operations will be Monday through Friday from 6:00 a.m. to 6:00 p.m. (Eastern Time (ET) for MD, Central Time (CT) for TX, and Mountain Standard Time (MST) for NM, except Federal holidays or when the Government facility closes due to local or national emergencies, administrative closings, or similar Government directed facility closings, or as specified in section C.1.9.5.8. of the PWS. Core staff operations will be on Monday through Friday from 7:30 a.m. to 4:30 p.m. (ET for MD, CT for TX, and MST for NM), excluding federal holidays. The contractor shall provide minimal staffing coverage from 6:00 a.m. to 7:30 a.m. and 4:30 p.m. to 6:00 p.m. Minimal staffing is defined as two employees. The Government will approve the contractor's start/end times schedule to ensure minimum and maximum coverage. All changes to this schedule must be approved by the Government.

C.1.9.1 ATC's core hours will be Monday through Friday from 7:00 a.m. to 4:30 p.m. ET, excluding federal holidays. Minimal staffing outside of the core hours is not required for ATC.

C.1.9.2 To accomplish mission requirements, the contractor may be required to provide services/technical expertise outside of normal duty hours, to include but not limited to, tests, repair of equipment failures, and/or documentation generation, which may include weekends, holidays, and other times specified by the Government. Support may run sequentially or concurrently, day or night, extended workdays, weekend, shift, or in any combination.

C.1.9.3 Alternate Work Schedules (AWS) with Regular Day Off (RDO). To ensure compliance with Section 778.105 of Interpretative Bulletin, 29 CFR (CFR) Part 778, the contractor's base pay-week shall not exceed 40 hours; therefore, the start and end time of the pay week shall be adjusted accordingly. The contractor shall work their schedules IAW the paragraphs below.

C.1.9.3.1 ATEC HQ civilian personnel currently work either the AWS or the regular five, eight-hour day schedule. If contractors are working the AWS, RDOs shall be either the first Friday of the pay period or the second Friday of the pay period provided there is coverage five days per week as depicted below, however, RDOs shall be staggered for some personnel due to the requirement to provide limited coverage on the Friday off. In a two-week pay period, the work schedule is eight workdays of nine hours each, one work day of eight hours, and every other Friday off (RDO) as depicted below:

DRAFT

Option 1:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	8	Off	Off
Week 2	9	9	9	9	RDO	Off	Off

Option 2:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	RDO	Off	Off
Week 2	9	9	9	9	8	Off	Off

C.1.9.3.2 ATC is currently operating under an AWS and is closed for normal business on the 2nd Friday of the pay period as depicted below. ATC contractors using an RDO schedule shall stagger personnel schedules in order to meet the requirement for limited coverage on the Friday off. In a two-week pay period, the work schedule is eight work days of nine hours each, one work day of eight hours, and every other Friday off (RDO) as depicted below:

Option 1:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	8	Off	Off
Week 2	9	9	9	9	RDO	Off	Off

Or Option 2 for limited coverage:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	RDO	Off	Off
Week 2	9	9	9	9	8	Off	Off

C.1.9.3.3 At OEC (Fort Hood, Fort Huachuca, Fort Bliss, Fort Sill, and Fort Bragg) the workforce does not work the AWS.

C.1.9.3.4 At WSMR, the civilian and contractor workforce operates under a compressed work schedule consisting of four 9-hour days with core hours between 0700 – 1630 Monday thru Thursday and one 8 hour day on either the first or second Friday of the pay period with the alternate Friday as a non-workday. Outside the core working hours listed below, some facilities may not be accessible and reduced Government oversight may limit contractor access. Exceptions shall be worked through the COR and where necessary the KO.

Option 1:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	8	Off	Off
Week 2	9	9	9	9	RDO	Off	Off

Or Option 2 for limited coverage:

	M	T	W	T	F	S	S
Week 1	9	9	9	9	RDO	Off	Off
Week 2	9	9	9	9	8	Off	Off

Contractor employees shall not work more than nine hours per day without written authorization for Overtime from the COR/KO. Personnel providing direct test support shall work a variable tour of duty as identified by Range Mission requirements that will be communicated to the contractor by the issuance

of subsequent task order.

C.1.9.3.4.1 The Government has the option to temporarily or permanently change the hours and days of operation or require additional shifts. Normally, hours of operation for the second and third shifts, if required, are 4:30 p.m. through 1:00 a.m. and 11:30 p.m. through 8:00 a.m., respectively (including a 30-minute meal period), five days a week, eight hours a day.

C.1.9.5.5 Contractors shall not work overtime on a Time and Materials basis unless the COR/ACOR concurs with the necessity prior to it being worked. The contractor shall submit overtime requests one (1) week in advance if possible. In certain situations, as determined by the Government, overtime may be required with as little as a one-hour advance notice. Last-minute overtime requirements will be handled on a case-by-case basis.

C.1.9.5.6 After-Hours Support: The contractor shall be responsible for correcting issues to include but not limited to spillages, service interruptions, inspections and hardware/software failures on the systems that the contractor is supporting. All after-hours support shall be coordinated with the Contracting Officer's Representative prior to commencement.

C.1.9.5.7 The contractor is not required to perform work on Federal holidays, unless authorized by the Government. Federal holidays are listed in the following website:
<https://www.opm.gov/policy-data-oversight/pay-leave/federal-holidays/#url=Overview>

C.1.9.5.8 Installation Closures. The contractor shall adhere to curtailing operations of the Government which includes any time when the Government is in a non-operational status for events including, but not limited to, emergency situations, inclement weather, power curtailments, furlough, shutdowns, organization events, and planned training days. The contractor workforce shall adhere to the Government curtailment or closure schedule and any costs associated with the contractor workforce during non-operational status shall not be charged to the Government. However, some contractor employees may be required to work during those periods and/or may be required to report to an alternate work site. These contractor employees will be identified by the Government. The COR will notify the contractor of the dates of curtailment and closure and of any contractor employees required to work during such events and whether telework may be an option. Additionally, the COR may direct the contractor to view local television/radio stations for announcements or updates on any such delays or closures.

C.1.9.5.9 Telework. For purposes of this contract, "telework" is defined as a work arrangement in which contractor personnel perform contract requirements at an alternative duty location. No diminishment of contract performance is allowed as a result of telework. Individual employee eligibility for telework should be determined on a case-by-case basis by the contractor in coordination with the Government.

C.1.9.5.9.1 Telework at OEC locations is not routinely authorized. Contractor personnel shall perform services on-site at Government-designated duty locations at Fort Hood, TX; Fort Bliss, TX; Fort Bragg, NC; Fort Sill, OK; and Fort Huachuca, AZ.

C.1.9.5.10 Situational Telework. For the purpose of this contract "Situational Telework" is telework performed on an occasional, one-time, or ad hoc basis. Contractors in positions not typically eligible for telework may be able to telework on a situational basis when necessary. Situational telework includes:

- (a) Pandemic Health Crisis. Contractors may be asked to telework to prevent the spread of disease, viruses, or other health risks.
- (b) Weather/Safety/Unplanned Closure or Event. When adverse weather is anticipated or the organization/installation is closed, situational telework may be authorized.
- (c) Other case-by-case situations where a contractor is temporarily unable to physically report to the normal duty station but is capable of performing their normal contract requirements from their telework location. This will be managed by the Contractor PM and coordinated with the Contractor Officer's Representative (COR) and the Technical Point of Contact (TPOC).
- (d) Situational Telework at OEC locations may only be authorized on a **case-by-case basis** by the Government during installation closures, emergency situations, or other Government-directed events.

C.1.9.5.11 Telework Plan. The contractor shall not independently determine telework eligibility for their personnel. The contractor shall submit a telework plan to the COR for approval before any telework/situational telework is authorized. The Plan should address the following:

- (a) Contract positions eligible for telework/situational telework.
- (b) Controls to ensure contract requirements are being met (e.g., performance-based requirements/metrics, mechanisms to address performance issues, etc.)
- (c) Information security measures to ensure protection of information accessible from telework locations, including measures to protect work records from unauthorized disclosure.
- (d) Compatibility and availability of telework enhancing office tools (e.g., Microsoft Teams, teleconference, etc.).
- (e) Parameters of telework (e.g., maximum number of days/weeks for telework, mechanisms for ensuring face-to-face meetings, when necessary, specific locations, etc.).
- (f) Any additional conditions that are germane to contract performance under this contract.

C.1.10. TRAINING.

C.1.10.1 The contractor shall develop a training program to ensure contractor personnel are trained to accomplish the requirements of this PWS. Mandatory training for contractor employees is identified in Section C.3.3. The contractor shall maintain records of all scheduled and completed training, which will be available for periodic inspections by the Government.

C.1.10.2 The Government will only reimburse the contractor one time for training in new technologies or unique skills that are required to perform a task of this PWS and not for employee's advancement. Duplication of training costs shall be considered an unallowable cost in accordance with RFO FAR 31.201-6, Accounting for Unallowable Costs. Additionally, IAW DoD Directive 8140.01, DOD 8570.01-M, and AR 25-2, IT personnel

shall achieve the required baseline certification prior to contract award and obtain computing environment (CE) certification within 6 months of appointment to IT functions. All travel, training, and per diem requirements that are to be reimbursed to the contractor must be pre-approved by the COR and the COR/ACOR within 20 workdays prior to commencement of training/travel. Any retraining needed due to contract employee departure will be at the contractor's expense. In addition, copies of training certificates shall be available upon request by the COR/ACOR as proof of training completion prior to reimbursement, as required.

C.1.10.3 The contractor shall cross-train employees through on-the-job training during duty hours. On the effective date of the contract, the contractor shall provide a list depicting the names of the primary and alternates for each functional area and location.

C.1.11 CERTIFICATIONS.

C.1.11.1. INFORMATION ASSURANCE CONTRACTOR TRAINING AND CERTIFICATION (JAN 2008)

C.1.11.1.1 The Contractor shall ensure that all personnel performing cybersecurity functions are qualified for their assigned position, category, and level in accordance with the DoD Cyber Workforce Framework (DCWF), as outlined in the DoD 8140.0x series of publications (including, but not limited to, DoDD 8140.01, DoDI 8140.02, DoDM 8140.03 and DoD 8570.01-M). The Contractor shall meet all applicable DCWF qualification requirements, which may include baseline certifications, specialty area certifications, and maintaining continuous professional education credits. Personnel accessing information systems have the proper and current information assurance certification to perform information assurance functions in accordance with DoD 8570.01-M, Information Assurance Workforce Improvement Program. The Contractor shall meet the applicable information assurance certification requirements, including—

C.1.11.1.2 DoD-approved information assurance workforce certifications appropriate for each category and level as listed in the current version of DoD 8570.01-M; and

C.1.11.1.3 Appropriate operating system certification for information assurance technical positions as required by DoD 8570.01-M.

C.1.11.1.4 Upon request by the Government, the Contractor shall provide documentation supporting the information assurance certification status of personnel performing information assurance functions.

C.1.11.1.5 Contractor personnel who do not have proper and current certifications shall be denied access to DoD information systems for the purpose of performing information assurance functions.

C.1.11.1.6 All software and systems developed, integrated, or maintained by the Contractor shall adhere to the principles of secure-by-design and applicable secure coding and application security guidelines. This includes, but is not limited to, standards defined in the Defense Information Systems Agency's (DISA) Security Requirements Guides (SRGs), Security Technical Implementation Guides (STIGs), and other applicable federal or DoD secure software development. All software developed by the contractor for the Government

shall adhere to the code review standards defined in the Defense Information Systems Agency's (DISA) Control Correlation Identifiers (CCIs), Security Requirements Guides (SRGs) and Security Technical and Implementation Guides (STIGS) as applicable to the writing of software code, its compilation and linkage into executable software programs.

C.1.11.2 Cybersecurity/Information Technology (IT) Certification. Per the DoD 8140.0x series and applicable Army regulations (e.g., AR 25-2), contractor employees performing cybersecurity/IT functions shall be fully qualified for their assigned work role prior to commencing unsupervised duties on the contract. Any required Computing Environment (CE) or specialty qualifications not held upon contract start must be achieved within six (6) months of appointment. Per DoD 8140.01, DoD 8570.01-M, and AR 25-2, contractor employees supporting cybersecurity/IT functions shall achieve the required baseline certification prior to contract award. Appropriate Computing Environment (CE) certifications must also be achieved, within 6 months of appointment, if performing duties requiring CE certifications IAW DoD 8570.01-M. The COR/ACOR/TM will ensure all contractor personnel are certified IAW DOD and DA regulations. The DOD organization receiving services may provide additional training on local or system procedures.

C.1.11.3 Cybersecurity Training and Certification. For acquisitions that include cybersecurity functional services for DoD information systems, or that require any appropriately cleared contractor personnel to access a DoD information system to perform contract duties, the requiring activity is responsible for providing to the COR:

C.1.11.3.1 A list of required DCWF work roles and proficiency levels needed to fulfill the requirements of this PWS and/or list of information assurance functional responsibilities for DOD information systems by category (e.g., technical or management) and level (e.g., computing environment, network environment, or enclave); and

C.1.11.3.2 The information assurance training, certification, certification maintenance, and continuing education or sustainment training required for the information assurance functional responsibilities.

C.1.11.3.3 After contract award, the requiring activity is responsible for ensuring that the certifications and certification status of all contractor personnel performing information assurance functions as described in DOD 8570.01-M, Information Assurance Workforce Improvement Program, are in compliance with the manual and are identified, documented, and tracked.

C.1.11.3.4 The responsibilities specified in this section apply to all DOD information assurance duties supported by a contractor, whether performed full-time or part-time as additional or embedded duties, and when using a DOD contract, or a contract or agreement administered by another agency (e.g., under an interagency agreement).

C.1.11.3.5 See PGI 239.7102-3 for guidance on documenting and tracking certification status of contractor personnel, and for additional information regarding the requirements of DOD 8570.01-M.

C.1.11.3.6 Privileged Access Requirements for Non-Coded Positions subject to a PWS, and shall not be construed to conflict with DODM 8140.03.

C.1.11.3.7 Privileged access is defined as any authorized access and use of an ATEC system which requires permissions beyond those available to a standard user to perform such actions as but not limited to: configuring system settings; installing/removing

software; controlling system functions; monitoring system and/or network logs; or accessing sensitive data. Privileged access typically provides access to control functions of the IS/network, administration of users' computer or network accounts or permissions, access to configuration for network equipment, servers, or workstations, the ability to change program files, configure security-relevant settings, or direct access to operating system functions. Privileged access typically does not include elevated permissions with an application that itself is not able to execute security-relevant changes to the underlying operating system or network. In the case of uncertainty, final determination as to whether any function or task is considered privileged is per the discretion of the ATEC Program Information System Security Manager (P-ISSM) or Deputy P-ISSM. (Reference AR 25-2 and DA PAM 25-2-7).

C.1.11.3.8 Only eligible personnel with relevant assigned tasks will be granted privileged access. Privileged access may be revoked without notice at the sole discretion of the government without notice.

C.1.11.3.9 The following requirements for privileged access must be met unless otherwise specifically delineated elsewhere in this PWS:

C.1.11.3.10 Contractors requiring privileged access must have their required duties aligned under one or more work roles specified by the Defense Cyber Workforce Framework (DCWF) to determine their requirements for meeting foundational qualification for privileged access to an ATEC system or network. Work roles with Knowledge, Skills, Abilities, and Tasks (KSATs) that align with privileged use can frequently be found under the work roles for Database Administrator, Network Operations Specialists, System Administrator, Technical Support Specialist, Cyber Defense Analyst, Cyber Defense Infrastructure Support Specialist, and Vulnerability Assessment Analyst. Access to the work roles and associated KSATs can be found here: <https://www.cyber.mil/dod-workforce-innovation-directorate/dod-cyber-workforce-framework/dcwf>. Proficiency levels within each work role must be determined in accordance with the tasks and performance expectations required to be accomplished by each individual. Personnel assigned a basic proficiency must have familiarity with basic concepts and processes and the ability to apply these with frequent, specific guidance as well as be able to perform successfully in routine, structured situations. Personnel assigned to an intermediate proficiency must have extensive knowledge of basic concepts and processes and experience applying these with only periodic high-level guidance as well as be able to perform successfully in non-routine and sometimes complicated situations. Personnel assigned to an advanced proficiency must have an in-depth understanding of advanced concepts and processes and experience applying these with little to no guidance, be able to provide guidance to others, as well as be able to perform successfully in complex, unstructured situations. If personnel are performing duties that span multiple work roles according to the outlined KSATs they may be assigned multiple proficiency levels. Contractors must align with all foundational qualification requirements assigned to the work roles and proficiency levels under which their KSATs align in accordance with current DoDM 8140 foundational qualification standards <https://www.cyber.mil/dod-workforce-innovation-directorate/dod8140/qualification-matrices>. Foundational qualification requirements must be obtained prior to engagement and maintained throughout employment while engaged in duties requiring privileged access to ATEC systems.

C.1.11.3.11 Additional work roles that MAY have KSATs related to privileged access included but not limited to: Enterprise Architect, Systems T&E Specialist, System Developer, Incident Responder, Information System Security Developer, System Security Analyst, Data Analysts, and Data Scientist. If privileged access is required that does not align with any of the current published work role KSATs, the ATEC P-ISSM or Deputy P-ISSM

should be consulted for determination.

C.1.11.3.12 Contractors who require privileged access will be appointed via a designation letter signed by an Information System Security Manager (ISSM) outlining their assigned functions and must sign a Privileged Access Agreement. All documents, certifications, assessments, and training must be entered in the ATEC Training and Certification Tracking System (ATCTS). All contract employees with privileged access to ATEC systems must comply with technical environment requirements as published by ATEC HQ within six months of appointment to privileged functions.

C.1.11.3.13 Contractors with privileged access are required to maintain 20 Continuous Professional Development credits per year that align with their current KSATs.

C.1.12 TRAVEL/TEMPORARY DUTY.

C.1.12.1 Travel to other Government facilities or other contractor facilities within CONUS may be required. All travel requirements (including plans, agenda, itinerary, or dates) shall be pre-approved by the Government (subject to local policy procedures), and is on a strictly cost reimbursable basis. The contractor shall have personnel available and ready to travel on the required date. Contractor will be authorized travel expenses consistent with the provisions of RFO FAR 31.205-46 (Travel Costs) and the limitation of funds clause and shall be reimbursed under the cost category entitled ODCs in Section B.

C.1.12.2 The contractor shall be capable of supporting temporary efforts at locations other than those identified within this PWS without drawing from personnel supporting the mission. The contractor shall have the capability to support remote efforts using personnel resources in that area.

C.1.12.3 Travel Time Compensation. Exempt and non-exempt employees covered by the Fair Labor Standards Act are described in 5 CFR 551. Contractor employees who travel outside of their normal duty hours shall be paid wages for travel hours under certain circumstances as described in 5 CFR 551.422.

C.1.13 SAFETY. The contractor shall take proper safety and health precautions to protect the work, the employees, the public, and the property of others. The contractor shall develop and implement a safety program for contractor employees in compliance with regulations at all site(s), installation(s), state and federal laws, Occupational Safety and Health Act (OSHA), etc. The contractor shall submit the Safety Plan to the Government for approval 30 days after award of the contract. Revisions shall be submitted 10 days prior to the effective date of the change. The contractor shall:

C.1.13.1 Participate fully in any safety or accident prevention program of any Government installation that the contractor employees may be required to enter. This includes all required safety training.

C.1.13.2 Exercise care and caution commensurate with the dangers or hazards of the work being performed with due consideration of physical surroundings, equipment, facilities, personnel, and other factors involved.

C.1.13.3 Report immediately to the local commander, or the authorized representative with notification to the COR/ACOR, all accidents or property damage involving the contractor or its employees, which occur on a Government installation or other premises under the direct control of the Government.

C.1.14 SECURITY.

C.1.14.1 Contractor personnel shall obtain an appropriate security clearance, depending on assigned positions, prior to assignment and maintain eligibility for the designated clearance level throughout their tenure. The contractor shall comply with the requirements identified in Contract Security Classification Specification (DD Form 254) (Attachment 3).

C.1.14.2 This contract may require access up to TOP SECRET classified military information. The contractor shall possess a Top Secret (TS) facility clearance as prescribed by DD Form 254.

C.1.14.3 All contractor employees shall be required to have a Tier 3 (T3)/ Tier 3R (T3R) or higher-level investigation completed and possess a minimum of a SECRET clearance. Contractor personnel shall not report to work until, at a minimum, an interim SECRET clearance is granted. All IT contractor personnel who administer classified systems and/or networks or are designated by the Government as having critical- or special-sensitive duties, shall possess a favorable Tier 5 (T5) / Tier 5R (T5R) and shall be SCI eligible. Contractor personnel who hold a clearance may require access to Restricted Data (RD), Critical Nuclear Weapon Design Information (CNWDI), Foreign Government Information (FGI), Formally Restricted Data (FRD), Alternative or Compensatory Control Measures (ACCM) and North Atlantic Treaty (NATO) Information. Contractor personnel may be required to be indoctrinated into SCI to provide support inside an ATEC Sensitive Compartmented Information Facility (SCIF). Additional details on SCI work are contained in the SCI Addendum to the DD Form 254. Contractor personnel whose security clearances are suspended will not be permitted to work under this contract until their security clearance is reinstated.

C.1.14.4 The contractor shall submit a visit authorization request for all contractor employees performing on this contract in the Joint Personnel Adjudication System using the following Security Management Office (SMO) codes: ATEC HQs – W3Q2AA; ATC – W4QUAA; OEC – W469AA; Fort Huachuca – W46908; Fort Sill – W46910; Fort Bliss – W46909; and Fort Bragg – W469076.

C.1.14.5 All contractor personnel requiring access to the LAN and other IT systems shall be required to have a favorable T3/T3R or higher-level investigation completed, the cybersecurity training completion must be recorded in the Army Training and Certification Tracking System (ATCTS) (<https://atc.us.army.mil>) database, and Acceptable Use Policy (AUP) must be signed. In accordance with AR 25-2, contractor personnel without a security clearance shall not have access to IT systems.

C.1.14.6 Contractor personnel who have not received the required security clearance shall not be granted access to classified information nor allowed to perform classified work.

C.1.14.7 All contractor employees shall be registered in the Defense Enrollment Eligibility Reporting (DEERS) System. Once the registration is completed, contractor employees requiring computer access shall be required to apply for a Common Access Card

(CAC) using the Mission Partner Identity, Credential, and Access Management (MP ICAM) at the following web address: <https://mpartnerregweb.dmdc.osd.mil/mpartnerregweb/app/>. Once that is completed, the COR/ACOR will enter the required information in MP ICAM and then the contractor employee can report to the local badging office to be issued a CAC. It should be noted that the Government will issue a contractor a CAC only if duties involve one of the following:

- a. Both physical access to a DoD facility and access, via logon, to DOD networks on-site or remotely
- b. Remote access, via logon, to a DOD network using DOD-approved remote access procedures
- c. Physical access to multiple DOD facilities or multiple non-DOD federally controlled facilities on behalf of the DOD on a recurring basis for a period of 6 months or more.

At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled T1 investigation at the Office of Personnel Management.

C.1.14.8 Access Without a CAC: For Contractors that do not require a CAC, but require access to a DOD facility or installation, the Contractor and all associated sub-Contractor employees shall comply with adjudication standards and procedures:

- a. National Crime Information Center Interstate Identification Index (NCIC-III)
- b. Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13)
- c. Applicable Installation, facility and area commander installation/facility access
- d. Security policies and procedures
- e. Status of forces agreements and other theater regulations while in OCONUS locations

C.1.14.9 Alternate Credential Issuance: All Contractor employees that will not require CAC shall be required to possess an alternate form of installation access ID credential. The specific list of approved credentials and procedures for obtaining them are identified in Memorandum for See Distribution, Subject White Sands Missile Range Visitor Control Program and attached annexes, Dated 29 January 2015 or subsequent updates

C.1.14.10 Departing Employees: The Contractor shall ensure all permanent (and temporary when in excess of 30 days) departing Contractor or subcontractor employees return security photographic identification cards, permits, CAC's, Government property, keys, photo passes, and range passes. The Contractor shall request cancellation of Local Area Network (LAN) email access for departing personnel at the completion of their employment. The Contractor shall utilize a company / Installation clearance (out-processing) form to include a signature block for the COR to certify that an employee has returned all required badges, CACs, keys, and other accountable items. The Contractor shall return keys to the issuing key custodian prior to the employee departing. Depending on the position, information access, and clearance level, a Contractor may require a security debriefing prior to departure.

C.1.14.11 Key Control (If applicable). The Contractor shall establish and implement methods of making sure all keys, remotes, and key cards issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized personnel. (NOTE: All references to keys also include vehicle remotes, and key cards.) No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Quality Control Plan. Such procedures shall

include turn-in of any issued keys by personnel who no longer require access to locked areas. The Contractor shall immediately report any occurrences of lost or duplicate keys/key cards to the Contracting Officer.

C.1.14.11.1 In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the COR, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

C.1.14.11.2 The Contractor shall prohibit the use of Government issued keys by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the Contracting Officer.

C.1.14.11.3 Lock Combinations (If applicable): The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The Contractor shall ensure that lock combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Contractor's Quality Control Plan.

C.1.14.12 Approximately 10% of help desk employees at ATEC HQ, ATC and 20% of help desk employees at OEC shall support Special Access Programs (SAP). The contractor shall ensure that investigative requirements for personnel supporting SAPs are submitted IAW the contract and AR 380-381. Personnel supporting SAPs shall be subject to random counter-intelligence polygraph examinations. Employees who refuse to sign an agreement to undergo a polygraph examination cannot access SAP information. The costs for travel and examination will be reimbursed to the contractor under the cost category entitled ODCs.

C.1.14.13 Contractor personnel granted a TS clearance or access to SAP information shall make a verbal attestation and execute an Attestation Statement IAW or memorandums from the Secretary of Defense, dated February 5, 1999, and the Office of the Assistant Secretary of Defense, dated February 9, 1999. The Government security personnel will witness the execution of the oral and written attestations and maintain the Attestation Statements for contractor personnel.

C.1.14.14 The contractor shall request the appropriate personnel security investigation based upon the position sensitivity IAW DoD 5200.02. The investigations must be favorably completed prior to employees being permitted access to information systems and being placed in an IT position. In accordance with AR 25-1, all employees requesting access to the automated information systems shall sign an AUP. The contractor shall prepare a list identifying the position sensitivity designations and submit to the designated Government Information Systems Security Manager (ISSM) and the Government Security Manager during transition-in.

C.1.14.15 The contractor shall monitor all adverse information on contractor

personnel, such as security violations, arrests, and bankruptcy. The contractor shall inform the Government Security Manager of any denials, suspensions, or revocation of security clearances. Employees may be denied access to restricted areas (RA) or denied access to classified information.

C.1.14.16 Upon entry on the installation, all vehicles and personnel are subject to search and seizure of contraband and/or unauthorized Government property IAW AR 190-5 and AR 190-13. All contractor personnel will comply with the requirements of the installation for entry, exit, and internal control of personnel, materials, and vehicles.

C.1.14.17 Government Identification Badges. Restricted Area (RA) Security Badge for APG, Fort Hood, and White Sands Missile Range. Unescorted access into the APG, Fort Hood, and WSMR restricted areas shall be granted to contractor personnel who possess a security clearance or were the subject of a favorably completed T3/T3R, provided that there has been no break in service beyond 24 months and there is no known adverse information. For the RAs at APG, Fort Hood, and WSMR, RA security badges will only be issued to contractor personnel IAW APGR 190-4 and OEC Memorandum 190-2. Photographic security badges will be approved and issued by Government Security personnel to contractor personnel upon written request from the COR and after the investigation or security clearance has been verified by the Government. Contractor personnel shall wear the RA security badge above the waist, so it is clearly visible at all times when in the restricted areas at APG/Fort Hood/WSMR. All forms of Government-furnished identification shall be returned to the Government when the contractor employee no longer performs work under this contract. The contractor is responsible for ensuring compliance by contractor personnel.

C.1.14.17.1 At OEC, the OEC Security Office will issue a proximity card to all contractor employees with a number on the back that identifies the person, company name, and clearance level. Lastly, classified work is performed at the Sensitive Compartmented Information Facility (SCIF), motor pool, arms room, and Forward Test Center (FTC) at OEC. These areas are restricted so if the contractor needs access, they shall be escorted throughout the entire visit.

C.1.14.17.2 For non-RAs at APG, Fort Hood, Fort Huachuca, and Fort Bragg, Fort Bliss, and Fort Sill, all contractor employees working on this contract will wear Government-furnished identification badges. At ATEC HQs on APG, photographic identification badges will be issued to contractor employees and include a photograph of the employee, employee's name, identification of company, and appropriate code for security clearance access. At OEC on Fort Hood, building badges (proximity cards) will be issued to contractor employees and will be blank on the front of the card but will have a unique number on the back of the card. Contractor personnel shall wear the identification badge above the waist so it is clearly visible at all times when in non-RAs at APG/WSMR/Fort Hood locations (Fort Huachuca/ Fort Bragg/ Fort Bliss/ Fort Sill). All forms of Government-furnished identification shall be returned to the Government when the contractor's employees no longer perform work under this contract. The contractor is responsible for ensuring compliance by contractor personnel.

C.1.14.18 Foreign nationals/immigrant aliens are not authorized to work on this contract. However, when foreign nationals/immigrant aliens visiting any Army installation or entering designated buildings, the contractor shall comply with AR 380-10 and alert the Government Foreign Disclosure Officer to gain approval prior to the visit. Additionally, all SCIFs are totally off limits to foreign nationals/immigrant aliens.

C.1.14.19 The contractor shall be responsible for safeguarding all Government information and property provided for contractor use. The contractor shall safeguard information and materials designated as classified, sensitive but unclassified, Controlled Unclassified Information, For Official Use Only, OPSEC sensitive, Personally Identifiable Information, and Privacy Act Information IAW applicable directives. Where contractor personnel have access to any Government system, they will not disclose any information to any person or entity without explicit authority to do so.

C.1.14.20 The Government may task the contractor, in writing, to design, develop, maintain, or operate a system of records on individuals that must be operated in conformance with the Privacy Act of 1974 (5 USC 552a) and OMB Circular No. A-108. The Government will identify these technical requirements to the contractor, as needed.

C.1.14.21 Proprietary Data Exclusions.

C.1.14.21.1 Contract performance may require the contractor to access data and information proprietary to a Government agency, another Government contractor, or of such a nature that its dissemination or use other than as specified by this contract, or applicable contract, would be adverse to the interests of the Government or others. Neither the contractor, nor contractor personnel, shall divulge nor release data or information developed or obtained during contract performance, except to authorize Government personnel, or upon written approval of the KO. The contractor shall not use, disclose, or reproduce such data, which bears a restrictive legend, except as authorized.

C.1.14.21.2 For the purpose of this requirement, proprietary data does not include data which is a) known to the receiving party at the time of disclosure, b) in the public domain, or c) disclosed to the contractor from another source.

C.1.14.21.3 If Contractor requires access to proprietary information the contractor must conform with RFO FAR Part 9.505-4(c) and DFARS Part 209.505-4.

C.1.14.22 The contractor shall immediately report the loss or possible compromise of classified information or material to the Government Security Manager IAW DODM 5200.01-V3, AR 380-5, and ATEC Reg 380-5/ATC Reg 380-5/OEC Policy Memo G6- 2, Cybersecurity for USAOEC.

C.1.14.23 If required and not identified in Section C.3, the contractor shall develop and implement a Government approved security education program to ensure contractor personnel understand and are familiar with security requirements.

C.1.14.24 Physical Security. The Government will provide access control guidance to the contractor within 30 calendar days following award. From this guidance, the contractor shall develop internal processes and procedures IAW DOD 5220.22-M and local procedures and guidance. This Contractor Access/Property Control Plan shall be provided to the KO within 60 calendar days after award for review and approval (CDRL A001). The plan shall describe and discuss in detail the contractor's requirements and practices for the protection of all Government-furnished property, how inventories will be conducted, and how equipment located in facilities will be protected.

C.1.14.25 All materials produced by the contractor, which will be disseminated outside

of ATEC HQs/ATC/AEC/OEC/WSMR, will be subject to a review by designated Government OPSEC and Security personnel prior to release. This includes all written (hard copy) and electronic materials produced, such as organizational press releases and marketing materials.

C.1.14.26 No news release (including photographs and films, public announcements, denial or confirmation of same) on any part of the subject matter of this contract or any phase of any program shall be made without the prior written approval of the ATEC Public Affairs Officer (PAO).

C.1.14.27 Disclosure of information regarding operations and services of the activity to persons not entitled to receive it or failure to safeguard any classified information that may come to the contractor (or any persons under the contractor's control) in connection with contract performance, will subject the contractor, contractor's agent, or employees, to criminal liability under 18 USC, 793 and 798. Neither the contractor nor the contractor's employees shall disclose or cause, to be disseminated, any information concerning the operations of the activity which could result in or increase the likelihood of the possibility of a breach of the activity's security or interrupt the continuity of its operations. The contractor shall direct all inquiries, comments, or complaints to the KO arising from matters observed, experienced, or learned as a result of or in connection with the performance of this contract.

C.1.14.27.1 At the WSMR Locations: All questions regarding CLASSIFIED information shall be handled through the White Sands Test Center Security (WSTC) Office. Specifically, any entity wanting to ask a question regarding CLASSIFIED information shall send an email to the WSTC Security Office, the Technical POC and the Business POC stating that the entity would like to ask a question regarding CLASSIFIED information. DO NOT EMAIL ANY QUESTIONS THAT MAY CONTAIN CLASSIFIED INFORMATION. The WSTC Security Officer will coordinate through the COR to contact the entity and arrange for the question pertaining to CLASSIFIED information be asked through a secure method of communication.

C.1.14.28 The contractor shall not use any information processing equipment in its possession for the purpose of processing or transmitting classified information without the written permission of the KO.

C.1.14.29 Cybersecurity.

C.1.14.29.1 The contractor shall implement and maintain a comprehensive enterprise-wide cybersecurity program in accordance with all applicable policies and procedures for each assigned task and area of responsibility. The Contractor shall adapt and execute cybersecurity responsibilities to support dynamic mission requirements across various locations, information systems, and platforms. The contractor shall adhere to cybersecurity policies and procedures for each assigned task and area of responsibility. Additionally, the contractor shall perform specific and unique cybersecurity responsibilities at specific location(s) for different missions, IT systems, and software.

C.1.14.29.2 The contractor shall support cybersecurity efforts to achieve and maintain an appropriate level of confidentiality, integrity, authentication, non-repudiation, and availability that reflects a balance among the importance and sensitivity of the information and information assets, documented threats and vulnerabilities, the trustworthiness of users and interconnecting systems, the impact of impairment or destruction to the DOD information system, and cost-effectiveness. By way of example, this may include producing and

maintaining network diagrams, hardware and software lists for networks and standalone units, user lists, participating in scheduled system security evaluations, audits and reviews, etc.

C.1.14.29.3 All contractor employees must be registered in the ATCTS by a Government POC prior to accessing any Government information system. To obtain access, all required initial training shall be completed and then annually thereafter or as directed by the Government.

C.1.14.29.4 The contractor shall ensure all products and solutions developed and administered are compliant with DOD and Army cybersecurity guidelines

C.1.14.29.5 The contractor shall ensure that all personnel, processes, and solutions adhere to all cybersecurity requirements for federal, DOD and Army IT IAW current policies, procedures, and statutes, including, but not limited to: The Clinger-Cohen Act; The National Security Act; National Security Telecommunications and Information Systems Security Policy No. 11; Federal Information Processing Standards; DODI 8500.01; DODD 8570.01; DOD 8570.01-M; DODI 8510.01; Security Technical and Implementation Guides; AR 25-1; AR 25-2; etc.

C.1.14.30 The contractor shall have access as needed to Government facilities IAW AR 190-51 and other local regulations. The contractor shall develop and implement procedures to ensure that metal and electronic keys received from the Government are accountable, controlled, and safeguarded IAW regulations above. The contractor shall:

C.1.14.30.1 Receive a marked set of keys to facilities and equipment from the Government. The contractor shall establish and implement methods of ensuring that keys used for facility access issued to the contractor by the Government are not lost or misplaced and are not used by unauthorized persons. Keys issued to the contractor by the Government shall not be duplicated unless approved by the COR/ACOR.

C.1.14.30.2 Be responsible for keys provided to the contractor by the Government. The contractor shall establish and implement methods of ensuring that keys used for facility access issued to the contractor by the Government are not lost or misplaced and are not used by unauthorized persons. Keys issued to the contractor by the Government shall not be duplicated unless approved by the COR/ACOR.

C.1.14.30.3 Report any occurrence of duplicated, misplaced, or lost keys to the COR/ACOR within one duty day after discovery of occurrence and submit a written report to the KO/COR/ACOR by close of business (COB) the next duty day. The written report shall provide complete details relating to the duplicated, misplaced, or lost key.

C.1.14.30.4 Re-key or replace the affected lock or locks IAW the Government's direction. The contractor shall reimburse the Government for the replacement of locks or re-keying and all GFP lost or stolen as a result of keys being duplicated, misplaced, or lost by contractor personnel.

C.1.14.30.5 Prohibit the use of keys issued by the Government by any persons other than the contractor's designated employees. It is also the responsibility of the contractor to prohibit the opening of locked areas by contractor employees to persons other than those who are

specifically authorized in the performance of assigned work areas.

C.1.14.31 Anti-terrorism and OPSEC contract requirements. The contractor must complete ATEC/local OPSEC training initially upon start of work and again annually. The Contractor may also possibly be required to complete additional OPSEC requirements, as directed by DOD. Initial OPSEC training may be provided to the contractor by the ATEC OPSEC officer or other security personnel within 30 days of start of work. Annual training is included in the Security Education and Awareness Training (SETA) and is tracked via ATEC Tracking Training Module (ATTM).

C.1.14.32 Access, General Protection, and Security Policy and Procedures. This standard language text is for contractor employees with an area of performance within an Army-controlled installation, facility, or area. Contractor primes and associated subcontractor employees shall comply with applicable installation, facility, and area commander installation and/or facility access and local security policies and procedures (provided by Government representative). The contractor shall also provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services, or Security Office. Contractor workforce must comply with all personal identity verification requirements as directed by DOD, Headquarters Department of the Army (HQDA), and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes.

C.1.14.33 Access to U.S. installations, buildings and controlled areas is limited to personnel who meet security criteria and are authorized. Failure to submit required information/data and obtain required documentation or clearances will be grounds for denying access to U.S. installations, buildings and controlled areas. The Contractor shall ensure that any subcontractors used in performance of this contract complies with these requirements and that all employees, of both the Contractor and any subcontractor utilized by the Contractor, are made aware of and comply with these requirements.

The Contractor shall be aware of and comply with the requirements associated with Installation Access Control. The Government is not liable for any costs associated with performance delays due solely to a firm's failure to comply with Installation Access Control System (IACS) processing requirements.

C.1.14.34 The contractor shall comply with ATEC's OPSEC Plan which will be provided to the contractor within the 60-calendar day transition-in period. The contractor shall identify an individual as the OPSEC Coordinator within the 60-calendar day transition-in period who shall be OPSEC Level II certified per AR 530-1

C.1.14.35 Risk Management Framework (RMF) Authorization Management. The contractor shall execute all tasks required to achieve and maintain a continuous Authority to Operate (ATO) without lapse for at least three ATEC HQ system accreditations. Failure to maintain an active ATO for a designated system, except for reasons outside the contractor's control as determined by the Government, shall be considered a performance failure.

C.1.14.36 Artifact and Policy Management. The contractor shall independently

and with minimal government oversight create, maintain, and review all required policies, procedures, diagrams (topology, data flow), hardware/software listings, and all other necessary artifacts required for an ATO package. The contractor shall be solely responsible for ensuring all documentation is complete, accurate, and sufficient to meet all RMF control requirements.

C.1.14.37 System Compliance and Vulnerability Management. The contractor shall direct and verify that all required patching and Security Technical Implementation Guides (STIGs) are applied and checklists are properly executed by system administrators in accordance with established timelines (e.g., DoW, Army, or ATEC policy/guidance) for routine vulnerability management or with suspenses set by individual internal or external authority tasking (e.g., NETCOM Cyber Tasking Order). The contractor will run both Assured Compliance Assessment Solutions (ACAS) and Security Content Automation Protocol (SCAP) scans to audit system compliance for the authorization package and shall be responsible for the accuracy of these compliance reports.

C.1.14.38 Plan of Action and Milestones (POA&M) Management. The contractor shall be responsible for developing, maintaining, and validating Plans of Action and Milestones (POA&M) for all open vulnerabilities on assigned systems. The contractor will assess the risk of vulnerabilities to determine residual risk levels for Authorizing Official (AO) approval and shall conduct quarterly maintenance of the POA&M for assigned systems.

C.1.14.39 eMASS Package Management and Submission. The contractor will execute the Army/NETCOM defined RMF process and record system status and all artifacts within the Enterprise Mission Assurance Support Service (eMASS). This includes the creation of eMASS and associated Army Portfolio Management Solution (APMS) records; the identification and monitoring of data to assign Confidentiality, Integrity, and Availability (CIA) levels; the establishment of inheritance; and the creation of the control implementation plan and System Security Plan (SSP). The contractor shall populate and conduct quarterly maintenance of all technical artifacts (scans) to the eMASS record, populate test results annually at the Control Correlation Identifier (CCI) level, and prepare and submit all workflows to meet all Authorization Termination Date (ATD) deadlines. The contractor shall conduct annual reviews of all controls and submit new ATO packages for renewal no less than six (6) months prior to system ATD expiration.

C.1.14.40 Enterprise RMF Oversight Support. The contractor shall provide support to the ATEC Program ISSM in reviewing RMF approval packages for all ATEC subordinate organization systems. The contractor shall complete and return all requested package reviews within ten (10) business days of receipt. Additionally, the contractor shall participate as a Control Assessor, preparing validation artifacts for test results.

C.1.14.41 Security Operations (SecOps) and Compliance Monitoring. The contractor shall perform all hands-on activities required to actively defend and monitor ATEC networks and systems, both on premises and in the cloud. Incident response shall be conducted in accordance with the following service levels: Critical Incidents (e.g., active intrusion) shall have a response time of 15 minutes; High Incidents (e.g., suspected malware) shall have a response time of 1 hour. The contractor shall manage the evaluation and deployment of security patches, ensuring all Critical/High vulnerabilities are remediated within 30 days of discovery. The contractor is responsible for continuous compliance activities, including but not limited to incident response, vulnerability scanning and audits, STIG compliance checking,

managing Endpoint Security (ESS) and Network Access Control (NAC), proxy management, and providing all necessary data for the DoD Cybersecurity Hygiene Scorecard. The contractor shall review audit logs, conduct risk management, and participate in cybersecurity inspections and security assessments, which may require travel. The Contractor shall coordinate incident response and reporting with the designated CSSP per DoDM 8530.01.

C.1.14.42 ATEC Cybersecurity Technical Functions. The contractor shall conduct management of daily enterprise Cybersecurity functions within ACAS and endpoint security tools as well as support various Cybersecurity Technical functions being managed by ATEC HQ, both on premises and in the cloud, including but not limited to: ACAS scanning implementation, execution, and troubleshooting across all ATEC locations, web proxy management, endpoint security management, firewall rule management, and Group Policy management.

C.1.14.43 Application Security (AppSec). No new code shall be approved for release to production until all requirements of this section are met. The contractor shall integrate security into every phase of the software development lifecycle. The contractor shall ensure that all pre-existing and newly coded solutions are free of High/CAT I and Moderate/CAT II vulnerabilities by adhering to secure coding standards. The contractor shall use an ATEC-approved suite of tools to perform static and dynamic code analysis, apply threat modeling to applications, and perform software vulnerability assessments. The contractor is also responsible for validating developer comments related to code analysis findings and providing recommendations to developers for mitigation and remediation.

C.1.14.44 Access and Workforce Management. The contractor shall manage and control access to ATEC resources. The contractor is responsible for the compliance review and approval or rejection of all user account creation, modification, and deletion requests, which shall be processed within two (2) business days of receipt. The contractor shall also manage and audit all ATEC user accounts within training and certification system(s).

C.1.14.45 Reporting. The contractor shall submit a monthly Cybersecurity Status Report (CDRL A010) documenting all relevant information pertaining to the status of any ongoing cybersecurity activities detailed within this section.

C.1.15 GOVERNMENT VEHICLES AND EQUIPMENT OPERATIONS.

C.1.15.1 Operation. DOD contractor employees assigned to operate Government owned, or Government leased equipment in the performance of their contract must be in compliance with the licensing requirements of the State and local motor vehicle laws and certified, by the contractor and at the contractor's expense, as being fully qualified to operate the equipment which they are assigned. The contractor must document all operator qualifications and provide this documentation (commercial drivers' license (CDL), if required, equipment dependent) to the COR prior to the contract employee engaging in equipment operation. Contract employees must also complete a commercially available defensive driving course, e.g., National Safety Council web based, and provide documentation of such to the administrative contracting officer.

C.1.15.2 Preventive Maintenance.

C.1.15.2.1 For all MHE/vehicles used by contractor personnel, the contractor shall perform preventive maintenance checks and services according to military or commercial technical manuals and make emergency repairs to equipment as required. The contractor shall adhere to Army regulations, environmental regulations, standard published practices for operations, safety regulations, maintenance of equipment, and range operating procedures.

C.1.15.2.2 At OEC, The contractor shall perform preventative maintenance services daily on all vehicles IAW the vehicle's Operator's Equipment Manual (OEM) and coordinate with the COR and the Billing Office Accounting Code (BOAC) administrator to schedule necessary maintenance repairs and services. The contractor shall maintain records of all services and repair documentation. The contractor shall coordinate with the BOAC administrator on or before the 19th of every month to conduct monthly dispatches and provide vehicle mileages information. The contractor shall provide gas receipts and all related invoices (i.e. repairs, services, purchases) to the BOAC administrator when conducting monthly dispatches. The government will provide a GSA Fleet Smart Pay Card with the GSA vehicle to be use for the purposes of maintaining the GSA vehicle for fuel and maintenance only, per GSA regulations. The contractor shall coordinate with the COR and BOAC administrator to obtain approval prior to making any purchases other than gas. No premium gas purchases are allowed. The contractor shall notify the COR and BOAC administrator immediately upon loss/damage or replacement of GSA Fleet Smart Pay Card. All pre-approved maintenance and service costs procured using the GSA Fleet Smart Pay Card, will be funded by the government. The contractor shall immediately notify the COR and the BOAC administrator of any accidents or damages to the GSA vehicle. Any maintenance for damages to the vehicle as a result of negligence of the contractor shall be coordinated through the BOAC and funded by the contractor.

C.1.15.3 Pre-operational Checks and Trip Tickets. The contractor shall perform pre- operational checks and services and ensure the Mobile Equipment Utilization Record (trip ticket) has been completed prior to operation of Government vehicles and equipment IAW AR 58-1.

C.1.15.4 Certifications. Contractor personnel shall possess a current state driver's license prior to operation of any MHEs/vehicles. Contractor employees assigned to operate either Government-owned or leased equipment in the performance of their contract shall be certified by the contractor and at the contractor's expense, as being fully qualified to operate the vehicle/equipment to which they are assigned. Additionally, contractor employees shall complete any safety courses or training mandated by the Government prior to operating any MHEs/vehicles.

C.1.15.5 Vehicles and Equipment Available for Contractor Use. Vehicles and equipment owned, leased, or on loan to an ATEC organization may be available for mission-related use by the contractor, subject to coordination with the controlling authority. Availability of shared vehicles and equipment is contingent on testing priorities, maintenance downtime, and compliance with AR 58-1. The contractor must carry insurance to cover employees while using Government-provided, leased, or loaned vehicles/equipment.

C.1.16 VEHICLE REGISTRATION.

C.1.16.1 All operators of motor vehicles entering APG, Fort Hood, Fort Bragg, Fort Sill, Fort Bliss or other military installations designated as a performance location, shall have a valid state driver's license and shall comply with military installation vehicle registration requirements as applicable. A valid state driver's license, registration, and insurance shall be current during the time the vehicle is in use on military installations. Contractor personnel shall return visitor passes, when applicable, to the issuing visitor office immediately upon conclusion of the conduct of business authorized on the installation. In the event installation decals are issued, contractor personnel shall comply with installation regulations pertaining to the return or destruction of registration decals after termination or completion of work, when state license is no longer valid, and upon sale of vehicle. At Fort Hood, all employees who possess a valid DOD ID card shall be granted access to installation. Personnel needing temporary access shall be granted a temporary vehicle pass.

C.1.16.2 Contractor-owned vehicles used in the performance of services on military installations shall bear the contractor's company name/logo on both front doors or otherwise be clearly marked as commercial contractor vehicles. No unmarked vehicles are authorized to be on a Government work site without express prior authorization.

C.1.17 IDENTIFICATION OF CONTRACTOR EMPLOYEES. All contractor personnel shall be required to identify themselves as such to avoid creating an impression that they are Government employees. Contractor personnel shall also ensure all documents or reports produced by contractors are suitably marked as contractor products or that contractor participation is appropriately disclosed.

C.1.18 QUALITY CONTROL (QC). . The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The contractor's QC program is the means by which the contractor is assured that the work complies with the requirements of this contract. The contractor shall develop and maintain an effective and comprehensive Quality Control Plan (QCP) (CDRL 0002), within 60 calendar days of contract award, to ensure services are performed IAW this PWS. The Government will review and notify the Contractor in writing of acceptance of the plan or return the QCP, with comments, to the Contractor within 5 working days. If the Government has provided comments, the Contractor shall then have 5 working days to submit a Final QCP. After receipt of the Final QCP, the Contractor may receive the Contracting Officer's acceptance in writing. Any proposed changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than 10 working days prior to the anticipated change and before implementation by the Contractor. The QCP must detail procedures to identify, prevent, and ensure non-recurrence of defective services. At a minimum, the QCP will describe how the

contractor will monitor performance against all PWS requirements, ensure staff qualifications remain current, manage key control, and track all government-furnished property

At a minimum, the QCP must include and answer the following to be acceptable:

- a. A chart showing the organizational structure and lines of authority, the names, qualifications, duties, responsibilities, and classification of each member of the Contractor's Quality Control Team.
- b. How will the Contractor monitor work to ensure that performance complies with all deliverables (etc. timelines, deadlines, and goals)?
- c. How will the Contractor monitor work to ensure that performance complies with all specifications and requirements of the contract, including clauses?
- d. How will the Contractor monitor and ensure staff qualifications remain current and valid including DOCPER processes/approvals throughout contract performance?
- e. How will the Contractor ensure all keys issued will remain controlled items (Paragraph 1.7 Key Control)?
- f. How will the Contractor inventory and track maintenance of all Government Provided Equipment / Materials?
- g. How will the Contractor identify, investigate, and correct any non-conforming performance and prevent similar deficiencies in the future?
- h. How will the Contractor file and save all Quality Control related documents for the life of the contract plus 5 years?

C.1.19 QUALITY ASSURANCE (QA). The Government will evaluate the contractor's performance IAW the Quality Assurance Surveillance Plan (QASP) (Attachment 8) and the Standards and Acceptable Quality Level Spreadsheet (Attachment 7). This plan is primarily focused on what the Government must do to ensure that the contractor has performed IAW the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the minimum acceptable defect rate(s).

C.1.20 INTERNAL CONTROLS. The contractor shall safeguard Government resources IAW AR 11-2 and shall complete all required documentation, including DA and site-specific checklists at each location.

C.1.21 ACCOUNTING FOR DIRECT AND INDIRECT CHARGES.

C.1.21.1 Effective 1 October 2005, ATEC began complying with the National Defense Authorization Act. The primary change was that ATEC charges only direct costs to DOD test customers and commercial customers who have a DOD contract that provides for Government-furnished testing. Direct costs are those that support a specific program. Indirect costs do not directly support a specific program and may support multiple programs. The current ATEC system for financial accounting is the General Fund Enterprise Business System.

C.1.21.2 Labor that directly supports a specific program will be charged to the Work Breakdown Structure (WBS) for that customer program. An example of direct labor includes developing software for a specific test program. It is only appropriate for supervisors to charge projects when their time is dedicated to a specific test program and is not general in nature.

Labor that does not directly support a specific test program will be charged to the appropriate indirect WBS. When overtime is required to support a specific test program, in which that labor cost is direct, should be charged to the customer WBS, even though the service may be indirect during normal duty hours.

C.1.21.3 Non-labor. Material, supplies, and services that are consumed in support of a specific customer test program are considered direct costs and should be charged to the customer WBS. Equipment purchases, facility upgrades, and other purchases that exceed what would normally be consumed during testing may be considered direct but will require specific justification to be approved for purchase with DOD test customer funds. Purchase requests for such items must follow the procedures below using the Government-provided form. Any costs that are not directly in support of a specific test program are indirect and should not be charged to DOD test customers.

C.1.21.4 Contracts Timekeeping System. The contractor shall enable employees to enter data into a time-capturing contractor-owned commercial program that is compatible with the Government programs to meet the requirements of this contract. During the transition-in period, the contractor shall complete a Request for Access (DD Form 2875 System Authorization Access Request) and a Non-Disclosure Statement to ATEC, ATC and OECOEC ISSM for designated employees. Subsequent training that may be required because of personnel changes shall be the responsibility of the contractor. The contractor shall maintain a daily record of regular, overtime, and shift hours worked, specifying the WBS, Internal Order, Cost Center, labor category, delivery order number, and contract number which will be provided electronically and uploaded daily to the ATEC HQs, ATC and OECOEC contractor time- tracking system. On the next work day after the work performance, the contractor shall enter the aforementioned data into their system by 1300 hours. If problems develop, in which the contractor is unable to enter time into their system, the contractor shall notify the COR/ACOR immediately so that the problem can be documented. The contractor shall verify timekeeping data and make corrections as necessary.

C.1.22 ITEMS PURCHASED UNDER ODCs COST CATEGORY.

C.1.22.1 The contractor shall occasionally purchase items to perform the requirements of this contract. To purchase anything on this contract, the contractor shall obtain, at a minimum, the following pre-approvals IAW the schedule below:

Cost of Item(s)	Approval Authorities
\$1-\$24,999.99	COR/ACOR
>\$25,000	COR/ACOR and the KO

The Government will not reimburse the contractor for any items purchased that have not been pre-approved by the aforementioned Government personnel.

C.1.22.2 Within 15 days after receipt of the item(s), the contractor shall forward documentation (supplier's invoice for the item(s) and the Government-provided form) to the COR/ACOR as to the basis of the expenditure and evidence of receipt before submitting the request for payment for the item(s). Contractor invoices submitted against contracts shall be accompanied by a copy of the supplier's invoices for the items and services above.

C.1.23 HAZARDOUS MATERIALS REPORTING. During the course of contract performance, the contractor may be required to occasionally deal with hazardous materials. All such requirements shall be handled IAW all federal, state, and local laws, statutes and regulations. Any adverse incident shall be brought immediately to the attention of the COR. The contractor shall complete a Hazardous Material Report (CDRL A003) monthly IAW appropriate procedures with a copy furnished to the COR and the PBO for that location.

C.1.24 INTERFACE WITH GOVERNMENT OPERATIONS. Performance of work by contractor personnel under the terms of this contract shall not interfere with regularly scheduled operational activities.

C.1.25 BUSINESS RELATIONS. The contractor shall successfully integrate and coordinate all activity needed to execute the requirement. The contractor shall ensure timeliness, completeness, and quality of test services as well as problem identification and resolution. The contractor shall provide timely identification of issues related to the contract or contract personnel, corrective action plans for contract-related deficiencies, and contract proposal submittals. The contractor is expected to establish a history of reasonable and cooperative behavior, effectively manage subcontractors, award timely subcontracts, and meet small/disadvantaged and woman-owned business participation goals. The contractor shall seek to ensure customer satisfaction and professional and ethical behavior of all contractor personnel.

C.1.26 WORK AREAS.

C.1.26.1 The contractor shall clean assigned areas to include cubicles, break rooms, storage rooms, office space, etc., and keep assigned areas free of debris and safety hazards.

C.1.26.2 The contractor shall take adequate precautions to prevent fire hazards, odors, and chemical spills in Government facilities. Routine daily housekeeping of contractor workspaces is the responsibility of the contractor.

C.1.27 FILES. The contractor shall maintain complete and accurate files of documentation, records, and reports required under this contract. The contractor shall not allow access to the files by any Government agency, non-Government agency, or individual unless specifically authorized by the KO. Files shall be made available to the KO or designated representative upon request. All files shall be digitized in readable form, indexed, saved to Government-approved portable media, and become the property of the Government. These files shall be turned over to the KO at the completion of this contract.

C.1.28 ACCOUNTABILITY OF GOVERNMENT-FURNISHED PROPERTY/ITEMS.

C.1.28.1 The contractor shall develop a Property Control Plan IAW RFO FAR Part 45, RFO FAR 52.245-1. The Contractor Access/Property Control Plan shall be submitted thirty (30) days after full contract performance and shall detail contractor activities concerning GFP control in the following areas: Property Management; Physical Inventories; Reports; Consumption; Utilization; Maintenance; Subcontractor Control; Disposition; and Contract Close-out as pertinent.

C.1.28.1.1 The contractor shall include within its property control plan, a process for the accountability and management of all GFP. Contractors in possession of classified or Controlled Cryptographic Item (CCI) shall dispose of the classified contractor inventory in accordance with applicable security guides and regulations as directed by the KO. Contractor GFP identified as inherently dangerous to public health or safety shall not be disposed of unless rendered innocuous or until adequate safeguards are provided.

C.1.28.1.2 The contractor shall conduct annual inventories and complete required documentation IAW DOD 4161.2M (CDRL A004). The Property Inventory Report shall be submitted 30 work days after contract award and annually thereafter after the completion of the annual inventory, and shall provide current information on all GFP accounted for by the contractor. As soon as the GFP is no longer required, it shall be promptly turned in IAW the approved Property Control Plan.

C.1.28.1.3 The contractor shall establish and maintain an acceptable property management system. Failure to maintain an acceptable property management system, as defined in DFARS 252.245-7003, may result in disapproval of the system by the Contracting Officer and/or withholding payments.

C.1.28.2 The Government PBO, the Government Property Administrator, and the contractor(s) shall conduct a joint physical inventory of GFP within two weeks after the contract effective date.

C.1.28.2.1 The contractor is required to perform a joint Government/contractor inspection of all GFP. This inspection is intended to establish a mutual agreement as to the condition of GFP provided to the contractor for use in performance under this contract. The contractor and the Government representative(s) shall jointly determine the working order and condition of all equipment and document their findings. Rejection of GFP by the contractor shall not relieve the contractor of responsibility in performance of this contract. The contractor shall not use property provided by the Government for any purpose other than the performance of this contract.

C.1.28.2.2 The contractor shall sign a property listing for all equipment provided by the Government. Items of equipment missing or not in working order shall be recorded and the COR shall be notified in writing.

C.1.28.3 The contractor shall conduct an automated annual inspection for all GFP and Contractor Acquired Property (CAP). The annual GFP and CAP inspection shall be completed and submitted annually (CDRL A004), 90 calendar days prior to end of each option POP.

C.1.28.4 The Government reserves the right to furnish parts, supplies, materials, and equipment when deemed to be in the best interest of the Government.

C.1.28.5 The contractor shall manage GFP in accordance with FAR Part 45 and all related clauses. The contractor shall be liable for shortages, loss, damages, or destruction of Government property IAW with the Financial Liability Investigation. Within 15 calendar days of discovering the item is missing, damaged, or destroyed, the contractor shall appoint a POC who is responsible for completing the required documentation IAW CDRL A005.

C.1.28.6 The contractor shall tag, label, or mark GFP items identified in the contract as serially managed items (as required by DFARS 252.245-7005). The contractor is not required to tag, label, or mark GFP previously tagged, labeled, or marked.

C.1.28.7 The contractor shall establish a program to assess cases of property damage/loss to determine if the damage was caused by employee negligence. If employee negligence is determined, the contractor shall take appropriate corrective action.

C.1.28.8 CAP will also be UID marked and registered IAW DFARS 252.211-7003. Contractors shall be required to identify the Government's unit acquisition cost for all deliverable end items to which unique identification applies. If CAP items are subsequently delivered to the Government under terms of the contract, via a contract line item (CLIN), then the requirements imposed on the contractor for both DFARS 252.211-7003 (not listed in the current contract) and 252.211-7008 apply to both GFP and CAP.

C.1.28.9 At the completion of this contract, the contractor and Government representative(s), including the Government PBO, shall conduct a joint inventory. The contractor shall be liable for loss or damage to GFP beyond fair, wear, and tear.

C.1.28.10 If any GFP is expended or consumed, or if the useful life of the property has terminated, the contractor shall not be held accountable for the GFP. The Government and the contractor agree that expending, consuming or terminating the useful life of any GFP shall not be considered a decrease for purposes of equitable adjustment.

C.1.28.11 The contractor shall not use property provided by the Government for any purpose other than in the performance of the contract IAW RFO FAR 52.245-9. Exception being the allowable personal and/or non-job-related provisions as set forth in current Acceptable Computer Use Policies.

C.1.29 PERSONAL/CONTRACTOR-OWNED PROPERTY. The contractor shall ensure that personal/contractor-owned property brought on APG, Fort Hood, WSMR, Fort Huachuca, Fort Bliss, Fort Sill, and Fort Bragg, is clearly marked as such to preclude misidentification as Government property. Additionally, the contractor shall ensure that personal/contractor-owned property meets safety specifications as set forth by OSHA, Maryland Occupational Safety and Health, Texas Occupational Safety and Health, OSHAs from other states supported in this contract, the U.S. Army, and other local agencies. The contractor shall ensure that all personal/contractor-owned property is removed from APG, Fort Hood, Fort Huachuca, Fort Bliss, Fort Sill, and Fort Bragg at the end of the performance period. Lastly, all personal computer IT equipment cannot be connected to any Government network.

C.1.30 DATA RIGHTS. The Contractor shall deliver data and software (with applicable data rights) as set forth in Table 9. In accordance with DFARS 252.227-7013, 7014, 7016, 7017, 7019, 7028, 7030, 703, 252.227-7025 and DFARS 227-7103.6, the Government obtains under this TO "Unlimited Rights" to all non-commercial computer software, software source code, computer software documentation, enhancements, technical data, and similar non-commercial data developed exclusively at Government expense and delivered to the Government under this contract. "Unlimited Rights" means rights to use, modify, reproduce, release, perform, display, or disclose in whole or in part, in any manner and for any purpose whatsoever, and to have the ability to authorize others to do so. For all non-commercial software provided by contractor, contractor shall ensure that any individual who creates any of

the computer software provides an assignment of any and all proprietary rights in the computer software including all copyrights and patent rights to the software so that the Government has the unlimited rights to the software specified above. It is the contractor's obligation to ensure compliance with all open-source covenants or requirements if any open source software is included in any deliverable. The Contractor shall embed the following Code Header in all software components delivered to the Government:

```
////////////////////////////////////
/// SECURITY CLASSIFICATION: UNCLASSIFIED
////////////////////////////////////
/// UNLIMITED RIGHTS
/// DFARS Clause reference: 252.227-7013 (a)(16) and 252.227-7014 (a)(16)
/// Unlimited Rights. The Government has the right to use, modify, reproduce, release,
/// perform, display or disclose this (technical data or computer software) in whole or in
/// part, in any manner, and for any purpose whatsoever, and to have or authorize others
/// to do so.
///
/// Distribution Statement D. Distribution authorized to the Department of Defense and
/// U.S. DoD contractors only in support of US DoD efforts. Other requests shall be
/// referred to Contracting Officer's Representative (COR).
///
/// Warning: This document contains data whose exports are restricted by the Arms Export
/// Control Act (Title 22, U.S.C., Section 2751, et seq.) as amended, or the Export
/// Administration Act (Title 50, U.S.C., App 2401 et seq.) as amended. Violations of
/// these export laws are subject to severe criminal and civil penalties. Disseminate in
/// accordance with provisions of DoD Directive 5230.25.
```

The Contractor agrees that regardless of how Contractor-provided data/software is developed or modified during TO performance, the Contractor shall deliver data/software marked in accordance with requirements in DFARS 252.227-7013, 252.277-7014, or other applicable DFARS references. All documentation provided under this TO is a deliverable to the Government, and the Government has Unlimited Rights to said documentation.

For commercial data delivered under this contract, the Government has the right to use, modify, reproduce, release, display, or disclose, in whole or in part, in any manner and for any purpose whatsoever, and to have or authorize others to do so. (Refer to DFARS 252.227-7015 Technical Data, Commercial Items). All deliverables shall be made electronically via email IAW CDRL DD1423 instructions. If a delivery is submitted via email and the size or the firewall prevents its delivery, the Contractor shall provide a Secure File Transfer Protocol site that allows the Government to download the deliverable. If a site is not available or not feasible, the Government will make one available to the Contractor. In case no sites are available, the Contractor shall deliver via compact disk/digital videodisk (CD/DVD). The CD/DVD must be properly labeled to identify the content to include classification, version number, and date.

C.1.31 ELECTRONIC INVOICING. The contractor is required to submit requests for payment (invoicing) through the Wide Area Workflow (WAWF) electronic invoicing application. Instructions for registering and submitting electronic invoices using WAWF can be found at <https://piee.eb.mil>. Web-based training on the procedures to use WAWF can be found at <https://piectraining.eb.mil/wbt/>.

C.1.32 TRANSITION PLANS (Phase-In and Phase-out Periods). The Contractor shall develop procedures for phasing in Contractor performance to the level prescribed and within the time allowed under the terms of this PWS. The contractor shall establish and implement a plan for an orderly phase-out of the Contractor operations at the termination of this Contract Agreement. The Contractor's phase-out procedures shall not disrupt or adversely impact the day-to-day conduct of Government business. The contractor shall plan for the transfer of work control, delineating the method for processing and assigning tasks during the transition-in/transition-out periods.

C.1.32.1 Phase-In Period. The Phase-In will begin upon notification of contract award, and it will be no longer than sixty (60) calendar days in duration. Part one (1) is a two-day orientation for the contractor's top management, key personnel and working leaders to ensure that the contractor is familiar with the working environment and equipment used in performance of the contract requirements. The orientation will also include a range control briefing at ATC to include clearance procedures, range control signals, procedures regarding unexploded ordnance, and communication requirements. Part two (2) will continue until the end of the 60-day period, during which the contractor shall perform all functions required to successfully transition in. During this period, the Government will provide access to all applicable governing directives, brief on the technical requirements, provide a tour of the facilities, explain procedures for day-to-day operations, and conduct a joint inventory of GFP. Additionally, 10 calendar days prior to the start of performance, the contractor shall submit to the Government, in writing, the names, addresses, and the home, cell, and office telephone numbers of the key personnel to perform work under this contract.

C.1.32.2 Phase-out Period. The phase-out period shall be completed within sixty (60) calendar days after the end of the contract. During phase-out, the contractor shall permit the designated employees of the succeeding contractor to observe any and all functions, procedures, and operations. The contractor shall complete ongoing work and otherwise prepare for an orderly transition to the successor. The contractor shall assemble all working papers in an orderly and logical manner and deliver them to the successor (such as drawings, charts, diagrams, notes on work performed, as well as any information of an administrative nature that the successor may require). The contractor shall not defer any requirements for the purpose of avoiding responsibility or transferring such responsibility to the succeeding contractor. The contractor shall fully cooperate with his or her successor and the Government so as not to interfere with their work or duties.

C.1.33 Inspector General Inquiries. The contractor shall provide inspection, audits, surveys and requests for information, as necessary. The contractor shall provide access to Government facilities for the purposes of reviewing, inspecting and evaluating the Contractor's property management plan(s), systems, procedures, records, and supporting documentation that pertains to GFP. This access includes all site locations and, with the Contractor's consent, all subcontractor premises. The contractor shall provide, without prior notice, supporting documentation as needed for Army Audit Readiness and other audits, in accordance with FAR 52.245-1(g).

C.1.33 POST AWARD CONFERENCE/PERFORMANCE EVALUATION MEETINGS.

C.1.33.1 Post Award Conference. The contractor shall attend any post award conferences convened by the Government.

C.1.33.2 Performance Evaluation Meetings. A contractor-designated representative

shall meet with the COR at least once every two (2) weeks during the first quarter of the contract to discuss performance. Thereafter, the COR will schedule meetings as determined necessary. These meetings shall be attended by the appropriate personnel, during duty hours, and at no additional cost to the Government. The contractor shall provide for receipt and coordination of this contract, rapid resolution of questions and other issues associated with this contract, continuous maintenance and repair of instrumentation and equipment, coordination and accomplishment of administrative and logistical support service, and continuity in the knowledge and application of safety, security, environmental, health, and operating regulations. The contractor shall meet workload demands, when ordered by KO through a contract, which will vary depending on workload.

C.1.34 TECHNICAL COORDINATION.

C.1.34.1 Performance of work under this contract shall be in compliance with the contract and any approved documents associated with this contract.

C.1.34.2 All technical coordination shall be within the general scope of this contract. Technical coordination shall not result in any action that:

- Constitutes an assignment of additional work outside contract;
- Causes an increase in the total estimated cost, the resource limits approved by the KO in the approved Implementation Plan, or the time required for contract performance;
- Changes in any of the expressed terms, conditions, or specifications of this contract; or
- Interferes with the contractor's right to perform the terms and conditions of this contract.

C.2. DEFINITIONS AND ACRONYMS.

C.2.1. DEFINITIONS.

C.2.1.1. Accreditation. The official certification that a model, simulation, or federation of modeling and simulation and its associated data is acceptable (both credible and suitable) for use for a specific purpose.

C.2.1.2. Alternate Contracting Officer's Representative (ACOR). An employee of the U.S. Government appointed by a duly warranted KO to survey, inspect, and administer certain aspects of the contract in support of or absence of the primary COR. Such appointments shall be made in writing and provided to the contractor, and shall state the scope of authority and limitations.

C.2.1.3. ATEC Enterprise. ATEC Enterprise includes all organizations in ATEC to include: ATEC HQs, AEC, OECOEC, ATC, Dugway Proving Ground, Electronic Proving Ground, Redstone Test Center, White Sands Missile Range, and Yuma Proving Ground (see <http://www.atec.army.mil/organization.html>).

C.2.1.4. Contractor-Acquired Property. Property acquired, fabricated, or otherwise provided by the contractor for performing a contract and to which the Government has title.

C.2.1.5. Clock Hour. Based on the hours on a clock because some standards require same day service instead of waiting until the next business day.

C.2.1.6. Contractor. A supplier or vendor having a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime and its subcontractors.

C.2.1.7. Contracting Officer (KO). A person with who has been duly appointed to negotiate, award, manage/administer, change, and terminate contracts. A KO is the only individual who can legally bind the Government; this authority is not delegable or transferrable under the law. The KO reviews, analyzes, and makes determinations regarding all contractual matters under their authority.

C.2.1.8. Contracting Officer's Representative (COR). An employee of the Government appointed by a duly warranted KO to survey, inspect, and administer certain aspects of the contract. Such appointments shall be made in writing, provided to the contractor, and shall state the scope of authority and limitations.

C.2.1.9. Defective Service. A service output that does not meet the standard of performance associated with the contract and/or Performance Requirements Summary (PRS)

C.2.1.10. Deliverable. An end item (tangible item of supply) or a service (measurable but intangible) that is required to be delivered (or performed) under the contract for which the contractor has incurred cost to deliver. Deliverables may include shifts of work performance, reports, participation in meetings, etc.

C.2.1.11. Government-furnished Property. Property in the possession of, or directly acquired by, the Government and subsequently furnished to the contractor for performance of a contract.

C.2.1.12. Incidental property. Government property that is used by the contractor within the location remains accountable to the Government. Items considered to be incidental to the place of performance include, for example, office space, desks, chairs, telephones, computers, and fax machines

C.2.1.13. Other Direct Costs (ODC). This includes travel, materials, equipment, supplies, and overtime not otherwise covered in the contract or Section H. The contractor shall obtain pre-approval from the Government before any of these costs are incurred.

C.2.1.14. Quality Assurance (QA). The process the Government uses to verify that services being performed by the contractor are performed IAW acceptable standards.

C.2.1.15. Quality Assurance Surveillance Plan (QASP). An organized written document specifying the surveillance methodology to be used by the Government for

surveillance of contractor performance.

C.2.1.16. Quality Control (QC) All necessary measures taken by the contractor to assure that the quality of an end product or service meets contract requirements.

C.2.1.17. Subcontractor. One who enters into a contract with a prime contractor.

C.2.1.18. Technical Monitor. An employee of the Government who provides technical clarification to contractor employees.

C.2.1.19. Work Day. The number of hours per day the contractor provides services IAW this contract.

C.2.1.20. Work Week. Defined as Monday through Friday, unless specified otherwise by this contract.

C.2.2.ACRONYMS.

ACOR	Alternate Contracting Officer's Representative
ADSS	ATEC Decision Support System
AEC	Army Evaluation Center
AL	Alabama
APG	Aberdeen Proving Ground
APGR	Aberdeen Proving Ground Regulation
APSR	Accountable Property System of Record
AQL	Acceptable Quality Level
AR	Army Regulation
AS	Audio Support
ASCL	Alternate Smart Card Logon
ASL	Authorized Stockage List
AT	Antiterrorism
ATC	Aberdeen Test Center
ATCTS	Army Training and Certification Tracking System
ATEC	Army Test and Evaluation Command
ATO	Antiterrorism Officer
ATTM	ATEC Training Tracker Module
AUP	Acceptable Use Policy
AV	Audiovisual
AVI	Audiovisual Information
AVLB	Army Vehicle Launched Bridge
AWS	Alternate Work Schedule
AZ	Arizona
BI	Business Intelligent
BOAC	Billing Office Accounting Code
BPI	Business Process Improvement
CAC	Common Access Card

DRAFT

CAP	Contractor Acquired Property
CCIR	Commander's Critical Information Report
CDRL	Contract Data Requirements List
CE	Computing Environments
CFR	Code of Federal Regulation
CLIN	Contract Line Item Number
CMRA	Contractor Manpower Reporting Application
CNWDI	Critical Nuclear Weapon Design Information COB
	Close of Business
COMSEC	Communications Security
CONUS	Continental United States
COR	Contracting Officer's Representative
COTS	Commercial-Off-the-Shelf
CRP	Central Receiving Point
CS	Customer Support
CSSP	Cybersecurity Service Provider
DA	Department of the Army
DD Form	Department of Defense Form
DevSecOps	Development, Security, and Operations
DISA	Defense Information Systems Agency
DOD	Department of Defense
DODD	Department of Defense Directive
DODI	Department of Defense Instruction
DODM	Department of Defense Manual
DREN	Defense Research and Engineering Network
DVTC	Desktop Video Teleconference
ESNO	Enterprise Systems and Network Operations
FAR	Federal Acquisition Regulation
FGI	Foreign Government Information
FPCON	Force Protection Condition
FRD	Formally Restricted Data
FSC	Federal Service Code
FTC	Forward Test Center
FTE	Full-Time Equivalent
GFP	Government-Furnished Property
GOTS	Government-Off-the-Shelf
GSA	General Services Administration
HBSS	Host Based Security Solution
HRH	Hand Receipt Holder
HQ	Headquarters
HQDA	Headquarters Department of the Army
IA	Information Assurance
IAT	Information Assurance Technical
IAW	In Accordance With
IDS	Intrusion Detection System
IMO	Information Management Officers

DRAFT

ISSM	Information Systems Security Manager
ISSM-P	Program Information Systems Security Manager
ISSP	Information System Security Program
IT	Information Technology
ITR	Information Technology Resource
KO	Contracting Officer
LAN	Local Area Network
MD	Maryland
MHE	Material Handling Equipment
MIS	Management Information Systems
MS	Microsoft
MS-SQL	Microsoft–Structured Query Language
NATO	North Atlantic Treaty
NC	North Carolina
NIPRNET	Non-secure Internet Protocol Router Network
OCI	Conflict of Interest
OCONUS	Outside Continental United States
ODC	Other Direct Costs
OEM	Operator’s Equipment Manual
OF	Optional Forms
OIP	Organizational Inspection Program
OK	Oklahoma
OMB	Office of Management and Budget
OPORDS	Operation Orders
OPSEC	Operational Security
OSHA	Occupational Safety and Health Act
OECOEC	Operational Test Command
PAO	Public Affairs Officer
PAS	Property Accountability System
PBO	Property Book Officer
PED	Personal Electronic Device
PM	Program Manager
PMM	Project Management Module
PMP	Project Management Professional
POC	Point of Contact
POV	Privately Owned Vehicle
PRS	Performance Requirements Summary
PWA	Project Web App
PWS	Performance Work Statement
QA	Quality Assurance
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
RA	Restricted Area
RD	Restricted Data
RDO	Regular Day Off
RFO	Revolutionary FAR Overhaul (FAR = Federal Acquisition Regulations)
RMF	Risk Management Framework

DRAFT

ROM	Rough Order of Magnitude
SAN	Storage Area Network
SAP	Special Access Program
SCIF	Sensitive Compartmented Information Facility
SDREN	Secret DREN
SHARP	Sexual Harassment/Assault Response Prevention
SIPRNET	Secret Internet Protocol Router Network
SLIN	Sub-Contract Line Item Number
SME	Subject Matter Expert
SMO	Security Management Office
SOP	Standing Operating Procedure
SQL	Structured Query Language
STIG	Security Technical and Implementation Guide
SVTC	Secure VTC
T3	Tier 3
T3R	Tier 3 Reinvestigation
T5	Tier 5
T5R	Tier 5 Reinvestigation
T&E	Test and Evaluation
TAMMS	The Army Maintenance Management System
TARP	Threat Awareness and Reporting Program
TASS	Trusted Associate Sponsorship System
TB	Technical Bulletin
TDAP	Technology Development & Acquisition Program
TESTFACS	Test Facilities Capability Register
TM	Technical Monitor
TO	Task Order
TRP	Test Resource Plan
TS	Top Secret
TX	Texas
UIC	Unit Identification Code
UID	Unique Identification
UPS	Uninterrupted Power System
USC	United States Code
VBA	Visual Basic for Applications
VCS	Vendor Credentialing
VDLS	Versatile Information Systems Integrated Online
VIP	Very Important Person
VM	Virtual Machines
VPN	Virtual Private Network
VTC	Video Teleconference
WAN	Wide Area Network
WAR	Weekly Activity Report
WAWF	Wide Area Work Flow
WBS	Work Breakdown Structure
WCAG	Web Content Accessibility Guidelines

C.3. GOVERNMENT-FURNISHED ITEMS AND SERVICES.

C.5.1 GOVERNMENT-FURNISHED FACILITIES/OFFICE SPACE.

C.5.1.1 The Government will provide the office space for each location in Attachment 9 - Government Furnished Office Space. The location and amount of office space may change over the life of the contract depending on workload, but it is anticipated that all space needed for the performance of this contract will be provided by the Government. Only contractor personnel supporting this contract can occupy Government-provided facilities. If required, the Government may provide additional office space, furnishing, equipment and storage space for contractor personnel as set forth in the contract. If additional facilities/office space is required and suitable facilities/office space is unavailable to meet mission requirements, the contractor shall send a written request to the COR. If the COR is unable to accommodate the request within 30 days, a written request for approval to lease non-Government facilities shall be submitted to the KO.

C.5.1.2 Compliance with OSHA and other applicable laws and regulations for the protection of employees is exclusively the obligation of the contractor and the Government will assume no liability or responsibility for the contractor's compliance or non-compliance with such responsibilities, with the exception of the aforementioned responsibility to make corrections IAW approved plans of abatement subject to post- wide priorities.

C.5.1.3 The contractor shall make no alterations to Government or Government-provided facilities without specific written permission from the KO. However, in the case of alterations necessary for OSHA compliance, such permission will not be unreasonably withheld. The contractor shall notify the KO of any requirement to modify the facilities and shall provide documentation describing in detail the modifications required.

C.5.2 GOVERNMENT-FURNISHED PROPERTY/ITEMS.

C.5.2.1 At ATEC HQ, the contractor shall be accountable for all items listed on Attachment 10 - GFP at ATEC. The Government will provide a vehicle for delivering and picking up equipment.

C.5.2.1.1 At APG, the Government will provide access to Government vehicles to use on this contract only to drive downrange to support the IT mission. The Government will also provide a vehicle for use when delivering equipment. The Government will provide two (2) magnetic placards that the contractor shall use at all times to identify Government vehicles. The placards will be in two-inch black lettering on a white background that state, "Government-owned, Contractor-operated."

C.5.2.2 At ATC, the contractor shall be accountable for all items on Attachment 11 - GFP at ATC. At ATC, the Government will provide access to Government vehicles to use on this contract only to drive downrange to support the IT mission. The Government will also provide a vehicle for use when delivering equipment

C.5.2.2.1 At ATC, the Government will provide access to Government vehicles to use on this contract only to drive downrange to support the IT mission. The Government will also provide a vehicle for use when delivering equipment.

C.5.2.3 At Fort Hood, the contractor shall be accountable for all items on Attachment 12 - GFP at OEC. The government will provide a Heavy-duty Cargo van to be used only for the performance of the contract to support the IT mission.

C.5.2.4 The Government will provide basic furniture for all Government facilities/office space.

C.5.3 GOVERNMENT-FURNISHED SERVICES.

C.5.3.1 Training. Most of the Government-furnished training can be found online in the ATEC Training Tracker Module (ATTM), ATCTS, other designated internet locations, or may be face-to-face. The COR or other designated Government representatives will provide the source and location of the training. The Government furnished and required security training includes Initial (New Hire) and Annual Cybersecurity Awareness Training, iWATCH, Antiterrorism, OPSEC, Threat Awareness and Reporting Program (TARP) Training, and any other command mandated training. The contractor shall designate a primary and alternate POC to upload completion certificates in the designated Government system for each affected contractor employee and subcontractor employee. The required Government-furnished training is identified below and is subject to change at any time.

C.5.3.1.1 DOD Cyber Awareness Challenge. All prime and subcontractor employees with pending access to Government information systems shall be registered in ATCTS at commencement of services and shall successfully complete the DOD Cyber Awareness Challenge training prior to access to information systems and then annually thereafter IAW DODD 8570.01, DOD 8570.01-M, and AR 25-2.

C.5.3.1.2 Antiterrorism (AT) Level I. All prime and subcontractor employees requiring access to Army installations, facilities, and controlled access areas shall complete AT Level I awareness training within 30 calendar days after contract start date and shall be completed annually thereafter. The Contractor shall submit certificates of completion for each affected Contractor employee and subContractor employee, to the COR or to the contracting officer (if a COR is not assigned), within 30 calendar days after completion of training by all employees and subContractor personnel. AT level I awareness training is available at the following website: <http://jko.jten.mil>.

C.5.3.1.3 iWATCH. All prime and subcontractor employees shall complete training (training standards provided by the requiring activity Antiterrorism Officer (ATO)). This locally developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within 30 calendar days of contract award and within 30 calendar days of new employees commencing performance, with the results reported to the COR no later than 30 calendar days after contract award.

C.5.3.1.4 OPSEC. Per AR 530-1, all prime and subcontractor employees shall complete Level 1 OPSEC training within 30 calendar days of their reporting for duty and then annually thereafter. The Government will provide supplemental training/guidance if required.

C.5.3.1.5 Threat Awareness and Reporting Program (TARP). All prime and

subcontractor employees shall complete the annual TARP training.

C.5.3.1.6 At the WSMR location: **Part and Full Time Permanent Employee Security Training Tracking:** Part and full time permanent employees requiring either WSMR Network access, installation access in excess of six months or both shall be required to complete all security-mandated trainings assigned and tracked through the ATEC Training Tracker Module (ATTM). The COR and the Government Training Coordinator log Contractor personnel and training requirements.

C.5.3.1.6.1 Other Category Employees Security Training Tracking: Casual, temporary, and those employees that do not have WSMR Network access shall be required to complete all assigned security trainings assigned through the ATTM to those employees identified above. The FSO and the G-2 Industrial Security Officer (ISO) shall coordinate the delivery and tracking method. Annually (last week of August) a report of all such employees, identifying the completion date of each training event by each employee shall be provided to the WSTC ISO.

C.5.3.1.6.2 New Employee Orientation: New Contractor employees require security training within thirty (30) days of start date. For the purposes of security training events, a new hire shall be defined as an employee that is newly hired to the Contractor or is returning after a break in employment in excess of one year. If an employee was previously a service member, civil servant, or employed with another Contractor assigned to or contracted by the WSMR/ATEC Command and did not have a break in service in excess of one year they shall not be considered a new hire. The Contractor, the Government Training Coordinator, the COR, the FSO, and the ISO track Contractor security requirements.

C.5.3.2 Communications.

C.5.3.2.1 The Government will provide network access for all computer systems required for the conduct of official business in the performance of this contract. Access to the network must be coordinated with the COR.

C.5.3.2.2 The Government will provide all information systems required to support this contract. The contractor shall use these systems inclusive of changes, modifications, or replacement of the systems, in whole or in part, throughout the period of performance of this contract. Recommended alternatives or changes to existing systems shall be submitted to the COR for approval. The contractor shall not implement changes without written approval from the COR who will contact appropriate Government personnel for final approval.

C.5.3.2.3 The Government will provide access to the existing Government LAN and email capability. The contractor may use the LAN to access the Internet or to communicate outside of the Government as required for contract performance. The contractor shall use CACs to access the LAN resources.

C.5.3.2.4 The Government will provide telephone communication service for office phones exclusively for the conduct of official business. The contractor shall be responsible for charges for long-distance telephone calls made or accepted by contractor personnel, which are not for the purpose of conducting official Government business. Telephone service will be subject to the standard monitoring requirements of the Government

telephone network. Government-furnished telephones are subject to security monitoring at all times. Use of these telephones constitutes consent to security monitoring. The contractor shall ensure DD Form 2056, Do Not Discuss Classified Information, is affixed to each telephone provided by the Government for the contractor's use. The contractor shall coordinate telephone service requirements with the COR.

C.5.3.3 Custodial and Refuse Services. The Government will provide custodial and refuse services for the Government facilities used in performance of this contract. The Government's provision of custodial and refuse services do not relieve the contractor of the responsibility for keeping work areas in a clean and sanitary condition. In some areas, the contractors shall be required to empty trash from office/shop trash cans into dumpsters.

C.5.3.4 Hazardous Waste Disposal. The Government will dispose of hazardous waste produced during performance of this contract. The contractor shall contact the COR to request disposal of such waste. At Fort Hood, the contractor shall take the hazardous waste to the Hazard Waste Office on Fort Hood.

C.5.3.5 Postage. The Government will provide postage to accomplish the requirements of specific tasks.

C.5.3.6 Copying, Printing, and Reproduction. The Government will provide shared-use copy machines for limited copying of official reports, documents, and correspondence to accomplish the requirements of specific tasks. The Government will provide printing services from the DLA Document Services to accomplish the requirements of specific tasks. All printing services must be coordinated with the COR.

C.5.3.7 Insect and Rodent Control. The Government will provide insect and rodent control service for Government-furnished facilities. The contractor shall coordinate with the COR if and when these services are required.

C.5.3.8 Snow and Ice Removal. The Government will provide snow and ice removal for the parking lots and roadways.

C.5.3.9 Preventive Maintenance and Repair to Government-owned Facilities. The Government will provide preventive maintenance and repair to Government-owned facilities. Maintenance will be provided IAW Government maintenance schedules. The contractor shall notify the COR if emergency maintenance is required. The occupants of buildings are responsible for the submission of service/work requests and will follow the applicable local policies to have maintenance performed.

C.4. CONTRACTOR-FURNISHED ITEMS AND SERVICES.

C.4.1 GENERAL. The contractor shall furnish all necessary supplies, parts, materials, tools, support equipment, labor, and vehicles required to perform all operations required by this contract, except for those items or services specifically stated as Government-furnished.

C.4.2 CONTRACTOR-FURNISHED FACILITIES/OFFICE SPACE. At this time, the contractor is not required to provide facilities/office space on this contract. If facilities/office space is required at a later date, the KO will provide the contractor with

written authorization.

C.4.3 CONTRACTOR-FURNISHED ITEMS. The contractor shall provide all property not specifically identified as Government-furnished, but which are necessary to perform the requirements of this contract. If contractor-furnished property is required, the items shall be compatible with Government systems.

C.4.3.1 The contractor shall provide all expendable office supplies related to the management of this contract. Contract employees working on a government site will have access to government provided materials required to perform services under this contract.

C.4.3.2 At ATC, the contractor will provide steel toe safety shoes, hard hats, safety glasses, and cut resistant safety gloves as needed.

C.4.4 CONTRACTOR-FURNISHED SERVICES.

C.4.4.1 Shipment of Government Property. In connection with the contractor's shipment of property acquired for the Government's account by the contractor, or property furnished by the Government to the contractor for use in the performance of the contract, the contractor will submit an original and three (3) copies of DD Form 1659, Government Bill(s) of Lading/Export Traffic Release, to the COR or authorized representative for property matters. The request for shipment of Government property will be made after the contractor has received the applicable shipping instructions from the COR or Property Representative. Contractors shall use the most cost-effective means for shipping items.

C.4.4.2 If required, the contractor shall empty trash cans into Government-provided dumpsters. The contractor shall maintain a clean and clear area surrounding Government-provided dumpsters.

C.5. SPECIFIC TASKS.

C.5.1 GENERAL. The contractor shall perform the specific requirements described below in the performance of this contract and provide reports IAW with all CDRLs. The contractor shall be required to provide above baseline services for the SOs as reimbursable and therefore no cross-utilization of personnel between Baseline and Above Baseline Staffing or between Above Baseline Staffing to other Above Baseline sections is authorized without prior approval from the COR/KO. Qualifications for the labor categories to perform these requirements are provided in Attachment 1 – Position Qualifications.

C.5.2 INFORMATION TECHNOLOGY SUPPORT. This IT support includes both classified and unclassified system applications and networks, to include the DREN and SIPR Café network support. The contractor shall provide the following:

C.5.2.1 Customer Support (CS). The contractor shall provide IT CS at the following locations: ATEC HQs, ATC, OEC, and WSMR to include forward directorates, and possibly at other locations when specified by the Government. Each CS center will operate IAW

standards and operating procedures established for the ATEC Enterprise network, or if not established, for each location.

C.5.2.1.1 Help Desk. Utilizing Government-owned equipment and networks, the contractor shall independently and with minimal government oversight provide comprehensive Help Desk support that meets or exceeds the service levels defined herein, which includes the following duties: The contractor shall:

C.5.2.1.1.1 Independently lead and manage the entire Help Desk Team on a day-to-day basis with minimum Government oversight, ensuring the team is fully staffed to minimize the backlog of unworked trouble tickets. The contractor shall ensure the rigorous application of cybersecurity policies, principles, and practices in the delivery of all customer support services. Resolve customer questions and problems concerning Information Technology (IT) automation systems, software and/or hardware problems associated with, and responsible for logging trouble tickets/work orders. Be responsible for diagnosing and resolving problems in response to customer reported incidents by researching, evaluating, implementing fixes and providing feedback on one-time and problematic trends/patterns with customer support requirements. Responsible for developing and maintaining problem tracking and resolutions databases; installing, configuring, troubleshooting, and maintaining hardware and software. Determine the exact nature of problems (e.g., routine, non-routine, user error, faulty data lines, equipment malfunctions, software malfunctions, etc.); and provide users with solutions to problems. Collects information from callers to be used in the troubleshooting and restoration of network and application services. Enter information collected into an automated trouble ticket system. Develops, coordinates, and assists in the installation, configuration, utilization, and operation of IT equipment. Assists in the review of functional user justifications and requirements for new or additional IT capabilities in either hardware or software solutions.

C.5.2.1.1.2 The Help Desk shall serve as the central point of contact for all end-user support requests by providing technical assistance to customers to minimize disruptions of computer operations. The contractor shall receive and accept all requests for assistance from customers via phone, walk-ins, or computer-generated service requests/incidents. All requests shall be logged, tracked, and documented daily in a Government-provided automated trouble ticket system, with complete documentation and performance metrics maintained for all requests. All requests shall be assigned a priority level upon intake, and the contractor shall be measured against the following Government-defined Service Level Agreements (SLAs): 1) Critical – system outage or mission stoppage for a VIP or group of users, max response time is 15 mins, max resolution time is 4 hours 2) High – Significant degradation of service; a single user's work is stopped, max response time is 1 hour, max resolution time is 8 business hours 3) Normal – minor issue, request for new service, or routine maintenance, max response time is 4 business hours, max resolution time is 3 business days. Response Time is defined as the time from ticket creation to when a technician begins active work on the issue. Resolution Time is defined as the time from ticket creation to when the issue is resolved and the ticket is closed. The Contractor shall achieve a First-Contact Resolution rate $\geq 40\%$ (quarterly) for Tier 0/1 issues and a CSAT $\geq 4.3/5$ across surveyed tickets, with $\geq 20\%$ survey response rate. VIP-designated incidents shall trigger immediate paging to the on-duty Team Lead and the Site Lead and shall follow an SLA uplift of +50% faster response/resolution than the base SLA.

C.5.2.1.1.3 The contractor shall maintain a customer service desk to provide the following levels of support:

Metric: Tier 1, telephonic, email, walk-in, and remote-access support that will resolve customer service requests for 85% or more of the service requests submitted. Tickets assigned as Tier 1 will be Assigned and Open Service Request ticket within 30 minutes of customer notification, Monitored, Resolved and Closed within 48 working hours of creation. Report requirement: Tier 1 tickets measured using X/Y (Tier 1 closed tickets/Total Tier 1 tickets), reported monthly.

Metric: Tier 2, touch labor to resolve customer service requests not cleared by Tier 1 (approximately 13%). Tickets assigned as Tier 2 will be Assigned, Monitored, Resolved and Closed within 96 working hours of creation. Report requirement: Tier 2 tickets measured using X/Y (Tier 2 closed tickets/Total Tier 2 tickets), reported monthly.

Metric: Tier 3, Engineering level support (approximately 1-2% of all service requests). Tickets assigned as Tier 3 tickets will be Assigned, Monitored, Resolved and Closed within 336 working hours of creation. Report requirement: Tier 3 tickets measured using X/Y (Tier 3 closed tickets/Total Tier 3 tickets) reported monthly.

Metric: Tier 4 specialized support beyond the contractor's technical ability which would require contract personnel to work with a vendor or external support to resolve an issue.

Metric: Touch labor support not identified as Tier 1-3 shall be provided within two (2) working days of Service Request. Resolution shall be within four (4) working days of Service Request. Any service request not closed within the four (4) day requirement must be reported in writing to GOVT help desk representative. Report requirement: Weekly report identifying ticket number, remedy group and total time since ticket creation.

C.5.2.1.1.4 The contractor shall diagnose IT issues to determine the exact nature of the problem (e.g., user error, equipment or software malfunction) and resolve all customer problems concerning IT systems, software, hardware, and collaboration platforms. The contractor shall be responsible for testing and analyzing computer hardware and software malfunctions, understanding and distinguishing between various types of equipment, software, type of network connectivity and their LAN malfunctions and adjusting equipment configurations to resolve problems. The contractor shall proactively interact with users to ensure proper system operation and provide technical assistance to minimize disruptions. The contractor is responsible for maintaining the complete status of trouble calls for reference and reporting purposes.

C.5.2.1.1.5 The contractor shall deploy, install, configure, troubleshoot, and maintain customer hardware (e.g., desktops, laptops, tablets, monitors, printers) and a wide range of software. This includes supporting all Government-approved operating systems (e.g., Microsoft, Linux, UNIX, MacOS, Apple iOS, Android OS) and providing technical assistance for leading-edge hardware and software as it becomes available. The contractor shall provide direct, hands-on assistance to users in initiating and conducting meetings on collaboration platforms (e.g., MS Teams), to include troubleshooting client software and in-room peripherals such as cameras, microphones, and displays.

C.5.2.1.1.6 The contractor shall perform software installation and removal, including the imaging of computer systems with the latest approved operating system image. The contractor shall also perform user data backup and restore as required during system replacement and provide hard drive recovery services. Assists in the completion of special projects such as operating system upgrades, life cycle replacements, mass deployments of IT hardware, etc.

The contractor shall report and monitor warranty work, identifying hardware failures and ensure that repairs are accomplished when under vendor warranty. Coordinates and schedules warranty repairs, monitors and verifies repair actions, and reports completed warranty repairs. The contractor shall proactively interact with users to ensure proper operation of computer systems, hardware, and software. The contractor shall install and maintain hardware devices supporting a broad range of information systems employing multiple network and local operating systems and software. The contractor shall provide direct, hands-on assistance to users in initiating and conducting meetings on collaboration platforms (e.g., MS Teams), to include troubleshooting client software and in-room peripherals such as cameras, microphones, and displays.

C.5.2.1.1.7 The contractor shall lead and manage the entire contractor Helpdesk Team on a day-to-day basis with minimum Government oversight. The contractor Helpdesk Team is responsible for meeting the specific needs of ATEC customers by ensuring their needs are met in a timely manner and in accordance with Government service level agreements. Maintains complete status of trouble tickets/calls for reference and reporting purposes to the Government upon request. The contractor shall keep the Helpdesk Team fully staffed to minimize the backlog of unworked trouble tickets.

C.5.2.1.1.8 Track and document all requests for assistance daily from customers via phone, in person, or electronic means using a Government-provided tracking system. The contractor shall maintain documentation and metrics for all requests which will be monitored weekly by the Government.

C.5.2.1.1.9 Respond to, determine action to be taken, and take appropriate action to resolve customer problems dealing with hardware, software, and communications or escalate problems to a higher-level IT representative IAW each organization's IT policy or test mission requirement. The Very Important Persons (VIP) list will be provided by the COR on contract start date.

C.5.2.1.1.10 Provide feedback, updates and status to users on their requests for assistance IAW local procedures as directed by the Government

C.5.2.1.1.11 Provide configuration and user support for all Government-approved operating systems including, but not limited to, Microsoft, Linux, UNIX, Macintosh, Apple iOS, Android OS etc.

C.5.2.1.1.12 The contractor shall provide printer and print server support.

C.5.2.1.1.13 The contractor shall identify hardware failures and shall be responsible for coordinating and scheduling all vendor warranty repairs, monitor and verify all repair actions, and report on completed repairs to the Government.

C.5.2.1.1.14 For issues that cannot be resolved at the Help Desk level, the contractor shall escalate the problem to the appropriate higher-level IT representative in accordance with established policy, giving priority to users on the Government-provided VIP list. The contractor shall provide feedback, updates, and status reports to users throughout the entire process.

C.5.2.1.1.15 The contractor shall manage user account credentials and specialized Government-issued devices. Responsibilities shall include: issuing and resetting PINs on Common Access Cards (CACs); assisting in the process of obtaining Alternate Smart Card Logon (ASCL) and SIPRNET logon tokens; and managing the In-and-Out-processing of all personnel, including internal transfers.

C.5.2.1.1.16 The contractor shall manage Personal Electronic Device (PED) configurations and provide wireless device support for Apple and Android devices, including device setup, user training, troubleshooting, and software repairs.

C.5.2.1.1.17 The contractor shall develop, maintain, and update IT documentation. This includes internal documents for Help Desk personnel to expedite problem resolution and external end-user guides to support customer self-sufficiency. All documents and modifications must be approved by the Government prior to implementation.

C.5.2.1.1.18 The contractor shall be responsible for maintaining the problem-tracking and resolutions database, assisting in special projects (e.g., OS upgrades, mass deployments), assisting the Government in reviewing functional user justifications for new IT capabilities, and proactively providing feedback on problematic trends and patterns.

C.5.2.1.1.19 Provide technical assistance for leading edge hardware and software as it becomes available.

C.5.2.1.1.20 At OTCOEC, the contractor shall issue CACs and reset PINs on CACs during published duty hours. At ATEC and ATC, the contractor shall reset PINs on CACs. The contractor shall assist in the process of obtaining Alternate Smart Card Logon (ASCL) tokens used for administrative rights to computers for System Administrators on DREN. At ATEC HQ the contractor will be involved in the process of obtaining logon tokens for SIPRNET. At ATEC HQ the contractor shall manage the In and Out processing of all Military, Civilian and Contractor personnel. The process also encompasses internal transfers among ATEC HQ and AEC directorates. The contractor shall manage Personal Electronic Device (PED) configurations.

C.5.2.1.1.21 Provide hard drive recovery services.

C.5.2.1.1.22 Assist in developing, maintaining, and updating IT documents for use by help desk personnel to expedite problem resolution. The Government will approve all updates and/or modifications before implementation

C.5.2.1.1.23 At ATEC HQ and OEC, the contractor shall provide Wireless Device support. Support shall include but not be limited to device setup, user training, troubleshooting, and software repairs of Apple and Android devices, as well as any future technology.

C.5.2.1.1.24 At ATEC HQ the contractor shall provide on-site Organizational Inspection Program (OIP) support. The Government will provide the schedule and request support in advance for each instance.

C.5.2.1.1.25 Maintain property accountability of property turned into the help desk, IAW procedures established in AR 735-5 and AR 710-2.

C.5.2.1.2 Maintenance and Restoration Services.

C.5.2.1.2.1 Reactive Maintenance and Restoration. The contractor shall perform all reactive maintenance, repair, and restoration services to ensure operational availability. The contractor shall:

C.5.2.1.2.2 Maintain and repair all hardware, software, and communications identified by the Government as critical to network operations, providing a network availability of 99.9% of the time during duty hours for each site per each quarter, unless specifically accepted by the Government.

C.5.2.1.2.3 Provide elevated attention to any ticket assigned a Priority Level of 'Critical' in the Help Desk SLA and shall be considered a service request against a critical asset and is subject to the response times defined herein

C.5.2.1.2.3.1 For these critical IT assets: all hardware, software, and communications identified as critical by the Government, the contractor shall perform restoration services within a response time of fifteen (15) minutes during core staff operations and two (2) clock hours outside of core staff operations.

C.5.2.1.2.3.2 For all non-critical IT assets, the contractor shall perform restoration services within three (3) workdays of problem notification by the Government. Availability calculations exclude Government-approved planned maintenance windows, third-party carrier outages, and DODIN-wide incidents declared by the CSSP/JFHQ-DODIN. Availability shall be measured via automated monitoring (synthetic availability probes) corroborated by ticketing system timestamps.

C.5.2.1.2.3.3 Availability calculations exclude Government-approved planned maintenance windows, third-party carrier outages, and DODIN-wide incidents declared by the CSSP/JFHQ-DODIN. Availability shall be measured via automated monitoring (synthetic availability probes) corroborated by ticketing system timestamps.

C.5.2.1.2.4 Preventative Maintenance. The contractor shall perform preventative maintenance for all hardware, software, and communications identified as critical by the Government. All preventative maintenance shall be performed during other than core staff operations to minimize mission impact, unless specifically identified otherwise by the Government.

C.5.2.1.2.5 **SIPR Café requirements** include support for approximately 200 users. Maintain up to 5 SIPR workstations and print services for use by SIPR users. Provide PKI support for all standard and privileged SIPRNet users. Provide PKI support for all DREN privileged users, limited to ordering and maintaining ASCL tokens. Follow all DoD closed

storage policies and procedures.

C.5.2.1.2.6 **Desktop/Software/Printer/MFD/Peripheral Support**

Services and STIG Support: Provide desktop, software, and peripheral support, release management, and account management. Includes touch labor for this PSC.

C.5.2.1.2.7 Contractor shall install/deliver/pickup/relocate end user devices within the scope of the contract at the service desk and from end user's place of duty. This includes, but not limited to, users' computers, printers, multi-function devices (MFD), internal/external computer components, scanners, CAC readers, external hard drives, docking stations, monitors, keyboards, and mice. Only exception is if the computers, printers, or multi-function devices (MFD) is under a different support contract.

C.5.2.1.2.8 The contractor shall remotely and locally (touch labor) install/implement software/firmware updates, security updates, vendor patches, service packs, service releases, IAVA's, CVEs, STIGs, settings, etc., to the end user devices as required by the Government and/or guidance published by higher entities to include, but not limited to OPODs, EXORDs, TASKORDs, CTOs, and BPGs. Contractor shall use Government-provided software tools that currently include Microsoft Configuration Manager (MCM), WSUS, Windows Server GPOs, STIG checklists, ACAS, Evaluate STIG and contractor developed tools if approved by the Configuration Control Board (CCB).

C.5.2.1.2.9 The contractor shall remotely and locally (touch labor) manage, troubleshoot, and repair end user devices and applications.

C.5.2.1.3 Warranty Management. The contractor shall manage warranties on all property identified by the Government. The contractor shall provide the warranty records in the form of the Maintenance/Warranty Report (CDRL A006) to the Government. The contractor shall identify warranty and maintenance requirements, notify the COR and Government Lead sixty (60) days prior to their expiration dates, and execute the maintenance purchases upon receipt of Government review and approval. The contractor shall inform the Government, in writing, of all warranty actions and any difficulties encountered during warranty management. The contractor shall repair warranty items without recourse to the warranty if:

C.5.2.1.3.1 The failure or defect results from contractor abuse or from improper or inadequate contractor maintenance, as determined by the Government.

C.5.2.1.3.2 The Government authorizes such repair.

C.5.2.1.3.3 The contractor shall comply with standard Army execution and warranty claim action reporting programs as defined in AR 700-139 and DA Pamphlet 750-8.

C.5.2.1.3.4 The contractor shall inform the COR in writing of all warranty actions.

C.5.2.1.4 Standard Software Baseline Configuration. The contractor shall be

responsible for configuring all Information Technology Resources (ITRs) with the standard configuration baseline IAW ATEC configuration management plans unless otherwise indicated by the Government. This contractor shall maintain a standard configuration baseline in accordance with Army policy and will include site specific enhancements. The contractor shall ensure latest system baselines contain all necessary changes, updates, and end user software requirements. The contractor shall be responsible for testing and validating that the baseline is stable, secure, and fully functional prior to deployment.

C.5.2.1.5 The contractor shall manage the accountability of the software-licensing program. The contractor shall be responsible for ensuring the organization remains in compliance with all software license agreements and shall prevent the use of unauthorized or unlicensed software on the network.

C.5.2.1.6 Project Management Services. The contractor shall organize, document, and participate in ATEC IT projects for project management services, to include planning, purchasing, executing, and maintaining IT hardware and software, as directed by designated Government representatives and ATEC G6. When tasked by the Government to lead an IT project, the contractor shall provide formal project management services. For any such assigned project, the contractor shall develop and deliver a project plan for Government approval, which shall include, at a minimum, a work breakdown structure, a schedule with key milestones, and a risk register. For any project designated for turnover to O&M, the Contractor shall prepare an Operations Readiness Review (ORR) package including as-built design, CMDB entries, runbooks/SOPs, monitoring & alerting configured, backup/restore jobs, security baselines/STIG checklists, support model (tiers, on-call), and acceptance test results. The Government Product Owner will chair the ORR. Upon successful ORR, the Government will issue an Operations Acceptance memo; the Contractor assumes O&M accountability at that time.

C.5.2.1.7 Acceptable Use Policy (AUP). The contractor shall enforce the organization's AUP for all civilian, military, and contractor personnel when using Government information systems as defined by the Government. The contractor shall alert organization's Information System Security Manager to any observed violations of the Army IT User Agreement while performing its duties.

C.5.2.1.8 Information Management Officer (IMO). As required by the Government, the contractor shall designate personnel to serve as IMOs. The Government will officially appoint in writing in order to perform various IMO duties (e.g., communicate with external and/or higher-level IT organizations on behalf of the Government customer, act as liaison between ATEC Secret Internet Protocol Router Network (SIPRNET) users, the local Network Enterprise Center, etc.).

C.5.2.1.9 Video Teleconference (VTC)/Secure VTC (SVTC) Support. The contractor shall provide comprehensive support for meetings, conferences, live events, and training events at designated locations. The contractor shall provide VTC/SVTC capability support for approximately 40 rooms at APG, approximately 30 rooms at Fort Hood, 4 rooms at Fort Huachuca (as well as an Integrated Satellite Dish System, VTC Teleconference Bridge, GVS Gateway, GVS Call Control, and Video System Manager), and approximately four (4) rooms at Fort Bragg, as well as a VTC Teleconference Bridge, VCS expressway, VCS call

control, and Video System Manager at APG. The contractor's responsibilities shall include providing network layout designs and reconfiguring entire room setups on a per-event basis. This encompasses the full integration, operation, setup, and teardown of all event equipment, including AV systems, network connections, and furniture. For all scheduled events, the contractor shall complete a comprehensive pre-event readiness and communications check no less than two (2) hours prior to the event start time. The performance standard for event support is zero contractor-caused technical failures during the scheduled event. The contractor shall perform all necessary upgrades and updates to room support equipment and shall catalogue all primary and ancillary room equipment. The contractor shall manage the basic operating system, hardware installation, system configuration, call accounting system, audio and video connections, and usage reports for Desktop Video Teleconferences (DVTCs), AV/VTC/SVTC systems, and Studio VTCs. Any contractor employee who handles COMSEC shall have a TS clearance.

C.5.2.1.9.1 Ceremony and Audio Support. The contractor shall provide dedicated Audio or AV Support for all scheduled ceremonies, events, and conferences. This includes scheduling and facilitating large-scale conferences and events, distributing all relevant information to participants, and providing technical expertise if problems are encountered. The contractor shall be responsible for the direct operation of all audio and AV equipment required to support ceremonies. The contractor shall:

C.5.2.1.9.1.1 Provide user instructions for Audiovisual (AV)/VTC systems, operate and maintain the VTC bridge and associated components, and VTC endpoint systems.

C.5.2.1.9.2 Provide cybersecurity compliance for all VTC components in accordance with Army and organizational policy (DISA Security Technical Implementation Guides (STIGs) mandated software patches) of all ATEC VTC endpoints

C.5.2.1.9.3 Provide remediation of all VTC components following release of vulnerability notifications, within the mandated compliance window.

C.5.2.1.9.4 Provide outage reports immediately to the Government upon identification and immediately upon resolution (CDRL A007).

C.5.2.1.9.5 Identify AV and video teleconferencing improvements and solutions to meet Government needs for advanced and new technology solutions, to include any new hardware or software, any new release of existing software, any hardware upgrade, etc., that will increase the efficiency, economy, or cybersecurity posture of the VTC facilities or equipment. The contractor shall identify specific quantity and cost of replacing/upgrading equipment as changes in technology occur to the Government.

C.5.2.1.9.6 Manage day-to-day VTC operations which include audio, video and presentation support across facilities designated by ATEC. Responsible for VTC gateway and teleconference bridges and troubleshooting of the entire VTC system and its individual components. Working Team Leader shall demonstrate a high level of technical competence in the video teleconference field and is responsible for ensuring DISA Security Technical Implementation Guides (STIGs) mandated policy and software patches are in compliance of VTC endpoints.

C.5.2.1.9.6.1 Meeting, Conference, and Training Room Support (ISIL) at Fort Huachuca. The contractor shall provide design for network layout, and reconfigure room setup, per event. This includes integration, operation, setup, and tear down of event equipment. Reconfiguration not only involves moving AV/VTC equipment, but also includes network LAN connection ports, electrical outlets, and furniture (i.e., chairs, tables). The contractor shall perform upgrades and updates to room support equipment (laptops, desktops, printers, and display screens) located in associated areas. The contractor shall catalogue primary, and ancillary room equipment.

C.5.2.1.9.6.2 Audio Support (AS) for Teleconferences and ceremonies. The contractor shall provide AS for scheduled teleconferences and ceremonies at APG, Fort Hood, Fort Huachuca, and Fort Bragg. This includes, but is not limited to, the setup and management of scheduling conferences with the locally provided Government support facility, distributing conference information to the identified participants, operation of audio equipment for ceremony support, and providing expertise if problems are encountered.

C.5.2.1.9.6.3 Provide monthly VTC and teleconference utilization reports.

C.5.2.1.9.6.4 Audiovisual Information (AVI) Support. The contractor shall:

C.5.2.1.9.6.4.1 Provide configuration, integration, testing, documentation, and training on AVI equipment.

C.5.2.1.9.6.4.2 Operate, maintain, and set-up the AVI equipment for briefings, training sessions, and meetings. Actual operation of equipment, to include physical assistance during briefings, will not be required unless specifically identified by the Government. An exception to this will be the operation of AV equipment to support ceremonies at ATEC HQ.

C.5.2.1.9.7 Cybersecurity Compliance and Reporting. The contractor shall provide cybersecurity compliance for all collaboration and AV system components, including any remaining SVTC hardware and all MS Teams-integrated room systems. This includes implementing all DISA Security Technical Implementation Guides (STIGs) and mandated software patches, and providing remediation for all components following the release of vulnerability notifications within the mandated compliance window. The contractor shall provide immediate outage reports to the Government upon identification and resolution of any service disruption (CDRL A007) and shall provide monthly utilization reports for all supported collaboration platforms. The contractor shall immediately report to the organization's Information System Security Manager any anomalous activities that may be indicators of a system's compromise and/or negligent or malicious user actions.

C.5.2.1.9.8 Strategic Improvement and Technology Refresh. The contractor shall identify improvements and solutions for collaboration services to meet Government needs for advanced collaboration technology. This includes evaluating new MS Teams features, improved peripherals (e.g., cameras, microphones), or developing a technology roadmap for the transition from legacy systems to future secure platforms. For all proposed improvements, the contractor shall identify the specific quantity and cost of replacing or upgrading equipment and software.

C.5.2.1.9.9 Legacy Secure VTC (SVTC) Management. For all remaining legacy SVTC systems, the contractor shall continue to provide full operational and cybersecurity management until the systems are formally decommissioned by the Government.

C.5.2.2 Enterprise Systems and Network Operations (ESNO).

C.5.2.2.1 Network Operations Management. The contractor shall proactively and independently monitor and manage the day-to-day operations of all ATEC networks, which include the Non-secure Internet Protocol Router Network (NIPRNET), Secret Internet Protocol Router Network (SIPRNET), Defense Research Engineering Network (DREN), Secret DREN (SDREN) Test Enclaves, standalone systems and networks. The contractor shall deploy all changes in accordance with ATEC enterprise policy (or local policy if enterprise policy is not defined) and provide resource usage oversight. This includes managing and troubleshooting core network communications infrastructure such as hubs, switches, routers, firewalls, dedicated long-haul circuits, proxies, and providing support for remote access (VPN), intranet, and internet services. The primary performance standard for this section is a Network Availability of 99.9% during core duty hours, measured quarterly. The contractor shall be responsible for proactive fault detection, defined as identifying and resolving at least 80% of all network component failures by monitoring alarms before they result in a user-reported trouble ticket. The contractor shall maintain all network system software configurations, ensure any outage is identified and immediately resolved, and to resolve communication problems, shall coordinate with all appropriate parties, including, but not limited to, local communications offices, telephone companies, the Cybersecurity Service Provider (CSSP), and end-users. The contractor shall, at the discretion of the government, manage network segments across WANs from disparate geographic regions, working with local site personnel to manage the network at an enterprise level. All network configurations must be conducted in accordance with ATEC change control and configuration management policies and procedures. The contractor shall:

C.5.2.2.1.1 Proactively monitor current network operations and deploy changes in accordance with local policy;

C.5.2.2.1.2 Assist the Government in providing an efficient fault tolerant indoor and outdoor plant network infrastructure. This will include working in manholes, bucket trucks and with telephone poles.

C.5.2.2.1.3 Provide resource usage oversight.

C.5.2.2.1.4 To accomplish these duties the contractor is responsible for configuring and managing Software Defined Access, Digital Network Architecture, Identity Services Engine, TCP/IP, firewalls, routing, VLANs, VRF's, general network troubleshooting and managing a production environment efficiently using utilities such as: (1) automated install; (2) automated build and deployment; (3) automated configuration management; (4) enterprise monitoring systems and; (4) configuration and management of network performance monitoring tools.

C.5.2.2.2 Network Engineering and Improvement. The contractor shall be responsible for assisting the Government in continuous improving network configuration, capacity, performance and management. The contractor shall participate in change management processes, problem solving, capacity planning and deployment of equipment and software efforts related to the network. This responsibility requires that the contractor to

effectively coordinate and communicate both horizontally and vertically with all ATEC organizational elements during the deployment of new network equipment and software. As requested by the Government, the contractor shall identify and research new hardware or software, assess the feasibility of new releases or upgrades that will increase efficiency or economy, and shall identify the specific quantity and cost of replacing or upgrading said equipment. When tasked by the Government with an engineering project plan (e.g., a capacity upgrade, new technology deployment), the contractor shall be responsible for developing and delivering a complete engineering solution package. This package shall include, at a minimum: a detailed technical design, a bill of materials with cost estimates, a deployment plan with schedule, and a test and validation plan. The contractor shall support remote access services, intranet services, internet access, network communications infrastructure (e.g. hubs, switches, routers, dedicated long-haul circuits, web and application proxies, firewalls, intrusion detection, virtual private network (VPN) configuration and communication, as well as and file and print services. The contractor may be required to lay wiring/cable above and below ground, in conduits and manholes, to support and improve network operations.

C.5.2.2.3 Physical Infrastructure Management. The contractor shall be responsible for providing an efficient and fault-tolerant indoor and outdoor plant network infrastructure that supports the Network Availability SLA defined in C.5.2.2.1. This is a hands-on duty that requires the contractor to lay wiring and cable as needed, to include work above and below ground, in conduits, in manholes, in bucket trucks, and with telephone poles.

C.5.2.2.4 Advanced Technologies and Automation. The contractor is responsible for configuring and managing advanced network architectures, including but not limited to Software Defined Access (SDA), Digital Network Architecture (DNA), Identity Services Engine (ISE), TCP/IP, VLANs, and VRFs. The contractor shall also efficiently manage the production environment through the use of automation utilities such as automated installation, automated build and deployment, automated configuration management, enterprise monitoring systems, and network performance monitoring tools. The proper configuration and management of these technologies are critical to meeting the overall Network Availability SLA defined in C.5.2.2.1.

C.5.2.3 Systems Administration and Data Center Operations.

C.5.2.3.1 Systems Administration. The contractor shall perform independently and with minimal government oversight all systems administration duties for servers and network equipment. The primary performance standard for this section is a Server Availability of 99.95% during core duty hours, measured quarterly, for all production systems. Responsibilities shall include building and maintaining servers, maintaining an authorized software list, and performing user account and permissions management on designated systems. The contractor shall perform physical and remote operational checks of file servers and communication links and shall assist the Government in the test and evaluation (T&E) of new hardware and software with minimum downtime. All work status shall be updated in the Government-provided tracking system.

C.5.2.3.2 System Compliance and Vulnerability Management. The contractor shall implement all required vulnerability patches and Security Technical Implementation Guides (STIGs) / Security Requirements Guides (SRGs) configurations, in accordance with established timelines (e.g., DoW, Army, or ATEC policy/guidance) for routine vulnerability management or with suspenses set by individual internal or external authority tasking (e.g., NETCOM Cyber Tasking Order). The contractor will run both Assured Compliance Assessment Solutions (ACAS) and Security Content

Automation Protocol (SCAP) or other approved STIG checking tool to validate system compliance for the authorization package and shall be responsible for the accuracy of these compliance reports.

C.5.2.3.3 Data Backup and Recovery. The contractor shall be responsible for all data backup, archival, and recovery operations, and shall maintain a backup success rate of no less than 98% for all scheduled jobs. The contractor shall operate and maintain a media library for all backup media (e.g., magnetic tapes, disks, optical disks), which includes publishing and updating a media catalog on a monthly basis. The contractor shall maintain all archival and backup data and shall support the transport of backup media to and from designated offsite storage facilities weekly, or as required in an emergency. Upon notification from the Government, the contractor shall restore data to meet the availability requirements of the system, network, or application. Data restoration shall be completed in accordance with the following service levels: Critical System restore completed within 4 hours; High-Priority File/Folder restore completed within 2 hours; Normal Priority restore completed within 8 business hours.

C.5.2.3.4 Data Center Facility Monitoring. The contractor shall provide routine checks on IT equipment in all data center and server room facilities and shall notify the Government immediately of any critical faults. The contractor shall maintain a record of quarterly inspections, to include the results of all tests and any corrective actions taken. The contractor is responsible for initiating and tracking all corrective actions to resolution. The results of these checks shall be reported to the Government within three (3) working days.

C.5.2.3.5 Uninterruptible Power Supply (UPS) Monitoring. The contractor shall provide routine checks and monitor the serviceability of all UPS systems, to include battery lifecycle management. Routine checks include periodically reviewing the battery management monitoring system to identify faulty batteries, conducting quarterly visual checks on the overall health of the battery system, and immediately reporting any deficiencies (e.g., high ambient temperature, chemical smell). The contractor shall immediately alert the Government of specific monitoring alerts, including but not limited to: communication loss with the UPS, the UPS switching to battery power, utility power failure, bypass unavailability, or a "Replace Battery" warning condition.

C.5.2.3.6 Network Rack and Environmental Monitoring. The contractor shall provide daily routine checks on all network racks. The contractor shall monitor the serviceability of the racks, to include operational checks on air filters, airflow, and cable management. Routine checks include monitoring for high temperatures (e.g., approaching or exceeding 99 degrees), high humidity (e.g., approaching or exceeding 60 percent), and visual checks for condensation. The contractor shall immediately report any deficiencies and alert the Government to specific monitoring alerts, including but not limited to: loss of airflow, fan faults, clogged filters, or water detection. Upon identifying an alert condition, the contractor shall immediately take all possible corrective actions and, if necessary, coordinate with facilities personnel to resolve the environmental issue.

C.5.2.3.7 Server Room Organization and Maintenance. The contractor shall be responsible for the professional organization and ongoing maintenance of the server room environment, ensuring all components adhere to current, recognized industry standards. This responsibility is divided into Initial Remediation, Ongoing Maintenance, and Report and Correction.

C.5.2.3.7.1 Initial Cable and Equipment Remediation. Within the first 90 days of the contract period, the contractor shall perform a complete remediation of server room(s) to establish a baseline of professional organization. This shall include: Tracing, verifying, and labeling all network cables

in accordance with the ANSI/TIA-606-C administration standard; Removing all disconnected, abandoned, or obsolete cabling ("dead cables") from racks, pathways, and under-floor spaces; Re-terminating any improperly terminated connections and replacing any damaged cables that fail to meet their specified performance category (e.g., Cat6A); Neatly routing all cables within vertical and horizontal cable managers, ensuring adherence to bend radius specifications and using appropriate length patch cords to eliminate excessive slack per ANSI/TIA-568; Identifying and inventorying all equipment that is non-functional or no longer in service. The contractor shall report this inventory to the Government with a recommendation for removal. Upon Government approval, the contractor shall execute the removal and disposal of said equipment. At the conclusion of the 90-day period, the contractor shall present the remediated server room(s) to the Government for a formal inspection and acceptance of the established baseline.

C.5.2.3.7.2 Ongoing Maintenance and Monitoring. Following the initial remediation, the contractor shall perform daily checks to actively maintain the server room to the established baseline. The contractor's duties shall include, but are not limited to: Cable Management: Ensuring all cabling remains organized, labeled, and properly routed in adherence to the TIA-568 series and TIA-942 standards. Any new cabling installed must meet these standards; Rack Integrity: Verifying the physical stability and serviceability of all network racks and ensuring all rack-mounted equipment is securely installed; and Environmental Monitoring: Actively monitoring for adverse environmental conditions. The contractor shall immediately report and take corrective action for any of the following: High temperatures approaching or exceeding 99 degrees Fahrenheit; High humidity approaching or exceeding 60 percent; Visual condensation or evidence of water intrusion; and System alerts including, but not limited to, loss of airflow, fan faults, or clogged air filters.

C.5.2.3.7.3 Deficiency Reporting and Correction. The contractor shall not only report deficiencies but is required to correct any deviations from these standards. Deficiencies that pose an immediate risk to operations (e.g., water detection, critical temperature alerts) shall be corrected immediately. All other deficiencies (e.g., unlabeled cables, disorganized patch cords) shall be documented and corrected within five (5) business days.

C.5.2.4 Cybersecurity Operations

C.5.2.4.1 The contractor shall be responsible for the planning, implementation, and management of a comprehensive, enterprise-wide cybersecurity program to protect all ATEC information assets.

C.5.2.4.2 Risk Management Framework (RMF) Authorization Management. The contractor shall execute all tasks required to achieve and maintain a continuous Authority to Operate (ATO) without lapse for at least three ATEC HQ system accreditations. Failure to maintain an active ATO for a designated system, except for reasons outside the contractor's control as determined by the Government, shall be considered a performance failure.

C.5.2.4.3 Artifact and Policy Management. The contractor shall independently and with minimal government oversight create, maintain, and review all required policies, procedures, diagrams (topology, data flow), hardware/software listings, and all other necessary artifacts required for an ATO package. The contractor shall be solely responsible for ensuring all documentation is complete, accurate, and sufficient to meet all RMF control requirements.

C.5.2.4.4 System Compliance and Vulnerability Management. The contractor shall direct and verify that all required patching and Security Technical Implementation Guides (STIGs) are applied and

checklists are properly executed by system administrators in accordance with established timelines (e.g., DoW, Army, or ATEC policy/guidance) for routine vulnerability management or with suspenses set by individual internal or external authority tasking (e.g., NETCOM Cyber Tasking Order). The contractor will run both Assured Compliance Assessment Solutions (ACAS) and Security Content Automation Protocol (SCAP) scans to audit system compliance for the authorization package and shall be responsible for the accuracy of these compliance reports.

C.5.2.4.5 Plan of Action and Milestones (POA&M) Management. The contractor shall be responsible for developing, maintaining, and validating Plans of Action and Milestones (POA&M) for all open vulnerabilities on assigned systems. The contractor will assess the risk of vulnerabilities to determine residual risk levels for Authorizing Official (AO) approval and shall conduct quarterly maintenance of the POA&M for assigned systems.

C.5.2.3.6 eMASS Package Management and Submission. The contractor will execute the Army/NETCOM defined RMF process and record system status and all artifacts within the Enterprise Mission Assurance Support Service (eMASS). This includes the creation of eMASS and associated Army Portfolio Management Solution (APMS) records; the identification and monitoring of data to assign Confidentiality, Integrity, and Availability (CIA) levels; the establishment of inheritance; and the creation of the control implementation plan and System Security Plan (SSP). The contractor shall populate and conduct quarterly maintenance of all technical artifacts (scans) to the eMASS record, populate test results annually at the Control Correlation Identifier (CCI) level, and prepare and submit all workflows to meet all Authorization Termination Date (ATD) deadlines. The contractor shall conduct annual reviews of all controls and submit new ATO packages for renewal no less than six (6) months prior to system ATD expiration.

C.5.2.3.7 Enterprise RMF Oversight Support. The contractor shall provide support to the ATEC Program ISSM in reviewing RMF approval packages for all ATEC subordinate organization systems. The contractor shall complete and return all requested package reviews within ten (10) business days of receipt. Additionally, the contractor shall participate as a Control Assessor, preparing validation artifacts for test results.

C.5.2.3.8 Security Operations (SecOps) and Compliance Monitoring. The contractor shall perform all hands-on activities required to actively defend and monitor ATEC networks and systems, both on premises and in the cloud. Incident response shall be conducted in accordance with the following service levels: Critical Incidents (e.g., active intrusion) shall have a response time of 15 minutes; High Incidents (e.g., suspected malware) shall have a response time of 1 hour. The contractor shall manage the evaluation and deployment of security patches, ensuring all Critical/High vulnerabilities are remediated within 30 days of discovery. The contractor is responsible for continuous compliance activities, including but not limited to incident response, vulnerability scanning and audits, STIG compliance checking, managing Endpoint Security (ESS) and Network Access Control (NAC), proxy management, and providing all necessary data for the DoD Cybersecurity Hygiene Scorecard. The contractor shall review audit logs, conduct risk management, and participate in cybersecurity inspections and security assessments, which may require travel. The Contractor shall coordinate incident response and reporting with the designated CSSP per DoDM 8530.01.

C.5.2.3.9 ATEC Cybersecurity Technical Functions. The contractor shall conduct management of daily enterprise Cybersecurity functions within ACAS and endpoint security tools as well as support various Cybersecurity Technical functions being managed by ATEC HQ, both on premises and in the cloud, including but not limited to: ACAS scanning implementation, execution, and

troubleshooting across all ATEC locations, web proxy management, endpoint security management, firewall rule management, and Group Policy management.

C.5.2.3.10 Application Security (AppSec). No new code shall be approved for release to production until all requirements of this section are met. The contractor shall integrate security into every phase of the software development lifecycle. The contractor shall ensure that all pre-existing and newly coded solutions are free of High/CAT I and Moderate/CAT II vulnerabilities by adhering to secure coding standards. The contractor shall use an ATEC-approved suite of tools to perform static and dynamic code analysis, apply threat modeling to applications, and perform software vulnerability assessments. The contractor is also responsible for validating developer comments related to code analysis findings and providing recommendations to developers for mitigation and remediation.

C.5.2.3.11 Access and Workforce Management. The contractor shall manage and control access to ATEC resources. The contractor is responsible for the compliance review and approval or rejection of all user account creation, modification, and deletion requests, which shall be processed within two (2) business days of receipt. The contractor shall also manage and audit all ATEC user accounts within training and certification system(s).

C.5.2.3.12 Reporting. The contractor shall submit a monthly Cybersecurity Status Report (CDRL A010) documenting all relevant information pertaining to the status of any ongoing cybersecurity activities detailed within this section.

C.5.2.3.13 Cybersecurity Scan and Patch Management. The contractor shall perform hands-on security scans of ATEC computer systems and provide security related technical guidance from DISA Security Technical Implementation Guides (STIGs) and other miscellaneous security related technical configuration information/documentation. The contractor shall perform this by evaluating technical risks, understanding how changes in system configuration and/or network architecture affect a system's security posture and risk profile, and participating in cybersecurity inspections and security assessments which may require travel to other ATEC sites located across CONUS.

C.5.2.3.14 Cybersecurity Planning and Policy Management. The contractor is responsible for developing and interpreting cybersecurity plans, policies, and procedures (in areas to include but not limited to configuration management, contingency / disaster preparation, incident response, account management, access control, media control, etc.), providing incident response, reviewing audit logs, performing security assessments and inspections, conducting risk management, and participating in inspections which may require travel to other ATEC sites located across CONUS.

C.5.2.3.15 Cybersecurity Auditing. The contractor shall perform static and dynamic software code analysis, apply threat modeling to ATEC computer systems and networks, and perform software and hardware risk and vulnerability assessments.

C.5.2.4 Configuration Management. The contractor shall provide configuration management services on all hardware, software, and communication items.

C.5.2.4.1 The contractor shall configure and operate a centrally managed network consisting of Government-furnished communication circuits, communication equipment, network software, and certain diagnostic equipment. The contractor shall, as a minimum, diagnose problems on the network, ensure timely resolution of problems, monitor the network

for connectivity to LANs/Wide Area Networks (WANs), maintain all network system software configurations, etc.

C.5.2.4.2 Increased Efficiency. When requested by the Government, the contractor shall identify and research any new hardware or software, and assess feasibility of any new release of existing software, any hardware upgrade, etc., that will increase efficiency or economy. The contractor shall identify specific quantity and cost of replacing/upgrading equipment.

C.5.2.4.3 Network Issues. The contractor shall provide support of network operations so that any outage is identified, resolved, and immediately reported to the Government.

C.5.2.4.4 Network Computing Facilities. The contractor shall assist the Government with the design, development, implementation, operation, and maintenance of network computing facilities consisting of network file servers, workstations, virtual servers, dedicated long-haul circuits, routers, switches and proxies, firewalls, intrusion detection systems, VPN configurations and communications, and both internet/intranet gateways. Network support includes various applications, platforms, workstations, laptops, printers, and other network-connected peripheral equipment.

C.5.2.4.5 Communication Problems. To resolve communication problems the contractor shall coordinate, as directed by the Government, with all appropriate parties, including, but not limited to, local communications offices, local telephone companies, telephone companies and communications offices at remote locations, Cybersecurity Service Provider (CSSP), and users of network-connected systems

C.5.2.5 General IT Support Operations. The contractor shall provide local unique network services and support for servers, software, and customer problem evaluation and resolution. The contractor shall:

C.5.2.5.1 Systems Maintenance. Perform system maintenance to include the following:

C.5.2.5.1.1 Provide work status using the Government tracking systems and update the ticketing system

C.5.2.5.1.2 Monitor and diagnose network problems and present solutions to the Government

C.5.2.5.1.3 Maintain archival and backup data

C.5.2.5.1.4 Perform routine checks on uninterrupted power systems (UPS) and system security

C.5.2.5.1.5 Test and Evaluation (T&E) new hardware and software with minimum downtime to the Government

C.5.2.5.1.6 Build and maintain servers and maintain software list

C.5.2.5.1.7 Operate and maintain all network equipment

C.5.2.5.1.8 Maintain user account management; and

C.5.2.5.1.9 Manage Personal Electronic Device (PED) configuration

C.5.2.5.2 Transport Media. Support offsite, backup media, to and from designated storage facilities once a week and as required during an emergency situation.

C.5.2.5.3 Network Operations Requirements. Perform network operations requirements, such as physical and/or remote operational checks of file servers, communication links, and back-up of server disks at all required locations. When providing these services, the contractor shall provide all required coordination, advice and liaison services necessary for execution.

C.5.2.5.4 Routine Checks at OECOEC. The contractor shall provide routine checks on IT equipment at OECOEC and notify the government immediately of any critical faults that result in the failure of equipment. The contractor shall maintain a record of quarterly inspections. Data record shall include results of all tests and any corrective actions taken by the contractor. The results of these checks shall be reported to the Government within three (3) working days.

C.5.2.5.4.1 UPS. The contractor shall provide routine checks on the UPS. The contractor shall monitor the serviceability of the UPS, to include battery life cycle. Routine checks include periodically reviewing the battery management monitoring system to identify faulty batteries, conducting quarterly visual checks on the overall health of the battery system, and immediately reporting any deficiencies that may cause the batteries to fail. Examples of deficiencies are the ambient temperature being above 77 degrees in the UPS room or a chemical/acid smell is coming from the batteries. The contractor shall alert the Government when monitoring alerts indicate any of the following:

- Communication lost with the UPS is greater than two (2) minutes.
- The UPS is switched to battery power.
- Utility power has failed length of time till the AC power has been restored.
- The UPS bypass is unavailable.
- A "UPS Notice Condition" exists.
- A "Replace Battery Warning Condition" exists.

C.5.2.5.4.2 Network Rack(s). The contractor shall provide daily routine checks on network racks. The contractor shall monitor the serviceability of the racks, to include operational checks on air filters, airflow, cable management, and notify the government immediately upon any critical faults that result in the failure of the rack system. Routine checks include daily temperature measurements including high temperatures, high/low humidity, visual checks for condensation, loss of airflow, clogged filters, and immediately reporting any deficiencies that may cause the network racks to fail. Examples of deficiencies are the ambient temperature being above 99 degrees in the network racks. The contractor shall alert the Government when monitoring alerts indicate any of the following

- Temperature approaches over 99 degrees.
- Humidity approaches over 60 percent or when condensation occurs within the rack.
- Alarms and events indicate a loss of airflow, EC Fan Fault, Clogged Filters, Hrs. Exceeded, Call Water under Floor, and Call Service exists.

C.5.2.5.5 Media Library. Operate and maintain a media library to house all media, to include such items as magnetic tapes, disks, cartridge disks, and optical disks. A catalog of the media archived shall be published and updated on a monthly basis. Upon notification from the Government, the contractor shall restore data to meet the availability requirements of the system network or application.

C.5.3 SOFTWARE DEVELOPMENT AND SUSTAINMENT.

C.5.3.1 The contractor shall provide comprehensive software development, operations, and maintenance support for all ATEC management systems and web applications on unclassified, classified, internet, and intranet systems. These systems consist of COTS, GOTS, or a combination of both, often incorporating custom code solutions.

C.5.3.2 Agile and DevSecOps Framework. The contractor shall execute software development using an agile methodology (e.g., DevSecOps) that results in the delivery of a tested, secured, and potentially shippable increment of software at the conclusion of each development iteration (sprint), which shall not exceed four weeks. The primary objective of each sprint shall be the successful completion and demonstration of the user stories and features selected from the Government-prioritized product backlog during sprint planning. The contractor shall be responsible for all agile ceremonies, including sprint planning, daily stand-ups, sprint reviews, and retrospectives. The contractor shall support automated software source control, CI/CD pipelines for automated builds and deployments, and the creation of standardized test artifacts and documentation. All development shall be supported in both Government data centers and commercial cloud environments (e.g., AWS, Azure). All work shall be tracked in a Government-provided ticketing system, and the contractor shall use an ATEC-approved source code management system for all version control, bug tracking, task management, and release management.

C.5.3.3 The contractor shall be responsible for gathering, research, development, and operations and maintenance support of ATEC management systems and web applications on private unclassified, classified, Internet and Intranet deployed systems. These systems consist of COTS, GOTS, or a combination of both systems incorporating custom code solutions. The software development activity includes the implementation and management of an agile software development process to achieve predictable and repeatable results across the portfolio of ATEC enterprise and local applications. The contractor shall:

C.5.3.3.1 Provide guidance, implementation and maintenance in support of the chosen development process for all applications as assigned, including government approved software development standards and procedures. Software development methods shall allow for continuous integration.

C.5.3.3.2 Provide or assist in requirements gathering. The contractor shall be responsible for providing analytical support for management systems being developed or modified. To ensure that new systems or changes to existing systems are consistent with plans for the future, the contractor shall be actively involved in all system planning and design

reviews requested by the government.

C.5.3.3.3 Provide IT Studies. The contractor may perform feasibility studies, analysis, plan development, problem-solving, and report preparation for ATEC requirements. IT studies may include development/evaluation of prototypes and recommending technology solutions to meet these requirements.

C.5.3.3.4 Provide guidance and assistance in forecasting and planning approach for future development, staging, and alternate site resource requirements based on known mission requirements as directed.

C.5.3.3.5 Provide the appropriate security controls against published cybersecurity policies and standards to all ATEC-owned applications, networks, and enclaves in support of certification and accreditation requirements.

C.5.3.3.6 Solution Architecture and Requirements Management. The Government will act as the Product Owner, responsible for providing mission requirements and prioritizing work. The contractor shall be solely responsible for the technical solution and all associated planning, including eliciting, analyzing, and documenting detailed functional requirements from Government stakeholders in the form of user stories with clear, testable acceptance criteria. These user stories must be formally approved by the Government Product Owner before they are considered ready for development. The contractor shall create and maintain a product backlog for each application and, based on Government-provided priorities, shall develop and manage the technical architecture, system design, and release plan. As required, the contractor shall perform and deliver formal IT studies, to include feasibility analyses, cost/benefit analyses, and technology recommendations for Government approval.

C.5.3.3.7 Application Development and Modernization. The contractor shall perform all software development for new and existing applications. The software development activity provides delivery of business, T&E, and instrumentation applications containing financial, personnel, and sensitive information capability. The development activity shall be performed both locally on individual development environments and within a protected development lab network. The contractor shall deliver Software Documentation (CDRL A009) monthly that is generated in the process of developing new applications and/or modifying existing applications. Software developers are expected to work onsite, unless the COR identifies extenuating circumstances where telework or working from an alternate location may be authorized. The specific activities include, but are not limited to, the following: requirements refinement; architecture/system design; development; secure coding using static and dynamic analysis tools; compliance with cybersecurity regulations and applicable STIGs; code review and implementation; comprehensive software testing to include functional, regression and user acceptance testing; test plan creation/management; deployment; and data maintenance. Software developers will develop software using Government-approved software languages, technologies and toolsets, including, but not limited to: .Net, Java, php, C#, C++, C, Visual Basic, Visual basic.net, HTML, Javascript, ColdFusion, SQL, and other emerging languages and platforms. Software developers are expected to adhere to the approved development process within the framework of a strict change management construct incorporating elements of CMMI and RMF.

The contractor shall apply secure coding best practices to remediate or mitigate all software weaknesses identified using static and dynamic code analysis tools. The contractor shall provide comprehensive sustainment and modernization support for all ATEC applications, including: AIMMS, CCIR, ATTM, SharePoint Solutions / PowerApps (Task Tracker, Aurora, OCONUS), and OIP, as well as solutions developed in Microsoft Office (VBA), Project, and Access. As part of this sustainment, the contractor shall be responsible for defect resolution in accordance with the following service levels: all Critical defects (resulting in system outage or major mission impact) shall be resolved within one (1) business day; all High defects (significant functional impact) shall be resolved within five (5) business days; and all Medium/Low defects shall be resolved in the next scheduled release. This section also includes providing Business Intelligence (BI) engineering and development support to design, develop, and maintain BI solutions, including custom data queries and reports/visualizations.

C.5.3.3.8 The contractor shall provide documentation on all development tasks that are complete, accurate, and accepted by government proponents.

C.5.3.3.9 Use a ticketing System. The contractor shall use a Government-provided ticketing system to thoroughly document work in progress through completion. The contractor shall document and provide software discrepancies to the Government within two (2) work hours. The contractor shall provide routine status updates to the Government at a Government-specified frequency, such as a WAR (Weekly Activity Report) and/or weekly in-person meetings

C.5.3.3.10 Software Quality, Security, and Testing. No application or update shall be deployed to a production environment until all requirements of this section are met. The contractor shall ensure that all pre-existing and newly coded solutions are free of High/CAT I and Moderate/CAT II vulnerabilities. The contractor shall adhere to secure coding best practices, using static and dynamic analysis tools to remediate or mitigate all software weaknesses. The contractor shall ensure all application and solution testing is conducted per Government-approved test. Test plans shall, at a minimum, demonstrate direct traceability to the acceptance criteria for each approved requirement to ensure complete functional coverage. Testing may include, but is not limited to, functional testing, regression testing, positive and negative testing, and fuzz testing. All development tasks must be documented, and the contractor shall create and keep current all programmer-specific documentation for all applications and systems.

C.5.3.3.11 User Enablement and Support. The contractor shall provide Tier 2 and Tier 3 technical support for all ATEC applications and systems, resolving all technical problems referred from the Help Desk and documenting all software discrepancies. All referred issues shall be categorized as defects and resolved in accordance with the service levels defined in C.5.3.3. The contractor shall be responsible for developing, updating, and distributing all end-user documentation, help files, and system administration guides. Furthermore, the contractor shall provide and conduct application and system training classes for end-users, covering both functional content and technical execution, and shall be responsible for coordinating and scheduling the required facilities.

C.5.3.3.12 Use source code management. The contractor shall use and maintain an ATEC-approved source code management system for source code version control, bug and defect tracking, task management, work item tracking, continuous integration, release management, and deployment management.

C.5.3.3.13 Adhere to secure coding standards. The contractor shall use an ATEC-approved suite of tools for secure coding including, but not limited to: static code analysis, dynamic code analysis, vulnerability reporting, threat modeling, and vulnerability remediation auditing functions. The contractor shall ensure that all pre-existing and new effort coded solutions are free of CAT I and CAT II vulnerabilities and/or are audited and approved by Government-designated cybersecurity personnel prior to deployment in production environments.

C.5.3.3.14 Provide user documentation. Create, update, and keep current programmer and user documentation for all ATEC applications/systems, as tasked. When Government-directed modifications are made to a system, the contractor shall be responsible for documenting the prescribed changes and updating all system documentation. The contractor shall notify system users of any changes, and be responsible for development and distribution of user documentation, help files, system administration guides, backup and recovery plans, and any other related technical documentation, as required for each management system.

C.5.3.4 Customer Assistance. The contractor shall assist customers in the functional and technical understanding and use of the ATEC applications/systems. The contractor shall resolve problems referred from the contractor-managed Help Desk, however policy questions shall be referred to the Government for resolution. The contractor shall document software discrepancies. The contractor shall also be responsible for taking corrective actions. In cases where the corrective action is beyond the authority of the software development team, recommendations shall be made to the appropriate Government manager.

C.5.3.5 Training Classes. The contractor shall provide applications/system training. The Government will provide appropriate classroom space and computers. The contractor shall be responsible for coordinating and scheduling the facilities. Sustainment training for applications/systems shall be conducted on a recurring basis, with class frequency recommended by the contractor and approved by the Government or at the discretion and direction by the Government as applications/systems, policies and/or processes are updated/changed. The contractor shall cover functional content in the class, not only technical execution of the software.

C.5.3.6 Provide ATEC Legacy Application Support. The contractor shall provide support as required on all legacy applications, to include the aforementioned technologies and toolsets and including:

C.5.3.6.1 Microsoft Visual Basic for Applications Code Support in existing Microsoft office solutions (Excel, Word, PowerPoint, Access).

C.5.3.6.2 Microsoft Project. The contractor shall develop tools, code and solutions in Microsoft Project to satisfy user requirements in support of ATEC's enterprise project management module (PMM).

C.5.3.6.3 Microsoft Access. The contractor shall support and code legacy Microsoft Access applications and standalone solutions.

C.5.3.6.4 ADSS (ATEC Decision Support System) - An ASP, ASP.Net, C#, VB, JavaScript, JQuery and SQL Server based project management system web application that manages system acquisition milestones, workflows, and cost estimates for projects assigned and worked by all ATEC test centers.

C.5.3.6.5 PMM (Project Management Module) - Microsoft Project Professional 2013 utilizing PWA (Project Web App), customized project global using VBA and custom C#/VB.NET-based web services. PMM connects to the ADSS system to synchronizing ATEC project information capture at the test centers.

C.5.3.6.6 VDLS (Versatile Information Systems Integrated Online (VISION) Digital Library System) - A customized version of OpenText LiveLink 9.7, an enterprise content management system for Test & Evaluation documents. Custom functionality is provided by Java applications. System is currently being upgraded to use OpenText Content Server 16. There are instances on both the DREN and SIPRNET networks.

C.5.3.6.7 CCIR (Commander's Critical Information Report) - An ASP.Net, C#, VB, JavaScript, JQuery and SQL Server based web-based application which allows Test Centers and Subordinate Commands the ability to inform the Commanding General of Serious Incidents IAW AR 190-15 and ATEC PB 9-13.

C.5.3.6.8 ATTM (ATEC Training Tracker Module) - An ASP.Net, C#, VB, JavaScript and SQL Server based web-based application to track and maintain training records for all of ATEC test centers and headquarters.

C.5.3.6.9 SharePoint Portal & SharePoint Solutions (Task Tracker, Aurora, OCONUS) - A collection of custom-developed SharePoint 2013 web part applications written in C# that provide task tracking, document staffing workflows, and OCONUS (Outside Continental United States) travel tracking/reporting/approval workflow processes.

C.5.3.6.10 TESTFACS (Test Facilities Capability Register) - An ASP.Net, C#, VB, JavaScript and SQL Server based web-based application serving as a register which lists and describes ATEC Test Capabilities to include Major Test Facilities, Major Instrumentation and Test Equipment.

C.5.3.6.11 TDAP (Technology Development & Acquisition Program) - An ASP.Net, C#, VB, JavaScript and SQL Server based web-based application for submitting and processing T&E (Test & Evaluation) investment submissions.

C.5.3.6.12 OIP (Operational Inspection Program) - An ASP.Net, C#, VB, JavaScript

and SQL Server based web-based application serving as an inspection management tool that manages a variety of inspections and inspection findings for ATEC and all Test Centers.

C.5.3.7 Provide Application Testing. The contractor shall ensure that application and solution testing is conducted per Government-approved test plans for IT solutions. These test plans may include, but are not limited to, functional testing, regression testing, positive and negative testing, and fuzz testing. Testing shall be completed prior to deployment to a production environment as approved by the Government.

C.5.3.8 Provide Web Mastering and Graphics Design Support. The contractor shall develop and maintain graphic interfaces and websites. This activity requires knowledge and usage of web design software such as the adobe creative suite, and the capability to provide graphic art and interface elements that are user friendly and aesthetically pleasing. Ensure that developed web-interfaces adhere to Section 508 compliance and/or accessibility best practices as defined by the WCAG (Web Content Accessibility Guidelines) AA level.

C.5.3.9 Maintain and develop ATEC, ATC, AEC, and OEEOEC intranet (internal) websites and update as needed using a government provided intranet portal or web development technology. The contractor shall coordinate with departmental content owners and subject matter experts for timely and complete content updates IAW DOD policy.

C.5.3.10 Maintain ATEC (HQ and subordinate), ATC, AEC, and OEEOEC public-facing Internet, and ATEC remote Internet websites IAW DOD policy and Army public publishing standards to include the following: gather requirements from users; obtain PAO approval; publish content; maintain a change log with approval notes for content changes; and mitigate all vulnerabilities.

C.5.3.11 DevSecOps (Development, Security, and Operations). The contractor shall ensure close cooperation between software developers, network engineers, and quality assurance and cybersecurity personnel to rapidly develop, test, refine, and implement secure, sustainable customer-facing applications as well as automated solutions for IT operations tasks. DevSecOps is a philosophy for improved IT service delivery, which emphasizes teamwork, frequent communication, and working across functional lines, tightly integrating three traditionally separate groups: developers, operations/infrastructure, and security. DevSecOps also emphasizes use of technology and tooling, which helps the integrated team operate efficiently and evolve applications quickly and reliably. These tools help engineers independently accomplish tasks (for example, deploying code or provisioning infrastructure) that normally would have required help from other teams. The contractor shall support automated software source control, build and deployment strategies for continuous integration and continuous deployment of applications/systems software, standardized test artifacts, and documentation according to current industry-accepted best-practices. The contractor shall support development in both Government data centers and commercial cloud environments (including but not limited to milCloud, Amazon Web Services, and

Microsoft Azure).

C.5.3.12 Business Intelligence Support. The contractor shall provide up-to-date BI (Business Intelligence) engineering/developer support dedicated to the design, development and maintenance of business intelligence solutions, on modern industry-standard BI platforms using industry-accepted best-practices, to include crafting custom data queries and custom reports/visualizations for presentation.

C.5.3.13 Intermittent Surge. The contractor may provide intermittent surge requirements in support of software development on either an intermediate or permanent basis in support of ATEC and on an intermediate basis to other DOD activities in support of test, evaluation and experimentation missions. The specific performance requirements, duration and location (within or outside the United States) will be identified in each specific tasking.

C.5.3.14 Systems Administration Support. The contractor shall:

C.5.3.14.1 Administrator the configuration of all ATEC software systems that support all of ATEC's Enterprise applications and Management Information Systems (MIS).

C.5.3.14.2 Maintain, troubleshoot, configure, patch and upgrade Windows and Unix operating systems, including virtual machines (VM) instances and their and their VM environment administration.

C.5.3.14.3 Perform operating system event and performance monitoring, resolve issues associated with system configuration management, resource sharing computer network connectivity and throughput.

C.5.3.14.4 Resolve operating system security issues, identity management issues and conform to records retention and destruction policies as set by the Government policy.

C.5.3.14.5 Maintain and configure disk configurations, hardware and software RAID 1-N configurations, perform migration, backup and recovery using industry standard scripting languages such as bash, powershell, python, ruby, or perl.

C.5.3.14.6 Be responsible for performance tuning, capacity planning and bottleneck resolution, administration of Microsoft and Unix servers, building and maintaining high-availability, clustered and scalable systems, advanced web technologies ASP.NET pipeline, load balancing, etc.

C.5.3.14.7 Be responsible for management of the ATEC production environment using industry standard utilities such as automated install, automated build and deployment, automated configuration management, enterprise monitoring systems, server virtualization, load balancing, web and application servers, server operating systems and middleware, server configuration and installation, performance and network monitoring tools, operating systems upgrades and migrations. Responsible for troubleshooting hardware and software problems and

providing issue resolution.

C.5.3.15 Maintain server hardware, applications, and operating systems.

C.5.3.15.1 Perform imaging of servers and work stations for the purpose of, but not limited to, initial configuration; capturing data prior to performing upgrades; making changes; installing patches and fixes; and migrating data.

C.5.3.15.2 Manage and administer Storage Area Network (SAN), file application, and database servers as directed by Government.

C.5.3.15.3 Schedule and execute installation of upgrades, patches and firmware.

C.5.3.15.4 Maintain systems IAW established policies and procedures.

C.5.3.15.5 Use database management tools to ensure data integrity.

C.5.3.15.6 Diagnose and correct server and workstation performance degradation.

C.5.3.15.7 Test and deploy Government-approved software using Government-approved tools.

C.5.3.15.8 Manage requests by users to connect and/or install systems, peripherals, and software IAW local policy.

C.5.3.15.9 Diagnose and resolve software issues.

C.5.3.15.10 Support and possibly lead research and proof-of-concept efforts.

C.5.3.15.11 Perform equipment maintenance IAW manufacturer recommendations and as directed by the Government.

C.5.3.15.12 Support DOD and Army-approved IT certification and accreditation process, procedures, and document creation.

C.5.3.15.13 Perform user account maintenance for new users, existing users, and terminated users.

C.5.3.15.14 Ensure data/media recoverability by supporting a schedule of system backups and database archive operations using Government approved tools.

C.5.3.15.15 Continually monitor data integrity and fault-free efficiency of all ATEC IT systems. The contractor shall notify the Government POC within two (2) work hours if any database discrepancies are noted. In addition, the contractor shall monitor the results of all database update processes.

C.5.3.15.16 The contractor shall provide database administration and system administration on all designated systems. The contractor shall:

C.5.3.15.16.1 Support current database software, including, but not limited to, MS-SQL, My-SQL Database Management, Oracle, etc.

C.5.3.15.16.2 Manage the storage of data on storage devices and monitor usage of devices through the use of various Government-approved software utilities.

C.5.3.15.16.3 Implement measures to maintain and improve system performance.

C.5.3.15.16.4 Cybersecurity Risk Management Framework Accreditation Management. The contractor shall support the ISSM-O in the creation and maintenance all required policies, procedures, diagrams, hardware/software listings, and all other necessary artifacts required to obtain and maintain ATOs for at least two ATEC HQ system accreditations.

C.5.3.15.16.5 Provide support to the ATEC ISSM-P, as required, in reviewing approval packages for all ATEC systems present in eMASS.

C.5.3.15.16.6 LAN/System Management. The contractor shall perform all compliance activities in support of all ATEC HQ systems to include, but not limited to: Incident Response, Vulnerability Scanning/Audits, STIG compliance checking, Configuration Management, Host Based Security Solution/Endpoint Security Solution, Network Access Control, POA&M creation.

C.5.3.15.17 Secure Code and Application Review. The contractor shall:

C.5.3.15.17.1 Perform static and dynamic code analysis of developer created code using government defined tools, and validate developer comments related to false positives and mitigations/remediations related to all code analysis. Additionally, provide recommendations for mitigations/remediation to software developers to correct vulnerabilities while maintaining functionality.

C.5.3.15.17.2 Develop threat models to assist developers with identifying mitigations/remediation.

C.5.3.15.18 Cybersecurity Assessment Team. The contractor shall participate on the Cybersecurity Assessment Team to assess systems and network security for ATEC's open networks, standalone information systems, closed restricted networks, and, as part of the Organizational Inspection Program. The contractor shall perform assessments and provide evidence to support a certifier's recommendation based on impact and severity to determine operational risk. The contractor shall prepare validation artifacts to support the scorecard and test results, and base all findings on DOD, Army, ARCYBER, NETCOM, ATEC, or other applicable standard, to include laws, regulations, policies, [etc.].

C.5.3.15.19 Workforce In-Processing/Training and Certification Management.

The contractor shall do a compliance review along with approval or rejection of requests for all ATEC HQ account creation, modification, and deletion requests. The contractor shall manage and audit all ATEC user accounts within the Army mandated training and certification tool.

C.5.3.15.20 Cybersecurity Hygiene Reporting. The contractor shall provide the government with the ATEC HQ asset, user, and compliance data required for completion of the ATEC HQ portion of the DOD Cybersecurity Hygiene Scorecard utilizing the Army mandated reporting portal.

C.5.3.15.21 Removable Media Management. The contractor shall manage the issuance, distribution, and tracking of all removable media being used at ATEC HQ, AEC, JTE. Data logs will be collected from all ATEC HQ, AEC, JTE (ATEC as required) users issued removable media.

C.5.3.15.22 Official Tasking Responses. The contractor shall Support the Government action officer, as required, in response to guidance/tasks on OPODs/Fragmentary Orders/Directives to include, but are not limited to, the following:

C.5.3.15.22.1 Track and execute cybersecurity taskers. Taskers require coordination with Subject Matter Experts (SMEs) at ATEC HQ and at all ATEC activities.

C.5.3.12.22.2 Conduct research and report on results.

C.5.3.12.22.3 Perform analysis and provide detailed responses.

C.5.3.13.22.4 Perform risk assessments.

C.5.3.15.23 Surge Support. The contractor shall, as required, support the planning, execution, administration, and maintenance of ATEC HQ and ATEC enterprise cybersecurity initiatives.

C.5.3.15.24 Cybersecurity Status Report. The contractor shall submit a monthly Cybersecurity Status report (CDRL A010) documenting all relevant information pertaining to the status of any ongoing cybersecurity activities detailed in paragraph C.5.3.12.16.4 through C.5.3.13.5 of this PWS.

C.5.3.16 Response to Official Taskers. Support the Government action officer in response to guidance/tasks on OPODs/Fragmentary Orders/Directives to include, but are not limited to, the following:

C.5.3.16.1 Track and execute taskers. Taskers require coordination with Subject Matter Experts (SMEs) at ATEC HQ and at all ATEC activities.

C.5.3.16.2 Conduct research and report on results.

C.5.3.16.3 Perform analysis and provide detailed responses

C.5.3.16.4 Review internal and ATEC-wide processes and procedures for potential process improvements.

C.5.3.16.5 Perform risk assessments.

C.5.4 LOGISTICS.

C.5.4.1 ATEC

C.5.4.1.1 The contractor shall provide supply support service operations to include: Property Accountability, Warehouse Operations, Supply Room Issue/Inventory, and Logistics Support for hand receipt holders. For the purposes of this contract, ATEC HQs includes efforts for AEC. The Government will provide all of the equipment to perform the requirements on this contract.

C.5.4.1.2 Except for special projects, post closures or late openings the contractor hours of operation will be Monday thru Thursday between 0630 to 1630 (EST), minimal coverage is mandatory from 0700 to 1630, and Fridays from 0700 to 1530. Minimum coverage is 2 contract employees. The contractor shall stagger the contractor employees to ensure at least minimum coverage at all times. No logistical machinery can be used with less than minimum coverage for safety purposes.

C.5.4.1.3 Property Accountability. The Contractor shall maintain hand receipt and property accountability records as defined in applicable regulations, directives and local procedures. The Contractor shall maintain accountability of non-expendable items in a Government provided property accountability system (PAS). The contractor shall process issues, lateral transfers, turn-ins and asset adjustments. Review and print hand receipt inventories, hand receipt reviews and sensitive inventories as required. Identify material and correctly catalog items to be picked up on hand receipt. The contractor shall assist customers with property accountability issues; this may involve research using various methods. The contractor shall maintain document registers and all supporting files. The contractor shall review, verify and process all procurements, assigning appropriate document number. The contractor shall monitor the Logistics Center email account and disperse information as appropriate to applicable personnel. The contractor shall perform required inventories and implement causative research and adjustment documents when required. The contractor shall use a Government provided property accountability system (PAS).

C.5.4.1.4 Receiving. The Contractor shall perform the function of receipt processing as defined in AR 710-2, 735-5 and DA PAM 710-2-1 and local procedures. The Contractor shall process receipt of items in the Government PAS.

C.5.4.1.4.1 The contractor shall operate the ATEC HQ Central Receiving Point (CRP). CRP tasks include but are not limited to: issuing to personnel authorized by delegation of

authority card, DA Form 1687 (electronic or manual form acceptable) maintained on file, receiving, unloading, or diverting trucks, reviewing manifests, breaking out items, inspecting items, accepting, recording transactions, redirecting mis-shipments, inspecting, photographing and coordinating with the appropriate office and preparing and processing SDRs or TDRs for any discrepancies.

C.5.4.1.4.2 The contractor shall, when accepting new receipts, verify the incoming equipment for signs of damage. If any signs of damage the PBO or a person designated by the PBO must be notified immediately prior to full acceptance of the package. Further direction will be given from the Government which could include rejecting the shipment; which only the Government is permitted to do.

C.5.4.1.4.3 The contractor shall perform all functions related to docking, spotting of truck, unloading, inspecting, accepting, locating, palletizing, re-palletizing, uncrating, unpacking, repacking, sorting, and segregating all materiel.

C.5.4.1.4.4 The contractor shall be licensed and safety trained to operate all of the material handling equipment.

C.5.4.1.4.5 The contractor shall work up all new receipts within two (2) days of delivery. The contractor shall: a) compare the received quantity and the requested quantity, b) verify the item description is correct, c) complete a quality check for deficiencies, and d) process the receiving paperwork IAW with the local receiving procedures. Hand receipt items should be received on a Form DD250 and given to the PBO within three (3) days of receipt. Any deficiencies found during the work up of the DD250 shall be reported to the PBO immediately.

C.5.4.1.4.6 Upon the receipt of expendable or durable property at the CRP, the contractor shall: a) verify the received quantity and the requested quantity, b) the item description is correct, c) complete a quality check for deficiencies, and d) process the receiving paperwork IAW with the local receiving procedures. If there is any damage the PBO must be notified immediately. The contractor shall process the receiving report of the equipment IAW the local procedures. The contractor shall update the Government Ordering Official's tracking system within two (2) working days of delivery. A signed receiving report will be uploaded to the tracking system and a copy will be uploaded to the shared drive on the Logistic Center drive by the Julian date for reference.

C.5.4.1.5 The contractor shall check each day for completed paperwork to determine the delivery schedule for the day. The contractor shall contact the POC to set up a time and location for the delivery prior to leaving the CRP. The contractor shall ensure that once the delivery is made to the POC/receiving personnel the appropriate paperwork is signed and returned to the PBO for reconciliation and filing. The contractor shall deliver property to the hand receipt holder, obtain signature and process paperwork with the appropriate office, within three (3) workdays of receipt. Any property delivered to personnel must be signed for by the receiving personnel on either a DA Form 3161, the receiving report, or a localized form; and then filed on the share drive following local procedures.

C.5.4.1.6 The contractor shall perform warehousing and distribution functions within the Logistics Center. The contractor shall perform daily housekeeping duties to maintain a safe and organized work environment free of debris, trash and other hazards at all times.

C.5.4.1.7 The contractor shall maintain (on a shared drive) all receiving documents for non-expendable and expendable/durable orders for reference and reconciliation.

C.5.4.1.8 Shipments. The Contractor shall process shipments as defined in AR 710-2, 735-5 and DA PAM 710-2-1 and local procedures, working with the mailroom personnel to schedule the shipment for the customer. The contractor shall ensure shipments are in compliance with all required regulations, prepare shipment paperwork for material being shipped. The contractor shall identify priority shipments and expedite, maintain and reconcile document register for shipments.

C.5.4.1.9 Turn-Ins. The Contractor shall process turn-ins as defined in AR 710-2, 735-5 and DA PAM 710-2-1 and local procedures or instructions.

C.5.4.1.9.1 The contractor shall help the hand receipt holders prepare paperwork and then pick up items for turn-in to be processed through the PBO. The contractor shall dispose of any durable property for the hand receipt holders IAW local policies and procedures.

C.5.4.1.9.2 The contractor shall maintain the collection point for Class IX/expendable turn-in items. The contractor shall process the turn-in in the PAS to prepare the DD 1348-1A and IMNE-APG Form 1147. The contractor will reconcile paperwork to the item by checking the serial number, nomenclature quantity, serviceability code etc. The contractor shall ensure the paperwork is attached to the item, palletize equipment and prepare for turn-in to the APG LRC. The contractor shall accept custodial responsibility during the Turn-in process until accepted at the APG LRC. The contractor shall take the turn-ins to the APG LRC at the designated time as directed by the Government. Upon acceptance at the APG LRC the contractor shall ensure all paperwork is completed accurately and returned to the PBO.

C.5.4.1.9.3 The contractor shall be responsible for turning in Class II & VII items to the APG LRC. The contractor shall process the turn-in in the PAS to prepare the DD 1348-1A and IMNE-APG Form 1147. The contractor shall review items for render safe documentation requirements, remove hard drives, batteries, etc. to prepare equipment. The contractor will reconcile paperwork to the item by checking the serial number, nomenclature quantity, serviceability code etc. The contractor will ensure the paperwork is attached to the item, palletize equipment and prepare for turn-in to the APG LRC. The contractor shall accept custodial responsibility during the Turn-in process until accepted at the APG LRC. The contractor shall take the turn-ins to the APG LRC at the designated time as directed by the Government. Upon acceptance at the APG LRC the contractor shall ensure all paperwork is completed accurately and returned to the PBO.

C.5.4.1.9.4 The contractor shall maintain a log of all hard drives removed from any computer like device on a localized form. The contractor will destroy and ensure proper

disposal of the hard drives in accordance with Army security regulations and local guidance set by the Government.

C.5.4.1.9.5 The contractor shall ensure any batteries removed from devices or turned in are properly stored in the Log Center for no more than thirty (30) from the date of receipt. The contractor will dispose of all batteries in accordance with local policies and procedures.

C.5.4.1.10 Storage of Materiel. The contractor shall maintain storage areas for equipment and material being maintained for ATEC HQ support. Safeguard all supplies, equipment, materials, and/or furniture with appropriate storage supplies. The contractor shall notify the PBO immediately of any damages or deteriorated materiel upon discovery. The contractor shall keep a log of items stored in the respective Logistic warehouse locations. The contractor shall issue material to customers at the direction of the Government or IAW approved distribution plans.

C.5.4.1.11 Supply Room. The contractor shall perform supply room operations in accordance with Army regulations and local procedures. The contractor shall perform the tasks in a friendly and professional manner. The Contractor shall manage the accountability of durable, and expendable items in the provided software program. The contractor will monitor the Supply Requests e-mail account and respond or forward email as appropriate. Notification will be given to the Government when the on hand levels have fallen below the safety stock levels set by the Government within two (2) working days.

C.5.4.1.11.1 The contractor shall issue out the office supplies from the supply room IAW local procedures. The contractor shall deliver any office supplies within the ATEC HQ command buildings as needed. The contractor shall ensure the supply room is covered during the hours of operation as set by the Government with the understanding the hours are subject to change. The contractor will ensure all supplies are accurately signed for and processed in the Government PAS.

C.5.4.1.11.2 The contractor shall submit and track depot orders as defined in applicable regulations, directives and local procedures. The contractor shall maintain the depot order processing in the provided software program GCSS-Army.

C.5.4.1.11.3 The contractor shall track the on hand inventory in the Government PAS and assist in maintaining accountability. The contractor shall assist in the identification of additions, deletions, and large changes in the supply room's inventory.

C.5.4.1.11.4 Receive delivery of inventory from outside vendors, post receipts in the provided software program GCSS-Army to close orders and continually follow-up on open orders to provide updated status.

C.5.4.1.12 Special Events Support. The contractor shall provide basic support to the Directorates and the Office Chiefs within ATEC HQs in the set-up, removal, distribution, and redistribution of resources, e.g., ITRs, microphones, furniture, boxes, and other related items

from office to office, with minimal disruption, as required. Assemble and/or disassemble items/furniture upon arrival to ATEC HQs building or receiving point. The contractor shall distribute items/furniture to the customer IAW guidance received from the Government. The contractor shall safeguard and protect all resources being moved during the entire transfer process to prevent damage.

C.5.4.1.12.1 Pick-up and/or deliver materials to locations other than ATEC HQ as requested by the Government.

C.5.4.1.12.2 Coordinate with the Government to obtain additional support, when directed by the Government, to load and unload shipments of materials, supplies, equipment, and/or assemble or move furniture in a safe and professional manner to ensure that damage to material and equipment does not occur.

C.5.4.2 ATC.

C.5.4.2.1 As stated in Section C.3, the Government will provide all IT equipment to perform on this contract. The contractor shall:

C.5.4.2.2 Perform property accountability for Government-furnished IT equipment using a Government-provided PAS that can provide the Government specific information as to the quantities, system components, warranty status (if appropriate), and locations of all items.

C.5.4.2.3 Provide written email notification to the Government ordering official and PBO within one (1) work day of delivery. Within two (2) work days of delivery, the contractor shall: a) verify the requested quantity and item specifications have been met; b) inventory, QC check, and process the equipment using established and Government- approved procedures upon receipt of new equipment; and c) provide an email confirmation that the ordered items have been received and no physical damage has occurred in transit. If any damage is apparent upon delivery or when the item is fully inspected, the contractor shall immediately notify the COR, the PBO, the Government ordering official, and the vendor prior to acceptance for further direction to include fully documenting the condition of item(s). The contractor shall then assist with the return and replacement of the item(s). Notifications shall include an electronic copy of shipping documentation with time and date stamp and receiving official's signature. The contractor shall provide the Government ordering official with a signed receipt from the acceptor for final delivery of goods. The Government has the final determination regarding acceptance/rejection of all delivered items.

C.5.4.2.4 Perform inventories IAW applicable regulations and local policies and procedures as required. The contractor shall perform all storage and issue functions related to logistics operations for supply classes consisting of the ASL, NSL, non- standard materiel, and materiel pending customer issue IAW DOD, Army, and ATEC policies and regulations as well as local policies and guidance. The contractor shall maintain storage areas for equipment and material. The contractor shall issue material to customers at the direction of the Government or IAW approved distribution plans.

C.5.4.2.5 Identify items that have passed their useful life cycle and recommend that they be excessed. Appropriate coordination, documentation and Government approval is required before excess equipment can be removed from inventory, transferred to another unit, or turned in to the property disposal office. Once the item is turned in to the property disposal office, the contractor shall return the completed documentation to the PBO.

C.5.4.3 OEC.

C.5.4.3.1 As stated in Section C.3, the Government will provide all of the equipment/items to perform on this contract. The contractor shall:

C.5.4.3.2 Perform property accountability services and supply management operations, to include warehousing and distribution functions as necessary to receive, store, turn-in, and issue IT equipment and other items identified by the OECOE PBO, OECOE G4, COR, ACOR, or TM. The contractor shall perform pickup, turn-in, temporary storage, stock selection, and shipping functions. The contractor shall perform required inventories and implement causative research and adjustment documents when required. The contractor shall perform functions IAW DOD and Army policies, AR 710 and AR 735 series publications, as well as local OECOE policies and guidance.

C.5.4.3.3 Provide logistics program support to include managing projects, tracking progress, maintaining task lists, and attending coordination meetings as required. The contractor shall process paperwork in support of logistics and supply management functions.

C.5.4.3.4 Perform property accountability using a Government-provided system that can provide the Government specific information as to the quantities, system components, warranty status (if appropriate), and locations of all items.

C.5.4.3.5 Conduct an inventory, QC check, and process the equipment using established and Government-approved procedures upon receipt of new equipment.

C.5.4.3.6 Provide written email notification to the Government ordering official and PBO within one (1) work day of delivery. Within two (2) work days of delivery, the contractor shall: a) verify the requested quantity and item specifications have been met; b) inventory, QC check, and process the equipment using established and Government- approved procedures upon receipt of new equipment; and c) provide an email confirmation that the ordered items have been received and no physical damage has occurred in transit. If any damage is apparent upon delivery or when the item is fully inspected, the contractor shall immediately notify the COR, the PBO, the Government ordering official, and the vendor prior to acceptance for further direction to include fully documenting the condition of item(s). The contractor shall then assist with the return and replacement of the item(s). Notifications shall include an electronic copy of shipping documentation with time and date stamp and receiving official's signature. The contractor shall provide the Government ordering official with a signed receipt from the acceptor for final delivery of goods. The Government has the final determination regarding acceptance/rejection of all delivered items.

C.5.4.3.7 Perform inventories IAW applicable regulations and local policies and procedures as required. The contractor shall perform quarterly inventories for sensitive and hazardous IAW applicable and local policies and document those results (CDRL A011). The contractor shall perform all storage and issue functions related to logistics operations for supply classes consisting of the ASL, NSL, non-standard materiel, and material pending customer issue IAW DOD, Army, and ATEC policies and regulations as well as local policies and guidance. The contractor shall maintain storage areas for equipment and material. The contractor shall issue material to customers at the direction of the Government or IAW approved distribution plans.

C.5.4.3.8 Process shipments as defined by regulatory guidance and local policies and procedures. The contractor shall maintain all shipment information in Government- provided programs. The contractor shall prepare shipment documentation for material being shipped and obtain necessary approvals IAW OECEC G4, PBO, COR, or TM instructions.

C.5.4.3.9 Relocate various mobile configurations, hardware, software, and communication systems caused by routine and/or surge events. The contractor shall be responsible for the packing, transportation, unpacking, configuration, and setup of the system(s) both to and from the destination.

C.5.4.3.10 Identify items that have passed their useful life cycle and recommend that they be excessed. Appropriate coordination, documentation, and Government approval are required before excess equipment can be removed from inventory, transferred to another unit, or turned in to the property disposal office. Once the item is turned in to the property disposal office, the contractor shall return the completed documentation to the OECEC PBO.

C.5.4.3.11 Perform all functions related to docking, spotting of truck, unloading, inspecting, accepting, locating, palletizing, re-palletizing, uncrating, unpacking, repacking, sorting, and segregating all materiel returns and posting receipts. The contractor shall maintain and reconcile document registers, reconcile paperwork to the item by checking the serial number, nomenclature quantity, serviceability code, etc. The contractor shall prepare paperwork and ensure paperwork is attached to the item, palletize equipment, and prepare for turn-in to the property disposal office. The contractor shall accept custodial responsibility during the turn-in process until accepted by the property disposal office.

C.5.4.3.12 Review items for render safe documentation requirements, reconcile paperwork to the item by checking the serial number, nomenclature quantity, serviceability code, etc. The contractor shall coordinate with IT personnel to remove any hard drives or related equipment and submit paperwork to the PBO for processing.

C.5.4.3.13 Perform hand receipt operations to support HRHs IAW provided regulations and locally established procedures. The contractor shall support HRHs through assistance with inventories, paperwork and transactions. The contractor shall assist customers with property accountability issues. The contractor shall maintain document registers and all supporting files. The contractor shall deliver property to the HRH, obtain signatures and

process paperwork with the appropriate office. For turn-ins, the contractor shall prepare paperwork and pick-up items to be processed through the PBO.

C.5.4.3.14 Answer inquiries by customers regarding the status of requisitions, deliveries, and other related questions. Additionally, the contractor shall assist customers with receiving issues and address unresolved issues with the POC as necessary.

C.5.4.3.15 Assist in the loading and unloading of inventory using the Government equipment. Transport equipment to and/or from designated locations. Safeguard all supplies, equipment, materials and/or furniture in their possession. The contractor shall use padding for furniture and/or equipment when appropriate, check and secure the load, to include inspection of all items for damage, and immediately report any damages prior to departure. The contractor shall report any damages that have occurred upon arrival to the delivery site. Inventory and obtain signed receipts from authorized agents for all material picked up and/or delivered in support of the ATEC mission.

C.5.4.3.16 Transport equipment to and/or from designated locations.

C.5.4.3.17 Safeguard all supplies, equipment, materials and/or furniture in their possession. The contractor shall use padding for furniture and/or equipment when appropriate, check and secure the load, to include inspection of all items for damage, and immediately report any damages prior to departure. The contractor shall report any damages that have occurred upon arrival to the delivery site.

C.5.4.3.18 Inventory and obtain signed receipts from authorized agents for all material picked-up and/or delivered in support of the ATEC mission.

C.5.5 OTHER SUPPORT SERVICES. The contractor shall provide the support identified below for ATEC HQs, ATC, and OEC. For the purposes of this contract, ATEC HQs includes efforts for AEC.

C.5.5.1 ATC. The contractor shall provide records management support to include technical assistance in the development, creation, usage, and storage of records. The contractor shall provide analysis of the current procedures and recommendations as to the best methodology for data storage, retrieval (e.g., hard copy vs. digital) and management (e.g., disk vs. intranet). The contractor shall provide assistance in meeting regulatory requirements under the DOD electronic records management standard, National Archives and Records Administration regulation, and other applicable policies and procedures.

C.5.5.2 OEC. The contractor shall:

C.5.5.2.1 Provide support to the forms management program which includes all forms used by OEEOEC. This effort shall include creating, updating, and modifying forms upon request by the Publications and Forms Control Officer and completing them within three (3)

work days of request. Upon approval by the Forms Officer, lock new/revised forms to prevent editing and upload to a Government system within one (1) work day.

C.5.5.2.2 Perform Enterprise Microsoft Project application implementation, interface development, Project Management Professional (PMP) certification, Business Process Improvement (BPI), and Microsoft Project training and class material development. The contractor shall assist the test officers in the preparation, planning and development of a Project Plan/Test Resource Plan (TRP) and be involved with MS Project training. This includes working knowledge of MS Project and familiar with OECEC operational testing environment. The contractor shall provide technical expertise for Microsoft Project Development support and Operational Testing at Fort Hood and supported remote locations.

C.5.5.2.3 SIPRNET System Administrator. As required by the Government, the contractor shall designate personnel to serve as SIPRNET System Administrators (one primary and two alternates).

C.5.5.2.4 Technical Document Support. At ATEC, the contractor shall review, staff, and comment on DOD and DA T&E and acquisition policy, create, review and staff ATEC T&E policy, support ATEC Enterprise with T&E questions/issues, and provide assistance to test officers in the preparation, planning and development of T&E plans and reports. All work will be approved by the Government prior to staffing/implementation.

C.5.5.2.5 Training. The contractor shall be responsible for coordinating and scheduling Government facilities and classroom space. The contractor shall:

C.5.5.2.5.1 Create, organize, and conduct training and educational programs for information systems or end-user personnel on hardware, software, or other technology topics. The Government will provide resources required to deliver the training.

C.5.5.2.5.2 Provide management system training to include, but not be limited to, the following:

C.5.5.2.5.3 Provide sustainment training for management systems, such as ATEC Decision Support System, Project Management Module, and other management systems, which shall be conducted on a recurring basis, with class frequency recommended by the contractor and approved by the Government. The contractor shall cover functional content in the class in addition to technical execution of the software.

C.5.5.2.5.4 Provide customer training, as needed, when significant modifications are made to existing management systems.

C.5.5.2.6 Information Assurance Vulnerability Management (IAVM):

C.5.5.2.6.1 The contractor shall provide IAVM support. Contractor support shall include system patches in response to Information Assurance Vulnerability Assessments (IAVAs), Operating System upgrades, Directorate of Information Management (DOIM) weekly security reports, user password changes, and hardware system upgrades. Included in this task, is periodic scanning and

physical inspection of TRAC computers, to include those that are accredited for home use. The task includes maintaining and ensuring the accuracy of the AVT&R database in a timely manner. The timetable for completion of the IAVAs is variable and specified by DOIM in the alerts that are sent to TRAC.

C.5.5.2.7 Operations and Communications Security:

C.5.5.2.7.1 Contractor personnel shall comply with the following Operations and Communications Security procedures under this contract.

C.5.5.2.7.2 The Contractor shall apply "For Official Use Only" cover sheets to all draft and final deliverables under this PWS.

C.5.5.2.7.3 Contractor personnel shall not transmit any sensitive information over unclassified information networks. Contractor personnel may consult with the COR if they are uncertain whether particular information is sensitive.

C.5.5.2.7.4 Government furnished telecommunication and electronic communication systems and equipment, specifically including electronic mail systems, are for official use only in furtherance of the PWS. Contractor personnel shall limit Internet access to the minimum time necessary to accomplish the official inquiry or research in furtherance of the PWS.

C.5.5.2.7.5 Contractor personnel shall respect all electronic communication advisories, virus warnings, and use restrictions on Government-furnished telecommunications and electronic communications systems and equipment and give access to Government automation security and maintenance personnel upon request.

C.5.5.2.7.6 Contractor personnel shall review the provisions of AR 25-2, Information Assurance, prior to using Government-furnished telecommunications and electronic communications systems and equipment. The Contractor shall provide evidence of this review to the COR for each member of the Contractor staff working on this PWS.

C.5.5.2.7.7 Contractor personnel having access to classified information shall have the appropriate security clearance and shall handle classified information consistent with Army information security standards as instructed by the COR or security manager.

C.5.5.2.7.8 Contractor shall perform end of day security checks on a rotational basis for their assigned work place. This includes checking of safes, and designated secured areas such as communications closets. The PRS and the COR QA surveillance checks are conducted to ensure compliance.

C.5.5.2.7.9 Restricted Area Access. This contract may require Contractor access to TRAC- WSMR Restricted Areas. The Contractor will adhere to WSMR, TRAC, and TRAC-WSMR Restricted Area Policies.

C.5.5.2.7.10 Combination and Personal Identification Code (PIC) Control. Selected Contractor individuals may be responsible for maintaining security of a Government issued PIC and/or combination for the CDX-07/09 door locks/safes. Neither the PIC nor the combination shall be shared with any other person. In the event that a PIC or combination is compromised, the Contractor

shall immediately report the incident to the COR, ACOR, TRAC-WSMR Security, or the Contracting Officer. The Government will reset the Remote area Data Collector (RADDC) and/or replace the CDX-90 combination lock. If the Government determines that a PIC or combination was compromised due to the negligence of the Contractor, the Contractor shall be liable for the costs associated with these actions and a record of the incident will be submitted to the Central Clearance Facility (CCF).

C.5.5.2.8 Security: The Contractor shall adhere to current applicable regulations, directives, installation and local policies. The Contractor shall comply with the most current version of DoD 5220.22M, National Industrial Security Program Operating Manual (NISPOM).

C.5.5.2.9 Security documentation: Contractor employees performing work on the contract work shall fill out such forms as may be necessary for security or other reasons. Upon request of the Contracting Officer, Contractor employees shall be fingerprinted.

C.5.5.2.10 Physical Security: Safe, Cipher, and Combination Control. The Contractor shall be responsible to perform end of day security checks on a rotational basis for their assigned work place. This includes checking of safes. The Contractor shall be responsible for ciphers and combinations that TRAC provides them. In the event that a cipher or combination is compromised, TRAC will reset the cipher or combination. The Contractor shall be liable for the costs associated with these actions.

C.5.5.2.11 Information Security:

C.5.5.2.11.1 NATO Information. All contractor personnel with access to the Secure Internet Protocol Router Network (SIPRNet) require North Atlantic Treaty Organization (NATO) access. Special briefings are required for access to NATO information. Access to classified NATO information requires a final U.S. Government clearance at the Secret level. Contractor personnel shall be debriefed from NATO access prior to departure from this contract.

C.5.5.2.11.2 Handling, Access, and/or Storage of Classified Information. Contractor shall comply with RFO FAR 52.240-92, Security Requirements. This clause involves access to information classified "Confidential," "Secret," or "Top Secret" and requires contractors to comply with the Contract Security Classification Specification, DD Form 254, and outlining security specifications; which will be incorporated as an attachment to the contract. Contractor personnel shall meet the qualifications outlined in the base contract. This includes the requirement for clearance for access to classified information up to and including SECRET/NATO.

C.5.5.2.11.3 Interaction and/or Disclosure with a Foreign Country or Foreign National Personnel. Contractor shall comply with Foreign Disclosure and Contacts with Foreign Representatives IAW AR 380-10, DoD 5230.11, Disclosure of Classified Military Information to Foreign Governments and International Organizations, and DoD 5230.20, Visits, Assignments, and Exchanges of Foreign Nationals. These publications may be provided at the contractor's request.

C.5.5.2.12 RESTRICTED ACCESS TO MILITARY INSTALLATION:

C.5.5.2.12.1 Access and General Protection/Security Policy and Procedures.

C.5.5.2.12.2 Contractor and all associated sub-contractors employees shall comply with applicable

installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative). The contractor shall also provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government shall require changes in contractor security matters or processes.

C.5.5.2.12.3 White Sands Missile Range (WSMR) is a Department of Defense Military Installations and shall restrict access. The Department of the Army requires that all non-Department of Defense identification card holders, complete a National Crime Information Center (NCIC) and Interstate Identification Index (III) check prior to gaining entry to some installations. The Directorate of Emergency Services, or the installation Garrison Commander reserve the right to refuse entry based on an individual's past record of criminal misconduct.

C.5.5.2.12.4 Access to the above installations may be delayed between 5 minutes and 60 minutes due to road blocks, increased security precautions which may include verifying vehicle occupant(s) identification, vehicle manifests, and the searching of vehicles. Any general or specific threat to the safety of those working or living at above installations could result in longer wait times at access control points to the installations.

C.5.5.2.12.5 The Contractor shall, under regulations prescribed by the local Provost Marshal, use only established roadways when transporting personnel and/or material in the prosecution of work. In the event that a TO is performed at another work site, the Contractor shall abide by the local regulations for that particular installation.

C.5.5.2.13 COOPERATION WITH FORCE PROTECTION MEASURES:

C.5.5.2.13.1 Antiterrorism Exercises. The Department of Defense and the Department of the Army require that an annual/yearly Antiterrorism Exercise be held on all installations. This annual/yearly exercise may require access control points to the installation to be closed, or the curtailment of daily operations to include movement of personnel, and equipment on the installation. As a result of this requirement, the Contractor will cooperate with the installation to the fullest and cannot hold the US Government or the Installation accountable for cost overruns as a result of this mandated requirement.

C.5.5.2.13.2 Contractors may as part of the exercise be required to provide an accountability of personnel to the CO and/or the COR of numbers of employees on hand and locations.

C.5.5.2.14 Documentation:

C.5.5.2.14.1 The Contractor shall provide or assist with documentation such as, but not limited to, Standard Operating Procedures (SOP), cybersecurity policies, best practices, lessons learned, guidance, tutorials, and instruction for internal (e.g., TRAC-WSMR workforce) and external (e.g., TRAC HQ and WSMR NEC) agencies.

C.5.5.2.14.1.1 SOPs for key functional areas, but not limited to, imaging of computers, installing/maintaining/disposing hardware or software, creating/maintaining/deleting of accounts,

tracking of life-cycle support, help-desk processes, support or management of the software library, VTC and audio-visual support, and in/out personnel processing.

C.5.5.2.14.1.2 Assist with the writing of Cybersecurity policies, but not limited to, data transfers and incident response.

C.5.5.2.14.1.3 Artifacts in support of, but not limited to, RMF, eMASS, and ATCTS.

C.5.5.2.14.2 Deliverable: The contractor shall provide, submit, and archive the documentation in the TRAC-WSMR approved repository.

C.5.5.2.3 Software/Application Development for All Automation System Types (SOMARDS):

C.5.5.2.3.1 The contractor shall design, develop and maintain the SOMARDS Financial Information Management System (SOFIMS) software suite using Microsoft .NET, Visual Basic & C++ programming languages.

C.5.5.2.3.2 SOFIMS takes the Standard Operation and Maintenance Army Research and Development System (SOMARDS) databases out of the mainframe environment and establishes a user friendly, web based environment. SOFIMS is the source of budget execution data and life cycle costs for the ATEC enterprise and provides web services to other modules of the enterprise such as the ATEC Decision Support System / Performance Measurement Enterprise System (PMES). SOFIMS is the primary input tool for contractor labor hours and contract labor and non-labor cost allocation via the CIMS module.

C.5.5.2.3.3 Provide programming services to build the required software interfaces between SOFIMS and GFEBS for secure and reliable systems interoperable.

C.5.5.2.3.4 Design, develop and maintain all types of application systems using standard programming languages. Develop applications to support user requirements but not limited to creation of the data models, databases, survey/add/update of reuse library, development of interfaces, application control logic, forms (screens), objects, reports, queries and menus as requested by the customer. This is mission funded (Mission funded items will not be priced into the fixed price of this contract. These items are included to identify potential growth over the life of the contract. As the need arises for these services a Task Order will be executed.

C.5.5.2.3.4.1 Plan test, prepare test data, execute testing, identify, analyze and repair errors and retest an application or module prior to implementation and placing into production as requested by the customer.

C.5.5.2.3.4.12 Prepare, update and distribute end-user and/or system operator's manuals that contain the product design and procedures and other relevant information necessary to use and administer the system. Also prepare, update and distribute on-line help facilities, technical manuals, Standing Operating Procedures (SOP), Instructions on the Army Standard software suite and maintain automation documentation and application software inventory documentation library as requested by

the customer.

C5.5.2.4 RANGE OPERATIONS METEOROLOGY REQUIREMENTS:

C.5.5.2.4.1 The contactor shall ensure CS compliance of twenty-five (25) portable computers (Laptop or Small Form Factor Desktop) for Test Support Network (TSN) network. Rapid response required in order to meet mission support requirements and deadlines.

C.5.5.2.4.2 The contractor shall provide Linux System Administration (SA) support to maintain and operate two (2) Linux Systems.

C.5.5.2.4.3 The contractor shall provide support for the 3D Lightning Mapping Array (3D-LMA): 12 sensors connected via TSN each with a CPU and memory. Linux server collecting, analyzing, and displaying data. System is a technology transfer from New Mexico Tech Langmuir Laboratories. Responses may be required to remote locations to meet mission support requirements and deadlines.

C.5.5.2.4.4 The contractor shall provide support for the Four Dimensional Weather (4DWX): 16 node Dell Server requiring remote System Administration from 4DWX contractor National Center for Atmospheric Research (NCAR) and from Army (Dugway Proving Ground) in addition to on-site System Administration.

C.5.5.2.5 ARMY TEST AND EVALUATION COMMAND (ATEC) GEOGRAPHICAL INFORMATION SYSTEM (GIS) REQUIREMENTS SHALL:

C.5.5.2.5.1 The Contractor shall provide GIS analysis, application development and system administration, to accomplish the following Information technology GIS related tasks:

C.5.5.2.5.1.1 Provide GPS Support.

C.5.5.2.5.1.2 Provide database support.

C.5.5.2.5.1.3 Support ATEC staff and ATEC customers with research support and document production.

C.5.5.2.5.1.4 Provide oversight of plotters and supplies.

C.5.5.2.5.2 Provide GIS Services such as data acquisition, mission planning, data organization, data processing to GIS, user level based software and data operations. Various types of support include:

- (1) Digitized or compiled floorplans.
- (2) Create or update database objects such as table, forms, queries and reports.
- (3) Migrate data to useable or desired formats.

- (4) Add or update data in database.
- (5) Provide instruction and assistance to ATEC GIS users in formal and informal settings.
- (6) Create and print maps or send digitally, print digitally provided drawings or maps by others.
- (7) Work with other ATEC GIS users, assist with problems, issues and data.
- (8) Provide Pictometry, keep current, assist with issues, provide trainings as necessary and load onto users that require this program.
- (9) Assist and submit GIS data layers to the Army Geospatial database as needed and per ATEC suspense dates. Assist WSMR ATEC is responding to ATEC data calls.
- (10) Work with local Federal agencies to ensure our data is current outside the boundaries of WSMR.
- (11) Calculate data and provide in a useable format and provide to customer. Data could be acreage, land ownership, boundaries,
- (12) Provide shapefiles to ATEC personnel if needed or other project personnel.
- (13) Work with ATEC personnel as subject matter experts to keep certain data layers current, Ex: airspace, Surface Danger Zone (SDZ), Unexploded Ordnance (UXO), test sites, communications etc....
- (14) Assist ATEC in setting up and operating a GIS geodatabase and field collection system.. Must be in compliance with the Department of Defense (DoD) standards outlined in the Spatial Data Standards for Facilities, Infrastructure and Environment (SDSFIE) to ensure consistent integration with the various organizations at WSMR utilizing GIS for mission support.
- (15) Software requirements for the GIS geodatabase will include licenses (Basic and Advanced) for the latest version of ESRI ArcGIS Desktop, as well as 3D Analyst and Spatial Analyst extensions. Field data collection software includes licenses of the latest version of ArcPad. A TRU (Transect Recording Unit) applet will need to be developed to run on ArcPad software in order to collect TRU data. The TRU system will be the foundation for a cultural resource geodatabase to include not only areas of potential effect (APE), but will also include feature data, artifact data, environmental data, cultural and environmental impacts, as well as systematically-generated archaeological site boundaries. The survey methodology overlays a digital grid over a proposed project location or APE that is divided into 15-m by 15-m squares

called TRU cells which allows archaeologists to provenience all cultural materials within an individual TRU cell, with the cell acting as a locational identifier. All recorded cultural materials are organized within the grid for ease of management, and incorporated into the GIS geodatabase for future test mission planning and archaeological research. This applet will require the programming

expertise of an experienced specialist who is familiar with designing previous TRU applets.

(16) The sections in (a) – (m) above can lead up to about 300 documented assistance to ATEC at about 733 hours historically.

C.5.5.2.6 CENTER FOR COUNTERMEASURES (CCM):

a. The contractor shall provide tier 1-3 support at CCM Bldg. 1407 for 80 users on multiple networks. The contractor will have to support 150 computers/laptops on CCM site and remote users. There are two networks, one classified and one unclassified, a Secret clearance is required.

b. The contractor shall support 20 servers, both physical and virtual servers. Contractor will administrate virtual server infrastructure, NetApp Infrastructure, SCCM/IAVA/Update operations. Contractor will ensure proper lifecycle management of all systems and software they are responsible for.

c. The contractor shall provide support in the following capacities: network server administration, SQL/DB administration/development, SharePoint administration/development, Microsoft networking, data backups/restore, enterprise antivirus, IAVA administration, ACAS administration, NetApp SAN administration, file server administration, public key infrastructure (PKI), Data at Rest (DAR) administration, MS Active Directory-OU administration, MS Windows, MS Office, support tasks related to computer-based security systems, user support services for personal computers including software configuration and installation on the network, to include: card readers, laptops, printers and scanners, etc. The contractor will also have to support miscellaneous CCM specific engineering software such as Matlab, Labview and other specific engineering software products as required by the organization. Contractor will have to support video teleconference technologies for unclass/class capabilities. Contractor will also support Cybersecurity/IA/RMF functions on CCMs mission/test side information systems.

d. Contractor shall provide continuity operational documentation such as: SOPs, procedures and any other mission critical knowledge to ensure CCM's information system can operate in case of contractor permanent departure.

e. The contractor shall perform system upgrades, remedy emergency system outages, and assure overall network and system maintenance during non-production hours. This is due to CCM's policy of zero downtime during production hours. This requirement will call for occasional overtime for the mentioned situations. As the need arises for these services a Task Order will be executed see 1.6.13.2.

f. CCM requires the following staffing plan be met by contractor, staff will sit permanently at CCM bldg. 1407

- (2) System Administrators capable of tier 1-3 support

- (1) Cybersecurity/Infosec/IA specialist with RMF/Accreditation experience

C.5.5.2.7 Mission-Funded Specific Server Administration Shall:

a. System Administration for mission-specific servers as requested by the customer. This is mission funded (Mission funded items will not be priced into the fixed price of this contract. These items are included to identify potential growth over the life of the contract. As the need arises for these services a Task Order will be executed.

b. Install Government supplied hardware, operating systems and software for mission-specific servers as requested by the customer. This is mission funded (Mission funded items will not be priced into the fixed price of this contract. These items are included to identify potential growth over the life of the contract. As the need arises for these services a Task Order will be executed.

C.5.5.2.8 Mission-Funded Web Site and Web Page Development and Maintenance Shall:

a. Design, develop and maintain static and dynamic web sites or portals using standard programming languages as requested by customer. This is mission funded (Mission funded items will not be priced into the fixed price of this contract. These items are included to identify potential growth over the life of the contract. As the need arises for these services a Task Order will be executed.

b. Design, develop and maintain web pages using standard programming languages as requested by customer. This is mission funded (Mission funded items will not be priced into the fixed price of this contract. These items are included to identify potential growth over the life of the contract. This work may be required in the future and increase the contract. At that time, the Government reserves the right to negotiate the additional cost upon issuing the Task Order.

C.5.5.2.9 PERFORMANCE MANAGEMENT SHALL:

a. Performance Management includes all the resources, processes, metrics, measurement approach, and systems necessary to:

(1) Continually assess the state of compliance of Command, Control, Communications, Computers and Information Management (C4IM) services, defined in this PWS, with the schedule and performance requirements.

(2) Assess the effectiveness of C4IM services in support of the WSMR mission. Take proactive steps to determine and implement improvements to the level of services delivered.

b. With approved task order, the Contractor shall collaborate with other service providers to provide the common services described below:

(1) Provide personnel, tools, and processes to monitor, manage, and regulate performance and security and continuously optimize performance.

(2) Capture and convert information from assigned components and systems to generate the performance measurement required by the C4IM Services.

(3) Generate an incident ticket when any metric operates outside of thresholds.

- (4) Provide recommendations on ISOSS performance management as part of the Monthly Status Report and, depending upon the agenda, the PMR presentation, including solutions to negative performance trends, architectural concerns, and capacity implications
- (5) Provide access to tools, data stores, and reporting scripts for Government Subject Matter Expertise (SMEs) to verify, validate, and audit performance management information.
- (6) Maintain service models for C4IM services.
- (7) Update the documented C4IM service models as changes to service delivery are implemented.
- (8) Develop and document new service models as new services are added to the C4IM portfolio including:
 - (a) Develop and document the conceptual, logical, and physical database models and the associated Data Definition Language (DDL).
 - (b) Identify and describe the activities, events, and interactions associated with the delivery of the service.
 - (c) Identify and describe the service assets (i.e., configuration items) including the relationship of the asset to the delivery of the service.
 - (d) Describe the service characteristics.
 - (e) Describe each of the Configuration Items (CIs) and the relationship to the service.
 - (f) Identify the performance threshold for each service component used to report events that impact service as well as the status and restoration of service.
 - (g) Data elements needed to define and quantify service events (e.g., users impacted by service degradation or interruption).
- (9) Operate and maintain the ISOSS performance management systems and associated performance data collection mechanisms, tools, databases, and report generation capabilities.
- (10) Develop, operate and maintain the ISOSS Enterprise Performance Management Database (EPMD) and Client Performance Management Database (CPMD) systems and associated collection mechanisms, databases, and report generation systems. Perform systems administration for EPMD and CPMD. Establish and maintain the capabilities for any other ISOSS service providers and the Government to input and extract information and generate reports from and manage requirements in EPMD and CPMD.
- (11) Assist the Government with verification, validation, and auditing of the performance management systems in accordance with the QASP.

(12) Integrate new services into the network instrumentation and visualization.

(13) Operate and maintain network instrumentation and visualization to provide the following situational awareness to the Government for established service models:

- (a) Event reported and visualization.
- (b) Event enrichment appropriate to established use cases.
- (c) Event clearing when service levels are restored.

(14) Operate and maintain the end user, command user, and network operator automated survey systems, databases, and report generation systems.

(15) Provide overall systems integration for ISOSS performance management tools and implement an integrated ISOSS performance monitoring database accessible through the WSMR IMD Portal.

(16) Prepare, consolidate, and submit the Contractor's performance management reports for end-to-end ISOSS service delivery for the current reporting period and each of the five previous reporting periods. Include as part of the performance management reports:

- (a) Proposed strategies and technologies to improve and reduce the cost of performance management systems; and,
- (b) Proposed corrective actions to address performance measurements that are not meeting requirements or are trending toward out of specification parameters. Include the performance management reports in the Monthly Status Report as well as the PMR presentation.

C.5.5.2.10 RISK MANAGEMENT SHALL: Risk Management provides an organized means of identifying, measuring, ranking risks and developing, selecting, and managing options for resolving or mitigating risks. With approved task order, the Contractor shall collaborate with other service providers as appropriate to provide the common services described below:

- a. Assist in developing and executing a Risk Management Plan (RMP) in accordance with the Risk Management Guide for DoD Acquisition, Sixth Edition (Version 1.0). Define the life cycle management risk mitigation process that guards against the implementation of counterfeit material in the environment.
- b. Conduct and document, at the start of transition, an initial risk assessment of the Contractor risks.
- c. Designate a Risk Manager who reports directly to the Contractor PM and serves as the primary point of contact for the Government on all matters relating to risk management for its portion of the network.
- d. Notify the Government within 10 days of any detection of "suspect" or "counterfeit" items implemented into the ISOSS environment.

- e. Update the status of existing and new Contractor risks for inclusion in the Monthly Status Report and, depending upon the agenda, the PMR presentation.
- f. Complete assigned tasks per the Government approved mitigation strategy for any accepted risks.
- g. Designate the appropriate SMEs to attend the ISOSS Risk Management Board meetings and address agenda items.
- h. Consolidate and submit the RMP.
- i. Consolidate and submit the Risk Management Assessment Report to the COR/KO for review.
- j. Consolidate the status of existing and new risks and include as part of the Monthly Status Report and, depending upon the agenda, the Program Management Review (PMR) presentation.

C.5.5.2.12 GOVERNANCE SHALL:

- a. The CCB develops strategies and makes decisions to ensure all relevant DOD and Army policies are followed throughout the service lifecycle. The Configuration Control Board reviews and approves or disapproves System Change Requests (SCRs). The CCB processes routine and emergency changes. An SCR identified as an emergency change is processed as soon as possible to alleviate or avoid detrimental impacts to operations. Emergency SCRs may be processed virtually by a subset of the CCB. The System Owner and other government members of the CCB determine agenda items for each meeting. A majority of voting Government CCB members make all approval/disapproval decisions regarding requested changes.
- b. Contractor shall designate appropriate SMEs to attend CCB, and other required meetings which may include, Technical Work Groups (TWG), Program Management Reviews (PMR), Engineering Control Boards (ECB), Risk Management Boards (RMB), and Incident Management Working Group (IMWG), to address agenda items and report the status of various projects.

C.5.5.3 GENERAL SUPPORT REQUIREMENTS.

C.5.5.3.1 Official Tasker Management. The contractor shall support the Government action officer in response to all official guidance and taskers on OPORDs, Fragmentary Orders, and other directives that are relevant to the scope of this PWS. This support includes, but is not limited to, the following actions across all functional areas (IT Support, Software Development, and Cybersecurity): tracking and executing assigned taskers, which may require coordination with Subject Matter Experts (SMEs) at ATEC HQ and all ATEC activities; conducting research and reporting on results; performing analysis and providing detailed responses; reviewing internal and ATEC-wide processes for potential improvements; and performing risk assessments as required.

C.5.5.3.2 Intermittent Surge Support. The contractor shall provide intermittent surge support as required across all functional areas defined in this PWS. This support may be required on an intermediate or permanent basis in support of ATEC and other DoD activities engaged in test, evaluation, and experimentation missions. The specific performance requirements, duration, and

location (CONUS or OCONUS) will be identified in each specific tasking from the Government.

C.5.5.4 Progress and Labor Reporting. The contractor shall:

C.5.5.4.1 Provide a monthly technical status that details the technical accomplishments for the reporting period, any known issues that could affect future performance of contract requirements and risk mitigation (CDRL A012). The report shall consist of the following: status of contract (cost, schedule, performance); action item status; status of Government-furnished property (GFP); listing of CDRL status; meetings attended; summary of minutes from meetings and trip report summary.

C.5.5.4.2 Electronically submit all monthly invoices by the 15th work day for the preceding month in WAWF. The invoice shall include up-to-date and current information for the prime and all subcontractors.

C.5.5.4.3 Provide an electronic weekly labor report to the COR separated by each location for the preceding week for the prime and all subcontractors by COB Tuesday.

C.5.5.5 Accounting for Contract Services. The Office of the Assistant Secretary of the Army (Manpower & Reserve Affairs) operates and maintains a secure Army data collection site where the contractor shall report all contractor manpower (including subcontractor manpower) required for performance of this contract. The contractor shall completely fill in all the information in the proper format used in the Contractor Manpower Reporting Application (CMRA) at the following web address: <https://www.sam.gov>. The required information includes:

- Contracting Office, KO, COR/ACOR, and TM;
- Contract number, including task and delivery order number;
- Beginning and ending dates covered by reporting period;
- Contractor name, address, phone number, email address, identity of contractor employee entering data;
- Estimated direct labor hours (including subcontractors);
- Estimated direct labor dollars paid this reporting period (including subcontractors);
- Total payments (including subcontractors);
- Predominant Federal Service Code (FSC) reflecting services provided by contractor (and separate predominant FSC for each subcontractor if different);
- Organizational title associated with the Unit Identification Code (UIC) for the Army Requiring Activity (the Army Requiring Activity is responsible for providing the ATEC HQs is W3Q2AA; ATC UIC is W4QUAA; OEC UIC is W469AA; Fort Huachuca UIC is W46908; Fort Sill UIC is W46910; Fort Bliss UIC is W46909, W46912; and Fort Bragg UIC is W469076.
- Locations where contractor and subcontractors perform the work (specified by zip code in the United States and nearest city, country, when in an overseas location, using standardized nomenclature provided on website);
- Presence of deployment or contingency contract language, and,
- Number of contractor and subcontractor employees deployed in theater this reporting period (by country).
- Reporting period will be the period of performance not to exceed 12 months ending 30

September of each Government fiscal year and must be reported by 31 December of each calendar year.

SECTION C.7. REGULATIONS

CDRL A001 – Contractor Access/Property Control Plan
 CDRL A002 – Quality Control Plan
 CDRL A003 – Hazardous Material Report
 CDRL A004 – Government Furnished Property Inventory Report
 CDRL A005 - Contractor Loss/Damage Report
 CDRL A006 – Maintenance/Warranty Report
 CDRL A007 – Critical Outage Report
 CDRL A008 - RESERVED
 CDRL A009 – Software Documentation
 CDRL A010 – Cybersecurity Status Report
 CDRL A011 – Sensitive Items Inventory Report
 CDRL A012 – Contractor Progress Status and Management Report

SECTION C.7. REGULATIONS.

5 USC 552a	Records Maintained on Individuals
10 USC 2399	Operational Test and Evaluation of Defense Acquisition Programs
18 USC 793	Gathering, Transmitting or Losing Defense Information
18 USC 798	Disclosure of Classified Information
28 USC 2671 – 2680	Federal Tort Claims Act
5 CFR 551	Pay Administration Under the Fair Labor Standards Act
5 CFR 551.422	Pay Administration Under the Fair Labor Standards Act – Time Spent Traveling
29 CFR Part 778	Overtime Compensation
OMB Circular A-108	Responsibilities for the Maintenance of Records About Individuals by Federal Agencies
DOD 4161.2M	DOD Manual for the Performance of Contract
	Property Administration
DODD 5500.7-R	Joint Ethics
DODD 8140.01	Cyberspace Workforce Management
DOD 8570.01-M	Information Assurance Workforce Improvement Program
DODI 8500.01	Cybersecurity
DODI 8510.01	Risk Management Framework (RMF) for DOD Information Technology (IT)

DOD Manual 5200 .01-V3	DOD Information Security Program: Protection of Classified Information
DA Pam 750-8	The Army Maintenance Management System (TAMMS) User's Manual
TB 600-2	Procedures for Selection, Training, Testing, Qualifying and

	Licensing Operators for Construction Equipment, Material Handling Equipment, and Armor Vehicle Launched Bridge (AVLB) Managed/Supported by US Army Tank Automotive Material Readiness Command
AR 11-2	Managers' Internal Control Program
AR 25-1	Army Information Technology
AR 25-2	Cybersecurity
AR 25-30	The Army Publishing Program
AR 58-1	Management, Acquisition, and Use of Motor Vehicles
AR 190-5	Motor Vehicle Traffic Supervision
AR 190-13	Army Physical Security Program
AR 190-51	Security of Unclassified Army Property (Sensitive and Nonsensitive)
AR 380-5	DA Information Security Program
AR 380-10	Foreign Disclosure and Contacts with Foreign Representatives
AR 380-381	Security – Military Intelligence
AR 385-55	The Army Safety Program
AR 530-1	Operations Security (OPSEC)
AR 600-55	The Army Driver and Operator Standardization Program (Selection, Training, Testing and Licensing)
AR 700-139	The Army Warranty Program
AR 710-1	Logistical Support Supply and Services
AR 710 series	Various Supply regulations
AR 735 series	Various Property Accountability regulations
AR 735-5	Policies and Procedures for Property Accountability
APGR 190-4	Movement Control Within the Installation
APGR 385-4	Heat Activity Chart
APGR 750-2	Maintenance, Control and Operation of Administrative Vehicles and Mobile Industrial Equipment
ATEC Reg 380-5	Information Security
ATC Reg 380-5	Information Security
OEC Policy Memo G6-2	Cybersecurity for USAOEC
OEC SOP G3-9	Security Awareness and Access Control