

## WebAIM Short Form TASK GROUP INSTRUCTION

29-JAN-2026 0908

20.15.6.0.9333 (July 2025)

ICN: 38K6144104 KeyOp: A01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                |                        |                      |                      |                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|----------------------|----------------------|------------------------|
| TGI NO:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | COMPONENT NAME:<br><b>AM-7641A/U BOND STRP</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b>   | REPEAT:<br><b>0</b>  | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-115</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | SHIP/HULL NAME:<br><b>USS RAFAEL PERALTA</b>   | PROJECT:<br><b>K61</b> | SYSTEM:              | PLANT ID:            | CASREP CAT:            |
| CU PHASE TITLE: *F/O – REPLACE BOND STRAP OF AM-7641A/U AMPLIFIER FILTER FOR AS-4679/U ANT 3-10B                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                |                        |                      |                      |                        |
| PREPARING ACTIVITY:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                | STATUS: APP            |                      | WORKING STATUS:      |                        |
| PREPARED BY:<br>NOZU, YOSHIKI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | CODE:<br>233           | PHONE:<br>8093501346 | DATE:<br>06-JAN-2026 |                        |
| APPROVED BY:<br>TSUKAME, HIROYUKI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                | CODE:<br>233           | PHONE:<br>8093501456 | DATE:<br>07-JAN-2026 |                        |
| CONCURRED BY:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | CODE:                  | PHONE:               | DATE:                |                        |
| REASON FOR WORK/NEED FOR CHANGE:<br>CSE1L010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                |                        |                      |                      |                        |
| JCN:<br>CSE1-L010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                |                        |                      |                      |                        |
| SPECIAL REQUIREMENTS:<br>TGI Short Form                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                |                        |                      |                      |                        |
| CU PHASE DESCRIPTION:<br>1 SCOPE/PURPOSE:<br><br>1.1 Title: Bond Strap of AM-7641A/U Amplifier Filter Unit No. One for AS-4679/U Antenna 3-10B; replace<br><br>1.2 Location of Work:<br><br>1.2.1 03 Level Weather, Frame 187, Port<br><br>1.2.2 Uptake Engine Room No. One (02-186-0-Q)<br><br>1.3 Identification:<br><br>1.3.1 Quantity (One EA), Existing Bond Strap of AM-7641A/U Amplifier Filter Unit No. One<br>Remarks: See Engrg Inst Enclosure-01 for details.<br><br>1.3.1.1 Quantity (One EA), Stud on Sloping Transverse Bulkhead<br>Material: CRES |                                                |                        |                      |                      |                        |
| ZONE MANAGER:<br>SAITO, KAZUNOBU                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                | ZONE:                  | COMPARTMENT:         | LEVEL:               | FRAME: SIDE:           |
| JOB SUMMARY ID:<br>441A7204                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | TOT MAN HR.:                                   | TOT DUR:               | TOT JML COST:        | PLANNING ACCEPTANCE: |                        |

|                                |     |  |  |           |            |        |       |  |  |  |  |  |  |
|--------------------------------|-----|--|--|-----------|------------|--------|-------|--|--|--|--|--|--|
| WORK CERTIFICATION SIGNATURES: | DLs |  |  |           |            |        |       |  |  |  |  |  |  |
| COMPLETION OF WORK REVIEW:     |     |  |  | BADGE NO: | SHOP/CODE: | PHONE: | DATE: |  |  |  |  |  |  |
| RECORDS REVIEW:                |     |  |  | BADGE NO: | SHOP/CODE: | PHONE: | DATE: |  |  |  |  |  |  |



## WebAIM Short Form TASK GROUP INSTRUCTION

29-JAN-2026 0908

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6144104

KeyOp: A01

|                                                                                                  |                                                |                        |                    |                     |                        |
|--------------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                          | COMPONENT NAME:<br><b>AM-7641A/U BOND STRP</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-115</b>                                                                  | SHIP/HULL NAME:<br><b>USS RAFAEL PERALTA</b>   | PROJECT:<br><b>K61</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: *F/O – REPLACE BOND STRAP OF AM-7641A/U AMPLIFIER FILTER FOR AS-4679/U ANT 3-10B |                                                |                        |                    |                     |                        |

## CU PHASE DESCRIPTION (Cont.)

Remarks: See Detail 2-A of Engrg Inst Enclosure-01 for location details.

1.3.2 Quantity (2 EA), New Bond Strap of AM-7641A/U Amplifier Filter Unit No. One

Remarks: See Engrg Inst Enclosure-01 for details.

1.3.2.1 Quantity (2 EA), Boss on Sloping Transverse Bulkhead

Material: CRES 316

Remarks: See Detail 3-A and Detail 4-A of Engrg Inst Enclosure-01 for location details.

1.4 Security Classification: None.

1.5 Initial Condition: None.

1.6 Contractor work start date: 7/27/2026

1.7 Contractor work completion date: 9/4/2026

## 2 PROCEDURE:

2.1 Remove the existing bond strap listed in 1.3.1 in accordance with Enclosure-01.

2.2 Install each new bond strap listed in 1.3.2 in accordance with Enclosure-01.

2.2.1 Accomplish the requirements of 009-012 of Ref. No. One, including Table 2, Column(s) D, Lines One through 7.

2.3 Accomplish the requirements of 009-032 of Ref. No. One for each new and disturbed surface.

## 2.4 Notes:

2.4.1 Planner: Code 233 Y. Nozu, 080-9350-1346

Planner: Code 231B T. Yamada, 243-3022

Engineer: Code 270 T. Koshikiya, 243-4326

2.4.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560

2.4.3 JCN CSE1-L010 is related to this TGI.

2.5 Government Furnished Material (GFM):

2.5.1 SRF-JRMC will provide GFM materials listed in "MATERIAL LIST".

2.6 SRF-JRMC will provide the following service work: (TGI No. 38K6144104S02)

2.6.1 [C740] Crane and crane rigging service.

2.6.2 [X99E] Utility service, electrical.

2.6.3 [X99M] Utility service, including low pressure air supply, water supply, and steam supply.

## WebAIM Short Form TASK GROUP INSTRUCTION

29-JAN-2026 0908

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6144104

KeyOp: A01

|                                                                                                  |                                                |                        |                    |                     |                        |
|--------------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                          | COMPONENT NAME:<br><b>AM-7641A/U BOND STRP</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-115</b>                                                                  | SHIP/HULL NAME:<br><b>USS RAFAEL PERALTA</b>   | PROJECT:<br><b>K61</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: *F/O – REPLACE BOND STRAP OF AM-7641A/U AMPLIFIER FILTER FOR AS-4679/U ANT 3-10B |                                                |                        |                    |                     |                        |

## CU PHASE DESCRIPTION (Cont.)

2.6.4 [C106.1] Safety inspection for SRF-JRMC employees.

2.6.5 [C106.2] Gas free inspection for SRF-JRMC employees.

2.6.6 [C133] QA inspection for (G) symbol(s).

## WebAIM Short Form TASK GROUP INSTRUCTION

29-JAN-2026 0908

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6144104

KeyOp: A01

|                                                                                                  |                                                |                        |                    |                     |                        |
|--------------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                          | COMPONENT NAME:<br><b>AM-7641A/U BOND STRP</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-115</b>                                                                  | SHIP/HULL NAME:<br><b>USS RAFAEL PERALTA</b>   | PROJECT:<br><b>K61</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: *F/O – REPLACE BOND STRAP OF AM-7641A/U AMPLIFIER FILTER FOR AS-4679/U ANT 3-10B |                                                |                        |                    |                     |                        |

OTHER SPECIAL REQUIREMENTS:  
HOT WORK IN MAGAZINE AND ADJACENT SPACES IAW S6740-AA-SAF-010 AND NAVSEA OP 4

| Ref. No. | Document/Drawing Number | DOCUMENT/DRAWING TITLE | REV | CHG NO. | CPY REQ | PARAGRAPH | SECT | PG | CHPT |
|----------|-------------------------|------------------------|-----|---------|---------|-----------|------|----|------|
| 1        | NSI FY-26               | NAVSEA Standard Items  | -   | 1       | N       |           |      |    |      |
| 2        | LI FY-26                | Local Standard Items   | -   | ORG     | N       |           |      |    |      |

| TASK NAME / TASK DESCRIPTION | SHOP/ TSD | TS | SF WC | CREW # | MHRS | RWRK |
|------------------------------|-----------|----|-------|--------|------|------|
|                              |           |    |       |        |      |      |
|                              |           |    |       |        |      |      |
|                              |           |    |       |        |      |      |
|                              |           |    |       |        |      |      |
|                              |           |    |       |        |      |      |

| MATERIAL REFERENCES |                         |                        |     |
|---------------------|-------------------------|------------------------|-----|
| REF NO.             | DOCUMENT/DRAWING NUMBER | DOCUMENT/DRAWING TITLE | REV |

|                 |             |
|-----------------|-------------|
| ICN: 38K6144104 | KEY OP: A01 |
|-----------------|-------------|

| MATERIAL LIST |        |         |       |                                                                                                                                                                                                                                        |              |                   |     |    |         |         |                |                |
|---------------|--------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|-----|----|---------|---------|----------------|----------------|
| ITEM NO.      | PC NO. | REF NO. | M / C | DESCRIPTION                                                                                                                                                                                                                            | STOCK NUMBER | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO. | QTY REQD/ UNIT | QTY USED/ UNIT |
| 001           |        |         | M     | STRIP,ELECTRICAL, STRIP, ELECTRICAL GROUNDING, SPEC: MIL-DTL-24749 TYPE 2, SHAPE: FLAT, WITH MOUNTING HOLES ON EACH END, LENGTH :9.0", WIDTH: 2.0", HOLE DIA: 0.406", MATL: CRES 316, ORDER FOR KTR ORIG: C226 K.YAMAMI, 080-9350-1447 |              |                   | NA  | 4  | N       |         | 2/EA           |                |

## WebAIM Short Form TASK GROUP INSTRUCTION

29-JAN-2026 0908

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6144104

KeyOp: A01

|                                                                                                  |                                                |                        |                    |                     |                        |
|--------------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                          | COMPONENT NAME:<br><b>AM-7641A/U BOND STRP</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-115</b>                                                                  | SHIP/HULL NAME:<br><b>USS RAFAEL PERALTA</b>   | PROJECT:<br><b>K61</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: *F/O – REPLACE BOND STRAP OF AM-7641A/U AMPLIFIER FILTER FOR AS-4679/U ANT 3-10B |                                                |                        |                    |                     |                        |

| MATERIAL LIST |        |         |       |                                                                                                                                                                                                                                                           |                   |                   |     |    |         |          |                |                |
|---------------|--------|---------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-----|----|---------|----------|----------------|----------------|
| ITEM NO.      | PC NO. | REF NO. | M / C | DESCRIPTION                                                                                                                                                                                                                                               | STOCK NUMBER      | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO.  | QTY REQD/ UNIT | QTY USED/ UNIT |
| 002           |        |         | M     | SCREW, HEX, SELFLOCK, SCREW, HEX, SELFLOCK, SIZE: 3/8-24UNF-2A X 3/4L, CRES 316 ANNEALED, MIL-DTL-1222 TY I, SELF-LOCKING TYPE: MIL-DTL-18240 TYPE L: STRIP ORDER FOR KTR ORIG: C226 K.YAMAMI, 080-9350-1447                                              | LL4940572         |                   | NA  | 4  | N       |          | 2/EA           |                |
| 003           |        |         | M     | WASHER,FLAT, ORDER FOR KTR ORIG: C226 K.YAMAMI, 080-9350-1447                                                                                                                                                                                             | 9B 5310 007737618 |                   | NA  | 4  | N       | 60065001 | 4/EA           |                |
| 004           |        |         | M     | SCREW,CAP, SCREW, CAP, HEAD: HEX, SPEC: MIL-DTL-1222 TYPE I, SIZE: 3/8"-16UNC-2A X 5/8" LG, BEARING SURFACE: N/A, MATL: ANNEALED, CRES 316, FINISH: N/A, LOCKING ELEMENT: MIL-DTL-18240F TYPE L (STRIP), ORDER FOR KTR ORIG: C226 K.YAMAMI, 080-9350-1447 |                   |                   | NA  | 4  | N       |          | 2/EA           |                |
| 005           |        |         | M     | NUT,SLEEVE, ORDER FOR KTR ORIG: C226 K.YAMAMI, 080-9350-1447                                                                                                                                                                                              | 9B 5310 014231667 |                   | NA  | 4  | N       | 60065002 | 2/EA           |                |

## ATTACHMENT LIST

| TITLE        | FILE NAME                   | SAVED DATE       |
|--------------|-----------------------------|------------------|
| Enclosure-01 | 38K6144104A01-Egrg Inst.pdf | 05-JAN-2026 0000 |

REFERENCES: ASTERISKED (\*) REFERENCES ARE NOT REQUIRED FOR PRODUCTION WORK


- \*(a). IRD-44100-170-003-1000803 "-": AM-7641A/U (UNIT 3) AMPLIFIER/FILTER UNIT OUTLINE AND INSTALLATION  
DRAWING
- \*(b). DDG51CL-150-7026725 "J": UNIT STRL ARR DWG ASSY UNIT 4420
- \*(c). DDG51CL-321-7027495 "J": INSTL ELEC MAIN AND LOCAL WW DZ 4420 02 LVL FR 186-228

NOTES:

1. DRAWING LEGENDS FOR CABLE AND EQUIPMENT ARE AS FOLLOW: PHANTOM LINES (---) REPRESENT EXISTING, SOLID LINES (——) REPRESENT NEW OR RELOCATED, AND HATCH LINES (////) REPRESENT TO BE REMOVED UNLESS OTHERWISE NOTED.
2. ALL ABBREVIATIONS ARE IN ACCORDANCE WITH ASME Y14.38.
3. FUBRICATION AND WELDING FOR STEEL MATERIALS SHALL BE CONDUCTED IN ACCORDANCE WITH SRF-JRMC PROCESS INSTRUCTION NO. 100-2 OR NAVSEA STD ITEM NO. 009-012. AFTER ALL WELDING, VT SHALL BE REQUIRED IN ACCORDANCE WITH PARAGRAPH 6.4 OF MIL-STD-1689.
4. CABLE AND EQUIPMENT SHALL BE BONDED/GROUNDED IN ACCORDANCE WITH MIL-STD-1310H(NAVY).
5. TEMPLATE ALL WORK FROM SHIP AND EQUIPMENT.

MATERIAL LIST


| ITEM NO | DESCRIPTION                                 | QTY  | SPEC/MATERIAL             | NSN              | REMARKS                                     |
|---------|---------------------------------------------|------|---------------------------|------------------|---------------------------------------------|
| 1       | BOND STRAP, TYPE II, LG=9"                  | 2 EA | MIL-DTL-24749<br>CRES 316 | —                | P/N: M24749-II-C<br>CAGE: 06324 OR EQL      |
| 2       | BOLT, HEX HD, 3/8"-24UNF-2A                 | 2 EA | MIL-DTL-1222<br>CRES 316  | —                | P/N: M1222RN6F212SCLN<br>CAGE: 0L7G0 OR EQL |
| 3       | FLAT WASHER, 3/8"                           | 4 EA | NASM15795<br>CRES         | 5310-00-773-7618 |                                             |
| 4       | BOLT, HEX HD, 3/8"-16UNC-2A,<br>SELFLOCKING | 2 EA | MIL-DTL-1222<br>CRES 316  | —                | P/N: M1222RN6C210SCLN<br>CAGE: 0L7G0 OR EQL |
| 5       | BOSS, 3/8"-16UNC-2B                         | 2 EA | MIL-DTL-24749<br>CRES 316 | 5310-01-423-1667 | P/N: GS101<br>CAGE: 09KA8 OR EQL            |



DET 2-A


REMOVAL  
BOND STRAP  
03 LVL FR 186 LKG AFT  
-SCALE: NONE-

ENGRG INST  
ENCLOSURE-01



## DET 3-A

INSTALLATION  
BOND STRAP  
03 LVL FR 186 LKG AFT  
-SCALE: NONE-




## DET 4-B (TYP)

INSTALLATION OF FASTENER AND TYPE II BOND STRAP  
TO BOND STRAP POINT OF AM-7641A/U, AMPL FILTER, UNIT NO.1

QTY: 2 EA REQD

-SCALE: NONE-



## DET 4-A (TYP)

INSTALLATION OF BOSS, FASTENER AND TYPE II BOND STRAP

QTY: 2 EA REQD

-SCALE: NONE-