

TASK GROUP INSTRUCTION
 AIM REV 20.11.4.0 (OCTOBER 2020)

TGI NO.:	COMPONENT NAME: FWD STACK/03LVL WEA	TYPE: AY	PHASE: A	REPEAT: 0	CHANGE: 0
SHIP/HULL NO.: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	SYSTEM:	PROJ/WO NO: K61	CASREP CAT:	
CU PHASE TITLE: F/O - PSV FWD EXH STACK & SLPG TRNSVS BHD IN 03LVL WEA, FR 174 - 178, P & S					
PREPARING ACTIVITY:					
PREPARED BY: NAOKI KUROKAWA	CODE 231B.	PHONE 315-243-0108	DATE 25-NOV-2025		
APPROVED BY: RYOUTA TAKAGI	CODE 231B.	PHONE 315-243-4502	DATE 25-NOV-2025		
CONCURRED BY:	CODE	PHONE	DATE		
CONCURRED BY:	CODE	PHONE	DATE		
CONCURRED BY:	CODE	PHONE	DATE		
CONCURRED BY:	CODE	PHONE	DATE		
REASON FOR WORK/NEED FOR CHANGE:					
CHANGE INSTRUCTIONS:					
SPECIAL REQUIREMENTS:					

WORK CERTIFICATION SIGNATURES

COMPLETION OF WORK REVIEW:	BADGE NO.:	SHOP/CODE:	PHONE:	DATE:
ACCEPTANCE OF COMPLETED WORK				
PHYSICAL INSPECTION REQUIRED: ☐ YES ☒ NO	PHYSICAL INSPECTION COMPLETED:	BADGE NO.:	SHOP/CODE:	PHONE:
RECORDS REVIEW:	BADGE NO.:	SHOP/CODE:	PHONE:	DATE:



LIST OF EFFECTIVE PAGES									
SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.
1-6									
J1-2									
M1-3									
Sketch (1-3)									

1. SCOPE/PURPOSE

1.1 Title: Forward Exhaust Stack and Sloping Transverse Bulkhead in 03 Level Weather, Frames between 174 and 178, Port and Starboard (Stbd); preserve

1.2 Location of Work:

1.2.1 Between 02 Level and 05 Level Weather, Frames between 179 and 222, Port and Stbd

1.2.2 03 Level Weather, Frames between 174 and 178, Port and Stbd

1.2.3 Uptake Engine Room No. One (02-186-0-Q)

1.2.3.1 Vent Plenum for Heating Ventilation and Air Conditioning (HVAC) Exhaust Systems (ES) 01-216-2

1.3 Identification:

1.3.1 Quantity (2 EA), Desron Shield on Fwd Exhaust Stack, 04 Level Weather, Frames between 200 and 205, Port and Stbd

1.3.2 Quantity (2 EA), Flag Box, Transverse Sloping Bulkhead, between 03 Level and 04 Level Weather, Frame 178, Port and Stbd

Material: CRES

Remarks: See Sketch Enclosure-01 for location details and the area excluded flag board strip

1.3.3 Quantity (4 EA), Mounting Bracket of Flag Box, 03 Level Weather, Transverse Sloping Bulkhead, Frame 178, Port and Stbd

Material: CRES

Remarks:

See Sketch Enclosure-01 for location details.

The area where rubber tile is installed.

1.3.4 Quantity (2 AY), Inclined Ladder Assembly, 03 Level Weather, Frames between 176 and 185, Port and Stbd

Material: CRES

Remarks: See Sketch Enclosure-01 for location details, the area excluded aluminum ladder tread.

1.3.5 Quantity (2,950 SF), Exterior Surface of Fwd Exhaust Stack, between Frames 179 and 222, 02 Level and 05 Level Weather, Port and Stbd, including vertical ladder, door panel of watertight door, vent food, vent louver, antenna foundation, interior surface and and handrail of platform

Remarks:

See Sketch Enclosure-01 for location details.

The area is accessible area only.

The area excluded composite panel listed in 1.3.7, where peel and stick are installed surface listed in 1.3.12, air exhaust louver, inside surface of vent food, mating surface of antenna foundation, and welded closed interior surface of aft platform.

2 TGI NO.:

SHIP:

FWD STACK/03LVL WEA	AY	A	0
DDG-115	CHG/VER:	0/0	

1.3.6 Quantity (350 SF), Exterior Surface of Transverse Sloping Bulkhead and Aft Canted Bulkhead, 03 Level Weather, Frames 174 and 178, Port and Stbd including door panel of watertight door

Material: Steel

Remarks:

The area is accessible area only.

See Sketch Enclosure-01 and the area excluded air intake louver.

1.3.7 Quantity (22 EA), Composite Panel, Fwd Exhaust Stack, Port and Stbd

Material: Glass Reinforced Plastics

1.3.7.1 Quantity (5 EA), Composite Panel on Platform listed in 1.3.12.1

1.3.7.2 Quantity (17 EA), Composite Panel on Antenna 3-10B Platform listed in 1.3.12.2

1.3.8 Quantity (2 SF in Total), Mounting Foundation of Pyrotechnic Locker on Transverse Bulkhead, 03 Level Weather, Frame 178, Stbd

Remarks: The area where rubber tile is installed

1.3.9 Quantity (10 SF in Total), Ladder Clip and Climber Safety Rail Mounting Bracket on Fwd and Aft Transverse Sloping Bulkhead of Forward Exhaust Stack, between Frames 186 and 222, 02 Level and 05 Level Weather, Port and Stbd

Remarks: The area where rubber tile is installed

1.3.10 Quantity (2 SF in Total), Backstay Padeye on Aft Transverse Sloping Bulkhead of Fwd Exhaust Stack, between Frames 218 and 219, 02 Level and 03 Level Weather, Port and Stbd

Remarks: The area where rubber tile is installed

1.3.11 Quantity (2 SF in Total), Security Hasp of Watertight Door on Longitudinal Bulkhead of Fwd Exhaust Stack, 02 Level Weather, Frames between 194 and 204, Port and Stbd

Remarks: The area where rubber tile is installed

1.3.12 Quantity (158 SF in Total), Platform Plating, Fwd Exhaust Stack, Port and Stbd

Material: Steel

Remarks:

The area is accessible area only.

See Sketch Enclosure-01 for location detail

1.3.12.1 Quantity (25 SF), Platform, Frames between 179 and 187, 65 Feet 16-3/16 Inches Above Base Line (ABL)

1.3.12.2 Quantity (100 SF), Antenna 3-10B Platform, Frames between 182 and 191, 78 Feet 0 Inch ABL

1.3.12.3 Quantity (33 SF), Antenna 2-3 Platform, Frames between 216 and 221, 75 Feet 8 Inches ABL

1.4 Security Classification: None.

1.5 Initial Condition: None.

1.6 Contractor Work start date: 7/27/2026

1.7 Contractor Work completion date: 9/4/2026

2. REFERENCES:

FWD STACK/03LVL WEA	AY	A	0
DDG-115	CHG/VER:	0/0	

REF. NO.	DOCUMENT /DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV	CHG NO.	COPY REQ'D (Y/N)	SOURCE DOC (Y/N)	PARA	SEC	PG	CHP
1	NSI FY-26	NAVSEA Standard Items	-	1	N					
2	LI FY-26	Local Standard Items	-	ORG	N					
3	PDD 602-ELM-180258	REPLACEMENT OF DESRON SHIELD ON FORWARD STACK (P/S)	B		Y				AL L	
4	DWG 8100-1313-0293	FLAG BOX, CRES ARR & DET	G		Y				AL L	
5	DWG 180-7026819	FDN ARR DWG DSGN ZONE 4230 BKLT NO. 3	L		Y				SE E N O T E	
6	DWG 623-7026533	INCLINED LADDER LIST ZONES 1,2,3, AND 4	L		Y				SE E N O T E	
7	DWG 8100-1266-0280	EXTERIOR INCLINED LADDERS ARRANGEMENT & DETAILS	P		Y				SE E N O T E	
8	TM SYSTEMS & SPECIFICATIONS	SSPC Painting Manual Volume 2	-		N					

3. APPENDICES:

- 3.1. ~~Appendix "J" TGI Job Summary Information Sheet~~ 1/26/2026 C1209.2 K. YOSHIDA
- 3.2. Appendix "M" TGI Material List
- 3.3. Appendix "D" Deficiency Form

4. GENERAL REQUIREMENTS:

4.1 Not Applicable.

5. PROCEDURE:

5.1 Remove and reinstall each desron shield listed in 1.3.1 for preservation work, using 2.3 for guidance.

5.2 Remove each existing flag box, mounting bracket, and inclined ladder listed in 1.3.2 through 1.3.4, using 2.4 through 2.7 for guidance.

5.2.1 Deliver and pick up the existing mounting bracket listed 1.3.3 from/to SRF-JRMC X68.

5.2.1.1 Notify delivery and pick up date of the equipment to SRF-JRMC X68 via Work Integration Manager (WIM) Code 333.

5.3 Accomplish the requirements of 009-032 of 2.1, including Table 5, Line(s) 23, for each flag box and mounting bracket listed in 1.3.2 and 1.3.3.

5.4 Reinstall each flag box and mounting bracket listed in 1.3.2 and 1.3.3, using 2.4 and 2.5 for guidance.

5.5 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) One, for each area and inclined ladder assembly listed in 1.3.4 through 1.3.6.

4 TGI NO.:

SHIP:

FWD STACK/03LVL WEA	AY	A	0
DDG-115	CHG/VER:		0/0

5.6 Reinstall each inclined ladder listed in 1.3.4, using 2.6 and 2.7 for guidance.

5.7 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 83, for each composite panel listed in 1.3.7.

5.8 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 46, for each area listed in 1.3.8 through 1.3.11.

5.9 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 23, for each area listed in 1.3.12.

5.9.1 Power tool clean to bare metal for each vertical surface. Accomplish each requirement of Surface Preparation Specification SSPC-SP 11 of 2.8.

5.9.2 Accomplish the requirements of 009-026 of 2.1, including Attachment G, for installation of new peel and stick nonskid deck covering. Application of peel and stick nonskid deck covering must conform to MIL-PRF-24667, Type XI, Composition PS.

5.10 Confirm that all personnel have exited the space prior to closure of the space listed in 1.2.3.1. Designate one person to account for all personnel who may have entered the space.

5.11 Accomplish the requirements of 009-032 of 2.1 for each new and disturbed surface.

5.12 Notes:

5.12.1 Planner: Code 231B N. Kurokawa, 243-0108
Planner: Code 233 M. Takemura, 080-9350-1458
Planner: Code 233 Y. Nozu, 080-9350-1346

5.12.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560

5.12.3 Removal and installation of rubber tile on each equipment listed in 1.3.3 and 1.3.8 through 1.3.11 will be covered by TGI No(s). 38K6113702U01 38K6113702H01 and 38K6113702R01 (SRF-JRMC TGI).

5.12.4 WPC will copy the following pages in reference.

REF. 2.5: Pages 8B1, 8A1-5, and 8A2-5.

REF. 2.6: Pages 3D, 4D, 4B, and 4C.

REF. 2.7: Pages 7, 8, 10C, 10D, and 7A.

5.12.5 JCN OT01-L021 is related to this TGI.

5.13 Government Furnished Material (GFM):

5.13.1 SRF-JRMC will provide GFM listed in Appendix "M".

5.14 SRF-JRMC will provide the following service work: (TGI No. 38K6113702S02).

5.14.1 [C740] Crane and crane rigging service.

5.14.2 [X99E] Utility service, electrical.

5.14.3 [X99M] Utility service, including water supply, steam supply, and low pressure air supply except onboard blasting work.

5.14.4 [C106.1] Safety inspection for SRF-JRMC employees.

FWD STACK/03LVL WEA	AY	A	0
DDG-115	CHG/VER:		0/0

5.14.5 [C106.2] Gas free inspection for SRF-JRMC employees.

5.14.6 [C133] QA inspection for (G) symbol(s).

6	TGI NO.:	FWD STACK/03LVL WEA	AY	A	0
	SHIP:	DDG-115	CHG/VER:		0/0

APPENDIX "M"

TGI MATERIAL LIST

SYSTEM:	PLANT NO.:	COMPONENT NAME:	TYPE:	PHASE:	REPEAT:	CU PH VERSION:	CASREP CAT:
		FWD STACK/03LVL WEA	AY	A	0	0	

CU PHASE TITLE:

F/O - PSV FWD EXH STACK & SLPG TRNSVS BHD IN 03LVL WEA, FR 174 - 178, P & S

MATERIAL REFERENCES

REF NO.	DOCUMENT/DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV
1	8100-1266-0280		

JOB ORDER:

38K6113702

KEY OP:

A01

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
001			M	SCREW,CAP,HEXAGON H, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5305 014124892		NA	4	N	53175738	30/EA	
002			M	NUT,HEX., ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9Z 5310 LL9302679		NA	4	N	53177476	30/EA	
003			M	WASHER,FLAT,ROUN, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR WASHER, FLAT, ROUND, USE FOR 1/2" BOLT, SPEC: FF-W-92, TY-A, GR-I, CL- G, SIZE: 17/32" ID X 1-1/4" OD X 1/8" THK, MATL: NICKEL COPPER ALLOY, BIW CAT#: 53277-039	LL9000448		NA	4	N		55/EA	
004			M	NUT,SELF, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5310 014804186		NA	4	N	53175389	50/EA	

NOTES:

M-1

TGI NO.:	FWD STACK/03LVL WEA	AY	A	0
SHIP:	DDG-115	CHG/VER:	0/0	

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
005			M	SCREW,CA, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5305 013717939		NA	4	N	53175735	50/EA	
006			M	NUT, SELF-LOCKING, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR NUT, SELF-LOCKING, HEX, NON-METALLIC INSERT, 250 DEG F, SPEC: NASM25027, SIZE: #10-24UNC-3B, MATL: CRES 316, BIW#:53110-070	LL6991530		NA	4	N		30/EA	
007			M	NUT, HEXAGON, SPEC: MIL-S-1222, TY I, GR 316 SIZE: #10-24UNC-2B MATERIAL: CRES 316, ANNEALED REMARKS: DOUBLE CHAMFERED BIW CAT NO.53101-003 ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR			NA	4	N		30/EA	
008			M	SCREW, H, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5305 LL4785905		NA	4	N	53177477	20/EA	
009			M	WASHER,L, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5310 009338778		NA	4	N	53175289	1/HD	
010	PN 7	1	M	NUT,SELF, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5310 014804186		NA	4	N	53285128	70/EA	
011	PN 34	1	M	SCREW,MACHINE,FLA, SCREW, MACHINE, FLAT HEAD, SLOTTED, COUNTERSUNK 82 DEG, SPEC: FF-S-92 TY-1 STY-2S, CL-316, SIZE: 1/4"-20UNC-2A X 1"LG, MATERIAL: CRES 316, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	LL9007087		NA	4	N		60/EA	
012	PN 35	1	M	NUT, SEL, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9Z 5310 LL4598343		NA	4	N	53287479	60/EA	
013	PN 36	1	M	WASHER,, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9Z 5310 LL9302877		NA	4	N	53287480	80/EA	
014	PN 6	1	M	SCREW,CA, ORIGINATOR: C231B N. KUOKAWA 243-0108 ORDER FOR KTR	9B 5305 013717939		NA	4	N	53285158	60/EA	
015	PN 8	1	M	SCREW, HEX CAP, SCREW, HEX CAP, WASHER FACE, SPEC: MIL-DTL-1222 TY 1, SIZE: 3/8"-16UNC2A X 2-1/4" LG, MATERIAL CRES 316 ANNEALED, BIW CATALOG NO. 53049-061			NA	4	N		20/EA	

M-2

TGI NO.:	FWD STACK/03LVL WEA	AY	A	0
SHIP:	DDG-115	CHG/VER:	0/0	

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
016	PN 37	1	M	SCREW, HEX CAP, SCREW, HEX CAP, SIZE: 3/8"-16UNC-2A X 1-1/2"LG, MATL: CRES 316, ANNEALED, MIL-DTL-1222 TY 1.	LL9000265		NA	4	N		10/EA	

M-3

TGI NO.:	FWD STACK/03LVL WEA	AY	A	0
SHIP:	DDG-115	CHG/VER:	0/0	

☐ NUCLEAR☐ NON-NUCLEAR

APPENDIX "D"

DEFICIENCY FORM

1. SHIP/HULL NO.:	2a. DL or DR No. (Circle One)	2b. REVISION:	3a. COMPONENT NAME:	3b. TYPE:	3c. PHASE:	3d. REPEAT:
DDG-115			FWD STACK/03LVL WEA	AY	A	0
4a. ICN:		4b. KEY OP:	5. LOC SPACE/LVL:	FRAME:	P/S/C:	6. CAUSED BY:
38K6113702		A01				

7. DESCRIPTION:

8. ORIGINATOR:	NAME:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:
----------------	-------	--------	------------	-------	------------

9. CORRECTIVE ACTION:

10. EVALUATOR:	NAME:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:
----------------	-------	--------	------------	-------	------------

FOR NON-NUCLEAR USE ONLY

11. RFD/RFW REQ'D ☐	LAR REQ'D ☐	SRD/PLAN REV REQ'D ☐
ILS MOD REQ'D ☐	DWG NO.: _____	S/A NO.: _____

12. ISOLATION SATISFACTORY:	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:
--------------------------------	-------	--------	------------	-------	------------

13. SUBSAFE OQE RECORD?	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.
YES ☐ NO ☐					

14. CORRECTIVE ACTION COMPLETE:	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.

15. INSPECTION REQ'D?	INSPECTION COMPLETE/SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.
:YES ☐ NO ☐					

16. RECORDS REVIEW COMPLETE (DR ONLY)	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.

DL's ISSUED
(DR ONLY)

☐ NON-NUCLEAR

1. SHIP/HULL NO.:	2a. DL or DR No. (Circle One)	2b. REVISION:	3a. COMPONENT NAME:	3b. TYPE:	3c. PHASE:	3d. REPEAT:
DDG-115			FWD STACK/03LVL WEA	AY	A	0

This image shows a full page of blank, lined paper. It features approximately 30 evenly spaced horizontal grey lines across its entire width, typical of notebook or legal stationery. The lines are thin and light grey, set against a plain white background. There are no margins, text, or other markings present.

LOCATION DETAIL OF PRESERVATION AREA

Listed 1.3.2, 1.3.3, & 1.3.6

LEGEND



PRESERVATION AREA



EXCLUDED AREA



PORT
LKG INBD



STBD
LKG INBD

03 LVL WEA, FR 174 -178

38K6113702A01

SKETCH
ENCLOSURE-01

Sheet 1 of 3

LOCATION DETAIL OF PRESERVATION AREA

Listed 1.3.4

LEGEND



PRESERVATION AREA



LKG FWD



LKG INBD

03 LVL WEA, FR 176 -185

SKETCH

ENCLOSURE-01

38K6113702A01

Sheet 2 of 3

LOCATION DETAIL OF PRESERVATION AREA

LEGEND

	PRESERVATION AREA
	EXCLUDED AREA
	INSTL PEEL & STICK


Listed 1.3.5

Listed 1.3.12.3

Listed 1.3.12.1

Listed 1.3.12.2

*AREA EXCLUDED WELDED CLOSED INTERIOR SURFACE OF ANT PLATFORM



PLAN VIEW
BETW 02 LVL & 05LVL WEA

SKETCH
ENCLOSURE-01