

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025)

ICN: 38K6165401 KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					
PREPARING ACTIVITY:		STATUS: APP		WORKING STATUS:	
PREPARED BY: MATSUYAMA, YUUJI		CODE: 231B	PHONE: 3152434476	DATE: 30-OCT-2025	
APPROVED BY: TAKAGI, RYOUTA		CODE: 231B	PHONE: 3152434502	DATE: 30-OCT-2025	
CONCURRED BY:		CODE:	PHONE:	DATE:	
REASON FOR WORK/NEED FOR CHANGE: EE02L012					
JCN: EE02-L012					
SPECIAL REQUIREMENTS: TGI Short Form					
CU PHASE DESCRIPTION: 1. SCOPE/PURPOSE: 1.1 Title: Shore Power Cover on 01 Weather, Frame 240, Port and Starboard; repair 1.2 Location of Work: 1.2.1 01 Level Weather, Frame 240, Port and Starboard (Stbd) 1.2.2 Shore Power Station (01-240-0-Q) 1.2.3 Deck Gear Locker (01-240-1-A) 1.3 Identification: 1.3.1 Quantity (12 EA), Drop Bolt Assembly for Shore Power Cover listed in 1.3.3 on Sloping Watertight Transverse Bulkhead Frame 240, Port and Stbd					
ZONE MANAGER: SAITO, KAZUNOBU		ZONE:	COMPARTMENT:	LEVEL:	FRAME: SIDE:
JOB SUMMARY ID: 654A1101	TOT MAN HR.:	TOT DUR:	TOT JML COST:	PLANNING ACCEPTANCE:	

WORK CERTIFICATION SIGNATURES:	DLs												
COMPLETION OF WORK REVIEW:				BADGE NO:	SHOP/CODE:	PHONE:	DATE:						
RECORDS REVIEW:				BADGE NO:	SHOP/CODE:	PHONE:	DATE:						



WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6165401

KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					

CU PHASE DESCRIPTION (Cont.)

Remarks: See Sheet 111E of Ref. No. 3 for detail

1.3.2 Quantity (6 Lot), Gasket for Shore Power Cover listed in 1.3.3

Remarks: See Plan 127A-A, 127B-A, and 127C-A of Ref. No. 3 for detail

1.3.3 Quantity (6 EA), Shore Power Cover, including Hinge Clip on Sloping Watertight Transverse Bulkhead Frame 240, Port and Stbd

Material: CRES

1.3.3.1 Quantity (One EA), Shore Power Cover

Remarks: See Plan 127A-A of Ref. No. 3 or detail

1.3.3.2 Quantity (4 EA), Shore Power Cover

Remarks: See Plan 127B-A of Ref. No. 3 for detail

1.3.3.3 Quantity (One EA), Shore Power Cover

Remarks: See Plan 127C-A of Ref. No. 3 for detail

1.4 Security Classification: None.

1.5 Initial Condition:

1.5.1 Potential Asbestos Hazard.

1.6 Contractor work start date: 8/3/2026

1.7 Contractor work completion date: 9/1/2026

2. PROCEDURE:

2.1 Remove exiting, fabricate and install new each drop bolt assembly listed in 1.3.1, using Ref. No. 3 through Ref. No. 5 for guidance.

2.1.1 Accomplish the requirements of 009-012 of Ref. No. One, including Table 2, Column(s) D, Lines One through 7.

2.2 Remove each exiting gasket listed in 1.3.2, using Ref. No. 3 for guidance.

2.3 Accomplish the requirements of 009-032 of Ref. No. One, including Table 2, Line(s) One for each shore power cover listed in 1.3.3.

2.3.1 Power tool clean to bare metal for each equipment. Accomplish each requirement of Surface Preparation Specification SSPC-SP 11 of Ref. No. 6.

2.4 Fabricate and install each new gasket listed in 1.3.2 in accordance with Ref. No. 3.

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6165401

KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					

CU PHASE DESCRIPTION (Cont.)

2.5 Confirm that all personnel have exited the space prior to closure of the space listed in 1.2.2 Designate one person to account for all personnel who may have entered the space.

2.6 Accomplish the requirements of 009-032 of Ref. No. One for each new and disturbed surface.

2.7 Notes:

2.7.1 Planner: Code 231B Y. Matsuyama, 243-4476
Planner: Code 233 K. Uchimura, 080-9350-1432

2.7.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-5419-0598

2.7.3 Disconnection and reconnection of shower power cable will be covered by TGI(s) 38K6113601U01 and 38K6113601R01 (SRF-JRMC TGI).

2.7.4 Work Package Control (WPC) will copy the following pages in reference.

REF. No. 3: Pages 111E, 127A, 127B, and 127C.

2.7.5 JCN EE02-L012 is related to this TGI.

2.8 Government Furnished Material (GFM):

2.8.1 SRF-JRMC will provide GFM listed in the Material List.

2.9 SRF-JRMC will provide the following service work: (TGI No. 38K6165401S02).

2.9.1 [C740] Crane and crane rigging service.

2.9.2 [X99E] Utility service, electrical.

2.9.3 [X99M] Utility service, including low pressure air supply, water supply, and steam supply.

2.9.4 [C106.1] Safety inspection for SRF-JRMC employees.

2.9.5 [C106.2] Gas free inspection for SRF-JRMC employees.

2.9.6 [C133] QA inspection for (G) Symbol(s).

Ref. No.	Document/Drawing Number	DOCUMENT/DRAWING TITLE	REV	CHG NO.	CPY REQ	PARAGRAPH	SECT	PG	CHPT
----------	-------------------------	------------------------	-----	---------	---------	-----------	------	----	------

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6165401

KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					

Ref. No.	Document/Drawing Number	DOCUMENT/DRAWING TITLE	REV	CHG NO.	CPY REQ	PARAGRAPH	SECT	PG	CHPT
1	NSI FY-26	NAVSEA Standard Items	-	1	N				
2	LI FY-26	Local Standard Items	-	ORG	N				
3	DWG 611-6221133	FAB OF MISC DK FTG - ZONE 4	AH		Y			SE E NO TE	
4	DWG 600-7026494	HULL OUTFIT INSTL DESIGN ZONE 4510 01 LVL FR 240-276	M		Y			4H, 6B	
5	DWG 150-7026726	UNIT STRL ARR DWG ASSY UNIT 4510	L		Y			5B- 12	
6	TM SYSTEMS & SPECIFICATIONS	SSPC Painting Manual Volume 2	-		N				

TASK NAME / TASK DESCRIPTION	SHOP/ TSD	TS	SF WC	CREW #	MHRS	RWRK

MATERIAL REFERENCES			
REF NO.	DOCUMENT/DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV
1	611-6221133		AH
2	611-6221133		

ICN: 38K6165401	KEY OP: A01
-----------------	-------------

MATERIAL LIST										
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.
										QTY REQD/ UNIT
										QTY USED/ UNIT

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6165401

KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
001	AY8 04	1	M	DROP BOLT ASSY, DROP BOLT ASSY, FIG 6, SIZE: 2-3/4" LG X 1/2-13UNC-2A, 1-1/2" THREAD LG, CONSIST OF THE FOLLOWING ITEMS: STRAIGHT HEAD DROP BOLT (CRES), FERRULE & RIVET PIN (CRES), RING NUT (FIG.1, CRES), ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	LL9607195		NA	4	N		13/AY	
002	AY8 04	1	M	SHEET,ME, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	9B 9515 002044594		NA	4	N	53175552	1/SH	
003	AY8 04	1	M	SHEET, P, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	9B 9515 LL9603130		NA	4	N	53177528	1/SH	
004	AY8 04	1	M	BAR,METAL,ROUND, BAR, METAL, ROUND, 1/2"DIA, CRES 316L, ASTM-A-276, COND-A, QTY: 10 FT (ONE CONTINUOUS LENGTH REQUIRED) X 1 EA, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	LL4598853		NA	4	N		10/FT	
005			M	INSULATI, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	9Q 5640 013713263		NA	4	N	53175550	6/SH	
006		2	M	RUBBER SHEET, RUBBER SHEET, SPEC: ASTM D1056 GRADE NUMBER 2C2 (TYPE 2 CLASS C GRADE 2) (FORMER: MIL-STD-670 TYPE-S & CLASS-SC STYLE-E GRADE-SCE 7) THK: 3/8" THK, WIDTH: 3-1/2 FT, MATL: CLOSED CELL RUBBER, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	LL9609483		NA	4	N		6/FT	
007		2	M	ADHESIVE, ORDER FOR KTR ORIG: C226 H.SHIMIZU, 080-9350-1431	9B 8040 003907959		NA	4	Y	53175547	6/QT	

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1753

20.15.6.0.9333 (July 2025) (Continued) ICN: 38K6165401 KeyOp: A01

TGI NO:	COMPONENT NAME: SHORE POW COVER	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPAIR SHORE POWER COVER ON 01 WEA FR 240, PORT AND STBD					

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
008			M	GASKET,, NOMEN: GASKET P/N: AMS-C-6183 TY-II, CL-1, GR-B SIZE: 3FT W X 3 FT LG X 3/16" THK MATERIAL: CORK AND RUBBER ORDERED FOR KTR ORIG: C231B Y, MATSUYAMA PHONE: 243-4476	9Z 5330 LL4945374		NA	4	N	53177529	9/FT	