

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

ICN: 38K6169901 KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					
PREPARING ACTIVITY:		STATUS: APP		WORKING STATUS:	
PREPARED BY: ANDO, TOMOHIKO		CODE: 231B	PHONE: 3152434372	DATE: 31-OCT-2025	
APPROVED BY: TAKAGI, RYOUTA		CODE: 231B	PHONE: 3152434502	DATE: 31-OCT-2025	
CONCURRED BY:		CODE:	PHONE:	DATE:	
REASON FOR WORK/NEED FOR CHANGE: OT01L027 * OT01L028					
JCN: OT01-L027 * OT01-L028					
SPECIAL REQUIREMENTS: TGI Short Form					
CU PHASE DESCRIPTION: 1. SCOPE/PURPOSE: 1.1 Title: Bonding Strap Assembly for Inclined Ladder in 02 and 03 Level Weather, Port; replace 1.2 Location of Work: 1.2.1 02 Level Weather, Frames between 192 and 198, Port 1.2.2 03 Level Weather, Frames between 182 and 186, Port 1.2.3 Intake Engine Room No. One (Port) (02-174-0-Q) 1.2.4 Filter Cleaning Shop (01-188-2-Q) 1.2.5 Engine Room No. One (4-174-0-E) 1.3 Identification:					
ZONE MANAGER: SAITO, KAZUNOBU		ZONE:	COMPARTMENT:	LEVEL:	FRAME: SIDE:
JOB SUMMARY ID: 699A1101	TOT MAN HR.:	TOT DUR:	TOT JML COST:	PLANNING ACCEPTANCE:	

WORK CERTIFICATION SIGNATURES:	DLs												
COMPLETION OF WORK REVIEW:				BADGE NO:	SHOP/CODE:	PHONE:	DATE:						
RECORDS REVIEW:				BADGE NO:	SHOP/CODE:	PHONE:	DATE:						



WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901

KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

CU PHASE DESCRIPTION (Cont.)

1.3.1 Quantity (4 AY in Total), Bonding Strap Assembly for Inclined Ladder in 02 and 03 Level Weather, Port

Material:

Strap: CRES, Type-I, Standard Size B of MIL-DTL-24749C

Boss: CRES 316L

Attachment Method: Method 3 on Figure 11 of Ref. No. 5, Welded

Weld Joint Design: PT1S.1 of MIL-STD-22D

Fillet Weld Size: 1/8 Inch

Remarks: See Ref. No. 4 for detail and Sketch Enclosure-01 for location detail

1.3.1.1 Quantity (2 AY), Bonding Strap Assembly for Inclined Ladder in 02 Level Weather, Frames between 192 and 198

1.3.1.2 Quantity (2 AY), Bonding Strap Assembly for Inclined Ladder in 03 Level Weather, Frames between 182 and 186

1.4 Security Classification: None.

1.5 Initial Condition:

1.5.1 Potential Asbestos Hazard

1.6 Contractor work start date: 7/27/2026

1.7 Contractor work completion date: 9/4/2026

2. PROCEDURE:

2.1 Accomplish the requirements of Ref. No. 3.

(V)(G) "GAS TURBINE MAINTENANCE PROCEDURE"

2.2 Remove existing and install new each bonding strap assembly listed in 1.3.1 in accordance with Ref. No. 4 and Ref. No.5, using Ref. No. 6 through Ref. No. 8 for guidance.

2.2.1 Accomplish the requirements of 009-012 of Ref. No. One, including Table 2, Column(s) D, Lines One through 7.

2.3 Accomplish the requirements of 009-032 of Ref. No. One for each new and disturbed surface.

2.4 Notes:

2.4.1 Planner: Code 231B T. Ando, 243-4372

Planner: Code 234 H. Takemoto, 243-4479

2.4.2 WPC will copy the following pages in reference.

REF. No. 4: Pages 3-2, 3-3, 3-4, 3-5, 3-6, 5-16, and 13-2

REF. No. 7: Pages 3-18, 5A-18, and 10-9

2.4.3 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901

KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

CU PHASE DESCRIPTION (Cont.)

- 2.4.4 JCNs OT01-L027 and OT01-L028 are related to this TGI.
- 2.5 Government Furnished Material (GFM):
- 2.5.1 SRF-JRMC will provide GFM listed in the Material List.
- 2.6 SRF-JRMC will provide the following service work: (TGI No. 38K6169901S02).
- 2.6.1 [C740] Crane and crane rigging service.
- 2.6.2 [X99E] Utility service, electrical.
- 2.6.3 [X99M] Utilities service, including low pressure air supply, water supply, and steam supply.
- 2.6.4 [C106.1] Safety inspection for SRF-JRMC employees.
- 2.6.5 [C106.2] Gas free inspection for SRF-JRMC employees.
- 2.6.6 [C133] QA Inspection for (G) symbol(s).
- 2.6.7 [C285] Inspection for (G) symbol(s).

Ref. No.	Document/Drawing Number	DOCUMENT/DRAWING TITLE	REV	CHG NO.	CPY REQ	PARAGRAPH	SECT	PG	CHPT
----------	-------------------------	------------------------	-----	---------	---------	-----------	------	----	------

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901

KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

Ref. No.	Document/Drawing Number	DOCUMENT/DRAWING TITLE	REV	CHG NO.	CPY REQ	PARAGRAPH	SECT	PG	CHPT
1	NSI FY-26	NAVSEA Standard Items	-	1	N				
2	LI FY-26	Local Standard Items	-	ORG	N				
3	MP LM19-K6169901-OT01L027	1B GTM INTAKE SYS FOD PROTN FOR BOSS AND BONDING STRAP OF INCLINED LADDER REPLT	-		Y			ALL	
4	DWG 407-8436526	TOPSIDE ELECTROMAGNETIC CONTROL MEASURES DRAWING (DDG-115)	2		Y			SE E NO TE	
5	MIL MIL-STD-1310	Shipboard Bonding, Grounding, and Other Techniques for EMP Mitigation and Safety	H		N				
6	DWG 8100-1266-0280	EXTERIOR INCLINED LADDERS ARRANGEMENT & DETAILS	P		Y			7,1 0C	
7	DWG 150-7026723	UNIT STRL ARR ASSY UNIT 4320	J		Y			SE E NO TE	
8	DWG 150-7026724	Unit Structural Arr DWG Assy Unit 4410	L		Y			3- 12	

TASK NAME / TASK DESCRIPTION	SHOP/ TSD	TS	SF WC	CREW #	MHRS	RWRK

MATERIAL REFERENCES			
REF NO.	DOCUMENT/DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV

ICN: 38K6169901	KEY OP: A01
-----------------	-------------

MATERIAL LIST												
ITEM NO	PC NO	REF NO	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QAMAT	HAZ	DOC NO	QTY REQD/ UNIT	QTY USED/ UNIT

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901

KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
001			M	NUT,SLEE, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 5310 014231667		NA	4	N	53175545	8/EA	
002			M	STRIP,EL, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 5999 013438667		NA	4	N	53175543	4/EA	
003			M	SCREW,CA, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 5305 014535741		NA	4	N	53175172	8/EA	
004			M	INSULATI, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9Q 5640 013713263		NA	4	N	53175541	5/SH	
005			M	INSULATI, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9Q 5640 013713262		NA	4	N	53175540	5/SH	
006			M	SOUND CO, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9Q 5640 013715238		NA	4	N	53175538	5/SH	
007			M	TAPE,TEX, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 8315 002671632		NA	4	N	53175535	1/RO	
008			M	TAPE,TEX, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 8315 002671633		NA	4	N	53175533	1/RO	
009			M	CAP,SNAP, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 5325 007377648		NA	4	N	53175520	20/EA	
010			M	ADHESIVE, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 8040 002738708		NA	4	Y	53175515	1/GL	
011			M	NUT, SELF-LOCKING, NUT, SELF-LOCKING, HEX, NON-METALLIC INSERT, 250 DEG F, SPEC: NASM25027, MS16228-12C316, SIZE: 3/4-10UNC-3B, MATL: CRES 316, DO NOT CROSS TO NSN 5310-00-245-8827 (OTHER CRES TYPES ARE ASSIGNED), BIW CAT#:53882-064 ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	LL9309271		NA	4	N		30/EA	
012			M	BUSHING ASSY, FLANGE, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	LL9609357		NA	4	N		30/EA	
013			M	WASHER,FLAT, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 5310 013828218		NA	4	N	53175511	30/EA	
014			M	RUBBER S, ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	9B 9320 013731550		NA	4	N	53175508	1/SH	

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901

KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
015			M	TAPE, NEOPRENE, TAPE, NEOPRENE, ONE SIDE ADHESIVE, SIZE: 1/8" THK X 2" WIDE, UI: 50 FT/ RO, COLOR: BLACK, BIW CAT #46196-040 (PACIFIC PRODUCTS P/N: 1947) ORIG: C231B, T. ANDO 243-4372 ORDERED FOR KTR	LL9607033		NA	4	N		1/RO	
400			M	SHEET, P, ORIGI C234 H.TAKEMOTO 243-4479 ORDER FOR KTR NOMEN: SHEET, PERFORATED, 0.063" THK, 316L P/N: ASTM A240 RQRD: 4FT X 8FT (1 SHEET) MATERIAL: CRES 316L, ASTM-A240, CLASS 316A, FINISH-2B, 0.063" THK 3/16" DIA PITCH: 3/8" ON STAGGERED CENTERS	9B 9515 LL9603130		NA	4	N	53297753	1/SH	
401			M	INSULATI, INSULATION, ACOUSTIC, 24" X 36" X 2"THK, FIBER GLASS, FACED THERMAL AND SOUND ABSORBING FELT TYPE, MIL-DTL-32585 TYPE II FORM 2 FACING D (FORMER SPEC MIL-I-22023 TY-III), TUFFSKIN 1613, NSN 5640-01-509-0809 SMIC X3. ORIG: CODE 234 H.TAKEMOTO 243-4479 ORDERED FOR KTR	9Q 5640 LL4808709		NA	4	N	53297754	7/SH	
402			M	TAPE,PRESSURE SENSI, GLASS TAPE, ORIG: CODE 234 H.TAKEMOTO 243-4479 ORDERED FOR KTR	9Q 7510 015406777		NA	4	N	53175504	1/RO	
403			M	INSULATI, INSULATION, THERMAL FELT, 2FT X 3FT X 2"THK, 2.0LB/QFT DENSITY, FIBROUS GLASS, MIL-DTL-32585 TYPE I FORM 2 FACING A (FORMER SPEC MIL-I-22023 TY-I CL-4), 10 SHEETS PER BOX. ORIG: CODE 234 H.TAKEMOTO 243-4479 ORDERED FOR KTR	9Q 5640 LL9005023		NA	4	N	53297755	60/SF	

WebAIM Short Form TASK GROUP INSTRUCTION

21-JAN-2026 1631

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38K6169901


KeyOp: A01

TGI NO:	COMPONENT NAME: INCLN LAD 02/03 LVL	TYPE: AY	PHASE: A	REPEAT: 0	CHG/VER: 0/0
SHIP/HULL NO: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	PROJECT: K61	SYSTEM:	PLANT ID:	CASREP CAT:
CU PHASE TITLE: F/O - REPLACE BONDING STRAP ASSY FOR INCLINED LADDER IN 02 AND 03 LVL WEA, PORT					

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT
404			M	ADHESIVE, ADHESIVE FOR CLOTH ORIG: CODE 234 H.TAKEMOTO 243-4479 ORDERED FOR KTR	9B 8040 002738708		NA	4	Y	53175494	1/GL	

ATTACHMENT LIST


TITLE	FILE NAME	SAVED DATE
ENCLOSURE-01	38K6169901A01-Sketch.pdf	20-OCT-2025 0000




LOCATION OF WORK

02 & 03 LVL WEA
FR 170-230


SKETCH
ENCLOSURE-01




TOP SIDE
INCLINED LADDER



TOP SIDE
INCLINED LADDER



BOTTOM SIDE
INCLINED LADDER



BOTTOM SIDE
INCLINED LADDER