

TASK GROUP INSTRUCTION

AIM REV 20.11.4.0 (OCTOBER 2020)

TGI NO.:	COMPONENT NAME: BHD&PLTF FR 202-247	TYPE: AY	PHASE: A	REPEAT: 0	CHANGE: 0
SHIP/HULL NO.: DDG-115	SHIP/HULL NAME: USS RAFAEL PERALTA	SYSTEM:		PROJ/WO NO: K61	CASREP CAT:
CU PHASE TITLE: *F/O - PSV BHD PLTG & ANT PLFT, 01 LVL - 05 LVL WEA, FR 202 - 247, PORT & STBD					
PREPARING ACTIVITY:					
PREPARED BY: MASAMICHI HAGA		CODE 231B.	PHONE 315-243-2513	DATE 26-NOV-2025	
APPROVED BY: RYOUTA TAKAGI		CODE 231B.	PHONE 315-243-4502	DATE 26-NOV-2025	
CONCURRED BY:		CODE	PHONE	DATE	
CONCURRED BY:		CODE	PHONE	DATE	
CONCURRED BY:		CODE	PHONE	DATE	
CONCURRED BY:		CODE	PHONE	DATE	
REASON FOR WORK/NEED FOR CHANGE:					
CHANGE INSTRUCTIONS:					
SPECIAL REQUIREMENTS:					

WORK CERTIFICATION SIGNATURES

COMPLETION OF WORK REVIEW:		BADGE NO.:	SHOP/CODE:	PHONE:	DATE:
ACCEPTANCE OF COMPLETED WORK					
PHYSICAL INSPECTION REQUIRED: ☐ YES ☒ NO	PHYSICAL INSPECTION COMPLETED:	BADGE NO.:	SHOP/CODE:	PHONE:	DATE:
RECORDS REVIEW:		BADGE NO.:	SHOP/CODE:	PHONE:	DATE:



LIST OF EFFECTIVE PAGES									
SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.	SHT NO.	CHG NO.
1-5									
J 1-2									
M-1									
Sketch (1)									

1. SCOPE/PURPOSE

1.1 Title: Bulkhead Plating and Antenna 2-4 Platform, between 01 Level and 05 Level Weather, Frames between 202 and 247, Port and Starboard (Stbd); preserve

1.2 Location of Work:

1.2.1 Between 01 Level and 05 Level Weather, Frames between 202 and 247, Port and Stbd

1.2.2 Fan Room Pressure Zone (PZ) No. 2 (01-200-2-Q)

1.2.2.1 Vent Plenum for HVAC Supply System (SS) 01-202-2

1.2.2.2 Vent Plenum for HVAC SS 2-204-1

1.2.3 Replenishment Gear Locker (01-201-1-A)

1.2.3.1 Vent Plenum for HVAC Exhaust System 01-207-1

1.2.4 Pallet Trunk Stowage/Battery Charging Room (01-205-0-Q)

1.2.4.1 Vent Plenum for HVAC SS 01-218-1

1.2.5 Fan Room PZ No. 3 (01-240-01-Q)

1.2.5.1 Vent Plenum for HVAC SS 01-252-2 and SS 01-252-4

1.3 Identification:

1.3.1 Quantity (1,900 SF in Total), Exterior Surface of Bulkhead Plating, between 01 Level and 05 Level Weather, Frames between 202 and 247, including vertical ladder, inside bulkhead surface of radar cross section composite panel, and exterior surface of vent louver and door panel of watertight door, Port and Stbd

Remarks:

See Sketch Enclosure-01 for location details.

The area is accessible area only.

The area excludes where rubber tile installed surface listed in 1.3.3 through 1.3.9.

1.3.1.1 Quantity (420 SF), House Side Sloping Bulkhead Plating and Diagonal House Side Bulkhead Plating, 01 Level Weather, Frames between 202 and 228, Port

1.3.1.2 Quantity (420 SF), House Side Sloping Bulkhead Plating and Diagonal House Side Bulkhead Plating, 01 Level Weather, Frames between 202 and 228, Stbd

1.3.1.3 Quantity (10 SF), Transverse Bulkhead Plating Frame 228, 01 Level Weather, including exterior surface of cover plate for 450V multi purpose outlet 01-228-1, Port and Stbd

2 TGI NO.:

SHIP:

BHD&PLTF FR 202-247	AY	A	0
DDG-115	CHG/VER:		0/0

1.3.1.4 Quantity (420 SF), Sloping Transverse Bulkhead Plating Frame 240, 01 Level Weather, including exterior surface of vent hood for SS 2-271-1 and SS 3-252-2, Port and Stbd

Remarks: The area excludes where bolted access cover and interior surface of vent hood for SS 2-271-1 and SS 3-252-2, including transverse bulkhead plating.

1.3.1.5 Quantity (630 SF), Stack Front Bulkhead Plating, between 02 Level and 05 Level Weather, Frames between 240 and 247, Port and Stbd

1.3.2 Quantity (160 SF), Entire Antenna Platform for AS-3772B/U Antenna 2-4, Frames between 241 and 247, 77 Feet 5 Inches Above Base Line (ABL), including foundation of whip antenna and antenna tuning unit, liferail, and stanchion, Port and Stbd

Remarks:

The area is accessible area only.

The area excludes where rubber tile installed surface listed in 1.3.10 and deck plating listed in 1.3.11.

1.3.3 Quantity (130 SF), Transverse Bulkhead Plating Frame 228, 01 Level Weather, including door frame of watertight door 01-228-1 and 01-228-2, Port and Stbd

Remarks: The area where rubber tile is installed.

1.3.4 Quantity (18 SF), Door Panel of Watertight Door 01-228-2, 01 Level Weather, Frame 228, Port

Remarks: The area where rubber tile is installed.

1.3.5 Quantity (5 SF in Total), Ladder Clip and Climber Safety Rail Bracket on Bulkhead Plating, between 01 Level and 05 Level Weather, Frames between 219 and 247, Port and Stbd

Remarks: The area where rubber tile is installed.

1.3.6 Quantity (One SF in Total), Hinge Assembly of Watertight Door 01-217-1 on House Side Sloping Bulkhead Plating, 01 Level Weather, Frames between 215 and 219, Stbd

Remarks: The area where rubber tile is installed.

1.3.7 Quantity (One SF in Total), Door Frame of Watertight Door 01-222-1 on House Side Sloping Bulkhead Plating, 01 Level Weather, Frames between 221 and 225, Stbd

Remarks: The area where rubber tile is installed.

1.3.8 Quantity (12 SF), Door Panel of Watertight Door 01-228-1, 01 Level Weather, Frame 228, Stbd

Remarks: The area where rubber tile is installed.

1.3.9 Quantity (3 SF in Total), Backstay Padeye on Stack Front Bulkhead Plating, 02 Level Weather, Frames between 241 and 242, Port and Stbd

Remarks: The area where rubber tile is installed.

1.3.10 Quantity (12 SF in total), Antenna Platform for AS-3772B/U Antenna 2-4, Frames between 241 and 247, 77 Feet 5 Inches ABL, Port and Stbd

Remarks: The area where rubber tile is installed.

BHD&PLTF FR 202-247	AY	A	0
DDG-115	CHG/VER:	0/0	

1.3.11 Quantity (60 SF), Deck Plating of Antenna Platform for AS-3772B/U Antenna 2-4, Frames between 241 and 247, 77 Feet 5 Inches ABL, including vertical surface up to height of 4 inches from deck in and around peel and stick deck covering area, Port and Stbd

Remarks:

The area is accessible area only.

The area excludes where vertical surface of stack front bulkhead plating listed in 1.3.1.5.

1.4 Security Classification: None.

1.5 Initial Condition: None.

1.6 Contractor work start date: 8/3/2026

1.7 Contractor work completion date: 9/1/2026

2. **REFERENCES:**

REF. NO.	DOCUMENT /DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV	CHG NO.	COPY REQ'D (Y/N)	SOURCE DOC (Y/N)	PARA	SEC	PG	CHP
1	NSI FY-26	NAVSEA Standard Items	-	1	N					
2	LI FY-26	Local Standard Items	-	ORG	N					
3	TM SYSTEMS & SPECIFICAT IONS	SSPC Painting Manual Volume 2	-		N					

3. **APPENDICES:**

3.1. ~~Appendix "J" TGI Job Summary Information Sheet~~ 1/24/2026 C1209.2 K. YOSHIDA

3.2. Appendix "M" TGI Material List

3.3. Appendix "D" Deficiency Form

4. **GENERAL REQUIREMENTS:**

4.1 Not Applicable.

5. **PROCEDURE:**

5.1 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) One, for each area listed in 1.3.1 and 1.3.2. See 5.4.5.

5.2 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 50, for each area listed in 1.3.3 and 1.3.4, and Table 2, Line(s) 46, for each area listed in 1.3.5 through 1.3.10.

5.3 Accomplish the requirements of 009-032 of 2.1, including Table 2, Line(s) 23, for each area listed in 1.3.11.

5.3.1 Power tool clean to bare metal for each vertical surface. Accomplish each requirement of Surface Preparation Specification SSPC-SP 11 of 2.3.

5.3.2 Accomplish the requirements of 009-026 of 2.1, including Attachment G, for installation of new peel and stick nonskid deck covering. Application of peel and stick nonskid deck covering must conform to MIL-PRF-24667, Type XI, Composition PS.

5.4 Confirm that all personnel have exited the space prior to closure of the space listed in 1.2.5.1. Designate one person to account for all personnel who may have entered the space.

4 TGI NO.:

SHIP:

BHD&PLTF FR 202-247	AY	A	0
DDG-115	CHG/VER:		0/0

5.5 Accomplish the requirements of 009-032 of 2.1 for each new and disturbed surface.

5.6 Notes:

5.6.1 Planner: Code 231B M. Haga, 243-2513
Planner: Code 233 K. Uchimura, 080-9350-1432

5.6.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560

5.6.3 Removal and installation of rubber tile on transverse bulkhead plating, ladder clip, door panel of watertight door, hinge assembly and door frame of watertight door, backstay padeye, and antenna 2-4 platform, between 01 level and 05 level weather, frames between 215 and 247, will be covered by TGI No(s). 38K6113602U02 and 38K6113602R02 (SRF-JRMC TGI).

5.6.4 Preservation work for bolted access cover and interior surface of vent food for SS 2-271-1 and SS 3-252-2, including transverse bulkhead plating will be covered by TGI No. 38K6113601A01 (KTR TGI).

5.6.5 Disconnection and reconnection of shower power cable will be covered by TGI No(s). 38K6113601U01 and 38K6113601R01 (SRF-JRMC TGI).

5.6.6 JCN OD01-L071 is related to this TGI.

5.7 Government Furnished Material (GFM): None.

5.8 SRF-JRMC will provide the following service work: (TGI No. 38K6113602S02)

5.8.1 [C740] Crane and crane rigging service.

5.8.2 [X99E] Utility service, electrical.

5.8.3 [X99M] Utility service, including water supply and steam supply.

5.8.4 [C106.1] Safety inspection for SRF-JRMC employees.

5.8.5 [C106.2] Gas free inspection for SRF-JRMC employees.

5.8.6 [C133] QA inspection for (G) symbol(s).

5 TGI NO.:

SHIP:

BHD&PLTF FR 202-247	AY	A	0
DDG-115	CHG/VER:		0/0

APPENDIX “M”
TGI MATERIAL LIST

SYSTEM:	PLANT NO.:	COMPONENT NAME:	TYPE:	PHASE:	REPEAT:	CU PH VERSION:	CASREP CAT:
		BHD&PLTF FR 202-247	AY	A	0	0	

CU PHASE TITLE:
*F/O - PSV BHD PLTG & ANT PLFT, 01 LVL - 05 LVL WEA, FR 202 - 247, PORT & STBD

MATERIAL REFERENCES			
REF NO.	DOCUMENT/DRAWING NUMBER	DOCUMENT/DRAWING TITLE	REV

JOB ORDER:	KEY OP:
38K6113602	A01

MATERIAL LIST												
ITEM NO.	PC NO.	REF NO.	M / C	DESCRIPTION	STOCK NUMBER	GENERIC MATL TYPE	LVL	QA	HAZ MAT	DOC NO.	QTY REQD/ UNIT	QTY USED/ UNIT

NOTES:

M-1	TGI NO.:	BHD&PLTF FR 202-247	AY	A	0
	SHIP:	DDG-115	CHG/VER:	0/0	

☐ NUCLEAR

☐ NON-NUCLEAR

APPENDIX "D"
DEFICIENCY FORM


1. SHIP/HULL NO.: DDG-115	2a. DL or DR No. (Circle One)	2b. REVISION:	3a. COMPONENT NAME: BHD&PLTF FR 202-247	3b. TYPE: AY	3c. PHASE: A	3d. REPEAT: 0
4a. ICN: 38K6113602	4b. KEY OP: A01	5. LOC SPACE/LVL:	FRAME:	P/S/C:	6. CAUSED BY:	
7. DESCRIPTION:						
8. ORIGINATOR:	NAME:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:	
9. CORRECTIVE ACTION:						
10. EVALUATOR:	NAME:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:	
FOR NON-NUCLEAR USE ONLY						
11. RFD/RFW REQ'D ☐		LAR REQ'D ☐		SRD/PLAN REV REQ'D ☐		
ILS MOD REQ'D ☐		DWG NO.: _____		S/A NO.: _____		
12. ISOLATION SATISFACTORY:	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.:	
13. SUBSAFE OQE RECORD? YES ☐ NO ☐	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.	
14. CORRECTIVE ACTION COMPLETE:	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.	
15. INSPECTION REQ'D? :YES ☐ NO ☐	INSPECTION COMPLETE/SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.	
16. RECORDS REVIEW COMPLETE (DR ONLY)	SIGN:	BADGE:	SHOP/CODE:	DATE:	PHONE NO.	
DL's ISSUED (DR ONLY)						

☐ NUCLEAR

Deficiency Form Continuation Sheet

☐ NON-NUCLEAR

1. SHIP/HULL NO.:	2a. DL or DR No. (Circle One)	2b. REVISION:	3a. COMPONENT NAME:	3b. TYPE:	3c. PHASE:	3d. REPEAT:
DDG-115			BHD&PLTF FR 202-247	AY	A	0



PLAN VIEW

01 Level and 02 Level Weather
Frames Between 200 and 242

Sketch

ENCLOSURE-01