

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188 RW

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-informationcollections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 10863320-1 (4A130) DRIVE UNIT,ANGLE			2. CAGE 19207		3. SPI NO. AK14850432	
4. NATIONAL STOCK NO. 3010-01-485-0432			5. DATE 04/11/2024		6. REVISION	
7. QUP 001	8. ICQ NONE	9. UNIT PACK WT (LB.) 18.0	10. UNIT PACK CU (CU. FT.) 0.647		11. UNIT PACK SIZE (INCHES) 12.9 X 10.7 X 8.1	
12. MILITARY PRESERVATION MIL-STD-2073-1, METHOD 42		18. STEPS	19. REQD	20. DESCRIPTION		
13. CLEANING MIL-STD-2073-1		1-B	A/R	PRESERVATIVE: MIL-PRF-32033		
		2-C	A/R	PRESERVATIVE: MIL-PRF-32033		
14. DRYING MIL-STD-2073-1		3-D	1	WRAP: MIL-PRF-121, TY II, SIZE: 36 X 20		
		4-E	5	CUSHIONING: ASTM-D4727, TY CF, CL D, GR 200, VR SW		
15. PACKING				SEE FIGURES 1-5 FOR SIZES AND SCORE DIMENSIONS		
		5-F	1	CONTAINER: ASTM-D5118, TY CF, ST RSC, CL D, GR 275		
a. LEVEL A MIL-STD-2073-1 & NOTE I				VR SW, SIZE: 11-5/8 X 9-5/8 X 7-1/4		
		6-G	1	BAG: MIL-DTL-117, TY I, CL E, ST 1, SIZE: 22 X 18		
b. LEVEL B MIL-STD-2073-1 & NOTE I		7-H	1	CONTAINER: ASTM-D5118, TY CF, ST RSC, CL WR,		
				GR W5c, VR SW, SIZE: 12-3/8 X 10-1/2 X 7-3/4		
16. MARKING MIL-STD-129				UNLESS OTHERWISE STATED, ALL DIMENSIONS ARE IN INCHES		

17. NOTES/ DRAWING

A. QUALITY ASSURANCE PROVISIONS:

1. INSPECT THE PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073-1.
2. INSPECT THE PACKING IN ACCORDANCE WITH TM 38-701 AND THE APPLICABLE CONTAINER SPECIFICATION.

B. FLUSH OR SLUSH (AS APPLICABLE) INTERNALLY WITH PRESERVATIVE. THOROUGHLY DRAIN EXCESS.

C. APPLY PRESERVATIVE TO ALL UNPLATED AND UNPAINTED METALLIC SURFACES

D. WRAP ITEM ENTIRELY, SECURE WITH TAPE.

E. PLACE CUSHIONING AND WRAPPED ITEM INTO INNER CONTAINER. SEE FIGURES 1 - 6 FOR SIZES AND ORIENTATION.

F. CLOSE INNER CONTAINER IN ACCORDANCE WITH ASTM-D1974, METHOD 2B1.

G. PLACE INNER CONTAINER INTO BAG. CLOSE BAG BY HEAT SEAL.

H. PLACE BAGGED CONTAINER INTO OUTER CONTAINER. CLOSE CONTAINER IN ACCORDANCE WITH ASTM-D1974, METHOD 2B7.

I. PACKING:

LEVEL A PACKING SHALL BE ACCOMPLISHED USING WOOD-CLEATED PANELBOARD SHIPPING BOXES, CONFORMING TO ASTM-D 6251, TYPE III, CLASS 2 OR NAILED WOOD BOXES CONFORMING TO ASTM-D 6880, CLASS 2.

LEVEL B PACKING SHALL BE ACCOMPLISHED USING FIBERBOARD BOXES, WEATHER RESISTANT, CONFORMING TO ASTM-D 5118 OR TRIPLEWALL, CORRUGATED FIBERBOARD BOXES, CLASS 2, CONFORMING TO ASTM-D 5168. CLOSURE, SEALING, AND REINFORCEMENT SHALL BE IAW SPECIFIC, APPLICABLE METHODS OF ASTM-D 1974, OR AS REFERENCED IN THE CONTAINER SPECIFICATION.

WHEN TOTAL QUANTITY TO BE SHIPPED TO THE SAME DESTINATION EXCEEDS 125 POUNDS, EXTERIOR PACKS WITHOUT SKIDS SHALL BE PALLETIZED IN ACCORDANCE WITH MIL-STD-147.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

RW

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-informationcollections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 10863320-1 (4A130) DRIVE UNIT,ANGLE	2. CAGE 19207	3. SPI NO. AK14850432
4. NATIONAL STOCK NO. 3010-01-485-0432	5. DATE 04/11/2024	6. REVISION

17. NOTES/ DRAWING

**NOTES FOR DETAILS A – E:
SCORE DIMENSIONS BASED ON B FLUTE CORRUGATED FIBERBOARD.
SECURE FOLDED BOARD WITH TAPE OR GLUE.**

FIGURE 1 – DETAIL A – SIZE AND SCORE DIMENSIONS





FIGURE 2 – DETAIL B – SIZE AND SCORE DIMENSIONS



SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

RW

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-informationcollections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 10863320-1 (4A130) DRIVE UNIT,ANGLE	2. CAGE 19207	3. SPI NO. AK14850432
4. NATIONAL STOCK NO. 3010-01-485-0432	5. DATE 04/11/2024	6. REVISION

17. NOTES/ DRAWING

FIGURE 3 – DETAIL C – SIZE AND SCORE DIMENSIONS




FIGURE 4 – DETAIL D – SIZE AND SCORE DIMENSIONS





FIGURE 5 – DETAIL E – SIZE AND SCORE DIMENSIONS



SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

RW

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-informationcollections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

10863320-1 (4A130) DRIVE UNIT,ANGLE

2. CAGE

19207

3. SPI NO.

AK14850432

4. NATIONAL STOCK NO.

3010-01-485-0432

5. DATE

04/11/2024

6. REVISION

17. NOTES/ DRAWING

FIGURE 6 – ITEM AND CUSHIONING PLACEMENT AND ORIENTATION WITHIN INNER CONTAINER

