

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20602500073-00											VERSION: 2							
MIL-STD 129 REVISION: R											MIL-STD 2073-1 REVISION: E							
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL-STD-2073-1 / No Packaging Available						MIL		B								
ITEM(S): 5998015985471EW																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAB	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998011975794EW 5998012555500EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	0.80	6.3	5.3	3.0	0.058	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAC	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S): 5895015734492EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit																	

PACKAGING REQUIREMENTS																	
serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAD	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998014506531EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	17	3.00	13.5	13.5	4.0	0.422	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAE	No Packaging Data Required																
ITEM(S): 9999DTL260036EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAF	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S): 5995015084208EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAG	MIL Long Line Packaging							MIL	B								
ITEM(S): 5865011985144EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NV	00	B	39	10.00	26.0	15.0	14.5	3.273	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit																	

PACKAGING REQUIREMENTS																	
serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAH	MIL Long Line Packaging							MIL	B								
ITEM(S):																	
5895015577498EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	51	1	00	EA	NA	A	NR	00	B	17	5.50	10.5	10.5	12.5	0.797	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAI	MIL Long Line Packaging							MIL	B								
ITEM(S):																	
5998014243963EW 5998014247126EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	5.45	24.5	16.5	4.0	0.936	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	

PACKAGING REQUIREMENTS																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking.																	
Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAJ		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S):																	
6625015743519EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking.																	
Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAK	MIL Long Line Packaging							MIL	B								
ITEM(S):																	
5895014856252EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	41	1	00	EA	NA	A	NV	00	B	17	60.00	36.5	26.5	19.0	10.635	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAL	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S):																	
5998014997569EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit																	

PACKAGING REQUIREMENTS																		
serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAM		MIL-STD-2073-1 / No Packaging Available						MIL		B								
ITEM(S):																		
6625015766001EW																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS:																		
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAN		MIL-STD-2073-1 / No Packaging Available						MIL		B								
ITEM(S):																		
5998015913035EW																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		

PACKAGING REQUIREMENTS																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking.																	
Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAO		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S):																	
6625015088808EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking.																	
Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAP		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S): 6625014761411EW																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS: When shipping containers are received that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, they shall be reclaimed, stored, and protected for reuse. Unserviceable containers shall be disposed of and replaced with new containers by the contractor that meet the requirements of the AFMC Form 158.																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:			
406 SCMS / GULAA		Carter, Mario R				478-327-6316 / 497-6316				//SIGNED//Carter, Mario R				26022 - 22 JAN 2026			