

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

Expeditionary Office Space – TF Guardian, Del Rio Sector

Laughlin Air Force Base (AFB)

11 March 2026

Part 1

General Information

1. **GENERAL:** This is a non-personal services contract under which the personnel rendering the services are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees. The United States (U.S.) Government shall not exercise any supervision or control over the Contractor's employees performing the tasks herein. Such contract employees shall be accountable solely to the Contractor who, in turn shall be responsible to the U.S. Government.

1.1 **Description of Services/Introduction:** The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform expeditionary modular office space as defined in this PWS except for those items specified as government furnished property (GFP) and government furnished services (GFS). The contractor shall perform to the standards in this contract.

1.2 **Background:** This service requirement is in response to the National Emergency Declaration at the Southern Border of the United States by President Donald J. Trump on 20 January 2025. Based on the President's declaration, the Southern Border of the U.S. must be secured and protected and in doing so members of the Armed Forces must deploy. In order to fulfill the President's orders, expeditionary office space is required for units in Joint Task Force Southern Border (JTF-SB), Task Force Guardian. This facility will serve as a tactical operations center and Secret Internet Protocol Router Network (SIPR) command and control (C2) node for RFA26 and follow-on units.

1.3 **Objectives:** The contractor shall provide expeditionary office space capable of supporting deployed personnel assigned to JTF-SB operations. The facility will enable mission command, administrative functions, and daily operational activities for approximately 65 personnel throughout the period of performance.

1.4 **Scope:** The Contractor shall provide non-personal services to furnish and install a temporary modular office facility in support of Joint Task Force–Southern Border operations. These services include providing all equipment, tools, parts, transportation, personnel, labor, supervision, and management necessary to deliver and position one (1) temporary modular building at Lot 100, Yellow Brick Road, Laughlin Air Force Base, Texas 78843. The Contractor shall accomplish the installation of the facility in the location identified in Exhibit C and ensure it is fully functional for government use.

1.5 **Period of Performance:** The period of performance shall be for one (1) Base Year of 12 months and four (4) 12-month option years as follows:

<i>Base:</i>	<i>01 June 2026 to 31 May 2027</i>
<i>Option 1:</i>	<i>01 June 2027 to 31 May 2028</i>
<i>Option 2:</i>	<i>01 June 2028 to 31 May 2029</i>
<i>Option 3:</i>	<i>01 June 2029 to 31 May 2030</i>
<i>Option 4:</i>	<i>01 June 2030 to 31 May 2031</i>

1.6 **General Information:**

1.6.1 **Quality Control Plan (QCP):** The Contractor shall develop, implement, and maintain a QCP and program to ensure all work described in this contract is performed at or above the standard defined in the Performance Requirements Summary (PRS). The QCP is developed by the contractor for its internal use to

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

ensure that it performs and delivers high-quality service. The contractor's QCP is the means by which the contractor ensures all work complies with the requirements of the contract. The QCP identifies and corrects potential and actual problem areas throughout the entire scope of the contract.

1.6.1.1 The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The QCP shall be submitted within thirty (30) days of contract award. After acceptance of the QCP, the contractor shall receive the contracting officer's (KO) acceptance in writing of proposed changes to the QC procedures. The contractor shall submit QCP changes within five (5) days to the KO and Contracting Officer's Representative (COR) for review and approval prior to implementation.

1.6.1.2 The Quality Control Plan shall address as a minimum:

1.6.1.2.1 Inspection Program. Included shall be a quality control inspection program covering all general and specific tasks included in the contract scope of work. It shall specify tasks or areas to be inspected on a scheduled or unscheduled basis, the manner in which inspections are to be conducted, the titles of the individuals who will perform the inspections, and the percentage of the work that will be inspected on a recurring basis. In developing this inspection program, the Contractor shall identify the key activities and associated characteristics in each process that have a significant influence on specific services and provide for methods for evaluation of the selected characteristics.

1.6.1.2.2 Deficiency Identification. The QCP shall include a method of identifying deficiencies in the quality of services performed before the level of performance becomes unacceptable as defined in the PRS. This shall contain processes for corrective action without dependence upon Government direction.

1.6.1.2.3 Deficiency Correction. The program shall contain process control and process performance measurement procedures that shall include how the Contractor shall implement preventive corrective actions. The Contractor shall demonstrate that it has designed quality into the delivery of services thereby mitigating the risk(s) associated with delivery of deficient or nonconforming services.

1.6.1.2.4 Documentation and Enforcement. The QCP shall include a method of documenting and enforcing quality control operations of both prime contractor and subcontractor work; including inspection and testing.

1.6.1.2.5 Trend Analysis. The QCP shall include a method of performing trend analysis and assessments through the use of metrics.

1.6.1.2.6 Surveillance Methods. The QCP shall contain specific surveillance techniques for all contract services. The surveillance methods shall be comprehensive and adaptable to the reporting system of the plan.

1.6.2 Operations Security (OPSEC) SOP/Plan Requirements: The Contractor shall implement and maintain an OPSEC program for preventing the disclosure of critical information or sensitive information which could jeopardize the Government's ability to execute its mission or to adequately protect its personnel and/or equipment. The Contractor shall develop an OPSEC Standing Operating Procedure (SOP)/plan within 90 days of contract award to the Contracting Officer Representative (COR) or Contracting Officer (KO) to be reviewed and approved by the Government OPSEC Officer on the supporting installation. The SOP must contain a training plan that includes an initial OPSEC brief, continuous awareness, and annual OPSEC training. Awareness/training includes, but not limited to information disclosure via letters, conversations, photographs, resumes, electronic mail (e-mail), Social media/networking sites, dissemination of information and documents disposal. OPSEC Program shall fully comply with the provisions of AR 530-1, Operations Security.

1.6.2 Quality Assurance (QA): The government shall evaluate the contractor's performance under this contract in accordance with (IAW) the Quality Assurance Surveillance Plan. This plan is primarily focused

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

on what the Government must do to ensure that the contractor has performed IAW the performance standards and contract quality requirements are met. Contract quality requirements” means the technical requirements in the contract relating to the quality of the product or service and those contract clauses prescribing inspection, and other quality controls incumbent on the contractor, to ensure the product or service conforms to the contractual requirements. It defines how the performance standards will be applied, the frequency of surveillance, the performance threshold, and deductions, if applicable.

1.6.3 Recognized Holidays: The contractor is required to perform services on holidays.

New Year’s Day

Martin Luther King Jr.’s Birthday

President’s Day

Memorial Day

Independence Day

Juneteenth Day

Labor Day

Columbus Day

Veteran’s Day

Thanksgiving Day

Christmas Day

1.6.4 Hours of Operation: The contractor is responsible for conducting business between the hours of 0800-1700 Monday through Friday, except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. For other than firm fixed price contracts, the contractor will not be reimbursed when the government facility is closed for the above reasons. The Contractor must, at all times, maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons.

1.6.5 Place of Performance: The work to be performed under this contract will be performed at 100 Yellow Brick RD, Laughlin Air Force Base, Texas 78843.

1.6.6 Type of Contract: The Government anticipates the award of a Firm-Fixed Price type contract. This is a services type contract.

1.6.7 Access and General Protection Policy and Procedures:

1.6.7.1 FPCON: In addition to the changes otherwise authorized by the changes of clause of contract, should the US Government Force Protection Condition (FPCON) at any individual installation change, the Government may require changes in contractor security matters or process in accordance with DoDI 2000.16. During FPCONs Charlie and Delta, only contract services that have been deemed “mission essential” by the Government will continue. Contract services will resume when the FPCON is reduced to Bravo or lower.

1.6.7.2 Physical Security: The contractor shall be responsible for safeguarding all government equipment, information, and property provided for contractor use.

1.6.7.3 Escorts: Reserved

1.6.7.4 Personnel Security Clearance Requirements: Reserved

1.6.7.5 Background Checks: The Contractor shall ensure contractor employees and subcontractor employees performing services under this contract have passed a security check conducted by the the State Police Department of their U.S. residence. Security checks that have been completed as part of a personnel security clearance background investigation, or a previous background check that was a condition of employment, meet this requirement. Documentation of these checks will be made available to the KO or COR within 10 days of request. The Government retains the right to exclude any employee from performance of duties under this contract if a background security check reveals an employee is a security risk. The exclusion of an employee for security reasons will not relieve the Contractor from performance of services required under this contract. If the Government determines additional background checks are required, at a minimum, and upon request from the Government, the Contractor shall provide to the KO or COR, the following information on any contractor or subcontractor employee performing services under this contract:

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

- Full birth name
- Married name (if applicable)
- SSN or local equivalent (ID card number)
- Date of birth
- Place of birth (city, country)

1.6.7.5.1 Background Check Notification Requirements: If a background check on any employee or subcontractor employee performing services under this contract, whether the check was conducted as a condition of employment or as part of the contract with the Government, reveals any information from any source (including host country law enforcement) of criminal activity by Contractor employees, subcontractors, or subcontractor employees, the Contractor shall notify the KO and COR of that information within 24 hours. The Contractor shall make notification of:

(1) Traffic violations, other than parking, will be reported to the KO or COR only if the contract is for drivers for the Government;

(2) Any suspicious activity by Contractor employees, subcontractors, or subcontractor employees the Contractor believes may pose a risk to U.S. or host nation national security or imminent risk of deadly bodily harm to any person; and

(3) Any actions taken against Contractor employees, subcontractors, or subcontractor employees pursuant to this requirement.

1.6.7.5.2 Remedies. In addition to other remedies available to the Government, the Contractor's failure to comply with the requirements of this paragraph may result in requiring the Contractor to remove a Contractor employee or employees from the performance of the contract.

1.6.7.5.3 Subcontracts. The Contractor shall include the substance of this paragraph and the preceding paragraph in all subcontracts.

1.6.7.6 Uncleared Contractor Common Access Card (CAC) Credentialing and Access Procedures.

1.6.7.6.1. Contractor Non CAC Eligible Requirements for DOD Facility and Installation Access: Contractor and all associated subcontractor employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations. The employee performing services under this contract shall provide all information required for background checks to meet installation access requirements to the installation Provost Marshal Office, Director of Emergency Services, or Security Office.

1.6.7.7 Employment Eligibility: The Contractor shall ensure that all Contractor employees and subcontractor employees performing services under this contract in the U.S. or its territories have been pre-screened for employment eligibility using the E-verify Program on the Department of Homeland Security website <http://www.uscis.gov/e-verify>. Personnel that have not met the employment eligibility requirement on this website are not authorized to perform services under this contract. Verification of the eligibility check will be made available to the KO or COR within five (5) days of request. This requirement is not in lieu of and does not relieve the Contractor from the I-9 Employment Eligibility Verification Forms for employment of personnel.

1.6.7.8 Access to Government Information Systems: All Contractor employees and subcontractor employees performing services under this contract who have access to a government information system must be registered in the ATCTS (Army Training Certification Tracking System) at commencement of

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

services and must successfully completed the DoD Information Assurance Awareness training prior to access to the information system and then annually thereafter.

1.6.7.9 Key Control: Reserved

1.6.7.9.1. Reserved.

1.6.7.9.2. Reserved.

1.6.7.10 Lock Combinations: Reserved

1.6.8 Post Award Conference/Contract Periodic Progress Meetings: The Contractor shall attend the post award conference convened by the contracting activity or contract administration office IAW Federal Acquisition Regulation (FAR) Subpart 42.5. The KO, COR, with other Government personnel, as appropriate, may meet periodically with the Contractor to review the Contractor's performance. At these meetings the KO will apprise the contractor of how the government views the Contractor's performance and the Contractor will apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the government.

1.6.9 Contracting Officer Representative (COR): The COR will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: ensure the Contractor performs the technical requirements of the contract; perform inspections necessary in connection with contract performance; maintain written and oral communications with the Contractor concerning technical aspects of the contract; issue written interpretations of technical requirements, including Government drawings, designs, specifications; monitor Contractor's performance and notifies both the KO and Contractor of any deficiencies; coordinate availability of government furnished property; and provide site entry of Contractor personnel. A letter of designation issued to the COR, a copy of which is sent to the Contractor, states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates, or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

1.6.10 Key Personnel: The following contractor personnel are considered key personnel by the government: contract manager and quality control manager (QCM). The Contractor shall provide a Contract Manager who is responsible for the overall performance of work under this contract. The name of the Contract Manager and an alternate, who shall act on behalf of the Contractor when the Contract Manager is absent, shall be provided in writing to the Contracting Officer within three (3) days of contract award. The Contract Manager and alternate shall have full authority to act for the Contractor on all matters relating to the daily operation of this contract. The Contract Manager or alternate shall be available during normal duty hours or as otherwise specified in this PWS.

The Contractor shall also provide a Quality Control Manager (QCM) responsible for implementing and maintaining the Contractor's Quality Control Plan. The QCM shall ensure all work performed complies with the requirements of this PWS, conduct inspections, identify and document deficiencies, implement corrective actions, and serve as the primary point of contact for all quality-related matters. The QCM shall have the authority to take immediate corrective action on behalf of the Contractor and shall be available during all periods in which work is being performed.

Qualifications for all key personnel are listed below:

Contract Manager and Alternate Contract Manager:

Minimum of 3–5 years of experience managing service contracts or similar operational programs. Demonstrated experience supervising personnel and coordinating daily contract activities. The Contract Manager and Alternate Contract Manager shall be able to read, speak, and write English at a minimum level xx proficiency IAW <https://www.govtirl.org/Skills/ILRscale2.htm>.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

Familiarity with basic contract administration practices and customer-service principles. Must be available during normal duty hours and reachable after hours as required.

Quality Control Manager:

Minimum of 3 years of experience in quality assurance, quality control, or inspection roles. Experience developing or implementing Quality Control Plans (QCPs). Ability to document deficiencies, track corrective actions, and interface with Government representatives. Strong attention to detail and organizational skills.

1.6.11 Special Qualifications or Certifications: Reserved

1.6.11.1 IA/IT Training Certification: All Contractor employees and subcontractor employees supporting IA/IT functions must be certified upon contract award as directed in DoD 8570.01-M, DFARS 252.239.7001, and AR 25-2. Baseline certification as stipulated in DoD 8570.01-M must be completed upon contract award.

1.6.12 Identification of Contractor Employees: Contractor employees shall identify themselves as Contractor personnel and shall avoid representing themselves as Government employees. This identification includes meeting attendance, answering Government telephones, email communications, and working in other situations where Contractor status is not obvious. Contractor personnel identification shall be easily identifiable through the display of badges, name tags, lanyards, etc.

1.6.12.1 Badging of Contractor Employees: If required by the Government, contract personnel and all associated subcontractors employees accessing U.S. facilities or activities, shall present a valid picture ID provided by the Government while accessing Government owned or contracted facilities and shall adhere to facility security policies and restrictions. If applicable, Government issued access badges will not be worn outside designated facility where visible to the general public. Contractor personnel shall return all U.S. Government issued identification to appropriate U.S. Government authorities within 5 day of the end of their contractual duties.

1.6.12.2 Uniform: The Contractor shall provide a standard uniform for all Contractor and subcontractor employees performing services under this contract, and ensure they wear the uniform during appointed duty hours. The uniform may consist of the same type and color shirt and slacks for all workers. Company logo is optional.

1.6.13 Contractor Travel: Contractor shall be required to travel to the address provided in part five (5) of the PWS during the performance of this contract to perform service and attend meetings. The Contractor may be required to travel to off-site training locations and to ship training aids to these locations in support of this PWS.

1.6.14 Other Direct Costs (ODC): Reserved

1.6.15 Data Rights: Reserved

1.6.16. Non-Disclosure Requirements: Performance under this contract may require the Contractor to access data and information proprietary to a Government agency, another Government Contractor, or of such nature that its dissemination or use other than as specified in this work statement would be adverse to the interests of the Government or others. Neither the Contractor, nor Contractor personnel, shall divulge, nor release data or information developed, or obtained under performance of this work statement, except to authorize Government personnel or upon written approval of the KO. The Contractor shall not use, disclose, or reproduce proprietary data, which bears a restrictive legend, other than as specified in this PWS. All documentation showing individual names or other personal information shall apply, and shall be controlled and protected under the provisions of the Privacy Act of 1974, Public Law 93-579, 5 United States Code (U.S.C.) Section 552a.

1.6.16.1 Non-Disclosure Statements: Performance under this contract may require the Contractor to access

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

data and information proprietary to a Government agency, another Government Contractor, or of such nature that its dissemination or use other than as specified in this work statement would be adverse to the interests of the Government or others. Neither the Contractor, nor Contractor personnel, shall divulge, nor release data or information developed, or obtained under performance of this work statement, except to authorize Government personnel or upon written approval of the KO. The Contractor shall not use, disclose, or reproduce proprietary data, which bears a restrictive legend, other than as specified in this PWS. All documentation showing individual names or other personal information shall apply, and shall be controlled and protected under the provisions of the Privacy Act of 1974, Public Law 93-579, 5 United States Code (U.S.C.) Section 552a.

1.6.16.2 Advertisement and Social Media: The Contractor shall NOT post information to public website or social media locations, personal or professional, that in any way disclose names, locations, hotel data, participants, discussions, pictures, etc. before, during or after the contract period of performance without the express consent of the Government. The use of propaganda violates DOD Commercial Use of Imagery Guidelines stated at (www.dimoc.mil/resource/limitations/). The Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any marketing tools to include its company website, tv/radio broadcasts, online forums and social media including content posted to accounts of family, friends or associates

1.6.16.3 INFORMATION ASSURANCE: At no time will the Contractor or associated sub-contractor employees transmit government documents or information over using methods that do not meet the security requirements specified in the National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171, "Protecting Controlled Unclassified Information in Nonfederal Information Systems and Organizations" such as personal electronic mail accounts, public digital data storage sites (cloud storage), social media platforms or instant messaging. Approved government sites such as U.S. Army Aviation and Missile Research Development and Engineering Center (ARMDEC) Safe Exchange at <https://safe.amrdec.army.mil/SAFE/About.aspx>, or All Partners Access Network (APAN) at <https://community.apan.org/>, or other transmission means determined by the government must be used.

1.6.17 Organizational Conflict of Interest (OCI): Contractor and subcontractor personnel performing work under this contract may receive, have access to, or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent Organizational Conflict of Interests (OCI) as defined in FAR Subpart 9.5.

1.6.18 Phase-in/Phase-Out (PIPO) Period: Reserved

1.6.19 General Training Requirements:

1.6.19.1 Anti-Terrorism (AT) Level I Training: The Contractor shall complete AT Level I Training within 30 days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or 30 days after employment of new personnel, all Contractor employees, including subcontractor employees, who are employed under the contract shall complete AT Level I awareness training within 30 days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies. The contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee to the COR or KO within 10 days after completion of training by all employees and subcontractor personnel. For Common Access Card (CAC) holders, AT Level I awareness training is available at <https://jkodirect.jten.mil>, course number "JS-US007-14". For non-CAC holders, AT Level I awareness training is available at <http://jko.jten.mil/courses/at11/launch.html> (this standalone version is intended for non-CAC users without a JKO account only). Training must have been completed within the last 12 months and maintained yearly thereafter. If training cannot be conducted on the website, the Contractor will coordinate with the local AT Officer at their assigned location for classroom training by a Level 2 trained AT Officer and a copy of either the training certificate or the training attendance roster signed by the AT Officer will be maintained by the Contractor. Verification of the training will be provided to the COR or KO within 10 days after completion of the training.

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

1.6.19.2 OPSEC Awareness: If the Contractor, or a subcontractor, or employees of either disclose any information that disrupts or harms the Government's operations or activities, then the Government retains the right to exclude any employee from performance of duties under this contract. The exclusion of an employee for security reasons will not relieve the Contractor from performance of services required under this contract. By way of example, personnel shall not sketch or take photos of government facilities or activities, unless related to service to be provided. All government paper products and removable digital storage material that is received, generated, or stored during the contract will be destroyed completely when no longer needed to preclude recognition of information.

1.6.19.3 Information Assurance (IA) Training: Contractor employees, including subcontractors, requiring access to Government information systems shall complete the DOD IA Cyber Awareness Training. All employees working information technology (IT)/IA functions must comply with DOD and Army training requirements per DOD Directive (DODD) 8570.01, Information Assurance Training Certification and Workforce Management, DOD 8570.01-M, Information Assurance Workforce Improvement Program, and AR 25-2, Information Assurance, within 30 days of employment. Training is available at <https://ia.signal.army.mil/DODIAA/default.asp>.

1.6.19.4 Information Assurance (IA)/Information Technology (IT) Training: All Contractor employees and subcontractor employees requiring access to Government information systems must complete the DoD IA awareness training before issuance of network access and annually thereafter. All employees working IA/IT functions must comply with DoD and Army training requirements in Per DoD 8570.01, DOD 8570.01-M, and AR 25-2, within 30 days of employment. Training is available at <https://ia.signal.army.mil/DoDIAA/default.asp>.

1.6.19.5 Threat Awareness Reporting Program (TARP Training): Within 30 days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or 30 days after employment of new personnel, all Contractor employees, including subcontractor employees, who are employed under the contract and require a security clearance, shall complete TARP training within 30 days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee to the COR within 10 days after completion of training by all employees and subcontractor personnel. TARP training is available at the Army Learning Management System (ALMS) <https://www.lms.army.mil/>. Training must have been completed within the last 12 months and maintained yearly thereafter. If training cannot be conducted on the website, the Contractor will coordinate with the local Counter Intelligence (CI) Officer at their assigned location for classroom training and a copy of either the training certificate or the training attendance roster signed by the CI Officer will be maintained by the Contractor. Verification of the training will be provided to the Contracting Officer (KO) or Contracting Officer Representative (COR) within 10 days after completion of the training.

1.6.19.6 iWATCH Training: The Contractor will ensure that all Contractor employees and sub-contractor employees performing services under this contract have been briefed on the iWATCH Program, or equivalent for their supporting DoD Agency, within 30 days of employment under the contract. The Contractor will coordinate with the supporting DoD Agency AT Officer through the COR or KO for the briefing. This training will be updated as required by the supporting installation AT policies. A copy of the training attendance will be maintained by the Contractor and made available to the COR or KO within 24 hours of the request.

1.6.19.7 OPSEC Training: All Contractor employees and sub-Contractor employees performing services under this contract will complete Level I OPSEC training within 30 days of employment under this contract. OPSEC Level I training is available at <https://jkodirect.jten.mil>, course number "EUC-ECJ6-110-N-LB". Training must have been completed within the last 12 months and maintained yearly thereafter. If training cannot be conducted on the website, the Contractor will coordinate with the local OPSEC Officer at their assigned location for classroom training by a Level 2 trained OPSEC Officer and a copy of either the training certificate or the training attendance roster signed by the OPSEC Officer will be maintained by

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

the Contractor. Verification of the training will be provided to the COR or KO within five (5) days of the request.

1.6.20 Overseas Training Requirements: Reserved

1.6.20.1. Antiterrorism (AT) Awareness Training for Contractor Personnel Traveling: Reserved.

1.6.20.2. SERE Training: Reserved..

1.6.21. Foreign (OCONUS) Requirements: Reserved.

1.6.21.1. Theater and Country Clearance Requirements: Reserved.

1.6.21.2. Vetting: Reserved.

1.6.21.3. Installation Access to DOD Facility or Host Nation Installation: Reserved.

1.6.21.4. Host Nation Installation Access with No DOD Facility: Reserved.

1.6.21.5. Deoxyribonucleic Acid (DNA) Samples: Reserved.

1.6.21.6. Medical Travel Requirement: Reserved.

1.6.22. Synchronized Pre-deployment and Operational Tracker (SPOT): Reserved.

1.6.22.1. Reserved.

1.6.23. Safety: The following provides information pertaining to Safety and Accident Prevention: RA shall consult with the responsible Safety Officer and Activity manager assigned to performance location(s).

1.6.23.1. Safety Laws and Regulations:

1.6.23.1.1. In addition to other requirements for accident prevention specified in this contract, the Contractor shall comply with all Federal and State requirements governing safety and health protection on construction sites and other applicable occupational safety codes.

The Contractor shall indicate its plan for compliance considering conditions of the work described by the design, technical proposal, operational activities of the Government or others in the area of the work, identification of the coordinator, and implementation of all other accident prevention provisions of this contract. *For the compliance with host nation laws and regulations, the Contractor shall comply with the non-exclusive list of duties described in this paragraph. If the Contractor determines that additional activities are required to fully comply, the Contractor shall ensure that compliance with the laws is complete. The duties include:*

(a) Conditions of construction and operational activities to be considered include but are not limited to:

(i) For all construction activities meeting the following criteria: the work is scheduled to last longer than 30 working days and more than 20 workers are occupied simultaneously, or the volume of work is scheduled to exceed 500 person days, or the work presents particular tasks, e.g. excavations deeper than 5 meters, falls from a height of greater than 7 meters, exposures to hazardous chemical or biological substances, work at less than 5 meters from high voltage lines, underground earth works or tunnels, danger of drowning, diving, use of compressed air, work with ionizing radiation, explosives, or work involving assembly or dismantling of heavy prefabricated components (10 tons or greater).

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

(b) If the Contractor determines that the BaustellV, dated 10 June 1998, applies, the Contractor shall prepare a Safety and Health Protection Plan (SIGE) as required under that regulation. The SIGE shall be submitted two weeks prior to mobilization. In addition, the Contractor shall appoint a qualified Safety Coordinator who will ensure that safety measures are implemented during construction. The Safety Coordinator must meet minimum training and experience requirements required under local laws.

(c) The SIGE will be written in a comprehensive form and explained in language the workers understand and shall contain the following minimum information:

(i) Maintenance of tools and equipment.

(ii) Provisions for the storage and disposal of materials and waste, particular hazardous materials and substances.

(iii) Modifying performance periods for such work, taking into consideration the site conditions.

(iv) Organizing cooperation between different employers and Contractors without employees.

(v) Interaction between work at the site and other operational activities in the area, on which or near which the first identified work will be performed, and taking into consideration the instructions and advice of the coordinator as well as safety and health plans.

1.6.23.1.2. The Contractor shall complete and provide safety notifications required *within city limits of Del Rio, Texas* and will provide documented proof to the Contracting Officer via the COR, no later than number of five (5) days that such notifications were made.

1.6.24. Environmental Compliance: The following provides information on Environmental Compliance.

1.6.24.1. Environmental Compliance Plan and Program:

"The Contractor shall ensure that all of its operations and activities conform to the (insert unit and or organization here) environmental policy requirements. The Contractor shall ensure that all contract personnel have received appropriate levels of training in the handling, use, storage, and disposal of hazardous material. In addition, the Contractor shall ensure that all Contractor controlled activities are conducted in accordance with the local laws of Del Rio, Texas' Spill Prevention and Response Plan, Solid Waste Policy, Final Governing Standards, and applicable environmental laws/standards.

"If contract requires the use of hazardous materials/substances, the Contractor shall, prior to mobilization, inform the Contracting Officer (KO)/Contracting Officer Representative (COR) of the types and amount of hazardous materials needed to be brought onto the area of in order to fulfill their contractual requirements. Contractor shall also provide the Safety Data Sheets, storage requirements and proposed storage locations for the hazardous material. The KO/COR shall provide a copy of this information to the Fire Department and the Environmental Division.

"Prior to contract completion, the Contractor shall remove all hazardous materials and dispose of all hazardous waste (HW) generated in accordance with Final Governing Standards of Del Rio, Texas environmental laws/standards. A copy of the HW disposal documents must be forwarded to the HW program manager."

"The Contractor shall clean up at its own expense any contamination, including soil and ground water contamination caused by hazardous materials/substances brought onto the garrison, or by his activities. The Contractor must immediately report any hazardous substance spills to the local Fire Department."

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 2

DEFINITIONS & ACRONYMS

2. DEFINITIONS AND ACRONYMS:

2.1. Definitions:

2.1.1 Area of Responsibility. The U.S. Southern Command (USSOUTHCOM) area of responsibility (AOR) includes the geographic areas of Antigua and Barbuda, Argentina, Aruba, Barbados, Belize, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominican Republic, Ecuador, El Salvador, Falkland Islands, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mayotte, Montserrat, Nicaragua, Panama, Paraguay, Peru, Saint Barthélemy, Saint Martin, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and the Grenadines, Saint Maarten, Suriname, Trinidad and Tobago, Turks and Caicos Islands, Uruguay, and Venezuela.

2.1.2. Contractor. The total contractor organization or a separate entity of it; such as an affiliate, division, or plant that performs its own purchasing.

2.1.3. Contracting officer (KO). A person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings.

2.1.4. Contracting Officer's Representative (COR). An individual designated and authorized in writing by the contracting officer to perform specific technical or administrative functions.

2.1.5. Defective Service. A service output that does not meet the standard of performance associated with the Performance Work Statement.

2.1.6. Deliverable. Anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

2.1.7. Foreign National. A foreign national is not a U.S. citizen. Green card holders are also identified as foreign nationals. A foreign national is further categorized as either a third country national or a local national based on the person's citizenship and location of performance of duty.

2.1.8. Key Personnel. Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the Key Personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.9. Local National. Local nationals are foreign nationals who are citizens of the country where the performance of duty will occur.

2.1.10. Performance Work Statement (PWS). A statement of work for performance-based acquisitions that describes the required results in clear, specific, and objective terms with measurable outcomes.

2.1.11. Physical Security. Protection of the perimeter area, government property, and assets that prevent the loss or damage of Government property.

2.1.12. Quality Assurance. The various functions, including inspection, performed by the government to determine whether a Contractor has fulfilled the contract obligations pertaining to quality and quantity.

2.1.13. Quality Assurance Surveillance Plan (QASP). A plan describing how the agency will survey, observe, test, sample, evaluate and document the Contractor's performance in meeting critical performance standards identified in the contract.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

2.1.14. Quality Control (QC). Tasks performed by the Contractor to improve the quality of the organization's output.

2.1.15. Shall. An imperative command; has a duty to or is required to. Denotes that a regulation must be followed unless the contracting officer has obtained a deviation.

2.1.16. Subcontractor. Any supplier, distributor, vendor, or firm that furnishes supplies or services to or for a prime contractor or another subcontractor.

2.1.17. Third Country National. Third country nationals are foreign nationals who are not citizens of the country where the performance of duty will occur.

2.1.18. Work Day. The number of hours per day the Contractor provides services in accordance with the contract.

2.1.19. Work Week. Monday through Friday, unless specified otherwise.

2.2 Acronyms:

AFFSSIR	Armed Forces Repository of Specimen Samples
ALMS	Army Learning Management System
ANSI	American National Standards Institute
AOR	Area of Responsibility
AR	Army Regulation
ATCTS	Army Training Certification Tracking System
AT	Anti-Terrorism
C2	Command and Control
CAC	Common Access Card
CFR	Code of Federal Regulations
CI	Counter Intelligence
CLIN	Contract Line Item Number
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer Representative
DD Form 254	Department of Defense Contract Security Requirement List
DNA	Deoxyribonucleic Acid (DNA)
DOD	Department of Defense
DODD	Department of Defense Directive
DODI	Department of Defense Instruction
FAR	Federal Acquisition Regulation
FHP	Force Health Protection
FCG	Foreign Clearance Guide
FN	Foreign National
FY	Fiscal Year
GFCI	Ground Fault Circuit Interrupter
GFE	Government Furnished Equipment
GFP	Government Furnished Property
GFS	Government Furnished Services
HVAC	Heating, Ventilation, and Air Conditioning
IA	Information Assurance
IAW	In Accordance With
IT	Information Technology
JPAS	Joint Personnel Adjudication System
JTR	Joint Travel Regulation
KO	Contracting Officer
LN	Local National

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

LOA	Letter of Authorization
NCIC-III	National Crime Information Center Interstate Identification Index
NIST	National Institute of Standards and Technology
ODC	Other Direct Costs
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
OSHA	Occupational Safety and Health Administration
OPSEC	Operation Security
PIPO	Phase In/Phase Out
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QASP	Quality Assurance Surveillance Plan
QCP	Quality Control Program
RA	Requiring Activity
SCR	Service Contract Reporting
SIPR	Secret Internet Protocol Router Network
SOP	Standard Operating Procedures
SPOT	Synchronized Predeployment and Operational Tracker
TCN	Third Country National
TE	Technical Exhibit
TSDB	Terrorist Screening Data Base
U.S.C.	United States Code
USSOUTHCOM	United States Southern Command

THIS SECTION INTENTIONALLY LEFT BLANK

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 3

Government Furnished Equipment (GFE), Government Furnished Property (GFP), and Government
Furnished Services (GFS)

3. GOVERNMENT FURNISHED ITEMS AND SERVICES:

3.1. Services: The Government will not provide any services.

3.2. Facilities: The Government will not provide facilities.

3.3. Utilities: The Contractor shall connect all restroom plumbing to the base's existing water and sewer systems in accordance with Laughlin AFB utility connection standards and all applicable commercial codes.

3.4. Equipment: Reserved.

3.4.1. Reserved.

3.5. Materials: The Government will not provide any materials.

3.6. Common Access Cards (CAC): N/A.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 4

CONTRACTOR FURNISHED ITEMS AND SERVICES

4. CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES:

4.1 General: The Contractor shall furnish all supplies, equipment, facilities and services required to perform work under this contract that are not listed under Part 3 of this PWS.

4.2 Facility Security Clearance: Reserved

4.3. Materials: The Contractor shall provide the equipment type and size suitable for the required operation. The contractor shall affix a highly visible, permanent contractor's nameplate on all contractor-owned equipment. The contractor shall ensure that if commingling of U.S. Government and contractor-furnished equipment occurs, each set of equipment is easily identifiable and can be separated for inspection and inventory as required. The contractor shall maintain a sufficient quantity of on-hand materials and supplies to perform all work required under this Contract. Failure on the part of the contractor to provide sufficient quantities and quality of supplies and materials within the specifications of the Contract shall not be cause for reduction in any service or performance. The contractor shall maintain stocks to ensure continuous operation of critical systems as approved by the KO. Critical systems are those that are directly related to health care, safety, and mission accomplishment. The contractor shall provide a system for rapid procurement of items whose usage levels do not require maintenance of on-hand stocks. This system shall include a list of vendors for each such mission-critical repair item, information on availability, and expected delivery times.

4.4. Equipment: The Contractor shall provide all necessary vehicles (no GSA vehicles provided to Contractor for use on this contract) and equipment to perform the work described in this PWS. All Contractor provided vehicles and equipment shall have the company name prominently displayed on both sides of the vehicle or equipment and present a neat, professional appearance. Contractor's vehicles and equipment used in the performance of this contract shall meet all local traffic, safety, and environmental requirements. Vehicles and equipment found to be unsafe shall be removed from service and replaced. The Contractor shall not use any Government-owned tools, materials, or parts to maintain Contractor vehicles and equipment without prior written approval of the Contracting Officer. The COR may inspect the Contractor's vehicles and equipment at any time.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 5

SPECIFIC TASKS

5. Specific Tasks: The Contractor shall provide non-personal services to furnish and install a temporary modular office facility in support of Joint Task Force–Southern Border operations. These services include providing all equipment, tools, parts, transportation, personnel, labor, supervision, and management necessary to deliver and position one (1) temporary modular building at Lot 100, Yellow Brick Road, Laughlin Air Force Base, Texas 78843. The Contractor shall accomplish the installation of the facility in the location identified in Exhibit C and ensure it is fully functional for government use.

Tasks consist of the following:

5.1. Basic Services. The contractor shall provide services of an expeditionary office and Secret Internet Protocol Router Network (SIPR) space for approximately 65 personnel in support of JTF-SB, TF-Guardian. The contractor shall provide office furnishings as outlined below.

5.2. Temporary Modular Building.

5.2.1. The Contractor shall deliver, install, lease, maintain, and remove the modular building and all ancillary equipment. All labor and materials shall comply with applicable commercial codes.

- (a) STD: The contractor shall manage the complete lifecycle of the modular building, including delivery, compliant installation, leasing, ongoing maintenance, and final removal.
AQL: Pass or Fail.
- (b) STD: All labor and materials will be installed in accordance with applicable commercial codes.
AQL: Pass or Fail.

5.2.1.1. The building shall include:

- Eight (8) office spaces (10 ft × 12 ft each)
- One (1) controlled-access room for SECRET equipment
- One (1) conference room (approx. 20 ft × 34 ft)
- Locking doors, overhead lighting, and windows for exterior offices

5.2.1.2. The modular building shall provide a minimum of 4,000 sq ft of workspace and shall not exceed a 62 ft × 65 ft footprint.

- a) STD: Contractor shall provide an interconnected modular building meeting size requirements.
AQL: No more than one (1) deviation from size specifications.

5.2.1.3. Installation shall include blocking, leveling, and finishing interior and exterior seams on a suitable foundation.

- (a) STD: Contractor shall install the building on a level foundation with all seams finished.
AQL: No more than one (1) installation deficiency.

5.2.1.4. Floors shall be vinyl or durable carpet, professionally seamed to conceal mate lines.

- (a) STD: Flooring shall be installed professionally with seams concealed.
AQL: No more than two (2) flooring defects.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

5.2.1.5. Ceiling seams shall be concealed using acoustic T-grid tiles.

- (a) STD: Ceiling seams shall be fully concealed.
AQL: No more than one (1) visible seam per room.

5.2.1.6. Wall seams shall be covered with vinyl battens.

- (a) STD: Battens shall be installed uniformly and securely.
AQL: No more than two (2) loose or improperly installed battens.

5.2.1.7. Exterior seam trim shall be appropriate for siding.

- (a) Exterior trim shall be installed to provide a weather-resistant seal.
AQL: No more than one (1) improperly sealed seam.

5.2.1.8. Roof seam trim shall use contractor-recommended materials.

- (a) STD: Roof seam trim shall ensure weather resistance.
AQL: Pass or Fail

5.2.1.9. The Contractor shall install skirting matching the building color.

- (a) STD: Skirting shall be uniform and color-matched.
AQL: No more than one (1) section requiring adjustment.

5.2.1.10. The Contractor shall perform all maintenance and repairs for the duration of the contract.

- a) STD: Contractor shall ensure the building remains fully operational and in good condition.
AQL: No more than two (2) delayed maintenance actions (>48 hours) per month.

5.2.1.11. The Government representative (COR/KO) shall review and approve all configurations and office locations prior to installation.

- a) STD: The contractor shall obtain written approval for all building configurations and site locations from the government representative before beginning installation.
AQL: Pass or Fail.

5.2.1.12. Trailers shall have locking exterior doors and windows.

- (a) STD: Contractor shall ensure reliable electrical service, HVAC, and weatherproofing.
AQL: No more than two (2) non-functional locks per month.

5.2.1.13. Trailers shall have electricity, air conditioning, heating, and weatherproofing suitable for the local climate.

- (a) STD: The contractor shall ensure all trailers are fully equipped with reliable electricity, HVAC systems, and are adequately weatherproofed.
AQL: No more than one (1) utility failure (power or HVAC) lasting more than 8 hours per month.

5.2.1.14. The Contractor shall provide external electrical connections supporting:

- Eight (8) workstations
- Dual monitors, laptops, and personal items
- Conference room and battle desk

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

24/7 power availability
Shore power shall be coordinated with USACE.

- (a) STD: Electrical service shall support all required loads continuously.
AQL: No more than one (1) outage exceeding 4 hours per month.

5.2.1.15. All electrical work shall comply with NFPA 70B and NFPA 70E.

- (a) STD: Electrical work shall meet all applicable NFPA standards.
AQL: No more than one (1) code deficiency.

5.2.1.16. Lighting shall meet USACE EM 385-1-1 Table 7-1 requirements.

- (a) STD: Lighting levels shall meet required illumination standards.
AQL: No more than one (1) area below required illumination.

5.2.1.17. Each exterior office shall have at least one window.

- (a) STD: Windows shall be installed per specifications.
AQL: No more than one (1) missing or non-functional window.

5.2.1.18. The building shall have at least two entry/exit doors with exterior lighting.

- (a) STD: Doors and exterior lights shall meet building and fire codes.
AQL: Pass/Fail.

5.2.1.19. Stairs or a ramp shall be installed if the door threshold exceeds 8 inches.

- (a) STD: Safe access shall be provided at all entrances.
AQL: Pass/Fail.

5.2.1.20. The building shall include communications infrastructure shall meet all quantity and distribution requirements:

- 50 electrical receptacles
- 50 CAT5/6 ports
- Minimum 8 ports per office
- Minimum 18 ports in the conference room

- (a) STD: Communications infrastructure shall meet all quantity and distribution requirements.
AQL: No more than two (2) missing or non-functional ports/receptacles.

5.2.1.21. The Contractor shall outfit the building exterior for commercial internet connections.

- (a) STD: Exterior shall support standard commercial internet hookups.
AQL: Pass/Fail.

5.2.1.22. Exterior Electrical Outlets Install commercial-grade Exterior Electrical Outlets with 110v, 20-amp GFCI outlet with weather-resistant cover at each entrance.

- (a) STD: Exterior outlets shall be fully functional and weather-protected.
AQL: Pass/Fail.

5.2.1.23. Install water-resistant exterior lights at front and rear doors.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

- (a) STD: Exterior lighting shall be functional and compliant.
AQL: No more than one (1) non-functional light.

5.2.1.24. The Contractor shall provide all HVAC services, including filter changes and cleaning.

- (a) STD: Contractor shall perform all HVAC maintenance to ensure optimal performance. AQL: No more than one (1) missed monthly service per quarter.

5.2.1.25. The building shall include a full HVAC system.

- (a) STD: HVAC shall maintain acceptable indoor temperatures.
AQL: No more than one (1) temperature control failure >4 hours per month.

5.2.1.26. The Contractor shall provide integrated electrical, HVAC, and general maintenance services.

- (a) STD: Contractor shall provide unified building support services.
AQL: Pass or Fail.

5.3. Furnishing. Contractor shall provide furnishings for 65 personnel; each personnel must be allocated one (1) desk and one (1) padded chair.

- (a) STD: Contractor shall furnish the facility with 65 desks and 65 padded chairs.
AQL: Pass or Fail.

5.3.1 Desks. Desks shall have minimum dimensions of 40 inches wide, 29 inches high, and 24 inches deep with a single pedestal. Pedestal will have no less than two (2) pull out drawers with one (1) of the drawers capable of holding hanging folders by the hooks on the hanging folder. Desks will be of a neutral color and must be approved by the Government before the trailer is furnished with the desks.

- (a) STD: All desks must meet the specified dimensions and drawer requirements, be a neutral color, and receive Government approval prior to installation.
AQL: Pass or Fail.

5.3.2. Chairs. Office chairs must meet at a minimum: seat depth and width of 20 inches, backrest height of 22 inches, minimum seat height 17 inches. Chairs must have casters to allow movement with ease, adjustable arm rests, and adjustable height. Chairs will be of a neutral color and must be approved by the Government before the trailer is furnished with the chairs.

- (a) STD: All chairs must meet minimum dimensions and feature requirements (casters, adjustability), be a neutral color, and receive Government approval prior to installation.
AQL: Pass or Fail.

5.4. Latrine Facilities. The Contractor shall provide and install one (1) female latrine and one (1) male latrine within the modular building. Each latrine shall be fully enclosed, climate-controlled, and integrated into the building's plumbing, electrical, and HVAC systems. All water supply and sewer discharge shall be tied into Laughlin AFB's existing base utilities.

The female latrine shall include:

- One (1) toilet
- One (1) privacy stall
- One (1) sink with running hot and cold water

The male latrine shall include:

- One (1) toilet
- One (1) privacy stall

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

- One (1) urinal
 - One (1) sink with running hot and cold water
- (a) STD: Contractor shall install fully functional male and female latrine facilities meeting all fixture requirements and applicable commercial plumbing codes, with all water and sewer connections tied into base utilities.
AQL: No more than one (1) non-functional fixture per month.

5.4.1. Plumbing and Sanitation Requirements. The Contractor shall connect all restroom plumbing to the base's existing water and sewer systems in accordance with Laughlin AFB utility connection standards and all applicable commercial codes. Plumbing shall include freshwater supply, wastewater drainage, proper venting, and all required shutoff valves. Restrooms shall include appropriate ventilation, lighting, and sanitation fixtures.

- (a) STD: Plumbing systems shall operate without leaks, clogs, backflow, or sanitation hazards, and shall remain fully integrated with base water and sewer utilities.
AQL: No more than one (1) plumbing failure requiring repair >24 hours per month.

5.5. Conference Room. The conference room shall be approximately 20 feet by 34 feet and capable of accommodating 20 personnel. It shall be furnished with one conference table (96" L × 44" W × 30" H), eight (8) padded stackable chairs, and two (2) additional tables (72" L × 36" W × 30" H). All furnishings shall be of a neutral color and approved by the Government. The facility shall also include insulated individual offices for the Command Team, three additional office sections, and a controlled-access room for SECRET communications equipment.

- a) STD: The conference room shall be approximately 20' × 34', accommodate 20 personnel, and be furnished with the required tables and chairs in neutral colors approved by the Government. The facility shall also include insulated Command Team offices, three additional office sections, and a controlled-access room for SECRET equipment.
AQL: 100% compliance with room size, furnishings, color approval, and required office/controlled-access spaces.

5.5.1. Conference Room Table. The open conference space shall be furnished with one (1) conference table that is 96 inches long x 44 inches wide and at least 30 inches in table height, and of a neutral color and must be approved by the Government before the conference room is furnished with the table.

- (a) STD: The Contractor shall provide one (1) conference table that meets all specified dimensional and color requirements.
AQL: Pass or Fail.

5.5.2. Conference Room Chairs. The open conference space shall be furnished with eight (8) chair that are 20 inches deep, 20 inches wide, and 18 inches high at the seat. Be a neutral color and approved by the Government prior to installation. The chairs shall be stackable for easy storage.

- (a) STD: The Contractor shall ensure all eight (8) conference chairs meet or exceed the minimum dimensional requirements for the seat.
AQL: Pass or Fail.
- (b) STD: The eight (8) conference room chairs shall be stackable.
AQL: Pass or Fail.

5.5.3. Conference Room Projector Mount. The conference room will be in a central location, built to accommodate 20 personnel, and feature a universal connection projector mount centrally located to allow use on a 30-foot wall with minimal obstruction.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

- (a) STD: The Contractor shall install a centrally located, universal-mount for a projector within the conference room, positioned for optimal projection on a 30-foot wall.
AQL: Pass or Fail.

5.5.4. The conference room shall include three (3) floor outlets providing 12 total outlets.

- (a) STD: Floor outlets shall be functional, evenly spaced, and covered.
AQL: No more than one (1) non-functional outlet.

5.5. Tear Down and Removal. The contractor shall perform removal of the temporary modular building within 30 days of contract expiration if the option is not exercised.

- (b) STD: Removal shall be completed within the required timeframe.
AQL: Pass or Fail.

5.6. Maintenance and Repairs. The contractor shall be responsible for all maintenance and repairs that is a result of age of material or contractor workmanship.

5.7. Deliverables: The Contractor shall provide all maintenance and system documentation upon installation completion to the COR.

- (a) STD: All required documentation shall be submitted complete and on time.
AQL: Pass or Fail.

5.8. Cleaning. Upon completion of trailer installation and utility, the contractor shall clean the interior of all trailers so they are ready for occupancy

- (a) STD: Facility shall be fully cleaned and ready for occupancy.
AQL: No more than one (1) area requiring re-cleaning.

5.9. Service Contract Reporting (SCR): The contractor shall report all contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the USSOUTHCOM via a secure data collection site

Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 30 of each year using <http://sam.gov>.

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 6

APPLICABLE PUBLICATIONS

6. APPLICABLE PUBLICATIONS (CURRENT EDITIONS)

6.1. The Contractor must abide by all applicable regulations, publications, manuals, and local policies and procedures.

6.1.1 DOD Commercial Use of Imagery Guidelines

6.1.2 AR 190-13, The Army Physical Security Program

6.1.3 Army Directive 2014-05, Policy and Implementation Procedures for CAC Credentialing Access for Uncleared Contractors

6.1.4 DOD 5220.22-M, National Industrial Security Program Operating Manual

6.1.5 Defense Federal Acquisition Regulation Supplement (DFARS)

6.1.6 Joint Travel Regulation (JTR)

6.1.7 AR 735-5, Policies and Procedures for Property Accountability

6.1.8 DODD 8570.01, Information Assurance Training Certification and Workforce Management

6.1.9 DOD 8570.01-M, Information Assurance Workforce Improvement Program

6.1.10 AR 25-2, Information Assurance

6.1.11 DODI 3020.41, Contractor Personnel Authorized to Accompany the U.S. Armed Forces

6.1.12 USSOUTHCOM SC Regulation 40-501, Medical Suitability Screening Regulation

6.1.13 DODI 2000.16 DoD Antiterrorism (AT) Program

6.1.14. Department of Defense Security Agreement (DD Form 441)

6.1.15. Contractor Identification (AE Reg 27-715)

6.1.16. Department of Defense Security Agreement (DD Form 441)

6.1.17. U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

PART 7

ATTACHMENT/TECHNICAL EXHIBIT LISTING

7. Attachment/Technical Exhibit List:

7.1 Attachments:

7.1.1 Attachment 1 – Performance Requirements Summary

7.1.2 Attachment 2 – Deliverables Schedule

7.1.3 Attachment 3 –Trailer Location

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023
ATTACHMENT 1

Performance Requirements Summary

Performance Objective	Standard	Performance Threshold (This is the maximum error rate. It could possibly be “Zero deviation from standard”) Acceptable Quality Levels (AQL’s)	Method of Surveillance
PRS#1 – PWS para 5.2.1. & 5.2.1.11. The Contractor shall deliver, install, lease, maintain, and remove the modular building and all ancillary equipment. The Government representative (COR/KO) shall review and approve all configurations and office locations prior to installation.	The contractor shall obtain written approval for all building configurations and site locations from the government representative before beginning installation. All labor and materials shall comply with applicable commercial codes.	Zero Deviation from standard	100% inspection
PRS#2 - PWS para 5.2.1.13. & 5.2.1.25. The Contractor shall ensure trailers have electricity, air conditioning, heating, and weatherproofing suitable for the local climate. The building shall include a full HVAC system.	The contractor shall ensure all trailers are fully equipped with reliable electricity and HVAC systems. HVAC shall maintain acceptable indoor temperatures.	No more than 1 discrepancy (utility failure > 8 hours) found per month.	Periodic Inspection & Customer feedback
PRS#3 - PWS para 5.2.1.10. & 5.6. The contractor shall perform all maintenance and repairs for the duration of the contract. The contractor shall be responsible for all maintenance and repairs that is a result of age of material or contractor workmanship.	Contractor shall ensure the building remains fully operational and in good condition.	No more than 2 discrepancies (delayed maintenance actions >48 hours) found per month.	Periodic Inspection & Customer feedback
PRS#4 - PWS para 5.3. & 5.5. The Contractor shall provide furnishings for 65 personnel; each personnel must be allocated one (1) desk and one (1) padded chair. The conference room shall be furnished	All chairs and desks must meet the specified dimensional and feature requirements, be a neutral color, and receive Government approval prior to installation.	Zero Deviation from standard	100% inspection

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

with one conference table, eight (8) padded stackable chairs, and two (2) additional tables. All furnishings shall be approved by the Government.			
PRS#5 - PWS para 1.6.7.5. The Contractor shall ensure contractor employees and subcontractor employees performing services under this contract have passed a security check conducted by the State Police Department of their U.S. residence. Documentation of these checks will be made available to the KO or COR within 10 days of request.	Security checks are completed for all personnel performing services under the contract.	100% compliance	Random sampling
PRS#6 - PWS para 5.5. The contractor shall perform removal of the temporary modular building within 30 days of contract expiration if the option is not exercised.	Removal shall be completed within the required 30-day timeframe.	Zero Deviation from standard	100% inspection
PRS#7 - PWS para 5.9. The contractor shall report all contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the USSOUTHCOM via a secure data collection site. Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. All data shall be reported no later than October 30 of each year.	The Contractor shall completely fill in all the information in the format at the following web address http://sam.gov .	100% compliance	100% inspection

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023
ATTACHMENT 2

Deliverables Schedule

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium/Format</u>	<u>Submit To</u>
[PWS para. 1.6.1.1] Develop QCP	Within 30 days of contract award	1 original and 2 copies, within 30 days of contract award	Excel Spreadsheet	Contracting Officer and COR.
[PWS para. 1.6.2] Develop OPSEC SOP	Within 90 days of contract award	1 original and 2 copies, within 90 days of contract award	Word or PDF	Contracting Officer and COR.
[PWS para. 1.6.7.5] Background check completed	Within 10 days of request	1 original and 2 copies, within 10 days of request	Word or PDF	Contracting Officer and COR.
QCP [PWS para. 1.6.7.5.1] Background check notification	Within 24 hours	1 original and 2 copies, within 24 hours of incident	Word or PDF	Contracting Officer and COR.
[PWS para. 1.6.7.7] Verification of eligibility through DoH website: http://www.uscis.gov/e-verify	Within 5 days of request	1 original and 2 copies, within 5 days of request	Word or PDF	Contracting Officer and COR.
[PWS para. 1.6.10] Contract manager designation in writing	Within 3 days of contract award	1 original and 2 copies, within 3 days of contract award	Excel Spreadsheet	Contracting Officer and COR.
[PWS para. 1.6.19.1] Submit AT Level I training certificate	Within 10 days after completion of training	1 original and 2 copies, within 10 days after completion of training	PDF	Contracting Officer and COR.
[PWS para. 1.6.19.1(2)] Verification of AT Level I training	Within 10 days after after completion of training	1 original and 2 copies, within 10 days after completion of training	PDF	Contracting Officer and COR.
[PWS para. 1.6.19.5] Submit TARP training certificate	Within 10 days after after completion of training	1 original and 2 copies, within 10 days after completion of training	PDF	Contracting Officer and COR.
[PWS para. 1.6.19.5 (2)] Verification of TARP training certificate	Within 10 days after after completion of training	1 original and 2 copies, within 10 days after completion of training	PDF	Contracting Officer and COR.
[PWS para. 1.6.19.6] A copy of the training attendance	Within 24 hours of the request	1 original and 2 copies, within 24 hours of the request	PDF	Contracting Officer or COR.

PERFORMANCE WORK STATEMENT (PWS)

Version 1
October 2023

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium/Format</u>	<u>Submit To</u>
will be maintained with the contractor..				
[PWS para. 1.6.19.7] Submit OPSEC training certificate	Within 30 days after completion of training	1 original and 2 copies, within 30 days after completion of training	PDF	Contracting Officer or COR.
[PWS para. 1.6.19.7 (2)] Verification OPSEC training certificate	Within 5 days of the request	1 original and 2 copies, within 5 days after completion of training	PDF	Contracting Officer or COR.
[PWS para. 5.2.1.11.] Approval of all configurations and office locations	Prior to installation	N/A (Government approval)	Email or written approval	Contracting Officer or COR
[PWS para. 5.3.1.] Approval of office desks	Prior to furnishing the trailer	N/A (Government approval)	Email or written approval	Contracting Officer or COR
[PWS para. 5.3.1.] Approval of office chairs	Prior to furnishing the trailer	N/A (Government approval)	Email or written approval	Contracting Officer or COR
[PWS para. 5.5.2.] Approval of conference room table.	Prior to furnishing the conference room	N/A (Government approval)	Email or written approval	Contracting Officer or COR
[PWS para. 5.5.3.] Approval of conference room chairs.	Prior to furnishing the conference room	N/A (Government approval)	Email or written approval	Contracting Officer or COR
[PWS para. 5.5.] Removal of the temporary modular building	Within 30 days of contract expiration if the option is not exercised or when the contract expires	N/A	N/A	Contracting Officer or COR
[PWS para. 5.6.] Provide all maintenance and system documentation	Upon installation completion	1 original and 2 copies, within 30 days after completion of training	PDF	Contracting Officer or COR.
[PWS para. 5.8.] Clean the interior of all trailers	Upon completion of trailer installation and utility installation	N/A	N/A	Contracting Officer or COR

PERFORMANCE WORK STATEMENT (PWS)

Version 1

October 2023

ATTACHMENT 3

Available Trailer Location

Location available to place trailers is in the East-Southeast of the main Del Rio Border Patrol Sector Headquarters 100 Yellow Brick RD, Laughlin Airforce Base, Texas 78843.

