

PERFORMANCE WORK STATEMENT (PWS)

Environmental Remediation Services Tooele Army Depot, Utah

10 March 2026

Single Award Indefinite Delivery/Indefinite Quantity (SA ID/IQ)

PART 1 GENERAL INFORMATION

1. General:

This is a non-personal services Single Award Indefinite Delivery/Indefinite Quantity (SA ID/IQ) firm-fixed price (FFP) contract to provide environmental remediations services for multiple sites located at Tooele Army Depot North Area, (TEAD-N), Utah, and Tooele Army Depot South Area (TEAD-S), Utah, also collectively referred to as TEAD. The Army will not exercise any supervision or control over the contract service providers performing the services herein. Such contract service providers shall be accountable solely to the contractor who, in turn, is responsible to the Army.

1.1 Description of Services/Introduction:

The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform Environmental Remediation Services at TEAD as defined in this Performance Work Statement (PWS) except for those items specified as Army furnished property and services. The contractor shall perform to the standards in this contract.

1.1.1 The Contractor shall be responsible for fully executing this SA ID/IQ FFP contract under a Performance-Based Acquisition (PBA). Work to be accomplished includes, but is not limited to, conducting required environmental remediation services for which the Army is statutorily responsible; addressing any and all environmental, explosive safety, scheduling, and regulatory issues; and assuming contractual liability and responsibility for the achievement of all the contract deliverables under Technical Exhibit 2 of this PWS. All the contamination associated with these sites shall be addressed including any that has migrated off the installation.

1.1.2 The Contractor shall comply with all applicable Federal, State, and local laws and regulations and achieve the contract requirements of this PWS in a manner that is consistent with any applicable orders or permits, all existing cleanup agreements or guidance for the Installation, and relevant Department of Defense (DoD) and U.S Army (Army) regulations (AR), policies, and procedures, for the duration of the contract.

1.1.3 The Contractor shall perform all the necessary environmental remediation work required to meet the contract requirements of this PWS pursuant to the Comprehensive Environmental

Response, Compensation, and Liability Act (CERCLA), as amended by the Superfund Amendments and Reauthorization Act (SARA), and National Oil and Hazardous Substances Contingency Plan (NCP) requirements where applicable, or pursuant to Resource Conservation and Recovery Act (RCRA) or other applicable authorities [e.g., Safe Drinking Water Act (SDWA)] requirements where applicable, with regulatory coordination, as appropriate, of United States Environmental Protection Agency (EPA) Region 8 and the State of Utah Department of Environmental Quality (UDEQ).

1.1.4 Based on TEAD site histories, there is a potential for the presence of Chemical Warfare Materiel (CWM) and Munitions and Explosives of Concern (MEC) on TEAD Munitions Response Sites (MRSs). However, contact with CWM or MEC is not expected during the performance of the requirements of this contract. The Contractor shall not perform CWM or MEC work; however, shall be familiar with and be able to recognize CWM or MEC, practice the 3Rs (recognize, retreat, report) Explosives Safety Education Program (<https://www.denix.osd.mil/uxo/>), and conduct stop work. Upon discovery of CWM or MEC, the contractor shall notify the TEAD Restoration Program Manager (RPM), Contracting Officer Representative (COR), and Contracting Officer (KO).

1.2 Background:

1.2.1 TEAD-N is in the Tooele Valley in Tooele County, Utah, immediately west of the City of Tooele and approximately 35 miles southwest of Salt Lake City. The installation currently covers 23,914 acres; it originally included an additional 1,700 acres which was transferred in December 1998 under the BRAC Program. TEAD-N is bounded north by State Road 112 and open grazing land. The land north of this road is partially developed and includes a sports complex and convention center (i.e., the Deseret Peak Complex), the Miller Motor Sports Park, Tooele County Landfill and a gravel operation. Other areas north of TEAD-N are used for farming and grazing purposes. Along the west side of TEAD-N, open grazing land and a gravel operation lie east of State Highway 59 that runs from the north to the south adjacent to the western boundary of TEAD-N. South of TEAD-N, two active gravel operations and open grazing land lie alongside a perimeter gravel road outside the depot boundary. Open grazing land, the City of Tooele (including the BRAC parcel), and a salvage operation lie east of TEAD-N; a Union Pacific Railroad main line traverses through the area and provides rail access to the depot. Past Army activities have resulted in the generation and disposal of various types of contaminants across the installation.

1.2.2 TEAD-S is in the central Rush Valley in Tooele County, Utah, approximately 16 miles south of the City of Utah and approximately 52 miles southwest of Salt Lake City. The installation currently covers 19,364 acres. The area surrounding the installation is rural and sparsely settled. Numerous small communities including Stockton, Rush Valley, Ophir, and Vernon are the closest neighbors. Past Army activities have resulted in the generation and disposal of various types of contaminants across the installation.

1.2.3 The sites (see Table 1 below) included in this contract will be managed based on their location at TEAD-N and TEAD-S. Specific regulatory environments are site dependent.

1.2.3.1 TEAD-N is a National Priorities List (NPL) installation. Many sites at TEAD-N are subject to a Federal Facilities Agreement (FFA) with the EPA and UDEQ jurisdiction. UDEQ has two divisions, the Division of Environmental Response and Remediation (DERR) for CERCLA sites, and the Division of Waste Management and Radiation Control (DWMRC) for RCRA sites. A portion of TEAD-N was divested from Army control during the BRAC process, but the Army retains responsibility for remediation and closure of sites within the BRAC parcel subject to the FFA (TEAD-N BRAC).

1.2.3.2 TEAD-S was formerly known as Deseret Chemical Depot (DCD). DWMRC is the regulator for RCRA sites. TEAD-S is not on the NPL, and therefore DERR is the regulator for two Munitions Response Sites (MRS)s under CERCLA that are not part of this contract.

TABLE 1: SITES COVERED IN THIS PWS

Site	OU SWMU	Env ID	CRL ID	Regulator	Requirement
Area 2	SWMU 9	TEAD(S)-09	49245.1006	DWMRC	LTM
Bldg S-554 & Adj. Lagoons	SWMU 21/22	TEAD(S)-15	49245.1011	DWMRC	LTM*
Sanitary Landfill	SWMU 26	TEAD(S)-17	49245.1013	DWMRC	LTM
Inactive Landfill	SWMU 28	TEAD(S)-19	49245.1015	DWMRC	LTM
Bldg 533	SWMU 19	TEAD(S)-28	49245.1023	DWMRC	LTM
Bldg 536	SWMU 33	TEAD(S)-30	49245.1025	DWMRC	LTM
Western Demil Area/Disp Pit	SWMU 25	DCD-006-R-01	49245.1030	DWMRC	LTM**
Eastern Demil/Disp Pits	SWMU 1	DCD-002-R-01	49245.1032	DWMRC	LTM**
CAMDS Facility	SWMU 13	CC-001	49245.1034	DWMRC	LTM
Bldg 1870 and Dry Well	SWMU 39	TEAD(S)-47	49245.1050	DWMRC	LTM
Tire Disposal Site	OU 8 SWMU 13	TEAD-06	49575.1005	EPA DERR	LTM
North Area Sanitary Landfill	SWMU 12/15	TEAD-09	49575.1008	DWMRC	RA-O LTM
PCP Spill Site (Pole 184)	OU 7 SWMU 5	TEAD-10	49575.1009	EPA DERR	LTM
Industrial Area Groundwater Sources	SWMU 58	TEAD 101	49575.1010	DWMRC	RA-O
Bomb Shell Recond Bldg	OU 9 SWMU 23	TEAD-12	49575.1012	EPA DERR	LTM
IWL & Ditches	SWMU 2	TEAD-13	49575.1013	DWMRC	LTM
Chemical Range	OU 9 SWMU 7	TEAD-15	49575.1015	EPA DERR	LTM
Small Arms Firing Range	OU 8 SWMU 8	TEAD-16	49575.1016	EPA DERR	LTM
Wastewater Spreading Area	OU 9 SWMU 35	TEAD-27	49575.1027	EPA DERR	LTM

Site	OU SWMU	Env ID	CRL ID	Regulator	Requirement
Laundry Pond	SWMU 11	TEAD-31	49575.1031	DWMRC	LTM
Bldg 1303 Washout Pond	OU 8 SWMU 22	TEAD-34	49575.1034	EPA DERR	LTM
AED Test Range	OU 9 SWMU 40	TEAD-36	49575.1036	EPA DERR	LTM
Bldg 539 Bomb Washout	SWMU 42	TEAD-58	49575.1041	DWMRC	LTM
TNT Washout Ponds	SWMU 10	TEAD-81	49575.1047	DWMRC	LTM
Stormwater Discharge	SWMU 45	TEAD-83	49575.1049	DWMRC	LTM
Old Dispensary	SWMU 48	TEAD-84	49575.1050	DWMRC	LTM
OB/OD Area Kickout Area	OU 15	TEAD-001-R-01	49575.1063	EPA DERR	LTM***
Old Burn Area	OU 15 SWMU 6	TEAD-004-R-01	49575.1066	EPA DERR	LTM
Building 539 Disposal Area	OU15	TEAD-005-R-01	49575.1067	EAP DERR	LTM***
Old Burn Staging Area	OU 15 SWMU 36	TEAD-006-R-01	49575.1068	EPA DERR	LTM

Notes:

CRL	Cleanup, Restoration, Liabilities Number
LTM	Long-Term Management
OU	Operational Unit
RA-O	Remedial Action Operations
SWMU	Solid Waste Management Unit
TEAD	Tooele Army Depot [Tooele Army Depot North Area (TEAD-N)]
TEAD(S)	Tooele Army Depot South Area (TEAD-S)
*	Expected to be approved for LUCs
**	Interim LUCs. Site is in a multi-phased RCRA Corrective Measures Implementation Construction (CMI-C)
***	Phase II Remedial Action not completed

1.3 Objectives:

To achieve the requirements in this PWS the contractor shall:

- Perform required Remedial Action Operation (RA-O) for the specified sites for the stated duration
- Perform required Long-Term Management (LTM) for the specified sites for the stated duration
- Perform interim LTM and monument surveys for the specified sites for the stated duration
- Perform required incidental maintenance as part of RA-O and LTM
- Update the TEAD Information Repository and Administrative Record (IR/AR) Index
- Complete the *Results of Groundwater Flow and Transport Model Recalibration and a Summary of Analyses of Model Findings* for TEAD-N
- Produce a Site Wide Hydrogeologic Assessment and Recommendations Report (HARR) for TEAD-N
- Update the TEAD-N Groundwater Management Area (GWMA) Plan when deemed

necessary

- Update the TEAD-S Groundwater Management Plan (GMP) when deemed necessary
- Perform groundwater monitoring well abandonments as needed
- Correct any deficiencies noted in the CERCLA 121(c), RCRA, or other periodic reviews performed at the installations for the sites in the contract during execution of the contract, including, modifying the monitoring parameters and/or frequency of existing wells, installation and sampling of additional wells to properly characterize contamination, or other activities deemed necessary to correct the deficiencies.

1.4 Scope:

1.4.1 For sites at TEAD-N subject to the FFA the Contractor shall perform all the necessary environmental remediation work required to meet LTM requirements of this PWS in a manner that is consistent with CERCLA, as amended by the Superfund Amendments and Reauthorization Act (SARA), the NCP and the CERCLA Section 120 FFA that was signed by the Army, UDEQ, and the USEPA Region 8, which went into effect on 16 September 1991.

1.4.2 For sites at TEAD-N not subject to the FFA the Contractor shall perform all the necessary environmental remediation work required to meet RA-O and LTM requirements of this PWS in a manner that is consistent with RCRA. TEAD-N has a Class 3 Modification to Merge RCRA Part B and Post-Closure Permits (TEAD-N Permit) issued by the DWMRC that was last revised in January 2025. RA-O shall be conducted in accordance with the TEAD-N Permit Corrective Measures Program (CMP). LTM shall be conducted in accordance with the TEAD-N Groundwater Monitoring Program (GMP), and the Post-Closure Monitoring, Inspection, and Maintenance Plans (PCPs).

1.4.3 For sites at TEAD-S the Contractor shall perform all the necessary environmental remediation work required to meet LTM requirements of this PWS in a manner that is consistent with RCRA. TEAD-S has a Class 3 Modification to Merge RCRA Part B and Post-Closure Permits (TEAD-S Permit) issued by the DWMRC that was last revised in January 2020. LTM shall be conducted in accordance with the TEAD-S Permit Post-Closure Conditions and Standards and PCPs.

1.5 Period of Performance:

This SA ID/IQ shall have a five (5) year ID/IQ ordering period with a two (2) year period of performance (POP) for Task Orders (TO)s. Expected TO POPs are listed below and are subject to change:

- First Year Task Order (1TO): 01 Mar 2026 – 31 Dec 2027 (22 months)
- Second Year Task Order (2TO): 01 Jan 2027 – 31 Dec 2028 (24 months)
- Third Year Task Order (3TO): 01 Jan 2028 – 31 Dec 2029 (24 months)
- Fourth Year Task Order (4TO): 01 Jan 2029 – 31 Dec 2030 (24 months)
- Fifth Year Task Order (5TO): 01 Jan 2030 – 31 Dec 2031 (24 months)

1.6 General Information

1.6.1 Quality Control:

Quality control (QC) is the responsibility of the contractor. The Contractor shall ensure that the quality of all work performed or produced under this contract meets the performance standards of the Performance Requirements Summary (PRS), Technical Exhibit 1.

The contractor shall develop, implement and maintain an effective quality control system that includes a written quality control plan (QCP). The QCP shall implement standardized procedure/methodology for monitoring and documenting contract performance to ensure all contract requirements are met. The contractors' QCP must contain a systematic approach to monitor operations to ensure acceptable services/products are provided to the Army. The QCP, as a minimum, shall address continuous process improvement; procedures for scheduling, conducting and documentation of inspection; discrepancy identification and correction; corrective action procedures to include procedures for addressing Army discovered non-conformances; procedures for root cause analysis to identify the root cause and root cause corrective action to prevent re-occurrence of discrepancies; procedures for trend analysis; and procedures for collecting and addressing customer feedback/complaints.

The contractor shall upon request provide to the Army its quality control documentation. The QCP is to be delivered to the KO and COR in electronic format within 30 days after contract award. In addition, and upon request, the QCP shall be submitted to the KO and COR within 5 working days when changes are made thereafter. After acceptance of the quality control plan the contractor shall receive the contracting officer's acceptance in writing of any proposed change to its QC system.

1.6.2 Quality Assurance:

The Army will evaluate the contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is an Army-only document primarily focused on what the Army must do to ensure that the contractor has performed in accordance with the requirements of the contract.

1.6.3 Federal Army Holidays:

The Contractor may work at the Installation on the following Federal Army Holidays provided they make the proper arrangements; it is necessary to execute the requirements of this PWS; and it is agreed upon by the COR.

New Year's Day	1st day of January
Martin Luther King Jr. Day	3rd Monday of January
Presidents Day	3rd Monday of February
Memorial Day	Last Monday of May
Juneteenth Day	19 th day of June
Independence Day	4th day of July
Labor Day	1st Monday of September
Columbus Day	2nd Monday of October
Veterans Day	11th day of November
Thanksgiving Day	4th Thursday of November

Christmas Day

25th day of December

1.6.4 Hours of Operation:

TEAD normally operate Monday through Thursday each week. Working on Fridays or weekends requires prior arrangement with the appropriate TEAD staff. The Contractor shall conduct business on the Installations as required to complete the activities required to meet the contract requirements in this PWS except federal holidays or when the Army facility is closed due to local or national emergencies, administrative closings, or similar Army directed facility closings. For other than firm fixed price contracts, the contractor will not be reimbursed when the Army facility is closed for the above reasons. The contractor must at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Army facility is not closed for the above reasons. When hiring personnel, the contractor shall keep in mind that the stability and continuity of the workforce are essential.

1.6.5 Place of Performance:

The work to be performed under this contract shall be performed at TEAD or the offices of the Contractor.

1.6.6 Type of Contract:

The Army will award a firm-fixed price contract.

1.6.7 Security Requirements:

This is an unclassified contract.

1.6.7.1 Physical Security:

The contractor shall be responsible for safeguarding all Army equipment, information and property provided for contractor use. At the close of each work period, Army facilities, equipment, and materials shall be secured.

1.6.7.2 Key Control:

The contractor shall establish and implement methods of making sure all keys/key cards issued to the contractor by the Army are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the contractor by the Army will be duplicated. The contractor shall develop procedures covering key control that shall be included in the Quality Control Plan. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The contractor shall immediately report any occurrences of lost or duplicate keys/key cards to the contracting officer.

1.6.7.2.1 In the event keys, other than master keys, are lost or duplicated, the contractor shall, upon direction of the contracting officer, re-key or replace the affected lock or locks; however, the Army, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Army, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Army and the total cost deducted from the monthly payment due the contractor.

1.6.7.2.2 The contractor shall prohibit the use of Army issued keys/key cards by any persons other than the contractor's employees. The contractor shall prohibit the opening of locked areas by contractor employees to permit entrance of persons other than contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the COR.

1.6.7.3 Lock Combinations:

The contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The contractor shall ensure that lock combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Contractor's QCP.

1.6.7.4 Access and General Protection/Security Policy and Procedures:

The Contractor and all associated subcontractor employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9 or NAF Clause BI.142, Personal Identity Verification of Contractor Personnel) as directed by DoD, Headquarters, Department of the Army (HQDA) and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Army may require changes in contractor security matters or processes.

1.6.7.4.1 Common Access Card (CAC) Issuance:

Only those Contractors who will be accessing Army data systems to transfer relevant data shall obtain a DoD Common Access Card (CAC). Before CAC issuance, the contractor employee requires, at a minimum, a favorably adjudicated National Agency Check with Inquiries (NACI) or an equivalent or higher investigation in accordance with Army Directive 2014-05. The contractor employee will be issued a CAC only if duties involve one of the following: (1) Both physical access to a DoD facility and access, via logon, to DoD networks on-site or remotely; (2) Remote access, via logon, to a DoD network using DoD approved remote access procedures; or (3) Physical access to multiple DoD facilities or multiple non-DoD federally controlled facilities on behalf of the DoD on a recurring basis for a period of 6 months or more. At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled NACI at the Office of Personnel Management.

1.6.7.4.2 Access to a DoD Facility or Installation without CAC:

The Contractor and all associated sub-contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by Army representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations.

1.6.8 Personal Identity Verification (PIV). Not Applicable.

1.6.9 Visit Notification. Not Applicable.

1.6.10 Special Qualifications: Not Applicable.

1.6.11 Post Award Conference/Periodic Progress Meetings:

The Contractor shall conduct meetings via teleconference (Microsoft Teams), or as specific by the COR or RPM.

1.6.11.1 Post Award Conference Meeting:

Within fourteen (14) calendar days of a TO award the contractor shall schedule a Post Award Conference Meeting (aka Kick-off Meeting) with the COR and installation stakeholders to discuss the work to be accomplished under the TO. During the meeting, the process, decision makers, compliance with all security requirements, objectives and deliverables under this contract and contents of the approach will be discussed. The purpose of the meeting will be for the Contractor to become familiar with expectations as they relate to this initiative and associated activities and discuss contract requirements as outlined in this PWS. The Contractor shall provide Kick-Off Meeting minutes within seven (7) calendar days after the meeting for review by the COR and meeting attendees.

1.6.11.2 Quarterly Progress Meetings:

Progress meetings shall be conducted periodically, at a minimum quarterly (every 3 months), to review the Contractor's performance. At these meetings, the COR will apprise the Contractor of how the Army views the Contractor's performance and the Contractor shall apprise the Army of problems, if any, being experienced. The Contractor shall provide Quarterly Progress Meeting Minutes, including action items, within seven (7) calendar days after each meeting for review by the COR and meeting attendees. Action items shall be reviewed during the next progress meeting. The Contractor shall provide revised meeting minutes within five (5) calendar days of receipt of Army comments.

1.6.11.3 Technical and Other Meetings:

The Contractor shall attend meetings convened by the KO or COR. Technical meetings shall be scheduled based on the technical approach. Said meetings shall be at no additional cost to the Army. Upon request by the COR, the Contractor shall provide meeting minutes following said meetings with the Army.

1.6.12 Contracting Officer Representative (COR):

The COR will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: assure that the contractor performs the technical requirements of the contract; perform inspections necessary in connection with contract performance; maintain written and oral communications with the contractor concerning technical aspects of the contract; issue written interpretations of technical requirements, including Army drawings, designs, and specifications; monitor contractor's performance and notify both the contracting officer and contractor of any deficiencies; coordinate availability of Army furnished property; and provide site entry of contractor personnel. A letter of designation issued to the COR, a copy of which is sent to the contractor, states the responsibilities and limitations of the COR, especially with regard to

changes in cost or price, estimates or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

1.6.13 Key Personnel:

The following personnel are considered key personnel by the Army: Program Manager, Project Manager, Regulatory Specialist, Senior Scientist, and Program Quality Assurance / Quality Control Manager. The contractor shall provide a contract manager who shall be responsible for the performance of the work. The name of this person and an alternate who shall act for the contractor when the manager is absent shall be designated in writing to the contracting officer. The contract manager or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The contract manager or alternate shall be available between 08:00 a. m and 4:30 p.m. Mountain Standard Time, Monday through Friday except federal holidays or when the Army facility is closed for administrative reasons. Qualifications for all key personnel are listed below:

1.6.13.1 Program Manager (PgM):

The Contractor shall designate one individual as the PgM that will be assigned to this contract. The PgM shall be competent, experienced, and knowledgeable in the field of environmental remediation including both hazardous and toxic waste and military munitions response activities. The PgM shall be the primary point of contact with the KO and SA ID/IQ COR. The PgM shall be responsible for the overall management of the contract including cost, schedule, and technical quality. The PgM shall take immediate corrective action when performance is not acceptable to the Army. The PgM shall also oversee the development and implementation of record keeping, administrative and quality control, and programs. The PgM shall have the following requirements:

- A baccalaureate college degree in engineering, construction management, geology, chemistry, or related field from an accredited post-secondary institution.
- Professional registration, in their respective field, if appropriate.
- Ten (10) years of experience in program management for other contracts/programs with a minimum of five (5) years of DoD program management.
- Ten (10) years of experience as a task order/contract project manager.
- Working knowledge of applicable federal, state, and local laws, regulations, and guidance.

1.6.13.2 Project Manager (PM):

The Contractor shall provide a trained and experienced PM for awarded TOs. The Contractor shall identify the PM and the PM's qualifications with the submittal of its proposal for the TO issued. The PM shall serve as the single point of contact for the contract COR, and shall be responsible for the management of work, approved plans, and all federal, state, and local laws and regulations. The PM shall also maintain close communication and coordination with the contract COR for the duration of the project. The PM shall have the following qualifications:

- A college degree in engineering, construction management, geology, chemistry, or related field from an accredited postsecondary institution.
- Professional certification/ registration in their respective field, if appropriate, and required to achieve contract requirements on this contract.

- A minimum of ten (10) years of project management experience in environmental remediation projects.
- Working knowledge of applicable federal, state, and local laws, regulations, and guidance.
- Experience and/or working knowledge of risk management and/or cost containment insurance if required by the contract.
- A basic understanding of firm-fixed-price contracts.
- A demonstrated understanding of performance-based contracts, and successful experience managing a minimum of one performance-based contract or TO.

1.6.13.3 Regulatory Specialist:

The Contractor shall designate and utilize one individual as the Regulatory Specialist for this contract awarded. The Regulatory Specialist shall be competent, experienced, and knowledgeable in the field of environmental regulatory requirements and policy and shall be the Contractor's primary point of contact for coordination and resolution of regulatory issues. The Regulatory Specialist shall be responsible for ensuring that the Contractor site staff conducts remediation services in accordance with all applicable environmental requirements and policy. The Regulatory Specialist shall also maintain close communication and coordination with United States Army Environmental Command as necessary for resolution of legal, regulatory, and policy concerns by the stakeholders. The Regulatory Specialist shall have the following qualifications:

- A college degree in law, engineering, public administration, construction management, geology, chemistry, or related field from an accredited postsecondary institution.
- Ten (10) years of experience in technical leadership for other contracts/programs with a minimum of five (5) years working experience in environmental remediation sites.
- Detailed knowledge of applicable federal, state(s), and local laws, regulations, and guidance, in particular those relating to CERCLA, NCP, RCRA permits and corrective action, and the DoD.

1.6.13.4 Senior Scientist/Engineer:

The Contractor shall designate one individual as the Senior Scientist/Engineer that will be assigned for this contract awarded. The Senior Scientist/Engineer shall be competent, experienced, and knowledgeable in the field of environmental compliance and conservation and shall be the primary point of contact for technical coordination of project requirements. The Senior Scientist/Engineer shall be responsible for the management of the technical quality of this contract. The Senior Scientist/Engineer shall have the following qualifications:

- A college degree in engineering, construction management, geology, chemistry, or related field.
- Professional registration, in their respective field, if appropriate and required to achieve Contract Requirements on this contract.
- Ten (10) years of experience in technical leadership for other contracts/programs with a minimum of five (5) years working experience in environmental remediation sites.
- Working knowledge of applicable federal, state, and local laws, regulations, and guidance.
- A basic understanding of firm-fixed-price contracts.
- A minimum of five (5) years working experience performing chemical data quality

assessment and reviewing and approving environmental remediation chemical laboratory analyses.

- Working knowledge of EPA SW-846, EPA QA/G-4, OSWER Directive 9272.0-17, and OSWER Guidance 9272.0-20.
- Working knowledge of the DOD UFP-QAPP and the DoD QSM.
- Working knowledge of the USACE EM 200-1-10 and ER 200-1-7.

1.6.13.5 Program Quality Assurance /Quality Control Manager:

The Program Quality Assurance / Quality Control (QA/QC) Manager shall be responsible for developing, maintaining, and ensuring implementation of the environmental quality program. This responsibility includes oversight of activities, periodic reviews of the processes being implemented, evaluation of any recommendations made by the project team over the course of the program regarding use of these processes, and continuous improvement evaluations of the quality program. He/she is also responsible for providing support to the project teams and the Program Managers in ensuring that the quality of products and services provided to the client is in accordance with the provisions of the contract, project plans, drawings, specifications, performance work statements, subcontracts, deliverables, other project requirements, and general contract compliance. The QA/QC Control Manager shall have the following qualifications:

- A baccalaureate college degree in engineering, construction management, geology, chemistry, or related field from an accredited post-secondary institution.
- Professional registration, in their respective field, if appropriate.
- At least four (4) years combined experience in the laboratory and/or as part of a consultant project management team managing quality assurance/quality control. If not a degreed chemist, the Corporate Quality Managers shall have knowledge and experience in the sampling and analysis of environmental media, and associated quality assurance.

1.6.14 Identification of Contractor Employees:

The contractor (to include subcontractors) shall provide each employee an identification (ID) badge, which includes at a minimum, the company name, employee name and a color photo of the employee. ID badges for key personnel shall also indicate their job title. ID badges shall be worn at all times during which the employee is performing work under this contract. Each contractor (to include subcontractors) employees shall wear the ID badge in a conspicuous place on the front of exterior clothing and above the waist except when safety or health reasons prohibit. The contractor (to include subcontractors) shall be responsible for collection of ID badges upon completion of the contract or termination of employee. A listing of issued identification cards shall be furnished to the contracting officer prior to the contract performance date and updated as needed to reflect contractor and subcontractor personnel changes. All contract personnel attending meetings, answering Army telephones, and working in other situations where their contractor status is not obvious to third parties are required to identify themselves as such to avoid creating an impression in the minds of members of the public that they are Army officials. They must also ensure that all documents or reports produced by contractors are suitably marked as contractor products or that contractor participation is appropriately disclosed.

1.6.15 Anti-Terrorism and Operations Security Requirements:

Contractor AT Level I and OPSEC training are available at website:

1.6.15.1 AT Level I Training:

All contractor employees, to include subcontractor employees, requiring access Army installations, facilities and controlled access areas shall complete Anti-Terrorism (AT) Level I awareness training within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever is applicable and annually thereafter. The contractor shall submit certificates of completion for each affected contractor employee and subcontractor employee, to the COR or to the KO, if a COR is not assigned, within five calendar days after completion of training by all employees and subcontractor personnel.

1.6.15.2 OPSEC Training:

Per AR 530-1 Operations Security (OPSEC), the contractor employees must complete Level I OPSEC Awareness training. New employees must be trained within 30 calendar days of their reporting for duty and annually thereafter.

1.6.15.3 iWATCH Training:

The contractor and all associated sub-contractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity Anti-Terrorism Officer (ATO)). This locally developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within 30 calendar days of contract award and within 5 calendar days of new employees commencing performance with the results reported to the COR NLT 30 calendar days after contract award.

1.6.16. Supervision of Contractor Employees:

The Army will not exercise any supervision or control over contractor or subcontractor employees while performing work under the contract. Such employees shall be accountable solely to the contractor, not the Army. The contractor, in turn, shall be accountable to the Army for contractor or subcontractor employees.

1.6.17 Contractor Travel:

Based on the requirements of the technical approach, travel may be required. The Contractor shall incorporate travel costs necessary to execute their technical approach into the fixed price of the contract.

1.6.18 Other Direct Costs:

This category includes travel, document reproduction, and shipping expenses associated with providing the environmental remediation services in this PWS. These expenses shall be incorporated into the fixed price of the contract.

1.6.19 Data Rights:

The Army has unlimited rights to all documents/material produced under this contract. All documents and materials, to include the source codes of any software, produced under this contract shall be Army owned and are the property of the Army with all rights and privileges of

ownership/copyright belonging exclusively to the Army. These documents and materials may not be used or sold by the contractor without written permission from the contracting officer. All materials supplied to the Army will be the sole property of the Army and may not be used for any other purpose. This right does not abrogate any other Army rights.

1.6.19.1 The Contractor shall not affix the “proprietary” legend on any documents produced for the Army. The Contractor shall place their company name on the cover page inside of a document. In addition, the Contractor shall ensure that all documents or reports produced by the Contractor are suitably marked as Contractor products or that Contractor participation is appropriately disclosed.

1.6.20 Organizational Conflict of Interest:

a. Purpose. The primary purpose of this clause is to aid in ensuring that:

- (1) The Contractor does not obtain an unfair competitive advantage by establishing the ground rules for a future competition;
- (2) The Contractor's objectivity and judgment are not biased because of its present or future interests (financial, contractual, organizational, or otherwise) which relate to work performed under this contract; and
- (3) The Contractor does not obtain an unfair competitive advantage by virtue of its access to non-public or proprietary information belonging to others.

b. Definitions.

- (1) The term “Contractor” herein used means: (a) the organization (hereinafter referred to as "it" or "its") entering into this agreement with the Army; (b) all business organizations with which it may merge, join or affiliate now or in the future and in any manner whatsoever, or which hold or may obtain, by purchase or otherwise, direct or indirect control of it; (c) its parent organization if any and any of its present or future subsidiaries, associates, affiliates, or holding companies, and; (d) any organization or enterprise over which it has direct or indirect control now or in the future.
- (2) The term "proprietary information" for purposes of this clause means any information considered so valuable by its owners that it is held secret by them and their licensees. Information furnished voluntarily by the owner without limitations on its use, or which is available without restrictions from other sources, is not considered proprietary.

c. Organizational Conflicts of Interest Examples. The following examples illustrate situations in which organizational conflicts of interest may arise. These examples are not all inclusive.

- (1) Biased Ground Rules. This type of conflict may arise in situations where a company sets the ground rules for a future competition. For example, when a Contractor develops requirements then competes to provide products or services to satisfy those requirements, thus obtaining a competitive advantage.

(2) Impaired Objectivity. This type of conflict may exist where a Contractor's obligations under a contract require objectivity, but another role of the Contractor casts doubt on its ability to be truly objective. An example of this type of conflict is where a Contractor's work under one contract entails evaluating itself, its affiliates, or its competitors under a separate contract.

(3) Unequal Access to Information. This type of conflict may arise when a Contractor has access to nonpublic or proprietary information as part of its performance under a contract that gives it an unfair advantage in a competition for a later contract.

d. General Constraints. The provisions of FAR Subpart 9.5, Organizational and Consultant Conflicts of Interest, concerning organizational conflicts of interest govern this contract. Potential conflicts may exist in accordance with FAR 9.505-1, Providing Systems Engineering and Technical Direction, through 9.505-4, Obtaining Access to Proprietary Information. In this regard, the Contractor is responsible for identifying any actual or potential organizational conflicts of interest to the Contracting Officer that arise as the result of performance under this contract. To avoid or mitigate a potential conflict related to performance under this contract, the Contracting Officer will impose appropriate constraints such as the constraints discussed below. Since it is impossible to foresee all of the circumstances that might give rise to organizational conflicts of interest, the constraints discussed below are not all inclusive and the Contracting Officer may impose constraints other than, or in addition to, the constraints listed below.

(1) The Contractor agrees that if it provides, under a contract or task order or delivery order, systems engineering and technical guidance for systems and programs, but does not have overall contractual responsibility, it will not be allowed to be awarded a contract or task or delivery order to supply the system or any of its major components or be a Subcontractor or consultant to a supplier of the system or any of its major components.

(2) The Contractor agrees that if it prepares complete specifications for non-developmental items or assists in the preparation of work statements for a system or services under a contract or task order or delivery order, it shall not be allowed to furnish these items, either as a prime Contractor, a Subcontractor or as a consultant.

(3) The Contractor agrees that it shall neither evaluate nor advise the Army with regard to its own products or activities. The Contractor shall objectively evaluate or advise the Army concerning products or activities of any prospective competitors.

(4) The Contractor agrees that if it gains access to proprietary information of other companies, it shall exercise diligent effort to protect such proprietary information from unauthorized use or disclosure. In addition, the Contractor agrees to protect the proprietary information of other organizations disclosed to the Contractor during performance of this contract with the same caution that a reasonably prudent Contractor would use to safeguard highly valuable property. The Contractor also agrees that if it gains access to the proprietary information of other companies it shall enter into written agreements with the other companies to protect their information from unauthorized use or disclosure for as long as it remains proprietary and to

refrain from using the information for any purpose other than that for which it was furnished. The Contractor shall provide copies of such agreements to the Contracting Officer.

(5) If the Contractor, in the performance of this contract, obtains access to plans, policies, reports, studies, financial plans, data or other information of any nature which has not been released or otherwise made available to the public, the Contractor agrees that without prior written approval of the Contracting Officer, it shall not: (a) use such information for any private purpose unless the information has been released or otherwise made available to the public, or (b) release such information unless release is otherwise authorized under the contract or such information has previously been released or otherwise made available to the public by the Army.

e. Non-Disclosure Agreements. The Contractor shall obtain from each employee who has access to proprietary information under this contract, a written agreement which shall in substance provide that such employee shall not, during his/her employment by the Contractor or thereafter, disclose to others or use for their benefit, proprietary information received in connection with the work under this contract. The Contractor shall educate its employees regarding the restrictions so that they shall not use or disclose proprietary information or data generated or acquired in the performance of this contract except as provided herein.

f. Training. The Contractor shall effectively educate its employees, through formal training, company policy, information directives and procedures, in an awareness of the legal issues so that each employee shall know and understand the absolute necessity of safeguarding information from anyone other than the Contractor's employees who have a need to know, and the U.S. Army.

g. Subcontracts. The Contractor agrees that it shall include the provisions in paragraphs d., e., and f. above and this paragraph in consulting agreements, teaming agreements, and subcontracts of all tiers which involve access to information or the performance of services described in paragraph d. above. The use of this clause in such agreements shall be read by substituting the word "consultant" or "Subcontractor" for the word "Contractor" whenever the latter appears.

h. Additional Constraints. If this contract provides for the issuance of task or delivery orders, such orders may impose additional requirements and restrictions relating to this clause to include the requirement for the Contractor and its Subcontractors and employees to furnish the Army with written non-disclosure agreements or statements of no conflict of interest. With regard to any proposal submitted by the Contractor in response to a Request for Task or Delivery Order Proposal, by submitting its proposal the Contractor represents that it has disclosed to the Contracting Officer, prior to the issuance of the task or delivery order, all facts relevant to the existence or potential existence of organizational conflict of interest.

i. Conflicts Involving Future Procurements. The award of this contract, task or delivery orders issued under this contract, Army taskings, or acquiescence in the Contractor's performance of services hereunder shall not constitute or be interpreted as a determination that the Contractor is eligible to participate in future procurements, developmental efforts, implementation efforts, or related activities. Only the Contracting Officers for such efforts, applying the rules, principles,

and procedures have the authority to determine whether a conflict exists in connection with such procurements.

j. Representations and Disclosures.

(1) The Contractor represents that it has disclosed to the Contracting Officer, prior to award of this contract, all facts relevant to the existence or potential existence of organizational conflict of interest.

(2) The Contractor represents that if it discovers an organizational conflict of interest or potential conflict of interest after award of this contract, a prompt and full disclosure shall be made in writing to the Contracting Officer. This disclosure shall include a description of the action the Contractor has taken or proposes to take in order to avoid or mitigate such conflict.

k. Remedies and Waiver.

(1) For breach of any of the above restrictions or for non-disclosure or misrepresentation of any relevant facts required to be disclosed concerning this contract, the Army may terminate this contract for default, disqualify the Contractor for subsequent related contractual efforts, and pursue such other remedies as may be permitted by law or this contract. If, however, in compliance with this clause, the Contractor discovers and promptly reports an organizational conflict of interest (or the potential thereof) subsequent to contract award, the Contracting Officer may terminate this Contract or any task or delivery order issued under this Contract for convenience if such termination is deemed to be in the best interest of the Army.

(2) The parties recognize that this clause has potential effects which will survive the performance of this contract and that it is impossible to foresee each circumstance to which it might be applied in the future. Accordingly, the Contractor may at any time seek a waiver from the cognizant Contracting Officer by submitting a full written description of the requested waiver and the reasons.

1.6.21 Combat Trafficking In Person:

IAW FAR 52-222-50. Contractor Requirements.

The Contractor shall –

(1) Notify its employees of

(i) The U.S. Army's zero tolerance policy.

(ii) Actions that will be taken against employees for violations of this policy.

(2) Take appropriate action.

Part II, Trafficking in Persons (TIP)

1. The Contractor has a procedure for notifying employees of TIP and proof of such notification on file via:

- i. Training records or
 - ii. Employee signature
- 2. Has documented actions on file citing appropriate action to TIP violations.
 - 3. Record of documented violations to date (if any).
 - 4. The Contractor has a procedure for notifying the Contracting Officer if information is received or actions related to TIP are observed.

1.6.22 IAW FAR 39.2: Not Applicable.

1.6.23 Phase In / Phase Out Period: Not Applicable.

1.6.24 Stop Work:

All Contractor and Installation site personnel have the authority and responsibility to stop work immediately if the work appears to be a serious threat to the safety or health of workers, other personnel, or to the environment. When work is stopped due to a hazard/threat to worker safety, health, or the environment, the situation shall be documented and copies of the documentation submitted by the Contractor to the KO. The Contractor shall stop work whenever potential CWM, radiological materials, or MEC are discovered if said materials are not required to be addressed in order to achieve the contract requirement. In addition, the KO has the authority to stop work immediately on a contract. Stop work orders may be related to nonconformance to project specifications, lack of performance by the Contractor, financial considerations, funding considerations, and other circumstances outlined in the contract. Note: CWM and radiological materials are not anticipated to be encountered nor covered under the work in this contract. In the event the Contractor finds potential CWM or radiological materials while working under this contract, they shall stop work immediately and notify the COR and KO. Only the KO can lift the stop work.

1.6.25 Environmental Responsibility Considerations:

The Army will retain responsibility for any assessed natural resource damages that are attributed to historic releases of hazardous substances (prior to contract with Contractor) and any natural resource injuries that are necessary and incidental to the reasonable implementation of a selected response or remedial action. The Contractor shall be responsible for any/all additional natural resource injuries and associated Natural Resource Damages claims brought because of its actions (e.g. release of hazardous substance or unreasonable disturbance of natural resources because of construction activities).

1.6.25(a) The Army will retain all responsibility for third party liability for CWM or MEC that may be targeted or discovered during the course of remediation if said materials are not required to be addressed in order to achieve the contract requirement.

1.6.25(b) Response cost claims, property damage and personal injury claims brought due to contamination and hazardous substance releases that have occurred historically (prior to contract with selected Contractor) and are not due to Contractor remediation activities are excluded from

Contractor responsibility. The Contractor shall be responsible for and indemnify the Army for the following:

- 1) Any response cost claims for any environmental restoration services that the Contractor has assumed under this PWS,
- 2) All costs associated with correction of a failure of any remedy implemented by the Contractor to the extent such failure was caused by the willful or negligent actions or omissions of the Contractor in the course of performing the environmental services;
- 3) All personal injury or property damage claims to the extent caused by the negligent acts or omissions of Contractor in the course of performing the environmental services,
- 4) All natural resource damages pursuant to 42 U.S.C. Section 9607(a)(4)(C), to the extent that such damages were caused or contributed to by the negligent acts or omissions of the Contractor or its successors in interest; and
- 5) All costs associated with or arising from any negligent acts or omissions or willful misconduct of the Contractor in the course of performing the environmental services or implementing remedial actions.

1.6.26 Noncompliance:

Any incident of noncompliance by the Contractor shall be reported to the COR, RPM, and KO telephonically, within 24 hours of incident or sooner if required by applicable requirements and then by written notice, within three (3) business days of incident to the COR, RPM, and KO. Nothing in this contract shall relieve the Contractor of its responsibility to comply with applicable laws and regulations.

PART 2
DEFINITIONS & ACRONYMS

2. DEFINITIONS AND ACRONYMS:

2.1. DEFINITIONS:

2.1.1. CONTRACT ADMINISTRATOR. The official Army representative delegated authority by the contracting officer to administer a contract. This individual is normally a member of the appropriate contracting/procurement career field and advises on all technical contractual matters.

2.1.2. CONTRACTOR. A supplier or vendor awarded a contract to provide specific supplies or services to the Army. The term used in this contract refers to the prime.

2.1.3. CONTRACTING OFFICER (KO). A person with authority to enter into, administer, and/or terminate contracts, and make related determinations and findings on behalf of the Army. Note: The only individual who can legally bind the Army.

2.1.4. CONTRACTING OFFICER'S REPRESENTATIVE (COR). An employee of the U.S. Army appointed by the contracting officer to administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does not have authority to change the terms and conditions of the contract.

2.1.5 DECISION DOCUMENT (DD). A generic term used to describe the documentation for the selection of a removal action, remedial action, or other type of environmental restoration action. Examples of DDs include an action memorandum (i.e., document describing a removal action selected in accordance with subpart 300.415 of NCP) and ROD (i.e., document describing the selection of a remedial action).

2.1.5. DEFECTIVE SERVICE. A service output that does not meet the standard of performance associated with the performance work statement.

2.1.6. DELIVERABLE. Anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

2.1.7 EXIT STRATEGY/RAMP-DOWN STRATEGY AND OPTIMIZATION: Trend analysis of historical and current data and/or other quantitative (such as future costs to the Army) or qualitative considerations that will lead to a reduction in the requirements themselves or the timeframe in which those requirements are to be achieved in a cost-effective manner. The Contractor shall be responsible for implementing optimization efforts through the duration of the contract.

2.1.7. ARMY-FURNISHED PROPERTY (GFP) OR ARMY PROPERTY (GP). Property in the possession of, or directly acquired by, the Army and subsequently made available to the contractor.

2.1.8. KEY PERSONNEL. Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the key personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.9. LONG-TERM MANAGEMENT (LTM). A DERP remediation phase requiring environmental monitoring, review of site conditions, and maintenance of a remedial action to ensure continued protection as designed once a site achieves RC. LTM includes the operations and maintenance measures required to maintain the effectiveness of response actions. LTM should be used until no further environmental restoration response actions are appropriate or anticipated. Examples of LTM include landfill cap maintenance, leachate disposal, fence monitoring and repair, performance of 5-year reviews, LUC maintenance, maintenance of any wells required for ongoing sampling efforts, and properly abandon any wells that are no longer required in accordance with applicable regulations. Maintenance of wells includes replacement of wells that no longer function as intended and installation of new wells if required for the LTM.

The RCRA equivalent of LTM is Post-Closure Care (PCC).

2.1.10. LAND USE CONTROL (LUC). Any type of physical, legal, or administrative mechanism that restricts the use of or limits access to real property to prevent or reduce risks to human health and the environment. Physical mechanisms encompass a variety of engineered remedies to contain or reduce contamination and physical barriers to limit access to property, such as fences or signs. The legal mechanisms used for LUCs are generally the same as those used for institutional controls (ICs) as discussed in NCP. Legal mechanisms include restrictive covenants, negative easements, equitable servitudes, and deed notices. Administrative mechanisms include notices, adopted local land use plans and ordinances, construction permitting, or other land use management systems to ensure compliance with use restrictions.

2.1.11. LAND USE CONTROL IMPLEMENTATION PLAN (LUCIP): An Army document that identifies the mechanisms that establish the LUCs, identifies the groups responsible for maintaining, strengthens the integrity of the controls, and mitigates the threat to human health and the environment posed by contaminants at the sites until unrestricted use is appropriate.

2.1.9. PHYSICAL SECURITY. Actions that prevent the loss or damage of Army property.

2.1.10. QUALITY ASSURANCE (QA). The Army procedures to verify that services being performed by the contractor are acceptable in accordance with established standards and requirements of this contract.

2.1.11. **QUALITY ASSURANCE SPECIALIST.** An official Army representative concerned with matters pertaining to the contract administration process and quality assurance/quality control. Acts as technical advisor to the contracting officer in these areas.

2.1.12. **QUALITY ASSURANCE SURVEILLANCE PLAN (QASP).** An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.13. **QUALITY CONTROL (QC).** All necessary measures taken by the contractor to assure that the quality of an end product or service shall meet contract requirements.

2.1.14 **REMEDIAL ACTION CONSTRUCTION (RA-C):** The period of time in which a response action is being implemented but is not yet operating as designed. At the end of this phase of work, a remedy is in place.

2.1.14 **REMEDIAL ACTION OPERATION (RA-O).** The period that a selected remedy must operate before achieving remedial action objectives. At the end of this phase of work, the response is complete.

RCRA equivalent of RA-O is Corrective Measures Implementation Operations (CMI-O).

2.1.14 **RESPONSE COMPLETE (RC).** A milestone signifying that the DoD Component has met the remedial action objectives for a site, documented the determination, and sought regulatory agreement. RC signifies that DoD has determined at the end of the PA/SI or RI that no additional response action is required; achieved RIP and the required RA-O has achieved the remedial action objectives; or where there is no RA-O phase, then the RA-C has achieved the remedial action objectives. LTM may occur after RC is achieved.

2.1.15 **REMEDIAL DESIGN (RD).** During the RD phase, the DoD Component shall develop the design plans and specifications of the selected alternative. The RD may include a LUC implementation plan, if such LUCs are a required element of the selected remedial action.

2.1.15 **REMEDY IN PLACE (RIP).** Designation that a final remedial action has been constructed, is functional, and is operating as planned in the RD and would be expected to meet the remedial action objectives detailed in the DD. Examples of RIP are a soil vapor extraction system or an in situ chemical treatment system that is installed and operating as designed and for which performance data indicate the system will achieve remedial action objectives, thus demonstrating proper operation of the system. Because remedial action objectives have not been met, the site cannot be considered RC.

2.1.16 **SITE CLOSEOUT (SC).** The stage at which the DoD has completed active management and monitoring at an environmental restoration site, and no additional environmental restoration funds will be expended at the site. SC occurs when environmental restoration goals have been achieved that allow UU/UE of the property (e.g., no further LTM, including LUCs, is required). Also may be a no further action (NFA).

2.1.14. SUBCONTRACTOR. One that enters into a contract with a prime contractor. The Army does not have privity of contract with the subcontractor.

2.1.15 UNLIMITED USE AND UNRESTRICTED EXPOSURE (UU/UE). The selected remedy does not include a restriction on land or groundwater use to be protective.

2.1.15. WORK DAY. The number of hours per day the contractor provides services in accordance with the contract.

2.1.16. WORK WEEK. Monday through Friday, except for federal holidays unless specified otherwise.

2.2. ACRONYMS:

Acronym	Description
3Rs	(recognize, retreat, report) Explosives Safety Education Program
ACE	U.S. Army Corps of Engineers
ACOR	Alternate Contracting Officer's Representative
AEC	U.S. Army Environmental Command
AFARS	Army Federal Acquisition Regulation Supplement
AR	Army Regulation
Army	General term - U.S. Army. U.S Department of Army, AEC, BRAC, Installation, or government.
AS/SVE	Air-Sparge and Soil Vapor Extraction
ATO	Anti-Terrorism Officer
BEC	BRAC Environmental Contractor
bgs	Below ground surface
BRAC	Base Realignment and Closure
CAC	Common Access Card
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CIP	Community Involvement Plan
CLIN	Contract Line-Item Number
CMI-C	Corrective Measures Implementation Construction
CMI-O	Corrective Measures Implementation Operations
CMIP	Corrective Measures Implementation Plan
CMP	Corrective Measures Program
CMS	Corrective Measures Study
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer Representative
COTS	Commercial-Off-the-Shelf
CRL	Cleanup, Restoration, Liabilities Number
CRP	Community Relations Plan
CWM	Chemical Warfare Material
DCD	Deseret Chemical Depot (Tooele Army Depot South Area)
DD250	Department of Defense Form 250 (Receiving Report)

DD254	Department of Defense Contract Security Requirement List
DERP	Defense Environmental Restoration Program
DERR	Division of Environmental Response and Remediation
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center
DoD	Department of Defense
DQO	Data Quality Objectives
DWMRC	Division of Waste Management and Radiation Control
EPA	United States Environmental Protection Agency
ESP	Explosive Safety Plan
ESS	Explosive Site Submission
FAR	Federal Acquisition Regulation
FFA	Federal Facilities Agreement
FFP	Firm-Fixed Price
FPCON	Force Protection Condition
FYR	CERCLA Five-Year Review / Army Periodic Review
GCL	Geosynthetic Clay Liner
GIS	Geographic Information System
GMP	Groundwater Monitoring Program (TEAD-N) Groundwater Management Plan (TEAD-S)
GWMA	Groundwater Management Area
HARR	Hydrogeologic Assessment and Recommendations Report
HCSM	Hydrogeological Conceptual Site Model
HIPAA	Health Insurance Portability and Accountability Act of 1996
HQDA	Headquarters, Department of the Army
ID	Identification
IDF	Individual Disposal Feature
IPCP	Interim Post-Closure Plan
IR/AR	Information Repository / Administrative Record
KO	Contracting Officer
LTM	Long-Term Management
MEC	Munitions of Explosives Concern
MNA	Monitored Natural Attenuation
Model Report	Tooele Army Depot North Groundwater Flow and Transport Model Report
MRS	Munitions Response Site
MSR	Monthly Status Report
NACI	National Agency Check with Inquiries
NCIC-III	National Crime Information Center Interstate Identification Index
NCP	National Oil and Hazardous Substances Contingency Plan
NPL	National Priorities List
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
OM&M	Operate, Monitor, and Maintain
OSHA	Occupational Safety and Health Administration
OU	Operational Unit

PBA	Performance-Based Acquisition
PCC	Post-Closure Care
PCP	Post-Closure Plan
PDF	Portable Digital Format
PER	Performance Evaluation Report
PgM	Program Manager
PII	Personal Identifiable Information
PIPO	Phase In/Phase Out
PIV	Personal Identity Verification
PM	Project Manager
PMP/QCP	Project Management Plan / Quality Control Plan
POC	Point of Contact
POP	Period of Performance
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QA/QC	Quality Assurance / Quality Control
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Plan
QCSR	Quality Control Summary Report
RAB	Restoration Advisory Board
RA-O	Remedial Action Operations
RCRA	Resource Conservation and Recovery Act
RFI	RCRA Facility Investigation
RLSO	Redline/Strikeout
RPM	Restoration Project Manager, TEAD point of contact
S.A.R.	Sampling, Analyses, and Reporting
SA ID/IQ	Single Award Indefinite Delivery/Indefinite Quantity
SARA	Superfund Amendments and Reauthorization Act
SCR	Service Contract Report
SDWA	Safe Drinking Water Act
SWMU	Solid Waste Management Unit
TCE	Trichloroethene
TE	Technical Exhibit
TEAD	Tooele Army Depot North and Tooele Army Depot South Areas
TEAD-N	Tooele Army Depot North Area
TEAD-N BRAC	TEAD-N BRAC Parcel subject to the FFA
TEAD-S	Tooele Army Depot South Area
TIP	Trafficking in Persons
TO	Task Order
TRC	Technical Review Committee
TSDB	Terrorist Screening Database
UDAQ	State of Utah Division of Air Quality

UDEQ	State of Utah Department of Environmental Quality
UFP-QAPP	Uniform Federal Policy Quality Assurance Project Plan
VMP	Vapor Monitoring Point
VOC	Volatile Organic Compound
VSG	Vertical Soil Gas
µg/L	Micrograms per Liter

PART 3
ARMY FURNISHED PROPERTY, EQUIPMENT, AND SERVICES

3. ARMY FURNISHED ITEMS AND SERVICES:

The Army will provide the following resources to the Contractor:

3.1 Pertinent records, reports, data, analyses, and information, in their current format (e.g., paper copy, electronic, tape, disks) to facilitate development of a complete and accurate assessment of current, former, and historical site activities and operations; waste generation and contaminant characteristics; parameters of interest; and site environmental conditions.

3.2 Access to appropriate personnel to conduct interviews on Installation operations and activities.

3.3 Access to DoD and Army policy and guidance documents.

3.4 Rights-of-Entry for sites included in the contract.

PART 4
CONTRACTOR FURNISHED ITEMS AND SERVICES

4. CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES:

4.1 Contractor Furnished Items and Responsibilities: The Contractor shall possess and supply personnel with the required expertise and knowledge, equipment, tools and any other resources required to meet or exceed the contract requirements of this PWS in accordance with established industry standards and regulatory requirements. The Contractor shall determine the requirements for licensed professionals and certifications and provide all required training necessary for compliance with regulations. The Contractor shall obtain all permits, licenses, approvals, and/or certificates required or necessary to accomplish the work.

4.2 When the work to be performed requires facility clearances, such as digging or drilling permits, the Contractor shall obtain such clearances and/or permits, prior to any drilling or excavating operations. The Contractor shall obtain such clearances and/or permits in accordance with all local and installation requirements and with the assistance of the installation point(s) of contact, prior to any such work being initiated. The Contractor shall coordinate all such work with Installation maintenance personnel prior to performing work. Contractors shall perform required utility checks using all applicable means. The Contractor shall comply with all Installation or site-specific time and procedural requirements (Federal, state, and local) described in the permits obtained.

4.3 The Contractor shall provide all support activities necessary to ensure the safe and effective accomplishment of all work required to meet the contract requirements of this PWS.

The Contractor shall be responsible for the following:

4.3.1 Coordination with the Army and site personnel in order to gain access to the Installation, as required for execution of the PWS. This coordination shall follow the procedures described during the Kick-Off meeting for each contract.

4.3.2 Coordination with the Army and site personnel in order to gain access to available infrastructure (e.g., buildings, roadways, waste management units, other Installation facilities) and utilities (e.g., electric power and telephone lines, natural gas and water supply distribution pipelines, and wastewater discharge conveyances), as required for execution of the PWS.

4.3.3 Utilities associated with implementation of remedies, including installation of individual meters for necessary utilities,

4.3.4 All solid and hazardous waste generated under this contract shall be the responsibility of the Contractor. This includes removal, proper disposal, and all required associated paperwork.

4.3.5 The Contractor shall be responsible for any damage caused to property of the United States (Federal property) by the activities of the Contractor under this contract and shall exercise due diligence in the protection of all property located on the premises against fire or damage from any and all other causes. Any property of the United States damaged or destroyed by the Contractor incident to the exercise of the privileges herein granted shall be promptly repaired or replaced by the Contractor to a condition satisfactory to the KO or reimbursement is to be made by the Contractor sufficient to restore or replace the property to a condition satisfactory to the KO.

4.3.6 A dig permit is required for any intrusive work.

4.3.7 Meeting space, court reporter, and audiovisual equipment for all meetings including the (Restoration Advisory Board) RAB if one is established.

PART 5 SPECIFIC TASKS

5. Specific Tasks:

5.1. Basic Services. The contractor shall provide services for Remedial Actions Operations (RA-O) and Long-Term Management (LTM) as defined in this performance work statement (PWS). The contractor shall perform to the standards in this contract. The specific tasks required to meet the contract and deliverable requirements include:

5.2 Performance Requirements and Thresholds:

The following performance requirements and associated thresholds are summarized in Technical Exhibit 1 and apply to this SA ID/IQ:

5.2.1 Project Management Plan and Quality Control Plan (PMP/QCP):

The Contractor shall develop and maintain a detailed Project Management Plan (PMP) and Quality Control Plan (QCP) (Section 1.6.1). The Contractor shall meet the schedule requirements of the PMP. The PMP shall specify the schedule, technical approach to achieving the performance objectives, project team members and their roles and responsibilities within the team, and the communication procedures among team members. The Draft PMP with QCP shall be submitted within 30 calendar days of the Contract award and shall include Monthly Status Reports (MSR)s, activity-based schedule, and payment milestone plan. The Final PMP with QCP shall be submitted within 15 calendar days of receipt of COR comments on the Draft documents. The Contractor shall update the PMP per TO award or more frequently, as warranted. The performance threshold for the schedule is there shall be no schedule slippage deemed the fault of the Contractor for which the Contractor does not present a viable plan to make up the lost time.

5.2.1.1 As part of the PMP, the Contractor shall provide MSR by the 5th day of each month. The PMP shall address the contents of status reports.

5.2.1.2 As part of the PMP, the Contractor shall develop and maintain an activity-based schedule that fully supports the technical approach and outlines activities and milestones defined at the appropriate detail level and logically sequenced to support and manage completion of the contract requirements in the PWS. Additionally, the Contractor shall identify the due dates and review periods for all deliverables including response to comments matrices in the activity-based schedule. The Contractor shall complete all requirements within the allowable period of performance for the applicable Contract Line-Item Number (CLIN). The Contractor shall account for the existing or future schedules developed under the applicable regulatory drivers listed in the PWS. The Contractor shall also coordinate activities with the COR to ensure that the proposed activity-based schedule does not conflict with other activities at the site, or interrupt Installation mission activities. A copy of the project schedule and any revisions shall be provided to the KO, Contract Specialist, COR, and RPM.

5.2.1.3 The payment milestone plan included in the PMP shall be in the format provided to the COR and RPM by the Contractor that will allow payments to the Contractor based on successful completion of interim milestones. The proposed payment milestone plan and subsequent

revisions shall be subject to Army review and approval, through the COR and RPM. The Army will make payments after verification of milestone completion in accordance with this plan. The Army will only consider payment milestones if they represent significant progress toward contract requirement completion, and completion of these interim steps can be measured and demonstrated as complete. All milestones shall have a defined means (applicable documentation) for demonstrating completion to facilitate certification and approval of project milestones and deliverables. A deliverable shall be submitted to document the actions are complete and provide any associated data. The deliverable shall match the document identified in the payment milestone plan that has been approved by the COR and RPM. There is no exception to this requirement. If a change to the payment milestone plan is needed to accommodate a change in the deliverable, it shall be initiated and approved PRIOR to certification and approval of the milestone. All payment milestone plan revisions shall be subject to Army review and approval by the COR and RPM. A copy of any revisions of the payment milestone plan shall be provided to the KO, Contract Specialist, COR and RPM.

5.2.2 Occupational Safety and Health Requirements:

The Contractor shall maintain occupational safety and health requirements compliant with applicable federal, state, and local laws and regulations. The performance threshold for the occupational safety and health requirements is zero Occupational Safety and Health Administration (OSHA) Reportable safety incidents, or DoD or State of Utah equivalent of an OSHA Reportable safety incident, for field activities conducted in support of this PWS and where the contractor is deemed at fault.

5.2.2.1 Stop Work:

All Contractor and Installation site personnel have the authority and responsibility to stop work immediately if the work appears to be a serious threat to the safety or health of workers, other personnel, or to the environment. When work is stopped due to a hazard/threat to worker safety, health, or the environment, the situation shall be documented and submitted by the Contractor to the KO. The Contractor shall stop work whenever potential CWM, or MEC are discovered if said materials are not required to be addressed in order to achieve the contract requirement of the TO scope. In addition, the KO has the authority to stop work at any time. Stop work notices may be related to nonconformance to project specifications, lack of performance by the Contractor, financial considerations, funding considerations, and other circumstances outlined in the contract.

5.2.3 Approval of Deliverables:

The following requirements apply unless otherwise specified in the PWS or by the COR.

The Contractor shall obtain Army and Regulatory approval of regulatory required project deliverables. Deliverables shall be produced with a minimum of a draft, draft-final, and final version. The performance threshold for approvals is no more than two (2) revisions per deliverable for either Army or Regulator comments. Draft submissions shall be reviewed and commented on by internal Army stakeholders and project team only. Final submissions shall be produced and distributed to all stakeholders, incorporating all comments for final review and approval by all parties. If the regulator request changes to a final report, then a corrected final shall be prepared for the regulator.

5.2.4 Analytical Quality Control:

The performance threshold for sample results shall be 100% compliance with all applicable approved sampling and analyses plan(s).

5.2.5 Landfill and BRAC AS/SVE Systems Performance:

The contractor shall operate the Landfill AS/SVE and BRAC AS/SVE systems in accordance with the performance requirements and for the duration specified in the TEAD-N Permit and applicable Corrective Measures Implementation Plans (CMIPs). Furthermore, during operation, the AS/SVE systems shall remain 95 percent fully operational, unless a lower percentage is approved by the COR.

5.2.6 Permit Required Notifications:

The Contractor shall be diligent and submit under cover letter, or email if needed to meet requirements, notifications with any relevant data, tables, figures, and / or information to the COR, RPM, and any other contacts requested by the RPM, such that TEAD can provide required notifications to the Director within the specified timeframes stated in the TEAD-N Permit. The performance threshold is 100% compliance with permit required notifications conducted within specified timeframes unless notifications by TEAD to the Director are the cause of the delay.

5.3 **General Requirements:**

5.3.1 Site Plans:

Prior to beginning any field work, the Contractor shall prepare any applicable required plans or documents, including but not limited to, Uniform Federal Policy Quality Assurance Project Plan (UFP-QAPP), sampling and analyses plan, waste minimization plans, health and safety plans, and work plans that are required for the particular fieldwork efforts. Such additional plans or documents shall be consistent with the applicable regulatory drivers listed in the PWS, and any other agreements, orders, or regulations that apply to the Installation and sites. Said plans and documents shall be subject to Army review and approval as specified in Technical Exhibit 2 or by the COR or RPM.

5.3.2 Information Repository and Administrative Record:

The TEAD Information Repository and Administrative Record (IR/AR) are currently maintained at:

TEAD-N:

- 1 Tooele Army Depot, Building 501, Tooele, UT 84074.

TEAD-S:

- 11500 Stark Road, Building 5119, Stockton, UT 8407.

The Contractor shall update the IR/AR Index of all ongoing TEAD CERCLA, RCRA, and Defense Environmental Restoration Program (DERP) related information to ensure that pertinent documentation and data are available for project reviews, and to provide a clear record of the

approach to support final decisions and remediation completion. Said IR/AR is the property of the Army and shall be made available to the Army upon request by the RPM, COR, or KO.

All final IR/AR document files shall be text-searchable and Adobe Portable Document Format (PDF) format. Said IR/AR documents shall also be Indexed utilizing an Excell spread sheet(s) or other format approved by the RPM or COR, updated as necessary, and made readily available. Paper copies will not be required unless requested by the RPM or COR, or to meet TEAD-N Permit and TEAD-S Permit requirements.

5.3.3 Army Environmental Database and Environmental Restoration Information System:

The Contractor shall be responsible for providing the COR with the applicable data and documentation necessary for each site to be included in the Army Environmental Database – WebCass-E, or other current database of record. In addition, the Contractor shall provide to a COR, on a quarterly basis, generated analytical data in a format that is ready for upload into the current database of record. The Army, through the COR, will provide data specifications for the current database of record as appropriate. The Contractor shall comply with all applicable requirements for data validation and submission.

5.3.4 Electronic Submittals:

The Contractor shall provide all electronic data submissions in the applicable format specified by the Army. The Contractor shall provide the source files for all document deliverables. In addition, the Contractor shall provide copies of the deliverables in text- searchable PDF format with draft and draft final documents including line numbers in the left margin to facilitate comments and responses.

At minimum, the Contractor shall submit electronic submittals and deliverables via DoD SAFE file transfer or email to the COR and RPM. The Contractor shall also submit electronic submittals and deliverables to the BRAC PgM, BRAC Environmental Contractor (BEC), and U.S Army Corps of Engineers (ACE) technical support in accordance with the Technical Exhibit 2, or as requested by the COR or RPM.

5.3.5 Project Stakeholders and Regulatory Involvement:

Project stakeholders and the Regulators involved include the Army, EPA, UDEQ, and / or public and / or commercial landowners. The required level of involvement may differ from site to site. The Contractor shall not initiate communication with the regulatory community without prior approval from the RPM or COR and shall not attend any decision-making meeting without Army participation. The Contractor shall provide all necessary support to initiate, schedule, and address all regulatory aspects of the project.

5.3.6 Public Involvement:

The Army through the RPM or COR will approve all Contractor communication and coordination involving public participation. The Contractor shall provide the necessary support to initiate, schedule, and address all public participation aspects of the project (e.g., preparation of briefings, presentations, fact sheets, newsletters, articles/public notices to news media, and notifications to RAB members). The Contractor shall be responsible for requesting and addressing all public comments consistent with the applicable regulatory drivers listed in the PWS. The RPM, COR,

or designee(s), will attend and represent the Army at all meetings with the public. The Contractor shall provide personnel who can; (1) effectively present complex technical issues to the U.S. Army personnel; (2) present the U.S. Army's position to public and media officials regarding those issues in terms the public can understand; and (3) possess the necessary technical skills to execute the activities included under the contract. In addition, the Contractor shall provide presentations of data or attend meetings to discuss the work completed in this contract. The Contractor shall make no public announcements or disclosures relative to information contained or developed under this contract, except as requested by the COR. This also applies to U.S. Army-owned information made available to the Contractor.

5.3.6.1 RAB:

At this time, there is not sufficient community interest to establish and sustain a Restoration Advisory Board (RAB) or Technical Review Committee (TRC). The TEAD will conduct biannual public interest assessments and, if the assessments indicate adequate public interest exists, will establish a RAB and activities required to support the RAB meetings shall be required of the Contractor. Such activities include preparation of the minutes of the RAB meetings, securing a location for each scheduled meeting and providing equipment as needed to support these meetings.

5.3.6.2 CRP/CIP:

The Contractor is not responsible for development of the Community Relations Plan (CRP) nor the Community Involvement Plan (CIP) for TEAD. However, the RPM or COR may request input/updates from the Contractor if either of these plans are updated by others.

5.3.7 CERCLA Section 121 (c) five-year and/or Army Periodic Reviews:

The Contractor shall not complete any CERCLA five-year and/or Army Periodic Reviews (FYR)s as they will be completed by separate contracts. The Contractor shall be responsible for supporting the completion of the review by, at a minimum, providing relevant data or documents determined by the COR to be needed to complete the FYRs.

5.3.8 Data Management:

Requires the Contractor to provide environmental chemistry and data management services, consulting, and project support associated with managing electronic data resulting from environmental work conducted at TEAD-N.

5.3.9 Delivered Equipment:

All equipment delivered and installed during this contract shall become property of the Army at the end of the contract.

5.3.10 Personally Identifiable Information:

The Contractor shall manage all multimedia/personally identifiable information (PII) (i.e. paper and electronic format) in accordance with DoD Directive 5400.11 and DoD Regulation 5400.11-R. Additionally, PII must be handled in accordance with Army Regulation (AR) 25-22 (The Army Privacy and Civil Liberties Program).

5.3.11 Remedial Action Operations (RA-O) and Long-Term Management (LTM):

During RA-O and LTM the Contractor shall provide all labor, materials and laboratory analyses required to maintain the:

- Solid Waste Management Unit (SWMU) 58 Corrective Measures Program (CMP),
- TEAD-N Groundwater Monitoring Program (GMP) and Groundwater Management Area (GWMA) Plan,
- TEAD-S groundwater monitoring and Groundwater Management Plan (GMP)
- TEAD-N and TEAD-S Post-Closure Care and Land Use Controls

in accordance with all applicable federal, state, and local laws and regulations, the TEAD-N and TEAD-S Permits, and regulatory approvals of RA-O and LTM report recommendations.

5.3.11.1 RA-O and LTM Incidental Maintenance:

Incidental maintenance may be required to complete some of the contract requirements and must be incidental to RA-O and LTM, shall not represent the preponderance of services, shall be minor in comparison to the overall requirements, and can be completed within the course of the inspection(s). The Contractor shall account for incidental maintenance in applicable RA-O and LTM CLINs.

The Contractor shall maintain all wells that are part of the RA-O and LTM in operational condition. Incidental maintenance of a well include maintaining the well lock, lid, plug/cap, stenciled well identification, well completion, bollards, and resurvey to update geographic information system (GIS) point data and measuring point elevations for groundwater elevation calculations.

Incidental maintenance also includes minor (can complete with readily available hand tools and hand operated power tools) landfill cap maintenance due to erosion or animal burrows, vegetation removal, fence and signage monitoring and repair or replacement, and performance recommendations from FYRs.

5.3.11.2 RA-O and LTM Support:

The contractor may be required to perform option CLINs in support of RA-O and LTM requirements and recommendations. Said option CLINs include, but are not limited to:

- Landfill repairs that require equipment to complete
- Well repair, redevelopment, abandonment, and installation requiring a licensed well contractor
- AS/SVE system decommissioning and associated well abandonments.

5.3.11.3 RA-O and LTM Exit Strategy/Ramp-Down Strategy and Optimization Efforts:

The Contractor shall be responsible for implementing optimization efforts through the duration of the contract. To help reduce the Army's long-term costs, the Contractor shall annually, or where feasible, develop and implement an exit strategy/ramp-down strategy and optimization efforts.

5.4 **CLIN - TEAD-PMP/QCP:**

See 5.2.1 for task details.

See Technical Exhibit 2 for further details.

The TEAD PMP/QCP shall be a combined PMP/QCP for TEAD-N, TEAD-N BRAC, and TEAD-S.

5.5 CLIN - Landfill AS/SVE OM&M & PER:

CLIN - BRAC AS/SVE OM&M & PER:

The Contractor shall operate, monitor, and maintain (OM&M) the North Area Landfill (former Sanitary Landfill, or Landfill) AS/SVE systems and the Industrial Area Groundwater Sources (BRAC Property, or BRAC) AS/SVE systems in accordance with the TEAD-N Permit and the most recent operational strategy and optimization documented in the Annual Performance Evaluation Reports (PERs) approved by the RPM, COR, and DWMRC. The Contractor shall ensure the AS/SVE systems are operated to be on-track to achieve the remedial action objectives as defined in the decision document. Furthermore, during operation, the AS/SVE systems will remain 95 percent fully operational, unless a lower percentage is approved by the RPM or COR. AS/SVE operation and systems changes will be evaluated and implemented pending RPM, COR, and regulatory approval. Except for the C Ave SVE system, cellular service will be maintained for each AS/SVE system to receive system alarm notifications. Condensate wastewater will be collected, profiled, transported under waste manifest and disposed of at Clean Harbor's Aragonite facility or other approved facility.

The SVE system, Vapor Monitoring Points (VMPs), Vertical Soil Gas (VSG) wells, and groundwater monitoring wells will be monitored to assess the performance of the AS/SVE systems following the monitoring frequency and schedule conducted during the most recent year of operation approved by DWMRC. SVE system vapor sampling will be conducted monthly during system operation (April to November) and following system shutdown (March) to assess rebound. Vapor monitoring will be conducted in March (prior to system startup), August (during system operation), December (at system shutdown) and in January and February (following system shutdown). Remedy groundwater sampling will be conducted in April (following system startup), October (during system operation), and December (following system shutdown).

5.5.1 Groundwater Monitoring and LTM Coordination:

Groundwater monitoring to evaluate system performance will be coordinated with LTM to eliminate redundant samples. Vapor samples will be collected in 1-Liter Summa® canisters and analyzed for VOCs by EPA Method TO-15. Groundwater samples will be collected with HydraSleeves and analyzed for VOCs by EPA SW-846 Method 8260C. All sample analyses will be conducted by a laboratory approved by the state of Utah. Other sampling analyses will require approval of the RPM, COR and DWMRC.

5.5.2 Deliverables and Reports:

Emissions will be reported to the State of Utah Division of Air Quality (UDAQ) semi-annually. OM&M activities will be summarized in an annual PER that will include SVE system sample results and PID measurements, VMP and VSG sample results, groundwater sample results, analysis of system performance and recommendations for optimization.

MSRs for AS/SVE system OM&M (also referred to as Monthly O&M) shall be submitted.

The Monthly O&M reports can be a combined report for the landfill and BRAC AS/SVE monthly OM&M. However, The PERs shall be separate reports for the Landfill and BRAC.

5.6 CLIN - TEAD-N GMP S.A.R:

The Contractor shall conduct all sampling, analyses, and reporting (S.A.R.) for the TEAD-N groundwater monitoring program (GMP) in accordance with the TEAD-N Permit and Groundwater Management Area (GWMA) Plan. The following items summarize the groundwater program as required per the TEAD-N GMP.

5.6.1 Semi-Annual Sampling Requirements:

Collect groundwater samples from approximately 58 monitoring wells using disposable HydraSleeve samplers. Analyze the samples for the Table X-2 analytes listed in Module X of the TEAD-N Permit. Analyze samples by the most recently published version of EPA SW- 8260, currently SW-8260C. Data shall meet the detection and reporting requirements of Table X-2 of Module X in the TEAD-N Permit. Measure static water levels and total depths in advance of groundwater sampling at all sampled wells. Download water level data from all 13 previously installed data loggers and maintain in working condition. To be consistent with field measurements taken previously, field work for the semi-annual event shall begin in April.

The results of the semi-annual sampling event will be reported in a single Semi-Annual report.

5.6.2 Annual Sampling Requirements:

Collect groundwater from approximately 59 annual wells (plus 58 semi-annual wells) for a total of approximately 117 monitoring wells using disposable HydraSleeve samplers. In addition, collect groundwater sample from 1 well, WIN-9549, via sample ports using the dedicated production pump at the well while the pump is operational. Analyze the samples for the Table X-2 analytes listed in Module X of the TEAD-N Permit. Analyze samples by the most recently published version of EPA SW-8260 for the PCP list of VOCs; and by SW-8270SIM for the analyte 1,4-dioxane for 5 Industrial Area wells. Data shall meet the detection and reporting requirements of Table X-2 of Module X in the TEAD-N Permit. Measure static water levels and perform inspections of approximately 241 monitoring wells. Download water level data from all 13 previously installed data loggers and maintain in working condition. To be consistent with field measurements taken previously, field work for the annual event shall begin in October (if TO has been awarded accordingly). The results of the annual sampling event will be reported in a single Annual Report.

5.6.3 Biennial Sampling Requirements:

Collect groundwater from 2 wells (N-03A and N-03H) from SWMUs 10 using a HydraSleeve sampler. Analyze for RDX by EPA SW-8330B. Data shall meet the detection and reporting requirements of Table X-2 of Module X in the TEAD-N Permit.

For reporting streamline efforts, the SWMU 10 LTM report shall be included with the SWMU 58 semi-annual and annual reports where applicable. Furthermore, SWMU 10 LTM field efforts shall be coordinated with SWMU 58 field efforts where feasible. SWMU 10 Biennial S.A.R. costs are to be included in the TEAD-N S.A.R. (5.8). Biennial sampling will be required in 2027.

5.6.4 Preliminary Data Reports:

The contractor shall submit a Semi-Annual and Annual Preliminary Data Reports (PDR)s. The PDRs shall provide a summary of the number of groundwater monitoring wells that were monitored and sampled and note any dry or obstructed wells that may indicate a need for abandonment or redevelopment, if the general shape of the Trichloroethylene (TCE) plume has or has not changed, any TCE concentration exceedances that may trigger notification and Contingency Actions per the TEAD-N Permit (Section IX.E) once data validation (confirmed) has been completed, and any other information relevant for TEAD-N Permit compliance with respect the Annual and Semi-Annual sampling events. The PDRs should include relevant figures and tables. PDRs do not require laboratory data validation and are submitted when preliminary laboratory reports have been made available. Submitted PDRs shall be considered draft and final unless requested by the RPM or COR for a revision.

5.6.5 Quality Control Summary Report:

The Contractor shall submit a Semi-Annual Quality Control Summary Report (QCSR) that document activities conducted during said sampling events and present the water level data and analytical results. The QCSR shall summarize the evaluation of laboratory data collected during the Semi-Annual sampling event. Said Laboratory data shall be reviewed to evaluate compliance with quality assurance QA/QC criteria based on data quality objectives (DQOs) specified in the approved Final Uniform Federal Policy Quality Assurance Project Plan (UFP-QAPP).

Note, the Annual QCSR, or similar, will be part of the Annual Report.

5.7 **CLIN – TEAD-N Model:**

The Contractor shall complete the *Results of Groundwater Flow and Transport Model Recalibration and a Summary of Analyses of Model Findings* in accordance with the TEAD-N Permit. The Contractor shall continue the development of the TEAD-N groundwater flow and transport model (TEAD-N Model) to simulate TCE migration at TEAD-N. The TEAD-N Model is based on the known physical characteristics of the site, is calibrated to observed site conditions, and is used to predict future migration of the TCE plume. The TEAD-N Model is used to understand the hydrologic controls on contaminant plume migration, to analyze the relative impact of specific source areas, and to evaluate the effect of the remediation of those source areas. The contractor shall submit the completed TEAD-N Model.

5.8 **Optional CLIN - TEAD-N HARR:**

The contractor shall develop a Hydrogeologic Assessment and Recommendations Report (HARR) for TEAD-N. The objective of the HARR is to assess hydrogeologic conditions and evaluate the current Groundwater Monitoring Program (GMP) and Corrective Measure Program (CMP) specified in the TEAD-N Permit. The evaluation shall include at a minimum the subsurface geology, hydrogeology, and geochemistry with respect to the TEAD-N GMP and CMP. Said evaluation shall include a hydrogeological conceptual site model (HCSM), a review of historical groundwater data and trends, stability of the contaminant plume, effectiveness of the GMP and CMP, detection monitoring along periphery of the plume that guard against risks to downgradient receptors, monitored natural attenuation (MNA), and TCE “hot spots” defined by the TCE Isoconcentration Contour at 50 micrograms per liter (µg/L) and 100 µg/L or higher in

the most recent Annual Reports (5.8.2). The HARR shall provide any recommendations that improve the quality of the GMP and CMP for protection of human health and the environment including, but not limited to:

- Increases or decreases in groundwater monitoring wells and sampling frequencies
- Ramp down efforts or increase in efforts
- Further needed corrective measures study (CMS), treatability pilot study, or other recommendation for TCE “hot spots”

An example HARR is presented in the Final Hydrogeological Assessment and Recommendations Report for Desert Chemical Depot (TEAD-S), Parsons, July 2013.

5.9 Optional CLIN – TEAD-N GWMA Plan Update:

The Contractor shall update the SWMU 58 Groundwater Management Area (GWMA) Plan and GWMA Plan Map. The GWMA Plan is updated to incorporate changes to any of the seven (7) key elements specified in the GWMA Plan that have occurred at SWMU-58 since the most recent GMA Plan update. The seven key elements are also listed below:

- Identification of potential receptors
- A groundwater monitoring program
- A groundwater modeling program
- Delineation of a GWMA boundary with defined groundwater development restrictions
- Actions to be taken based on detections and exceedances at sentinel wells
- A contingency plan for supply wells impacted by contamination
- A community involvement program

5.10 CLIN - TEAD-N LUCs & PCPs:

The Contractor shall perform LUC monitoring, inspections, maintenance, and reporting in accordance with the TEAD-N Permit for Post-Closure Care (PCC) and SWMU specific Post-Closure Plans (PCP)s, FFA, most recent Land Use Control Implementation Plan (LUCIP), and regulatory approvals where applicable. Note that TEAD has separate contract(s) for TEAD-N BRAC sites that require LTM.

5.11 CLIN - TEAD-S GMP S.A.R.:

The Contractor shall perform S.A.R. as required per the TEAD-S Groundwater Management Plan (GMP) and TEAD-S Permit. Collect groundwater from approximately 31 monitoring wells using low flow methods. Analyze the samples for the analytes listed in GMP and TEAD-S Permit. Collect static water levels at approximately 54 monitoring wells annually. To be consistent with field measurements taken previously, field work for the annual event shall be conducted in the month of May. After receiving the preliminary laboratory analytical data reports, tables summarizing analytical results, field analyses and field parameters will be submitted to the RPM and COR. The results of the LTM sampling event will be presented in an Annual Groundwater Monitoring Report.

5.11.1 Preliminary Data Reports:

The contractor shall submit an Annual PDR. The PDR shall provide a summary of the number of groundwater monitoring wells that were monitored and samples, concentration exceedances above respective project action limits (PAL)s, and note any dry or obstructed wells that may

indicate a need for abandonment or redevelopment. The PDRs should include relevant tables and figures. PDRs do not require laboratory data validation and are submitted when preliminary laboratory reports have been made available. Submitted PDRs shall be considered draft and final unless requested by the RPM or COR for a revision

5.12 Optional CLIN - TEAD-S GMP Update:

The Contractor shall update the TEAD-S Groundwater Management Plan (GMP). The TEAD-S GMP incorporates new data and information with existing data collected during previous site investigations and provides a defensible program that allows for the future removal and addition of monitoring wells and sites from the LTM program. The TEAD-S GMP is a dynamic document that will be updated, as needed, as new information becomes available and sites (e.g. SWMUs and AOCs) are added or removed from LTM.

5.13 CLIN - TEAD-S LUCs and PCPs:

The Contractor shall conduct LUC monitoring, inspections, maintenance, and reporting in accordance with the TEAD-S Permit for PCC, SWMU specific PCPs, most recent LUCIP, and regulatory approvals.

Note that site SWMU 21/22 at TEAD-S is in the RCRA Facility Investigation (RFI) phase with expected approval for LUCs starting in FY26.

5.13.1 SWMU 1 & 25 Interim Post-Closure Care and Permit:

SWMU 1 & SWMU 25 are located at TEAD-S and in the process of a multi-phased RCRA Corrective Measures Implementation Construction (CMI-C). Phase I CMI-C activities concluded in August of 2025 of which 89 total individual disposal features (IDF)s have corrective measure covers including 22 engineered covers consisting of a geosynthetic liner (GCL) and armor rock (rip rap) covers. Furthermore, five (5) permanent survey monuments are installed for PCC monitoring of the final covers: Three in SWMU 1 (IDFs 88, 93, and 141) and two in SWMU 25 (IDFs 67 and 124/125). One monument was installed for each cover type plus one additional monument.

5.13.1.1 SWMU 1 & 25 IPCP Inspections:

The Contractor shall conduct interim PCC monitoring (not including survey monuments), inspections, and reporting in accordance with the TEAD-S Permit, approved SWMU 1 & SWMU 25 Interim Post Closure Plan (IPCP), and / or regulatory approvals. Maintenance will be exercised on option CLIN, *SWMU 1 & 25 IPCP Maintenance*, where maintenance authorizations are provided by the COR and RPM following submittal and review of an interim inspection report and approval for maintenance.

5.13.1.2 Optional CLIN - SWMU 1 & 25 IPCP Maintenance:

The Contractor shall conduct Interim PCC and LUCs maintenance in accordance with the TEAD-S Permit, approved SWMU 1 & SWMU 25 IPCPs, and / or regulatory approvals. An amended interim inspection report shall be submitted following completion of authorized maintenance documenting maintenance activities. The contractor shall not be responsible for maintenance due to subsidence.

5.13.1.3 **CLIN - SWMU 1 & 25 Interim Monument Survey:**

The contractor shall survey the five (5) permanent survey monuments installed for PCC monitoring of the SWMU 1 & 25 final cover system. The survey shall be conducted by a Utah licensed land surveyor and in a manner sufficient for the Army to complete a review of the said survey data for verification of subsidence. The contractor shall provide a Survey Monument Report summarizing the survey including tabulated all existing benchmark data and elevation differences between existing baseline survey and the most current interim survey.

5.14 **Groundwater Monitoring Well Abandonments:**

All groundwater monitoring well abandonments require regulatory approval of an abandonment workplan and abandonment report. Groundwater monitoring well abandonments shall be abandoned in accordance with Subsection R655-4-14.3.1 of the Utah Administrative Code.

5.14.1 **Optional CLIN - Six (6) Monitoring Well Abandonments:**

The Contractor shall abandon the six (6) groundwater monitoring wells D-09, D-10, D-15, D-22, D-25, and M-03 located within the TEAD-N site SWMU 58.

5.15 Service Contract Report (SCR): *(If applicable)* System for Award Management (SAM) Service Contract Report (SCR): The Contractor shall report ALL Contractor labor hours (including Subcontractor labor hours) required for performance of services provided under this contract for the Department of the Army via a secure data collection site. The Contractor is required to complete all required data in the System for Award Management (SAM) using the following web address: <http://www.sam.gov>. Reporting inputs shall be for the labor executed during the period of performance during each Government FY, which runs from October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk by clicking “View Assistance for SAM.gov” which is located at the top of the SAM.gov website. From there, you can select “Contact Our Service Desk” which will allow you to contact SAM.gov directly. If contract period of performance ends prior to September 30, the Contractor has 30 calendar days from end date of the contract to complete the SAM SCR requirement.

Steps for Submitting a Service Contract Report (SCR)

1. Go to www.sam.gov and log in.
2. Select Entity Registrations and then select Service Contract Reporting.
3. SAM displays your entities which have service contracts and meet the reporting criteria. Select View by entity to see the service contracts for each entity.
4. Next, select Add for the service contract against which you want to create a Service Contract Report. Each service contract which meets the FAR Subpart 4.1703 reporting thresholds is displayed.
5. You will be taken to the Complete Service Contract Report page. SAM displays the contract details and allows you to report. You are required to enter the following information:

- **Total Amount Invoiced:** Total dollar amount invoiced for services performed during the previous Government fiscal year under the contract (this amount should include the prime and any subcontract amount).

- **Prime Contractor Hours Expended:** Prime contractor direct labor hours expended on the services performed during the previous Government fiscal year. The amount you enter is automatically divided by 2,080 hours to calculate a Full Time Employee (FTE) equivalent, displayed under the Prime Contractor Hours Expended as Prime Contractor FTEs.

6. Report any required Tier 1 subcontractor information by selecting the Add Tier 1 Subcontract Information button.

7. When you are ready to submit the report, select Submit. This saves your report and returns you to the Select Service Contract page where you can create other SCRs or edit an existing SCR.

Steps for Editing a Submitted Report

1. Follow steps 1-4 above. Any previously submitted SCR will have a View/Edit button instead of an Add button.

2. Select View/Edit. You will be able to view the current SCR, edit available fields, and resubmit the record. You can also delete previously entered information altogether.

STD: All information provided by the Contractor shall be accurate, complete, and not exceed suspense dates noted in corresponding paragraph above.

AQL: 100% Compliant

PART 6
APPLICABLE PUBLICATIONS

6. APPLICABLE PUBLICATIONS (CURRENT EDITIONS)

6.1. The contractor (to include sub-contractors) must abide by all applicable regulations, publications, manuals, and local policies and procedures as required to meet the contract requirements of this PWS in a manner that is consistent with the regulatory drivers listed in this PWS along with any applicable orders or permits, all previously agreed-upon agreements or guidance at each site, and consistent with all relevant DoD and Army policies. The Contractor shall identify applicable Federal, state and local laws and regulations; applicable Installation-specific orders, agreements, or rules; and perform its work in accordance with said authorities.

PART 7
ATTACHMENT/TECHNICAL EXHIBIT LISTING

7. ATTACHEMENT/TECHNICAL EXHIBIT LIST:

7.1 Attachment 1/Technical Exhibit 1 – Performance Requirements Summary

7.2 Attachment 2/Technical Exhibit 2 – Deliverables Schedule

TECHNICAL EXHIBIT 1

Performance Requirements Summary

The contractor service requirements are summarized into performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. These thresholds are critical to mission success.

Required Services	Performance Standard	Acceptable Quality Level	Method of Surveillance	Incentive (Positive and/or Negative) (Impact on Contractor Payments)
Project Management and Schedule requirements PWS 5.2.1, 5.2.1.1-5.2.1.3	The contractor shall meet permit required deliverable dates and schedules approved in applicable final plans	No delays in meeting schedules 100% compliance with applicable final plans and approved variances	Delays in meeting schedule requirements that result in poor performance standards and/or a notice of violation (NOV)	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings
Health and Safety Requirements PWS 5.2.2	The contractor shall be compliant with applicable federal, state, and local law and regulations	No reportable safety incidents where the Contractor is determined at fault	Safety incident reporting Property damage because of a safety incident Poor performance standards because of a safety incident	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings
Approval of Deliverables PWS 5.2.3	The Contractor shall be compliant with applicable deliverable approval requirements	100% compliance with deliverable approval requirements	Delays in meeting schedule requirements because of poor deliverable quality resulting in excessive comment and revision time	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings

Analytical Quality Control requirements PWS 5.2.4	The Contractor shall comply with Analytical Quality Control Requirements specified in applicable plans	100% compliance with Analytical Quality Control and approved variances	Delays in meeting schedule requirement and/or not meeting performance standards due to poor Analytical Quality Control	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings
Landfill and BRAC AS/SVE Systems Performance PWS 5.2.5	The Contractor shall comply with TEAD-N Permit and applicable CMIPs	100% compliance with TEAD-N Permit and applicable CMIPs	A minimum of 95% operational time for the systems unless a lower percentage is approved by the COR	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings
Permit Required Notifications PWS 5.2.6	The Contractor shall be diligent with TEAD-N Permit required notifications	100% compliant with TEAD-N Permit required notifications conducted within time frames	TEAD notifications to Director are with specified timeframes unless cause of delay is caused by TEAD	Failure to meet performance standards could result in termination of contract and/or negative CPARs ratings

TECHNICAL EXHIBIT 2

DELIVERABLES SCHEDULE

Deliverable	Frequency	Submit To / Required Attendee
Security Training: AT Level I, OPSEC & iWATCH Training PWS 1.6.15, 1.6.15.1 – 1.6.15.3	30 Calendar Days after task order award and annually thereafter	COR, RPM
Post Award Conference/Kick Off Meeting PWS 1.6.11, 1.6.11.1	Perform Kick Off meeting 14 Calendar Days after TO award. Submit meeting minutes with 7 calendar days of Kick Off Meeting and within 5 calendar days of receipt of Army comments	COR, RPM, BRAC PgM, BEC, ACE
Quarterly Progress Meetings PWS 1.6.11, 1.6.11.2	Perform Quarterly Progress Meetings (every 3 months) after TO award	COR, RPM, BRAC PgM, BEC, ACE
Base CLIN TEAD PMP/QCP PWS 5.2.1, 5.2.1.1-5.2.1.3, 5.3.1, 5.4	Develop PMP/QCP and Perform Project Management for TEAD Development of one PMP/QCP for TEAD-N, TEAD-N BRAC, and TEAD-S • Draft PMP/QCP within 30 days of TO award • Final PMP/QCP within 15 days draft comments • Monthly Status Reports by the 5th of each month	COR, RPM
Base CLIN Landfill AS/SVE OM&M & PER PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.5, 5.5.1, 5.5.2	Perform OM&M of Landfill AS/SVE systems including groundwater monitoring to evaluate system performance • Submit Monthly O&M Reports • Submit Draft, Draft Final, and Final Landfill AS/SVE Annual PER • Submit Semi-Annual Emissions Reports	COR, RPM, ACE
Base CLIN BRAC AS/SVE OM&M & PER PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.5, 5.5.1, 5.5.2	Perform OM&M of BRAC AS/SVE systems including groundwater monitoring to evaluate system performance • Submit Monthly O&M Reports (same report as Landfill Monthly O&M Reports) • Submit Draft, Draft Final, and Final BRAC AS/SVE Annual PER • Submit Semi-Annual Emissions Reports	COR, RPM, BRAC PgM, BEC
Base CLIN TEAD-N GMP S.A.R.	Perform Groundwater S.A.R for TEAD-N SWMU 58 and SWMU 10 • Submit SWMU 58 Semi-Annual and Annual PDRs	COR, RPM, BRAC PgM, BEC, ACE

Deliverable	Frequency	Submit To / Required Attendee
PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.6, 5.6.1-5.6.5	• Submit Draft, Draft Final, and Final SWMU 58 Semi-Annual QCSR • Submit Draft, Draft Final, and Final SWMU 58 Semi-Annual Groundwater Monitoring Report • Submit Draft, Draft Final, and Final SWMU 58 Annual Groundwater Monitoring Report • On odd years, submit Draft, Draft Final, and Final SWMU 10 Biennial Groundwater Monitoring Report (combine with SWMU 58 reports accordingly)	
Base CLIN TEAD-N LUCs and PCPs PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.10	Perform LUC and PCP inspection, maintenance, and reporting for RCRA and CERCLA sites at TEAD-N • Submit Draft, Draft Final, and Final CERCLA Annual IC Report • Submit RCRA Annual PCP inspection forms • Submit RCRA Semi-Annual and Post Storm PCP inspection forms	COR, RPM
Base CLIN TEAD-S GMP S.A.R PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.11, 5.11.1	Perform Groundwater S.A.R for TEAD-S • Submit Annual PDR • Submit Draft, Draft Final, and Final Annual Groundwater Monitoring Report	COR, RPM, ACE
Base CLIN TEAD-S LUCs & PCPs PWS PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.13, 5.13.1.1	Perform LUC and PCP inspection, maintenance, and reporting, and IPCP inspection and reporting for RCRA sites at TEAD-S • Submit PCP Post Storm inspection forms • Submit PCP Annual inspection forms • On even years, submit Draft, Draft Final and Final Biennial Post Closure Report for inspections and repairs conducted the prior odd year	COR, RPM
Base CLIN SWMU 1 & 25 Interim Monument Survey PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.13.1, 5.13.1.3	Perform survey of SWMUs 1 & 25 permanent monuments • Submit Survey Monument Report	COR, RPM
Base CLIN TEAD-N Model PWS 5.3.11, 5.7	Complete the TEAD-N Results of Groundwater Flow and Transport Model Recalibration and a Summary of Analyses of Model Findings • Submit Draft, Draft Final, and Final TEAD-N Model	COR, RPM, BRAC PGM, BEC, ACE
Option CLIN	Perform interim LUC and IPCP maintenance and amended reporting within 12 months of award • Submit amended PCP Annual inspection forms	COR, RPM

Deliverable	Frequency	Submit To / Required Attendee
SWMU 1 & 25 IPCP Maintenance PWS 5.3.11, 5.3.11.1, 5.3.11.3, 5.13.1, 5.13.1.2	• Submit amended Post Storm inspection forms • On even years, submit amended Draft, Draft Final, and Final Biennial Post Closure Report for inspections and repairs conducted the prior odd year	
Option CLIN TEAD-N GWMA Plan Update PWS 5.3.11, 5.9	Perform updates to the TEAD-N GWMA Plan within 12 months of award • Submit Draft, Draft Final, and Final GWMA Plan update	COR, RPM, BRAC PGM, BEC, ACE
Option CLIN TEAD-S GMP Update PWS 5.3.11, 5.12	Perform updates to the TEAD-S GMP within 12 months of award • Submit GMP	COR, RPM, ACE
Option CLIN TEAD-N HARR PWS 5.3.11, 5.8	Develop a HARR for TEAD-N • Submit the Draft, Draft Final, and Final HARR in accordance with the TEAD-N RCRA Permit	COR, RPM, BRAC PGM, BEC, ACE
Option CLIN Six (6) Monitoring Well Abandonments PWS 5.3.1, 5.3.11, 5.3.11.2, 5.14, 5.14.1	Perform Groundwater Well Abandonment (6 wells) within 12 months of award • Submit Draft, Draft Final, and Final Abandonment Workplan • Submit Draft, Draft Final, and Final Abandonment Report	COR, RPM, BRAC PGM