
Performance Work Statement

for



United States Air Forces in Europe and Africa (USAFE-AFAFRICA)

Türkiye and Spain Base Operating Support (TSBOS)

Contents

Civil Engineering.....	7
Installation Management.....	7
Asset Accountability	10
Real Property Management.....	10
Acquisition / Disposal.....	11
Accountability Management.....	11
Manage Customer Space Allocation.....	11
Resources	12
CE Trend Analysis.....	12
Resources Integration.....	12
Reimbursements / Refunds.	13
Monthly / Quarterly Reviews.....	14
Accounts Receivable (AR) / Accounts Payable (AP).....	14
NexGen IT Administration	14
Perform Systems Administration.....	14
IT Security	15
Web Page Management and Content Services	16
IT Acquisition and Assets.....	16
Housing Management	17
Family Housing Management.....	18
Housing Referral and Relocation Services Offices.	18
Community Liaison and Data Sources.	19
Promoting Housing Services.....	20
Counseling and Assistance.	20
Dispute Resolution.....	21
Community Housing Discrimination.....	21
Community Housing Inspections.....	21
General Officer Quarters (GOQ).	22
Unaccompanied Housing Management	22
Furnishings Management.....	24
Environmental.....	26
Environmental Program Management.	26
Environmental Management System and Inspection Process.	27
Air Quality.	27
Water Quality.....	27
Hazardous Waste.	27
Hazardous Material.....	28
Toxic Substances.	28
Storage Tanks and Petroleum, Oil, and Lubricants.	28
Natural and Cultural Resources.	29
Solid Waste.	29
Remediation.	29
Environmental Impact Analysis Process and Baseline Surveys.	30
Final Governing Standards Reviews.....	30

Installation Engineering	30
Portfolio Optimization.	33
Planning.	33
Conduct Site Planning Process	33
Build District Plans	34
Manage Installation Development Planning Processes	34
Provide Installation Planning Support to Base Comprehensive Asset Management Plan (BCAMP), AMP, and sub-AMP Working Groups	35
Support New Mission Beddown Planning Activities	35
Manage Airfield Obstruction Program	36
Manage Off-Base Planning and Compatible Land Use Planning Activities	36
Provide Facility Space Optimization and Utilization Planning	37
Develop And Execute the Facility Demolition / Consolidation Program.....	38
Program Development.	38
Program Development	38
Provide Project Programming.....	39
Manage Base Comprehensive Asset Management Plan (BCAMP)	40
Provide for BCAMP Management.....	41
Provide BAMP	41
Develop and Manage the Installation Facilities AMP	41
Provide and Manage Facility sub-AMP Activities	44
Energy Manager.....	45
Provide Energy Awareness	47
Provide Utility Commodity Management.....	47
Project Management	49
Project Execution.....	49
Provide Project Management.....	49
Provide Design Management.....	49
Develop Local A/E and Construction Contract Programs	51
Develop Construction Contract Program Task Orders	51
Initiate Funding Documents (Design, Construction, & Locally Funded Special Studies) ...	52
Provide Project Execution Services (In-House Construction Management).....	52
Other Construction Inspection Requirements	54
Provide MILCON Support.....	54
Conduct Project Closeout for MILCON and FSRM Projects.....	55
Coordinate Warranty Management.....	55
Execution Support.....	56
Installation Geospatial Information and Services (IGI&S) / GeoBase	56
Provide Surveying Services	57
Provide Drafting Services	58
Provide Emergency Response Support.....	58
Provide Other Engineering Support Functions	59
Emergency Services.....	59
Fire and Emergency Services.....	59
Occupational Safety and Health Program.....	60
Operations.	60

Staffing.....	61
Fire Prevention.....	61
Training.....	62
Emergency Communications Center.....	62
Uniforms.....	63
Personnel.....	63
Ambulance Services.....	66
Emergency Response and Patient Transport.....	66
Response to In-Flight Emergencies.....	67
Personnel.....	68
Operations Management.....	69
Operations Engineering.....	73
Requirements & Optimization.....	73
Demand Maintenance / Customer Service.....	74
Corrective Maintenance Work Task Requirements.....	76
Priority 2A. Plant Operations (Chilled Water) and PM.....	77
Scheduled Sustainment Corrective Maintenance- Priority 3.....	78
Facility Operations Facility Projects.....	79
Enhancement 4A/4B.....	80
Preventive Maintenance.....	81
Work Request Work Group / Work Request Review Board.....	82
In-House Maintenance & Repair Capability / Planning.....	83
Activity / Sub-Activity Management Plan.....	83
BUILDER Sustainment Management System.....	88
Warranty Management.....	89
Service Contracts Management.....	89
Refuse.....	89
Grounds.....	89
Custodial.....	89
Others (Grease Traps, Oil Water Separator Cleaning, VTE, Vehicle Denial Barriers, etc.).....	89
Material Control.....	89
U-Fix-It Program Management.....	90
Building Automation Energy Analysis.....	91
Ancillary Programs.....	91
Operations and Maintenance.....	92
Heavy Repair.....	92
Structures.....	93
Pavements / Equipment.....	94
Pavement Sweeping / Clearance.....	95
Environmental Management Control Systems (EMCS) / Operations.....	97
Water & Fuels Systems Maintenance.....	98
Logistics Readiness.....	108
Traffic Management.....	108
Cost Estimates.....	108
Program Management.....	108
Traffic Management Specific Functions.....	108

Freight and Cargo Movement	109
Contractor Training.....	114
Special Functions.....	114
Vehicle Management	116
Personnel.....	116
Fleet Management and Analysis.....	117
Technical Order Publications.....	117
TCTO Program.	118
Vehicle Maintenance.	118
Intermediate Maintenance.....	118
Minor Maintenance.....	118
Major Maintenance.....	119
Scheduled Maintenance.....	119
Mobile Maintenance.....	119
Operator Care Maintenance.....	119
Recovery Section (Wrecker).....	119
Tools and Equipment (Specialized).....	119
Tires.....	120
Limited Technical Inspections.....	120
Deployments.....	120
Process LTIs.....	120
Depot-Level Maintenance.....	120
Paint and Body Services.....	120
Parts Accountability.....	121
Green Procurement Program.....	121
Vehicle License Plate Program and Federal Motor Vehicle Registration System.....	121
Fuel Issues.....	121
Reports.....	121
Air Force IT Systems.....	123
Materiel Control.....	123
Vehicle Historical Folder.....	123
Base Exercises.....	123
Contingencies.....	124
Accident and Abuse Program.....	124
Coordination.....	124
Ground Transportation.....	124
Air Transportation.....	124
Materiel Management.....	124
Fuel Management.....	124
Force Support.....	125
Food Service Operations.....	125
Fitness and Sports	131
Lifeguard and Pool Operations	132
Library and Information Services	133
Publicity Support	133
Communications Support	134

MAJCOM Requirements.	135
Contingency Facilities	135
Transient Alert	135
Flight Operations.	136
Foreign Object Damage Prevention Program.	136
Aircraft Support Training.	136
Aircraft Crash Damaged or Disabled Aircraft Recovery Program.	137
Security Requirements.	137
Non-Destructive Inspection Program.	138
Personnel.	138
War Reserve Materiel	139
Tool Management Program	139
Aerospace Ground Equipment.	139
Rapid Airfield Damage Recovery (RADR)/War Reserve Materiel Non-Vehicular Equipment.	143
War Reserve Materiel RADR Vehicles.	144
Aerospace Ground Equipment (AGE) – War Reserve Materiel (WRM).	145
Personnel.	151
Operational Support.	152
Imperatives.	152
Management Internal Control Toolset.	152
Equipment Custodians.	152
Air Force Records Information Management System.	152
Non-Disclosure Agreement (NDA).	153
Safety, Occupational Health, and Industrial Hygiene.	153
Protection of Air Force Personnel.	154
Appendix	155
Technical Exhibit A – Activated Services Matrix	155
Technical Exhibit B – Workload and Baseline	155
Technical Exhibit C – Personnel Qualifications	155
Technical Exhibit D – References	155
Technical Exhibit E – CDRL List	155
Technical Exhibit F – GFP List	155
Technical Exhibit G – Vehicle List	155
Technical Exhibit H – WRM List	155
Technical Exhibit I – Construction Project List	155
Technical Exhibit J – Grounds Maintenance Map	155
Technical Exhibit K – Custodial Services Map	155
Technical Exhibit L – Security Requirements	155
Technical Exhibit M – Mission Essential Services	155
Technical Exhibit N – Key Personnel	155
Technical Exhibit O – Acronyms	155
Service Summary Items	155
Acceptable Quality Levels and Performance Standards	155


Civil Engineering

Installation Management

Description of Services

1.1.1. The Civil Engineering (CE) Installation Management activity is responsible for Asset Accountability Housing Management and Environmental.

1.1.2. The functional organization chart is designed to provide a reference to how the Air Force Civil Engineer community organizes and labels both similar trade crafts as well as overall operations. This Performance Work Statement (PWS) will make use of this convention to provide consistency with all other published guidance and training for civil engineers. The contractor is not required to organize their staff in this manner.



Real Property.

Inspections / Inventory.

- Perform a physical Existence and Completeness inventory of all base buildings, structures, linear assets, and land annually in accordance with current Air Force directives using the Air Force Civil Engineer Center (AFCEC) standard operating procedures and required documents.
- Perform an inspection of 100% of RP assets every 5 years and every 3 years for historic assets in accordance with (IAW) AFI 32-9005.
- Accomplish and document boundary inspections to check for encroachments on an annual basis and update RP records with inspection date.
- Develop and implement a self-inspection program to address the areas outlined in the current Air Force Inspector General (IG) Inspection Guidance.
- Participate in facility final inspections to validate data for the Interim and Final, Transfer and Acceptance of Department of Defense (DoD) RP (DD Form 1354).

Notes:

- Accountable Property System of Record (APSR) additions / updates require specific knowledge.
- The contractor is required to read the instructions and training associated to the APSR.
- AFCEC is not obligated to train the contractor but will address any questions.

Real Property Transactions.

- Perform real estate functions and prepare and / or receive all appropriate documents related to acquisition, disposal, utilization, and management of government property.
- Prepare, manage, and maintain real estate in-grants, out-grants, acquisition, and disposals and oversee the real estate program to ensure all required documentation is “packaged” to the appropriate signature authority.
- Conduct annual compliance inspections on each grant to ensure terms and conditions are met.
- Ensure all disposal actions adhere to the McKinney-Vento Assistance Act and are reported to responsible authority.
- Coordinate and validate space requirements to include all support agreements and update RP records as necessary.
- Conduct and participate in ad hoc meetings, teleconferences, meetings, and information exchange with base and higher headquarters staff.
- Reference United Facilities Criteria (UFC) 1-300-08, attached process maps and DD Form 1354 checklist while performing activities related to managing, assessing, validating, and updating data in the official Accountable Property System of Record for RP.
- Ensure accountability of privatized assets.

Data Base Management.

- Provide accountability of 100% of RP assets and grant instruments for the installation and other tenant organizations as outlined in the Installation Host Tenant Support Agreements (HTSA) in the authoritative Air Force (AF) Information Technology (IT) System.
- Update / document all changes in the database, capture capitalization of costs and other critical RP data for buildings, structures, linear assets, land / land use and grant instruments.
- Annually reconcile linear assets with the GEOBASE office to ensure an accurate accounting of above and underground assets.
- Adjust the Accountable Property System of Record and document those changes on the DD Form 1354.
- Facilitate the analysis, reporting, and tracking of real property assets across their lifecycle in the Data Analytics and Integration Support (DAIS) platform.

Resources.

Budget Execution.

- Comply with Air Force annual financial statement guidelines and use DoD 7000.14-R Financial Management Regulation as the standard.

- Provide cost accounting and support to Civil Engineering (CE) activities and the Government designated CE representatives, including Base Civil Engineering (BCE) staff, Fire Department, Housing, and CE Service contracts. Utilize generally accepted accounting and government guidelines to maintain and track funds.
- Ensure CE systems (for example, NexGen IT) are maintained with current information.
- Conduct and participate in ad hoc meetings, teleconferences, Defense Communication Services meetings and information exchange with base and higher headquarters staff.
- Provide utility consumption / cost reports and submit all verified and certified utility bills and documents to meet the Defense Finance and Accounting Service (DFAS) suspense for payment by due date.
- Provide emergency response support.
- Ensure required reports are accurately prepared and submitted as suspended.
- Utilizing NexGen IT, provide a common and integrated cost accounting process across for facility maintenance, service contracts, and utility consumption to accurately determine monthly reimbursable billing.
- Collect, validate, and incorporate execution plans appropriations for timely submission to the Government for approval.
- Develop, review, and perform budget execution, receive initial distribution, prioritize requirements, and allocate initial distribution, subject to government approval.
- Review, validate, and make corrections to the refunds/reimbursements report or the reimbursable invoice; ensure delivery of report to the Defense Finance Accounting Service; determine reimbursable customers with assistance from the Comptroller and service support agreements.
- Utilize the Automated Business Service System (ABSS) database for automated obligation document processing.
- Prepare for, attend, and participate in Financial Management Board and other financial meetings as required.

Cost Report Analysis

- Perform monthly and quarterly reviews of financial transactions using financial reports with government personnel.
- Validate, prepare, and forward Accounts Receivable (ARs) for payment; monitor the execution of funds; and track ARs and Accounts Payable (APs) to ensure proper accounting of financial records.
- Review consolidated cost reports, compare data to identify cost trends, and ensure work orders are closed out and capitalized as required.
- Fund resources and analyze historical reports to determine program concerning sufficiency, reprogramming capabilities, and monetary limitations affecting CE programs.
- Integrate and direct formulation of execution plan, mid-year review plan, fiscal year closeout, and Obligation Adjustment Reporting System (OARS) activities.
- Review and reprioritize funding requirements; review and coordinate the Integrated Priority List (IPL) with the Program Element Manager.

- Participate in fiscal year-end closeout milestones, request, prepare, and prioritize year-end funding lists; attend close-out meetings, and comply with all Financial Management taskings.
- Identify and initialize OARS requirements data used for tracking and reporting upward obligation adjustments for expired and canceled year appropriations.

Next Generation Information Technology (NexGen IT) Administration.

- Perform System Administration, network and IT support in a timely manner so as to not negatively affect continuity of mission.
- Monitors systems and follow Air Force and local reporting procedures for disruptions or system outages, complies with all installation, Air Force and DoD IT Security policies and directives.
- Assist customers with access to networks and training, process system access requests in a timely manner.
- Completes tasks to manage and update existing installation web pages.
- Completes periodic inventory to maintain proper accounting of existing IT assets, performs acquisition of new assets, and issues assets to installation personnel.
- Provides AV support to ensure IT assets are available for maximum use.
- Assists government personnel with preparing IT assets for disposition or disposal.

Asset Accountability

Real Property Management (Facility Operations [FO] Funds: CLIN CEI-01, CEI-05, CEI-06, CEI-07).

2.1.1 Provide RP / Real Estate Management and Accountability for assets and programs under the control of the installation that comply with current DoD and AF policy.

2.1.2. Maintain/keep current the AF Accountable Property System of Record to an auditable level.

2.1.3. Provide Real Property Assessable Unit (RPAU) actions in support of the AF Financial Improvement Audit Readiness (FIAR) audit. This may include requests for data, requests for information, updates to Corrective Action Plans (CAP) and annual validation of the installation's RP inventory (Defined as Existence and Completeness [E&C]). The RP Office business shall be performed in compliance with current DoD, and AF guidance and policies to ensure accurate accounting of the installations assets and financial reporting of CE expenditures. The SP should endeavor to posture the installation RP business processes to achieve a favorable audit opinion.

2.1.4. Conduct and participate in ad hoc meetings, teleconferences, Defense Communications System meetings / training and information exchange with base and higher headquarters staff.

2.1.6. Prepare and maintain all appropriate documents related to acquisition, disposal, utilization, and management of government RP to document effective and efficient accountability and reporting. Maintain Key Supporting documentation IAW AF guidance and directives ensuring FIAR compliance and auditability.

2.1.7. Maintain / Create facility Jacket Files by retaining and filing all hard copy documentation to support data entry in the Accountable Property System of Record.

2.1.8. Process updates to the Accountable Property System of Record IAW current policy and AF directives (Example: DD Form 1354, AF Form 300, and AF Form 123).

Acquisition / Disposal.

2.1.9.1 Perform all actions to acquire and dispose of land grants IAW the Higher Headquarters (HHQ) AFCEC Real Estate Transactions (RET) Playbook and governing DoD and AF publications.

2.1.9.2. Ensure all disposal actions comply with the McKinney-Vento Assistance Act and are reported to the responsible authority at HHQ (AFCEC).

2.1.9.3. Initiate grant renewal actions no later than nine (9) months prior to expiration to ensure renewal or disposal prior to grant expiration.

2.1.9.4. Coordinate with the Government CE Resource Advisor (RA) to ensure payments made are in a timely manner and rent owed and rent received is processed IAW AF guidance and financial directives.

Accountability Management.

2.1.10.1 Conduct grant compliance inspections annually on each grant to ensure conditions follow terms and conditions of the grant instrument. Update the APSR with the inspection date and keep the results of the inspection as key supporting documents (KSDs) in the facility jacket folder. Report non-compliance to the BCE, MSG, and Wing.

2.1.10.2. Perform cyclic physical inspections of all base buildings to validate the size of the building and documenting space usage. Maintain the KSD in the facility jacket folder. Make changes to the Accountable Property System of Record according to the inspection results to have reliable space utilization rates and proper calculation of the assets Plant Replacement Value (PRV). Cyclic inspections are accomplished to equal 100% of assets inspected every five (5) years or 100% by the end of the SP period of performance if less than five (5) years.

2.1.10.3. Participate in facility final inspections to validate data in the Interim and Final, DD Form 1354, Transfer and Acceptance of DoD RP.

Manage Customer Space Allocation.

2.1.11.1. Ensure accurate Customer Space Assignments in facilities, update in Accountable Property System of Record

2.1.11.2. Coordinate and validate space requirements to include all support agreements and update RP records and update the Accountable Property System of Record as necessary.

2.1.11.3. Coordinate with the Facility Space Program Manager, Facility Space Sub-Asset Management Plan (AMP) Manager or Space Program Planner to ensure space utilization rates for RP and achieve at least an 80% utilization rate. Notify the Facility Space Program Manager of any that are less than 80% through a memo signed by the Real Property Accountability Officer (RPAO).

2.1.11.4. Maintain accurate and up to date Space Utilization data.

Resources

2.2.1. Provide financial management and support to CE activities and the Government designated CE representatives and utilize generally accepted accounting and government guidelines to maintain and track funds.

2.2.2. Coordinate with CE / RA to ensure funding address interfaces between finance, NexGen IT and government designated replacement database system(s) (e.g., NexGen IT IAW Public Law 81-216).

2.2.3. Provide utility consumption and cost reports by submitting all received and accepted utility bills and supporting documents to meet Vendor payment due date.

2.2.4. Hiring of Financial Management personnel in coordination with Comptroller Squadron Financial Management Analysis (CPTS/FMA). NOTE: Hired personnel will be fully trained, qualified, and/or certified to meet mission requirements. (Or maintain fully trained and qualified professionals, certifications, and licensing (reference Appendix 10J).

2.2.5. Ensure timely submission of investment equipment (3080) requirements for Government approval.

2.2.6. Cost Report Analysis. Review consolidated cost reports, compare data to identify cost trends, and as required, close out capitalized work orders.

CE Trend Analysis.

2.2.7.1. Track program (i.e., CE utility), fund resources and analyze monthly reports to determine program concerning sufficiency, reprogramming capabilities, and monetary limitations affecting CE programs.

2.2.7.2. Analyze historical and current expenditures to support in forecasting requirements and developing program execution strategies for the CE budget.

Resources Integration.

2.2.8.1. Provide guidance and surveillance over cost accounting policies and procedures.

2.2.8.2. Track Defense Enterprise Accounting and Management System funding for purchase request and Military Interdepartmental Purchase Request (MIPR).

2.2.8.3. Maintain MIPR after funds certification, distribute to the agent, receive acceptance, and track expenditures until closeout. After CPTS/FMA creates the purchase order (PO) based off the purchase request, review and validate the PO to ensure it was built accurately.

2.2.8.4. Verify Purchase Order(s) built off Purchase Request(s)

2.2.8.5. Coordinate with CPTS/FMA and CE RA for execution status.

2.2.8.6. Manage periodic (i.e., monthly, and quarterly) reviews of financial transactions using financial reports with government personnel.

2.2.8.7. Support fiscal year-end closeout milestones.

2.2.8.8. Process Reimbursements IAW Defense Enterprise Accounting and Management System Project Billing User Guide and the Reimbursement Accounting Guide and Standard Accounting Procedure Guide.

Reimbursements / Refunds.

2.2.9.1. Reimbursements are payments received for materiel and services provided to Wing Support Agreement Customers including appropriations 1080 reimbursable customers (i.e., Defense Information Systems Agency (DISA), Military Entrance Processing Station (MEPS), Army, and Navy), Advance Pay and Non-Public Customers (i.e., Non-Appropriated Fund [NAF] Activities, Credit Union, Banks, United States Postal Service [USPS]).

2.2.9.1.1. Process customer accounts through the Defense Enterprise Accounting and Management System (DEAMS) accounting system. DEAMS account processing includes MIPR processing, 1269D Funds Authority, 1080 billings, and Journal Voucher processing to balance over / under account balance.

2.2.9.1.2. The SP will gather appropriate monthly data and determine charges to activity as either a refund or reimbursement.

2.2.9.1.3. Prepare quarterly billing estimates and submit to Advanced Pay and Non-Public Customers.

2.2.9.1.4. Monitor reimbursable accounting using the Defense Enterprise Accounting and Management System General Ledger Accounting (i.e., Status of Funds, Open Document Listing, History files, DEAMS Baselining).

2.2.9.1.5. Identify billings errors through the CE/RA.

2.2.9.1.6. Ensure adequate funds authority is posted in the Defense Enterprise Accounting and Management System General Ledger accounting system.

2.2.9.1.7. Review, verify, and establish shop rates for the appropriate service delivery area. Perform quarterly review and adjustment of shop rates as required.

2.2.9.2. Refunds are a reduction of expenses and are processed against the appropriation and fiscal year to which the expense was recorded. Common refund collections include dormitory damages and collections for unauthorized long distance telephone calls.

2.2.9.2.1. Process refunds to the appropriation that bears the cost to repair or pay for the damages.

2.2.9.2.2. Monitor refunds to ensure the reduction in expenses are posted correctly.

2.2.9.2.3. Notify CE/RA of all accounting errors for correction by Defense Finance and Accounting Service.

2.2.10. DEAMS and Financial Management Suite (DEAMS / FMSuite).

2.2.10.1. Use DEAMS / FMSuite database for accounting reconciliation and closeout.

2.2.10.2. Coordinate with CE/RA on funding transactions entered in FMSuite database for budget exercises.

Monthly / Quarterly Reviews.

2.2.11.1 Perform monthly and quarterly reviews of financial transactions using financial reports.

Accounts Receivable (AR) / Accounts Payable (AP).

2.2.12.1. Post entries into the Real Property Revenue Log (RPRL)

2.2.12.2. Validate, prepare, and forward AR for payment. Monitor the execution of funds. Track AR and AP to ensure proper accounting of financial records. Identify accounting errors through the CE/RA for correction by Defense Finance and Accounting Services. Track accounting corrections to ensure AR and AP are reconciled. Identify areas where execution is lagging or accelerated; and coordinate with organizational managers to take corrective action as needed. Ensure AR are verified, adjusted, and submitted monthly to CE/RA and properly monitored for correct payments. Work directly with Defense Finance and Accounting Services to correct erroneous payment.

2.2.12.3. Close-out Dormant Account Review Quarterly (DAR-Q) aging accounts posted to DEAMS Open Document Listing (ODL). Close-out will be accomplished IAW DoD Financial management Regulation (FMR) 7000.14-R, Vol 3, Chapter 8 and the Advana DAR-Q User Guide by using the current approved accounting software system (i.e., FMSuite and Advana web base software programs) in accordance with all CPTS/FMA guidance and procedures.

2.2.12.4. Prepare the quarterly General Officer Quarter Report. Coordinate reports with US Government Housing Office for data accuracy and occupant's signature

2.2.12.5. Support CE/RA End of Year (EOY) Close-out for those accounting programs under contract in accordance with CE/RA EOY instructions and policies.

NexGen IT Administration

Perform Systems Administration.

2.3.1.1. Appointed as system administrator for system authorization access request (SAAR) for the unit. Files and maintains yearly updates for all collected DD Form 2875s for SAAR compliance. Requests and maintains user accounts, sets up and maintains user permissions, and maintains CE automated information systems (AIS) servers as required. Installs client software on desktop computers and trouble shoots CE AIS user problems and/or open trouble calls to respective help desks tracking the calls through problem resolution.

2.3.1.2. Creates, maintains, and assists users with development of CE AIS reports and queries. performs required CE AIS system administrator maintenance functions such as processing end-of-session and interface programs / procedures.

2.3.2. Provides network and customer information technology (IT) support.

2.3.2.1. Processes all network (NIPRNET, SIPRNET) and customer IT support functions IAW Air Force Instruction (AFI) 33-115, Air Force Network Operating Instructions, and base communications squadron network control center (NCC) directives.

2.3.2.2. Processes NCC taskers, as required. Installs, maintains, and troubleshoots IT hardware assets (e.g., servers, desktops, laptops, monitors, printers, scanners). Installs and troubleshoots software on IT assets (servers, desktops, laptops) to include commercial off-the-shelf (COTS) and government developed applications/systems. Troubleshoots network, email, local area network (LAN) cabling, and common access card (CAC) issues working with the base communications squadron if required. Ensures user network and email accounts are established / inactivated as personnel in/out process. Assigns and maintains user permissions for shared network files, ensures users are trained to back-up their desktop computer files, and assists to resolve user IT problems.

IT Security

2.3.3.1. Provides computer security (COMPUSEC) compliance IAW AFI 17-130, Cyber Security Program Management as appointed information systems security officer (ISSO). Manages the information assurance awareness program (IAAP) and ensures all personnel complete required annual training. Processes all required actions in communications tasking orders issued by the base communications squadron IA office. Ensures time compliance network orders (TCNO) are implemented within the mandatory timeframe and complies with the vulnerability and incident reporting procedures outlined in AFI 33-115, Network Management.

2.3.3.2. Ensures compliance with Air Force Systems Security Instruction (AFSSI) 8520, Identification and Authentication. Ensures virus protection and security patches are properly installed. Performs scans of desktop computers and report incidents as required. Establishes and maintains ISSO continuity book using base communications squadron IA office-prescribed checklist.

2.3.3.3. Provides COMSEC IAW AFI 17-130, Cyber Security Program Management. Ensures all COMSEC materials are properly safeguarded, inventoried, and COMSEC material users are properly trained. Establishes and maintains COMSEC continuity book using base communications squadron IA office prescribed checklist. Works with the base communications squadron IA office to determine if any IT equipment, systems, or facilities have emissions security (EMSEC) requirements, IAW AFI 17-130, Cyber Security Program Management.

2.3.3.4. Applies required EMSEC countermeasures and/or processes EMSEC waivers and notifies the base communications squadron IA office when completed. Periodically requests an inspection from the base communications squadron IA office to reassess EMSEC requirements. Establishes and maintains EMSEC continuity book using base communications squadron IA office prescribed checklist.

Web Page Management and Content Services

2.3.4.1. Provides web and content services IAW AFI 33-129, Transmission of Information via the Internet. Creates and maintains organizational web pages, intranet pages, and Air Force portal pages. Trains subordinate organizational web page maintainers and Air Force portal content managers to create and maintain their respective organizational content. Ensures all organizational web pages and Air Force portal pages are accessible to individuals with disabilities (Title 42, United States Code [USC], section 508, Rehabilitation Act of 1998) IAW AFI 33-393, Electronic and Information Technology Accessible to Individuals with Disabilities, Section 508. Assists users with establishing Air Force portal communities of practice (CoP) and trains users how to use the Air Force portal CoP so they can manage their content.

IT Acquisition and Assets

2.3.5.1. Research technical solutions and processes IT requirements document (AF Form 3215) with base communications squadron (if required). Prepares, maintains, and budgets for consolidated squadron IT technical refresh plan (hardware and software) and other IT supplies/services as needed (e.g., LAN cabling, printer toner, storage media, mobile phone/personal digital assistant [PDA] service, audio visual [AV] equipment).

2.3.5.2. Procures IT requirements via purchase request (Form 9, MIPR, or GPC) ensuring coordination with CE financial managers to ensure funds availability and the base contracting office to ensure appropriate contracts are utilized. Promptly processes all receiving reports for purchased IT. Ensures all IT assets covered under warranty or maintenance contract are properly called in for service. Provides IT hardware asset management IAW AFI 33-112, Computer Systems Management, and base level communications squadron equipment control officer (ECO) directives.

2.3.5.3. Conducts annual inventory using hand scanners and provides results to Government representative for approval. Ensures all accountable assets have bar code labels attached. Ensures all found on base assets are documented. Signs for purchased equipment when orders arrive at the base CEO. Prepares all excess assets for reuse, transfer, or disposal. Reports all lost or stolen items to commanders for initiation of a report of survey (ROS). Issues ADPE to users on a temporary basis via hand receipt. Establishes and maintains ADPE EC continuity book using base communications squadron ECO prescribed checklist.

2.3.5.4. Manages COTS software licenses IAW AFI 33-114, Software Management. Maintains COTS software license inventory and stores evidence of all licenses in a secure location. Disposes of old versions of COTS software according to licensing agreements. Audits all COTS software on servers and desktop computers annually to ensure there are no illegal or unauthorized copies installed.

2.3.5.5. Provides AV support.

2.3.5.5.1. Maintains AV equipment inventory (e.g., projectors, portable screens). Checks out AV equipment (via hand receipt) to other flights. Trains users how to setup/operate the equipment.

Housing Management

Support housing requirements and market analysis, housing community profile, and other USAF-approved programming documents such as the Family Housing Master Plan and Dormitory Master Plan.

Support and participate in audits, studies, and master planning efforts for all housing programs.

Integrate and advocate for funding, monitor planning and programing, and manage programs to replace, improve, operate, maintain, repair, and lease housing.

Identify, develop, and execute housing (MFH/UH), O&M budgets including drayage/storage and U-Fix-It program.

Prepare and submit purchase requisitions to the authorized GPC holder or installation contracting IAW local procedures.

Perform annual MFH/UH distribution study for government-owned, controlled, and leased housing.

Conduct resident and customer surveys for assistance and maintenance services.

Ensure all personnel complete the required sex offender disclosure documents.

Coordinate interservice agreements, MOAs, and MOUs.

Disclose environmental hazards to housing residents and refer potential safety and health issues to appropriate installation agencies. Distribute information about environmental hazards identified by the BCE.

Briefs and presents housing programs at town hall meetings, first sergeant meetings, spouse groups, and other forums.

Prepare documentation for reimbursement and allowances including utility reconnection reimbursement, basic allowance for housing (BAH), overseas housing allowance (OHA), and partial dislocation allowance (PDLA). Process these through the proper agency.

Clear housing residents through virtual out-processing.

Process requests for retention and termination of government-owned housing.

Calculate and coordinate rental rates for non-MFH assignments including eligible DoD personnel and other non-military agencies.

Maintain accurate key control and limit access to housing.

Coordinates actions for abandoned government-owned, leased, and controlled housing to include scheduling inspections, removing personal household goods, scheduling maintenance and cleaning, and processing appropriate documents for recoupment of damages from residents.

Identifies, programs, and tracks housing projects from conception through base funding prioritization and execution utilizing housing planning products.

Family Housing Management

3.1.1. Manage and provide oversight to ensure the Family Housing, Housing Referral and Relocation Office and Furnishings Management Section programs are effective.

3.1.2. Staff the Housing Referral and Relocation Office during all hours of the scheduled workday.

3.1.3. Provide annual reporting and budgeting requirements.

3.1.4. Ensure accurate submission of monthly, quarterly, and annual reports. Prepare and submit semiannual Family Housing Inventory and Utilization (I&U) reports for mid-year and end-of-year closeouts.

Verify data accuracy within Enterprise Military Housing I&U module and process an Inventory Change Request to correct any discrepancies.

3.1.5. Provide the Permanent Party and Operations and Maintenance (O&M) Five-Year Long-Range Furnishing Plan to CE leadership, annually.

3.1.6. Manage, track, and reconcile all drayage and storage actions for all personnel to include UH.

3.1.7. Collect, prepare, and submit the annual Basic Allowance for Housing (BAH) data call to higher headquarters.

Calculate reimbursable amounts for military family housing requirements including personnel, services, supplies, utilities, furnishings, drayage and maintenance on a monthly basis for funding requests

Coordinate billing and collection procedures for allowances with Financial Management Flight. Initiate DD Form 1131 for civilians not entitled to housing allowance.

Conduct semiannual OHA reconciliation with the Financial Management Flight.

Conduct a joint monthly review of at least 10 percent of the DD Form 2367 processed during the previous month to ensure compliance and accuracy against leased documents and OHA authorizations in the pay system.

Determine eligibility, assigns, and terminates service members to government-owned, leased, and controlled housing. Manage family housing waiting lists.

Manage government-controlled housing to maximize utilization in accordance with USAF goals of 98 percent occupancy for Family Housing. Perform all reporting using the Enterprise Military Housing system. Assist in determining necessary management actions if the goal is not met.

Housing Referral and Relocation Services Offices.

3.1.8.1. Ensure Housing Referral and Relocation Office is manned and available to customers during all core duty hours of the scheduled workday.

3.1.8.2. The Housing Referral and Relocation Office is the only installation agency authorized to provide housing referral and relocation services, including, but not limited to, managing, and

inspecting listings for rent, counseling incoming members seeking housing and assisting with rental and lease agreements.

3.1.8.3. Offer complete referral services and a full range of relocation assistance with professional and personalized service that assist in locating suitable, nondiscriminatory community housing while recognizing that adequate housing is required within 60 minutes or 20 miles of the installation, and that DoD personnel are entitled to reside in housing free from discriminatory practices.

3.1.8.4. Monitor community housing referral and relocation activities to ensure they provide needed services, are free from discrimination, and provide equal opportunity and treatment for all personnel to include Enterprise Military Housing (eMH) website and Government designated replacement system, and other data collection systems as required by HHQ.

3.1.8.5. Manage and inspect listings for rent and review rental and lease agreements.

3.1.8.6. Process government housing applications. Provide and assist customers with advance applications and information.

3.1.8.7. Ensure members are free to select community or privatized housing, except where restrictive sanctions are imposed or when required to occupy Family Housing (i.e., designated Key and Essential personnel).

Review, translate, and maintain lease agreements for each servicemember residing in the local community.

Brief servicemembers on utilities, taxes, and other country-specific issues.

Negotiate lease conditions with community housing landlords on behalf of servicemember including ensuring that rent payments follow Host Nation Final Governing Standards.

Provide translation services for housing-related issues such as utility bills, local laws, and customs.

Initiate allowances IAW service-specific requirements and prepares Temporary Lodging Allowance documentation.

Manage and maintain government databases for housing information of all eligible personnel residing in community housing.

3.1.8.8. Maintain an on-going list of all customers receiving community-housing services in the Rental Property Program.

Community Liaison and Data Sources.

3.1.9.1. Sources include but are not limited to, civic leaders, the local Builders' Association, local chapter of National Apartment Association, property management and real estate associations, board of realtors, Federal Housing Administration and Veterans Administration.

3.1.9.2. Maintain and monitor a wide variety of current data sources on local housing, utilities, telephone, cable, internet and other services, schools, transportation, recreation, and shopping

areas available to military families to assist the member in locating housing based on family requirements.

3.1.9.3. Monitor HOMES.MIL daily, HOMES.MIL is an approved DoD website that provides housing rental listings and offers information on home-buying services from realtors. Additional sources include other officially designated websites, homeowner's, property managers, real estate agents, newspapers, and community liaison.

3.1.9.4. Communicate with property managers and homeowners to stay informed about when property is rented, sold, or becomes otherwise unavailable.

Promoting Housing Services.

3.1.10.1 Publicize housing services on the installation website and other installation media, commander calls, newcomer briefings and appropriate community meetings.

3.1.10.2. Monitor official and unofficial installation media advertising housing property for rent and sale.

3.1.10.3. Post quarterly articles in official media reminding those who maintain bulletin boards, publish installation newspapers, or produce other media that the Housing Referral and Relocation Office is the only office/installation entity allowed to provide housing services.

3.1.10.4. Publicize housing services on the installation website, other installation media, commander calls, newcomer briefings and appropriate community meetings at a least quarterly or as directed by government.

Counseling and Assistance.

3.1.11.1. Participate in newcomer briefings advising members to seek counseling from the Housing Referral and Relocation Office before negotiating a rental or lease agreement for community housing.

3.1.11.2. Offer one-on-one counseling and provide official information of housing policy (e.g., a list of housing facilities with restrictive sanctions, a list of rental housing, and/or how to access to the HOMES.MIL website and assist members by verifying with property managers that the selected property is available).

3.1.11.3. Advise members on the DoD and AF equal opportunity policy in community housing and member's obligation to immediately report suspected discrimination.

3.1.11.4. Advise members on personal conduct while occupying community housing and assistance available in the Housing Referral and Relocation Office for resident and landlord dispute resolution; the necessity for a military release clause in lease agreements; available legal assistance to review lease and sale contracts; availability of sponsor (designated by squadron commander) to aide in getting settled in the community.

Assign housing and prepare moving orders for household goods.

Schedule initial move-in inspection and delivery of loaner furniture.

Brief residents on DoD and USAF MFH management standards including tenant liability, resident responsibilities for cleaning, modification, and repair.

Dispute Resolution.

3.1.12.1. Investigate and serve as mediator in community housing complaints submitted by the member.

3.1.12.2. The initial complaint may be verbal but must be submitted in writing to the Housing Referral and Relocation Office.

3.1.12.3. Collect information from each party and objectively evaluate issues.

3.1.12.4. Update all mediation efforts in Enterprise Military Housing and include monetary savings to member or off-base property owner because of mediation.

3.1.12.5. Keep a complete record of the complaint and resolution. Send a copy of the complete record of complaint and resolution to the Housing Referral and Relocation Office Contracting Officer Representative (COR).

Community Housing Discrimination.

3.1.13.1. Follow policy on Equal Opportunity and treatment for all DoD personnel. The AF is committed to equal opportunity and treatment for all DoD personnel seeking housing, regardless of race, color, religion, sex, national origin, age, handicap, or familial status, and to eliminating discrimination against DoD personnel in housing.

3.1.13.2. When a resident submits a complaint of potential discrimination, investigate the housing discrimination complaint, and prepare a report for the Housing Referral and Relocation Office who will then obtain a legal review, and provide validation, to command officials for additional investigation.

3.1.13.3. Initiate an inquiry within three (3) workdays after receiving a complaint of discrimination. The inquiry must be detailed enough to determine if discrimination occurred.

3.1.13.4. Maintain a listing of property agents and facilities against which the Commander has imposed restrictive sanctions. Identified facilities owned or operated by the agent remain for a minimum of 180 days and continue until the agent has agreed in writing to a policy of nondiscrimination.

Community Housing Inspections.

3.1.14.1. Develop a recurring schedule to inspect all properties within the commuting requirements of 60 minutes or 20 miles.

3.1.14.2. Inspect 100% of in-home physical inspections of rental properties, listed in Enterprise Military Housing or HOMES.MIL to determine adequacy.

3.1.14.3. Record and document inspections and applicable comments to include signature of property owner, real estate agent or Management Company in Enterprise Military Housing and HOMES.MIL.

3.1.14.4. Provide guidance to property managers and owners on acceptable standards for units deemed to be deficient and encourage upgrades.

3.1.14.5. Seek permission from the property owner to enter a property for inspection, if a current resident requests an inspection, or if there is reason to question the suitability of the housing based on environmental, health or safety considerations.

3.1.14.6. Remove property from viewing in HOMES.MIL and Enterprise Military Housing that does not meet adequacy standards.

General Officer Quarters (GOQ).

~~Manage GOQ program. Interact with residents, liaise with leadership and advise on GOQ matters.~~

~~Provide inbound residents with housing information, coordinate a meet and greet with GOQ team, brief residents on GOQ policies, thresholds, and authorizations.~~

~~Coordinate, facilitate, and report costs for antiterrorism, force protection, and communication requirements.~~

~~Identify and ensure all work requirements are accomplished for modification, repair, and projects.~~

~~3.1.14.1. Populate, maintain, update, generate, and manage data and cost reports from the mandatory utilization of the Enterprise Military Housing system and government designated replacement database system, and other data collection systems as required by higher headquarters. IAW AFI 32-6000, attachment 6 and 15.8.~~

~~3.1.14.2. Research (including design coordination), transport, maintain, and inventory supplemental furnishings for General Officer Quarter (e.g., patio furnishings and appliances specific to General Officer Quarter, and 0-6 [Colonels] serving as the Installation Commander) IAW AFI 32-6000, table A5.1.~~

~~3.1.14.3. Coordinate with in coming wing commanders and/or numbered AF commanders, as to which preferred furnishings, to utilize in their housing. Use Enterprise Military Housing to record, manage, monitor, and track all transactions and reporting requirements.~~

Unaccompanied Housing Management

3.2.1. Manage day-to-day operations of permanent party UH facilities to include unaccompanied non-commissioned officer quarters (UNCOQ) and unaccompanied officer's quarters (UOQs). Determine eligibility, assigns, and terminates service members to UH. Manage waiting lists for BAH and members awaiting assignment to quarters. Maintain a list of personnel authorized to reside off base at their own expense without allowances. Process authorizations to stop and start BAH based on occupancy of government quarters. Conducts quarterly BAH reconciliation.

3.2.2. Authorize and coordinate drayage and non-temporary storage for eligible members. Receive, validate, and process hardship and exception to policy requests. Maintain daily auditable occupancy records for all UH facilities; prepares and submits quarterly utilization metrics. Conduct initial, pre-final, and final inspections; advise residents of potential damage charges and documents

findings. Manage diverted rooms and temporary accommodations (administrative offices, storage space, hospitality rooms).

3.2.3. Manage UH assets to maintain unit integrity; recommends redistribution of assets based on space allocation assessments for optimum utilization. Manage and maintain inventory accountability for furnishings, appliances, equipment, and supplies issued to the UH facilities and residents; accomplishes annual inventory of all UH furnishings and submits to Furnishings Management Office (FMO). Record issued furnishings using AF Form 228, Furnishings Custody Receipt and Condition Report, or an automated Air Force-approved product. Identify and submit UH facility and furnishings requirements to Housing Maintenance Office (HMO). Budget and control UH requirements, to include supplies, common area furnishings, individual room furnishings, and room amenities. Identify budget requirements for and authorizes service and equipment reconnection fees (e.g., cable TV, telephone, and internet) for eligible service members.

3.2.4. Establish, manage, and train personnel on the bay orderly program, coordinates and schedules manpower requirements with leaders from other base organizations. Perform facility management for all UH facilities; coordinates projects; identifies and submits maintenance work orders; identifies room and common area health/safety hazards. Provide escort for maintenance personnel and other contractors to safeguard personal property when access to an occupied room is required to accomplish work.

Perform all required support functions for UH such as inspections, control, change-of-occupancy work, cleaning and maintenance in the same manner as normally requested for family housing including furnishings.

Inspect 10% of the dormitory room inventory IAW AFI 32-6000 to identify conditions requiring maintenance and repair or health, life, or safety concerns.

3.2.5. Identify command requirements and coordinates with maintenance and other agencies as appropriate. Identify occupant damages, process required documentation, and initiate/submit collection documents (DD Form 1131 and DD Form 139) for recoupment of damages. Initiate Report of Survey (ROS) for resident damages to UH, when applicable. Ensure residents comply with directives and military living standards; assesses good order and discipline; exercises general supervision over residents. Mediate resident disputes using approved Air Force process; maintain documentation and coordinate with appropriate agencies. Interact with and maintain liaison with first sergeants, commanders and installation Command Chief Master Sergeants.

3.2.6. Provide input and participate on quarters improvement committee (QIC). Identify and submit UH facility and furnishings requirements for inclusion in the quarters improvement plan (QIP) and assists in lobbying for funding. Provide data to determine and support UH construction and renovation requirements; provides inputs for the Air Force Dormitory Master Plan (DMP).

3.2.7. Schedule and facilitate resident UH councils in an advisory role. Prepare, coordinate, and distribute UH brochure. Manage and maintain Air Force-approved database. Manage file plan IAW AFIs/guidelines. Receive, respond, research, and provide information / guidance to telephone

and email inquiries. Develop and implement installation commander approved morale, health and safety inspection.

Establish procedures to collect rental charges as required.

Prepare and submit semiannual UH I&U reports for mid-year and end-of-year closeouts.

Verify data accuracy within eMH I&U module and process an Inventory Change Request to correct any discrepancies.

Maximize utilization in accordance with USAF goals of 95 percent. Draft an explanatory report and a get-well plan with an estimated completion date for the Installation Commander's review and signature if the goal is not met for two consecutive quarters. Submit the report with the semiannual I&U report.

Furnishings Management

3.3.1. IAW AFI 32-6000, para 1.2.37, manage and perform all activities and functions related to managing the resources dedicated to performing Furnishings Management Section activities for authorized personnel.

IAW AFI 32-6000, manage and perform furniture and appliance management for UH, FH, GOQ, and other authorized facilities. IAW DoD 4165.63-M, furnishings are provided in government-owned UH facilities, in government-owned FH or GOQs, or in private community housing for eligible personnel assigned to or supported by the installation.

Establish individual accounts in eMH for accountability and inventory.

Maintain furnishings authorizations IAW AFI 32-6000.

Perform warehouse operations, control, and accountability.

3.3.2. Perform all duties assigned to the Furnishings Management Section IAW HHQ directives to manage and perform all activities and functions related to leading and managing resources dedicated to performing Furnishings Management Section activities.

3.3.3. Provide, inventory, and maintain all furnishings in the Furnishings Management Section warehouse and other authorized facilities. IAW AFI 32-6000, para 1.2.37.4., Furnishings Management Section will perform a semi-annual inventory of high value and/or pilferable items.

3.3.4. Conduct annual furnishings inventory reconciliation and all other inventories required IAW AFI 32-6000.

3.3.5. Perform transport of furnishings and appliances. Pick-up, deliver, and exchange furnishings and appliances within two (2) business days after receipt of a valid work order from authorized personnel.

3.3.6. Provide/install replacement/working appliances within two (2) business days after removal or upon approval from COR or Authorized Contracting Officer (ACO).

3.3.7. Electronically maintain all government owned assets within Enterprise Military Housing or government designated replacement system. Ensure all serialized and non-serialized assets are barcoded and captured in eMH with detailed information to include stock item number, make, model, serial number (when applicable), date of purchase, cost, value, and quantity.

3.3.8. Develop GOQ and O&M five (5) year long-range furnishings plan for Commander approval and submit to Housing Referral and Relocation Office.

3.3.9. Develop, maintain, and update the annual five (5) year furnishings plan for FH and O&M facilities.

3.3.10. Provide data in the creation of the annual budget submittals, budget updates, and subsequent unfunded requests for General Officer Quarter, Installation Commander, MFH, and UH facilities, for COR approval (CDRL XXXX).

Back-Up Stock.

3.3.11.1. Maintain back-up stock for furnishings and appliances not to exceed three percent (3%) per item for all furnishings items. This does not apply to General Officer Quarter supplemental furnishing items IAW AFI 32-6000, para 1.2.37.6.

3.3.11.2. Prepare any waiver request package for requirements exceeding three percent (3%) back-up level for staffing thru the Military Housing Office (MHO) Installation Commander and AFCEC to HHQ/AF for approval.

3.3.11.3. Establish a furnishings repair program.

3.3.12. Acquisition of Furnishings.

3.3.12.1. Serve as the Office of Primary Responsibility (OPR) to purchase and maintain furnishings and appliances for Family Housing (FH) and UH programs. For General Officer Quarters and 0-6 Installation Commander supplemental furnishings items, the installation must obtain prior approval before purchasing (see AFI 32-600 table 5.1. for approval authorities).

3.3.12.2. Conduct lifecycle forecasting for budgeting and prepare furnishings and appliance purchase requests for authorized facilities through the COR, after coordination with MHO IAW Finance guidance and procedures.

Identify furnishings requirements, process orders using strategic sourcing venue.

Disposition of Furnishings.

3.3.13.1. Use furnishings and appliances identified as excess on the installation to the maximum extent possible.

3.3.13.2. Identify, report, and document suspected abuse, neglect, or loss of government owned property.

3.3.13.3. Prepare documentation to hold customers' financially liable if found responsible for items damaged or destroyed.

3.3.13.4. Coordinate with the COR for turn-in/disposal of government owned property/furnishings and obtain MHO approval prior to turn-in/disposal.

3.3.14. Appliance Maintenance

3.3.14.1. Provide and maintain washers and dryers for dormitories, and/or other authorized facilities IAW government guidance.

3.3.14.2. Respond to service calls from the appliance user or authorized representative and repair when more cost effective than replacement.

3.3.14.3. Replace appliance IAW AFI 32-6000, para 9.11.3.

3.3.14.4. Coordinate all appliance work with the MHO Chief.

3.3.14.5. Manage warranty repair or replacement on all appliances IAW manufacturer warranty or guidance.

3.3.14.6. Maintain government provided ice machines and repair within five (5) workdays. If replacement of ice machine is needed, contact COR for purchase.

Environmental

Environmental Program Management.

Implement a comprehensive environmental management program including environmental compliance, conservation, and pollution prevention within an Environmental Management System framework.

Perform all activities IAW applicable DoD Instructions, EUCOM directives, USAF regulations, Host Nation Final Governing Standards, international agreements, and associated Installation Management Playbooks.

Environmental Planning, Programming, Budgeting, and Execution.

Develop and manage the environmental budget IAW with AFI 32-7001 and the current Environmental Quality Programming Guide.

Program environmental projects for equipment, sampling, and supplies necessary to manage the environmental programs.

Program environmental projects needed to stay in compliance with environmental laws and regulations. Funds will be executed as outlined in the environmental execution plan.

Coordinate with the Comptroller Squadron to ensure environmental funds that are issued are loaded and obligated in the correct line of accounting and expensed as outlined in the project description and execution plan.

Support environmental quality contract package builds by preparing SOW, PWS, cost estimates, and assisting with award activities and installation access, monitoring contractor progress and performance.

Perform annual review and update the programming tracker, Integrated Priority List, environmental task order, and execution plan.

Environmental Management System and Inspection Process.

Manage the installation's EMS IAW DAFI 32-7001 using USAF standard tools on eDASH for documentation and management.

Schedule and facilitate Environmental, Safety, and Occupational Health Council (ESOHC) meetings.

Support the installation's Environmental Inspection Process (EIP) IAW DAFI 32-7001 and DAFI 90-302 including program-level self-assessments (MICT SACs), internal EMS audits, internal shop-level compliance inspections, HN inspections and enforcement actions, and IG Unit Effectiveness Inspections.

Record and document all findings and corrective actions in eDASH/EASIER and manage until closure.

Perform work consistently with the installation's environmental policy, conserving resources, minimizing waste, giving preference to less toxic materials, identifying pollution prevention opportunities, optimizing energy use and natural resource consumption.

Respond to data calls or requests such as for the semiannual EQ data call in EESOH-MIS.

Air Quality.

Manage the air quality program IAW DAFMAN 32-7002 and the Host Nation Final Governing Standards including maintaining the air emissions inventory, ensuring compliance with permits, and submitting all required reports.

Use the APIMS database. Ensure that the installation's HVAC and Power Production shops use the APIMS modules to track maintenance and inspection of equipment.

Water Quality.

Manage the installation's water program including drinking water, wastewater, and stormwater IAW DAFI 48-144, DAFMAN 32-1067, DAFI 32-7091, Host Nation Final Governing Standards, and applicable permits.

Manage, update, and implement the Stormwater Pollution Prevention Plan, Wellhead Protection Plan, and other required plans.

Use the WET database and support related updates such as the annual CE Water Dashboard.

Hazardous Waste.

Manage the hazardous waste program IAW DAFMAN 32-7002, Host Nation Final Governing Standards, and installation's hazardous waste plan.

Update the hazardous waste management plan annually. Administrative changes shall be approved by the EMS CFT and major changes by the ESOHC.

Track hazardous waste from cradle-to-grave using EESOH-MIS.

Serve as the HWSA Manager. Operate and manage the Hazardous Waste Storage Area (HWSA) using the US OSHA buddy system or equivalent. Ensure high standards of housekeeping at the HWSA.

Collect hazardous waste from Hazardous Waste Accumulation Points (HWAPs) and ensure proper containerization and labeling.

Perform regular inspections and train all HWAP Managers.

Prepare containers for shipment. Support disposal and treatment through DLA Disposition Services including documentation.

Notify the respective COR within one hour of discovering any abandoned or suspected hazardous materials and provide all required notices to regulatory agencies as required.

Hazardous Material.

Manage the Installation Hazardous Material Program (IHMP) IAW DAFMAN 32-7002 and Host Nation Final Governing Standards.

Manage all hazardous material using EESOH-MIS including administrative tasks such as environmental compliance review of all processes and new hazardous material in the workflow, adding new reviewers to appropriate workflows, and reviewing EESOH-MIS shops and updating organization/shop location processes and hazardous materials.

Lead the cross-functional Hazardous Material Management Process (HMMP) team IAW DAFMAN 32-7002 and conduct meetings IAW team charter. Review and share AFCEC monthly metrics with HMMP team members to address issues.

Conduct shop level hazardous material environmental compliance inspections with safety, occupational health, and material management regulations including AFI 32 90-821, DAFMAN 91-203, AFMAN 23-209, NFPA 30 9.5.5.1, and DLAR 4145.11.

Toxic Substances.

Manage toxic substances such as asbestos, lead-based paint, and polychlorinated biphenyls (PCBs).

Prepare and maintain an Asbestos Management Plan and installation asbestos inventory. Notify building occupants of asbestos locations.

Maintain a base register or lead-based paint. Coordinate with AFIMSC Det 4/CEIE for centralized project for toxics sampling that is available for all USAFE installations upon request.

Storage Tanks and Petroleum, Oil, and Lubricants.

Manage the installation's POL and storage tank program IAW with DAFI 23-201, DAFMAN 32-1067, POL Tank Management Playbook, Host Nation Final Governing Standards, and other applicable policies and directives.

Act as the installation POL Storage Tank Compliance Manager. Establish and lead the POL Storage Tank Compliance Cross-Functional Team.

Use the APIMS STAR database to manage all storage tank data and document monthly and annual inspections at the installation and GSUs.

Perform monthly and annual inspections as AST Inspector for periodic inspections IAW Steel Tank Institute SP001 or HN equivalent.

Manage the spill program, respond to spills, provide equipment and supplies for effective response to spills. Report and track all spills using the appropriate Air Force systems such as eDASH/EASIER IAW DAFI 32-7001.

Review the Hazardous Material Spill Prevention and Response Plan annually and perform minor and administrative updates as needed.

Attend and assist in coordinating annual spill exercises performed by other contractors.

Assist with coordinating site visits for site-specific spill training that occurs every 3 years.

Coordinate with AFIMSC Det 4/CEIE on usage of centralized project to fund initial spill response that is available for all USAFE locations upon request for spills caused by the CE unit.

Natural and Cultural Resources.

Implement and manage the installation's Natural and Cultural Resources Program IAW DAFMAN 32-7003 and the Host Nation Final Governing Standards to protect and preserve all significant resources.

Perform all reviews and updates to the Installation Natural/Cultural Resources Management Plans on the eDASH T-EMP Tool. Compile and brief an annual review statement to the Installation Cross-Functional Team and the ESOHC.

Solid Waste.

Establish and operate an Integrated Solid Waste Management program and a Qualified Recycling Program if legally possible, financially feasible, and determined necessary by the ESOHC IAW DAFMAN 32-7002 and Host Nation Final Governing Standards. Ensure waste reduction efforts and other metrics meet USAF goals.

Perform all reviews and updates to the Integrated Solid Waste Management Plan on the eDASH T-EMP Tool. Compile and brief an annual review statement to the Installation Cross-Functional Team and the ESOHC.

Remediation.

Manage the environmental remediation program IAW DAFI 32-7091, DoDI 4715.08, EUCOM Directive 80-2, AFCEC Playbooks.

Provide technical support and coordination for all remediation sites and site cleanup activities including providing and organizing escorts for site visits and supporting external contractor activities such as sampling, surveys, site investigations, and remedial action.

Participate in meetings in which remediation-related topics are discussed.

Support the annual AFCEC Programs Requirements Development for the remediation program.

Identify potential remediation sites and perform programming for remediation projects in close coordination with AFIMSC Det 4/CEIE Remediation Program Manager.

Support the investigation and remedial action process and provide all required documentation.

Track the status and requirements of the installation's remediation program using the Overseas Remediation Workspace in eDASH.

Support the identification and management of HN enforcement actions IAW DAFI 32-7001 in EASIER.

Environmental Impact Analysis Process and Baseline Surveys.

Manage and implement the Environmental Impact Analysis Program IAW DAFI 32-1015.

Perform and document environmental impact analysis using AF Form 813 tool.

Final Governing Standards Reviews.


Support country-specific FGS reviews, updates, and charette meetings IAW ECI 4804.01A Environmental Compliance.

Installation Engineering

Description of Services.

The engineering flight combines the requirements of comprehensive planning, programming, Comprehensive Asset Management Plan (CAMP) integrator, and executor for base level facility/infrastructure requirements that exceed the operations flight in-house capabilities and are within the engineering flight capability to execute. Responsibilities remain the same with regards to tenants and other agencies/units providing funding for maintenance, repair or capital improvement projects, or opportunities. The flight is a lean cradle-to-grave project development and execution organization.

The functional organization chart is designed to provide a reference to how the Air Force Civil Engineer community organizes and labels both similar trade crafts as well as overall operations. This Performance Work Statement (PWS) will make use of this



convention to provide consistency with all other published guidance and training for civil engineers. The contractor is not required to organize their staff in this manner.

Portfolio Optimization. Service Provider (SP) shall create a single office for installation planning, project programming, requirements integration and energy program management and oversight. The element integrates asset optimization and program development duties to create a single source for requirements integration and formulation of the base's construction program. This program is based on input from Asset Management Plan (AMP) and sub-AMP managers (primarily those residing in both the Portfolio Optimization element and in the Operations Flight) who will have a significant role in defining and prioritizing requirements (manage inventory, performance, and validate Sustainment Management System [SMS] generated life-cycle requirements).

Project Management. This requirement provides the squadron's go-to management hub for SP-executed construction projects. SP shall provide the requirements package to the Contract Officer Representative (COR) for the execution of contracts including, but not limited to, Architectural and Engineering (A&E) service contracts, Indefinite Delivery, Indefinite Quality (IDIQ) contracts, Simplified Acquisition of Base Engineer Requirements (SABER) contracts, Multiple Award Construction Contracts (MACC), and Blanket Purchase Agreements (BPA) to execute facility requirements. They will also coordinate projects through external project management offices such as United States Army Corps of Engineers (USACE) district offices and Air Force Civil Engineer Center (AFCEC). In addition, this element includes the duties of the Geospatial Integration Office (GIO).

Planning and Programming.

- Provide programming for Military Construction (MILCON).
- Provide programming for Facility Sustainment, Repairs and Modernization (FSRM).
- Conduct quarterly Facility Boards.
- Conduct / oversee site planning.
- Conduct / oversee planning of basing actions.
- Maintain Base Comprehensive Asset Management Plan
- Maintain Next Generation Information Technology (NEXGEN IT) Programming Database

Energy.

- Meter Reading / Billing Management. Ensure compliance with the following: Various Executive Orders, the Energy Policy Act of 2005, Energy Independence and Security Act of 2007 (EISA 432), the National Energy Conservation Policy Act (42 U.S.C. 8258a) and various National Defense Authorization Acts.
- Review recurring utility bill and certify accuracy; input recurring invoice information and coordinate with Cost Accounting to ensure all invoices are paid.

- Calculate / input recurring Air Force (AF) Form 3556 rate calculations, input Reimbursable Agreement data, gather, and input recurring meter readings to support reimbursement processes.
- Identify and maintain invoice / purchased meter allocations with appropriate data; input covered buildings and audit information; identify and input Non-Reportable and Excluded consumption via meters.
- Conduct Installation Monthly Report process; create meter records; create contract records to support reimbursements and other purposes as required.
- Implement installation-level energy and water programs, goals, and reporting to ensure resiliency, optimize demand, and assure supply.
- Follow all applicable AFI's (e.g. DAFI 90-1701), guidance (e.g. AFPAM 32-10144), and directives to implement energy and water resilience and climate requirements based on mission requirements.

Energy Projects.

- Identify and implement energy and water resilience opportunities per the Installation Energy Plan (IEP); develop energy and water resilience projects and coordinate with the Engineering function for proper programming and funding; manage energy projects.
- Manage Power Purchase Agreements (PPA), Energy Savings Performance Contract (ESPC), Utility Energy Service Contract (UESC) and other energy type contracts.
- Capture renewable production in AF provided data collection mechanism.
- Monitor and manage utility contracts with local utility vendors; utilize meter reading programs as appropriate to support energy and water conservation.
- Perform energy audits; identify opportunities and develop energy and water resilience programs / projects; perform energy awareness programs and other energy or water conservation duties as assigned.
- Consider and incorporate resilience within projects and opportunities.

Energy Data Tracking / Input.

- Utilize NexGen IT energy module capability.
- Input monthly and annual energy cost and consumption data using NexGen IT, no later than 60 days after the end of the month of consumption or the end of the established billing cycle. See Air Force Pamphlet (AFMAM 32-10144).
- Oversee / track Energy Utility billing.
- Conduct Energy and Water Initiatives for resiliency and conservation.
- Conduct project review of Energy and Water Resilience Initiative.

Project Management.

- Provide project management for MILCON.
- Provide project management for FSRM.
- Conduct / oversee Facility Condition Assessments (Asset Management).
- Manage / oversee the design and execution of SABER projects.

Portfolio Optimization.

Planning.

Note: Incorporate climate resiliency into all planning efforts by referencing, when appropriate, the Department of the Air Force (DAF) Climate Action Plan (CAP) 2022, Installation Climate Resiliency Plan (ICRP), Mission Sustainment Playbook for Community Planners 2022, DAF Climate Campaign Plan 2023, and the DoDD 4715.2 Climate Change Adaptation and Resilience.

2.1.1. Manage Installation Development Plan (IDP) Maintenance in accordance with Air Force Instruction (AFI) 32-1015 Integrated Installation Planning (Facility Operations [FO] Funds: Contract Line Item Number [CLIN] CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.1.1. Maintain and update the Installation Development Framework and District Plans, and Component plans via the Comprehensive Planning Platform (CPP).

2.1.1.2. Brief Facilities Board on the Installation Development Plan (IDP) annually.

2.1.1.3. Lead IDP updates.

2.1.1.4. Identify required IDP updates triggered by significant mission changes to AFCEC. Develop and/or assist with Statement of Work (SOW) development and advocate for resourcing through appropriate channels, locally and/or AFCEC / Air Force Installation and Mission Support Center (AFIMSC).

2.1.1.5. Lead planning activities related to IDP updates and District Plans.

2.1.1.6. Participate in the base to command briefings.

2.1.1.7. Develop Component Plans (e.g., transportation, parking, Air Installation Compatible Use Zone [AICUZ]) related to IDP.

2.1.1.8. Resolve installation development disconnects with key agencies / players to ensure resolution.

2.1.1.9. Coordinate installation-planning activities with all affected on base and off-base agencies.

2.1.1.10. Develop and maintain planning data layers and maps for GeoBase data layers in accordance with (IAW) AFI 32-1015 Integrated Installation Planning.

2.1.2. Coordinate, analyze, and prepare reports to base senior leadership and other organizations on all off-base actions that could affect the wing's mission, real property, or other related activities (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

Conduct Site Planning Process IAW AFI 32-1015 Integrated Installation Planning and CE Site Planning Playbook Civil Engineer (CE) Playbook (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.3.1. Investigate and document site conditions.

- 2.1.3.2. Perform constraints and opportunities analysis of siting action.
- 2.1.3.3. Develop alternatives for siting action.
- 2.1.3.4. Coordinate proposed siting actions with requestor, Real Property (RP), environmental, safety, Wing (WG) airfield management, and appropriate personnel to justify siting's, and location if feasible for new function.
- 2.1.3.5. Prepare siting approval documentation.
- 2.1.3.6. Present siting recommendation to Facilities Board Working Group (FBWG).
- 2.1.3.7. Obtain Facilities Board (FB) siting approval.
- 2.1.3.8. Work with the Wing Safety office to manage and update, explosive site plans / mapping and explosive waiver (if justifiable) for the Installation.
- 2.1.3.9. Prepare, staff, and submit explosive site plans, and explosive waiver packages to Higher Headquarters (HHQ) for annual approval.
- 2.1.3.10. Resolve disconnects with key agencies/players to ensure resolution.
- 2.1.3.11. Assess site development impacts for sustainability (e.g., land use, transportation, and low impact development).
- 2.1.3.12. Prepare siting's consistent with the IDP.
- 2.1.3.13. Maintain approved siting's in appropriate GeoBase data layer.

Build District Plans (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

- 2.1.4.1. Lead planning activities related to District Plan updates.
- 2.1.4.2. Identify installation District requirements triggered by significant mission changes to AFCEC. Develop and/or assist with SOW development and advocate for resourcing through appropriate channels (locally, AFCEC and AFIMSC).
- 2.1.4.3. Participate in District planning charrettes.
- 2.1.4.4. Present new District Plans to FBWG & FB for approval. Review District Plans every five years; for District Plans which are still current, present to FB & FBWG for endorsement.
- 2.1.4.5. Request/obtain/coordinate inputs from appropriate agencies for plan development.
- 2.1.4.6. Integrate and maintain the District Plan pages in the Comprehensive Planning Platform (CCP).
- 2.1.4.7. Maintain approved District Plans in appropriate GeoBase data layer.

Manage Installation Development Planning Processes (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.5.1. Review work orders for compliance with the Installation Development framework and work orders requiring siting.

2.1.5.2. Provide technical expertise and information on planning matters.

2.1.5.3. Participate in other base planning processes (e.g., EIAP, ICRP, space optimization, housing, transportation, real estate, Enhanced Use Lease [EUL], operational noise analysis, AICUZ development and updates, airfield planning, Anti-Terrorism / Force Protection [AT/FP], natural and cultural resource planning).

2.1.5.4. Participate in various installation boards or groups (e.g., FBWG / FB, Airfield Operations Board [AOB], Work Request Review Board [WRRB], Installation Mission Support Team [IMST], airfield-working group).

2.1.5.5. Lead space optimization studies in coordination with the Real Property Officer (e.g., facilitates space use, beddowns, and space use requests).

2.1.5.6. Request AFCEC sponsored Installation Planning Teams (IPT).

2.1.5.7. Coordinate with Wing Plans Office (XP) to capture current and future mission plans and requirements for integration into the installation planning process.

Provide Installation Planning Support to Base Comprehensive Asset Management Plan (BCAMP), AMP, and sub-AMP Working Groups (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.6.1. Ensure the installation planning vision, goal, and objectives are updated as needed and approved by the FB.

2.1.6.2. Participate in asset management planning processes to include issues that impact the long-range development of the installation.

2.1.6.3. Review Asset Management Plans to de-conflict requirements and address with the AMP / BCAMP manager. Incorporate long range AMP recommendations into the District Plans.

2.1.6.4. Participate in the development of the BCAMP to include long-range requirements.

2.1.6.5. Integrate AMP / BCAMP issues into installation development plan.

Support New Mission Beddown Planning Activities (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.7.1. Participate in Major command (MAJCOM) site survey visits.

2.1.7.2. Participate in Site Activation Task Force (SATAF) visits.

2.1.7.3. Participate in siting of new mission requirements.

2.1.7.4. Provide information for new mission EIAP actions.

2.1.7.5. Ensure proposed site development complies with the Installation Development Framework (e.g., compatible land use, transportation, constraints mitigation, and Low Impact Development [LID]).

Manage Airfield Obstruction Program (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.8.1. Annually update the Obstructions Database with current obstructions and provide an annual report to the GeoBase office to ensure accurate geo-referenced data.

2.1.8.2. Conduct annual permanent and temporary airfield obstruction waivers validation review create documentation for recertification IAW United Facilities Criteria (UFC) 3-260-01, Airfield and Heliport Planning and Design.

2.1.8.3. Prepare and coordinate waiver packages to airfield criteria for permanent and temporary (not related to construction) obstructions for Wing Commander (WG/CC) and MAJCOM approval.

2.1.8.4. Participate/coordinate, as appropriate, with operations, safety, local community, and Federal Aviation Agency (FAA) on airfield-related activities.

2.1.8.5. Perform annual airfield waiver review in conjunction with airfield management flight safety.

2.1.8.6. Brief AOB on annual airfield waiver review for comments and approval.

2.1.8.7. Coordinate with FAA on airfield obstructions issues.

2.1.8.8. Resolve disconnects with key agencies/players to ensure resolution.

2.1.8.9. Brief the FB annually on airfield waivers and obstruction reduction initiatives as mandated by regulations or HHQ guidance.

2.1.8.10. Participate in base operational risk management assessment for all airfield waiver requests with airfield management and flight safety.

2.1.8.11. Coordinate sitings to avoid encroachment into established airfield clear zones.

2.1.8.12. Maintain approved waivers in appropriate GeoBase data layer.

2.1.8.13. Cooperate with government staff on presentation of airfield conditions and issues to the AOB.

2.1.8.14. Provide airfield waiver requests to AFCEC via the Airfield Waiver Support Tool (CDRL XXXX).

Manage Off-Base Planning and Compatible Land Use Planning Activities (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.9.1. Manage base Mission Sustainment Risk Reports (MSRR).

2.1.9.2. Coordinate AICUZ Study with aircraft / airfield operations and maintenance personnel to retrieve data necessary to accomplish the reports.

2.1.9.3. Work with SP and government personnel to develop the AICUZ.

2.1.9.4. Monitor public release of AICUZ studies and updates to inform and coordinate with surrounding community including any changes to operational noise and Accident Potential Zones (APZ).

2.1.9.5. Regularly participate in local government meetings such as City Council, Planning Commission, Zoning Review Board, Joint Planning Committee, Climate Resiliency, Tree Commission, and Citizen Planning Advisory Committee

2.1.9.6. Coordinate AICUZ issues with local government and community organizations; brief local civic or regional encroachment issue groups.

2.1.9.7. Brief Environmental Safety Occupation Health Council (ESOHC) and the installation's leadership on operational noise issues.

2.1.9.8. Coordination with local, regional, and state officials and other agencies as required.

2.1.9.9. Remain up to date on current and future mission changes that impact operational noise in the event the mission change triggers a noise contour update, thus requiring contacting AFCEC for a noise assessment.

2.1.9.10. Aid in collecting updated flight track, frequency, aircraft type, and other operational changes in flying mission.

2.1.9.11. Coordinate formal noise evaluation with Safety, Bio-Environmental Engineer (BEE), Airfield Operations and flying units.

2.1.9.12. Oversee public notification of AICUZ Study completion and updates in coordination with Public Affairs and Installation Commander.

2.1.9.13. Attend the public release meetings.

2.1.9.14. Provide support in planning, organizing, and coordinating the AICUZ Workshop.

2.1.9.15. Support participation in meetings with the Installation Mission Support Team (IMST).

2.1.9.16. Work with local metropolitan transportation planners and Metropolitan Planning Organizations (MPO) to assess and act on changes to the transportation network, which could impact installation access.

Provide Facility Space Optimization and Utilization Planning (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.10.1. Develop and implement Facility Space Optimization goals and objectives that reflect DAF policies and goals.

2.1.10.2. Assess and validate space use and requirements, and present recommendations to FB.

2.1.10.3. Maintain and update Facility Space Utilization Tools and government designated replacement systems.

2.1.10.4. Manage, assess, and validate existing real property assets and requirements, to include, for example facility space use surveys, needs assessment, consolidation opportunities, and requirements validation, in addition to planning and coordinating the use of temporary facility space.

2.1.10.5. Assess existing and new mission allocations and prepare reallocation proposals to ensure efficient and adequate use of real property assets.

2.1.10.6. Maintain the installation's Facility Space Planning and Optimization (FSPO) Program in accordance with the FSPO Playbook, to include development of the Facility Space Optimization Plan (FSOP), as well as conducting general and day-to-day space planning efforts.

Develop And Execute the Facility Demolition / Consolidation Program (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.1.11.1. Use space utilization tools, facility condition survey, energy audits, operations cost information, and base development plan, in coordination with MAJCOM, to develop a comprehensive facility demolition and consolidation plan to eliminate excess RP inventory.

2.1.11.2. Develop appropriate facility floor plans to identify project scope for functional consolidation.

2.1.11.3. Develop user and facility construction phasing plans to guide demolition efforts.

2.1.11.4. Develop necessary programming documents to support demolition/consolidation efforts.

2.1.11.5. Incorporate demolition/consolidation requirements in AMP.

2.1.11.6. Design and execute funded demolition/consolidation projects.

2.1.11.7. Report on base facility demolition goals and metrics to Headquarters (HQ).

Program Development.

Program Development (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.1.1. Develop and execute specific program plans for facilities, environmental, dorms, infrastructure, traffic, and signage.

2.2.1.2. Facilitate FBWG's and FB's as described by Air Force Guidance and Installation protocols.

2.2.1.3. Develop all required programming documents for Defense Logistics Agency (DLA), Non-appropriated Funds (NAF), and others, as requested (e.g., DLA MILCON and DLA Specified Minor Construction [SMC]) & Unspecified Minor Construction [UMC] projects, NAF Major Construction projects, NAF Small Projects, Air Force Personnel Center [AFPC] or Army, Air Force Exchange Service [AAFES], and private organizations or individuals).

2.2.1.4. Comply with all applicable and current Occupational, Safety and Health Administration (OSHA), Environmental Protection Agency (EPA), National Fire Protection Association (NFPA), Department of Defense (DoD), Department of Air Force (DAF), federal, state, and local codes, and requirements as well as HHQ standards, guidance, and instructions.

2.2.1.5. Work closely with the BCAMP Manager and AMP Managers to articulate risk exposure or different funding levels and funds allocation based on prioritized mission criticality, timing, and dependency.

2.2.1.6. Support Operations Activity WRWG and WRRB to assist in reviewing and providing coordination for Civil Engineering Work Requests.

2.2.1.7. Classify work as defined by the Government, determine requirements, and prepare the necessary documentation to obtain the authority to execute the project.

2.2.1.8. Maintain close contact with all base organizations, associate units, and HHQ.

2.2.1.9. Coordinate and develop project requirements to meet stakeholder mission requirements, as appropriate.

Provide Project Programming (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.2.1. Coordinate and acquire the authority, resources, and funding necessary to accomplish the planned work.

2.2.2.2. Program contracted projects in government directed funding programs, e.g., Operations and Maintenance (O&M), Military Construction Program (MCP) or MILCON, Dormitory, NAF, Defense Health Program (DHP), DLA, and Rapid Engineers Deployable Heavy Operational Repair Squadron Engineer (RED HORSE).

2.2.2.3. Develop and update appropriate programming documents (e.g., DD Forms 1391, etc.) for all MILCON projects submitted for current fiscal year plus seven future years, per HHQ guidance.

2.2.2.4. Compile project requirements and appropriate programs. Develop project programs and determine facility requirements IAW the Installation Development Plan, Civil Engineering Work Request, AMPs and other means.

2.2.2.5. Classify work correctly and obtain project approval from the authorized authority, submit programs through the FBWG/FB to obtain project priority approval.

2.2.2.6. Compile, develop, and maintain comprehensive, complete requirements documents and cost estimates that facilitate the planning, programming, design, and construction of facility projects.

2.2.2.7. Obtain all required coordination and approval; manage and maintain current, accurate data in NexGen IT and all other government-mandated data systems for all facility programs.

2.2.2.8. Complete accurate project programming indicating refined, identified, and validated project scopes and cost estimates.

- 2.2.2.9. Identify project scopes and validate all project requirements are included.
- 2.2.2.10. Develop programming cost estimates and maintain documentation with each project per HHQ Air Force instruction and guidance.
- 2.2.2.11. Submit wing-approved programs, projects, and data to HHQ as requested.
- 2.2.2.12. Advocate for approved programs.
- 2.2.2.13. Provide planning, programming, and engineering support to HHQ actions (e.g., site surveys, process action teams, and site activation task forces engaged in facility assessments, the bed-down of new missions, the realignment of existing missions, and similar activities).
- 2.2.2.14. Complete project programming documents based on the work classification, facility / improvement type, funding type, and total funded cost of the facility project, as required.
- 2.2.2.15. Document program development of Civil Engineering Work Request, MILCON, and FSRM project programming in the appropriate documentation, systems of record, tools, and processes.
- 2.2.2.16. Obtain authority on project programming documents by appropriate approving officials following current HHQ Delegation of Authority policy letter and Air Force programming guidance. Coordinate HHQ authority requests through the HHQ Project Authorization Tool or through other appropriate processes per funding guidance.
- 2.2.2.17. Provide programming data, as needed per Air Force guidance, 1) detailed cost estimates, comprehensive project requirement, justifications, current status, and project impact; 2) site plans with before and after floor plans, photographs, or newly proposed floor plans, if applicable; 3) for new construction or additions, a space requirements calculation, or any other data as needed per Air Force Programming Guidance for Project Programming.
- 2.2.2.18. Plan and coordinate project funding availability and authorizations with project bid and construction schedules in compliance with HHQ Air Force guidance.

Manage Base Comprehensive Asset Management Plan (BCAMP) (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

- 2.2.3.1. Develop and maintain the BCAMP.
- 2.2.3.2. Ensure the BCAMP reflects the base prioritized asset investments that may include, capacity, reliability, security, operations, maintenance, and renewal projects in a cost effective, sustainable, and defensible program; quantify risk to support mission readiness.
- 2.2.3.3. Identify and prioritize issues and related action plans within the BCAMP.
- 2.2.3.4. Keep government-required databases current, complete and accurate.
- 2.2.3.5. Conduct quarterly Asset Management Working Group (AMWG) meetings, to include establishment of an AMWG Charter, membership, setting agendas and ensuring completion of actions.

2.2.3.6. Identify previous, emerging, and unforeseen requirements critical to installation mission.

Provide for BCAMP Management (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.4.1. Manage Base Activity Management Plans (BAMP) and BCAMP activities.

2.2.4.2. Maintain, validate, and update plans and data in the BCAMP.

2.2.4.3. Maintain, validate, and update Action Plans and Tabular Data in the BAMPs.

2.2.4.4. Coordinate items with BAMP Managers to include, Facilities, Utilities, Transportation Networks and Airfield Pavements, and Real Estate and Natural Infrastructure to support development of the BCAMP.

2.2.4.5. Conduct BCAMP working group meetings, identify issues, and keep the Government apprised of potential mission impacts.

2.2.4.6. Utilize DAF guidance and industry processes for plan integration.

2.2.4.7. Provide semi-annual BCAMP roll up plan of the individual, as directed by the Government, annual BCAMP Executive Summary roll up plan of the individual to HHQ, and quarterly BAMPs for each CE Activity, as directed by Government (CDRL XXXX).

Provide BAMP (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.5.1. Develop a consistent and transparent prioritized list of investment needs (projects) for each of the activities (e.g., facilities, utilities, transportation networks and airfield pavements, and real estate and natural infrastructure, that will achieve the agreed DAF common levels of service and other strategic requirements at the lowest risk.

2.2.5.2. Identify a 10-year financial forecast of installation requirements.

2.2.5.3. Ensure the BAMPs are accurate, up-to-date and reflect DAF asset management and asset optimization principles.

2.2.5.4. Conduct BAMP working group meetings, identify issues, and keep the Government apprised of potential mission impacts.

2.2.5.5. Utilize DAF guidance and industry processes for BAMP investment strategies.

Develop and Manage the Installation Facilities AMP (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.6.1. Develop and manage a Facilities AMP with ultimate responsibility for a portfolio of systems at the installation level.

2.2.6.2. Vet all recommendations/decisions from the AMP working groups upward through the unit's asset management structure.

- 2.2.6.3. Assign, give direction to, and enforce deliverables from sub-AMP managers for each applicable sub-AMP.
- 2.2.6.4. Assign appropriate members from across the squadron and installation to actively participate in AMP working groups.
- 2.2.6.5. Chair semi-annual Facilities AMP working group to integrate and synchronize any sub-AMP Working Group efforts.
- 2.2.6.6. Manage the planning aspect of an activity and integrates the sub-activity requirements and priorities into the AMP to assess the activity, identify requirements, and effectively plan, program, budget, and execute resources necessary for optimal life-cycle operation of the activity using risk-based approach.
- 2.2.6.7. Facilitate integration of AMP plans, requirements, and priorities into the BAMP and BCAMP.
- 2.2.6.8. Assist in defining/prioritizing projects within the respective activity and identify to resolve issues.
- 2.2.6.9. Manage the life-cycle performance and condition of all Component Inventory Management Metrics in assigned Built and Natural (B&N) infrastructure.
- 2.2.6.10. Reviews and validates built assets Facility Condition Index (FCI) and life-cycle requirements generated by SMS (e.g., NexGen IT, BUILDER) when necessary.
- 2.2.6.11. Initiates inspection and root cause analysis protocols to update compliance inspections (CI) to reflect actual conditions, as required.
- 2.2.6.12. Support inspections and enter related data into the (applicable SMS, NexGen IT) for metric development.
- 2.2.6.13. Work with PM Manager, sub-AMP managers, and engineer flight to ensure inspection protocols are completed and that condition assessment data in the built asset inventory are updated as a result of PM inspection results.
- 2.2.6.14. Ensure the inventory of B&N assets reflects a sufficient level of detail to manage building/component condition.
- 2.2.6.15. Evaluate whether the repair or replacement recommendations from applicable SMS and NexGen IT are valid by using their knowledge of built assets and its related data.
- 2.2.6.16. Ensure that NexGen IT and applicable SMS reflect an accurate asset inventory for assigned systems and that the built asset Real Property Installed Equipment (RPIE) relationships are established.
- 2.2.6.17. Combine requirements in NexGen IT and applicable SMS for execution planning and strategic investment planning.

2.2.6.18. Meet all AMP required SMS/NexGen IT Air Force Geographic Information System (AFGIMS) data entry requirements and standards.

2.2.6.19. Perform analysis using the FCI, Remaining Service Life (RSL), Mission Dependency Index (MDI), Preventive Maintenance (PM) / corrective maintenance, and defined condition standards and other factors (non-condition based) to identify requirements that need Sustainment, Restoration, and Modernization (SRM) funding.

2.2.6.20. Perform work planning to include development of the Maintenance Execution Plan (MEP), Maintenance Action Plan (MAP), and the Long-Range Maintenance Plan (LRMP) based on available funds and budgetary constraints which involves grouping requirements into projects and developing a detailed, fundable cost, and work estimate for projects on the MEP and MAP working with other branches in the Field Operating Agency (FOA).

2.2.6.21. Facilitate compliance with asset management processes related to B&N asset management; conduct / support Staff Assistance Visits (SAV) / inspections and compliance visits.

2.2.6.22. Implement DAF standards for planning, construction, operation, maintenance, repair, sustainment, restoration and modernization, and demolition of facility assets, including unaccompanied housing, as well as facility space management, space planning.

2.2.6.23. Validate and refine timing and prioritization of investments, align / de-conflict requirements / projects across all methods of execution for example IDIQ, MILCON, etc.

2.2.6.24. Complete accurate project data/documentation including as-builts and real property requirements.

2.2.6.25. Conduct regular Quality Assurance (QA) reviews of a percentage of condition-based management data in applicable SMS and NexGen IT to comply with processes and procedures.

2.2.6.26. Develop and maintain a process to conduct a quarterly cross squadron/flight/element/shop AMP working group meetings.

2.2.6.27. Define all over-arching systems or process problems for sub-AMPs and assign an Office of Primary Responsibility (OPR) and suspense.

2.2.6.28. Track and evaluate goals, metrics, and trends ensuring the activity meets or exceeds all Key Performance Indicators (KPI) to deliver optimal service.

2.2.6.29. Develop and implement Return on Investment (ROI) analyses that support asset optimization principles, utilizing DAF and HHQ guidance and tools, as well as incorporating industry “best practices”.

2.2.6.30. Recommend appropriate level of facility investment, (e.g., asset disposal, consolidation, and recapitalization) to ensure best ROI and identify the minimum number of facilities at the lowest life-cycle cost to support the installation mission.

2.2.6.31. Perform and document Life Cycle Cost Management, in support of programmed Future Years Defense Plan (FYDP) +2 plans.

2.2.6.32. Coordinate with the CE Operations and Installation Management functions.

Provide and Manage Facility sub-AMP Activities (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.2.7.1. The following sub-AMP managers will reside in the Portfolio Optimization element with duties as described below: Facilities Structures/Finishes and Land Management sub-AMP Activities.

2.2.7.2. Coordinate with AMP Managers and AMP Integrators to ensure all issues, overarching systems and process problems are clear and logged in government designated data system.

2.2.7.3. Associate all physical features, cost accounting, asset performance and life cycle programming data with those specific Facilities Structure / Finishes and Land Management Sub-AMP Activities (e.g., substructures, shell, interiors, including roofs, interior/exterior walls, windows and doors, floors and foundations, and stairs) and specific to the Land Management Sub-AMP Activity (e.g., range sustainment, pest management, compatible land use and encroachment prevention, Bird / Wildlife Aircraft Strike Hazards [BASH], and applicable airfield management activities).

2.2.7.4. Chair semi-annual Sub AMP working groups.

2.2.7.5. Assign appropriate members from across the squadron and installation actively participate in the sub-AMP working groups.

2.2.7.6. Convene sub-AMP working groups at least semi-annually.

2.2.7.7. Maintain accountability of entire asset inventory in all required systems.

2.2.7.8. Implement HHQ standards for RP accounting and linear segmentation to define all sub-AMP assets.

2.2.7.9. Coordinate mission priorities for each asset through local leadership.

2.2.7.10. Develop and maintain a process to accurately associate all physical features, cost accounting, asset performance, and life-cycle programming data with those specific assets.

2.2.7.11. Perform annual review of applicable SMS/NexGen IT and AFGIMS database information to maintain accurate inventory within assigned sub-AMP assets.

2.2.7.12. Capitalize all sub-AMP assets upon receipt of required documentation.

2.2.7.13. Perform semi-annual review of asset inventory with respect to performance data (e.g., failures, service calls, man-hour/material costs, energy use) to detect any abnormalities with respect to expected life-cycle performance.

2.2.7.14. Evaluate and diagnose the root cause of the abnormalities.

2.2.7.15. Determine the magnitude and impact of the abnormalities on factors such as energy use, system reliability, mission risk, and plant operations costs.

- 2.2.7.16. Define the scope and cost alternatives for solutions/requirements to remedy root cause of abnormality to mitigate risk and maximize return on investment.
- 2.2.7.17. Align requirement to proper execution method (e.g., PM, In-Service Work Plan [IWP], AMP).
- 2.2.7.18. Coordinate facility condition inspection visits (e.g., Sustainable Infrastructure Assessments [SIA]) and makes available appropriate RP data from assessments to Real Property Office (RPO) P-Plan for Implementation of Enterprise-Wide Civil Engineer Transformation.
- 2.2.7.19. Use subject matter expertise to inform policy recommendations and make decisions/recommendations on how to correct deficiencies/issues.
- 2.2.7.20. Benchmark sub-activity with industry/government agencies, continuously improving the processes, changing playbooks, and incorporating best practices.
- 2.2.7.21. Align/deconflicts requirements and execution across all of the squadron's execution methods (e.g., IWP, IDIQ).
- 2.2.7.22. Track and evaluate goals, metrics, and trends.
- 2.2.7.23. Develop requirements using a balanced risk management approach and prepares sub-activity requirements and priorities.
- 2.2.7.24. Participate and advocate for sub-activity during AMP and CAMP build.
- 2.2.7.25. Find opportunities to maximize funds (e.g., strategic sourcing) and ROI.
- 2.2.7.26. Lead sub-AMP working groups in AMP development.
- 2.2.7.27. Report to the AMP manager to coordinate all sub-AMP investments with HHQ programming authorities and programmed into the AMP / investment plan.
- 2.2.7.28. Coordinate with AMP manager to log all sub-AMP issues in the administrative file (i.e. NexGen IT or the AFCEC Comprehensive Planning Platform [CPP]) for inclusion in HHQ AMP reviews.
- 2.2.7.29. Validate and refine timing and prioritization of investments for specific AMP investment planning.
- 2.2.7.30. Utilize DAF and HHQ KPIs, to measure performance of CE activities.
- 2.2.7.31. Employ gap analysis to improve life cycle investment strategies when the installation is not achieving stated indicators.

Energy Manager.

- 2.3.1. Provide Energy and Utilities Program Management (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).
- 2.3.1.1. Manage all activities and functions related to leading, managing and directing the people and resources dedicated to performing utility and energy management and resiliency activities.

2.3.1.2. Develop and maintain a base energy master plan in compliance with all applicable OSHA, EPA, federal, state, and local codes and requirements as well as HHQ standards, directives and instructions.

2.3.2. Provide Energy and Water Resilience Program Management (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.3.2.1. Serve as Base Energy Manager (BEM).

2.3.2.2. Provide activities dedicated to achieving current federally mandated energy and water resilience objectives goals without degrading operational readiness or mission accomplishment.

2.3.2.3. Promote the use of renewable energy, new technology and engineering methods to reduce utility input requirements and maximize the use of high efficiency products to meet building electrification requirements.

2.3.2.4. Accurately verify base energy consumption and billing and accurately determine and report reimbursable customer usage.

2.3.2.5. Track and verify energy reduction with data from monthly utility bills, generate, manage, and analyze reports from data gathered from the NexGen IT government designated replacement system, and other data collection systems as required by HHQ.

2.3.2.6. Manage and perform activities associated with the purchase or generation of energy and maintenance of utilities infrastructure (i.e., purchasing, peak load shaving, and total costs associated with the energy acquisition).

2.3.2.7. Maintain currency in all aspects of federal energy, water, and utilities resilience requirements.

2.3.2.8. Complete and manage the IEP and progress toward meeting plan objectives.

2.3.2.9. Work directly with the Heating, Ventilation, Air Conditioning (HVAC), Environmental Management Control System (EMCS), Facilities, Utilities, and Operations Engineering Sections to plan, organize, direct, and implement utility resilience and management programs to reduce energy consumption and determine the most efficient and sustainable systems for use and installation.

2.3.2.10. Provide technical and practical advice as required.

2.3.2.11. Develop, coordinate, and implement utility management measures related to building heating and cooling, electrical usage and water conservation.

2.3.2.12. Benchmark energy consumption against best practice guidelines.

2.3.2.13. Recommend changes in patterns of consumption to minimize utility costs and usage.

2.3.2.14. Participate in renovation and new construction projects concerning the design of facilities to ensure maximum resource efficiency and sustainability.

2.3.2.15. Provide monthly updates on NexGen IT.

Provide Energy Awareness (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

2.3.3.1. Develop and manage an awareness and culture change program to disseminate energy awareness materials and strategic resilience, climate, and conservation information to all personnel.

2.3.3.2. Submit candidates for DAF and Federal award programs and run the annual Energy Awareness month activities.

2.3.3.3. Lead installation level Energy Management Steering Group (EMSG) and ensure messages are consistent with DAF Energy Strategic Communications Plan.

2.3.3.4. Establish, implement, and update an energy and water program to meet DAF and base energy and water resilience to include climate resiliency goals and elements.

2.3.3.5. Energy Programs and Projects.

2.3.3.5.1. Develop energy projects as identified and coordinated by the Resource Efficiency Manager (REM).

2.3.3.5.2. Update project energy information in NexGen IT, and government designated replacement system(s).

2.3.3.5.3. Perform life cycle cost calculations using latest version of Building Life Cycle Cost (BLCC) software or government designated replacement system.

2.3.3.5.4. The BEM responsibilities include for example review of all studies, designs, and capital investment projects to apply energy and water resilience strategies, analysis of investment opportunities to include third-party investments, investigation of alternative energy sources, and analysis of energy cost savings.

Provide Utility Commodity Management (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

Note: Ensure climate resiliency is included in all utility commodity management goals and efforts.

2.3.4.1. Provide management of all activities associated with the purchase of utilities (electricity, natural gas, water, wastewater, chilled water, reuse-water, etc.) serving the installation.

2.3.4.2. Track and verify consumption and cost associated with each utility and comply with service and cost contractual agreements or memorandums with the Government.

2.3.4.3. Calculate, verify, and distribute all utility reimbursable rates to customers no later than 1 January of each year or 30 days prior to rates taking effect.

2.3.4.4. Perform utility contract reviews and assessments and report any discrepancies or proposed rate increases to Base Civil Engineer (BCE) and AFCEC/CNR.

- 2.3.4.5. Develop new or modify existing contract agreements to support utility and energy service requirements in support of mission with assistance from BCE installation contracting, legal office, HHQ, and AFCEC/CNR.
- 2.3.4.6. Accurately read all metered DAF facilities and record data monthly.
- 2.3.4.7. Repair defective base owned meters and coordinate with utility providers to repair defective utility owned meters promptly.
- 2.3.4.8. Verify that each utility provider calibrates meters according to industry guidelines and maintain a log of all calibrations.
- 2.3.4.9. Verify and validate utility bills and reimbursable accounts monthly.
- 2.3.4.10. Establish a means of estimating energy consumption and address billing errors during periods of meter disruption.
- 2.3.4.11. Input validated utility bill data into NexGen IT and government designated replacement systems as required by AFCEC.
- 2.3.4.12. Separate input data by direct and reimbursable costs for all billed installation codes associated with the controlling installation.
- 2.3.4.13. Generate, manage, and analyze reports from data gathered to aid in energy management programs and statistical and historical analysis of consumption and cost to provide technical assistance in budgetary analysis and distribution.
- 2.3.4.14. Provide technical assistance to other sections utility requirements for potential expansion and renovation of installation infrastructure.
- 2.3.4.15. Provide oversight of energy, water, climate, and utility vulnerability and security assessments.
- 2.3.4.16. Identify and resolve all installation vulnerability, security assessments, or other concerns related to utilities.
- 2.3.4.17. Renew utility contracts on time.
- 2.3.4.18. Complete all billing of reimbursable commodities no later than 10 days after the utility provider billing date.
- 2.3.4.19. Complete an Annual Utility Contract Review for Electric Service, Gas Service, and Water / Sewage Service.
- 2.3.4.20. Complete Utility Sales Annual Review in January of each year for the preceding Fiscal Year (FY).
- 2.3.4.21. Provide Utility Sales Rates Calculations upon request or annually (CDRL XXXX).

Project Management

Project Execution.

Provide Project Management (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

3.1.1.1. Manage and direct projects from concept to construction completion using cradle-to-grave concepts.

3.1.1.2. Schedule, track, and monitor all activities throughout the life of the project.

3.1.1.3. Maintain positive accountability of all construction as-built deliverables and capitalization into the Installation Geospatial database and AutoCAD Installation drawings.

3.1.1.4. Develop and manage specialized engineering surveys, studies, and programs used to assess and manage all infrastructure systems, including support of others doing work for the Government.

3.1.1.5. Update facility and infrastructure systems changes to as-built drawings within 60 calendar days after acceptance of the DD Form 1354, Transfer and Acceptance of DoD Real Property.

3.1.1.6. Comply with all applicable and current OSHA, EPA, NFPA, DoD, DAF, federal, state, and local codes and requirements as well as HHQ standards to include Computer Aided Design (CAD) / Building Information Modeling (BIM) Technology Center A/E/C CAD, Spatial Data Standards Facilities, Infrastructure and Environment (SDSFIE) standard for Computer Aided Design and Drafting/Geographical Information System (CADD/GIS).

3.1.1.7. Validate that site approval, applicable environmental documentation, and other required documentation is coordinated and approved.

3.1.1.8. Provide Sustainment 524 Integrated Priorities List (IPL), Restoration & Modernization (R&M) IPL and Demolition Project Listing through current Information Technology (IT) system, annually.

3.1.1.9. Provide MILCON Program Call, Congressional Insert Strategy Report, NAF Project call for Air Force Base Capital Improvement Fund (AFBCIF) projects, 20/20x2020 Plan, DAF Airfield Reduction Initiative, Base to Command Brief, NAF Report to Congress, Data Call for Petroleum, Oil and Lubricants (POL) MILCON, Data Call for POL SMC / UMC, Data Call for POL Demolition, and NAF Projects Call for small projects to HHQ, annually.

3.1.1.10. Provide Annual O&M Demolition Obligation Report to HHQ in the fall.

Provide Design Management (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

3.1.2.1. The SP shall design projects to 35%.

3.1.2.1.1 Complete initial concept design to 30% and coordinate as necessary for stakeholder feedback (e.g., Air Force and other applicable parties).

3.1.2.1.2. Incorporate Air Force approved feedback to bring design package to 35% as the minimum necessary to transfer the project to SABER for construction, or, to A&E firm or other external design service providers for further development of the design package.

3.1.2.1.3. Any design services beyond 35% as completed by the service provider will be funded through separate government funded CLIN(s), not Firm Fixed Price (FFP). Typically, other design services provided at installation-level and funded by sources other than AFIMSC includes minor design funded by decentralized-FSRM (dFSRM), and installation tenant funded design services. Design service not typically accomplished by BOS/BMC service provider includes design for projects managed under AFCEC's Centralized Task Order (projects > \$2M),

3.1.2.2. The service provider shall design management services for project design efforts beyond 35% by assisting the local contracting office with the selection of design support services using A&E contracts, one-time contracts or through a construction agent (e.g., existing contract vehicles available through AFCEC, USACE, Naval Facilities [NAVFAC] or other).

3.1.2.2.1. Provide support and recommendations on pros and cons of design accomplishment choices.

3.1.2.2.2. Provide accurate project documentation to the design agent that includes programmed, non-programmed (pop-up), and emergency-programmed mission requirements based on government approved prioritization listing.

3.1.2.2.3. Ensure that all construction documents which are Ready for Construction (e.g.: drawings, appendices, or attachments) bear the seal and signature of a registered engineer and/or architect of record and the firm's seal. Any changes to stamped previously stamped designs must be re-certified by original design-agent to include appendices or attachments.

3.1.2.2.4. Provide a list of non-programmed mission requirements that are ready for design during the fiscal quarter they are entered in program. Is this project execution or program development task?

3.1.2.2.5. Provide and manage a design review and project requirements process.

3.1.2.2.6. Schedule and host design charrettes and follow-on design reviews when required.

3.1.2.2.7. Coordinate and document complete design process with government CE representative, the customer, and all other applicable base organizations, using agencies, associated groups, and external organizations to further refine and coordinate project requirements and criteria identified during project programming.

3.1.2.2.8. Forward review drawings/specifications to base agencies and user for review.

3.1.2.2.9. Ensure the community planner, programmer, engineers and architect all participate in design charrettes/reviews and provide written comments by all involved disciplines.

3.1.2.2.10. Incorporate comments from prior reviews and ensure Operations Flight coordination.

3.1.2.2.11. Ensure all ancillary support (e.g.: Comm, furniture, and other non-construction requirements) are included.

3.1.2.2.13. Provide Design Status Report and/or Construction Status Report to BCE bi-weekly.

Develop Local A/E and Construction Contract Programs (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

3.1.3.1. Provide technical advice on A/E selection functions in accordance with the Brooks Act for projects requiring the acquisition of external A/E support.

3.1.3.2. Provide technical advice during development of government approved contract methods (e.g., SABER, IDIQ, Multiple Award Task Order Contract [MATOC], MACC).

3.1.3.3. Perform market research.

3.1.3.4. Develop contract documents (e.g., PWS synopsis, bid schedule).

3.1.3.5. Provide technical advice and participate in source selection board.

3.1.3.6. Support Contracting Officer to confer and negotiate with prospective SPs.

Develop Construction Contract Program Task Orders (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

3.1.4.1. Provide a Memorandum to the BCE and/or COR, for each project indicating all required project documentation is completed after receipt of the design.

3.1.4.2. The BCE or other designated government representative will coordinate on the project cover sheet.

3.1.4.3. Submit necessary construction documents (drawings and specifications) to the execution agency (e.g., base level, AFCEC, USACE, etc.).

3.1.4.4. Develop SABER, IDIQ, MACC, etc. task / delivery orders.

3.1.4.5. Write SOW and Independent Government Estimate (IGE).

3.1.4.6. Coordinate Request for Proposals (RFP) with the execution agency.

3.1.4.7. Coordinate project requirements with the project team members and base agencies.

3.1.4.8. Conduct and manage project pre-bid conferences and site visits.

3.1.4.9. Support Contracting Officer to evaluate/negotiate proposals.

3.1.4.10. Perform design reviews (e.g., enforces QA / Quality Control [QC] design standards, architectural compatibility, user requirements) (if applicable).

3.1.4.11. Provide any required project amendments and clarifications to Purchasing.

3.1.4.12. Evaluate cost proposals and assist execution agency.

- 3.1.4.13. Review additional submittal packages.
- 3.1.4.14. Provide SP or Design Agent access to needed information and documentation.
- 3.1.4.15. Coordinate government acceptance of design.
- 3.1.4.16. Update NexGen IT.
- 3.1.4.17. Process invoices.

Initiate Funding Documents (Design, Construction, & Locally Funded Special Studies) (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

- 3.1.5.1. Request funds from MAJCOM or user.
- 3.1.5.2. Process Form 9, Military Interdepartmental Purchase Request (MIPR), Memorandum of Decision (MOD), AF Form 616.

Provide Project Execution Services (In-House Construction Management) (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

- 3.1.6.1. Provide construction management over all ongoing projects, acting as Project Manager.
- 3.1.6.2. Coordinate and schedule utility outages, road closures, and facility disruptions in coordination with Operations Flight to minimize impact to customers and other base organizations and report to base populous through all available resources; keep the BCE abreast of all related activities.
- 3.1.6.3. Keep customers aware of all project milestones and schedules.
- 3.1.6.4. Conduct pre-construction activities, conduct pre-site visits, and review project design.
- 3.1.6.5. Attend bid opening.
- 3.1.6.6. Provide technical support regarding design and construction issues.
- 3.1.6.7. Define SP lay down area.
- 3.1.6.8. Manage construction project.
- 3.1.6.9. Initiate and process temporary airfield waivers.
- 3.1.6.10. Coordinate with SP.
- 3.1.6.11. Schedule outages, construction phasing, free zones, permits, traffic plans.
- 3.1.6.12. Perform security/monitor requirements.
- 3.1.6.13. Coordinate security requirements.
- 3.1.6.14. Provide security escorts/environmental/utility monitor(s) when required.
- 3.1.6.15. Manage escort pool.

- 3.1.6.16. Review SP schedule/submittal.
- 3.1.6.17. Evaluate material testing procedure and evaluate soil, asphalt, and concrete.
- 3.1.6.18. Perform project inspection.
- 3.1.6.19. Ensure SP compliance with plans and specifications. Evaluate, monitor, and document contract activity and progress/deficiencies.
- 3.1.6.20. Maintain construction log.
- 3.1.6.21. Attend and/or conduct contract meetings.
- 3.1.6.22. Initiate, evaluate, and prepare contract modification package(s).
- 3.1.6.23. Prepare financial documents (e.g., Obligation Adjustment Reporting System [OARS], Form 9s).
- 3.1.6.24. Negotiate change order(s).
- 3.1.6.25. Provide status updates (e.g., briefs, WG updates).
- 3.1.6.26. Notify and coordinate with Operations Flight and energy manager of systems start-up & commissioning activities in R&M, new construction projects.
- 3.1.6.27. Schedule and conduct pre-final and final acceptance inspections with appropriate facility stakeholders such as facility user, operators and maintainers, RP, security, fire protection, safety, environmental, and communications.
- 3.1.6.28. Prepare and submit close-out documents.
- 3.1.6.29. Transfer manuals to technical library.
- 3.1.6.30. Submit contract logs to contracting officer.
- 3.1.6.31. Prepare and submit an accurate and timely DD 1354 for submission to RP.
- 3.1.6.32. Provide environmental records derived from construction activities (e.g., waste manifests, asbestos / lead abatement, and diverted / recycled waste tonnage) to the base environmental office.
- 3.1.6.33. Process invoices and financial close-out documents. Document financial close out costs, to include all MODs.
- 3.1.6.34. Complete SP performance evaluations.
- 3.1.6.35. Conduct post-occupancy inspection with Operations Flight.
- 3.1.6.36. Stage project documents.
- 3.1.6.37. Coordinate with staff agency on fiscal and legal matters including involvement in a claim or investigation.

- 3.1.6.38. Manage project information in automated CE system-project management.
- 3.1.6.39. Conduct periodic surveillance when USAF is not the contract agency (e.g., MILCON, NAF, hospital, fuels, A-E, Defense Commissary Agency [DECA], AAFES).
- 3.1.6.40. Host pre-design charrette.
- 3.1.6.41. Coordinate base-level design reviews.
- 3.1.6.42. Participate in change order process.
- 3.1.6.43. Act as liaison between execution agent and base for local design and construction requirements / issues (e.g., work clearances, waivers, security).
- 3.1.6.44. Coordinate and participate in pre-final and final acceptance inspection (includes training sessions).
- 3.1.6.45. Perform construction inspection.
- 3.1.6.46. Assist agent in coordination with Air Force functions.
- 3.1.6.47. Complete inspection log.
- 3.1.6.48. Notify project manager and contracting officer of impending amendments, modifications, and change orders.

Other Construction Inspection Requirements (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

- 3.1.7.1. Provide construction inspection for all facility and infrastructure projects performed on the installation and associated properties, except those being inspected by other agencies (e.g., MILCON, DECA, AAFES, DLA, and O&M Contracts by the USACE).
- 3.1.7.2. Provide liaison duties between the construction agency and the Installation for the exceptions listed above in conjunction with the CO CE representative (e.g., like USACE projects).

Provide MILCON Support (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

- 3.1.8.1. Provide support and oversight, of MILCON projects. Oversight includes working as a partner with HHQ, base level customer(s), and the construction agents (e.g., USACE or NAVFAC).
- 3.1.8.2. Document all project inspections conducted.
- 3.1.8.3. Follow all applicable AFI's, Guidance, and Directives.
- 3.1.8.4. Coordinate and submit MILCON related documents as required by AFCEC/CFP (Include Programming and NEPA documents entered into the IPL Tool (DD Form 1391, official site plan, Certificate of Compliance, Economic Analysis, AF Form 813 / Environmental Assessment / Environmental Impact Analysis, etc.).

- 3.1.8.5. Update programming documents as required to support the BES submission.
- 3.1.8.6. Review design submissions and enter comments into the Design Review Checks, as well as attend and participate in the Design Review conferences.
- 3.1.8.7. Coordinate and obtain design review comments from other installation agencies with equities in MILCON projects including Communications, Safety, Operations, Bio-Environmental and customer organizations.
- 3.1.8.8. Provide installation construction support including coordination of utility outages and road closures.
- 3.1.8.9. Coordinate construction change requests.

Conduct Project Closeout for MILCON and FSRM Projects (FSRM Funds: CLIN CEN-06, CEN-07, CEN-08, CEN-09, CEN-11, CEN-12).

- 3.1.9.1. Closeout projects in conjunction with Project Managers and in coordination with Real Property Officer.
- 3.1.9.2. Accept all construction that meets the criteria for capitalization into the Real Property Inventory with a Transfer and Acceptance of Military Real Property (DD Form 1354) and appropriate the installation geospatial database replacement documentation as required by the Government.
- 3.1.9.3. Provide and coordinate closeout documentation and acceptance forms (to include As-builts, geospatial data and DD Form 1354, Transfer and Acceptance of Military Real Property) to all appropriate offices, including contracting, real property office, geospatial, and O&M functions.
- 3.1.9.4. Update NexGen IT system with current modifications, increased time, and cost prior to transferring closeout documentation.
- 3.1.9.5. Coordinate project closeout.
- 3.1.9.6. Transfer manuals to the technical library.
- 3.1.9.7. Transfer as-built drawings to technical support.
- 3.1.9.8. Provide environmental records (e.g., waste manifests, asbestos/lead abatement, diverted/recycled waste tonnage) with environmental function.
- 3.1.9.9. Conduct post-occupancy inspection with agent and CEO.
- 3.1.9.10. Stage project documents.
- 3.1.9.11. Perform mandatory inspection certification requirements.

Coordinate Warranty Management (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

3.1.10.1. Transfer warranty information to CEO and establish timelines to conduct inspections prior to warranty expiration.

3.1.10.2. Coordinate with CEO on warranty issues.

3.1.10.3. Prepare information for and coordinates with CO on warranty and latent defect issues.

3.1.10.4. Conduct warranty inspections.

Execution Support.

Installation Geospatial Information and Services (IGI&S) / GeoBase (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

3.2.1.1. Perform IGI&S activities IAW Department of Defense, Air Force, AFI 32-10112, Air Force GeoBase Program Guidance and Policies, Section 2.12, Chapter 3, and AFCEC Geospatial Integration Office program management.

3.2.1.2. Ensure mandatory compliance with the SDSFIE Air Force Adaptation specifications, data quality requirements, and reporting.

3.2.1.3. Provide the authoritative installation built and natural infrastructure geospatial data to the AFGIMS geospatial IT system so that it can be simultaneously accessed and exploited on existing AF networks and future platforms by any number of base and HHQ organizations.

3.2.1.4. Perform installation-level IGI&S activities in support of DAF objectives to attain and sustain one standard geospatial capability across all DAF installations and provide a Common Installation Picture (CIP) and associated Mission Data requirements IAW Office of the Secretary of Defense (OSD) and DAF requirements.

3.2.1.5. Develop, update, and maintain utility, infrastructure, facility tabs and layers.

3.2.1.6. Support linear segmentation efforts and perform continuous updates to linear segmentation maps for pavement and utility systems.

3.2.1.7. Advocate for required IT acquisition through the installation's ExPlan process.

3.2.1.8. Align all geospatial outcomes/products with relevant sections of the AFIMSC Geospatial Interoperability Reference Architecture (GIRA).

3.2.1.9. Review, evaluate and accept geospatial data obtained, created, or collected by other sources to ensure compliance with current and future DAF geospatial standards.

3.2.1.10 Store official installation built and natural infrastructure spatial data on a government-approved spatial data-computing environment as directed by AFCEC and/or AFCEC's associated teams.

3.2.1.11. Collaborate and form partnerships with nearby/surrounding non-DoD entities (e.g., City / County personnel, first responders, etc.) regarding geospatial data and/or capability sharing, perform geospatial data conversions and prepare maps for others.

- 3.2.1.12. Identify installation-level IGI&S related requirements and advocate for funding as required.
- 3.2.1.13. Performs data conversion if needed and prepare maps for others.
- 3.2.1.14. Comply with technical standards, support A&E submittal requirements and review A&E products for compliance.
- 3.2.1.15. Manages computer hardware related to Geospatial operations support.
- 3.2.1.16. Submits Installation Geodatabase to AFCEC GIO office upon request and supports annual Common Installation Picture HAF data call.”
- 3.2.1.17. Support A&E submittal requirements and review A&E products for completeness.
- 3.2.1.18. Manage GIO working group.
- 3.2.1.19. Establish/lead short- and long-term working groups to address mission-specific issues.
- 3.2.1.20. Advises and consults with working groups outside of DoD.
- 3.2.1.21. Maintain space utilization tool spatial data.
- 3.2.1.22. Provide paper maps upon Government request.

Provide Surveying Services (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

- 3.2.2.1. Provide facility/project design, construction layout, utility location, and disaster response surveys (i.e., natural & manmade disasters) and associated data IAW current industrial surveying standards.
- 3.2.2.2. Perform engineering survey as needed (e.g., topography, boundary, construction, and route).
- 3.2.2.3. Review and interpret legal descriptions and other RP documentation as pertains to cadastral geospatial information.
- 3.2.2.4. Conduct surveys to collect data to update utility, infrastructure, and facility tabs.
- 3.2.2.5. Conduct in-the-field land surveys to collect geospatial data portraying the installation’s built and natural infrastructure.
- 3.2.2.6. Support aircraft mishap/accident investigations.
- 3.2.2.7. Conduct QA/QC on SP provided surveys.
- 3.2.2.8. Support aerial mapping when required.
- 3.2.2.9. Provide emergency response support to the installation leadership through use of Emergency Response and Storm Damage Assessment Tools and government designated replacement systems.

3.2.2.10. Support aircraft mishap/accident investigation.

3.2.2.11. Utilize survey and resource grade Global Positioning System (GPS), Range Finders, and Total Stations to perform surveys.

3.2.2.12. Provide Specialized Engineering Surveys, Studies and Programs when required.

Provide Drafting Services (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

3.2.3.1. Maintain facility and infrastructure drawings, digitized records, and similar mediums drawings IAW AEC standards in AutoCAD format, update and maintain CIP, Mission Data Sets (MDS), and Mission Data Layers (MDL) when changes and additions are made to installation infrastructure (e.g., construction of new facilities, parking lots, roads, utility modifications, and demolition of facilities).

3.2.3.2. Complete CIP, MDS, and MDL updates within 60 working days after receipt of as-built drawings from construction agency to include in-house projects and work orders.

3.2.3.3. Maintain up to date MDL with features, attributes, and metadata for CE MDS.

3.2.3.4. Provide drafting support for small, in-house project efforts. Ensure accuracy and adherence to drafting standards.

3.2.3.5. Manage, maintain, prepare, create and update maps, as-builts, and record drawings in electronic (CADD/GIS) and/or hard copy format.

3.2.3.6. Manage, maintain, and organize the Civil Engineer drawing vault.

3.2.3.7. Manage as-built database/inventory. Scan, digitize, copy, and print maps and drawings as requested. Supplies and equipment are costed out separate.

3.2.3.8. Maintain and provide centralized storage of as-built drawings and construction drawings for base projects (e.g., mylar copies of drawings and electronic storage on centralized server).

3.2.3.9. Provide complete, accurate, and updated as-built drawings of base real property facilities and infrastructure.

3.2.3.10. Complete updates to master facilities plans and infrastructure maps within sixty working days after receipt of as-built drawings from construction agency to include in-house projects and work orders.

3.2.3.11. Provides engineering assistance to customers, engineers, craftsmen, and SPs. Develop, and maintain AEC drafting standards and templates.

3.2.3.12. Provides in-house design CAD support to government and O&M functions.

Provide Emergency Response Support (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

3.2.4.1. Coordinate with Operations Flight to provide costs, photos, and other required documentation to base Finance for their submission to Air Force Installation Mission Support Center / Resource Management via government SharePoint site designated for reimbursement of storm damage repair costs reporting, currently titled Storm Tracker SharePoint.

3.2.4.2. Provide assessment, emergency management assessment, and engineering surveying support.

3.2.4.3. Assessment surveys may include utility condition, damage assessment, space utilization, and pavement condition surveys.

3.2.4.4. Conduct Emergency Management Assessment Surveys to include natural disaster condition and man-made disaster condition assessments.

Provide Other Engineering Support Functions (FO Funds: CLIN CEN-01, CEN-02, CEN-03, CEN-04, CEN-05, CEN-10).

3.2.5.1. Provide engineering support to Operations flight (i.e., WRRB, AMP, Sub-AMP Working Group Meetings, execution de-confliction, and coordination) and base customers.

3.2.5.2. Develop and maintain Installation Facility Standards (IFS) and prepare required studies.

3.2.5.3. Perform activities that support the strategic vision and evolving requirements to integrate DAF Transformation requirements into integrated planning functions with the approval of the BCE and HHQ.

3.2.5.4. Utilize existing and new tools and processes to include MDI, FCI, Facility Condition Assessments, AMPs, BCAMP, and Integrated Dashboard (I-File).

3.2.5.5. Adapt to and utilize DAF facilities management and infrastructure management IT solutions to include DAF "NexGen IT" and government designated replacement systems.

Emergency Services

Fire and Emergency Services

Provide Fire & Emergency Services (F&ES) Management, Operations, Training, and Prevention functional area capabilities IAW DoDI 6055.06, DoD Fire and Emergency Services, DoDI 6055.06-M, DoD Fire and Emergency Services Certification Program, DAFI 32-2001, Fire Emergency Services Program, USAFE Supplements, Department of Labor – Occupational Safety and Health (OSHA), Code of Federal Regulations (CFR), Air Force Instructions (AFI) and National Fire Protection Association (NFPA) standards as they are adopted and/or implemented by NFPA Technical Implementation Guides (TIG), Air Force Manning Standard 44F1, and base instructions. The Fire & Emergency Services Assessment Program (FESAP) shall be used as one of the Performance Assessment Report and method of surveillance. F&ES Flight sustains an overall 90% "Compliant" rating in the FESAP as mandated by DAFI 32-2001.

Manage installation F&ES to include maintaining Operating Instructions, Master Plan, Standards of Coverage (SoC)/Community Risk Assessments, manpower, equipment, and supplies.

Develop and implement plans addressing reduced operational capabilities during periods of time when the department may function below Optimum Level of Service (OLS).

Develop, implement, and update response and capabilities plans indicated in Appendix B. Plans shall address staffing, response, safety of personnel, pollution prevention, operational risk management concerns, etc.

Occupational Safety and Health Program

Ensure F&ES personnel maintain physical fitness IAW DAFI 32-2001. Physical standards of F&ES members shall meet standards as defined in DAFMAN 48-123, Medical Examinations and Standards, Section 1C-Physical Profile System. Participate in the DoD Firefighter Wellness Program. Annual physicals shall meet requirements of NFPA 1582 TIG. All entry-level personnel shall meet DoD certification requirements prior to being assigned to shift work within 1 year of their employment. F&ES personnel shall meet physical and medical pre-employment criteria; F&ES personnel receive annual physical examination IAW NFPA 1582, Standard on Comprehensive Occupational Medical Program for Fire Departments, TIG.

Ensure incidents are investigated IAW DAFI 32-2001 and DAFI 91-204, Safety Investigations and Reports.

Ensure incidents are reported IAW DAFI 32-2001.

Maintain F&ES staffing IAW DAFI 32-2001 and USAF F&ES Concepts of Operations for Fire Prevention and Consequence Management (CONOPS).

Prepare an annual FESAP Checklist.

Operations.

Provide 24/7 F&ES for the installation. The scope of services shall include on-scene incident management, Aircraft Rescue and Firefighting (ARFF), structural firefighting, and response to hazardous materials at the operations (defensive) level, technical rescue, to include auto extrication and confined space rescue, and emergency medical services (EMS) support. The first arriving firefighter shall assume and maintain command of emergency situations until properly relieved.

Provide stand-by fire protection during critical or hazardous operations.

Inspect, certify, and perform operator maintenance on emergency vehicles IAW manufacturer's recommendations and applicable Technical Orders (TO).

Complete and document all vehicle inspections and annual certification testing.

Complete and document ancillary testing of all fire ground and training equipment IAW applicable TOs and NFPA standards and technical data.

Maintain the minimum quantity of combined ARFF vehicles, extinguishing agents, and personnel for airfield category (ARFF Set 4 for 496 ABS) IAW Air Force Manning Standard 44F1.

Coordinate with Airfield Management to schedule regular vehicle maintenance 72 hours in advance.

Ensure vehicles are available for regular scheduled maintenance.

Determine reserve quantity of firefighting agents based on mission requirements and establish procedures to expediently transport agent to emergency incidents.

Ensure firefighting vehicles, extinguishers, and equipment are operational.

Staffing.

Follow DAFI 32-2001 for staffing levels and IAW Air Force Manning Standard 44F1.

Ensure coverage for Optimum Level of Service (OLS) for CAT 8 airfield vehicle set 4, which can be adjusted during non-peak daily hours to a Reduced Level of Service (RLS) in accordance with the Air Force FES CONOPS, “Concepts of Operations for Fire Prevention and Consequence Management”. Any changes to the level of service provided shall be reported to the Government point of contact.

Ensure staffing levels remain adequate to cover Optimum Level of Service structural firefighting requirements during all periods. Any changes to airfield category shall be reviewed for applicable fire protection coverage.

Fire Prevention.

Ensure fire inspection and fire drill frequency is appropriate to facility occupancy classification.

Coordinate all fire drills with the facility manager.

Coordinate all inspections with the facility manager and advise them of any hazards or fire safety deficiencies (FSD).

Manage, track, and document hazards and FSDs IAW DAFI 32-2001 (other AFI was absorbed into it).

Ensure commercial cooking appliances, exhaust hoods and kitchen fire extinguishing systems are inspected IAW AFMAN 91-203, Air Force Occupational Safety, Fire and Health Standards Air Force Consolidated Occupational Safety Standard and NFPA 96, Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations.

Review and sign work requests that modify, renovate, or change the function of a facility to ensure fire safety standards are met.

Issue, manage and track “hot work” permits for welding, cutting, and brazing operations and inspect operations to ensure fire safe practices are being observed.

Train permanently assigned personnel in fire prevention upon initial arrival on station and on an annual basis.

Maintain and test all hand-held portable fire extinguishers and ensure that they are operational IAW TOs and manufacturer's instructions.

Maintain records documenting inspections, maintenance, and repairs.

Training.

Manage and document recurring proficiency training and firefighter certification programs for all functional areas of F&ES IAW DAFI 32-2001, DoDI 6055.06, DoDI 6055.06-M, and NFPA 1500, Standard on Fire Department Occupational Safety and Health Program.

Ensure all F&ES Operations personnel are trained and remain proficient in aircraft barrier recovery and rewind operations.

Ensure all entry-level personnel meet DoD certification requirements within the first year of their employment.

Ensure F&ES personnel shall meet recurring proficiency training requirements of NFPA 1500 and DAFI 32- 2001.

Implement and publish Annual Training Plans IAW AFCEC requirements for firefighter proficiency and ensure all personnel remain Duty Position Qualified IAW DODI 6055.06-M.

Ensure the Fire Chief, Deputy Fire Chief, Operations Chiefs, and other Senior Fire Officers or Crew Chiefs whose duties include incident command remain proficient in AFIMS.

Ensure all personnel who respond to F&ES emergencies receive progressive Incident Command (IC) training.

Ensure HazMat responders are certified and remain proficient at the Operations level.

Ensure firefighters are trained and remain proficient/certified in First Aid/First Responder capabilities.

Emergency Communications Center.

Ensure all communication equipment and facilities comply with NFPA 1221, Standard for Installation, Maintenance and Use of Emergency Services Communications Systems.

Validate currency of all ECC critical IT systems, to include updating, servicing, or upgrading software to maintain currency with Air Force Information Technology Cybersecurity Requirements.

Relocate ECC personnel to the Alternate Emergency Communications Center (AECC) within 15 minutes of any power or communication outage affecting the primary ECC.

Pre-position redundant communications, alarm monitoring, checklists, and publications for availability.

Retain voice-recordings of emergency calls for 30 calendar days.

Retain recordings until reports, investigations and legal actions are completed in the event of an incident.

Track and report fire department responses via F&ES-IMS, or enterprise-wide replacement system, and the National Fire Incident Reporting System (NFIRS).

Inform the BCE of all real-world fire emergency responses and any changes in the capability of the fire department.

Attend all communications equipment and services related meetings with other base entities/stakeholders

Provide a Primary & Alternate Equipment Custodian for all USG IT Related items (Radios, computers, tablets, etc.)

Uniforms.

Provide uniforms for F&ES personnel. All uniforms for Operations shall meet the requirements of NFPA 1500. Firefighter Station Uniforms, downtime gear, PT gear, and Structural Firefighting Ensembles are considered PPE and shall be provided IAW DAFI 32-2001.

Personnel.

Provide a Chief of Fire Emergency Services. Shall have fifteen years' fire protection experience with five years as Fire Chief or Deputy Chief. Shall have experience directing firefighting operations to include fighting aircraft and structural fires, performing rescue services, and responding to hazardous materials incidents, medical emergencies, and confined space rescues. Shall have knowledge of the chemistry of fire, preventive maintenance and operations of firefighting and rescue equipment, physical and chemical properties of combustible materials and building structures and their component systems. Shall have experience in managing fire prevention and protection plans and programs. Shall assume full charge at crashes, fire, or emergency situations, directing activities and personnel, transmitting instructions to Assistant Chiefs on the scene or other personnel as to the procedures to be followed contingent on complexity of the incident type (3-1). Shall personally take charge when highly classified weapons or equipment are involved in fire. Shall meet position certifications IAW DOD 6055.06-M. U.S. Secret clearance required. Shall possess an Associate's degree or higher degree in fire technology.

Provide a Deputy Fire Chief. Shall have ten years' fire protection experience with a minimum of three years as the Assistant Chief for Operations. Shall have experience directing firefighting operations to include fighting aircraft and structural fires, performing rescue services, and responding to hazardous materials incidents, medical emergencies, and confined space rescues. Shall have knowledge of the chemistry of fire, preventive maintenance and operations of firefighting and rescue equipment, physical and chemical properties of combustible materials, and building structures and their component systems. Shall have experience in management of fire prevention and protection plans and programs. Shall have the knowledge to act for the Fire Chief during his absence. Shall assume full charge in absence of the Fire Chief at crashes, fire, or emergency situations, directing activities and personnel, transmitting instructions to Assistant Chiefs on the scene or other personnel as to the procedures to be followed contingent on

complexity of the incident type (3-1). Shall personally take charge when highly classified weapons or equipment are involved in fire. Shall meet position certifications IAW DOD 6055.06-M. Shall possess an Associate's degree or higher degree in fire technology.

Provide an Assistant Fire Chief for Training. Shall have ten years' experience in fire protection involving aircraft crash and structural firefighting operations. Two of the ten years shall include supervision in direct firefighting operations. Shall have experience developing training programs and conducting classroom and practical training sessions. Shall have knowledge of fire protection technical publications and fire codes. Shall have experience preparing operating instructions, fire reports and general correspondence. Shall meet position certifications IAW DOD 6055.06-M. Shall possess a High School diploma or equivalent.

Provide an Assistant Chief for Health and Safety. Shall have ten years' firefighting experience in an organized fire protection function that provides fire suppression services. Three of the 10 years shall include aircraft crash, fire, and rescue services. One of the ten years shall include supervision of direct firefighting operations. Shall have knowledge of NFPA, AFOSH, DAFI's, CFRs related to Firefighter Safety and Health. Shall have knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall meet position certifications IAW DOD 6055.06-M.

Provide an Assistant Fire Chief for Fire Prevention. Shall have ten years' experience in fire protection with three of the years as a fire inspector. Shall have experience in Technical Services and directing and performing duties on a Hazardous Materials Response Team within the limits of NFPA Standard 472. Shall have knowledge of the chemistry of fire and experience with inspection and testing of installed fire detection and suppression systems. Shall have knowledge of physical and chemical properties of combustible materials, building structures and their component systems, identification and correction of fire hazards and deficiencies, inspections, maintenance, testing and distribution of flight line and portable fire extinguishers. Shall be able to interpret national building and life safety codes. Shall review engineering plans and specifications for new construction, major repairs, renovations, alterations, and extension of existing structures. Shall recommend changes and additions based on sound fire prevention engineering principles, and directives and standards to ensure plans include appropriate fire protection requirements as called for in agency regulations, National Fire Protection Association (NFPA) building codes, and other applicable guidelines where NICET Level 4 or Registered Fire Protection Engineers reviews, stamps or certifications are not required. Shall meet position certifications IAW DOD 6055.06-M. Shall possess a High School diploma or equivalent.

Provide an Assistant Fire Chief for Operations. Shall have ten years firefighting experience in an organized fire protection function that provides fire suppression services. Three of the 10 years shall include aircraft crash, fire, and rescue services. One of the ten years shall include supervision of direct firefighting operations. Shall have knowledge of fire suppression, rescue and emergency incident techniques, operation of fire equipment, and water distribution and supply requirements. Shall have knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall meet position certifications IAW DOD 6055.06-M. Shall possess a High School diploma or equivalent.

Provide a Station Chief. Shall have six years of firefighting experience in an organized fire protection function that provides fire suppression services. Three of the 6 years shall include aircraft crash, fire, and rescue services. Two of the 6 years shall include Company Officer/Crew Chief experience. Shall have knowledge of fire suppression, rescue and emergency incident techniques, operation of fire equipment, and water distribution and supply requirements. Shall have knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall have ability to conduct all radio transmissions in English. Shall meet position certifications IAW DOD 6055.06-M. May be dual hatted ONLY if the filling member is fully certified/qualified for the position in question. Shall possess a High School diploma or equivalent.

Provide a Crew Chief. Shall have a minimum of 5 years' firefighting experience in an organized fire protection function that provides fire suppression services. At least two of the 5 years shall have been in an organization that provides aircraft crash, fire, and rescue services. Shall have a working knowledge of fire suppression, rescue and emergency incident techniques, operation of fire equipment, water distribution and supply requirements. Shall have a working knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall have ability to conduct all radio transmissions in English. Shall meet position certifications IAW DOD 6055.06-M. May be dual hatted ONLY if the filling member is fully certified/qualified for the position in question. Shall possess a High School diploma, or equivalent.

Provide a Driver/Operator. Shall have a minimum of 3 years' firefighting experience in an organized fire protection function that provides fire suppression services. At least two of the 5 years shall have been in an organization that provides aircraft crash, fire, and rescue services. Shall have a working knowledge of fire suppression, rescue and emergency incident techniques, operation of fire equipment, water distribution and supply requirements. Shall have a working knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall have ability to conduct all radio transmissions in English. Shall meet position certifications IAW DOD 6055.06-M. Shall possess a High School diploma or equivalent.

Provide a Fire Fighter. Shall have a working knowledge of fire suppression, rescue and emergency incident techniques, operation of fire equipment, water distribution and supply requirements. Shall have a working knowledge of the characteristics of aircraft fuel propellants, oxidizers, and weapons. Shall meet position certificates IAW DOD 6055.06 M. Shall possess a High School diploma, or equivalent.

Provide an ECC Supervisor. Shall have a minimum of three years as an emergency dispatcher, with dispatch supervisory experience preferred but not required. Shall have a working knowledge of LMR, Dispatch Client Software, FES-IMS (or enterprise solution), and E-911 maintenance. Shall have a working knowledge of fire suppression, rescue and emergency incident techniques and hazardous materials responses. Shall have ability to conduct all radio transmissions in English. Shall meet position certifications IAW DOD 6055.06-M.

Provide a Dispatcher. Shall have a working knowledge of fire suppression, rescue and emergency incident techniques and hazardous materials responses. Shall have ability to conduct all radio transmissions in English. Shall meet position certifications IAW DOD 6055.06-M.

Ambulance Services

Provide patient transport services for Government beneficiaries and the general population.

Ensure the emergency services ambulance and materials are in a clean, sanitary, and stocked condition IAW applicable regulations.

Receive radio or phone requests for ambulance service and determine response actions.

Develop procedures, policies, directives, and plans to operate the emergency services section.

Coordinate the annual review of the authorized ambulance response protocols by 86 MDG/SGH.

Perform ambulance services IAW the professional standards of the most current Royal Decree 836/2012.

Provide emergency patient response and transport services 24 hours a day, 7 days per week to include all American and Host Nation holidays.

Provide an Ambulance Services supervisor who shall work normal duty hours, 8 hours per day, 40 hours per week. May delegate the supervisor's responsibilities to a shift lead or a shift nurse during the off-duty hours. However, a supervisor shall be readily available and respond to the clinic for major emergency events that occur during the off-duty hours.

Emergency Response and Patient Transport.

Ensure ambulance response team shall arrive on scene within 5 minutes of receipt of an emergency call and report to the incident commander.

Transfer patients to local hospitals.

Provide Basic Life Support care and treatment to patients.

Ensure availability of supplies, services, and equipment necessary to maintain or improve the patient's medical status.

Coordinate in-field care and patient transport with local hospitals in accordance with Royal Decree 836/2012 protocol.

Ensure the ambulance crewmember with the highest qualifications remains with the patient until the patient is transferred to a local hospital worker with the same or higher qualifications.

Provide annual report to COR detailing number of responses, transports, and summaries of care.

Complete and maintain Pre-Hospital Care Report, for each ambulance response medical emergency and in-flight emergency monthly as required.

Ensure the completed Pre-Hospital Care Report is included in the patient's medical record.

Send copies of the Pre-Hospital Care Report to SGH, SGN and Senior 4N for validation that quality of care standards has been met.

Ensure all documentation contains complete patient identification.

Provide copies of the Pre-Hospital Care Report to the Medical Aid Station within one business day of ambulance response.

Provide the results of all quarterly compliance regulatory inspections to the COR.

Forward any inspection discrepancies to the COR for review.

Response to In-Flight Emergencies.

Provide primary flight line ambulance crew coverage for U.S. aircraft eight hours a day, as published in the DoD Airport Facility Directory (Enroute Supplement Africa Middle East Africa [ENAME]); current published hours are from 0700 to 1500Z Monday-Friday with an additional adjustment for Central European Summer Time, government may shift hours for special events or circumstances

Provide a secondary response capability for Spanish aircraft in-flight emergencies.

Utilize protocols for providing care and treatment for aircraft mishaps, decompression sickness, or hydrazine exposure.

Contact the Medical Aid Station Office for in-flight emergency assistance. After normal duty hours, the Independent Duty Medical Technician (IDMT) or Flight Surgeon on call shall be the point of contact for in-flight emergencies.

Contact Fire Control if the Medical Aid Station, the IDMT, and Flight Surgeon on call are not available.

Notify the on-call IDMT or Flight Surgeon (after duty hours) or the Medical Aid Station (during duty hours) of any in-flight emergency, aircraft accident, physiological incident, or hydrazine exposure.

Maintain continuous radio contact with Fire Chief while in transit.

Provide emergency care and treatment to patients, and provide supplies, services, and equipment necessary to maintain or improve the patient's medical status.

Coordinate in-field care IAW emergency system protocol with local hospitals, and coordinate patient transport to local hospitals.

Provide ambulance response for physiological emergencies.

Ensure the ambulance crewmember with the highest qualifications remains with the patient until the patient is transferred to a local hospital worker with the same or higher qualifications.

Participate in base exercises and inspections IAW AFI 10-2501. Participate in exercise preparatory and after-action meetings. Complete written critiques as requested. Respond with IDMTs to exercise sites and perform mock duties as needed. Provide mock field patient care and mock patient transport during exercises. Provide detailed exercise analysis in a timely manner when requested by Government.

Personnel.

Provide an Ambulance Service Nursing Supervisor. Shall be a current National Registered Emergency Medical Technician. Shall be proficient in advanced life support, Army and Air Force joint pre-hospital emergency care protocols, and the treatment protocol associated with Decompression Sickness. Shall possess a U.S. Nurse License.


DRAFT

Operations Management

1.1. Description of Services:

The Operations activity is responsible for effectively and efficiently operating, maintaining, and repairing Air Force Real Property (RP) and Real Property Installed Equipment (RPIE) through employment of asset management principles at any attached, geographically separated or other related properties. This is accomplished by providing execution, management, and oversight of facility and infrastructure operations, maintenance and repair,

materiel control, work planning, customer service, service contract management, and operations engineering capabilities. Also includes capability to respond to and mitigate any infrastructure-related emergency conditions and contingency operations when necessary.



1.1.1. The functional organization chart is designed to provide a reference to how the Air Force Civil Engineer community organizes and labels both similar trade crafts as well as overall operations maintenance management. This Performance Work Statement (PWS) will make use of this convention to provide consistency with all other published guidance and training for civil engineers. The contractor is not required to organize their staff in this manner. The contractor is required to follow standard maintenance work record keeping using trade focused 'shop' assignments using standard workgroup conventions used in Next Generation Information Technology (NexGen IT) to ensure enterprise, Major Command (MAJCOM), and base data supports data analytical requirements and preserves maintenance history in a consistent manner.

Overview

Service Provider (SP) shall:

1.2.1. Provide all management, labor, tools, vehicles, equipment and training required to fulfill all life-cycle operations and maintenance of facilities, non-privatized infrastructure, RP, RPIE and geographically separated properties to support the local missions. Comply with all applicable and most current Occupational Safety & Health Administration (OSHA), Environmental Protection Agency (EPA), National Fire Protection Association (NFPA), National Electric Code (NEC),

National Plumbing Code (NPC), International Building Code (IBC), Unified Facilities Criteria, (UFC), Department of Defense (DoD), AF, federal, state and local codes and requirements, and environmental regulations as well as Higher Headquarters (HHQ) standards and instructions.

1.2.2. Populate, maintain, update, generate, and manage data and reports from current and government designated replacement database system(s), for example NexGen IT, Air Program Information Management System (APIMS), etc. ensuring data is complete and accurately updated.

1.2.3. Generate, distribute, file, and maintain records of all required inspections, testing, training, certifications, operating instructions, appointments, and policy letters.

1.2.4. Provide data, reports, information and support to government designated Civil Engineer (CE) representatives or higher headquarters upon request.

1.2.5. Conduct and participate in ad hoc meetings, teleconferences, briefings, and information exchange with base and higher headquarters staff when needed.

1.2.7. Develop and implement a self-inspection program for respective functions to address the areas outlined in the current AF Inspector General (IG) Inspection Guidance take appropriate action(s) to comply with the IG Guidance.

1.2.8. Provide courteous, responsive, and professional customer service and ensure personnel are timely in support of scheduled appointments.

1.2.9. Provide efficient and economic professional inspection, maintenance, repair, operations, and minor alterations, considering total system life cycle costs and impact on the quality of service received by the customers.

1.2.10. Accomplish services in a timely manner using standardized work methods and procedures in accordance with (IAW) commercial practices and be continually evaluated to improve their effectiveness.

1.2.11. Provide priority service to facilities RPIE, Real Property Similar Equipment (RPSE), and systems designated as critical by the Government.

1.2.12. Ensure and document proper coordination of all maintenance and alterations on structures listed on the historic registry.

1.2.13. Effectively utilize new technology and engineering methods to reduce operational and maintenance cost and maximize the use of highly efficient products and maintenance processes wherever practical and as warranted by life cycle analysis.

1.2.14. Ensure finished work request meets customer requirements.

1.2.15. Be aware of asbestos, lead based paint and Polychlorinated Biphenyls (PCBs) during construction, maintenance, repair activities, and take necessary actions in coordination with the Environmental Activity.

1.2.16. Provide refuse collection, disposal and recycling of self-generated construction and demolition debris.

- 1.2.17. Ensure worksite is clean and free of work material debris upon completion of work.
- 1.2.18. Ensure Privacy Act information is properly marked and protected from unauthorized access, disclosure, or manipulation.
- 1.2.19. Support government provided assessments, for example, Civil Engineer Maintenance Inspection and Repair Team, Functional Configuration Audit, Energy Audits, Airfield Pavement Evaluation and related support requirements.
- 1.2.20. Participate and support Base exercises when required.
- 1.2.21. Provide continuous emergency support 24/7.
- 1.2.22. Perform base recovery operations following man-made and natural disasters by quickly identifying damage, establishing repair priorities, and determining and reporting estimated cost for securing temporary and permanent repairs and completing facility and infrastructure restorations.
- 1.2.23. Document all damages on the Damage Assessment Tool database.
- 1.2.24. Support Special events such as Air Shows, Picnics, Distinguished Visitor visits, etc.

Imperatives.

Imperatives are provided to document the government's most important work items. The SP shall use these imperatives to prioritize work, staff, and other limited resources. Communication between the SP and the government must occur on these topics to ensure they are meeting the government's expectations.

Operations

- Respond to emergencies and mitigate (refer to Unscheduled Corrective Maintenance section of this document).
- Provide government with Courses of Action (COA) resulting in cost effective lifecycle management on Ops maintenance and repair investments.
- Maintain assets at current condition, if rated deficiency free, or improve condition and performance over Period of Performance.
- Life cycle management planning feeding asset management (AMP, sub-AMP) optimizing maintenance investment of in-house (Contractor) vs third party contracted (Cap Project) actions (refer to the Work Request Review Board [WRRB] section of this document).
- Respond to established planned timelines to meet and resolve Customer / mission needs.
- Materiel Management – acquire all materiel necessary to meet work requirements and enter costs into government owned Information Technology (IT) system.

1.3.2. Operations Management.

- Manage and perform all demand maintenance activities and functions related to operations maintenance and repair of RPIE, and RPSE (refer to Demand Maintenance / Customer Service section of this document).
- Utilize government standardized asset data collection and SMS / analysis tools.

1.3.3. Operations Engineering.

- Manage, train, and perform all activities and functions related to requirements and optimization, customer service, facility manager program, real property inventory, work task planning, systems engineering, material control, vehicle management, U-Fix It Program, custodial, and Integrated Solid Waste Management (ISWM) / refuse & recycling and associated tasks (refer to the Operations Engineering section of this of this document).

1.3.4. Operations and Maintenance.

- Provide professional inspection, proactive/reactive maintenance, repair, operations, and minor alterations.
- Provide priority service to facilities and systems designated as critical by the Government.
- Perform Plant Operations (as required).

1.3.4.1. Heavy Repair:

- Employ Asset Management Principles to provide Heavy Repair functions associated with horizontal, structural and pavements activities as directed in the Heavy Repair section of this document.

1.3.4.2. Infrastructure Systems:

- Employ Asset Management Principles to provide Infrastructure Systems functions associated with Entomology, Heating, Ventilation, Air Conditioning (HVAC), Water and Fuels Systems, and Energy Management Control System activities as directed in the Infrastructure Systems section of this document.

1.3.4.3. Facility Systems:

- Employ Asset Management Principles to provide Facility Systems functions associated with Alarms / Controls, Electrical (interior / exterior), Power Production, and Airfield Lighting System activities as directed in the Facility Systems section of this document.

Operations Engineering

SP shall be responsible for proactive systems performance analysis, resource optimization, life-cycle requirements, and customer interface for facility and infrastructure maintenance and repair requirements, in support of Operations Engineering.

SP shall provide one engineer specializing in each of the following fields:

- Civil, Mechanical, and Electrical: Provide technical engineering oversight for respective portfolios (i.e. Activities).
- Industrial: Provide technical engineering oversight for workforce efficiency and effectiveness opportunities and maintenance optimization as it pertains to entire Asset Management Process and Principles. This person would be expected to lead data analytics processes.

All Mechanical, Civil, and Electrical engineers shall possess Accreditation Board for Engineering and Technology (ABET) accredited degrees and a minimum of three (3) years of experience post-graduation in the facility engineering (infrastructure maintenance and repair) field of expertise.

All Engineer Technicians shall have a minimum of 10 years' experience in their field of expertise.

The Operations Engineering purpose is to ensure the government makes the right investment at the right time to provide the maximum life-cycle value at the lowest overall ownership cost. The SP shall develop an optimization analytical capability that:

- Provides Optimization Plans for all systems annually to the Government.
- Manages the capture of data and ensures data quality and currency.
- Analyzes all maintenance responses to inform future sustainment and repair actions based on factors such as but not limited to mission risk, maintenance risk and sustainability, and system performance.
- Integrates PM resource investments into the life cycle return on investment and risk evaluations.
- Develops an integrated and balanced approach on use of on-site versus programmed engineering opportunities to accomplish proactive work.
- Documents and reports the optimization strategy and provides for measurability of overall goals and trend improvements.
- Provide Preventive Maintenance (PM) analysis the drives Optimization that answers: Are we doing the right PM at the right frequency (right size). And is the PM program executable given the resources available balanced).

Requirements & Optimization (FO Funds: CEO-01; CEO-07).

- Provide all leadership and management required to satisfactorily fulfill all operations and maintenance (O&M) activities for RP and RPIE IAW this PWS.
- Perform supporting work associated with the acquisition of real property or RPIE including all maintenance design reviews, document preparation, inspection, commissioning of new

equipment prior to the acceptance of work, and attend operational familiarization training, walk through and related activities.

- Inventory, assess, inspect all real property, accountable RPIE, and associated non-RPIE items IAW higher headquarters directives.
- Ensure facility and infrastructure system updates are recorded in respective IT system/database within 60 calendar days after completion of all work activities. Examples: inventory, condition assessment, maintenance actions etc.
- Perform all requisite coordination efforts to ensure a timely response to information requests as identified in the PWS from authorized Government personnel to include, but not limited to, records of inspections, testing documentation, training reports, proof of certifications, operating instructions, appointment letters, and policy letters.
- Advocate for all Operations-related activities.

Demand Maintenance / Customer Service (FO Funds: CEO-01; CEO-07).

2.1.1.1 Operate a centralized customer request center 7 days per week / 24 hours per day.

2.1.1.2. Receive, enter data into NexGen IT, and process Service Request (SR) / Work Task (WT) IAW work task prioritization specified in Work Management Playbook and associated process map.

2.1.1.2.1. Record keeping shall ensure timely and accurate ability to track and monitor customer requests accepted for CE maintenance action from receipt to completion. Additionally, record keeping for Operations internal maintenance requirements without SRs, like system generated PM work tasks or continuous work documentation of plant operations or street sweeping, shall support appropriate work management requirements. Rejected customer requirements shall be appropriately documented in NexGen IT.

2.1.1.2.2. Record keeping and shall accurately capture costs of all labor and materiel on a per task basis and correctly assign the work task record to both the correct real property asset and end-customer ensuring that accumulated real property annual operating costs are captured and enable cost reimbursement billing when applicable.

2.1.1.2.3. Record keeping shall capture and preserve maintenance history in NexGen IT, using both standard enforced maintenance / outage reason codes as well as SP entered maintenance notes. SP data entry directly supports CE enterprise advocacy of maintenance requirements and life-cycle investment decision-making. Data analytical tools developed by the Air Force rely on this data and will be provided to the SP.

2.1.1.3. The SP shall adhere to all data entry quality and accuracy standards in NexGen IT and BUILDER Sustainment Management Systems (SMS) as specified by AF policy, NexGen IT procedures, technical guidance, SMS Playbooks and Air Force Civil Engineering Center (AFCEC) Business Process Library SharePoint.

2.1.1.4. The SP shall train IT system users on data entry standards (e.g., cost accounting, type of work, prioritization, asset coding, maintenance performed, failure descriptions, and direct inspections) and actively maintain an up-to-date training roster.

2.1.1.5. At a minimum, the SP shall conduct a monthly review of each shop's data entry quality, timeliness, and accuracy, and address corrections through cognizant shop leadership. Provide summary to the government no less than quarterly.

2.1.1.6. The SP shall develop unique reports required for local needs or Higher Headquarters taskers upon request.

2.1.1.7. Comply with Work Management Playbook and NexGen IT specific guidance on AFCEC Business Process Library (Government representative will provide access).

2.1.1.8. Provide, receive and process completed Work Clearance Requests (including but not limited to: AF Form 103, locally developed work clearance requests, road closure permits, and utilities outages). For planned utilities outages, coordination with the appropriate agencies must be complete a minimum of 10 business days in advance.

2.1.1.9. Provides coordinated work tasks and/or facility projects for WRRB review and approval.

2.1.1.10 Communicates Work Task decisions, investment plans, repair timelines, and status updates to customers and briefings within established timelines/battle rhythm directed by the government.

2.1.1.11. Initiate and develop work schedules to include coordination with Sub-AMP managers.

2.1.1.12. Under normal operations, classify and prioritize the work requirements received. The Government retains the right to require prioritization of special interest work. The special interest work shall not supersede Emergency or PM Tasks.

2.1.1.13. Executes Work Task closeout actions within 30 calendar days, to include, but not limited to, coordination with the Government to update base maps and applicable floor plans, submit RP capitalization supporting documents, maintenance resolution actions, warranty management, and accurately accounts for all costs.

2.1.1.14. Process all service request (accept or reject) within 1 business day of receipt unless otherwise approved by the government.

2.1.1.15. Classify and prioritize Work Task IAW Air Force Instruction (AFI) 32-1001 allowing scarce resources to be applied in a manner that most effectively addresses life-cycle management and mission critical assets first.

2.1.1.16. Develop and administer a customer-focused Facilities Manager's Program that ensures cost effective expenditures of resources and provide an annual (or upon request) Primary and Alternate Facility Manager List. Key tasks include:

- Oversees Facility Manager assignment process and maintains the facility managers list.
- Offering an initial and refresher training once per month for all facility managers.
- Establishing a working relationship with facility managers.
- Provide necessary training to include Work Requirements, NexGen IT Service Requests (SR), Identification of facility abuse/misuse, Key / Lock control, U-Fix-It Program.

- Coordination with other Government stakeholders, who will also provide training to facility managers during this training.

2.1.1.17. Activate, manage, and staff the CE Unit Control Center (UCC) as required by the government or situation.

2.1.1.18. Maintain accountability of resources to include for example, equipment, personnel, and facilities.

2.1.1.19. Ensure 100% appropriate SMS inventory adjustments and condition assessments in conjunction with all work actions are completed and updated before work closeout actions. This provides “real time” adjustments to BUILDER data as work is being accomplished. Refer to Work Management Playbook for work closeout process (Government representative will provide access).

2.1.1.20. The descriptions of the work tasks in the following section of this PWS is for informational purposes. The management of these programs within R&O is Facility Operations (FO) funded, and the actual In-shop work will be Facility Sustainment, Repairs, Modernization (FSRM) funded.

2.1.1.21. The following chart provides guidance on work priority response times and completion expectations:

Priority	Description	Response Time (eyes-on, materials assessment)	Completion Time	Completion Rate
1	Unscheduled Corrective Maintenance	- 30 mins Duty Day - 60 mins After Hours	24 hours	100%
2A	Preventive Maintenance	As scheduled	As scheduled	100%
3A	Corrective Maintenance – High Priority	48 hours (materials ordered w/in 14 days)	30 days	Varies
3B	Corrective Maintenance – Medium Priority	7 days (materials ordered w/in 14 days)	60 days	Varies
3C	Corrective Maintenance – Low Priority	14 days (materials ordered w/in 14 days)	180 days	Varies
4	Enhancement Work	Low expectation for completion		

Corrective Maintenance Work Task Requirements (R&O oversight of the program, FO Funds: CEO-01; CEO-07 / In-Shop work will be FSRM Funds and captured in the Operations and Maintenance section of this PWS).

2.1.2.1. The SP shall use asset management principles to develop, implement, and execute a proactive and predictive corrective maintenance program with goal of sustaining assets at lowest life cycle cost. In developing this program, the SP may use, but not limited to: NexGen IT, SMS, GeoBase, shop knowledge, RS Means, etc. The SP shall leverage data to drive decisions in work task prioritization to cost effectively optimize sustainment, maintenance, and repair activities. The SP shall execute corrective maintenance concurrently with PM and daily plant operations. In

addition to self-identified work requirements, the corrective maintenance program will also include requests by others to include but not limited to Facility Managers.

2.1.2.2. Unscheduled Corrective Maintenance - Emergency / Priority 1.

2.1.2.2.1. Provide 24 hours a day, seven (7) days a week emergency response capability to sustain or ensure continued mission operations, prevent significant additional damage to facilities and infrastructure or protect the safety and security of the installation, mission, or personnel. Only those actions necessary to mitigate the emergency are accomplished on the emergency work task. Additional work needed to restore complete functionality is identified and scheduled as a lower priority corrective maintenance work task consistent with requirements of similar scope and nature. The Contractor will capture all emergency work activities in the Air Force mandated IT system for maintenance management.

2.1.2.2.2. Additional work needed to restore complete functionality is identified and scheduled as a lower priority corrective maintenance work task, consistent with requirements of similar scope and nature.

2.1.2.2.3. Response to all emergency work takes precedence over all other PM, Corrective Maintenance, and enhancement work as (directed by the government).

2.1.2.2.4. During normal duty hours/operations, respond to 95% of Emergency Corrective Maintenance (CM) work, also referred to as Work Priority 1 within one (30 min from time of notification). Complete or eliminate emergency condition with labor and/or materials as required within 24 hours of notification.

2.1.2.2.5. After normal duty hours/operations, SP will provide standby or emergency response capability to respond to 95% of Emergency Corrective Maintenance work request within 60 minutes after notification. Complete or eliminate emergency condition with labor and/or materials as required within 24 hours after notification.

2.1.2.2.6. SP shall provide a projected critical materials list by system (electrical, exterior plumbing etc.) supporting rapid response to Priority 1 activities for Government approval within 60 days contract award. Upon approval, SP will acquire materials and sustain minimum levels. Critical material list will be reviewed/validated annually.

Priority 2A. Plant Operations (Chilled Water) and PM (FO Funds: CEO-01; CEO-07; CEO-08; CEO-09).

2.1.3.1. Day-to-day operation of plants is accomplished as work task priority code 2A - Plant Operations work. This category of work allows for simplified recordkeeping under a degree of control and oversight desired by the supervisor.

2.1.3.2. Generally, 2A - Plan Operations work is internally identified, approved, and accomplished with minimized record keeping within NexGen IT as a Facility Operations Facility Project (FOFP). Refer to the AFCEC Business Process Library for details (Government representative will provide access).

2.1.3.3. The 2A - Plant Operations FOFP can be opened for a full year fiscal year (1 Oct - 30 Sept). These FOFPs are only intended to capture activities directly related to the daily operation of the plant, they are not intended to capture emergency work, 2A - PM, or corrective maintenance.

2.1.3.4. Within the work task priority code of 2A, there are two sub-categories tracked in NexGen IT.

- One is “2A – PM” and the other is “2A - Plant Operations” and each have different Program Element Codes (PEC) that translate to funding. Workgroups typically tasked with plant operations, such as the Chilled Water Plant are funded by PEC 79.
- Those workgroups not typically assigned plant ops duties are funded by PEC 78. In the end Plant Ops is PEC 79, and normal sustainment activities fall under PEC 78. Priority 2B shall not be used by the SP.

2.1.3.5. Operate, maintain, modify, conduct inspections, repair and replace plant system components. Monitor on a 24-hour, seven-day a week basis. Plants will be operated under appropriate licensing and certifications.

2.1.3.6. Water / Chilled Water. Operate, maintain, modify, and inspect water systems to include Thermal Energy Storage. Monitor the system on a 24-hour, seven (7) day a week basis, and ensure compliance with DoD, AF, federal, state, local, and environmental regulations. Manage and perform activities and functions related to Thermal Storage operations, and associated tasks. Maintain, repair, replace, and collect data from constant monitoring systems such as, chlorine, pH, fluoride, and other water readings.

2.1.3.7. SP shall ensure all materials are available to support continuous plant operations.

Scheduled Sustainment Corrective Maintenance- Priority 3 (R&O oversight of the program, FO Funds: CEO-01; CEO-07 / In-Shop work will be FSRM Funds and captured in the Operations and Maintenance section of this PWS).

2.1.4.1. Work Task Priority Code 3 is maintenance or repair, including repair by replacement, of Real Property up to 150-man hours and less than \$1500 (NOTE: Revise threshold values as locally appropriate) in material cost, per request, that does not require detailed planning. This may require capitalization of the Real Property records to sustain and restore complete functionality.

2.1.4.2. Priority 3A categorizes and prioritizes all work carrying an unabated Risk Assessment Code (RAC) 1-3 or unabated Fire Safety Deficiency (FSD) code 1 and 2. 3A is also scheduled sustainment work for Tier 1 and 2 assets (Core Vulnerability Assessment Management Program [CVAMP], Installation Development Plan [IDP], Air Force Commander's Assessment Management System [AFCAMS], critical utility nodes, statutory requirements, Tactical Mission Dependency Index > 80) as this represents the greatest mission risk if not completed, therefore the highest level of scheduled sustainment work.

2.1.4.3. Respond to and complete all directed Work Task Priority 3A Corrective Maintenance work within 30 calendar days of receipt, excluding material delays unless otherwise approved by the Government.

2.1.4.4. Priority 3B categorizes and prioritizes all work carrying an unabated RAC 4 and 5 or scheduled sustainment work for Tier 3 assets (Company Commander focus items or Mission Dependency Index [MDI] 79-69).

2.1.4.5. Respond to and complete all directed Work Priority 3B CM work within 60 calendar days of receipt, excluding material delays unless otherwise approved by the Government.

2.1.4.6. Priority 3C categorizes and prioritizes scheduled sustainment work for Tier 4 assets (all other sustainment work as defined and prioritized through the Facility Utilization Board process).

2.1.4.7. Respond to and complete all directed Work Priority 3B CM work within 60 calendar days of receipt, excluding material delays unless otherwise approved by the Government.

2.1.4.8. The following chart provides guidance on category description and prioritization:

Category Description	CE Maint Priority	% of Annual Direct Hours*	Comments
Corrective Maintenance (CM) - Sustainment maintenance and repair to keep assets good during managed lifecycle of ownership	3A High	30-60% Primary focus of scheduled work	Maint risk is primary driver to respond urgently, e.g. if left unattended gets worse. RAC 1-3/FSD 1-2
	3B Medium		Maint risk requires expedited response. Also work with key deadline, high profile, etc. RAC 4-5
	3C Low		Low maint risk supports delayed response. Should be completed before enhancement work started, e.g. no backlog >1 yr allowed. FSD 3

2.1.4.9. Material requirements for all Work Priority 3 Corrective Maintenance work shall be processed for acquisition within 14 calendar days.

2.1.4.10. No more than 50% of any sustainment corrective maintenance, Priority 3s, may be assigned annually to a single Priority 3 sub-category unless approved by the Government. (Example: 75% applied to Work Priority 3C).

Facility Operations Facility Projects (FO Funds: CEO-01; CEO-02; CEO-07; CEO-08; CEO-09).

2.1.5.1. When there is little benefit from the repeated creation of individual Work Tasks for an activity performed throughout the year, FOFPs provide an alternative application of the Facility Project Form to reduce this administrative burden. There are also instances where it may not be feasible to create a Work Task for each facility or when essential mission support work is not a sustainment activity performed on real property. For guidance when these situations arise, Pseudo Locations and FOFPs provide the solutions. The government representative can provide specific details and access to on-line resources. The FOFP process is intended to package Work Tasks shops can use for labor and in some cases materiel, for up to an entire FY. R&O creates FOFPs and their associated Work Tasks on a Fiscal Year (FY) basis; it is done this way for two primary reasons.

2.1.5.2. The following activities are most often recorded on FOFPs:

- Snow Removal Operations.
- Street and Airfield Sweeping Operations.
- Utility Plant Operations.
- Work Clearance / AF Form 103 shop support when needed for requirements not executed by the Operations Flight.
- Emergency and Special Program (ESP) Code or Natural Disaster FOFPs (Go to the ESP Code or Natural Disaster FOFPs library for more information, the Government representative will provide access).

2.1.5.3. The SP will use FOFPs and associated Work Task to track all work in these respective activities IAW Government direction. FOFP work tasks are NOT required to follow established timelines of other corrective maintenance work described above.

Enhancement 4A/4B (Funding is dependent and could possibly be FO Funds: CEO-01; CEO-02; CEO-07; CEO-08; CEO-09 or FSRM Funds: CEO-10; CEO-12; CEO-13; CEO-14; CEO-15. Government representative can provide further guidance).

2.1.6.1. Priority 4A/B work is classified as Enhancement and/or discretionary non-real property maintenance work. Enhancement defined as work that is required to enhance missions or infrastructure, therefore NOT sustainment. Because this category does not sustain the installation's as-is state, provide recommendation and justification for Work Request working Group (WRWG) / WRRB approval decision of execution of Priority 4 work by on-site workforce that shows return on investment (ROI) of accomplishment versus impact to all other.

2.1.6.2. Priority 4A work is classified as Restoration and Modernization or work required for facility/infrastructure enhancement/mission sustainment/support work. These requests could also be for a new mission requirement when an addition (add new) or modification to RPIE is required. Examples include replacement of carpet with different material, lighting upgrades, installation of additional electrical outlets, or repair of aesthetic appurtenances, such as landscape lighting. Work tasks in this category may require capitalization. Coordination is required with the Real Property Officer to make the final determination of whether capitalization is required and if so, SP will create the DD Form 1354.

2.1.6.3. Priority 4B work is also classified as discretionary (non-RPIE maintenance) work such as Airshows, Ceremonies, etc.

2.1.6.4. All Priority 4 work execution (to include execution timelines) must be approved by the Government. There might be situations when completing Priority 4 enhancement work ahead of Priority 3 sustainment work is required and is approved of the Government.

2.1.6.5. No more than 10% of Work Priority 4 work (hours) annually shall be assigned and completed unless approved by the government. Funding for enhancement labor will come from a separately government funded CLIN with one sub-CLIN for 4A and one for 4B.

2.1.6.6. Develop written estimates on work 4A/B category when directed by the Government.

Preventive Maintenance (R&O oversight of the program, FO Funds: CEO-01; CEO-07 / In-Shop work will be FSRM Funds and captured in the Operations and Maintenance section of this PWS).

2.1.7.1. Accurately record the inventory and condition of all real property assets and RPIE in in the appropriate SMS to facilitate PM investment determination processes. Establish PM records in NexGen IT.

2.1.7.2. IAW AFMAN 32-1062, para 1.9.5, the SP shall conduct an annual inventory of all CE-operated and maintained RPIE and equipment authorized in-use details (EAID) generators by 1 August each year, including generators that are replacement-eligible, and forward a copy to AFCEC.

2.1.7.3. RPIE generators shall be reconciled with real property records and EAID generators with Custodian Authorizations and Custody Receipt Listing records (CDRL XXXX).

2.1.7.4. SP shall develop an inspection schedule in conjunction with annual PM requirement completion to account for 20% of all RP and RPIE condition assessments in BUILDER annually to ensure 100% of all building assets are assessed every 5 years for PM assets.

2.1.7.5. The SP shall examine the unconstrained asset inventory and develop an executable portfolio of PM requirements, for government review and approval, to sustain the assets, support the mission, and yield an effective Return on Investment. The PM program shall comply with the AFI 32-1001, Chapter 3, the PM Playbook, and the AFCEC PM Business Process Library (Commercial and Air Force specific PM task lists and associated PM execution frequencies are contained in NexGen IT to provide estimated completion times and support NexGen IT PM execution). The SP's PM program shall consider as a minimum:

- Policy driven maintenance requirements.
- Criticality of how the asset supports the mission.
- ROI and cost effectiveness of the PM investment.
- The condition of the asset and its expected life cycle.
- Impacts of warranties that are tied to the asset.
- Annual review and Gov't approval.

2.1.7.6. Any deviations/recommendations to set PM frequencies must be approved by the Government prior to adjustments. SP will provide sound business case for recommended frequency change.

2.1.7.7. If a required PM task is not identified, SP shall refer to the PM Playbook and/or AFI 32-1001 as necessary to determine required actions.

2.1.7.8. PM for all assets in the PM Program must be prioritized over all other forms of work, except for Priority 1 Emergency Work defined in the PWS.

2.1.7.9 Execute a minimum of 95% of the scheduled PM requirements for assets included in the PM program, except for Government-approved deviations.

2.1.7.10. These deviations are limited to issues outside the SP's control, such as a lack of access by facility occupants, facility/equipment under renovation, or other Government determinations.

2.1.7.11. Shall account for the fluctuations of assets, e.g., additions and deletions, throughout the life of the contract.

2.1.7.12. SP shall ensure all materials are available to meet PM schedule requirements.

Work Request Work Group / Work Request Review Board. (FO Funds: CLIN CEO-01; CEO-07).

2.1.8.1. The WRWG is the body of stakeholders (actors) who perform actions in evaluating and preparing a work requirement for possible presentation to the WRRB.

2.1.8.2. The WRWG includes personnel both internal and external to the Civil Engineer Unit with everyone contributing specific inputs relevant to their areas of responsibility to determine the optimal course of action to be taken for each requirement.


2.1.8.3. SP shall develop and execute WRWG duties as described in Work Management Playbook.

2.1.8.4. The WRRB is a formal meeting that reviews work requirements. The WRRB makes execution decisions on work execution. Not all work requirements require a WRRB decision, but all WRRB decisions require varying levels of WRWG input.

2.1.8.5. The Government chairs the WRRB, and all other respective Civil Engineer Flights / Sections are also represented in the WRRB. The WRRB may invite Facility Managers when there is a need to defend or explain the requirement. The WRRB may be virtual or held as a physical meeting at a specified location, date, and time.

2.1.8.6. SP shall conduct recurring (i.e., weekly) WRRB meetings, process, assess and present means of accomplishment for all work task request for WRRB unless otherwise approved by the Government.

2.1.8.7. Use the following process map as a reference to develop WRWG / WRRB capability / process:



In-House Maintenance & Repair Capability / Planning (FO Funds: CLIN CEO-01; CEO-07).

2.1.9.1. Analyze, design, and plan maintenance activities for shop craftsmen execution management using the Playbooks. The efforts shall be limited to small scale in-house actions within WT or facility projects including, but not limited to, inadequate facility lightning protection, resize boiler, drop ceiling repair, install backup power capability, and utility infrastructure bores (including communication bores and hand holes).

2.1.9.2. All personnel performing in-house maintenance and repair planning activities shall possess a minimum of five (5)-years' experience in General Construction with expertise in civil, electrical, and mechanical work.

Activity / Sub-Activity Management Plan (FO Funds: CLIN CEO-01; CEO-07).

2.1.10.1. Use asset management principles to develop and implement an activity management plans IAW AFI 32-1001 and the CEOE Playbook.

2.1.10.2. Responsible and assign Activity and Sub-Activity Managers for assigned below.

Activity
Transportation Networks and Airfield Pavements (TNAP)
Utilities
Sub-Activity
HVAC
Facilities Interior Utility
Electrical
Wastewater/Stormwater
Potable and Non-Potable Water Distribution
Mechanical and Non-Mechanical Distribution

2.1.10.3. Perform all applicable actions listed under Activity/Sub-Activity when serving as the Activity lead. Activity and Sub-Activity descriptions listed below.

2.1.10.4. Oversees the life-cycle performance and identifies the condition of all built and natural infrastructure assets.

2.1.10.5. Reviews and validates built assets condition index and lifecycle requirements generated by SMS (e.g., BUILDER, PAVER etc.) and provide feedback as required.

2.1.10.6. Assigns, gives direction to, and enforces deliverables from sub-activity Subject Matter Experts (SMEs) for each applicable sub-activity by demonstrating a methodical approach of integrating sub-areas into a comprehensive integrated portfolio life-cycle plan.

2.1.10.7. Chairs / Participates in respective Activity Management Integrated Working Group (AMIWG) to integrate and synchronize any Sub-AMP Working Group efforts, quarterly.

2.1.10.8. Ensure appropriate members from across the squadron and installation are invited to and actively participate in AMIWG.

2.1.10.9. Ensure Activity Manager and Sub-Activity Manager regular and recurring participation in the Facilities Board process to prioritize and incorporate Activity requirements into the Base Comprehensive Asset Management Plan (BCAMP).

2.1.10.10. Oversee the sub-activity requirements and integration/prioritization of the sub-activity requirements into the AMP to effectively plan, program, budget, and execute resources necessary for optimal life-cycle operation of the activity using a risk-based approach. AMPs shall be briefed to the Government no less than annually.

2.1.10.11. As required, initiate inspection and root-cause analysis protocols to update compliance inspections to reflect actual conditions. Report findings and recommended courses of action to the government as required or requested.

2.1.10.12. Based on inspection protocols, plans and executes facility asset inspection at a frequency to be determined, but at a minimum, once every five (5) years IAW AFIMC and Office of the Secretary of Defense (OSD) guidance.

2.1.10.13. All SMS data associated with maintenance and repair work (inventory/assessments) will be loaded into SMS as part of the work closeout process to facilitate metric development/life-cycle planning.

2.1.10.14. Ensure completion of Future Year Defense Program +3 plan for each AMP as per AFI 32-1001.

2.1.10.15. Perform all applicable actions between AMPS & Sub-AMPs as required.

2.1.10.15.1. Establishes / Leads quarterly Sub-Activity Working Groups (at a minimum) and ensures appropriate members from across the squadron and installation are invited to, and actively

participate in, these events. SP shall develop minutes of meetings and distribute to USG and representatives, within ten (10) business days after meeting.

2.1.10.15.2. Maintains accountability of entire Sub-activity asset inventory and implements HHQ requirements for RP accounting and linear assets segmentation to define all sub-AMP assets. Note: HHQ is defined as any functional level above the Installation, such as Headquarters Air Force (HAF), Air Force Installation and Mission Support Center (AFIMSC), AFCEC, etc.

2.1.10.15.3. Performs and submits annual review of applicable SMS database information to maintain accurate inventory and demonstrates progress on maintaining conditions evaluation currency within assigned sub-activity assets. Coordinates asset condition inspection visits and makes available appropriate RP data from assessments to real property office.

2.1.10.15.4. Determines and reports the magnitude and impact of the degraded systems on factors such as energy use, system reliability, corrective maintenance trends, mission risk, and plant operations costs.

2.1.10.15.5. Defines the scope and cost alternatives for solutions/requirements to remedy root cause of abnormality to mitigate risk and maximize ROI.

2.1.10.15.6. Ensures the requirements are properly planned IAW the Government / mission requirements and aligns the requirements to the proper execution methods.

2.1.10.15.7. Benchmarks maintenance and repair sub-activities and provide recommended courses of action to the Government.

2.1.10.15.8. Reports to the Activity lead to advocate for Sub-Activity investments and ensure proper coordination with HHQ programming authorities and programmed into the AMP/investment plan, as applicable.

2.1.10.15.9. Ensure coordination with applicable agencies that all Sub-Activity requirements are logged in the NexGen IT system for inclusion in HHQ AMP reviews, as applicable.

2.1.10.15.10. Develop cost estimates, review plans, and advise on Privatized Systems projects in coordination with the government (if applicable).

2.1.10.15.11. Ensure Sub-Activity planning incorporates category management guidelines from HHQ. Category management is the direction to standardize asset types/manufacture across the installation.

2.1.10.15.12. In alignment with the AMP process, periodically identify energy systems for re-commissioning or retro commissioning to improve energy performance and goal attainment.

2.1.10.15.13. Attends design charrettes, performs, and submits project design reviews at each contract milestone to ensure quality; maintainable systems are being implemented.

2.1.10.15.14. Reviews and provides government feedback on construction material submittals as applicable.

2.1.10.15.15. Facilitates integration of AMP plans, requirements, and priorities into the BCAMP.

2.1.10.15.16. Evaluates whether the repair or replacement recommendations from applicable SMS and NexGen IT are valid by using their knowledge of built assets and its related data.

2.1.10.15.17. Ensures all AMP required SMS / NexGen IT data entry requirements and standards are met.

2.1.10.15.18. Performs analysis using the Building Condition Index (BCI), Remaining Service Life (RSL), MDI, PM / corrective maintenance, and defined condition standards and other factors (non-condition based) to identify requirements that need sustainment, restoration, and modernization funding.

2.1.10.15.19. Facilitates compliance with asset management processes related to Build & Natural Infrastructure assets; supports staff assistance visits / inspections and compliance visits.

2.1.10.15.20. Monitors and reviews Service Summary Elements.

2.1.10.16. Transportation Networks and Airfield Pavements (TNAP) AMP.

2.1.10.16.1. This AMP encompasses the provision and management of infrastructure networks to enable the safe and efficient movement of people, equipment, and material. The components of this AMP include Airfield Pavements and non-Airfield pavements.

2.1.10.16.2. Manage TNAP AMP and hold ultimate responsibility for a portfolio of systems at the installation level. Ensure all recommendations/decisions from the AMP working groups are vetted upward through the unit's asset management structure.

2.1.10.16.3. Chairs semi-annual TNAP AMP working group to integrate and synchronize any Sub-AMP working group efforts.

2.1.10.17. Utilities AMP.

2.1.10.17.1. This AMP encompasses Government-owned utilities systems, to include the provision and management of water supply, wastewater, energy, and fuels systems. Included in the Utilities AMP are RPIE generators and EAID generators, airfield lighting, security lighting, lightning protection systems, grounding systems, and cathodic protection systems.

2.1.10.17.2. Note: When primary electrical, water, and natural gas are all privatized, they will not be included in the SP AMPs or Sub-AMP oversight.

2.1.10.17.4. Manage utilities AMP and hold ultimate responsibility for a portfolio of systems at the installation level.

2.1.10.17.5. Chairs semi-annual Utilities AMP working group to integrate and synchronize any Sub-AMP Working Group Efforts. Manages the planning aspect of an activity and integrates the sub-activity requirements and priorities into the AMP to assess the activity, identify requirements, and effectively plan, program, budget, and execute resources necessary for optimal life-cycle operation of the activity using risk-based approach.

2.1.10.18. Utilities SUB-Activity Management Planning Activities.

2.1.10.18.1. The following sub-AMP managers will reside at the base with duties as described below, Electrical sub-AMP, Potable/Non-Potable Water sub-AMP, Wastewater/Storm water sub-AMP, Facility Interior Utility Systems sub-AMP, Mechanical distribution sub-AMP.

2.1.10.18.2. Coordinate with AMP Managers and AMP Integrators to ensure all issues, overarching systems and process problems are clear and logged in government designated data system.

2.1.10.18.3. Chairs semi-annual Sub AMP working groups.

2.1.10.19. Electrical Sub-AMP. This AMP encompasses Government-owned electrical, power production and secondary systems. The SP's areas of responsibilities include:

2.1.10.19.1. Airfield, area, and security lighting. The airfield lighting does not include Ramp Lighting. The area and security lighting does not include lighting that is not permanently affixed to a facility.

2.1.10.19.2. Lightning protection, Grounding Systems and Cathodic Protection on Government-Owned assets.

2.1.10.19.3. Arc flash, relay coordination, and electrical system modeling programs as related to the secondary distribution system.

2.1.10.19.4. Aircraft Arresting System Maintenance.

2.1.10.19.5. Provides facility Industrial Control System (ICS) inputs to the Government facilities AMP manager.

2.1.10.19.6. Shall determine generator fuel supplies to meet emergency electrical requirements.

2.1.10.19.7. Requirements coordination of airfield and roadway lighting/lightning protection systems and aircraft arresting system (AAS), which are also covered in the TNAP AMP.

2.1.10.20. Wastewater / Storm Water Sub-AMP. This AMP encompasses Government-owned:

2.1.10.20.1. Domestic wastewater, and storm water systems to include lift stations, collection lines, manholes, oil/water separators, and other pre-treatment units (storm water pipes, swales, detention/retention areas, and outfalls).

2.1.10.20.2. Watershed-level storm water planning in coordination with the Land Sub-AMP manager. The wastewater/storm water sub-AMP has primacy for all related manmade structures and the land sub-AMP manager consults regarding the effects those structures (or the lack thereof) have on the watershed.

2.1.10.20.3. Note: The Sub-AMP responsibility point of demarcation (POD) is 5-feet away from facilities. Utilities extending to within 5-feet of a facility will fall within the Facilities AMP.

2.1.10.21. Potable/Non-Potable Water sub-AMP. This AMP encompasses Government-owned potable water, non-potable water, and fire emergency services (FES) systems up to the UP POD, but not limited to water wells, secondary distribution lines, pumps, and valves.

2.1.10.22. Mechanical Distribution sub-AMP. This AMP encompasses Government-owned assets providing transmission, monitoring, and maintenance support to the distribution system of Government-owned and privatized non-electric energy transmission systems (natural gas, hot water, steam) within the base boundary up to the POD.

2.1.10.23. HVAC Systems Sub-AMP. SP's areas of responsibility include those facility-related HVAC systems, which are consistent with the commercial standard UNIFORMAT II definitions for mechanical, and conveyance categories, including cooling, heating, and ventilation. In addition, the SP shall develop and provide to the Government a chiller replacement plan 90 calendar days after date of contract and annually thereafter using data from BUILDER or other established life cycle / ROI analysis (CDRL XXXX).

2.1.10.24. Facilities Interior Utility Systems Sub-AMP. SP's areas of responsibility include those systems consistent with UNIFORMAT II definitions for plumbing systems, electrical systems, and FES categories, including interior water and wastewater, fire suppression, lighting, alarms, and interior electrical.

2.1.10.25. Civil Engineer Control System Sub-AMP support. SP shall coordinate with all engineers /sub-AMP chairs to aid in investment planning for CE control systems. SP shall also coordinate with Natural Disaster Recovery Cell, United States Army Corps of Engineers (USACE) & HHQ Subject Matter Experts (SME) on changing policies and technical guidance to ensure standards are met.

BUILDER Sustainment Management System (FO Funds: CLIN CEO-01; CEO-07).

2.1.11.1. SP use of BUILDER is mandatory. SP shall use, maintain, and update an SMS, currently BUILDER, capable of batch filing and producing reports that meet the requirements of this PWS.

2.1.11.2. Manage and administer functions of the BUILDER SMS database to ensure optimum access and usage of the database, and to ensure the accuracy, integrity, and currency of the data IAW established guidelines provided.

2.1.11.3. SP shall develop an inspection schedule for 20% of all RP and RPIE condition assessments in BUILDER annually to ensure 100% of all building assets are assessed every five (5) years for PM assets. SP shall report progress no less than annually to the Government.

2.1.11.4. Input all necessary database entries in conjunction with other squadron flights. The guidance contained in the SMS Playbook and its attachments will supplement the requirements of this PWS.

2.1.11.5. The SP shall generate short term work requirements at least twice per year separated by approximately 6-months each time using the Work Planning BUILDER data. The SP shall review and validate the built assets facility condition index and life-cycle requirements generated by the cycle cost analysis within 14 calendar days after the day the list of potential requirements was created. The SP shall conduct follow-up inspections and validate the accuracy of the requirements and shall consider Tactical Mission Dependency Index (T-MDI) ratings during short term requirements validation.

2.1.11.6. Comply with all performance objectives provided within the guidelines outlined on CE DASH (Government representative can provide access to CE DASH). Locally generated at the installation.

Warranty Management (FO Funds: CLIN CEO-01; CEO-07).

2.1.12.1 The SP's warranty management responsibilities include, but are not limited to:

2.1.12.2. Establishing the warranty program IAW guidance on the AFCEC Business Support Library (Government representative will provide access).

2.1.12.3. Evaluating and planning for warranty stipulations as applicable using an ROI strategy.

2.1.12.4. Scheduling quarterly warranty review meetings with engineers / shops / SMEs.

2.1.12.5. Ensuring all warranty information is catalogued according to the unit warranty tracking system and/or NexGen IT procedures.

2.1.12.6. Briefing each sub-AMP working group quarterly on warranty inspection requirements for the next quarter. At these meetings, the SP shall review warranty calls, remaining warranty life, and plan warranty end-of-life inspections.

2.1.12.7. Providing on-demand engineering expertise to Contract Officer Representatives (COR) for any contract project.

2.1.12.8. Executing warranty calls in coordination with the Government.

Service Contracts Management (FO Funds: CLIN CEO-01; CEO-07). (Government representative will provide further information / guidance).

Refuse (FO Funds: CLIN CEO-04).

Grounds (FO Funds: CLIN CEO-03).

Custodial (FO Funds: CLIN CEO-05).

Others (Grease Traps, Oil Water Separator Cleaning, VTE, Vehicle Denial Barriers, etc.)
[could be FO Funds: CEO-06 or FSRM Funds: CEO-11]).

Material Control (FO Funds: CLIN CEO-01; CEO-07).

2.3.1. Provide and manage material acquisition, logistical support, and associated warehouse activities. Issue materials to work activities, to include log materiel costs and close out work tasks in NexGen IT. Ensure any items used in the maintenance, repair, and replacement of real property, to include rental equipment or items used in support of real property, are available.

2.3.2. Perform materiel acquisition to include determining requirements, acquiring materials, issuing, and tracking materials, and proper cost accounting.

2.3.3. Receive material, to include maintaining and monitoring stock levels, managing holding areas, managing residual storage.

2.3.4. Maintain material handling equipment.

2.3.5. Manage hazardous material (HAZMAT) program.

2.3.6. Demonstrate residual funds reporting on materiel CLIN at the request of a COR.

2.3.7. Maintain a bench stock for needed items for emergency work, PM and highly consumable items to increase material availability and decrease material lead time.

2.3.8. Material items will be from CLIN CEO-13 unless CE leadership decides to incorporate material costs into the Minor Project Program or another CLIN. Materiel Acquisition System (MAS): Contractor shall procure and assume responsibility of material acquisition system and be responsible for annual subscription renewal use.

2.3.9. The Government requires the contractor to assume all required licenses and access rights to ensure continuity.

2.3.10. Upon the COR request, the contractor shall be capable of providing all materiel control program reports. The contractor shall provide inventory listings and Inventory discrepancy adjustments reports monthly.

U-Fix-It Program Management (Labor, FO Funds: CLIN CEO-01; CEO-07 / Materials, FSRM Funds: CLIN CEO-13).

2.3.11.1. The contractor shall operate a U-Fix-It program within Government-furnished space to provide installation facility managers with materials and loanable tools required to fulfill minor repairs at their respective facilities within their technical capability IAW NexGen IT processes.

2.3.11.2. The U-Fix-It function shall be available for facility managers between the hours of 0700 – 1500, Monday through Friday, except for Federal holidays.

2.3.11.3. In fulfilling the U-Fix-It Program requirements, the contractor shall:

2.3.11.3.1. Coordinate and issue all requisite materials and loanable tools as required to fulfill all WTs approved by the Contractor.

2.3.11.3.2. Be responsible for ordering, receipt, and maintaining an adequate inventory of materials and supplies to support facility manager requirements.

2.3.11.3.3. Maintain an adequate bench stock of common U-Fix-It program materials and supplies such as picture hangars, ceiling tiles, carpet squares, light bulbs, outlet covers, toilet seats, etc.

2.3.11.3.4. Maintain an adequate stock of common hand tools to be loaned to facility managers.

2.3.11.3.5. Provide technical oversight and inspection of U-Fix-It WTs to ensure finished work meets building codes.

2.3.11.3.6. Inspect completion of work by facility managers to ensure compliance with all applicable codes and standards.

2.3.11.3.7. Manage and perform all activities and functions related to supporting a U-Fix-It store for designated facility managers.

2.3.11.3.8. Coordinates ordering of materials for store.

2.3.11.3.9. Equip U-Fix-It store to support “one-stop service” for customers.

2.3.11.3.10. Use customer inputs to coordinate adjustments to the approved product list.

2.3.11.3.11. Provide training, technical advice, and materials to perform minor maintenance for example patching walls and touch up paint to foster feeling of pride, and ownership.

2.3.12. Vehicle Management (Government Furnished ONLY) (FO Funds: CLIN CEO-01; CEO-07).

2.3.12.1. Assign a focal point to manage CE vehicle fleet and perform all related activities and responsibilities (If applicable).

2.3.12.2. Process and submit all vehicle requests from the CE organization.

2.3.12.3. Make vehicle assignments.

2.3.12.4. Manage vehicle inventory, monitor the status of all assigned vehicles, provide maintenance oversight, prepare reports, and investigate vehicle incidents.

2.3.12.5. Oversee and monitor the CE activity’s Vehicle Operators Training Programs, including flight line driver training.

Building Automation Energy Analysis (FO Funds: CLIN CEO-01; CEO-07).

2.4.1. Oversee the Environmental Management Control System (EMCS) program and ensure that O&M activities are aligned with installation energy management goals and prioritized to optimally reduce the installations energy consumption through coordination with the Energy Manager and IAW the EMCS Playbook (Government representative will provide access).

2.4.2. Provide the energy manager with supporting performance data, analysis, and recommendations for key building systems (e.g., HVAC, controls, lighting, power systems, water systems) to ensure optimal efficiency and to identify areas of concern.

2.4.3. Establish HVAC and mechanical set points strategy for optimal building operation as determined in coordination with base energy manager.

2.4.4. SP shall have a minimum of 3 years of experience in building automation control systems to support Installation of the Future Initiatives and provide recommendations for system expansion, standardization, and reliability.

Ancillary Programs (FO Funds: CLIN CEO-01; CEO-07).

2.5.1. Support special events when approved by the Government (Classy as Priority 4B).

2.5.2. Special events include but are not limited to Morale, Welfare and Recreation (MWR) events, presidential visits, air shows, retirement ceremonies, change-of-command ceremonies, distinguished visitors, operational readiness/inspections, or any other VIP-type event.

2.5.3. This support may include but is not limited to creation of signs, procurement of materials, and construction/assembly of stages.

2.5.4. SP shall log support activity per guidance on the AFCEC Business Process Library to accommodate special actions required in NexGen IT to properly log special event support from a real property cost perspective (Government representative will provide access).

2.5.5.4. RP Asset Disposal: Evaluate real property and/or real property installed equipment assets for use in other facilities, salvage value or recycled through the Base Recycling Center or through the DLA Disposition Services. Accomplish building decommissioning IAW AFCEC Business Process Library (Government representative will provide access).

2.5.5.5. Work Clearance: Develop and implement a work clearance and utility outage process to meet all safety and Mission Impact Coordination Requirements.

2.5.5.6. SP shall be responsible for the oversight of the process. The requestor must perform all coordination action and provide completed coordination to the SP.

Operations and Maintenance

Heavy Repair (FSRM Funded: CEO-10; CEO-12 unless noted otherwise; Individuals 100% dedicated to management will be FO Funded: CEO-01; CEO-07).

The SP shall be responsible for inspection, maintenance, and repair of all structures, storm water, paved/unpaved roads, and airfield pavements/clearance for real property assets including for example facilities, pavements, roads, sidewalks, and fences.

Review plans and drawings submitted by the Government to verify code compliance, functionality, and maintainability and provide feedback as required.

Ensure accuracy and integrity of existing SMS data systems and provide updates if deviations have occurred. This includes linear segmentation data for pavements (airfields, streets, roads and parking lots) assets.

Ensure utility service outages under the SP's control shall be no more than 60 minutes unless previously scheduled and approved by the Government.

Provide support for disaster recovery operations for example, 24 hours a day, seven (7) days a week, including federal holidays. SP shall at a minimum, but not limited to, provide:

- Brush clearance for search and recovery teams.
- Cutting a diversion ditch for emergency spill response team.
- Debris clearance due to natural disasters.
- Aircraft wreckage removal.

- Move concrete barriers / planters.
- Haul loads of topsoil or base course materials.
- Provide backhoe excavation support, lift heavy objects.
- Provide debris/dirt removal.
- Dispose of unsatisfactory materials generated by excluding environmentally contaminated materials and other emergencies.

Structures (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.1.1.1. Maintain, construct, repair, paint, and modify structural systems and wooden, masonry, metal, and concrete buildings to a fully functional state that operates as designed.

3.1.1.2. Fabricate and repair components of buildings to include for example, doors, windows, floor, ceilings and other real property, and associated non-RPIE items. Note: Carpeting, except for unaccompanied housing, is limited to small sectional repair, not a whole room.

3.1.1.3. An AWS certified welder shall perform all welding.

3.1.1.4. Provide locksmith capabilities repair interior and exterior of facilities.

3.1.1.5. SP shall ensure all inspections; trained and qualified personnel conduct maintenance and opening and repair actions IAW FED-STD-809C. To ensure the protection of classified information, US Citizens shall perform locksmith services or US Persons subject to US law.

3.1.1.6. SP shall install, remove, and maintain General Services Administration (GSA) approved secure container locks (e.g., vaults, safes), RP key / padlocks, cipher locks, cylinder locks.

3.1.1.7. SP shall fulfill all after-duty-hours service calls for lockouts, which shall be performed jointly with Security Forces.

3.1.1.8. In addition, the SP shall fulfill the following tasks:

- Review all key requests to ensure the appropriate facility manager has a valid request. The Government shall approve all mechanical room key requests.
- Ensures keys are issued to facility managers as required.
- Maintain a record for keys signed out to facility managers for tracking purposes.
- Ensures key blanks, master keys, key codes, and duplicates are secured while in possession to avoid misuse or unauthorized access to Government facilities.
- Secure Container Combination Locks. Personnel with the requisite certifications shall perform all locksmith services for Federal Standard FF-L-2740 combination locks. All work associated with defective GSA approved container locks shall be a Priority 1 Emergency repair.

3.1.1.9. Signs. SP shall install, replace, update, and maintain exterior signs IAW with UFC 3-120-01, Design: Sign Standards.

3.1.1.10. The SP shall coordinate all traffic signage with the Base Traffic Engineer to ensure compliance with applicable standards.

3.1.1.11. The SP shall coordinate with the base architect as necessary to ensure compliance with Installation Facilities Standards.

3.1.1.12. Repair interior and exterior of facilities.

3.1.1.13. Establish and maintain an active Roof Inspection Program.

3.1.1.14. Maintain and repair roofing distresses, waterproof membranes, insulation, caulking, flashing, decking, gutters, rooftop equipment, coping, debris removal from roof/gutters, and other structural roof elements IAW UFC 3-110-03 Roofing and AFI 32-1001, Civil Engineer Operations.

3.1.1.15. Conduct periodic inspections, annotate existing conditions, conduct investigation into failures, input data into SMS, and maintain the accuracy of roofing data.

3.1.1.16. Conduct periodic inspections and maintain temporary roofs (e.g., TPO, tarps). Temporary roofing maintenance/repair is limited to recovery solutions for damaged roofing.

3.1.1.17. Refurbish temporary roofs to serviceable condition by replacing waterproof membrane sections, insulation, caulking, flashing, decking, gutters, rooftop equipment, coping as necessary.

3.1.1.18. Replace stretched fabric covers/canopies/sunshades (aircraft sunshades not included) on metal frame structures as required.

3.1.1.19. Complete change of occupancy maintenance for unaccompanied housing

3.1.1.20. Provide support for events for example provide and set up ropes, stanchions, stages, and fences.

Pavements / Equipment (FSRM Funds: CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.1.2.1. SP is limited to minor repairs of road surface defined as no larger than 200 sq. ft. per WT. SP shall prioritize roadway damage as a Priority 1- Emergency if fire response routes are affected or Priority 3A (High) repair if normal traffic flow is impacted.

3.1.2.2. Recreational Paths. Inspect and perform minor repairs to sidewalks, biking paths, jogging paths, and boardwalks to include boardwalk gazebos.

3.1.2.3. Paved Roads Maintenance. Inspect and repair paved roads, curbs, gutters, drainages and culverts, guardrails, and other road components including pavement markings.

3.1.2.4. Unpaved Roads Maintenance. Inspect, maintain, and repair unpaved roads identified on the base maps.

3.1.2.5. Grade unpaved roads as required. The SP shall grade secondary unpaved roads on an annual basis. Impassable unpaved roads will initially be scheduled as a Priority 3A (High) repair. The contractor is not responsible for hunting or fire access roads.

3.1.2.6. Storm Drainage. Maintain and repair storm water drainage systems such as drains, inlets, culverts, headwalls, weirs, ditches, and swales. For open drainage ditches, the SP shall scrape

debris, sediment, and overfill as necessary to maintain a free-flowing condition. All storm water control infrastructure requiring ground disturbance shall be coordinated through the Government prior to work.

3.1.2.7. Containment. Provide the required equipment and perform both routine and emergency containment capability for spills, flooding, surges, pipeline breaks, and sinkholes in order to mitigate damage and environmental impact.

3.1.2.8. Response time for emergency containment shall not exceed 30 minutes during duty hours, 60 minutes after duty hours.

3.1.2.9. Driveways, Parking Lots, and Storage Areas. SP Inspect, repair, and maintain driveways, parking lots, and storage areas. Restripe parking lines in parking lots upon receipt of an approved WT. This does not include privatized housing assets.

3.1.2.10. Fences. Inspect base perimeter, security, and safety fences, gates, anti-intrusion wire, other fence components annually and perform repairs as necessary. Any damage to base perimeter or facility security fencing that allow for unimpeded access shall be completed as a Priority 1 Emergency repair. All other types of fence damage shall be considered a Priority 3A (High) repair.

3.1.2.11. Cranes, Trolley Rail Systems, Lifts, Hoists: The SP shall maintain, inspect, repair, replace, certify, and load test all cranes, trolley rail systems, lifts, and hoists in Appendix P IAW AFMAN91-203 _ACCSUP, Air Force Occupational Safety, Fire, And Health Standards, and (OSHA) Code of Federal Regulations (CFR) 1910.179, Overhead and Gantry Cranes. (Periodic inspection and re-certification of RPIE hoists and cranes are funded by FO. Inspections driven by maintenance or repair are funded by FSRM.)

3.1.2.12. Airfields. Provide minor inspection and repair to airfield pavements, markings, joints and shoulders. Such efforts shall be limited to the scope of a WT requirement. Prior to any minor airfield pavement maintenance or inspection services, the SP shall obtain approval from Airfield Management.

3.1.2.13. Inspect, maintain, and repair linear infrastructure, to include recreational paths, storm water control, paved/unpaved surfaces, fences, and pavement clearance operations IAW AFMAN 32-1041, Pavement Evaluation Program.

Pavement Sweeping / Clearance (FO Funds: CLIN CEO-01; CEO-02; CEO-07; CEO-08).

3.1.3.1. Review plans and drawings for all new requirements provided by the Government to verify code compliance, functionality, and maintainability and provide feedback as required.

3.1.3.2. Develop and maintain a record of pavement and grounds related linear infrastructure in a local database that includes all relevant inspection and condition information.

3.1.3.3. Sweeping Operations. Provide sweeping of paved areas to include airfields, streets, parking lots, walkways, and other similar surfaces. The SP is responsible for providing the requisite sweeping equipment.

3.1.3.3.1. Ensure that sweeping on the airfield does not inhibit airfield operations, unless previously approved by airfield management. Airfields include main airfield, drone runway, all associated taxiways and parking aprons.

3.1.3.3.2. All sweeping operations shall be performed daily in order to keep the surface areas clear of debris.

3.1.3.3.3. All airfield-sweeping operations shall commence IAW local operations. The SP shall respond to after-hours emergency sweeping requests within 60 minutes and coordinates all airfield-sweeping operations with Airfield Management.

3.1.3.4. Develop and maintain a Snow and Ice Removal / Control Plan if required.

3.2. Infrastructure Systems (FSRM Funded: CEO-10; CEO-12 unless noted otherwise; Individuals 100% dedicated to management will be FO Funded: CEO-01; CEO-07).

3.2.1. Inspect, maintain, and repair all infrastructure systems (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.2.1.1. Systems include utilities maintenance, HVAC, interior plumbing, liquid fuels maintenance, fire suppression systems, potable / non-potable water systems, wastewater systems, natural gas, EMCS, Entomology / Pest Management and associated tasks. Ensure infrastructure systems comply with the most current DoD, AF, federal, state, local requirements and environmental regulations.

3.2.1.2. Review plans and drawings submitted by the Government to verify code compliance, functionality, and maintainability and provide feedback as required.

3.2.1.3. Ensure accuracy and integrity of existing SMS data and provide updates if deviations have occurred.

3.2.1.4. For all water and fuels systems, the SP shall perform corrosion control IAW UFC 3-570-06, Operation and Maintenance: Cathodic Protection Systems.

3.2.1.5. Maintain, locate lines, mains and repair, replace, and collect data from all utilities to include for example, water, electric and gas meters except for those utilities that have been privatized.

3.2.1.6. Notify the BCE and Facility Manager or their designated government representative at least 10 business days (two (2) weeks) in advance of scheduled outages.

3.2.1.7. Scheduled outages that affect the base populace, traffic flow or a critical mission will be approved thru wing leadership, published in the base bulletin, and sent to all facility managers (Typically requirement known well in advance of the 10- business day requirement).

3.2.1.8. Utility System Outage Report Tracker (USORT) is the approved energy management information technology system approved by AFCEC to track and report utility system performance IAW AFMAN 32-1061. SP shall log outage events using within five business days using USORTS and guidance found on CE DASH (Government representative will provide access). Record outage

related maintenance and repair work IAW AFCEC guidance (Government representative will provide access).

3.2.1.9. Ensure interruption of service does not exceed 60 minutes unless pre-scheduled, emergency in nature, caused by natural or man-made disaster, or approved by the Government.

3.2.1.10. Notify the BCE and affected occupants of expected downtime due to emergency outages.

3.2.1.11. Ensure real property and RPIE is made operational immediately after utility is restored.

3.2.1.12. Gather linear segmentation data for utilities (water, sewer, storm water, gas and electric) assets and provide supporting documentation.

3.2.1.13. Coordinate with Geospatial personnel and ensure all exposed utility locations, sizes, and composition are correct on base maps.

3.2.1.14. Ensure infrastructure systems comply with the most current DoD, AF, federal, state, local requirements, and environmental regulations.

Environmental Management Control Systems (EMCS) / Operations (FSRM Funds [unless noted below]: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-16).

3.2.2.1. EMCS Management.

3.2.2.2. Supervise EMCS shop and set work schedules.

3.2.2.3. Identify facility control systems life cycle requirements through the CE Control Systems AMP program.

3.2.2.4. Develop PM Plan for system control devices.

3.2.2.5. Coordinate with Information System Security Officer (ISSO) and installation Information Assurance Manager (IAM) to ensure that all access privileges to EMCS are properly approved and managed, and regularly re-evaluated to account for changes to mission, system, and operating requirements.

3.2.2.6. Provide on-the-job-training (OJT) for engineers, workforce managers, and shop-level personnel on tools provided through EMCS.

3.2.2.7. Ensure EMCS operators, maintainers, and analysts are trained as required to fulfill all EMCS requirements.

3.2.2.8. Calibrate, repair, and replace malfunctioning equipment components as necessary to ensure fully functioning system.

3.2.2.9. Conduct PM on control systems IAW established (Preventive Maintenance Task Lists (PMTL)).

3.2.2.10. Maintain the hardware and software components of the EMCS up through the point of demarcation as established by the Government.

3.2.2.11. EMCS Operation (FO Funded: CEO-01; CEO-07). The SP shall be responsible for the following EMCS requirements:

3.2.2.11.1. Monitor system status 24/7, 365 days a year.

3.2.2.11.2. Respond to and clear control system alarms.

3.2.2.11.3. Respond to emergency situations (e.g., a shelter in place (SIP) shutdown)

3.2.2.11.4. Identify and report EMCS component issues using the front-end platform within three (3) business days of discovery.

3.2.2.11.5. Identify predictive maintenance opportunities utilizing EMCS tools and applications through AMP/Sub-AMP management processes.

3.2.2.11.6. Program and adjust temperature setbacks and set points IAW AF Energy guidance.

3.2.2.11.7. Program wire sheets into the EMCS.

3.2.2.11.8. Program and maintain system topology IAW Government provided floorplans and revise as necessary when changes are made.

3.2.2.11.9. Respond to customer inquiries, concerns, and request for special schedules/adjustments related to the EMCS.

3.2.2.11.10. Provide all ISSO support as required to fulfill all EMCS requirements. The SP's ISSO shall comply with DAFGM 2022-32-01 and maintain a minimum information assurance training (IAT) Level II certification IAW DoD 8570.01.1-M, Information Assurance Workforce Improvement Program. The ISSO shall comply with the responsibilities directed in DAFGM 2022-32-01 or AFI 17-101, para 3.13. The ISSO shall possess a minimum of Tier 3 (SECRET) security clearance and IAT Level II certification IAW DoD 8570.01.1-M.

Water & Fuels Systems Maintenance (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15). Inspect, maintain, repair, and modify fire suppression systems, liquid fuel systems, natural gas and liquid petroleum systems, wastewater, and secondary water distributions IAW UFC 3-420-01 Plumbing Systems, UFC 3-430-05 Natural Gas and Liquefied Petroleum Gas Distribution Pipelines, UFC 3-460-03 O&M: Maintenance of Petroleum Systems.

3.2.3.1. Fire Deluge / Pumps.

3.2.3.1.1. Inspect, maintain, repair, replace, and modify fire deluge pumps and associated components. SP shall ensure a certified technician, as required, performs all work.

3.2.3.1.2. Inspect, maintain, repair, replace, and modify fire suppression systems and associated components to include wet-pipe, dry-pipe, deluge, pre-action, foam, pumps, tanks, and chemical systems. This includes chemical testing of the aqueous film forming foam (AFFF) tanks in the aircraft hangars IAW UFC 3-601-02.

3.2.3.2. Swimming Pools.

3.2.3.2.1. Ensure the installation swimming pool is operational, maintained, manned, and winterized as required by the Government.

3.2.3.2.2. All pool maintenance and repair shall be completed by personnel certified as applicable to comply with all State regulatory requirements.

3.2.3.2.3. SP shall prepare the pool for opening in the spring and winterize at the end of each season. The pool opens Memorial Day and closes after Labor Day.

3.2.3.2.4. Document all operational events in records log, to include chemicals and water treatment to ensure proper levels are maintained. SP shall ensure prior coordination with the Government for all work requiring shutdown of pool operation or disruption of availability due to pest control.

3.2.3.3. Irrigation Systems.

3.2.3.3.1. Inspect, maintain, repair, replace, and modify authorized irrigation systems. Only irrigation systems which are Air Force RPIE (earning Sustainment under FSM) are eligible for AFIMSC-funded BOS/BMC service. Any privatized housing, tenant or non-Air Force RPIE must be funded through other means.”.

3.2.3.3.2. Operate sprinkler systems IAW the base watering schedule and check regularly to ensure timers are set correctly.

3.2.3.4. Backflow Prevention.

3.2.3.4.1. Inspect, maintain, repair, replace, and modify non-privatized backflow prevention devices of facility, industrial, and irrigation systems. The following tasks shall be fulfilled by a certified technician:

3.2.3.4.2. Perform cross connection inspections.

3.2.3.4.3. Perform backflow tests as necessary.

3.2.3.4.4. Remove backflow prevention devices no longer required, such as those connected to abandoned irrigation systems or demolished facilities.

3.2.3.4.5. Conduct and submit 5-year backflow/cross connection survey.

3.2.3.5. Water Wells.

3.2.3.5.1. Inspect, maintain, repair, replace, and modify potable water and emergency water wells pump, casing, flanges, electrical, and pipe.

3.2.3.5.2. The POD for wells is typically the first flange as the water exits the pump.

3.2.3.5.3. SP shall record all Water Well meter readings monthly and provide to government.

3.2.3.5.4. If required, SP shall perform drawdown and other required testing. Drilling/installing new wells is not a requirement of the SP.

3.2.3.6. Grease Traps. Inspect and maintain grease traps. The SP shall contact the Contract Officer Representative (COR) and request waste grease removal as required for inspection and maintenance tasks.

3.2.3.7. Oil Water Separators.

3.2.3.7.1. Inspect Oil Water Separator infrastructure/real property and document any deficiencies in SMS.

3.2.3.7.2. Perform minor repairs as required and evaluates condition/effectiveness of structure IAW UFC 3-240-01, Wastewater Collection.

3.2.3.7.3. Document major deficiencies and recommend replacement as required.

3.2.3.7.4. SP is NOT responsible for waste oil skimming/removal. In the event removal services are required to perform required inspections, maintenance or repair, the SP shall contact the COR.

3.2.3.8. Pipelines / Manholes.

3.2.3.8.1. Inspect, clean, and perform minor repairs to wastewater pipelines and manholes.

3.2.3.8.2. Develop and maintain a record of pipeline/manhole related linear infrastructure in a local database that includes all relevant inspection and condition information.

3.2.3.9. Wastewater Systems.

3.2.3.9.1. Inspect, maintain, repair, replace, and modifies wastewater system lift stations and connections, pumps, motors, regulators, valves, controls, telemetry alarms, lubricate equipment, clean wet wells, etc. In addition, the SP shall fulfill the following tasks:

3.2.3.9.2. Maintain operational and maintenance logbooks.

3.2.3.9.3. Provide monthly wastewater report IAW local Wastewater Pretreatment Agreement.

3.2.3.9.4. Perform pH sampling and ensures pH and total flow meters are within specifications.

3.2.3.9.5. Perform annual certification/calibration of total flow meter and pH meter.

3.2.3.9.6. Provides suction/vacuum capabilities and the required equipment to evacuate flooded manholes, clear plugged lines, drain open pits, and collect material within containment areas. Response time for emergencies shall not exceed 60 minutes.

3.2.3.9.7. Collected material shall be disposed of IAW all applicable environmental procedures and regulations.

3.2.3.10. Hydrants. Perform flow tests on fire hydrants and exercise valves to ensure proper operation.

3.2.3.11. Gas Distribution Systems. Maintain, repair, replace, install, operate, manage the gas distribution systems, real property, accountable RPIE, and associated non-RPIE items.

3.2.3.12. Chilled Water System. Maintain, repair, replace, install, operate, and manage the water system for chilled water system.

3.2.3.13. Liquid Fuels System Maintenance.

3.2.3.13.1. Inspect, maintain, repair, replace, and modify liquid fuel systems to include tanks, valves, pumps, pipeline, fill stands, and control panels.

3.2.3.13.2. Perform maintenance on cathodic protection systems for fuels; evaluate impressed current systems and sacrificial systems; complete and submit corrosion surveys and water tank calibrations; complete and submit close-interval surveys; and maintain all required records.

3.2.3.13.3. The Government shall be notified of any requirements that fall outside the scope of a WT.

3.2.3.13.4. SP shall submit a list of all replaced components on capitalized DLA assets on a quarterly basis using a government furnished template.

3.2.3.13.5. Perform all inspections, reporting, sampling, recordkeeping, database management, and others as required for the Installation's Aboveground Storage Tanks (ASTs). This includes services in support of ASTs, sumps, grease traps, oil-water separators, associated piping, and other related equipment, to include permit inventory, and inspection support as required. Maintain inventory in APIMS Storage Tank Accounting and Reporting (STAR) system. Develop and maintain Aboveground Storage Tank Compliance Plan. Consult with base Environmental office for additional guidance.

Entomology / Pest Management (FO Funds: CLIN CEO-01; CEO-07; CEO-08).

3.2.4.1. Perform all pest control requirements IAW AFMAN 32-1053, Integrated Pest Management, and the Bird Aircraft Strike Hazard (BASH).

3.2.4.2. SP shall attend BASH meetings, review base BASH Plan annually and provide feedback as required. Additionally, SP shall be responsible for performing limited herbicide treatment IAW this PWS.

3.2.4.3. Regulatory.

3.2.4.3.1. All SP personnel performing pest control/herbicide treatments shall be certified and licensed by the state for the application of pesticides and herbicides as required.

3.2.4.3.2. SP shall notify affected facility occupants a minimum of 24 hours prior to performing scheduled services.

3.2.4.3.3. SP shall maintain, adequately staff the installation Integrated Pest Management Program (IPMP). The IPMP shall be updated annually and subject to Government approval. In performing all pest control/herbicide requirements, SP shall abide by the Federal Insecticide, Fungicide, and Rodenticide Act. IAW AFMAN 32-1053 para 3.12.5, SP shall submit monthly pest management reports not later than 10 business days after close of month through the Integrated Pest

Management Information System (IPMIS) to include pesticide inventory data, pesticide applicator certification data, and pesticide application data (CDRL XXXX).

3.2.4.4. Pests. Provide wild animal control services, to include monitoring, response, and removal. The SP shall promptly respond to reports of dead or live animals on airfield pavement to minimize interruption of airfield operations. Services related to domestic animal control are not considered part of Civil Engineering Operations Flight.

3.2.4.4.1. SP shall humanely trap, net, relocate live, and dispose of dead animals. All recovery and disposal shall not exceed 1 duty day after notification of the presence of dead or dying animals. If protected species are identified, SP shall contact the Government, Natural Resources, for coordination. When noxious odors indicate the presence of dead rodents or other animals, the SP shall locate and remove dead rodents and animals and apply an effective deodorizer.

3.2.4.4.2. Responsible for mitigation of all undesirable insects, rodents, reptiles, and vermin from associated facilities and grounds on the installation. SP shall perform mosquito fogging for all exterior areas of the installation to effectively control the mosquito population.

3.2.4.4.3. Responsible for identification and initial containment of termites. Initial containment includes eradicating exposed termite contamination and providing treatment, until the Government executes a separate treatment contract. Formal termite treatment will be through a separate service contract per the IPMP.

3.2.4.5. Herbicides. SP shall perform spot treatment for weed control via application of herbicide to pavements, sidewalks, and fence lines at the Government's direction. SP is not responsible for large scale herbicide application.

HVAC (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.2.5.1. Maintain, repair, replace, install, and operate HVAC systems.

3.2.5.2. Maintain, repair, replace, install and operate real property, accountable RPIE, and associated Non-RPIE and RPSE items.

3.2.5.3. Maintain appropriate and consistent climate control throughout the base.

3.2.5.4. Ensure building temperatures and humidity are within specified ranges.

3.2.5.5. SP is responsible for funding rental or leased equipment for up to 180 calendar days to ensure building temperatures and humidity are within specified ranges. Include all work classified as a Priority 1 emergency or Priority 3A.

3.2.5.6. Provide an Industrial Water Treatment Program designed to improve heat transfer systems by reducing biological growth and scale buildup (List located in the Technical Library).

3.2.5.7. Maintain the installations Class I and II Halon and Refrigerant Management Plan.

3.2.5.8. Refrigerant Management.

3.2.5.8.1. SP shall comply with all requirements of the Refrigerant Management Plan.

3.2.5.8.2. SP shall maintain and update the Refrigerant Management Plan on annual basis to ensure compliance with AFMAN 32-7002, Environmental Compliance and Pollution Prevention, Federally Enforceable State Operation Permit, and ensure personnel performing refrigerant requirements are certified as required (CDRL XXXX).

3.2.5.8.3. Except for household type appliances removed from RP facilities prior to salvage, the SP is not responsible to recover refrigerant from non-CE owned assets.

3.2.5.8.4. R-22 / HCSC-22 Refrigerant Replacement. SP shall develop, maintain, and execute an R-22 / HCSC-22 refrigerant replacement program in compliance with Air Force Quality Program and 40 CFR Part 82.

3.2.5.9. SP shall replace or upgrade HVAC systems within scope of a WT or focus project.

3.2.5.10. SP shall ensure personnel performing refrigerant related requirements possess the required certifications IAW 40 CFR Part 82 Sub part F as applicable. Proof of certification shall be readily available upon request.

3.2.5.11. SP shall record all refrigerant related equipment maintenance and servicing actions in the Air Force's refrigerant module in APIMS through the CE Dash.

3.2.5.12. At a minimum, SP shall ensure all service records are recorded in APIMS at least quarterly and leak rates are calculated within the specified regulatory time designated in 40 CFR Part 82 (CDRL XXXX). Consult with base Environmental office for additional guidance.

Facility Systems (FSRM Funded: CEO-10; CEO-12 unless noted otherwise; Individuals 100% dedicated to management will be FO Funded: CEO-01; CEO-07).

3.3.1. Facility System (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15). SP shall be responsible for inspection, testing, maintenance, and repair of controls, alarms, electrical, airfield lighting systems and power production systems for all real property and RPIE assets in support of all facility systems requirements. The SP shall:

3.3.1.1. Review plans and drawings submitted by the Government to verify code compliance, functionality, and maintainability and provide feedback as required.

3.3.1.2. Ensure accuracy and integrity of existing SMS data and provide updates if deviations have occurred.

3.3.1.3. Ensure utility service outages under the SP's control shall be no more than 60 minutes in duration unless previously scheduled and approved by the Government.

3.3.1.4. Industrial Control Systems (ICS).

3.3.1.4.1. Manage, monitor, maintain, install, replace, repair, operate, and conduct inspections based on ICSs standards across all systems per AF policy and technical guidance.

3.3.1.4.2. Maintain ICS to ensure the Information Assurance (IA) compliance meets the technical guidance and criteria for IA of CE ICS that utilize any means of connectivity to connect devices and points to panels and any central monitoring workstations, to include for example the local area

network (LAN) based, radio frequency (RF), twisted pair, phone, fiber optic, and wireless methods.

Fire Alarms (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.3.2.1. Inspect, test, and maintain fire alarm systems, water-based systems, special hazard suppression systems, and the mass notification systems. These activities include repair, replacement, and modification of RPIE alarm control panels, annunciator equipment, initiating devices, notification appliances, mass notification systems, ultra-sensitive smoke detection systems, wet chemical fire suppression systems, and digital alarm transmitters/receivers. The SP shall:

3.3.2.2. Ensure a certified technician as required performs all work. This requirement does NOT include non-RPIE security alarms or cameras.

3.3.2.3. Complete efforts under this PWS section in coordination with the efforts identified in this PWS for Water and Fuels system maintenance.

3.3.2.4. Provide inspection and testing schedules to the Fire Department and cognizant Facility Manager at least two business days prior to execution of any testing.

3.3.2.5. Inspect, test, operate, and maintain carbon monoxide detection systems, environmental detection alarms, frequency modulated (FM) antennas, lift station controls, and base station and transceivers connected to these alarms IAW manufacturers' recommendations and local procedures.

Electrical Systems (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.3.3.1. Inspect, maintain, and repair of energized and de-energized primary and secondary electrical service for all real property and temporary structures listed in Appendix B, IAW AFMAN 32-1062, Electrical Systems, Power Plants and Generators (DOES NOT apply to privatized electrical systems).

3.3.3.2. Coordinate with the Utility Privatization (UP) System Owner prior to performing work that may affect the primary electrical distribution system as necessary.

3.3.3.3. Inspect, maintain, repair, replace, and modify interior electrical systems and subsystem grounds IAW UFC 3-520-01, Interior Electrical Systems

3.3.3.4. Inspect, maintain, repair, replace, and modify grounding and lightning protection systems.

3.3.3.5. SP shall complete all grounding/lightning protection system activities in strict adherence to AFMAN 32-1065 and UFC 3-575-01 Lightning and Static Electricity Protection Systems.

3.3.3.6. Inspect, maintain, repair, replace, and modify secondary electrical systems, exterior streetlights not conveyed to the UP SP, airfield rotating beacon, and the base traffic signal. SP is responsible for exterior streetlight repairs until conveyed.

3.3.3.7. SP shall implement a corrosion control program IAW AFI 32-1001 Civil Engineer Operations, Ch 14. Inspect, maintain, repair, replace, and modify cathodic protections systems IAW UFC 3-570-06 Operation and Maintenance, Cathodic Protection Systems.

3.3.3.8. Inspect, maintain, repair, replace, and modify airfield lighting systems AFMAN 32-1040, Civil Engineer Airfield Infrastructure Systems, and IAW UFC 3-535-01, Visual Air Navigation Facilities.

3.3.3.9. Notify COR of any issue that requires a NOTAM (notice containing information essential to personnel concerned with flight operations) longer than 24 hours.

Power Production (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.3.4.1. Inspect, maintain, and repair of emergency power systems, fire deluge pumps, and AAS. Utilize appropriate modules of APIMS (Facility Power). Stationary Emergency Reciprocating Internal Combustion Engine operating hours shall be reported monthly (NLT 20 calendar days of the following month) in APIMS). Consult with base Environmental office for additional guidance.

3.3.4.2. IAW AFMAN 32-1062, para 1.9.5 SP shall conduct an annual inventory of all CE-operated and maintained RPIE and EAID generators by 1 August each year, including generators that are replacement-eligible, and forward a copy to AFCEC / COSM.

3.3.4.3. RPIE generators shall be reconciled with real property records and EAID generators with Custodian Authorizations and Custody Receipt Listing records. (CDRL XXXX).

3.3.4.4. SP shall coordinate all testing requirements IAW UFC 3-540-01, Engine-Driven Generator Systems for Prime and Standby Power Applications.

3.3.4.5. Inspect, troubleshoot, operate, maintain, repair, replace, and modify RPIE and EAID automatic transfer switches, and associated components IAW UFC 3- 540-01, Engine-Driven Generator Systems for Prime and Standby Power Applications.

3.3.4.6. Notify COR of any generator incapable of functioning longer than 24 hours.

3.3.4.7. Position and monitor EAID generators as necessary to provide emergency power for critical repairs or hurricane preparedness.

3.3.4.8. Inform the Government of inoperative systems.

3.3.4.9. Provide system operations training to facility managers for assigned RPIE generators.

3.3.4.10. Aircraft Arresting Systems. Inspect, maintain, repair, replaces, certify, and modify the various aircraft arresting systems. Refer to the SP technical order (TO) distribution office for applicable AAS technical orders IAW TO 00-5-1, Air Force Technical Order System.

3.3.4.11 Perform all power production requirements identified in AFMAN 32-1040, Civil Engineer Airfield Infrastructure Systems and FC 3-260-18F, Air Force Aircraft Arresting Systems Installation, Operation, and Maintenance, to include developing local instructions, training programs, record keeping, and status reporting.

3.3.4.12. Responsible for all after-hours requirements and reconfigurations and shall respond to all after-hours maintenance requests within 60 minutes.

3.3.4.13 Submit a report on AAS engagements and missed within five (5) workdays to AFCEC via the Aircraft Arresting Reporting System (Government representative will provide access) unless otherwise approved by the government (CDRL XXXX).

Unaccompanied Housing Maintenance (FSRM Funds: CLIN CEO-10; CEO-12; CEO-13; CEO-14; CEO-15).

3.3.5.1. Accomplish maintenance and repair of all UH units when the occupant moves out and before the new occupant occupies the room/suites. **For unoccupied housing units, maintain a caretaker status with monthly inspections for moisture and rodents, checks for damages and repairs.**

3.3.5.2. SP shall complete occupancy inspections, repairs, maintenance and service on dorm units within fourteen (14) days of acceptance. SP shall complete all items on Installation provided checklist and ensure all work areas are returned to condition acceptable for occupants to move in.

3.3.5.3. Unit downtime of UH is 14 calendar days, exclusive of material delays for change of occupancy. The 14-calendar day maintenance downtime requirement starts when notified by dormitory staff that the occupant has vacated the quarters.

3.3.5.4. Report to the Government all required maintenance work that may have been caused by abuse or negligence on the part of the current occupant within three (3) business days.

3.3.5.5. Change of Occupancy Maintenance (COM). Perform COM in permanent party dormitories per a checklist (AFIMSC standard versus base options) which at a minimum includes those items listed below:

Description	Dorms
Interior Structure	
Window treatment (Venetian Blinds, window shades, mini-blinds)	X
Floor tile, carpet, hardwood floors	X
Door and window hardware	X
Bathroom accessories	X
Medicine cabinets	X
Walls and ceilings	X
Baseboards, shoe mold	X
Door jambs, thresholds, door stops	X
Ceramic/metal wall tile to include caps, base tile and ceramic floor tile	X
Cabinet tops	X
Shower units, lavatories, countertops, door facings, windows, baseboards, and stairs	X
Window sills, casing, and baseboards	X
Window screens	X
Cabinet hinges, cabinet latches, drawer pulls, and drawer guides, cabinet catches	X
Kitchen and bathroom exhaust fans and filter replacement	X

Description	Dorms
Thermostats	X
Faucets, drains and overflows on sinks, lavatories, and bathtubs	X
Plugs, traps and strainer baskets	X
Flush valves, ball cocks	X
Angle stops, and cut-off valves	X
Waste drain to main sewer lines	X
Smoke detectors	X
Electric switches, panels, doorbells	X
Light fixtures	X
Ceiling fans	X
Exterior Structure	
Entrance doors, including jambs, casing.	X
Door hardware	X
Weathering stripping on all entrance doors	X
Window screens and storm windows	X
Window glass	X
Steps	X
Name plate holders	X

Logistics Readiness

Traffic Management

Provide a full range of traffic management services for base organizations including day-to-day cargo movement, passenger movements, personal property, and exercise and contingency operations.

Cost Estimates.

Gather shipment data, provide cost estimates, and budget data as requested annually by the Logistics Readiness Resource Advisor (RA).

Provide passenger and shipment data and cost estimates per customer request.

Submit an annual budget forecast for local O&M funding requirements through the RA.

Provide forecast requirements IAW DoDI 4500.57 and AFI 24-602V2.

Program Management.

Provide management of deployment and distribution logistics functions IAW AFI 24-602V2 Cargo Movement.

Provide Traffic Management Manager (TM) responsible for the daily operation of the Traffic Management Office (TMO) functions IAW AFI 24-602v1, AFI 24-602V2, AFI 24-602V4, and other DoD established directives.

Provide TMO specialists to the TM to facilitate day-to-day operational support. TM shall appoint TMO specialists as Transportation Agent(s) for the Transportation Officer for the purpose of signing transportation documents that do not obligate/involve expenditure of Government funds IAW DTR 4500.9-R.

Designate and prepare in writing required Primary and Alternate(s), and designated representatives' appointment letters that shall be for the review and signature of either the Transportation Officer, the Logistics Director, Squadron Commander, the Mission Support Group, or the Wing Commander.

Traffic Management Specific Functions.

Syncada.

Provide Syncada system administration services resolving system problems with system provider; maintaining log of system problems, uploading software and software changes per instructions provided.

Validate service has been performed and prepare final documents for Authority Official (AO) certification and Defense Finance and Accounting Services (DFAS) billings NLT 72 hours after the Account Statement is posted on Syncada website.

Resolve disputes IAW Syncada guidelines.

Provide Syncada system support IAW DoDI 4500.57 and AFI 24-602V2. Upon receipt of monthly billing from the Syncada, verify cost data, resolve disputed transactions, prepare bill for Authority Official (AO) certification, and forward to DFAS for payment, and file documentation.

Reusable Container Program.

Design and implement a program to maximize the use of reusable containers for the base. Establish program goals established IAW AFI 24-602V2.

Carrier Responsibilities.

Advise carrier of responsibilities and legal provisions, arrange for billing of services rendered, inspect vehicle and driver's credentials, report carrier abuse IAW DoDI 4500.57, Part II, and AFI 24-602V2.

Terminal Facilities Guide.

Ensure the Transportation Facilities Guide is current and maintained IAW DoDI 4500.57, Part II.

Wood Packaging Material Program.

Serve as Wood Packaging Material site custodian for the base. The transportation COR will serve as the site auditor. The site custodian and the site auditor both will be appointed and certified in writing IAW AFI 24-602V2. Site Custodian and alternate and Site Auditor must renew certificates for training every two years and follow reporting requirements IAW AFI 24-602V2.

Freight and Cargo Movement.

Cargo Inbound.

General Cargo, Special Cargo (Other) and Special Cargo (Explosives).

Use the Cargo Movement Operation System (CMOS) and Syncada billing system in the performance of all work. In-check shipments into CMOS to close out the REPSHIP IAW DoDI 4500.57, Part II, AFMAN 24-204, AFI 24-602V2 and AFMAN 91-201.

Damaged or Pilfered Cargo.

Inspect cargo for damage or pilferage, make necessary notifications, and prepare Transportation Discrepancy Report (TDR) in CMOS or SDR and follow up as needed. File CBL and other supporting documentation IAW DoDI 4500.57 and AFI 24-602V2.

Over/Short Cargo Shipments.

Investigate all over shipments and take the appropriate action IAW DoDI 4500.57, Part II and AFI 24-602V2. If cargo shortage, initiate tracer action, TDR in CMOS and follow-up as needed to retrieve property and file CBL and other supporting documentation IAW DoDI 4500.57 and AFI 24-602V2.

Non-Receipted/Overdue Inbound Shipments.

Upon receipt of Tracer Action Required (TAR) listing with inbound astray or non-receipted shipments from Materiel Management, accomplish appropriate research to determine status of overdue inbound shipment, annotate listing and attach supporting documentation as necessary,

return listing to Materiel Management and file record copy IAW DoDI 4500.57 and AFI 24-602V2.

Materiel Receiving.

Manage authorizations to receipt and inspect classified/sensitive materiel, to include Arms, Ammunition, Explosives (AA&E) and Nuclear Weapons-Related Material (NWRM). Contractor handling and processing of inbound classified/sensitive materials shall possess U.S. Secret Clearance and appointed by the Commander or LRS Accountable Officer IAW DAFI 24-602V2 and DAFMAN 23-300.

Offloading of Commercial/Government Carriers.

Off load materiel delivered by commercial and government carriers not to include government purchase card deliveries, not addressed for delivery to supply. Shall not off load explosives and munitions but shall follow the notification procedures and all procedures within the Installation Defense Plan. Only off-load material addressed to the installation when presented by a mixed cargo manifest load.

Visually inspect shipping container or materiel and obtain carrier's and receiver's signatures on the Commercial Bill of Lading (CBL) for damages, shortages and other discrepancies as noted on the CBL.

Annotate time and date of delivery on the CBL or other similar delivery documents except for carriers using automated or electronic signature systems.

Provide courtesy storage when directed by the AO and notify intended recipient to pick-up non-Integrated Logistics Support-Supply (ILS-S) materiel. Off-load commercial carriers within the allowable free time established by applicable tenders, tariffs, and contracts. SP shall be subject to the assessment of demurrage, detention, and storage charges attributed to non-compliance.

Receipt Processing.

Validate materiel received against receipt document and incheck using CMOS. This is TMO's main responsibility with receiving inbound shipment under MILSTRIP. Inbound shipment that is coming under MILSTRIP is sent to the Supply Warehouse for processing in ILS-S.

Processing Receipts	Time Standard
Priority Designator 01/08	4 Hours*
Priority Designator 09/15	1 Workday

Processing Shipments	Time Standard
MICAP	4 Hours*
Transportation Priority Group 1	8 Hours
Transportation Priority Group 2	1 Workday
Transportation Priority Group 3	2 Workdays

* If MICAP, receipt processing time begins when property is off loaded from carrier to meet the delivery of due-out released (DOR) time of 1 hour

Maintain a log for all non-ILS-S items received. As a minimum, log will contain date/time material was received, item identification and customer name.

Loading of Surface Commercial/Government Carriers.

Load materiel for units assigned to installations delivered by commercial and government surface carriers, to include deliveries not addressed for delivery to LRS/CC. Follow the notification procedures and all procedures within the Installation Defense Plan upon receipt of inbound munitions shipment.

Complete Report of Shipment (REPSHIPS) upon arrival of explosives shipment carrier and provide offload/storage assistance as required to munitions maintenance personnel. Visually inspect shipping container or materiel and obtain carriers' and receivers' signatures on the CBL for damages, shortages and other discrepancies as noted on the CBL. Annotate time and date of delivery on the CBL or other similar delivery documents except for carriers using automated or electronic signature systems. Off-load commercial carriers within the allowable free time established by applicable tenders, tariffs, and contracts. SP subject to the assessment of demurrage, detention, and storage charges attributed to non-compliance.

Notify customer when property is available for pickup, annotate customer contact information on the property log and provide courtesy short-term storage pending customer pickup (IAW AFI 24-602V2). Assist customer to locate and load their property into pickup vehicle when requested, verify property is released to the appropriate customer, and ensure released non-ILS-S items are documented and signed for on the property log provided by the AO/COR. If property is not picked up within time frame, notify the AO/COR.

Ensure Radio Frequency Identification (RFID) tags are maintained and stored (IAW 24-602V2).

Customs Border Clearance Program.

Manage the Customs Border Clearance Program in compliance with DOD 4500.9R, DTR Part V, EUCOM Instruction 4002.01 and other applicable directives for inbound shipments.

Cargo Outbound.

Commercial/Military Surface and Air.

Upon receipt of outbound cargo from customer, provide outbound cargo services for general cargo, special cargo (to include transportation protected service cargo (IAW AFI 24-602V2), and special cargo (explosives) IAW DOT and DoD directives and the Uniform Materiel Movement and Issue Priority System (UMMIPS) time standards in the DTR. The services include, but are not limited to, segregating cargo, operating forklift and other MHE, checking documentation for accuracy, determining transportation mode; packaging, marking and labeling cargo for shipment IAW Military Standard (MIL STD) 129, Special Packaging Instructions (SPIs), Technical Order references; certifying hazardous cargo shipments, preparing shipping documentation, use ICODES to prepare load plans, obtaining airlift clearances, preparing REPSHIPS, blocking/bracing, movement preparation/palletization and conveyance loading. Construct, or repair

shipping containers as needed. Contact the Surface Deployment and Distribution Command (SDDC) for outsized cargo movement assistance, special cargo as required and arrange pickup with commercial carrier as required. Install system software updates IAW instructions provided by CMOS or ICODES system administrator.

Materiel Outbound Shipment.

Manage authorizations to inspect, package, and ship classified/sensitive materiel, to include Arms, Ammunition, Explosives (AA&E) and Nuclear Weapons-Related Material (NWRM). Contractor handling and processing of outbound classified/sensitive materials shall possess U.S. Secret Clearance and appointed by the Commander or LRS Accountable Officer IAW DAFI 24-602V2 and DAFMAN 23-300.

Delinquent Shipment Listing.

Upon receipt of Delinquent/Problem Shipment Listing from Materiel Management, initiate appropriate tracer actions to determine shipping status, and provide updates to Materiel Management with required documentation IAW DAFMAN 23-300.

Packaging Deficiencies.

Upon receipt of a Report of Discrepancy (ROD) for a packaging deficiency, notify responsible individuals of the deficiency and ensure proper training is administered. Report item and packaging discrepancies IAW AFI 24-602V2.

Defense Logistics Agency Disposition Services.

Ensure materiel delivered to DLADS is demilitarized IAW AFMAN 23-122 and AFI 23-101.

Special Cargo.

Prepare “Shippers Declaration of Dangerous Goods” for hazardous cargo (certification), perform truck inspections, check driver’s credentials, complete appropriate documentation, and coordinate movement with appropriate base agencies IAW DoDI 4500.57 Transportation and Traffic Management, 49 CFR, and International Air Transport Association (IATA), AFMAN 91-201, and any applicable supplements. Comply with AFMAN 24-204 for military air shipments.

Special Cargo (Explosives).

Upon receipt of Report of Shipment (REPSHIP), or notification from carrier, of inbound explosives shipment, notify appropriate base agencies, coordinate arrival with carrier, inspect vehicle, receive and process explosives shipment IAW DoDI 4500.57, Part II, AFMAN 24-204, AFI 24-602V2, AFMAN 91-201 and local base policies.

Aircraft Engine Shipment and Receipt.

Process documentation on aircraft engines for movement according to TO 00-85-20, Engine Shipment Instructions and AFI 24-602V2. Work with the Base Engine Manager to ensure local written procedures are followed for engine shipment receipt.

Refuge/Secure Holding Area.

Designate a Refuge/Secure Holding area. Advise carrier of responsibilities and legal provisions, arrange for billing of services rendered, inspect vehicle and driver's credentials, and report carrier abuse (IAW DoDI 4500.57, Part II and AFI 24-602V2).

DOT SP and Component Authority Approval Report.

Submit a consolidated DOT-SP and Competent Authority Approval (CAA) usage report to the Surface Deployment and Distribution Command on a quarterly basis IAW with DoDI 4500.57, Part II. This report is due NLT the 15th day of Jan, April, July and October of each year. Negative reports are required. DODAACs with negative reports follow the "No report for this quarter" process.

Scale Calibration.

Calibrate government-owned scales in accordance with the appropriate TO, maintenance handbook, or commercial data pertaining to each individual scale. In the absence of calibration guidance, scales will be calibrated at least annually or more frequently if required by law. Annual notifications are submitted to the AO NLT 30 calendar days prior to certification expiration date. Coordinate required calibration with the AOs. Coordinate with the AO and the appropriate base agency at least annually or more frequently, if required by law, to maintain calibration of government-owned scales.

Maximum Capability to Operate.

Identify to the CO and AO the maximum capability to operate as stated herein on a 24-hour, 7-day-per-week basis within 30 days after contract start date.

Support to ICODES.

Provide personnel and support for ICODES, LOGMOD or other Air Force approved programs in support of base exercises and deployments (IAW DoDI 4500.57 and the installation IDP).

Other Deployment Training Functions.

Conduct CMOS operator overview courses based on demand as verified by the AO. Conduct familiarization training courses on topics listed below. Other topics may be included upon approval from AO. All familiarization courses will be based on demand as verified by the AO. Training will be tracked by the SP and provided to the IDRC. Training courses will be prepared, scheduled, and taught IAW applicable AFIs, 49 CFR, and installation policy.

Coordination of Travel Requirements.

Upon receipt of request, provide OCONUS group or individual travel services coordinating travel requirements through web TM Global Air Transportation Execution System (GATES) reservation system, coordinating with CTO for travel to point of debarkation, and briefing the foreign clearance guide requirements. Review travel orders and determine travel entitlements, brief customer on essential travel information and instructions, discrepancies with customer, process ticket cancellations, void and refund actions as needed. Comply with guidelines in DoDI 4500.57 and AFI 24-602V1.

GATES/ICODES.

The SP shall identify system problems to the GATES or ICODES help desk at Scott AFB IL, implement solutions as directed by the help desk or local communications service desk, and maintain record of problems. Install system software updates IAW instructions provided by GATES or ICODES system administrator. Comply with guidelines in DoDI 4500.57.

Surface Travel.

Upon receipt of notification for group or individual travel, complete travel arrangements determining travel mode, coordinating excess baggage, weapons, or other special requirements, notifying the CTO of travel and special travel requirements, receiving and validating authorization (travel orders) for issuance of tickets and rental vehicles, and maintaining all documents required for the billing process IAW DOD 7000.14-R, FMR. Brief customer on essential travel information and instructions, address discrepancies with customer, verify ticket cancellations as needed. If chartered bus is travel mode, refer to (DoDI 4500.57).

Contractor Training.

Responsible for developing schedule and retraining timeframes to ensure members remain current in all required qualifications (i.e. HAZMAT) to perform tasks as listed.

Technical Specialist Program.

Technical specialists are unit personnel who are required to prepare unit-owned HAZMAT cargo for mobility only purposes as outlined in DoDI 4500.57, Part III. Administer the base Technical Specialist program (IAW AFMAN 24-204). Conduct Technical Specialist courses based on demand, as verified by the COR/CO. Record training and notify unit commanders of test results. Validate appointment letters from unit commanders, distribute to appropriate base agencies and maintain files for 3 years. Ensure units are aware of refresher technical specialist training requirements and will notify unit commanders when their unit technical specialist certifications have expired. Training will be tracked by the SP and provided to the IDRC.

Special Functions.

Specific Functions for transportation and storage of personal property counseling briefings, residential and warehouse household goods quality assurance inspections, passenger travel counseling briefings, and customer service assistance.

Transportation and Storage of Personal Property Briefings.

It is imperative that members, in receipt of orders, obtain counseling/authorization for their moves. Members and employees will be individually counselled to the maximum extent possible. This includes counselling by face-to-face, group, phone or virtual methods. Counselors shall follow provided guidelines in AFI 24-602V4, and the DTR 4500.9-R, Part IV. Council members on HHG Shipment and Storage authorization based on member type of orders to include but not limited to Temporary Duty (TDY), Permanent Change of Station (PCS), Permanent Change of Assignment (PCA), Local Move, Separation, Retirement, and/or Special Orders. Counseling shall be conducted using the Defense Personal Property System (DPS), Transportation Operational Personal Property Standard System (TOPS) or other approved Automated Data

Systems (ADS). Brief and provide members information on the methods and procedures for performing a personally procured move, temporary storage, and non-temporary storage, and shipment weight entitlement. Advise members of their rights to file claims with the government and insurance coverage for their HHGs. Council members of their responsibilities prior/during/and completion of HHGs move.

Quality Control Inspections.

The QC function is critical to providing quality personal property movement for our customers (member/employee or their authorized agent) and will be organized to permit effective use of resources to meet this mission. QC will be familiar with AFI 24-602V4, DTR 4500.9-R, Part IV and Appendix J to the Tender of Service Personal Property Non-temporary Storage booklet. QC shall enforce an 80% Quality Assurance inspection rate for all personal property shipments. Report monthly the Quality Assurance inspection rate data. Data will be uploaded at <https://eis.afimsc.us.af.mil/isd/izs/IZSL/IZSLTraffic/SitePages/Home.aspx>. QC shall inspect 80% of all personal property shipments in their area of responsibility. Credit for an inspection will be taken on the pickup/delivery date only after the requirements are met for on-site inspections. Telephonic inspections are permitted when distance or unique circumstances warrant. Inspection credit will be limited to one, regardless of the number of times a shipment is visited during pack/pickup or delivery. Multiple visits are considered an integral part to a quality inspection. QC will complete the Area Telephonic Inspection Checklist and retain a copy with the Physical Inspection Checklist.

Passenger Travel Program.

TM will provide a passenger travel representative(s) that will assist all members who are requesting official travel. The SP shall receive DTS training/certificate and will have limited access rights for observation/review for those members who request use of the CBA. The SP shall look in DTS daily to see if any member has submitted a CBA request. SP shall contact each member by email/telephone and find out why the member is requesting use of the CBA, inform each member what is required prior to having the CBA request approved by the TO/COR. SP shall provide the member with the proper documentations and request that the documentation be completed and returned. SP shall inform the CBA Certifying Official of all CBA request pending review/approval in DTS and provide to the CBA Certifying Official all required documents (request letter/orders) prior to approval.

Passenger Special Functions.

SP shall prepare Deviation Request Memo for TO/COR review/signature and contact TMC or TRAVCO or for all deviation cost amounts. SP shall provide statement/information of U.S. Flag Carriers travel requirement on member Deviation Request Memo. SP shall request monthly and quarterly TMC generated reports and billing documents through TO/COR. SP shall accurately review processed Unused Ticket Reports and CitiBank CBA Usage Reports and will forward to the COR for review and certification. SP shall upload monthly/quarterly reports to Air Force Installation and Mission Support Command (AFIMSC) and DFAS. SP shall receive access to World Span network and complete a weekly review of TMC General Service Agency (GSA) Airline City Pair Fare monthly ticket purchases and inform TO/COR of any discrepancies. SP

shall work with Cargo during exercise and contingency operations. Process passengers for air transportation for military or civilian aircraft arriving and departing the installation. Representative will use GATES for deployments, etc., booking of Air Mobility Command (AMC) missions and work directly with the base IDO. TM and staff be knowledgeable on AFI 24-602V1, and DoDI 4500.57.

Customer Service Assistance.

TM and staff will provide the utmost respect and quality of service to all TMO customers. Personally Procured Move (PPM) packages will be received, reviewed, computed, and processed for incentive payments and provided to the COR for certification. TMO staff will operate the base scale; ensure compliance with state, federal laws and directives, ensure the base scale is inspected and calibrated annually, will have the scale available to commercial trucks performing local moves and to military/civilian members performing PPM moves. TMO staff will provide a Customer Survey Card during Face-to-Face briefings, and during QC residential inspections. Members will be informed to go in to the move.mil site and complete an after move survey for origin and destination. The TO and Logistics Deputy/Director/COR, AO will be immediately notified of any problems between the member and TMO that cannot be resolved at the AO local level first. No more than one (1) discrepancy can be documented during each inspection.

Vehicle Management

Overview.

Provide effective vehicle management, receipt, assignment, accountability, operation, transfer, inspection, and maintenance services for the base vehicle fleet, tenant organization vehicles, selected registered and non-registered equipment, and transient vehicles. Vehicles assigned are a combination of in-house government-owned vehicles and limited commercial leased vehicles.

Accomplish commercial lease vehicle servicing and maintenance IAW commercial lease policies as defined in DAFI 24-302.

Provide minor, major, unscheduled, scheduled, and preventive maintenance services for the Government non-leased vehicle fleet using in-house, contract and warranty services.

Perform on-base and local area mobile maintenance services

Maintain maintenance records and provide analysis and reports using the Enterprise Logistics Management System (ELMS) and Defense Logistics Agency (DLA) Enterprise External Business Portal (EEBT) link, and providing materiel support through government and commercial vendors and agencies.

Personnel.

Provide a Vehicle Management Superintendent. Shall meet the qualifications of Vehicle Management Superintendent as defined IAW CFETP2T3X1 and will possess at a minimum an associate's degree. Shall have a minimum of 10 years of experience in Vehicle Management with 5 of the 10 years' supervising vehicle management functions. Shall possess or has the

ability to obtain a driver's license IAW Host Nation laws, applicable AFI's, or SOFA requirements.

Provide a Fleet Manager. Shall meet the qualifications of Fleet Management & Analysis 2T377 supervisor as defined IAW CFETP2T3X7 and will possess at a minimum a high school diploma or equivalent. Shall have a minimum of 5 years' general vehicle management experience with 3 of the 5 years in fleet management. Shall possess or has the ability to obtain a driver's license IAW Host Nation laws, applicable AFI's, or SOFA requirements.

Provide an Environmental/Technical Order/Safety Technician. Shall have 2 years' experience as a Hazardous Waste, T.O. and Shop Safety Monitor. Shall possess at a minimum high school diploma or equivalent. Shall have experience working with transportation environmental issues. Shall be familiar with Air Force and Host Nation hazardous material and waste management procedures, to include application and disposal. Shall manage and maintain T.O.s and publications library and shall have experience with Industrial Shop Safety Programs, Occupational Safety, and Health Standards. Shall possess or has the ability to obtain a driver's license IAW Host Nation laws, applicable AFI's, or SOFA requirements.

Provide Vehicle Mechanics. Shall have a minimum of three years' experience in vehicle mechanic services in either gasoline or diesel engines and related vehicle systems such as electrical, air conditioning, and braking. After contract start date and/or upon new vehicle delivery, within 90 days, SP shall ensure vehicle mechanics are trained to maintain workload assets listed on Master Vehicle Record (MVR).

Provide Emergency Vehicle Technician. Shall have at a minimum, Level II qualifications, IAW National Fire Protection Association (NFPA) 1071, Standard for Emergency Vehicle Technician Professional Qualifications. Shall perform inspections, maintenance, diagnosis, repair, and performance testing on emergency response vehicles and who, by possession of a recognized certificate, professional standing, or skill, has acquired the knowledge, training, and experience and has demonstrated the ability to deal with issues related to the subject matter, the work, or the project. Additional qualifications can be identified by schooling, training, experience, and recognized certification programs, such as those administered by Automotive Service Excellence (ASE), Emergency Vehicle Technician Certification Commission, Inc., or other equivalent certifying agencies and have a minimum of three years' experience.

Fleet Management and Analysis.

Provide FM&A capability to manage the efficient and economic operation of the wing vehicle fleet IAW DAFI 24-302 including fleet accountability, fleet management/maintenance analysis, oversight and scheduling of vehicle preventative maintenance/special inspection schedules.

Establish and manage the Vehicle Control Program (VCP).

Technical Order Publications.

Maintain the Vehicle Maintenance and Operations TOs publication file, commonly referred to as a TO Library. Maintain a file of current TOs for Vehicles and Equipment that they are responsible to maintain and service.

Use the Enhanced Technical Information Management System (ETIMS) where applicable to maintain, add, delete, and update TO requirements IAW TO 00-5-1-WA-1. Other repositories of TOs may be used if required TOs are not available through ETIMS IAW DAFI 24-302. The TO Library will be managed and inspected IAW TO 00-5-1-WA-1.

Provide a list of Technical Order Distribution Official(s) to the COR, annually and as changes occur. (CDRL XXXX)

TCTO Program.

Manage all applicable TCTOs, Commercial Recalls, Service Bulletins (SBs) and One Time Inspections (OTIs) as part of the TCTO program to include accomplishing other required inspections applicable references and manufacturer's specifications/requirements IAW DAFI 24-302 and TO 36-1-191.

Vehicle Maintenance.

Accomplish vehicle maintenance IAW DAFI 24-302 and TO 36-1-191. Maintenance includes repairing or replacing parts, assemblies, sub-assemblies, components, parts fabrication, and perform body, glass, upholstery and structural repair.

Perform Preventative Maintenance and Inspection (PM&I) and Special Inspections based on the ELMS schedule IAW TO 36-1-191 and DAFI 24-302. Mission requirements, total cost, and Non-Mission Capable (NMC) time will impact maintenance prioritization.

Inspect vehicles for operator care, damage, or possible abuse; check mileage, and determine work requirements upon customer arrival. Complete an AF Form 4355, Vehicle Incoming Inspection each time a vehicle is processed into VM. Ensure AF Form 4355, completed work information, supporting documentation, and part costs is input into ELMS. Contact the unit VCO for pick-up upon completion of maintenance.

Vehicle Parts, Materials, and Supplies.

The Government will provide annual budget for supplies, parts, and materials on a cost-reimbursable basis to support maintenance of approved government owned vehicles. Costs exceeding the micro purchase threshold for a single part purchase must be approved by the government AO prior to purchase and will be accompanied by 3 cost estimates.

Intermediate Maintenance.

Intermediate maintenance is accomplished by the base Vehicle Management, including major and minor repairs. The Vehicle Maintenance Manager determines shop capability and decides which source of repair to use. Manpower, total cost, mission requirements, Non-Mission Capable (NMC) time, shop tools, equipment and technical capability influence the decision-making.

Minor Maintenance.

Inspect vehicles for operator care, damage, or possible abuse; check mileage, and determine work requirements upon customer arrival.

Accomplish minor maintenance when the work requirement is determined to be two hours or less in duration and does not require expenditures exceeding \$60.00 for any single component. Enter the work on AF Form 1827, Minor Maintenance Work Order, and ensure completed work information is input into ELMS as a work order. Replace tires and batteries IAW DAFI 24-302.

Major Maintenance.

Complete an AF Form 4355, Vehicle Incoming Inspection, each time a vehicle is processed into Vehicle Maintenance when work exceeds the minor maintenance requirement. File with corresponding ELMS work order upon completion of maintenance IAW DAFI 24-302.

Generate the ELMS work order, perform work, and notify customer for pick-up. This work includes repairing or replacing parts, assemblies, sub-assemblies and components IAW DAFI 24-302.

Fabricate parts when required and perform body, glass, upholstery and structural repair.

Ensure completed work information is input into ELMS. All parts must be approved by the CO prior to purchase, to include two purchase quotes, provided with the parts request. AO approval is required for exceeding the One Time Repair Limit (OTRL) IAW DAFI 24-302 and TO 36-1-191.

Scheduled Maintenance.

Perform scheduled maintenance to include Preventative Maintenance and Inspection (PM&I) and Special Inspections based on the ELMS schedule IAW TO 36-1-191 and DAFI 24-302. An AF Form 4354, PM&I is used in conjunction with applicable manufacturer's inspection requirement during the scheduled PM&I and will be filed with the ELMS work order IAW DAFI 24-302.

Process a 90-day due-in listing from ELMS Inquiries, IAW ELMS Maintenance & Utilization (M&U) Playbook 3.11.18, for vehicles and vehicular equipment that require PM&I by date IAW TO 36-1-191. The SP shall verify, schedule and/or complete all scheduled maintenance due by mileage/hours within four duty days of ELMS notification, i.e. auto work order opened.

Mobile Maintenance.

Respond to mobile maintenance request within normal local operating distance is 150 miles IAW DAFI 24-302. Mobile maintenance request includes vehicle recovery, maintenance scheduling and repair, parts ordering, and ELMS work order completion.

Operator Care Maintenance.

Provide operator care maintenance required by the operator care program for all vehicles assigned to the SP IAW DAFI 24-302.

Recovery Section (Wrecker).

Tools and Equipment (Specialized).

Procure specialized tools and equipment used for special applications in specific vehicle repair and maintenance. Government-owned specialized tools and equipment shall be calibrated IAW

TO 00-20-14 and DAFI 24-302. SP-owned tools and equipment shall be calibrated IAW manufacturer's recommended specifications.

Comply with procedures in DAFI 24-302 to maintain strict tool accountability and prevent potential FOD.

Properly and permanently mark tools with unit or shop designator and ITK or CTK number before placement in the ITKs or CTKs. It is imperative that thorough tool crib inspections are accomplished due to multiple authorities issuing tools independently from each other. Ensure the procedures in TO 32B14-3-1-101, Operation and Service Instructions Torque Indicating Devices, are followed prior to the use of any torque device.

All tools in ITKs, CTKs and tool cribs will have an assigned location identified either by inlay cuts in the shape of the item, shadowed layout or silhouette when stored in drawers, shelves and/or walls and engraved with a locally assigned kit control number designated by Material Control. CTKs and tool crib control numbers include the shop initials.

Tires.

Provide tire shop services to include inspection, repair, replacement and assistance in changing tires not covered in the operator care program. Use tire control procedures IAW TO 36-1-191, DAFI 24-302, and AFI 23-101. New tires for all government-owned vehicles will be procured from the most economical source.

Limited Technical Inspections.

Deployments.

Perform LTIs and accomplish repairs on general and special purpose vehicles and material handling equipment identified to deploy. Prepare duplicate Vehicle Historical Records IAW DAFI 24-302, TO 36-1-191 and Installation Deployment Plan (IDP). Place historical record inside the vehicle if required.

Process LTIs.

Process vehicles requiring an LTI for acceptance, disposition action, and repair decisions within 10 duty days of requirement and provided to the AO. LTIs for shipping must be completed as soon as practical in order to meet Redistribution Order (RDO) requirements IAW DAFI 24-302 and TO 36-1-191.

Depot-Level Maintenance.

Develop a base-level program in coordination with 441 VSCOS IAW DAFI 24-302, TO 36-1-191, and TO 00-25-4. Provide a copy to the AO and COR when plan is finalized.

Paint and Body Services.

Utilize the Vehicle Management Section to provide body work and body repairs to government-owned vehicles IAW T.O. 36-1-191. If body work and body repairs are beyond the capabilities of the Vehicle Management facility, the SP can outsource to local vendors as needed.

Parts Accountability.

Parts.

Enter all parts into ELMS. Ensure accountability of all parts waiting to be installed or still on-order, update parts locations and associated data elements IAW applicable ELMS M&U, Warehouse Playbooks and 441 VSCOS guidance.

Shop Stock.

Maintain stocks such as oil filters, air filters and daily use Hazardous Material (HAZMAT) items.

Maintain all parts IAW DAFI 24-302 and AFI 32-7086, Hazardous Material Management and enter low-cost shop consumption and stock data into ELMS .

Bench Stock.

Manage bench stock IAW DAFI 24-302.

Green Procurement Program.

Collect and report on the local procurement standards utilizing the virtual “Air Force Vehicle Management Green Procurement Program Log” to document data concerning the use/procurement of all items identified in DAFI 24-302 (to include new/virgin/exempted items/products).

Collect and report on the purchase and use on Engine Coolants, Hydraulic Fluids Greases-Truck, Sorbents, Re-refined Oil and Tires using the latest reporting tool located on the Air Force Vehicle Management Neighborhood IAW DAFI 24-302. Personnel involved in this process must complete the required “Green Procurement” computer-based training within 8 months of being hired.

Vehicle License Plate Program and Federal Motor Vehicle Registration System.

Procure Air Force license plates through UNICOR and utilize FMVRS to manage and update vehicle and AF license plate status in FMVRS IAW DAFI 24-302, TO 36-1-191, and GSA directives.

Fuel Issues.

Attain access to the Defense Logistics Agency (DLA) Enterprise External Business Portal (EEBP) website.

Perform a download of fuel issue data from the DLA EEBP link, screen for accuracy, resolve discrepancies, and input into ELMS IAW ELMS M&U Playbook. Download/input frequency will be at least weekly IAW DAFI 24-302.

Reports.

Provide various reports and analysis generated by ELMS, BLADE, or any applicable IT system; some reports require manual preparation.

Maintain the Master Vehicle Report in a shared drive or agreed-upon storage location.

Monitor for vehicle data accuracy in BLADE and if not, submit corrections through TRT or report problems to 441 VSCOS. The listing is used for fleet management purposes.

Provide fleet management services to include, requesting adjustments to unit vehicle authorizations and assignments, receiving new assets from the Vehicle Due-In Listing (or rotating vehicles), receiving new leased vehicle authorization by updating/using TRT IAW DAFI 24-302. All adjustments/assignments will be validated by the AO.

Process request for a new vehicle authorization IAW DAFI 24-302 and coordinate AF Form 601 through the AO prior to submission to the MAJCOM.

Prepare BLADE and ELMS-generated reports IAW DAFI 24-302 and ELMS M&U Playbook. Non-automated reports are generally reports required by higher headquarters or public law.

Provide the AO/COR any additional analysis data (non-programmed) upon request.

Develop and provide a monthly reimbursable report for parts purchased IAW DAFI 24-302. Ensure all reimbursable cost data is reconciled monthly with AO. This data must be verified for accuracy. (CDRL XXXX)

Develop and manage a vehicle Mission Essential Level and Vehicle Priority Recall List (EL/VPRL) IAW DAFI 24-302. The purpose of this listing is to establish vehicle maintenance and recall priorities. The MEL/VPRL is approved by the MSG/CC annually IAW DAFI 24-302. All coordination will be routed to the AO prior to MSG/CC approval. (CDRL XXXX)

Prepare and submit Material Deficiency Report as required using the Joint Deficiency Reporting System (JDRS) in conjunction with TO 00-35D-54-WA-1, USAF Deficiency Reporting and Investigating System, and TO 36-1-191. Courtesy copy all JDRS packages to 441 VSCOS, AO and COR for situational awareness.

Prepare and submit a Vehicle Utilization Report IAW ELMS M&U Playbook, saved in Excel format. The report will include all assets that received a mileage update for the previous month.

Commercial Lease Vehicle Data.

Report all units that commercially lease any vehicle during the quarter. All applicable information will be loaded into the AF Vehicle Management Neighborhood/Vehicle Programs Toolbox/Commercial Lease Data/Select Base Dropdown. If no assets were leased for the quarter “no assets to report this quarter” will still need to be annotated IAW DAFI 24-302. (CDRL XXXX)

Mission Capability Rates.

Maintain a monthly average MC rate of 85%. Focus is on the quality of maintenance performed.

Use the approved vehicle MEL as a gauge to develop maintenance priorities and establish in-house MC rate goals. Avoid unnecessary vehicle downtime and increase MC time by providing service within the shortest turn-around time possible.

Air Force IT Systems.

ELMS, BLADE, and Salesforce Transaction Request Tool.

Ensure the three main systems used are ELMS, BLADE, and Salesforce Transaction Request Tool (TRT). ELMS involves work order, labor tracking, costing and calculations; this translates to the ELMS M&U Playbook.

Submit vehicle inventory records and accountable transactions to 441 VSCOS in the Accountability Property module through TRT. TRT is the sole source for vehicle transaction requests (Vehicle Data Updates/LTI Model and Dispositions/Rotations/ RDO's, etc.).

The 441 VSCOS is the authoritative source for vehicle allowances. This is also available in the Accountability Property module of ELMS. BLADE is a "Data Service" that serves as the overarching gateway to AF/A4 enterprise reporting and analysis.

BLADE provides a consolidated look at vehicle accountability and sustainment data. Data from ELMS is merged with supplemental tables that are maintained by 441 VSCOS. Continually monitor vehicle data integrity/quality/accuracy using BLADE and TRT IAW DAFI 24-302.

Mandate ELMS use by the AF Vehicle Management community as the primary system for performing all life-cycle management functions pertaining to the ground vehicle fleet including agency owned and leased assets. After work is performed, information concerning the completed work is also entered into the system and is used to generate various reports for local and higher headquarters use. ELMS is composed of several modules which collect data on vehicle utilization, cost, and other specialized data on the base vehicle fleet that is managed and supported.

Comply with operating procedures as described in ELMS M&U Playbook, Salesforce Transaction Request Tool (TRT) User's Guide, AFI 24-301 and DAFI 24-302.

Materiel Control.

Ensure that parts acquisitions, consumable replenishments and tool issuing/tracking are maintained in the Warehouse module in ELMS.

Vehicle Historical Folder.

Establish and maintain a history folder for each vehicle in the fleet that is maintained by the SP IAW the Air Force Records Information Management System (AFRIMS), DAFI 24-302, and ELMS M&U Playbook. Maintain these folders and ensure they are available for Government review for the life of the vehicle. Provide the vehicle to the receiving activity should the vehicle be transferred.

Base Exercises.

At times support will be required in any or all service areas during base exercises.

Participate in exercises IAW the most current published AF and higher headquarters guidance. Provide the required support and personnel IAW exercise needs, base Operations Plans (OPLANS) and the installation IDP.

Provide all inbound Vehicle Management exercise support personnel (2T3s) access to all government owned Vehicle Management facilities, tools, and equipment.

Utilize a DAF1297 (Temporary Issue Receipt) IAW DoDI5000.64_DAFI23-111 and DAFI21-101 when accounting for any items that are being utilized by the support personnel for the duration of base exercises.

Contingencies.

Provide services to support base, local, or national commitments up to and including a declared war that would generate surge requirements upon notification by the CO. These services shall be provided twenty-four hours a day/seven days a week (24/7) as required for the duration of the contingency. Surge requirements beyond the capability of the SP may be augmented by the Government at the Government's option when it perceives mission accomplishment is endangered.

Provide all inbound Vehicle Management contingency support personnel (2T3s) access to all government owned Vehicle Management facilities, tools, and equipment. Utilize a DAF1297 (Temporary Issue Receipt) IAW DoDI5000.64_DAFI23-111 and DAFI21-101 when accounting for any items that are being utilized by the support personnel for the duration of contingency operations.

Accident and Abuse Program.

Oversee the Accident and Abuse Program for the base IAW DAFI 24-302. Take appropriate measures to prevent misuse, abuse and damage to AF motor vehicles. (CDRL XXXX)

Coordination.

Ensure timely responsiveness to requests for information, technical advice and input, or other collaboration when requested by the Government.

Submit inputs on support agreements, directives, OPLANS, instructions, manuals and the like input to the AO for validation and signature as requested by the AO.

Ground Transportation

Air Transportation

Materiel Management

Fuel Management

Force Support

Food Service Operations

Provide personnel supervision, materials, and services necessary to perform full food services as defined in AFMAN 34-240, Tri-Service Food Code, DAFI 48-116, AFOSH 91-300, and the Preface to the United States Air Force Worldwide Menu.

Post and maintain menu boards.

Subsistence and Material Handling.

Comply with Air Force Receiving and Storage Standards for Prime Vendor delivered items.

Purchase items not available with PV from approved government sources in coordination with Government.

Prepare a monthly Subsistence Inventory report.

Food Preparation.

Accomplish food preparation tasks listed on Food Service Production Log IAW the Air Force Automated Recipe Service.

Prepare food items progressively to ensure optimum freshness, flavor, color, texture, and nutritional value.

Food Service.

Comply with AFI 34-239, AFMAN 34-240, and Tri-Service Food Code, using the standard recipes in the Air Force Food Service Automated Recipe Service software program.

Use the Air Force Worldwide Menu, serve food in standard portions, and IAW Air Force Line Serving standards, unless customers request smaller portions.

Prepare an annual Food Service Long Range Plan.

Table Service.

Clean and sanitize dining room tables, chairs, or benches at a rate sufficient to maintain uninterrupted availability to customers.

Replenish dining table items (napkins, salt, pepper, condiments, etc.) avoiding outages.

Meals Served Away from Dining Facilities.

Provide meals away from Dining Facilities during base alerts, operational exercises, or natural/simulated emergencies.

Flight Meals.

Provide flight meals, ground feeding meals, snack meals, and bulk subsistence IAW AFMAN 34-240, Flight Feeding Standards, and the local menu. The Government furnishes all subsistence, including operational rations.

Ensure Flight Meals and Ground Feeding Meals shall be available 24/7. Ensure Flight Meals and Ground Feeding Meals more than four hours in advance to ensure freshness.

Ensure preordered meals are available 2 hours before the time required.

Provide no-notice meals within 30 minutes of notification and bulk subsistence within one hour of notification.

Pastry Operation.

Prepare enough pastries for all meals in accordance with AF Worldwide Menu Pastry guidance and daily Production Log.

Food Service Accounting.

Use and maintain the government Food Service Accounting procedures.

Prepare monthly Food Service Accounting Records.

Cashier Services.

Ensure the cashier customer flow rate corresponds with the serving line flow rate.

Submit Cash Collection Record (bank deposit slips) and a copy of DD Form 1131 to the COR for deposit verification the duty/business day following deposit.

Store, safeguard, and control AF Form 79.

Provide a copy of AF Form 1254 monthly to the COR.

Contractor Personnel Meals.

Ensure that Contractor employees are authorized to eat at Government dining facilities. When eating at Government dining facilities, contractor employees shall pay the food item price.

Responsible for collecting and transferring applicable food item surcharges to the government on a monthly basis. Contractor employees purchasing food shall sign customer receipt forms.

Retain the customer receipt forms for each meal period as proof of payment.

Ensure employees do not bring food from other sources into the dining facility or flight kitchen.

Sanitation Requirements.

Comply with all federal, Tri-Service Food Code and Air Force mandated sanitation requirements and AFI 48116, Food Protection Program.

Housekeeping Services.

Clean and sanitize dishes, pots, pans, kitchen, and dining areas IAW the Tri-Service Food Code.

Clean those areas that immediately affect customer service and the appearance of the dining hall to include outside areas within 50 feet of the dining facility.

Provide a monthly Cleaning, Housekeeping, and Sanitation Schedule for government review and approval.

Replace burned out light bulbs and fluorescent tubes (unless bulbs and tubes exceed 12 feet in height from floor) with contractor-supplied bulbs and tubes inside and outside assigned facilities within 72 hours of outage.

Perform semiannual cleaning of interior ceiling above 10ft in kitchen and seating area to include air conditioning vents and exposed pipes.

Maintenance and Repair.

Provide maintenance on equipment to include repair of government furnished equipment and the replacement of component parts, hood filters, and water faucets.

Arrange for the warranty repair or replacement of equipment and parts.

Furnish a written cost estimate to the COR concerning equipment repair or replacement items to include material and labor costs.

Submit 5-year plan for capital improvements and replacements to the COR.

Prepare all paperwork necessary to purchase new equipment and submit it to COR for approval.

Coordinate equipment repair upon approval of funds.

Ensure repairs are completed satisfactorily after approval of repair estimate.

Submit final invoice, copy of warranty and other documentation to the COR no later than 3 business days after repair.

Recommend to the ACO the replacement of equipment beyond economical repair, and coordinate the recommendation with COR.

Furnish all replacement parts, and parts purchased for repairs and maintenance shall be of equal or greater quality to the parts replaced.

Contractor Personnel.

Provide a full-time on-site Dining Facility Manager designate in writing the name of the Food Service Manager and alternate to the CO.

Modes of DFAC Operation.

Based on mission needs, meal production, days and hours of operation will be adjusted as needed to meet mission needs with 14-calendar day notice.

Hours and Production Capability of DFAC Operations.

Maintain the operating days and hours at the Dining Facility as depicted in the charts below, based upon the level set by government. During serving hours, patrons shall select foods from a complete menu.

Refrain from removing foods from the serving area until 15 minutes after the end of the posted meal hours to allow patrons additional time for second servings.

DFAC – Level I Normal Operations

Normal Ops						
Monday to Friday				Saturday to Sunday		
Meal	Hours	Serving Lines	Meals Per Hour (total)	Hours	Serving Lines	Meals Per Hour (total)
Breakfast	0630 - 0830	1	30	None	None	-
Lunch	1100 - 1330	2	60	None	None	-
Dinner	None	None	-	None	None	-
School	1130 - 1230	Delivery	Maximum of 20	None	None	-
Midnight	None	None	-	None	None	-
Main Dining Facility—Temporary/Seasonal Increases (see Note 1)						
Up to six, 15-day periods per year						
Monday to Friday				Saturday to Sunday		
Meal	Hours	Serving Lines	Meals Per Hour (total)	Hours	Serving Lines	Meals Per Hour (total)
Breakfast	0630 - 0830	1	60	3-hour meal period TBD	1	60
Lunch	1100 - 1330	2	90	2.5-hour meal period TBD	2	90
Dinner	1615 - 1945	2	90	2.5-hour meal period TBD	2	90
Midnight	2230 - 0100	1	20	2-hour meal period TBD	1	20
* School lunches are not required during days of no school. Government shall provide school schedule on an annual basis (school year).						
NOTE 1: Contractor to be given minimum of 72 hours' notice before requirement for increased capacity; total number of days will not exceed 90 days per year; length of increased periods likely to be in 15-day increments but may vary from year.						
NOTE 2: Contractor must have capability to meet required meals-per-hour during peak usage periods, and shall ensure staffing levels are sufficient to prevent customers from being delayed						
NOTE 3: The main dining facility shall provide takeout service during normal meal serving hours. The facility shall provide flight meals / ground feeding meals 24/7						

NOTE 4: The “Holiday” meal shall be served during lunch time hours unless otherwise notified.

DFAC Op Level 2 – Increased Normal Ops

Main Dining Facility						
Monday to Friday				Saturday to Sunday		
Meal	Hours	Serving Lines	Meals Per Hour (total)	Hours	Serving Lines	Meals Per Hour (total)
Breakfast	0600 - 0900	1	40	0600 - 0900	1	40
Lunch	1100 - 1400	1	60	1100 – 1400	1	60
Dinner	1700 - 2000	1	60	1700 – 2000	1	60
Midnight	0015 - 0145	1	10	0015 – 0145	1	10
<i>*School lunches are not required during days of no school. Government shall provide school schedule on an annual basis (school year).</i>						
<i>NOTE 1: Contractor must have capability to meet required meals-per-hour during peak usage periods, and shall ensure staffing levels are sufficient to prevent customers from being delayed more than fifteen minutes</i>						
<i>NOTE 2: The main dining facility shall provide takeout service during normal meal serving hours. The facility shall provide flight meals / ground feeding meals 24/7.</i>						
<i>NOTE 3: The “Holiday meal” shall be served during lunch time hours unless otherwise notified</i>						
Main Dining Facility—Surge Increases (see Note 1)						
Up to six, 30-day periods per year						
Monday to Friday				Saturday to Sunday		
Meal	Hours	Serving Lines	Meals Per Hour (total)	Hours	Serving Lines	Meals Per Hour (total)
Breakfast	0600 - 0900	1	180	0600 - 0900	1	180
Lunch	1100 - 1400	2	200	1100 – 1400	2	200
Dinner	1700 - 2000	2	180	1700 – 2000	2	180
Midnight	0015 - 0145	1	120	0015 – 0145	1	120
<i>*School lunches are not required during days of no school. Government shall provide school schedule on an annual basis (school year).</i>						
<i>NOTE 1: Contractor to be given minimum of 72 hours notice before requirement for increased capacity; total number of days will not exceed 180 days per year; length of increased periods</i>						

<i>likely to be in 30-day increments but may vary from year.</i>
<i>NOTE 2: Contractor must have capability to meet required meals-per-hour during peak usage periods, and shall ensure staffing levels are sufficient to prevent customers from being delayed</i>
<i>NOTE 3: The main dining facility shall provide takeout service during normal meal serving hours. The facility shall provide flight meals / ground feeding meals 24/7</i>
<i>NOTE 4: The “Holiday” meal shall be served during lunch time hours unless otherwise notified.</i>

Holidays.

Open the dining facility on all holidays, and plan for increased attendance expected at Thanksgiving meal and additional service hours if necessary.

Revise service hours if requested by Government.

Emergency or Special Event Services.

Operate up to 24 hours per day during emergency situations (for example, accident and rescue operations, civil disturbances, weather warnings, base alerts, etc.) when requested by the CO. Workload may also increase during Crisis Declared by the National Command Authority or Overseas Combatant Commander.

Provide service during military exercises, emergencies, natural disasters, and other operations. The CO may increase serving hours at any time to meet military mission requirements to twenty-four hours per day.

Visits by VIPs.

Provide additional support during visits by VIPs, Management Assistance Teams, Commander’s Annual Facility Inspection Teams, and installation commander guests per request by installation commander to include setting up tables, tablecloths, silverware, glasses, etc.

Civic Groups.

Civic groups shall be authorized to use the dining facility upon permission from the installation commander.

School Lunch.

Provide school lunches from DFAC facility.

Lunches shall comply with DoDEA Regulation 4200.1 and 204 of Public Law 108-265, “Child Nutrition and WIC Reauthorization Act of 2004,” June 30, 2004, Title 7, Code of Federal Regulation, Part 210, “National School Lunch Program.” Current edition DoD Directive 1015.5, Student Meal Program, October 11, 1983.

Inform COR of need for new or replacement furniture or equipment.

Coordinate procurement upon government approval of funding.

Provide COR with a copy of correspondence to higher headquarters or functional managers regarding mission changes, policy, and capital funding issues.

Fitness and Sports

Support Commander's Squadron Physical Testing program and Military Fitness Testing IAW DAFMAN 36-2905 Department of the Air Force Physical Fitness Program.

Demonstrate to customers the proper use of fitness center equipment. Contractor personnel shall wear required civilian fitness uniform IAW AFI 34-266, and the company logo shall be worn on uniform.

Conduct annual needs assessment to plan and schedule a program of monthly self-incentive fitness events and quarterly special events.

Publicize and coordinate the implementation of these events.

Coordinate use of facility and equipment with Physical Training (PT) Leaders.

Maintain the Fitness Data Tracker and Recapitalization Tool.

Provide fitness and sports operation services IAW AFI 34-266 and AF Fitness & Sports Services Standards.

Coordinate, schedule, and promote sports clinics, core fitness programs, events, or competitions to coincide with USAF and USAFE seasonal core sports programs and special tournaments.

Provide monthly events for incentive and other fitness programs such as group exercise classes. Off base games with other local or DoD teams shall be part of this schedule.

Facilitate base teams to enter local or MAJCOM competitions. Use of the swimming pool, racquetball and tennis courts, bowling, track, and sports fields may also be considered.

Coordinate with Force Support Flight for military sports Commander Cup Challenges and volunteers.

Ensure equipment is in good working order by maintaining a detailed cleaning and maintenance schedule IAW AFI 34-266.

Perform preventive maintenance.

Repair inoperative equipment.

Perform upholstery services to repair sports equipment tears.

Maintain all fitness equipment manuals.

Placard inoperative equipment in a professional manner if it is in non-operating order. Out-of-order placards shall state when the equipment became inoperative and the estimated date it will be back in commission.

Maintain equipment inventory to include fitness, first aid, sports and check out items.

Maintain adequate spare parts for fitness machines.

Prepare an annual Fitness and Sports Equipment Upgrade Plan for inclusion in the Fitness Data Tracker and Recapitalization Tool.

Operate the Fitness Center from 0600-2000, Monday – Friday, 0800-1800, Saturday and Sunday. The Base Commander shall determine hours of operations for U.S. national holidays.

Extramural, varsity and higher level (ex: competition coordination/support) shall be required. Intramural sports at Morón AB are not required.

Lifeguard and Pool Operations

Provide lifeguard and pool operation services to ensure the highest standards of safety and public health IAW AFI 34-110.

Schedule two lifeguards for duty when pool is open.

Ensure facilities and equipment are clean.

Measure PH and disinfectant at all four corners of the pool as required by AFOSH standards.

Enter the average values on AF Form 708.

Take corrective action to include closing the pool to swimmers if the results fall outside of acceptable PH range contained in AFOSH standard 48-114.

Notify COR immediately if the pool needs to be closed during operational hours.

Ensure Lifeguards shall wear acceptable lifeguard attire.

Lifeguards shall possess current lifesaving, AED, CPR and first aid certifications.

Accomplish daily requirements to include checking locker room, reserving the pool for special events, checking ID cards, counting daily users, issuing pool equipment, cleaning deck chairs, posting special notices, and monitoring pool rules established by government.

Maintain the pool equipment inventory and provide a copy of the equipment inventory to the COR at the beginning and closure of pool season.

Open the pool on Memorial Day weekend and close the pool after Labor Day Weekend.

Set the hours of operation from Tuesday – Sunday, 1300-2000. On U.S. school days the opening time shall be 1500.

Close the pool for maintenance on Mondays unless Monday is a U.S. Holiday.

Close the pool on Tuesday for maintenance if a U.S. holiday falls on a Monday.

Allow for extended pool hours to be available to accommodate special functions as requested by installation commander.

Provide swimming lessons for authorized members at least three times per week. No free swimming is allowed during lesson times. Hours can be shifted to accommodate customer demand with prior coordination and approval of Services Director through the ACO.

Library and Information Services

Publicize and implement AF Library programs.

Operate and maintain the Base Library IAW AFI-34-270, USAFE Instruction 34-202, Library Service Center Branch Library Guidebook, and standard American library service practices.

Maintain inventory of books and other media formats to satisfy the educational, informational, cultural, and leisure needs of customers.

Accomplish an annual inventory and prepare/forward all reports relating to Library services (i.e., headcount, books, CDs, DVDs and other weekly/monthly/yearly required reports) to USAFE/A1KEL and/or U.S. Government representative.

Prepare an annual Supplemental Library Annual Report (SLAR) Data Sheet.

Review and purge book collection.

Return worn books to the USAFE Library Service Center.

Forward excess books, CDs, and DVDs in good conditions to HQ USAFE/A1KEL.

Maintain USAFE Form 245, Application for Library Service.

Operate Base Library from 1200-2200, Monday – Friday, Saturday 1200-1800. Operation hours may shift at the discretion of the Air Base Squadron Commander but not exceed 56 hours per week. The Air Base Squadron commander shall determine hours of operations for U.S. national holidays.

Maintain internet computer(s) and/or laptop(s) for patron use.

Assist patrons with educational programs such as DANTES and CLEP.

Provide informational brochures highlighting local day trips, trails, cultural activities, and performances in local areas.

Distribute used magazines/paperback books to lodging, fitness center, community center, flight line waiting room, and dormitories.

Publicity Support

Publicize Force Support functions/programs by updating official public web page, Commanders AFN channel and marquee.

Provide on-site support as directed.

Provide creative and accurate publicity material using appropriate software programs and other media from the information provided by activity managers.

Produce a monthly Power Point slide detailing upcoming Force Support activity.

Publicize events to customers using all available media.

Provide up to six hours of photography support for events and incorporate photos into publicity media and/or Commander's Call presentation.

Post flyers on appropriate bulletin boards.

Publicize events at least 10 days before the event or no later than the date requested by the government. If the event occurs less than 10 days after receipt of publicity request, publicize event within one day after receiving event information.

Provide guidance/instruction/training to Government or contractor personnel on computer related concerns regarding IT systems need for DFAC and other contractor-operated activities in this chapter. This shall include software upgrades into current and any required systems supported.

Communications Support

Operate, maintain and administer computer and IT systems.

Perform Client Support Administrator duties.

Responsible for help desk support for information systems including maintaining network, PCs, and servers.

Account for all computer hardware and software, and providing technical expertise on hardware, software, and user issues.

Perform appointed Equipment Custodian duties to manage IT hardware and perform annual inventory reconciliations or as directed by the Base Equipment Control Officer.

Provide status of reconciliation discrepancies and associated resolution within 30 calendar days of inventory reconciliation.

Perform full inventory accounting of all equipment upon change in contractor-designated Equipment Custodian.

Turn in unserviceable assets to DLA Disposition Services when directed by the Base Equipment Control Officer.

Perform the complete range of computer services (to include researching costs and recommending selection of hardware and software, installation of new hardware and software, relocation of network hardware, and virus cleansing.

Coordinate procurement of IT equipment using AF approved procurement process and CIPS to plan, manage, and document new equipment requirements.

Responsible for maintaining in-house PC based software solutions.

Assist with the analysis, design, and implementation of LAN/WAN requirements.

Manage controls and accounts for all .MIL (where permissible) and .COM computers (PC and server) hardware and software.

Provide help desk support for .MIL installations coordinating with the local military IT/Communications staff.

MAJCOM Requirements.

Contingency Facilities

Maintain contingency facilities in a caretaker status. This includes all general maintenance and minor repairs that do not require a registered or qualified tradesperson. Prevent decay and ensure the facility remains in a state of readiness to allow for reactivation and use.

Regularly inspect and repair any vandalism, damage, or deterioration. This involves tasks such as ensuring HVAC systems are operational, checking for moisture and mold, and taking appropriate actions to protect the facilities.

Provide entomology support and ensure facilities are free of pests and rodents.

Responsible for ensuring all access points are secured when in caretaker status.

Ensure the cleanliness of the facilities including routine cleaning of all interior spaces and ensuring hygiene supplies are replenished.

Provide bedding down and deployment support. Reset rooms after change of occupancy including replacing linens, performing checks of all appliances and furnishings, reporting any damage, deficiencies, or inoperability.

Provide a list of areas where laser and radiation-producing devices or sources shall be used to the Bioenvironmental Engineering Flight that supports the installation annually.

Maintain hazardous noise equipment inventory with assessment data for 10 years.

Develop the OSHA Expanded Standard Chemicals management program and assess and review annually.

Transient Alert

Provide Transient Alert (TA) for U.S. Military and commercial aircraft.

Recover, service, inspect, maintain, launch, and provide EOR inspections for transient tactical aircraft IAW AFI 21-101 and T.O. 00-20-1. Procedures in this section apply to U.S. military, contract, civil service and approved foreign aircraft under U.S. Government contract.

Manage government resources to meet fiscal requirements of DoD.

Maintain accountability documentation for equipment attached to aircraft.

Provide data during Government requested budget calls.

Identify reimbursement costs for services rendered to foreign military aircraft IAW USAFE's Acquisition and Cross-Servicing Agreement (ACSA) process.

Obtain USAFE-AFAFRICA/A4RI approval to execute services IAW ACSA Implementing Arrangement; reference STANAG 3113 Annex A to determine ACSA eligibility.

Flight Operations.

Provide services to support flight operations IAW international standards and U.S. Government property limitations as specified within the ACSA Implementing Arrangement.

Provide services to U.S. commercial passenger and cargo aircraft under the guidance of Civil Air Reserve Fleet (CARF) instructions and AMCI 24-201.

Escort aircraft between the runway and the parking ramp during arrival and departure at pilot's request or NOTAM.

Provide parking, static grounding, towing, ground power, air starting, and aircraft heating services. TA Services may include Fleet Services (i.e., the provision of potable water and toilet servicing).

Marshall aircraft into parking location using International Aircraft Marshaling Signals.

Perform fireguard duties during aircraft fuel servicing operations IAW T.O. 00-25-172.

Perform aircraft towing and mooring procedures IAW with aircraft T.O.'s.

Use manufacturer's recommendations or international standards if no T.O. applies.

Maintain and test 150lb flightline fire extinguishers and ensure that they are operational IAW TOs and manufacturer's instructions.

Foreign Object Damage Prevention Program.

Develop, manage, and maintain the installation's FODPP.

Design the FODPP to eliminate potential damage to aircraft, aircraft support equipment and injury to personnel.

Ensure FOD checks are performed daily when aircraft are present on the ramp.

Ensure each work center has designated in writing a primary and alternate FODPP monitor.

Establish a FODPP Training program and ensure all personnel receive initial and refresher training.

Aircraft Support Training.

Provide initial certification training to TA personnel.

Identify a core TA Team to receive initial task certification training. The TA team chief/lead shall complete the Crash Damaged or Disabled Aircraft Recovery (CDDAR) course within the first six months of contract performance IAW AFI 21-101.

Identify a primary and alternate task certifier to attend the train-the-trainer course.

Establish a recurring training program to maintain certification and proficiency utilizing the task certifiers.

Aircraft Crash Damaged or Disabled Aircraft Recovery Program.

Establish and maintain the installation's Aircraft CDDAR program to minimize damage to aircraft.

Ensure the safe and expeditious reopening of the runway IAW AFI 21-101 and MOI 21-2.

Respond to disabled aircraft in a safe and efficient manner that minimizes further damage.

Coordinate the removal of disabled aircraft from active runways with the on-site commander.

Operate and maintain crash recovery equipment.

Perform organizational and intermediate levels of maintenance IAW manufacturer's technical manuals and warranties.

Document all maintenance actions on AFTO Forms 244, System/Equipment Status Record and AFTO Forms 245, System/Equipment Status Record Continuation Sheet.

Notify the COR and comply with disposition instructions if crash recovery equipment requires depot-level maintenance.

Security Requirements.

Ensure all contractor employees hired for Transient Alert services and War Reserve Materiel (WRM) services who work on or around aircraft possess and maintain the minimum of a current "in scope" U.S. "Secret" Security clearance. No clearance requirements shall be requested or authorized for RADR or RADR non-vehicle personnel.

Obtain pass and identification items as required for all employees.

Provide a current and accurate list of employees' security clearances annually to the CO and COR not later than the start of each fiscal year.

Comply with AFI 31-101, Chapter 9 (shall be provided upon request), AFI 31-601, Chapter 7, 8, 11, 12 (entire chapter), Department of Defense Manual (DODM), DoD 5220.22-M, Chapter 1, Section 2, "General

Requirements", DoD 5220.22-M, Chapter 1, Section 3 (entire chapter); DoD 5220.22-M, Chapter 2 and 3 (entire chapters); DoD 5220.22-M, Chapter 5, Section 1, "General Safeguarding Requirements", DoD 5220.22-M, Chapter 5, Section 2, "Control and Accountability"; DoD

5220.22-M, Chapter 6, Section 1, “Visit Requirements”; DoD 5220.22-M, Chapter 7, (entire chapter); DoD 5220.22-M, Chapter 10, Section 6, “Contractor Operations Abroad”.

Develop a Visitor Group Security Agreement (VGSA) by the servicing security organization identifying the specific security requirements of the Contractor and those of the installation commander providing oversight of the security performance. Access to contracted locations shall be restricted to Contractor personnel and personnel who are authorized by the Air Force Activity.

Ensure contract manager immediately notifies the COR when personnel are terminated, resign, or are no longer employed with the contractor and turn in the former employee’s line badge to the COR.

Non-Destructive Inspection Program.

Establish and maintain the installation’s non-destructive inspection (NDI) program to protect Government resources within technical limits.

Perform joint oil analysis and ensure the joint oil analysis machine remains up to date and certified at all times.

Recertify the joint oil analysis process through the Joint Oil Analysis Program Manager.

Personnel.

Provide a Transient Alert Team Leader. Shall have a minimum of six years’ experience in the tactical aircraft field and shall have at least two years’ experience in transient alert/crash recovery. Shall meet the qualifications of a Tactical Aircraft Maintenance Technician and understand the requirements for crash damage/disable aircraft recovery (CDDAR) and transient alert aircraft ground handling for tactical, as well as large frame aircraft. Shall possess technical expertise and knowledge to handle and service all transient aircraft and has the ability to tow tactical and heavy aircraft as applied to crash recovery/transient alert duties. Shall possess or have the ability to obtain an AF Form 2293, Government Vehicle Operator’s Identification Card. Have or be capable of obtaining a ‘U.S. Secret’ Security Clearance.

Provide a Transient Alert Team Member. Shall have a minimum of two years’ experience in the tactical or cargo aircraft maintenance, back-shop or specialist fields and possess technical expertise and knowledge to handle and service all transient aircraft. Shall meet the qualifications of the tactical/cargo aircraft maintenance field or specialist/back-shop fields or the civilian equivalent. Shall understand the requirements for aircraft crash damage/disable aircraft recovery (CDDAR) and transient alert aircraft ground handling for tactical and large frame aircraft. Shall have the expertise to tow tactical and cargo aircraft as applied to crash recovery/transient alert, respond to accidents pertaining to Morón AB, Spain, as a crash recovery team member and possess or have the ability to obtain an AF Form 2293, Government Vehicle Operator’s Identification Card. Have or be capable of obtaining a ‘U.S. Secret’ Security Clearance.

War Reserve Materiel

Tool Management Program

Individual General/Common-Use Tools.

The contractor shall provide all individual general/common use tools to support the GPMS requirement as part of the fixed price. This includes individual mechanic tool sets. Replacement of general/common-use tools is the responsibility of the contractor. The contractor must ensure that all contract personnel engaged in direct labor, technical repair tasks are equipped with appropriate and adequate individual general/common-use tools for the position.

Special Tools and Shop Equipment.

The Government will provide special tools, shop equipment/lifts, pneumatic and electric tools/equipment, diagnostic tools/equipment, all test, measurement and diagnostic equipment (TMDE) requiring calibration, all fabricated tools/jigs, all machinery used in the repair process and limited hand tools on hand at time of transition joint inventories. Repair and replacement of special tools and shop equipment shall be on a cost reimbursable basis, exclusive of fee. All special tools/shop equipment shall be appropriately identified and managed IAW PWS, Section A, Paragraph 4.1. As a new program, much of the required special tools and shop equipment may not be available as GFP at time of contract award. The contractor shall identify all required special tools and shop equipment during the Transition Period, submit cost proposals for PCO approval and purchase required assets on a cost reimbursable, exclusive of fee basis.

Tool Control.

The contractor shall implement and maintain a positive tool control program IAW AFI 21-101, Chapter 10 and applicable munitions instructions listed in Appendix C.

Aerospace Ground Equipment.

Maintain and provide serviceable aerospace ground equipment (AGE) to support U.S. military, U.S. commercial and approved foreign military aircraft missions IAW AFI 21-101 and other applicable guidance.

Provide required minor and major maintenance, scheduled and unscheduled maintenance and inspections, servicing, pick-up and delivery, modification, corrosion control, operational checks, welding, and painting of all Government-Furnished Equipment (GFE) AGE.

Maintain assigned shop equipment, special tools, test equipment, and composite tool kits (CTK).

Perform acceptance inspections and shipment preparation requirements on assigned AGE.

Perform AGE material control function to reduce possibility of fraud, waste, or abuse.

Maintain daily Due-In-For-Maintenance (DIFM) asset status.

Maintain AGE files for “delayed, action awaiting maintenance” and “parts delayed, action awaiting supply”.

Maintain an automated control log for supply demands.

Coordinate daily with supply to determine status of AGE assets out of commission for parts.

Provide shipment, acceptance, or AGE accountability change information to Base Supply for update of the master identification listing on assigned AGE equipment.

Secure parts awaiting installation in holding bins to ensure equipment security and accountability.

Implement and maintain Bench Stock and Reusable Container Program.

Establish procedures to approve and control the cannibalization of AGE.

Comply with the USAF uniform repair and replacement criteria for AGE support equipment and document actions on AFTO Form 375 IAW T.O.s 00-25-240, 35-1-24, 35-1-25 and 35-1-26.

Document and update AGE allowances in the Air Force Equipment Management System when applicable.

Maintain publications, forms, and T.O.s IAW T.O. 00-5-1, Air Force T.O. System.

Manage flight equipment account, monitor budget, and maintain custody account/custodian receipt list (CA/CRL).

Provide a monthly schedule indicating upcoming AGE inspections and maintenance.

Provide a weekly AGE In-Commission Report to the COR (RR) and a quarterly AGE Inventory to the USAFE functional manager.

Operate and perform organizational and/or intermediate maintenance on daily use AGE IAW with applicable T.O.s or manufacturer's technical manuals to a minimum 80% operational availability rate.

Document all maintenance actions on AFTO Forms 244, System/Equipment Status Record and AFTO Forms 245, System/Equipment Status Record Continuation Sheet.

Notify COR and comply with disposition instructions if depot-level maintenance is required.

Perform 100% of inspections by the scheduled inspection date.

Document and update completion status in the Maintenance Information System [i.e., Integrated Maintenance Documentation System (IMDS) and Enterprise Logistics Management System (ELMS)].

Schedule, document, and complete all Time-Compliance T.O.s (TCTO) and One-time Inspection (OTIs) actions IAW T.O. 00-20 series T.O.s.

Ensure AGE is completely serviceable and ready for use prior to actual operation.

Manage and dispose of all hazardous materials/wastes IAW applicable host nation laws, Final Governing Standards (FGS) and Morón AB hazardous waste and spill plans.

Use a sealed, maintenance-free design battery with AGM, wound cell configuration to the fullest extent possible.

Track maintenance actions in IMDS or any automated maintenance system dictated by a higher headquarters.

AGE General Tasks.

Schedule Maintenance for War Reserve Materiel (WRM) assets.

Accomplish all scheduled and unscheduled maintenance IAW all applicable directives.

Perform functional checks on all assigned Aerospace Ground Equipment (AGE) WRM periodically IAW AFI 25-101 para 4.11.3.2, all applicable supplements, equipment TO's, and inspection work cards. In addition, Daily-Use/In-Use equipment service inspections (SIs) shall be conducted prior to use, after servicing or at minimum every 90 days for powered/non-powered equipment I.A.W service inspection work cards TO 35-1-256WC-1/35-1-246WC-1.

Maintain all AGE WRM to meet safe and serviceable standards prescribed in Technical Order (TO) 00-20-1 and applicable TO(s).

Always maintain a 90% in-commission rate.

Maintain all AGE programs in accordance with AFI 25-101, DAFI 21-101 and applicable supplements.

Maintain records of maintenance/inspections conducted, historical data and necessary corrective action taken in the ELMS IAW all applicable publications, e.g., AFI 21-101, 25-101, 00-20-1, and 00-20-2. These records as well as the Mission Capable (MC) rate shall be emailed to the COR monthly.

Follow Uniform Repair/Replacement criteria for selected USAF Support Equipment (SE) and the Air Force Economic Repair/Replacement criteria for selected Warner Robins Air Logistics Complex (WR-ALC) managed SE.

Maintain/submit an equipment inventory report annually IAW AFI 25-101 and DAFI 23-101.

Submit maintenance data reports as requested by COR, in response to USAF data calls.

AGE Shipment

Perform acceptance inspections and shipment preparation requirements on assigned AGE.

Position, prepare, and load all WRM assets, as directed

Functional Specific Requirements

Store, inspect, maintain, repair, and reconstitute AGE IAW DAFI 21-101, applicable TO or commercial manual.

Ensure all documentation is completed and parts ordered before changing the status of assets (e.g., to mission capable, AWP, AWM, or RECON); to include completion of Time Compliance

Technical Orders (TCTO), Material Deficiency Reports (MDR), service bulletins and One-Time Inspections (OTIs).

Storage and Warehousing.

Perform storage and warehousing functions of all assets IAW the applicable TOs. This includes the placement and removal of assets from the storage bay, location, and movement of the assets to a location necessary to perform maintenance, and loading/unloading operations. The contractor shall be responsible for all movements of assets on site.

AGE Reserve Rates.

Maintain a minimum average monthly Mission Capable (MC) rate of 90% for stored AGE assets at the WRM location.

Submit a monthly report of all relevant WRM performance metrics (relating to AGE) to the COR. This report should include, but not limited to, authorizations, assigned, excess, shortages, and mission capable rates.

Provide the Equipment Status Report in a format determined by the COR.

Be included in the MC rate calculation upon completion of an acceptance inspection or not later than 30 calendar days after receipt.

AGE Maintenance Information System.

Utilize Integrated Maintenance Data System (IMDS) or Enterprise Logistics Management System (ELMS) for documenting equipment maintenance management.

Liquid Oxygen Cart Maintenance.

Complete applicable Electro and Environmental (E&E) long term storage maintenance requirements on 50-gallon LOX carts only when signed off in their training records by a contractor supervisor that has completed a USAF Cryogenic Container (Cryotainer) Maintenance Course or other military service or commercial equivalent.

Adhere to all technical order publications when performing Lox Cart maintenance.

Ensure all LOX carts are emptied and purged prior to any maintenance. Any LOX cart received that is suspected of containing LOX shall be forwarded to an appropriate maintenance facility with certified personnel to complete the drain and purge.

Any LOX Cart received that is certified empty for shipment IAW AFI 24-204 will be acceptable to perform maintenance on.

Any LOX Cart received with a DD Form 1574 or equivalent tag indicating the date the tank was prepared for storage will be acceptable to perform maintenance on.

Cryogenics.

Inspect, troubleshoot, and maintain compressed gas equipment.

Perform cryogenic maintenance on mobile aircraft servicing units, Aerospace Ground Equipment, subsystems, components, and associated test equipment.

Inspect and evaluate ground equipment for Electrical and Environmental (E & E) maintenance activities and determine operational status of assigned assets.

Perform cryo tank maintenance IAW TO 42B5-1-2, TO 35-1-236WC-1, TO 37C2-8-116WC-1, TO 35-1-3 and AFI 23-201. Annotate AFTO forms 244/95 IAW AFI 23-201 and TO 00-20-7.

Perform all cryo operations safely and IAW AFOSH 91-67 AFI 91-203 and ensure assigned gaseous assets (AGE/GOX/LOX, etc.) shall be completely serviceable and shall be ready for use prior to actual necessity.

Cryogenics Cylinder Management.

Perform cryogenics storage control of aviators' gaseous oxygen (GOX) cylinders and gaseous nitrogen cylinders that are ordered through the Government Standard Base Supply System (SBSS).

Maintain stock levels to meet transient aircraft requirements.

Deflect responsibility for the storage, control, or disposal of any other similar or non-similar gas cylinders that have been abandoned by any entity other than the prime contractor.

Ensure contractor personnel maintain up to date training IAW AFI 23-201.

Rapid Airfield Damage Recovery (RADR)/War Reserve Materiel Non-Vehicular Equipment.

Maintain, inspect, and repair RADR equipment/items IAW applicable T.O.s and/or manufacture's manuals.

Use ILS-S to manage the Maintenance Repair Spares Package (MRSP), Enterprise Logistics Management System (ELMS) to document inspections, maintenance, and status for applicable equipment items, other USG designated systems.

Contractor shall be provided with a 90-calendar day notice to phase-in the workforce necessary to accommodate changes to RADR quantities in Appendix M.

RADR Reporting.

Provide RADR Inventory Report (RR) to include monthly status of all equipment/items to include geolocation, condition, and equipment status.

Monthly RADR Production Telecon.

Support a monthly production telecon. AMIC or the USAFE WRMO may also require out-of-cycle production meetings to support specific mission requirements.

RADR Reserve Rate.

Maintain non vehicle RADR equipment, listed in **Appendix M**, at a minimum serviceability rate of 90% for each type of asset.

RADR Reconstitution.

When deployed equipment is returned to storage status, reconstitute equipment IAW applicable TOs and commercial manuals within the following timelines: within 30 days condition inspection and within 90 days per repair/return to serviceable condition (excluding items awaiting parts).

War Reserve Materiel RADR Vehicles.

Provide fleet management, operations, maintenance, and logistical support for RADR/WRM vehicles identified in Appendix M, Authorizations IAW AFI 24-302, AFI 25-101 as implemented, TO 36-1-191, publications, and all applicable vehicle technical data.

Contractor shall be provided a 90-calendar day notice to phase-in the workforce necessary to accommodate changes to RADR quantities in **Appendix M**.

Vehicle PMI Intervals/Storage Requirements.

Accomplish vehicle PMIs and store vehicles IAW AFI 24-302, AFI 25-101 as supplemented and TO 36-1-191.

Coordinate with the installation CE Flight to build, track, and execute 12-month RADR integration plan and rotation schedule.

Vehicle Deliverables.

Provide a Vehicle Reconstitution Report IAW AFI 25-101 and To 36-1-191 (RR). Include only vehicles in reconstitution: FMC, MC, NMC, deployed, short, and mal-positioned status of all vehicles by storage/reconstitution location. If no vehicles are in reconstitution, the contractor shall notify the COR and begin submitting/re-submitting the report when vehicle reconstitution commences.

Vehicle Management Information System.

Use Basing & Logistics Analytics Data Environment (BLADE), Transaction Request Tool (TRT), and Fleet Management Information System (consisting primarily of ELMS) or other applicable systems for fleet and maintenance management.

Use the following ELMS organization codes to track vehicles in ELMS in IAW AFI 24-302 and TO 36-1-191, and Vehicle Management Guidebook.

Air Certification Letters (ACLs).

Evaluate all RADR/WRM vehicles for ACLs, prior to being placed into MC status. If the asset is not listed in the -9 as air certified, the appropriate documentation shall be submitted to Air Transportability Test Loading Activity (ATTLA) for approval/disapproval.

File the ACL in the vehicle record jacket.

Management of Newly Accepted Vehicles: The contractor shall:

Manage newly accepted vehicles, including vehicles returning for Reconstitution, IAW T.O. 36-1-191.

Special Purpose Vehicle (SPV) Functional Inspection.

All SPVs and construction vehicles and attachments shall be exercised under 50% load during the 180-day functional inspection.

Additionally, vehicle-dispensing systems, with the exception of POL assets, exercised at this same interval to meet output flow requirements IAW applicable TOs and OEM commercial manuals. Any vehicle that fails inspection will be rendered NMCS.

Stored Vehicle Serviceability Rate.

Achieve a 90% MC rate Level of Effort for stored vehicles (Code: 0W) as of the last day of each month reported in (BLADE) or other applicable systems.

Aerospace Ground Equipment (AGE) – War Reserve Materiel (WRM).

Provide a 90-calendar day notice to phase-in the workforce necessary to accommodate changes to AGE quantities in Appendix M.

Storage Level.

Ensure all assets are stored in Ready-to-Deploy (RTD) condition. RTD is defined as turn-key condition with minimum preparation required for outload.

Storage and Warehousing.

Perform storage and warehousing functions of all assets. This includes the placement and removal of assets from the storage bay, location, and movement of the item to a location necessary to perform maintenance, and loading/unloading operations.

Be responsible for all movements of assets on site.

Maintain and mark WRM storage areas and assets IAW AFI 25-101 and all applicable guidance.

Maintenance Control Plan (MCP).

Develop, administer, implement, and provide to the Government a WRM AGE Maintenance Control Plan (RR) for all Government-Furnished Equipment/Property (GFE/P) and support equipment.

Perform all scheduled and unscheduled maintenance on all equipment IAW required standards (i.e., Technical Orders (TOs) and/or commercial manuals).

Perform inspections, equipment modifications, repairs, and identify maintenance problem areas. Include all applicable functional areas (e.g. AGE, Vehicles and RADR.)

Identify the procedures used to record, schedule, track status and execute all maintenance, repair and logistics related tasks required to ensure all GFE/P and support equipment are operating as intended to meet contract requirements.

Maintenance Deviations.

Propose, within the MCP, deviations to maintenance procedures identified in applicable TOs or commercial manuals.

Obtain approval from the ACO and PM for proposed deviations from preventative maintenance requirements prior to implementation.

Maintenance Requirements.

Accomplish maintenance actions IAW applicable work cards and Technical Orders (TO).

Corrective and Preventive Maintenance Program.

Provide a comprehensive, corrective, and preventive maintenance program to identify all corrective and preventive maintenance required to safeguard and extend the lifespan of WRM and GFE/P.

Maintenance.

Perform all WRM and In-Use assets maintenance and repair actions that do not exceed the maximum one-time repair expenditure limit and service. The Government will determine whether the equipment is economically repairable or not.

Unscheduled Maintenance.

Perform all necessary unscheduled maintenance IAW the applicable TO.

Troubleshoot or bench-check all inoperable equipment or components IAW applicable TO's to determine the cause of the malfunction. Only after properly diagnosing malfunctions shall the contractor replace or recommend requisition equipment and/or components to the COR.

Preventive Maintenance (PMI) Deferrals.

In the event a PMI deferral is required to support a contingency or exercise, the contractor shall request deferral from performing scheduled inspections and maintenance from ACO and PM.

Submit, upon approval, a revised PMI schedule to the Government within ten (10) workdays after completion of the contingency or exercise support.

Schedule PMIs in accordance with AFI 24-302, TO 36-1-191, and all other TOs as applicable.

Inspect all items as prescribed by the applicable work cards or TOs.

Acceptance Inspections (AI).

Schedule and perform AIs on newly assigned WRM and In-Use assets IAW Technical Order 00-20-1, applicable Work cards and Technical Orders for AGE assets.

Cannibalizations.

Cannibalize components, update IMDS/ELMS, AF Form 1832, AFTO Form 244, AFTO Form 95, and order replacement components.

Time Compliance Technical Order (TCTO).

Perform TCTOs in accordance with the instructions provided in the TCTOs, Technical orders and the Special Operating Instructions (SOI).

Schedule TCTOs to ensure 100% completion before rescission date.

Conduct technical and functional reviews of WRM equipment modifications or TCTO changes.

Furnish written findings and recommendations to Contracting Officer and COR, if changes affect any aspect of the contractor's responsibilities under this PWS.

Document and maintain a TCTO file for each TCTO issued IAW TO 00-5-1, TO 00-5-15, TO 00-20-1, and locally approved standard operating procedures (SOP)

Production.

Provide NLT 15 August of each year an annual production schedule covering 1 October thru 30 September for review and approval (RR). The Government may redirect production goals/priorities monthly or as needed to support mission objectives.

Status Data Bases.

Maintain equipment status records in Integrated Maintenance Data System (IMDS), ELMS, and ILS-S as required for WRM/In Use Assets. The U.S. Government will provide contractor access to IMDS, ELMS, and ILS-S. Inputs will be mandatory for the following data fields:

- Locally assigned serial number
- Nomenclature of the item
- National Stock Number/Part Number of the item
- Location of the item (where stored or where used)
- Use Code (Is the item joint use, integrated, or WRM)
- Serviceability Status
- Parts Required (Yes/No)
- Remarks field for comments concerning serviceability, parts on order, reason item is out of service, etc.
- Date Discrepancy Discovered field
- Date when maintenance or repair work began
- Functional area where the items are assigned
- Locally assigned identification number
- All scheduled and unscheduled maintenance
- All applicable TCTO's
- Update and maintain records in IMDS, ILS-S, and ELMS for historical documentation.

Scheduling.

Develop all maintenance schedules (RR), including TCTOs, and send them to the applicable COR monthly.

Not schedule maintenance that could degrade mission readiness unless approved in advance by the appointed 496 ABS Commander and COR.

Perform maintenance during periods when WRM and In-Use Assets are in storage at their dedicated storage locations.

Documentation.

Accomplish all documentation IAW TOs and locally approved procedures. All documentation will be standardized.

Prepare an AFTO Form 350 IAW TO 00-20-3 for all components removed from the end item when stored off the assets to include work benches and Tail Number/Hold Bins.

Prepare condition tags IAW TO 00-20-3.

Historical Files and Analysis

Maintain historical records for all assigned WRM assets IAW TOs and AFIs. These files will be maintained IAW Air Force Records Management principles.

Provide real-time reports listed throughout this PWS when requested by the U.S. Government.

Provide a monthly analysis of performance trends (RR), identifying root causes of performance and recommend corrective actions, or on a case-by-case basis as determined by the COR or WRMO.

Corrosion Control.

Develop and maintain an effective Corrosion Control and Prevention Maintenance Program (CCPMP) IAW TOs 00-20-1, 35.1-3, 35-1-18, locally approved procedures and applicable Final Governing Standards (FGS) and the Globally Harmonized System (GHS).

Minimize corrosion damage by timely protective and corrective actions, per items listed in Appendix M. The CCPMP shall follow DAFI 21-101 "Worst is First" concept with TO guidance level ratings 1-4.

Remove and apply organic protective coatings IAW TO 1-1-8 and applicable unit TO's.

Functional Check.

Service and functionally test all equipment after completion of repairs, prior to releasing for use or upon return to storage IAW the applicable unit TO or commercial manual.

Warranty Management.

Implement and maintain a warranty management program for depot returns, new assets, parts and supplies, service agreements, and subcontracts.

Ensure warranty information for all WRM AGE shall be available through the IMDS or ELMS, IAW AFI 23-101, AFMAN 23-122, AFH 23-123 and TO 00-35D-54.

Contingencies/Exercises.

Position, prepare, and load all WRM assets, as directed.

Inspect, repair, and return WRM assets to storage locations not later than 30 days after completion of the contingency/exercise. Assets that cannot be returned within 30 days shall be reported to the COR.

Reconstitution.

After each use of WRM Assets in the event of contingencies, unique tasking, or exercises; the contractor shall inspect the item(s) used/deployed and shall begin repairs to damaged and/or inoperative equipment within 72 hours from the time the items are returned to the contractor. All WRM assets used for deployment, in the event of contingencies, unique tasking's, or exercises must be prepared and returned to storage not later than 30 days after assets are returned to the contractor for reconstitution.

Provide a Return to Storage Letter (RR) to the 496 ABS/WRMO and the COR via stating reconstitution costs and date asset(s) were returned to storage. Exceptions to this policy will be coordinated with the 496 ABS/WRMO.

Provide an AGE Reconstitution Report IAW AFI 25-101(RR). Include only AGE in reconstitution: FMC, MC, NMC, deployed, short, and mal-positioned status of all AGE by storage/reconstitution location. If no AGE is in reconstitution, the contractor shall notify the COR and begin submitting/re-submitting the report when AGE reconstitution commences.

Test Measurement Diagnostic Equipment (TMDE).

Incorporate TMDE management and use in the MCP for equipment requiring calibration.

Obtain ACO or PM approval prior to sending GFE TMDE to an approved vendor to calibrate equipment that is beyond AF Precision Measurement Equipment Laboratory (PMEL) or the AF Primary Standards Laboratory capabilities.

Nuclear Surety Program.

Manage the Nuclear Surety Program and report all accidents, incidents and deficiencies involving nuclear-certified equipment via BROKEN ARROW, BENT SPEAR, or DULL SWORD reporting channels established in AFMAN 91-221, Weapons Safety Investigation and Reports, AFI 63-125, Nuclear Certification Program, and the USAFE/AFAFRIC Supplement to AFI 63-125.

Material Serviceability.

Material serviceability is the expression of the percentage of equipment that is serviceable and in proper condition to perform its designed function or purpose. It applies to all WRM equipment that requires traditional maintenance such as scheduled (preventive) and unscheduled (corrective) maintenance by qualified technicians or mechanics. The contractor shall:

Accompany USAF inspection/inventory teams and aid as required within performance criteria of this PWS. Notification of these inspections shall be brought to the attention of the contractor via the COR.

Perform 100 percent inventory within 15 business days of contract performance for the purpose of accepting accountability for WRM.

Contractor Acquired Parts and Materials (CAP).

The Government shall furnish all required repair parts and materials for US equipment that requires maintenance under this contract. In the event such items are not available as Government furnished materials (GFM), the contractor shall submit a list(s) of items proposed for purchase under CAP/M using **CLIN 0005** at Schedule of Items to COR for approval prior to ordering. The COR will maintain a record of all CAP purchases.

Prior to initiating action to procure CAP/M, the contractor shall submit a written request to the QAR describing the item(s), quantities, and utilization as well as state required part(s) are not available through the Integrated Logistics Supply – System (ILS-S).

Diligently seek competition from at least three local/commercial vendors and submit a quote to the COR. The COR will forward this request and the quote to the WRM Ordering Officer.

If this purchase exceeds the micro purchase threshold, the contractor shall submit at least three quotes to the COR. After the COR validates the purchase, the WRM Ordering Officer will review and approve/disapprove the purchase. If disapproved, the WRM Ordering Officer will notify the contractor of the disapproval.

In no event shall the contractor proceed to procure CAP/M or fabricate parts or material prior to COR validation or WRM Ordering Officer approval, authorizing such action.

The contractor shall be responsible for tracking the budget for contractor acquired parts and materials costs (and supplies) to include where parts/materials were used (shop & location).

Prioritize and budget WRM requirements with inputs from the COR and the WRMO. This report must be submitted monthly to the COR with courtesy copy to 496 ABS/WRMO.

AGE Reconstitution.

When deployed equipment is returned to the WRM storage site, the contractor shall reconstitute equipment IAW applicable TOs within specified contract timelines.

Special Requirements.

Maintain a 90% in-commission rate of all War Reserve Materiel (WRM) assets contingent on funds availability.

Report/track the status of all assets through the Information Management Data System (IMDS), Transaction Request Tool (TRT), or the Enterprise Logistics Management System (ELMS).

Submit a monthly report of all relevant WRM performance metrics (relating to AGE) to the QAR and COR. This report should include, but not limited to, authorizations, assigned, excess, shortages, and mission capable rates.

Provide the Equipment Status Report in a format determined by the COR.

Perform all WRM and In-Use Assets maintenance and repair actions that do not exceed the maximum one-time repair expenditure limit and service. The Government will determine whether the equipment is economically repairable or not.

Discrepancies on equipment that affect safety or make it unfit for use will be immediately removed from service and a RED X symbol placed in the Equipment Record (AFTO 244). The contractor shall expedite the repairs or order replacement parts with the highest priority based on the Standard Reporting Designator (SRD) code.

Personnel.

Provide an AGE Repair Technician. Shall use automated systems to update AGE maintenance status. Shall understand the principles of electricity, electronics, heating, refrigeration, pneumatics, hydraulics, and internal combustion engines. Shall use technical publications, blueprints, and diagrams. Shall be familiar with supply procedures. Shall possess or have the ability to obtain an AF Form 2293, Government Vehicle Operator's Identification Card. Shall have four years' experience in aircraft support equipment repair. Shall possess an EPA refrigerant recovery certification. Shall meet the qualifications of an AGE Technician. Shall possess a High School diploma or equivalent.

Provide an AGE Repair Mechanic. Shall be able to read and understand English. Shall use automated systems to update AGE maintenance status. Shall understand the principles of electricity, electronics, heating, refrigeration, pneumatics, hydraulics, and internal combustion engines. Shall use technical publications, blueprints, and diagrams. Shall possess or - have the ability to obtain an AF Form 2293, Government Vehicle Operator's Identification Card. Shall have three years' experience in aircraft support equipment repair field. Shall possess an EPA refrigerant recovery certification and shall meet the qualifications AGE repairman or civilian equivalent. Shall possess a High School diploma or equivalent.

Provide an Aircraft Electrical and Environmental (E&E) Technician. Shall use automated systems to update maintenance status. Shall understand the principles of electrical, electronic, and mechanical principles relating to E & E systems as applied to AGE; concepts and application of maintenance directives; meaning of symbols used in wiring diagrams, blueprints, and schematics; and proper handling, use, and disposal of hazardous waste and materials as referenced in 6.14. Shall know how to use technical publications, blueprints and diagrams and knows applicable supply procedures. Shall possess or has the ability to obtain an AF Form 2293, Government Vehicle Operator's Identification Card. Shall have a minimum of four years' experience in the E&E repair and meets the qualifications of an E&E Technician which includes experience maintaining electrical, electronic, and environmental systems. Shall possess a High School diploma or equivalent

Provide a War Reserve Materiel Manager (WRMM). Shall manage the unit's WRM, develop and submit WRM budget requirements to the installation War Reserve Materiel Officer (WRMO) or War Reserve Materiel Non-Commissioned Officer (WRMNCO). Shall participate in the installation's WRM Review Board. Shall Attend initial and recurring training. Inspect, maintain, mark, document, inventory, and store WRM IAW applicable instructions to include specific TOs, functional area instructions, AFI 23-101, and this PWS. WRMM shall ensure equipment condition, maintenance, and management is accomplished in the Accountable Property System of Record (e.g., Integrated Maintenance Data System (aerospace ground

equipment), Enterprise Logistics Management System (common support equipment) IAW AFI 23-101 and AFI 21-101, Aircraft and Equipment Maintenance Management.

Operational Support.

Imperatives.

Imperatives are provided to document the government's most important work items. The Service Provider (SP) shall use these imperatives to prioritize work, staff, and other limited resources. Communication between the SP and the government must occur on these topics to ensure they are meeting the government's expectations.

Management Internal Control Toolset.

Develop and implement a self-inspection program to address the areas outlined in the most current higher headquarters IG Inspection Guidance and Management Internal Control Toolset (MICT). Complete all applicable Management Internal Control Toolset (MICT) checklists assigned by the Government and submit for Government validation IAW the Commanders Inspection Program. Complete self-assessments of various program management and compliance requirements using MICT IAW AFI 90-201, The Air Force Inspection System.

Government will provide the SP with web-based access and training to MICT accordingly. The SP shall assess all MICT checklist requirements quarterly or as directed by the Government.

Propose solutions and a timeframe for corrections for all MICT deficiencies identified by Government inspections.

Government shall be responsible for correcting all deficiencies outside of the control of the SP.

Equipment Custodians.

Provide alternate equipment custodians that will be appointed for each functional area.

Air Force Records Information Management System.

Use AFRIMS as the repository for records created and maintained IAW DAFI 33-322. File electronic records to include emails in the approved records management solution and paper records promptly as indicated in AF Records Disposition Schedule, ensuring records are available and accessible.

Contractor functions shall identify personnel to be trained. When no records professional is assigned or identified, the contractor quality assurance evaluator is responsible for all lifecycle record management and duties assigned to the records professional.

Provide primary and alternate records custodians that will be appointed per functional area when services are completely contracted out.

Follow local procedures which may involve coordination with the commander, base records manager, and IT professionals to be added to the appropriate security group to access relevant records in the unit's inventory of records and official electronic recordkeeping system.

Protect record content and comply with FOUO, sensitive, Privacy Act, and other policy and legal requirements. Must store, file, and manage records consistent with organizational requirements and procedures.

Comply with organization guidance regarding records preservation or transfer upon notification of retirement, separation, or end of employment under the contract.

Non-Disclosure Agreement (NDA).

Without exception, all SP (prime contractor) and subcontractor employees acquiring a NexGen IT role must complete an NDA in order to protect the employee, employee's company, and the government from misuse of data including, but not limited to, insight into government planning, government cost estimates, or workload history that might prove a competitive advantage.

NexGen IT is a foundational DAF business information system covering real property, cost, energy consumption, projects, and maintenance management. The architecture behind NexGen IT is IBM's TRIRIGA which by design makes all data within a data group, typically an installation, generally viewable by all authorized users of the system within that data group. User account role restrictions are intended to limit who can add or modify records but do not restrict view. While some paths to data may be hidden for user efficiency, e.g. a page with a data query is not shown, it is still possible to intentionally or inadvertently see other data.

Signed NDAs shall be submitted to military or government personnel whom oversee or manage this contract at the installation level.

An NDA was developed for NexGen IT and can be found by accessing the following URL. If there are problems accessing this URL, the government representative(s) overseeing this contract can provide a copy upon request.

Safety, Occupational Health, and Industrial Hygiene

Promote a safe and healthy workplace and environment for personnel performing contractor operations and personnel affected by contractor operations.

Focus on health needs by identifying and eliminating hazards to prevent occupational injuries and illnesses.

Perform all work IAW the code of ethics for the practice of Industrial Hygiene, the generally accepted practices for Industrial Hygiene work, and Air Force Instructions.

Identify, assess, and provide all required occupational health controls (engineering controls, administrative controls, and personal protective equipment) and required training associated with contractor operations for workplace hazards that cannot be eliminated.

Identify all medical surveillance requirements and ensure occupational medical exams are performed for contractor personnel as required.

Document all occupational health assessments and make them readily available for workplace personnel.

Develop and implement a written Safety and Occupational Health Program (RR) 45 FDA.

Participate as a member of the Hazardous Materials Management Process team and collaborate in hazardous material and hazardous waste management programs to ensure hazardous materials utilized by contractors are properly managed and controlled from procurement to disposal.


Ensure compliance with applicable HN FGS, In the absence of HN FGS, comply with Air Force Instructions and Air Force Occupational, Safety and Health Standards, particularly 91-202, 91-203, 48-145, 48-148, 48-20, 48-137, and AFPAM 48-151.

Protection of Air Force Personnel.

Ensure contractor operations do not expose Air Force personnel and the general public to occupational and environmental health hazards.

Comply with appropriate Host Nation and Air Force instructions, standards, manuals, and technical orders in conducting operations and managing contractor occupational and environmental health programs.

Obtain Host Nation and U.S. Government approval before bringing any radiation source or laser on an installation.



Appendix

Technical Exhibit A – Activated Services Matrix

Technical Exhibit B – Workload and Baseline

Technical Exhibit C – Personnel Qualifications

Technical Exhibit D – References

Technical Exhibit E – CDRL List

Technical Exhibit F – GFP List

Technical Exhibit G – Vehicle List

Technical Exhibit H – WRM List

Technical Exhibit I – Construction Project List

Technical Exhibit J – Grounds Maintenance Map

Technical Exhibit K – Custodial Services Map

Technical Exhibit L – Security Requirements

Technical Exhibit M – Mission Essential Services

Technical Exhibit N – Key Personnel

Technical Exhibit O – Acronyms

Service Summary Items

Acceptable Quality Levels and Performance Standards