



THE UNITED STATES AIR FORCE ACADEMY

PERFORMANCE WORK STATEMENT (PWS)

Meteorological Services

8 April 2026

Services Acquisition Lead (SAL) approves the PWS by signing and certifying the contents as written meet the needs of the requiring activity.

Mark Fleming, Services Acquisition Lead

Contents

1. Description of Services	3
2. Airfield Support Function (ASF).....	6
3. USAFA Terminal Aerodrome Forecast (TAF)	9
4. Mission Integration Function.....	11
5. Staff Integration Function.....	15
6. Weather Support Documentation	18
7. Self-Inspection Program Requirements.....	19
8. Other Documentation and Records Management	19
9. Weather Systems Manager	20
10. Attendance and Travel to Conferences, Workshops, and Training.....	21
11. Spectrum Management	21
12. Emergency Actions	21
13. Contractor Training Requirements	26
14. Other Considerations.....	28
15. Contract Transition	31
16. Services Summary (SS).....	32
Appendix 1 - Abbreviations, Acronyms and Terms	34
Appendix 2 - Workload Data	41
Appendix 3 - Incidentals.....	42
Appendix 4 - Reference Publications	43
Appendix 5 - Deliverables	45

1. Description of Services

1.1. **General.** This is a non-personal services contract to provide Meteorological Services to the United States Air Force Academy (USAFA). The Government shall not exercise any supervision or control over the contract service providers performing the services herein. Such contract service providers shall be accountable solely to the contractor who, in turn, is responsible to the Government. The contractor shall perform to the standards in this contract.

1.2. **Scope.** The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform Meteorological Services as defined in this Performance Work Statement (PWS) except for those items specified as Government furnished incidentals. The contractor shall provide qualified personnel who can perform Airfield Services operations, Mission Weather operations, and Staff Weather operations. Qualified contractor personnel shall be the primary staff weather briefers for the USAFA Superintendent, the USAFA Commandant, 10th Air Base Wing (10 ABW), and 306th Flying Training Group (306 FTG) staff briefings. This includes creating and presenting unclassified weather briefings for the USAFA Emergency Operations Center (EOC).

Customers include the 306 FTG, the 94th Flying Training Squadron (94 FTS) (Soaring operations), 98 FTS (Parachuting Operations), 1 FTS (Initial Flight Training), 557 FTS (Powered Flight Operations), 70 FTS (Air Force Reserve Command), the 306th Operations Support Squadron (306 OSS), and USAFA Staff Agencies. Contractor shall perform meteorological services in accordance with (IAW) established duty priorities; generating automated and augmented surface weather observations; providing weather contractor integration to 306 FTG and USAFA training operations; issuing Mission Execution Forecasts (MEFs) for multiple airfields, multiple flying training routes, flying training areas, a sailplane landing area, a parachuting drop zone, and USAFA Remotely Piloted Aircraft (RPA) flying training areas. The contractor shall follow all applicable instructions and directives as identified by the PWS, including Air Force (AF), Headquarters (HQ) Air Education and Training Command (AETC), USAFA, 306 FTG, and Federal Aviation Administration (FAA) guidance.

1.3. **Background.** The contractor shall provide continuous weather operations support to include weather forecasting, observing, briefing, training, supervision, and any items and services necessary to perform full meteorological services. Airfields supported are provided below.

1.3.1. USAFA Airfield (Davis Airfield) Designators. USAFA airfield information is maintained in the Department of Defense (DoD) Flight Information Publication Visual Flight Rules (VFR) – Supplement. USAFA airfields are VFR airfields and operate IAW Air Force Manual (AFMAN) 11-202 Volume 3, Chapter 6. There is no instrument landing system, no airfield lighting system, and no ambient light sensor to calculate runway visual range.

1.3.2. USAFA Airfield. “KAFF” is the International Civil Aviation Organization (ICAO)

location identifier for the USAFA Airfield. All weather products disseminated by or for USAFA shall use KAFF as the ICAO location designator. The corresponding World Meteorological Organization index number is 745310. The USAFA Airfield has three parallel runways: 16-Right/34-Left, 16/34-Center, and 16-Left/34-Right. In addition, crosswind runway 09/27 is used primarily for aircraft recoveries during strong west wind events. The Sailplane Landing Area is located to the immediate west of Runway 16-Right/34-Left. The Parachuting Drop Zone is located to the immediate west of the Sailplane Landing Area.

- 1.3.3. Bullseye Auxiliary Airfield. “KABH” is the ICAO location identifier while CO90 is the FAA ID for weather products for Bullseye Auxiliary Airfield, Ellicott, CO. Bullseye Auxiliary Airfield is located approximately 27 miles southeast of the USAFA Airfield and approximately 8 miles east of Schriever Space Force Base. The Bullseye Auxiliary Airfield runway is oriented 17/35. It is an uncontrolled airfield. Automated observations are available from an AN/FMQ-22 Fixed Base Weather Observation System. The AN/FMQ-22 system is positioned on the east side of the runway.
- 1.3.4. Aardvark Airstrip. Aardvark Airstrip is not an active airfield. Aardvark is located approximately 4 miles north of the USAFA Airfield. The Aardvark Airstrip is primarily used by USAFA Dean of Faculty (DFE) for Unmanned Aerial Systems (UAS) training flights. The Aardvark Airstrip is oriented 17/35. Only limited automated weather observation data is available from the Aardvark Airstrip via High Wind Alert System (HWAS) automated weather observing station. In addition, USAFA/DFE operates small remotely controlled UAS in the vicinity of the Cadet Area soccer fields.
- 1.4. **Hours of Operation.** The contractor shall provide weather services 24 hours a day, 7 days a week to USAFA, prioritizing USAFA’s airfield-based operations.
- 1.5. **Workload Estimates.** Workload estimates are shown at Appendix 2. These estimates were based on production counts from April 2021 through November 2024.
- 1.6. **Deliverables.** The contractor shall submit all required reports IAW Appendix 5, Deliverables.
- 1.7. **Contracting Officer’s Representative (COR).** The Government will evaluate the contractor’s performance under this contract. One or more CORs will be appointed by the Contracting Officer (CO) with the authority to monitor contract performance and to inspect and accept services.
- 1.8. **Government Observations.** Government personnel such as Inspector General or higher headquarters staff are authorized to observe and evaluate 306 OSS Weather Flight performance.
- 1.9. **Mission Essential Personnel.** Meteorological services are considered mission essential. In the event the installation is closed due to inclement weather, or other causes, in which the installation commander has declared only mission essential personnel are required, the

contractor shall continue to operate unless told otherwise by the COR or the Functional Commander. The contractor shall notify the COR in the event the contractor cannot travel to the installation due to road closures or hazardous (unsafe) travel conditions. The contractor is required to maintain a Mission-Essential Contractor Services Plan detailing provisions for the acquisition of essential personnel and resources to maintain continuity of operations for up to 30 days in a crisis. The contractor shall submit a Mission Essential Plan within 30 days of contract award. This plan shall also address operations in the event of a labor strike.

- 1.10. **Safety Responsibilities.** The contractor shall perform all operations under this contract to the highest degree of sound, accepted industrial safety practices by conforming to the specific safety requirements established by this contract. In addition, the contractor shall comply with all present and future applicable FAA, AF Occupational Safety, Fire, and Health Standards, Environmental Protection Agency and any other AF, federal, state or local directive that may apply to safety-related issues as determined by the CO or 306 FTG safety personnel. The CO may, by written order, direct additional safety standards that may be required in the performance of this contract. Any adjustments resulting from such direction shall be at no additional cost to the Government. Any violation of these safety requirements, unless promptly corrected as directed by the CO through 306 FTG, may be grounds for termination of this contract IAW the default clause of this contract.
 - 1.10.1. **Damage to Government Incidentals.** The contractor shall document and promptly report to the COR, within one hour, all available facts relating to each instance of damage to Government incidentals or injury to either contractor or Government employees.
 - 1.10.2. **Safety Inspections.** The contractor shall be subject to safety inspections by USAFA and 306 FTG safety personnel or others as directed by the Government. The contractor's corrective actions shall be subject to approval of 306 FTG safety personnel.
- 1.11. **Contractor Appearance.** All contractor employees are expected to conduct themselves in a professional, polite, and competent manner while performing on this contract. Contractor employees shall perform all contract duties in a courteous manner. Profane, vulgar, racist, sexist and obscene language, gestures, or clothing shall not be tolerated. A professional appearance and customer service attitude shall be displayed at all times while interacting with supported agencies. All contractor personnel must be able to speak and understand English. Contractor personnel shall comply with installation rules and regulations for motor vehicle use while on base.
- 1.12. **Dress code.** Contractor personnel shall be professional in appearance and suitable for the occasion and environment.
- 1.13. **Contractor Identification.** All contractor personnel shall wear a Government issued badge at all times to identify themselves as a contractor employee. Contractor employees shall identify themselves as being a contractor when attending meetings, answering Government telephones, and working in other situations where their contractor status is not

obvious to third parties (e.g., clients, vendors, customers, public contacts, etc.) to avoid creating an impression that they are Government officials.

1.14. Contractor Security Requirements. The contractor shall abide by the terms set forth in this contract. Additionally, the contractor shall comply with all security and force protection requirements at USAFA.

1.14.1. Security Background Investigation. All contractor personnel requiring access to the USAFA Unclassified Local Area Network must have a minimum of a favorable National Agency Check with Inquiries. The contractor shall complete the DoD Cyber Awareness Challenge Computer Based Training (CBT) available via the MyLearning website at <https://lms-jets.cce.af.mil/>. The reference for the CBT requirement is Air Force Instruction (AFI) 17-130, Chapter 2 and Department of the Air Force Manual (DAFMAN) 17-1301, Chapter 2. The investigation shall be initiated through 306 FTG security program management personnel.

1.14.2. Common Access Card (CAC). Contractors shall apply for a CAC from the COR using the Defense Manpower Data Center Trusted Agent Sponsorship System. The CAC is used to access Government computer systems. The CAC shall be returned to the COR when employment is terminated.

1.14.3. Contractor Identification Badge. Contractors shall obtain USAFA contractor identification badges through the 10th Security Forces Squadron (10 SFS) Pass & Registration Center located at the south entrance to USAFA. Contractor badges shall be returned to the Pass & Registration Center when employment is terminated.

1.14.4. Controlled Area Movement Training. Contractor personnel shall complete the 306 OSS Airfield Management Controlled Area Movement Training within 60 days after contract award. This class is required to gain access to airfield weather equipment for contractor training orientation.

1.14.5. Physical Security. The contractor shall secure facilities, equipment, and materials at the close of each work period, notify 306 OSS Airfield Management or 10 SFS personnel when suspicious or unauthorized personnel are observed in the vicinity of the building or airfield, and establish and implement procedures to ensure building entry lock combinations are not revealed to unauthorized persons.

2. Airfield Support Function (ASF). The contractor shall execute ASFs. ASF operations include actions and observances that affect USAFA and its airfield. The contractor is responsible for conducting official weather observation, meteorological watch (METWATCH), Terminal Aerodrome Forecasts (TAF), and resource protection as outlined below. The ASF is comprised of the Airfield Services technician and all other contract technicians conducting airfield weather services. The contractor shall maintain an active METWATCH, operate AN/FMQ-19 observations during airfield operating hours, monitor area observations, and forecast products and other weather changes expected to affect USAFA operations. The contractor shall be responsible for direct interface with 306 FTG Supervisors of Flying (SOF), Soaring Control Officers (SCO), Drop Zone Control

Officers (DZCO), Squadron Operations Supervisors, Air Traffic Control Tower (ATCT) personnel, the USAFA Command Center, and other operational users on USAFA.

- 2.1. **METWATCH.** METWATCH is the process of monitoring observed and forecast weather conditions with the explicit purpose of information safety decisions. Select agencies (e.g. SOF, ATCT, 10 ABW, Athletic Department) shall be notified and advised when specific weather conditions occur or are forecast. The contractor performs a continuous METWATCH for USAFA.
- 2.2. **Surface Weather Observations.** The contractor shall generate, record, and disseminate weather observations IAW Department of the Air Force Instruction (DAFI) 15-129, Air and Space Weather Operations. The AN/FMQ-19, Automatic Meteorological Station is the AF standard system for generating surface weather observations. The contractor shall provide additional support (i.e., supplement and back-up) for the system based on the type of observation. KAFF weather observations are available on the Air Force Weather – Bridging Environmental Intelligence for Responsive Operational Support Portal (AFW – BIFROST Portal), the ATCT Airfield Automation System (AFAS), and Internet weather sites. See Appendix 5, Data Item 01.
- 2.3. **Types of Observations.** The contractor shall provide three types of observations: METAR (Aviation Routine Weather Report), SPECI (Aviation Selected Special Weather Report) and LOCAL (Aviation Selected Local Weather Report) observations IAW AFMAN 15-111, Surface Weather Observations, Chapter 3. All observations are taken from the Official Points of Observation.
 - 2.3.1. A METAR is a regularly scheduled observation taken and disseminated every hour at 55 – 59 minutes after the hour. Every report includes wind data, visibility, present weather (if occurring), sky condition, temperature, dew point, pressure, clarifying remarks and additive data. A METAR observation may also indicate special weather criteria were met during the given observing period. METAR observations are disseminated locally and longline.
 - 2.3.2. A SPECI is an unscheduled observation taken and disseminated when any special criteria as directed in Chapter 3 of AFMAN 15-111 and locally determined criteria have been detected. SPECI reports shall be prepared and transmitted as soon as possible after the relevant criteria are observed. SPECI observations are disseminated locally and longline. SPECI weather observation criteria are listed in 306th Flying Training Group Instruction (306 FTGI) 15-101, USAFA Weather Support, Attachment 4.
 - 2.3.3. A LOCAL is an unscheduled observation, reported to the nearest minute, not meeting SPECI criteria. LOCAL observations shall only be taken when local leadership determines there is a requirement in support of operations or OPSEC considerations.
- 2.4. **Official Points of Observation.**
 - 2.4.1. The USAFA Airfield AN/FMQ-19, Automatic Meteorological Station primary

sensor group is located just south of the ATCT parking lot, and discontinuity Sensor Groups (Wind Towers) located north of the USAFA ATCT, and at the departure end of Runway 27.

2.4.2. The official manual observation point at USAFA airfield for augmenting observations is outside the northwest corner of Building 9206.

2.4.3. The Bullseye Auxiliary Airfield official point of observation is the AN/FMQ- 22 Automated Meteorological Observing Stations (AMOS), primary sensor group located on the east side of the runway at midfield.

2.5. **AN/FMQ-19 Operations.** The contractor shall operate the AN/FMQ-19 automated meteorological observing system IAW procedures in Chapters 1, 3, 4, 5, and 10 of AFMAN 15-111. The AMOS performs an automatic Continuous Weather Watch, but when augmentation is required, the ASF contractor shall be ready to perform augmentation of observations IAW AFMAN 15-111, Chapter 5. The contractor shall augment weather observations whenever unrepresentative conditions occur due to sensor or system limitations (i.e. known & unknown). During augmentation, the contractor shall monitor and visually check weather conditions at least every 20 minutes. The contractor shall be ready to provide unscheduled observations, as required.

2.5.1. Augmentation criteria and reporting procedures are listed in paragraph 2.3.3. and Attachment 4 of 306 FTGI 15-101. When a system sensor is no longer working properly, the contractor shall report the problem to the proper maintenance agency. The weather technician shall input, correct, or delete weather elements in the observation until the problem is resolved.

2.5.2. The contractor shall utilize Pilot Report (PIREP) information to reevaluate observation criteria IAW AFMAN 15-111, Chapter 11.

2.5.3. The contractor shall establish procedures to monitor automated surface weather observations. The contractor shall also establish quality control procedures IAW AFMAN 15-111, Chapter 2.

2.5.4. The following are known limitations of the AN/FMQ-19 system. The contractor shall augment the system when any of these limitations occur:

2.5.4.1. The AMOS cannot detect tornadoes, funnel clouds, hail, volcanic ash, snow depth or smoke.

2.5.4.2. Visibility and ceilometer sensor reports may not be representative of actual visibility and ceiling height conditions if they are rapidly changing.

2.5.4.3. Precipitation identification sensor may trigger erroneous observations due to temporary conditions such as bugs, dust, or dirt accumulation on the lens. Maintenance may need to be contacted to remedy the obstructions.

2.5.4.4. Visibility sensor may generate a rapid visibility change, up or down, when

the actual visibility is unchanged. These events are usually caused by a buildup of dirt on the sensor lenses.

- 2.6. **USAFA Weather Observation Remarks and Additive Data.** When required, the contractor shall augment (i.e., supplement and back-up) mandatory remarks and additive data IAW AFMAN 15-111, Chapter 3, and Attachment 3, and 306 FTGI 15-101, Attachment 4.
- 2.7. **METAR, SPECI and LOCAL Observation Formats.** METAR, SPECI and LOCAL automated and augmented weather observation formats are available in Chapter 3 of AFMAN 15-111.
- 2.8. **Dissemination of Weather Observations.** The contractor shall disseminate KAFF surface weather observations via the Sensor Collection Appliance (SCA).
 - 2.8.1. **Backup Dissemination Procedures.** If SCA is inoperative, the contractor shall disseminate USAFA Airfield weather observations by phone, e-mail, other means and record the dissemination on a Local Dissemination Log IAW 306 FTGI 15-101. The following agencies shall be notified: 306 OSS ATCT, 306 FTG SOF, 94 FTS SCO, 98 FTS DZCO, and 557 FTS Operations Supervisor (Ops Sup).
 - 2.8.2. **Transfer and Disposition of Surface Weather Observation Records.** The contractor shall quality control electronic Form 3813, making corrections as required, prior to transferring the form electronically to the 14th Weather Squadron (14 WS). The contractor shall transfer the form to the 14 WS IAW AFMAN 15-111, Chapter 6.
- 2.9. **USAFA High Wind Alert System (HWAS).** The contractor shall monitor USAFA HWAS observations for changing conditions. The USAFA HWAS is a mesoscale network (MESONET) consisting of a processor-server, monitor, and 12 automated, solar powered, weather stations. The USAFA HWAS aids in forecasting gusty surface winds, low-level wind shear, aircraft turbulence, inversion break times, aircraft icing conditions, wind-chill temperatures, and heat stress. Weather information is refreshed every two minutes.
- 2.10. **Cooperative Weather Watch.** The contractor shall maintain and comply with cooperative weather watch procedures IAW USAFAI 13-204, AFMAN 15-111, FAA Order 7110.65 series, Air Traffic Control, and 306 FTGI 15-101, Attachment 5.
3. **USAFA Terminal Aerodrome Forecast (TAF).** The contractor shall create, issue, disseminate, perform quality control and amend the USAFA TAF IAW DAFI 15-129, and 306 FTGI 15-101. The contractor shall encode and disseminate the TAF IAW AFMAN 15-124, Meteorological Codes, Chapter 1. See Appendix 5, Data Item 02.
 - 3.1. **TAF Procedures.** TAFs shall be provided in support of all 306 FTG flying operations.
 - 3.1.1. The contractor shall document meteorological reasoning on the TAF Worksheet for each issued TAF.
 - 3.1.2. The TAF shall consist of a 30-hour forecast for flight planning and command and

control activities. The USAFA TAF shall be issued no later than one hour prior to the start of airfield operations.

- 3.1.3. A new TAF shall be issued by the contractor every eight hours until the USAFA Airfield closes for the day. The area covered by the TAF is a radius of five statute miles from the center-point of the USAFA Airfield complex. The use of the term “vicinity” (abbreviated “VC” in the text of the forecast) refers to an area between five and 10 statute miles from the center-point of the USAFA runway complex.
- 3.1.4. The contractor shall encode and disseminate the TAF IAW AFMAN 15-124, Meteorological Codes, Chapter 1. The contractor shall maintain TAF Worksheets for this purpose. The contractor shall maintain copies of all disseminated TAFs and TAF worksheets.
- 3.1.5. The contractor shall comply with TAF format, specification, and amendment criteria as outlined in 306 FTGI 15-101. The lowest published airfield minimum differs from DAFI 15-129, Attachment 2, standard TAF criteria because the USAFA airfield is a VFR airfield. The TAF is encoded IAW AFMAN 15-124, Chapter 1.
- 3.1.6. When provided by AF Weather automation, TAF verification metrics will be monitored by the contractor and reported to the COR. TAF amendments are not required to be verified.
- 3.2. **Pilot Reports (PIREP).** The contractor shall encode and disseminate PIREPs IAW Chapter 4 of DAFI 15-129 and Chapter 2 of AFMAN 15-124. Nearly all PIREPs are relayed via tower controllers or Group SOF. PIREPs are a valuable source of information for weather forecasters, airfield command and control personnel, and flight crews. PIREPs confirm the existence of forecast conditions and identify previously un-forecast conditions. See Appendix 5, Data Item 03.
 - 3.2.1. The contractor shall request PIREPS from aircrews IAW DAFI 15-129, Chapter 4.
 - 3.2.2. The contractor shall use PIREP information to reevaluate sky cover and ceiling heights upon receipt of local PIREPs that indicate an operationally significant deviation from the current automated weather observation IAW AFMAN 15-111, Chapter 11.
 - 3.2.3. During equipment or communication outages the contractor shall disseminate PIREPs using any means available (e.g., telephone, e-mail).
 - 3.2.4. The contractor shall maintain a notification record during outages of the primary dissemination system.
 - 3.2.5. The contractor shall maintain and provide metrics for the Services Summary.
- 3.3. **Standard Clock.** The contractor shall designate and maintain a standard clock and ensure the clock time is within one minute of the U.S. Naval Observatory time IAW AFMAN 15-

111, Chapter 4. The contractor shall make time checks on duty days, with time checks annotated in Column 90 of Form 3813 for the given day.

- 3.4. **Barometer Comparisons.** The contractor shall perform barometer comparisons for the Kestrel Pocket Weather Meters IAW AFMAN 15-111, Chapter 13. At a minimum, digital barometers shall be compared against the standard barometer semi-annually. (See Appendix 5, Data Item 04).
- 3.5. **Visibility Charts.** The contractor shall establish a process to review, update, document, and maintain annual reviews of representative visibility charts for the primary and alternate operating locations IAW AFMAN 15-111, Chapter 4.
- 3.6. **Gibson Ridge Radar Software.** The contractor shall utilize software programs to interpret Next Generation Radar data; GR2Analyst and GRLevel3. Weather technicians use this software to analyze complex radar signatures, obtain detailed information on storm intensity, movement, outflow boundaries, internal circulation, and wind flow. Weather technicians routinely incorporate the signatures into daily operations and resource protection. Radar products are used extensively during severe weather events monitoring the airfield, low-level routes, and military operating areas.
 - 3.6.1. The contractor shall maintain Standard Operating Procedures (SOPs) to meet requirements outlined in Chapter 3 of DAFI 15-129 and support requirements within 306 FTGI 15-101.
- 3.7. **Lightning Strike Data.** The contractor shall utilize Government provided lightning strike data sources such as Air Force Weather Web Services or other commercial alternatives. Web-based sources are subject to network outages beyond the contractor's ability to mitigate.
4. **Mission Integration Function.** Mission integration functions are those actions directly related to assisting in the execution of customers' daily missions (e.g., Mission Weather Products (MWP), SOF Briefings, flight weather briefings). The MWP and mission integration function are the primary tools used to accomplish these tasks. The Mission Integration Function consists of contractor weather liaison and any contractor conducting mission integration services. The contractor shall perform a Mission Meteorological Watch focused primarily on parachuting, soaring, powered flight, and RPA operations within the local flying area, training areas, and alternate airfields as well as Cadet Wing missions and athletic events. The contractor shall have a full understanding of the mission-limiting thresholds for each assigned flying unit's aircraft and missions. The Mission Support Element contractor personnel work closely with the Airfield Support Element contractor personnel ensuring all agencies receive required support.
 - 4.1. **Mission Integration Support.** The contractor shall work closely with 94 FTS Soaring Operations, 98 FTS Parachuting Operations, 557 FTS Powered Flight Operations, and USAFA agencies to integrate meteorological services into all phases of the operator's decision cycle IAW DAFI 15-129, Chapter 4. The contractor shall provide the number of integration hours, to the half hour, worked each month to the COR no later than the 4th

business day of each month. See Appendix 5, Data Item 05.

- 4.2. **Weather Updates for Situational Awareness.** The contractor shall provide weather updates prior to airfield opening and throughout the day upon request from the following agencies: 306 FTG, 306 FTG SOF, 94 FTS SCO, 98 FTS DZCO, 1 FTS SOF, 557 FTS Ops Sup, Contractor Logistics Support contractors Chief Tow Pilot, USAFA Aero Club on official AF tasking, Airfield Management, USAFA Agencies conducting RPA training, outdoor physical training, and special events, and 10th Civil Engineer Squadron (10 CES) Snow Control.
- 4.3. **Critical (Go/No-Go) Mission-Limiting Environmental Thresholds.** The contractor shall document critical (Go/No-Go) mission-limiting environmental thresholds for 306 FTG and USAFA aircraft and related programs IAW DAFI 15-129, Chapter 4. The contractor shall review and update these thresholds at a minimum, every 365 days.
- 4.4. **Mission Weather Products (MWP).** During airfield open hours, the contractor shall generate a MWP IAW DAFI 15-129, Chapter 4. The Mission Execution Forecast Process (MEFP) shall specify techniques and tools used to forecast relevant individual weather elements critical to mission success, and how to best apply them to agency operational requirements IAW DAFI 15-129, Chapter 4. The MEFP shall be detailed in SOPs, checklists, flowcharts, worksheets, or other decision aids IAW DAFI 15-129, Chapter 4, paragraph 4.8.
 - 4.4.1. The MWP is a tailored area forecast for USAFA airfields, soaring training flights, parachuting training, flight and ground training areas, low-level routes flown by USAFA aircraft, and RPA operations on USAFA. The MWP shall be considered the official forecast for the USAFA Airfield. The TAF shall serve as the official forecast at all other times. The MWP is considered a legal flight weather briefing for local sorties (take off and land at USAFA), and out-and-back sorties. Transient aircrews do not fly off this product but receive briefings from the contractor. The contractor shall create and provide MWPs based on critical Go/No-Go environmental sensitivities and operating thresholds. The MWP shall contain flight level winds, hazard charts, and links to space weather products if required, and alternate airfield forecasts. The MWP shall be adjusted as necessary to meet the daily mission requirements needs of 306 FTG and USAFA units.
 - 4.4.1.1. The contractor shall maintain the MWP by integrating and tailoring products and information created by strategic and regional weather centers, local units, and agencies. The contractor shall fully understand their customers' mission and tactics in order to better anticipate and exploit the weather. The contractor shall obtain, examine, and if necessary, modify meteorological parameters produced by the 557th Weather Wing (557 WW), National Weather Service (NWS), etc., to meet operational requirements. The contractor shall not re-create synoptic and hemispheric scale analysis and forecast processes in order to tailor weather products.
 - 4.4.1.2. The contractor shall integrate TAFs, and Weather Watches, Warnings, and

Advisories into the MEF. The contractor shall interpret existing space weather products and apply or tailor the information for supported operations.

- 4.4.1.3. The contractor shall use the tropical cyclone forecasts issued by the National Hurricane Center (NHC). The contractor shall not deviate from the official NHC forecast position, track, movement, maximum wind speed, or intensity trend. The contractor shall use the MEFP to tailor the official NHC forecast into a specific mission forecast product for their supported agencies. Tailoring may include factors such as specific local effects such as terrain or relative position to the storm.
- 4.4.2. The contractor shall ensure supported agencies are notified of all updates to official tropical cyclone forecasts in the event 306 FTG aircraft or USAFA personnel are deployed in the vicinity of a tropical storm. The contractor shall have a documented methodology to incorporate climatology, perishable weather data, strategic and operational level forecast products, forecasting techniques, and a logical, verifiable process to conduct weather operations.
- 4.4.3. The contractor shall maintain a consistent approach to determine which MWPs require a review, forecast reviews shall be assigned as required, and monitor the performance of MEFs IAW DAFI 15-129, Chapter 4. See Appendix 5 Data Item 06.
- 4.4.4. The contractor shall issue the MEF no later than 0515L during regularly scheduled flying hours, but may be delayed if flying operations begin later in the period IAW DAFI 15-129, Chapter 4. Once issued the MEF is considered “active” and shall be monitored for accuracy until flying operations end. If primary means of MEF dissemination is not accessible, contractor will utilize an approved alternate means of dissemination. Contractor shall verbally brief the 306 FTG SOF and hand carry printed copies, or e-mail electronic versions to each FTS duty desk. An example of the USAFA MWP is located at 306 FTGI 15-101, Attachment 12. See Appendix 5, Data Item 07.
- 4.4.5. The contractor shall amend the MEF IAW 306 FTGI 15-101 throughout the flying day whenever an un-forecasted Mission Specific Threshold is expected, crossed, or is deemed unrepresentative.
- 4.4.6. The contractor shall establish procedures to compile and disseminate metrics information from the evaluation of MWPs provided to their supported agencies. The contractor shall provide a monthly MWP Metrics Report, Functional Resource and Weather Technical Performance Evaluation, and Major Command (MAJCOM) Weather Branch (A3OW) guidance. The report shall be distributed to 94 FTS Director of Operations (DO), 98 FTS/DO, 557 FTS/DO, and 306 OSS/DO. In addition, the MWP Metrics Report shall be forwarded to HQ AETC/A3OW, Randolph Air Force Base, TX. See Appendix 5, Data Item 08.
- 4.4.7. The contractor shall generate and disseminate a Planning MWP valid for the next day’s flying training operations. The Planning MWP is not verified or amended.

- 4.5. **Mission Weather Watch (MISSIONWATCH).** MISSIONWATCH is the process of monitoring weather for local flying training missions, cross-country and transient flights briefed out of USAFA by the contractor. Combined with METWATCH, the contractor shall perform MISSIONWATCH to monitor operations at and around USAFA and the local flying area, and issue changes or amendments to the respective MWP IAW DAFI 15-129, paragraph 4.2. It is the responsibility of the contractor to apprise and advise 306 FTG SOF, 94 FTS SCO, 98 FTS DZCO, 557 FTS Ops Superintendent, and Cadet Wing activities (football, intramurals, etc.) of real-time weather impacts, and to provide any viable and safe options to maximize training or activities. The contractor shall perform MISSIONWATCH on transient flights briefed by the contractor.
- 4.6. **USAFA Seven-Day Forecast Outlook.** The contractor shall produce the USAFA Seven-Day Forecast Outlook as a general, quick-look, and “worst case” forecast of expected USAFA weather conditions IAW 306 FTGI 15-101, paragraph 3.6. The USAFA Seven-Day Forecast Outlook shall be updated by 0700L daily. The outlook shall be updated at any time throughout the day as better details of weather events become available. An example of the USAFA Seven-Day Forecast Outlook is shown at 306 FTGI 15-101, Attachment 11. The contractor shall maintain and provide Seven-Day Forecast Outlook metrics comparing forecast conditions to actual conditions. See Appendix 5, Data Item 09.
- 4.7. **USAFA Aerial Events and Flyovers.** The contractor shall provide weather forecasts and MISSIONWATCH for USAFA aerial events and flyovers as requested by 306 OSS Aerial Events Section IAW DAFI 11-209, Participation in Aerial Events.
- 4.8. **Off-Station Support for 306 FTG Aircraft.** The contractor shall provide or arrange for tailored weather support for 306 FTG units participating in training events, National Intercollegiate Flying Association (NIFA) competitions, air shows, and static display deployments IAW DAFI 15-129, Chapter 4. The contractor shall determine the most effective means of ensuring 306 FTG units receive MWP and resource protection forecasts when mission activities occur away from USAFA.
- 4.8.1. The contractor may coordinate and document Lead Weather Unit procedures in a published weather support assistance request with an applicable operational weather squadron or local weather unit if not providing support from home station. When arranging for support, the contractor shall coordinate and document the content and format of the MWP to ensure it contains decision-grade information and coordinate the delivery method and timing of the MWP to fit mission requirements. See Appendix 5, Data Item 10.
- 4.9. **Flight Weather Briefings.** The contractor shall provide DD Form 175-1 or verbal flight weather briefings to aircrews IAW DAFI 15-129, paragraph 4.3, as requested, and IAW the duty priority list. Briefings shall be provided at 306 OSS (Building 9206) and via e-mail and phone. The contractor shall maintain a copy of all weather briefings and mission planning products and dispose of them IAW AFI 33-322, Chapter 6. See Appendix 5, Data Item 11.
- 4.9.1. **Mass Briefings.** The contractor shall provide mass aircrew weather briefings for

larger or special missions on request from customers as identified in paragraph 1.2.

4.9.2. **Transient Weather Briefings.** The contractor shall document and use the “provide or arrange for” concept when servicing transient aircrews IAW DAFI 15-129, paragraph 4.3.2.2. The contractor shall provide traditional DD 175-1, Flight Weather Briefing, or verbal flight weather briefings, to aircrews, as requested, and IAW contractor duty priorities. (Note: Transient aircrew weather briefings are very rare due to USAFA’s short runways and prior permission required to land status.)

4.10. **Space Weather Products.** The contractor shall incorporate space weather products into the MEFP IAW DAFI 15-129, Chapter 4.

4.11. **Weather Systems Operations.** The contractor shall operate weather equipment and weather communications systems and perform operator preventive maintenance IAW applicable technical orders, handbooks, manuals, and operating instructions. The contractor shall document and maintain procedures for operating weather systems IAW DAFI 15-129, paragraphs 2.15 and 2.16.

4.11.1. **Weather Systems Outage Reporting.** Weather systems are susceptible to a myriad of outages that could cause a wide range of changes in mission capability. Typically, outages do not last more than a few hours and do not cause significant data losses or degradations in mission capability. The contractor shall maintain weather system outage procedures during partial or complete failures with appropriate maintenance activities IAW AFMAN 15-111, paragraph 2.3.4 and DAFI 15-129, paragraph 2.15. The contractor shall maintain weather system problems, outages, and in-service data on a locally developed worksheet. See Appendix 5, Data Item 12.

5. **Staff Integration Function.** The contractor shall provide staff integration support to the USAFA Superintendent, the USAFA Commandant of Cadets, 10 ABW, and 306 FTG. The contractor serves as the Staff Weather Officer (SWO). Support includes, but is not limited to: staff weather briefings, airfield command and control briefings, mass deployment and other briefings, and assisting in the planning and execution of exercises. In addition, the contractor shall provide leadership and management of ASF, Mission Integration Function, and Staff Integration. The Staff Integration Function coordinates weather support activities between organizations and the COR. Staff weather services are available normal duty hours, but shall be extended as required.

5.1. **Duty Priorities.** The contractor shall maintain and follow a clearly defined duty priorities list IAW paragraph 2.16 and Chapter 3 of DAFI 15-129. The contractor may deviate from the duty priority list in the interest of flight safety, personnel safety, or to safeguard USAFA resources.

5.1.1. The duty priority list shall be displayed in plain view for contract weather personnel, operators, and customers. The duty priority list shall be coordinated and included in 306 FTGI 15-101.

5.2. **Commander’s Staff Briefings.** The contractor shall prepare and present Commander’s

(CC) Staff weather briefings IAW paragraph 2.16 and Chapter 3 of DAFI 15-129. These briefings are flexible based on the information required by the commander but should at least include the seven-day forecast. Other items, such as forecasts for special events (i.e., Cadet parachuting, soaring, and powered flight training off-station and competitions, parades, Jacks Valley Training exercises, etc.) shall be included in briefings as required. The contractor shall also provide special event weather briefings and updates upon request. These events include: Commandant's Challenge, Cadet Parades, USAFA Preparatory School Graduation Parade, USAFA Graduation Week outdoor events, Youth Summer Sports Camps, etc. The contractor shall provide an electronic copy of staff briefings to the COR. See Appendix 5, Data Item 13. The contractor shall support the following briefings at the assigned locations when requested.

5.2.1. The USAFA Superintendent (USAFA/CC) Staff Briefing.

5.2.2. The Commandant of Cadets (USAFA/CW) Staff Briefing.

5.2.3. The Commander, 10 ABW (10 ABW/CC) Staff Briefing.

5.2.4. The Commander, 306 FTG (306 FTG/CC) Staff Briefing.

- 5.3. **Emergency Operations Center (EOC) Briefings.** Upon request the contractor shall prepare and present unclassified weather briefings to the USAFA EOC, currently located in Building 8110, IAW DAFI 15-129, paragraph 2.11.7. The contractor shall be familiar with meteorological services requirements outlined in USAFA Plan 10-2, Comprehensive Emergency Management Plan (Controlled Unclassified Information (CUI)). Upon request, the contractor shall provide an electronic copy of unclassified EOC weather briefings to the COR. See Appendix 5, Data Item 14.
- 5.4. **Ice and Snow Control Briefings.** The contractor shall provide weather briefings in support of pre- and post-season Snow and Ice Control meetings IAW USAFA Plan 32-1001, Snow and Ice Control Plan. The contractor shall provide an electronic copy of Ice and Snow Control weather briefings to the COR within five business days of execution. See Appendix 5, Data Item 15.
- 5.5. **Air Traffic Control Tower (ATCT) Weather Orientation and Training.** The contractor shall provide limited weather observer training to 306 OSS ATCT controllers. Upon completion of training, the contractor shall provide ATCT personnel a short test and orientation tour of the weather flight.
- 5.6. **Seasonal Weather Briefings.** The contractor shall create and present upcoming seasonal weather briefings for 306 FTG organizations, and upon request by the USAFA Aero Club. These meetings also serve as a venue to solicit feedback and address weather support issues. The contractor shall provide an electronic copy of seasonal weather briefings to the COR. See Appendix 5, Data Item 16.
- 5.7. **Supervisor of Flying (SOF) Orientation Briefings.** The contractor shall provide meteorological service orientation briefings to new SOF. Briefings shall include information on contractor duties, hours of operation, capabilities and limitations, weather

equipment, Doppler Meteorological Radar capabilities and limitations, weather links available on AF Weather sites, and SOF responsibilities to the weather contractor (i.e., cooperative weather watch, sharing pilot reports, etc.).

- 5.8. **Visitor Orientation Briefings.** The contractor shall provide meteorological service orientation briefings to special guests, visiting dignitaries, and local tour groups upon request of the COR. Briefings shall be tailored to the special guest or tour group and their knowledge of meteorological services support to military aviation. Discussion topics include information on contractor duties, USAFA hours of operation, capabilities and limitations, weather equipment, Doppler Meteorological Radar capabilities and limitations, and weather links available on the AF Weather sites.
- 5.9. **Airmanship 100 (AM-100) Weather Briefings.** The contractor shall provide small group weather station orientation tours for all Cadet Trainees during the AM-100 portion of Basic Cadet Training. The briefings could be multiple times per day, up to six weeks per year.
- 5.10. **USAFA Inspector General (IG) Exercise Support.** The contractor shall provide support for exercises involving natural disasters and assist the USAFA/IG in developing realistic severe weather exercise scenarios.
- 5.11. **Airfield Operations Board (AOB) Meetings.** The contractor shall coordinate with the AOB at quarterly meetings to ensure service alignment IAW DAFMAN 13-204 Volume 1.
- 5.12. **USAFA Climatology Support.** The contractor shall maintain a limited database on Davis Airfield weather conditions and be prepared to provide climatology data during Senior Staff Briefing as requested. For more in-depth climatological data for USAFA, the contractor shall leverage 14 WS products to fulfill supported agencies climatological data requests. Contractor will request 14 WS update standard climatological products as required.
- 5.13. **Flight Information Publications (FLIPs) Updates.** The contractor shall maintain procedures and review each new edition of DoD FLIPs for changes in airfield minima criteria IAW AFMAN 15-111, paragraph 2.2.6. The contractor shall coordinate with 306 OSS Airfield Management (306 OSS/OSAA) to ensure receipt of updated copies of FLIPs and review new editions for any changes.
 - 5.13.1. The contractor shall validate the accuracy of the weather information contained in the VFR Supplement upon re-issuance for USAFA Airfields. Additions and corrections shall be initiated through 306 OSS/OSAA personnel. The following information shall be included in the VFR Supplement: Weather Station operating hours; and pertinent weather observing information (i.e., use of automated meteorological observing systems, limitations hindering unobstructed visibility observations, known observing limitations).
- 5.14. **Government Publications.** The contractor shall maintain current copies of all instructions, manuals, standards, and other directives as defined in this PWS (Appendix 4). The contractor shall access these documents from electronic media such as the Internet. The contractor shall make these documents available to all employees. The Government will

provide the contractor with copies of, or access to, all required directives, publications and documents that are not available online.

- 5.14.1. Air Force Manuals, Department of the Air Force Manuals, Air Force Instructions, Department of the Air Force Instructions, Department of the Air Force Pamphlets, and the Career Field Education and Training Plan can be obtained at the Department of the Air Force Publishing Home Page at: <https://www.e-publishing.af.mil/Product-Index/>.
- 5.14.2. Department of Defense Instructions can be obtained at the Executive Services Directorate site at: <https://www.esd.whs.mil/Directives/issuances/dodi/>.
- 5.14.3. Federal Aviation Administration Orders can be obtained at the FAA site at: https://www.faa.gov/regulations_policies/orders_notices/.
- 5.14.4. Air Force Technical Orders (AFTOs) shall be provided to the contractor upon contract award. The Government maintains all AFTOs for USAFA weather equipment. Copies of AFTOs shall be provided to the contractor upon contract award.
- 5.15. **Standard Operating Procedures (SOPs).** The contractor shall maintain SOPs IAW Air DAFI 15-129, paragraph 2.16. SOPs shall be reviewed for accuracy and updated within 90-days of a change in weather station management, change in higher-headquarters guidance, or when mandated changes occur within the organization, and/or at a frequency not to exceed one year from the current publication date. SOPs shall be horizontally consistent with other weather documents (e.g., plans and annexes, airfield local operating procedures, installation data page). All assigned contract technicians will review SOPs at least annually with station management documenting the review.
- 5.16. **Recall Roster.** The contractor shall develop and provide a recall roster to 306 OSS Staff, the Colorado Springs Regional Command Post, and 10 SFS at least monthly or as changes occur. In addition, the contractor shall include the primary point of contact responsible for the recall roster.
- 5.17. **Fixed Base Weather Observing System (FBWOS) Certification Documentation.** The contractor shall maintain equipment certification documentation for installed FBWOS systems (e.g., AN/FMQ-19, Automated Surface Observation System (ASOS)) IAW AFMAN 15-111, Chapter 4.
- 5.18. **FBWOS Station Information File.** The contractor shall maintain FBWOS Station Information Files for both the Davis Airfield FBWOS and the Bullseye Auxiliary Airfield FBWOS IAW AFMAN 15-111, Chapter 2, Chapter 4, and Attachment 4. The contractor shall update Station Information Files as necessary.
6. **Weather Support Documentation**
 - 6.1. **Weather Support Plan 306 FTGI 15-101.** The contractor shall perform a review of 306 FTGI 15-101 as required to ensure support requirements are accurately outlined and update

as required. Review and updates will be coordinated with the COR and HQ AETC/A3OW IAW of DAFI 15-129, paragraph 2.16. See Appendix 5, Data Item 17

- 6.2. **Documentation Consistency.** The contractor shall maintain horizontal consistency between 306 FTGI 15-101 and SOPs IAW DAFI 15-129, paragraph 2.16. The contractor shall initiate and document out-of-cycle formal reviews to accurately reflect operational changes resulting from agency mission changes, equipment upgrades, or significant changes in overarching guidance.
- 6.3. **Review of Draft USAFA Plans and Publications.** The contractor shall, upon request, review draft USAFA Plans and Publications containing meteorological service requirements. These reviews ensure requested requirements are properly staffed and documented.
- 6.4. **Air Force Risk Management (RM).** The contractor shall apply RM principles and processes to day-to-day weather operations to focus activities and allocate resources to exploit environmental conditions, mitigate mission delays, and enhance the overall effectiveness of operations IAW DAFI 15-129, Chapter 3 and Department of the Air Force Pamphlet (DAFPAM) 90-803, Risk Management (RM) Guidelines and Tools.

- 6.4.1. As a minimum, the contractor shall apply RM practices to prioritize and manage activities in the following areas: METWATCH and MISSIONWATCH processes and procedures; resource protection processes and procedures, including Severe Weather Action Procedures (SWAP); mission planning; mission execution forecast processes; backup plans and procedures; duty priorities.

7. Self-Inspection Program Requirements

- 7.1. **Mission Internal Control Toolset (MICT).** The contractor shall comply with DAFI 90-302, The Inspection System of the Department of the Air Force (DAF) and shall perform assessor roles for MICT IAW 306 FTG self-inspection schedules. A copy of the completed checklist must be provided to the COR. Contractors may not perform administrative roles in MICT, including validation. Compliance and performance checklists assess the contractor's compliance with AF guidance and standards for, and performance of, assigned missions. The contractor shall provide the COR a monthly status report on any incomplete or items with a "NO" marked. See Appendix 5, Data Item 18

8. Other Documentation and Records Management

- 8.1. **Air Force Records Management Program.** 306 OSS/CC shall describe the structure of the Records Management process; including specific roles and responsibilities of unit members. This shall include identifying primary and alternates for each responsibility, if so designated.
 - 8.1.1. The contractor has the responsibility to ensure that information within their care is available to support effective decisions, meet legal and regulatory data calls, document official business, and to pass on custodianship when appropriate. The contractor must protect record content and comply with the Privacy Act, Personally

Identifiable Information, sensitive or classified information, and other policy and legal requirements. The contractor must store and manage records consistent with organizational requirements and procedures IAW AFI 33-322.

8.1.2. The contractor shall create and declare records that sufficiently document the function, organization, administration, policies, and procedures. Records shall be filed IAW office procedures.

8.1.3. Official Records. The contractor shall maintain the following as official records: copies of weather observation-related forms, worksheets, work charts, backup dissemination logs, and weather information records; contractor-disseminated TAFs and TAF worksheets; PIREPs and PIREP forms, barometer comparison forms, MEFs and MEF Worksheets, USAFA Seven Day Forecasts, Lead Weather Unit support materials, flight weather briefings and mission planning products, staff weather briefings, weather systems outage reports; weather information related to aircraft mishaps and ground emergencies; Operational Report (OPREP) 3 weather inputs; forecast weather watches, forecast and observed weather warnings and observed weather advisories; weather communications systems information, and weather product development systems information IAW AFI 33-322, Records Management and Information Governance Program. These records serve as source documents to determine accuracy, timeliness, and satisfaction of contractor performance.

8.2. **Daily Production Worksheet.** The contractor shall maintain a monthly production worksheet that itemizes daily production counts of meteorological services provided to supported agencies. See Appendix 5, Data Item 19.

9. Weather Systems Manager

9.1. **Weather Systems Manager Requirements.** The contractor shall appoint in writing a primary and alternate System Manager for Meteorological Systems (e.g., AN/FMQ-19, AFW-BIFROST Portal, etc.). Upon request, the contractor shall provide a copy of the appointment letter to the COR. Weather systems receive, display, manipulate and disseminate weather information. In addition, the contractor shall perform system manager duties IAW DAFMAN 17-1203 Information Technology Asset Management (ITAM) and Accountability, and AFI 17-130, Cybersecurity Program Management, Chapter 2. The contractor shall:

9.1.1. Perform operator preventive maintenance.

9.1.2. Assist new hires with Network User License Agreement forms.

9.1.3. Document annual Information Awareness CBT according to AFI 17-130, Chapter 2, and USAFA Communications and Information Directorate (A6) Communications Focal Point (CFP) instructions.

9.1.4. Maintain a continuity file that includes: appointment letters, system siting/location information of sensors, servers, and workstations, listing of any user accounts and

point of contact (POC) for each work center, outage, MAJCOM POC, and 557 WW POC, copies of approval to operate and AF authority to connect as appropriate, system specific configurations, and copies of any support agreements that affect the operation or maintenance of the system.

10. Attendance and Travel to Conferences, Workshops, and Training. The contractor shall be required to attend conferences, workshops, and training sessions. Travel to conferences, workshops, and training sessions shall be at the direction of the COR. Course or conference length is typically one week. Full contract support shall still be required during training absences. Average occurrence for a course or conference is once per five-year period for one individual.

11. Spectrum Management. The contractor shall ensure upgraded or new equipment using wireless, radio, radar or satellite communications are coordinated through USAFA/A6 to ensure compliance with Installation Spectrum Management. The contractor shall follow prevailing requirement procedures and abide by technical solutions provided by USAFA/A6.

12. Emergency Actions

12.1. Alternate Operating Location (AOL). The contractor shall relocate weather operations to the AOL in the event the primary operating location (Building 9206) must be evacuated to provide mission-essential functions to agency activities. 306 OSS Operational Support Weather (OSW) shall not evacuate Building 9206 during exercises. The contractor shall maintain an AOL IAW AFMAN 15-111, paragraph 4.8., and DAFI 15-129, paragraph 3.4.2.9. The contractor shall comply with evacuation procedures to the AOL.

The AOL location(s) will be defined in local documentation IAW DAFI 15-129, paragraph 3.4.2.9. The 306 FTG is responsible for providing adequate AOL location(s) should the primary location become unsuitable. Once established at the AOL, the contractor shall resume weather operations and services. Limited communications may prevent full capability to monitor automated airfield sensors. The contractor shall provide the following services for USAFA from the AOL:

12.1.1. The contractor shall perform a Basic Weather Watch and be prepared to augment AN/FMQ-19 weather observations as required. If the AN/FMQ-19 is unavailable, an observation shall be taken within 15 minutes of arriving at the AOL containing, at a minimum, prevailing visibility, present weather and obscurations, sky condition, wind direction and speed, temperature and dew point, and altimeter setting using manual observing system equipment and disseminate weather observations by the most expeditious means available.

12.1.2. The contractor shall issue and update MEFs if the capability exists. The MEF shall be updated on the local drive if possible. If not available, the MEF shall be emailed or delivered in-person to the 306 FTG SOF.

12.1.3. The contractor shall maintain Continuity of Operations procedures for the AOL to include representative visibility charts IAW AFMAN 15-111, paragraph 2.3.3., and

shall be updated annually.

12.1.3.1. Procedures shall be included in 306 FTGI 15-101.

12.1.4. The contractor shall document AOL operations to include lessons learned. Documentation shall be maintained in the employees' local Electronic Training Record within five days after completion of operations.

12.1.5. The contractor shall perform METWATCH, issue forecasted weather watches and warnings, observed weather warnings and forecast and observed weather advisories. If the AFW-BIFROST Portal is unavailable, weather watches, warnings, and advisories shall be disseminated via locally documented back-up means.

12.1.6. The contractor shall provide MISSIONWATCH and aircrew weather briefings.

12.2. **Aircraft Emergencies.** The contractor shall comply with all Aircraft Emergency procedures as described in AFMAN 15-111, paragraph 4.12. and 306 FTGI 15-101, paragraph 5.3.

12.2.1. In-Flight Emergency (IFE) or Ground Emergency (GE). Upon notification or discovery of an IFE or GE, the contractor shall:

12.2.1.1. Notify all on-duty weather personnel.

12.2.1.2. Maintain a heightened sense of weather alertness until advised the emergency has been terminated.

12.2.1.3. In the event an IFE or GE results in an accident or incident, initiate Aircraft Mishap procedures immediately.

12.3. **Aircraft Mishap.** When notified of an aircraft mishap, the contractor shall:

12.3.1. Take and record a full-element SPECI observation if operating the AN/FMQ-19 in the supplement or back-up mode IAW AFMAN 15-111, Chapter 4.

12.3.2. Ensure all data and products used in the development of any weather information, product or service provided to a customer (including MEFs, forecast, wind, and hazard charts, etc.) are saved. These records serve as source documents to determine whether meteorological conditions or meteorological services prior to and during an aircraft mishap or ground emergency contributed to the event.

12.3.3. Save FMQ-19 one-minute observations for a period of time determined by 306 FTG representatives.

12.3.4. Collect and save the following products (as applicable) until requested, or send data package to unit requesting data save:

12.3.4.1. METSAT imagery, radar products, aviation hazard charts, upper air

package, upper air soundings, PIREPs, Significant Meteorological Information Advisory (SIGMETs), Airman's Meteorological Information Advisory (AIRMETs), TAFS, observations for departure point, destination, and any other locations as required, any active forecast and observed weather watches, warnings, and advisories prior to and during the mishap, briefing materials provided to the aircrew such as DD Form 175-1 and the MEF.

12.3.5. Submit saved data as required in Appendix 5, Data Item 20.

12.4. **Severe Weather Action Procedures (SWAP).** The contractor shall maintain procedures that comply with all SWAP requirements as described DAFI 15-129, paragraph 2.14.6. and 306 FTGI 15-101, Chapter 5. The contractor shall define and document the events, personnel requirements, and operating procedures (e.g., supported agencies interactions) required to meet the threat of severe weather conditions. Supported agencies determine the operational impact and desired courses of action for the severe criteria. SWAP ensures that the weather station has sufficient personnel recalled and/or available during potential and/or actual severe weather events. The contractor shall assess and take the required actions for any potential severe weather threat. Based on the assessment a severe weather watch or warning shall be issued by the contractor.

12.4.1. Weather Support Limitations. During severe weather events, the contractor shall limit routine weather support and services due to respective priorities, increased workload, and limited resources. Limitations may include: only answering hotlines, shortening or canceling weather briefings, extending telephone hold periods, and delaying updates and amendments to weather products and services (i.e., USAFA MEF).

12.4.2. SWAP Initiation Procedures. SWAP shall be initiated when any of the following conditions are expected to occur or are occurring at USAFA: tornadic activity and/or damaging hail. Damaging hail is defined as hail stones greater than or equal to 3/4 inch in diameter. If an event poses an imminent threat to life or property, the contractor shall issue the weather warning immediately. Additionally, SWAP may be initiated at the discretion of the weather contractor on duty.

12.4.3. SWAP Activation. Typically, one forecaster shall be adequate, but in the event of tornadic activity or other significant events, such as wildfire, contractor station management shall determine the need for increased station manning. Recalled personnel shall report to the station immediately and remain on duty until the severe weather threat subsides, the severe weather watches and warnings have been cancelled, and personnel have been released by contractor weather station management.

12.4.3.1. Augmentation of Automated Observations during SWAP. The contractor shall supplement AN/FMQ-19 observations for conditions prescribed in AFMAN 15-111, paragraph 5.2, and Table 5.1, and in 306 FTGI 15-101, Attachment 5. The contractor shall also back up automated AN/FMQ-19 sensors as conditions warrant. Flight safety and resource protection are

paramount. Augmentation (i.e., supplementing and back up) of weather observations shall ensure all severe weather aspects are fully identified, reported, and recorded.

12.4.3.2. **Post-Event Procedures and SWAP Deactivation.** Once the contractor determines the severe weather threat has ended the contractor station management shall release recalled personnel and the station shall return to normal operations. Post-event procedures shall include some or all of the following: OPREP weather submission, forecast review, data archive, weather radar imagery archive, satellite imagery archive, HWAS data, archived severe weather spotter reports from regional NWS Forecast Offices, and the NWS Forecast Office in Pueblo.

12.4.3.2.1. **OPREP.** The contractor shall provide OPREP weather information to the USAFA Command Center and comply with all OPREP procedures as described in AFMAN 10-206, and Chief of Staff of the Air Force (CSAF) OPREP-3 reports matrix, DAFI 15-129, Chapter 3, and 306 FTGI 15-101, paragraph 5.5. See Appendix 5, Data Item 21.

12.4.3.2.2. In the event severe weather causes damage on USAFA an OPREP-3 is required. To facilitate, the contractor shall inform the Colorado Springs Regional Command Post (CSRCP) of instances of severe weather (tornado, winds equal to or greater than 50 knots, hail equal to or greater than 3/4 inch in diameter) that occurred on USAFA so CSRCP can determine if damage occurred and an OPREP is required. Damage may be reported directly to CSRCP causing them to request an OPREP-3 from the contractor. If an OPREP is required, the contractor shall forward it to CSRCP and HQ AETC/A3OW. See Appendix 5, Data Item 21.

12.5. **Resource Protection.** The contractor shall comply with all Resource Protection procedures as described in DAFI 15-129, Chapter 5 and 306 FTGI 15-101, Chapter 6.

12.5.1. The contractor shall accomplish resource protection through the use of weather watches, warnings, and advisories, complemented by local observation and forecast products. Any changes in weather watch, warning, or advisory criteria or desired lead-times shall be coordinated with 306 OSS and documented in the 306 FTGI 15-101.

12.6. **Delineation of Duties.** IAW DAFI 15-129 the contractor is designated as the responsible unit for issuing all forecast and observed weather warnings, forecast weather watches, and forecast and observed weather advisories for USAFA. The contractor shall be responsible for issuing, amending, and canceling all resource protection products.

12.7. **Dissemination.** Primary dissemination of observations is accomplished via SCA with primary dissemination of all forecast and observed weather warnings, watches, and advisories accomplished using the AFW-BIFROST Portal. The contractor, when required, shall issue USAFA weather watches, warnings, and advisories via the AFW-BIFROST

Portal to the CSRCP. The CSRCP disseminates USAFA weather watches and warnings IAW their internal procedures. If the AFW-BIFROST Portal is unavailable the contractor shall utilize the most expeditious means (e.g., phone or email) to disseminate weather watches, warnings, and advisories to CSRCP.

- 12.8. **Weather Watches.** A forecast weather watch is an alert to base personnel and supported units that the potential exists for weather event(s) of such an intensity that they pose a hazard to life or property. Any number of weather watches may be in effect at one time. As the threat increases a warning may be issued at a later time once conditions are imminent or begin to occur. The weather watch may be extended without issuing a new watch provided that nothing changes except the duration. The watch is not cancelled by the issuance of a weather warning for the same criteria. The weather watch shall be cancelled when the potential for the severe weather event ceases to exist. The contractor shall maintain and provide metrics on USAFA weather watches criteria if required.

12.8.1. Weather watch criteria and desired lead-times are identified in 306 FTGI 15-101, paragraph 6.4. A listing of standard criteria and lead-times can be found in DAFI 15-129, Chapter 5. Weather watch criteria and lead times may change as supported agencies' requirements change. Refer to 306 FTGI 15-101 for the latest version.

- 12.9. **Weather Warnings.** Warnings are a special message alerting base personnel and supported units that weather conditions of such intensity as to pose a hazard to life or property is imminent or already occurring. Weather warnings provide concise information outlining environmental threats and are used by base leaders to make resource protection decisions. Weather warnings take two forms: forecasted, observed. Weather Warnings are identified in 306 FTGI 15-101, paragraph 6.6. Weather warning criteria and lead times may change as supported agencies' requirements change. Refer to 306 FTGI 15-101 for the latest version.

12.9.1. The contractor shall monitor Government furnished lightning detection sources and shall issue (or cancel) USAFA observed lightning warnings IAW DAFMAN 91-203 Air Force Occupational Safety, Fire, and Health Standards, Aircraft Flight Line – Ground Operations and Activities, Chapter 3. and 306 FTGI 15-101, paragraph 6.5.

- 12.10. **Weather Advisories.** Weather advisories alert customers to mission-impacting weather criteria not covered by watches or warnings. The contractor shall use observations, pilot reports, radar, satellite, and other resources to determine if conditions warrant issuing or canceling an observed or forecasted advisory. The contractor shall typically issue weather advisories only during local flying hours that pertain to the USAFA airfield and flying operations. Weather Advisory criteria may contain several thresholds. The contractor shall cancel advisories when conditions are no longer occurring.

- 12.11. **Weather Watch, Warning and Advisory Documentation.** The contractor shall use the AFW-BIFROST portal to number, justify, verify, and measure all weather warnings, watches and advisories. If AFW-BIFROST is unavailable the contractor shall use AF Form 3806, Weather Watch Advisory Log, and AF Form 3807, Watch / Warning Notification

and Verification, (or automated forms) until AFW-BIFROST is returned to service. See Appendix 5, Data Item 22.

- 12.12. **Tropical Weather Activity.** The contractor shall maintain situational awareness of tropical systems that may impact USAFA operations or personnel. The contractor shall routinely monitor NHC forecasts and advisories for Eastern Pacific, Gulf of Mexico, Caribbean, and Atlantic tropical activity. NHC updates are issued every six hours (00, 06, 12, 18Z). The contractor shall not deviate from the official NHC forecast position, track, movement, maximum wind speed, or intensity trend IAW DAFI 15-129, Chapter 5. The contractor may include tropical cyclone forecasts in USAFA Staff Briefings for situational awareness.
- 12.13. **Performance of Services During a Crisis Declared by the Secretary of Defense or Overseas Combatant Commander.** Meteorological services may be required in excess of the contract during a national crisis IAW DoD Instruction 1100.22, Policy and Procedures for Determining Workforce Mix. The Government shall determine if full, partial, or no meteorological services are required during the crisis.
- 12.13.1. The COR shall notify the contractor by any means of communication of a national crisis. The contractor's employees shall report to the Weather Station and shall perform the work as required under this PWS. The COR shall ensure contractor's names are provided to all security entrances and other checkpoints as necessary. Only the names on the list shall be allowed to enter the installation during a crisis. There shall be no costs paid by the Government to the contractor during a crisis except those costs incurred for work performed under this contract and PWS.

13. Contractor Training Requirements

- 13.1. **General.** The contractor shall be responsible for the implementation and adherence to Weather Training, including maintaining training records. Management of contractor position qualification training, continuation training, weather systems training, AF ancillary training requirements for contractors, and training documentation noting completion of training assignments is the responsibility of the contractor at no additional cost to the Government.
- 13.2. **Contractor Orientation.** The contractor shall receive an orientation with a focus on 306 FTG SOF and airfield command and control processes, weather sensitivities of supported agencies, and how timely and accurate weather information enhances not only flight safety but USAFA Cadet training in Jacks Valley as well. The orientation shall include the following: 306 FTG Mission Briefing, ATCT and 306 FTG SOF positions, 94 FTS SCO and Operations Supervisor positions, 98 FTS Drop Zone Control Officer position, 557 FTS Ops Sup position, CSRCP, USAFA zones (e.g., Cadet Area, Jacks Valley, Stillman Field, etc.), Aardvark Airstrip, 10 ABW facilities, Bullseye Auxiliary Airfield and its weather equipment, Farish Recreational Area, and notable topographical features.
- 13.3. **Position Qualification Training.** The contractor shall develop, maintain, and conduct a

performance duty position check ride prior to position certification (e.g., Airfield Services, Mission Weather, etc.), IAW DAFMAN 36-2689 Chapters 3 and 4 and CFETP1W0X1, the Weather Career Field Education and Training Plan (CFETP). The contractor shall maintain a performance evaluation and certification checklist to meet the requirements of the initial performance evaluation for each position. A training outline is available in the CFETP.

13.3.1. No contractor personnel shall work without direct supervision by a certified contractor forecaster prior to successful completion of their initial performance evaluation.

13.3.2. The contractor shall document the satisfactory completion of training in the contractor's training records which shall be made available for Government inspection throughout the life of the contract. All contractors shall recertify position qualification requirements annually.

13.4. **Radar Imagery Training.** The contractor shall incorporate local radar imagery into qualification and continuation training programs using archived imagery, saved data, or scenarios. The contractor shall ensure standard radar products are cataloged.

13.4.1. The contractor shall ensure personnel are qualified to interpret radar imagery and data. The contractor shall exploit radar training resources available from 557 WW, the Cooperative Program for Operational Meteorology, Education, and Training (COMET), and other agencies in the qualification and continuation training programs.

13.4.2. The contractor shall maintain training procedures to print or electronically archive radar imagery for aircraft and ground emergencies.

13.4.3. The contractor shall document radar training completion electronically in the contractor's training records.

13.5. **Meteorological Satellite (METSAT) Imagery Training.** The contractor shall incorporate METSAT imagery into qualification and continuation training programs using archived imagery, saved data, or scenarios. The contractor shall ensure standard satellite images, image type, and unique imagery is included in the training program.

13.5.1. The contractor shall ensure personnel are qualified to interpret METSAT imagery. The contractor shall exploit METSAT training resources available from 557 WW, COMET, and other agencies in the qualification and continuation training programs.

13.5.2. The contractor shall maintain training procedures to print or electronically archive METSAT imagery for aircraft and ground emergencies.

13.5.2.1. The contractor shall document METSAT imagery training electronically in the contractor's training records.

13.6. **Recurring Training.** The contractor shall develop, maintain, conduct, and document a

continuation training program. The program shall include the following at a minimum: an annual training plan, aerodrome forecasts, warning and advisory process, Meteorological Techniques and Procedures, manual weather observing, supported missions, weather analysis and prediction with limited data, goals on improving meteorological skill and forecasting techniques, operation of weather systems, setup and operation of AOL and AOL weather equipment (e.g., Kestrel Pocket Weather Meter), Support Assistance Request process and lessons learned from seasonal forecast reviews.

13.7. **Air Force Ancillary Training.** The contractor shall complete AF Ancillary Training Total Force Awareness Training requirements using CBT modules.

13.8. **Emergency Management Training.** The contractor shall complete USAFA or 306 FTG provided Emergency Management training (e.g., Anti-Terrorism, Active Shooter, Bomb Threat, etc.).

14. Other Considerations

14.1. **Threats to General Well Being.** The Government reserves the right to direct the removal of contractor personnel for misconduct or security reasons. This action does not relieve the contractor from total performance of the program tasks specified herein.

14.2. **Hiring of U.S. Government Employees.** The contractor shall not employ any person who is an employee of the U.S. Government if employing that person would create a conflict of interest, or the appearance of a conflict of interest. The contractor shall comply with the Joint Ethics Regulation regarding the employment of current and/or former Government employees. The contractor shall not employ any person who is an employee of the DAF, either military or civilian, unless such person seeks and receives proper approval. The contractor shall not employ any person who is an employee of the DAF if such employment would be contrary to the policies in DAFI 64-106 Contractor Labor Relations Activities, Chapter 3. The contractor is prohibited from employing off-duty Government personnel who are managing any contracts or subcontracts awarded to the contractor. The abrupt absence of any contractor personnel does not at any time constitute an excuse for nonperformance under this contract.

14.3. **Adverse Weather Conditions.** The contractor shall coordinate with the COR concerning the performance of PWS requirements during adverse weather conditions. Delayed reporting or early release (for Government employees) does not relieve the contractor of PWS requirements.

14.4. **Work Environment.** Missions are frequently interrupted by base exercises or actual ongoing base security events. The contractor is required to participate in all exercises.

14.5. **Federal Holidays.** The following Federal Holidays are observed by USAFA but may not always be observed by the contractor due to mission needs.

- New Year's Day, January 1st or the Friday preceding or Monday following
- Martin Luther King's Birthday, 3rd Monday in January

- President's Day, 3rd Monday in February
- Memorial Day, Last Monday in May
- Juneteenth, June 19th
- Independence Day, July 4th or the Friday preceding or Monday following
- Labor Day, 1st Monday in September
- Columbus Day, 2nd Monday in October
- Veterans Day, November 11th or the Friday preceding or Monday following
- Thanksgiving Day, 4th Thursday in November
- Christmas Day, December 25th

- 14.6. **Incident/Mishap Reporting.** In the event of a safety incident/mishap, the contractor shall take reasonable and prudent action to establish control of the scene, prevent further damage to persons or property and preserve evidence until released by the investigative authority. Immediately report the incident to the COR and the USAFA Safety Office. If the Government elects to conduct an investigation, the contractor shall cooperate fully and assist Government personnel until completed.
- 14.7. **Emergency.** Police, Medical and Fire can be reached by calling 911. Caller will reach El Paso County dispatcher and needs to identify that they are located on USAFA.
- 14.8. **Fire Prevention and Protection.** Base fire prevention personnel will make periodic Government provided facility inspections for regulation compliance.
- 14.9. **Custodial Services.** The Government will provide custodial services for occupied Government-provided facilities at the same level provided to Government employees. All other services shall be the responsibility of the contractor.
- 14.10. **Refuse Collection.** The Government will make available refuse collection and disposal services for the contractor at Government expense in direct support of the PWS. Emptying individual trash receptacles into Government-provided dumpsters is the responsibility of contractor employees. Dumpsters are available for contractor use for the disposal of items. The contractor shall follow guidelines established by the base regarding proper disposal of refuse. The contractor shall not dump prohibited items in dumpsters. The contractor shall comply with all base-recycling programs (verify procedures with 10 CES).
- 14.11. **Air Force Network Access.** The Government shall provide "Official Use Only" internet access through the AF network for approved systems and workstations required for accomplishment of work in support of this PWS. Internet access above this requirement shall be provided by the contractor at contractor expense and is not allowed on Government-furnished computer workstations. The contractor shall not process classified material. Network access for contractor employees requires a CAC provided by the Government.
- 14.11.1. The contractor shall read and sign a Network User License Agreement and receive approval from the USAFA Designated Approving Authority (DAA) prior to gaining access to the AF network. All work on AF networks is subject to monitoring without notification for the safety and security of all network resources.

- 14.12. **Safeguarding Computers and Computer Data.** The contractor is responsible for the physical security of 306 OSS/OSW hardware and software resources, and computer data files. The contractor shall maintain a backup of USAFA HWAS files.
- 14.13. **Customer Computer Support.** The contractor shall serve as the first line of help to resolve the operator's administrative and technical weather system problems. The contractor shall immediately respond to an operator's request for assistance and analyze, troubleshoot or coordinate with 557 WW, or the USAFA/A6 CFP to resolve the problem. The contractor shall initiate software and hardware outage repairs of Government-provided workstations through the 306 FTG Client Systems Technician and USAFA/A6 within 24 hours of the outage.
- 14.14. **Contractor Software and Hardware.** The contractor shall obtain approval from the DAA prior to purchasing software and computer hardware for use on the USAFA network. The contractor shall maintain all licenses for contractor software connected to the USAFA network IAW DAFMAN 17-1203, Software Management. When software use is no longer required, the contractor shall remove the software from both Government and contractor computer systems connected to the USAFA network.
- 14.15. **Government Provided Site Licensed Software.** The contractor shall install and upgrade software that the Government has acquired site licenses for. The Government will keep current and pay any annual licensing fees for site-licensed software. When Government provided software is no longer maintained under site license use, the contractor shall remove the Government provided software from all computer systems under its control.
- 14.16. **Controlled Unclassified Information (CUI).** If the contractor determines that unauthorized personnel have access to CUI material, the contract manager shall immediately notify the COR and fully cooperate with any investigation. Contractor shall comply with DoD Instruction (DoDI) 5200.48, Controlled Unclassified Information (CUI). This issuance establishes policy and procedures for the disclosure of records to the public and for marking, handling, transmitting, and safeguarding CUI material.
- 14.17. **Maintaining Clean Work Areas.** The contractor shall ensure that all work areas assigned under the PWS are neat, clean and maintained at all times and immediately report any facility and safety discrepancies to the COR.
- 14.18. **Telephone Services.** The Government will provide local and Defense Switched Network (DSN) telephone service. The Government will provide all maintenance services on Government-provided phone lines and instruments and will relocate subject service when the relocation is approved by the Government. Government provided telephone service shall be used for official calls necessary in the performance of the PWS. The COR may grant the contractor access to Government long-distance service. Otherwise, the contractor shall provide his or her own non-Government telephone service through off-base switching equipment for personal or unofficial business.
- 14.19. **Contractor/Personal Furnished Vehicles.** The contractor shall furnish all vehicles required to perform the services identified in this PWS.

- 14.20. **Government Furnished Facilities.** The contractor shall utilize Government furnished facilities in the performance of this requirement.
- 14.21. **Information Resources.** The Government will provide access to Government staff and pertinent information for this contract. Most of the required directives, publications and documents are available on the Internet. The Government will provide the contractor with copies of, or access to, all required directives, publications and documents that are not available online. All documentation provided to the contractor shall remain the property of the Government and shall be returned upon completion of this contract.

15. Contract Transition

- 15.1. **Transition Period.** This contract shall provide for a transition period that allows a new Contractor to recruit and ready personnel in support of the contract. Full performance of all service objectives by the new Contractor is required no later than the end of the transition period. The incumbent Contractor shall be responsible for contract performance during the transition period.
- 15.2. **Tasks During Transition.** The incumbent Contractor shall include tasks such as obtaining security clearances, submitting copies of credentials, determining and accomplishing training requirements, developing work plans and procedures, and finalizing quality control plans and procedures as part of the transition process.
- 15.3. **Joint Inventory/Assessment.** During the last 15 days of the last month of contract performance, a joint inventory/assessment shall be conducted with the COR regarding all Government Facility furnished incidentals. The joint inventory/assessment shall verify the condition and status of any Government equipment.
- 15.4. **Orientation.** The new contractor employees shall begin orientation on the contract start date to ensure a smooth transition from the incumbent contractor. New contractor employees shall be allowed access to the facilities to familiarize supervisors, key personnel, and staff with equipment, reporting, work scheduling, and procedures. New contractor employees shall not interfere with the production efforts of incumbent contractor employees. Access to Government facilities shall be obtained through the COR to preclude interference. Government-required training must be completed before receiving facility access. The purpose of this orientation is to:
- 15.4.1. Observe work accomplished by incumbent contractor employees.
 - 15.4.2. Become thoroughly familiar with work requirements and work procedures.
 - 15.4.3. Complete personnel requirements including the hiring of personnel to ensure satisfactory performance beginning on the contract start date.
 - 15.4.4. Obtain security clearances, as required.
 - 15.4.5. Complete training requirements and accomplish necessary training of contractor employees.

15.4.6. Complete the development of necessary work plans/procedures.

15.4.7. Complete the development of quality control plans and procedures.

15.4.8. Complete the development of safety and health plans and procedures.

15.5. **Phase-Out.** If at the end of the contract period of performance the follow-on contract is awarded to a contractor other than the incumbent contractor, the incumbent contractor shall cooperate to the extent required to permit an orderly transition IAW Revolutionary FAR Overhaul clause 52.237-3 - Continuity of Services contained in the contract terms and conditions.

16. **Services Summary (SS).** The contract service requirements are summarized in performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimally acceptable levels of service required for each requirement. These thresholds are critical to mission success. Procedures set forth in Revolutionary FAR Overhaul clause 52.212-4(b). Contract Terms and Conditions - Commercial Products and Commercial Services, Inspection/Acceptance, will be used to remedy all deficiencies. During the initial 30 days of the contract, two additional errors on each Service Summary shall be allowed in an effort to identify normal phase-in problems.

SS Item Number	Performance Objective	Performance Threshold	PWS Paragraph
SS-1	The contractor shall disseminate Surface Weather Observations with minimal errors.	- No more than 5 errors per 100 Reports. - No more than 1 valid customer complaint per month.*	2.2.
SS-2	Contractor shall disseminate Terminal Aerodrome Forecasts with minimal errors and on time.	- No more than 5 errors per 100 Reports. - No more than 1 valid customer complaint per month.* - Forecast wind weather advisories verified with 30 minutes lead time. - Observed weather advisories disseminated within 5 minutes of observed criteria and canceled within 5 minutes of the last occurrence of criteria.	3.
SS-3	The contractor shall disseminate Pilot Reports (PIREPS) with minimal errors and on time.	- No more than 5 errors per 100 Reports. - No more than 1 valid customer complaint per month.* - PIREPS issued within 10 minutes of notification.	3.2.

SS Item Number	Performance Objective	Performance Threshold	PWS Paragraph
SS-4	Contractor shall disseminate Mission Weather Products (MWP) with minimal errors and on time.	- No more than 5 errors per 100 reports. - No more than 1 valid customer complaint per month.* - MEF published on time.	4.4.
SS-5	Contractor shall disseminate Weather Watches/Warnings/Advisories with minimal errors and on time.	- No more than 5 errors per 100 Reports. - No more than 1 valid customer complaint per month.* - Observed weather warnings disseminated within 5 minutes of observed lightning strike.	12.7.

* The COR, with the assistance of the Weather Station Manager, shall review all customer complaints to determine validity. If an agreement cannot be made, the CO will make the final determination.

APPENDICES

Appendix 1 - Abbreviations, Acronyms and Terms

Appendix 2 - Workload Data

Appendix 3 - Government Incidentals

Appendix 4 - Reference Publications

Appendix 5 - Deliverables

Appendix 1 - Abbreviations, Acronyms and Terms

Abbreviation / Acronym	Term / Meaning
10 ABW	10th Air Base Wing
10 CES	10th Civil Engineer Squadron
10 SFS	10th Security Forces Squadron
14 WS	14th Weather Squadron
306 FTG	306th Flying Training Group
306 OSS	306th Operations Support Squadron
557 WW	557th Weather Wing
A3OW	Weather Branch Office Symbol
A6	Communications and Information Directorate
AETC	Air Education and Training Command
AF	Air Force
AFAS	Airfield Automation System
AFH	Air Force Handbook
AFI	Air Force Instruction
AFMAN	Air Force Manual
AFTO	Air Force Technical Order
AFW – BIFROST	Air Force Weather – Bridging Environmental Intelligence for Responsive Operational Support Portal
AIRMET	Airman’s Meteorological Information Advisory
AM-100	Airmanship 100
AMOS	Automated Meteorological Observing Stations
AOB	Airfield Operations Board
AOL	Alternate Operating Location
AOR	Area of Responsibility
ASF	Airfield Support Function
ASOS	Automated Surface Observation System
ATCT	Air Traffic Control Tower
CAC	Common Access Card
CBT	Computer Based Training
CC	Commander
CFETP	Career Field Education and Training Plan
CFP	Communications Focal Point
CO	Contracting Officer
COMET	Cooperative Program for Operational Meteorology, Education, and Training
COR	Contracting Officer’s Representative
CSRCP	Colorado Springs Regional Command Post
CUI	Controlled Unclassified Information
DA	Density Altitude
DAA	Designated Approving Authority
DAF	Department of the Air Force

Abbreviation / Acronym	Term / Meaning
DAFI	Department of the Air Force Instruction
DAFMAN	Department of the Air Force Manual
DAFPAM	Department of the Air Force Pamphlet
DFE	Dean of Faculty
DLT	Desired Lead-Time
DO	Director of Operations
DoD	Department of Defense
DSN	Defense Switched Network
DZCO	Drop Zone Control Officer
EOC	Emergency Operations Center
FAA	Federal Aviation Administration
FBWOS	Fixed Base Weather Observing System
FLIP	Flight Information Publication
FTGI	Flying Training Group Instruction
FTS	Flying Training Squadron
FWA	Forecast Weather Advisory
GE	Ground Emergency
HQ	Headquarters
HWAS	High Wind Alert System
IAW	In Accordance With
ICAO	International Civil Aviation Organization
IFE	In-Flight Emergency
IG	Inspector General
KABH	Bullseye Auxiliary Airfield ICAO Identifier
KAFF	USAF Academy Airfield ICAO Identifier
LLWS	Low-Level Wind Shear
LOCAL	Aviation Selected Local Weather Report
MAJCOM	Major Command
MEF	Mission Execution Forecast
MEFP	Mission Execution Forecast Process
MESONET	Mesoscale Network
METAR	Aviation Routine Weather Report
METSAT	Meteorological Satellite
METWATCH	Meteorological Watch
MICT	Mission Internal Control Toolset
MISSIONWATCH	Mission Meteorological Watch or Mission Weather Watch
MWP	Mission Weather Product
NHC	National Hurricane Center
NIFA	National Intercollegiate Flying Association
NWS	National Weather Service
OPREP	Operational Report
Ops Sup	Operations Supervisor
OSW	Operational Support Weather

Abbreviation / Acronym	Term / Meaning
OWS	Operational Weather Squadron
PIREP	Pilot Report
POC	Point of Contact
PWS	Performance Work Statement
RM	Risk Management
RPA	Remotely Piloted Aircraft
SCA	Sensor Collection Appliance
SCO	Soaring Control Officer
SIGMET	Significant Meteorological Information Advisory
SOF	Supervisor of Flying
SOP	Standard Operating Procedure
SPECI	Aviation Selected Special Weather Report
SS	Service Summary
SWAP	Severe Weather Action Procedures
SWO	Staff Weather Officer
TAF	Terminal Aerodrome Forecasts
UAS	Unmanned Aerial Systems
USAFA	United States Air Force Academy
UUA	Urgent Upper Air Pilot Report
VFR	Visual Flight Rules
WATCH	Weather Watch

Term	Definition
Airman's Meteorological Information Advisory (AIRMET)	A NWS in-flight advisory of weather that may be hazardous, other than convective activity, to single engine aircraft, other light aircraft, and VFR pilots.
AN/FMQ-19	Integrated system of weather sensors that measure, collect, and disseminate meteorological data to help meteorologists, pilots, and flight dispatchers prepare and monitor weather forecasts, plan flight routes, and provide necessary information for safe takeoffs and landings.
AN/FMQ-22	Integrated system of weather sensors that measure, collect, and disseminate meteorological data to help meteorologists, pilots, and flight dispatchers prepare and monitor weather forecasts, plan flight routes, and provide real-time atmospheric information.
Blizzard Conditions	Blizzard conditions include sustained surface winds or wind gusts of 30 knots (35 miles per hour) or greater with considerable falling and or blowing snow with the prevailing visibility frequently less than 1/4 statute mile for a period of three hours or more.

Term	Definition
Blizzard Conditions Watch	A Blizzard Conditions Watch shall be issued for USAFA when the potential exists for blizzard conditions. A USAFA Weather Warning for Blizzard Conditions shall be issued when blizzard conditions are expected to occur.
Density Altitude (DA)	The altitude relative to standard atmospheric conditions at which the air density would be equal to the indicated air density at the place of observation. In other words, the density altitude is the air density given as a height above mean sea level. The density altitude can also be considered to be the pressure altitude adjusted for a non-standard temperature.
Desired Lead Time (DLT)	Amount of advance notice an agency requires prior to the onset of a particular weather phenomenon.
Forecast Weather Advisory (FWA)	A forecast weather advisory is a product that provides a customer advance notification of an impending weather condition with sufficient lead time to allow for resource and personnel protective actions.
Freezing Precipitation	Whenever liquid precipitation (e.g., rain or drizzle) is occurring and ice is forming on the ground or exposed objects. This occurs when rain or drizzle freezes on surfaces (such as the ground, trees, power lines, motor vehicles, streets, highways, etc.) that have a temperature of 32°F or below. Small accumulations of ice can cause driving and walking difficulties; heavy accumulations of ice can pull down trees and utility lines.
Freezing Precipitation Watch	A Freezing Precipitation Watch shall be issued for USAFA when the potential exists for freezing rain or freezing drizzle. A USAFA Weather Warning for Freezing Precipitation shall be issued when conditions are expected to occur.
Ground Emergency	A ground emergency is a declared condition that exists prior to take-off or after landing that presents a danger to aircrews or aircraft.
Hail Watch	A Hail Watch shall be issued for USAFA when the potential exists for hail 3/4 inch or larger in diameter. A USAFA Weather Warning for Hail shall be issued when conditions are expected to occur.
Heavy Snow Watch	A Heavy Snow Watch shall be issued for USAFA when the potential exists for more than two inches of snow to fall within a prescribed time period. A USAFA Weather Warning for Heavy Snow shall be issued when conditions are expected to occur.
International Civil Aviation Organization (ICAO)	ICAO is a United Nations organization specializing in international aviation and navigation.

Term	Definition
Lightning	Lightning is the total luminous phenomenon accompanying a lightning discharge. It may be composed of one to a few tens of strokes that use essentially the same channel to ground. Lightning is a common phenomenon in Colorado from May through October. In 2001, nearly 2,000 cloud-to-ground lightning strikes occurred within 5 miles of the USAFA Airfield. All clouds have the potential to produce lightning strikes.
Lightning Watch	A Lightning Watch shall be issued for USAFA when the potential exists for lightning within 15 miles of USAFA. Lightning warnings shall be issued when lightning is detected or observed, or thunder is heard, within a pre-determined distance (i.e., 5 miles).
Low-Level Wind Shear (LLWS)	Low-level wind shear is indicated by any rapid change in air speed or direction. When the fluctuation in air speed is 10 knots or more the report shall be considered urgent for reporting purposes in a PIREP. Severe wind shear is a rapid change in wind direction or speed causing airspeed changes greater than 15 knots or vertical speed changes greater than 500 feet per minute. Although wind shear occurs at all altitudes, it is particularly hazardous when it happens within 2,000 feet of the ground. (References: Air Force Handbook (AFH) 11-203 Volume 1, Weather for Aircrews, Chapter 2, and AFMAN 15-124, Chapter 2).
MESONET	A MESONET is a network of closely spaced automated weather sensors designed to monitor small scale weather events.
METWATCH (Meteorological Watch)	The process of monitoring the weather and informing designated agencies when specified weather conditions could impact operations or pose a hazard to property or life.
Mission Execution Forecast (MEF)	The MEF is a mission tailored and customized weather product that provides terrestrial and space weather data and weather forecasts for a specific mission or set of missions. It fully integrates aerospace weather with the customer's tactics, weapon systems, environmental sensitivities and other operational requirements.

Term	Definition
Mission Execution Forecast Process (MEFP)	The MEFP is a systematic, repeatable process for tailoring weather products and forecasting mission-limiting meteorological parameters and providing decision quality environmental information for an operational end user. This process provides a basic framework for fusing perishable meteorological data, operational and strategic forecast products, and an understanding of the customer's tactics which shall be applied to any mission the customer may undertake. The MEFP describes an end-to-end process incorporating management steps, forecast development, mission meteorological watch, and post-mission analysis of the meteorological information provided.
Mission Execution Forecast Worksheet	A tool to develop a weather forecast. It is used to document, track and evaluate past and future weather events. It may contain forecast rules- of-thumb, question and answer discriminators, decision logic trees, etc.
MISSIONWATCH (Mission Meteorological Watch)	MISSIONWATCH is a deliberate process for monitoring terrestrial weather or the space environment for specific mission- limiting environmental factors. The MISSIONWATCH process identifies and alerts command and control personnel to changes affecting mission success.
Operational Weather Squadron (OWS)	OWSs are the theater or regional center of meteorological expertise. The OWS is responsible for providing and arranging operational-level weather forecast products and support to units assigned within and or deployed into its area of responsibility (AOR). The OWS provides flight weather briefings to aircrews operating within their AOR without home base support.
Pilot Report (PIREP)	A report of in-flight weather provided by an aircrew member.
Severe Thunderstorm	A thunderstorm that produces surface winds of 50 knots (58 miles per hour) or greater and/or hail 3/4 inch or greater in diameter.
Severe Weather	Any weather condition that poses a hazard to resources or personnel.
Severe Weather Actions Procedures (SWAP)	Special weather support procedures for local weather personnel and OWS personnel to follow when severe weather threatens mission execution, resources or personnel.
Significant Meteorological Information Advisory (SIGMET)	A NWS in-flight advisory of weather, other than convective activity, potentially hazardous to all aircraft.

Term	Definition
Terminal Aerodrome Forecast (TAF)	The TAF is a standard text forecast containing the cloud cover, cloud heights, and visibility for general flight rule conditions IAW AFH 11-203 Volume 2, Chapter 2 as well as wind, altimeter, and other weather parameters needed to sustain the takeoff and landing of aircraft.
Thunderstorm	A convective storm which implies the presence of lightning, hail, gusty winds, low- level wind shear, heavy precipitation, aircraft icing and aircraft turbulence.
Tornado Watch	A Tornado Watch shall be issued when the potential exists for tornadoes and funnel clouds at USAFA. A USAFA Tornado Warning shall be issued when a tornado or funnel cloud is observed visually or on the Doppler Meteorological Radar. The 306 OSS/OSW weather forecaster shall call the USAFA Command Center (719-333-2633) via the Hotline and ask the USAFA Command Center controller to activate the base tornado siren. A Tornado Warning shall normally be valid no longer than 1 hour but may be extended at the discretion of USAFA command and control authorities.
Urgent Upper Air (UUA) PIREP	A pilot report of in-flight weather meeting weather criteria listed in and encoded and transmitted IAW AFH 11-203 Volume 2, Chapter 2.
Visual Flight Rules (VFR)	A set of aviation regulations that must be adhered to when the weather is sufficiently clear to allow the pilot to fly using ground features for navigational aids.
Weather Advisory	A special product notifying a customer when an established environmental condition affecting operations is occurring or is expected to occur.
Weather Warning	A special notice to operational commanders when an established weather condition of such intensity as to pose a hazard to life or property is occurring or is expected to occur. Weather warnings provide concise information outlining environmental threats and are used by operational commanders to make resource protection decisions.
Weather Watch (WATCH)	Weather Watches indicate potential for environmental threats and are used by operational commanders to make resource protection and risk management decisions.
Wind Watch	A High Wind Watch shall be issued for USAFA when the potential exists for surface winds of 50 knots (58 miles per hour) or more. A USAFA Weather Warning for High Wind shall be issued when conditions are expected to occur.

Appendix 2 - Workload Data

Workload Estimates. The following meteorological services workload estimates were based on production counts from Apr 2021 through Nov 2024.

Meteorological Services	Average Quantity per Month (except as noted)
Surface Weather Observations (METAR & SPECI)	903
Surface Weather Observation Forms	30
Station Climatology Updates	30
Observed Weather Advisories	46
Observed Lightning Weather Warnings (May through September)	69
Observed Lightning Weather Warnings (October through April)	3
Forecast Weather Advisories (Wind, Turbulence, Icing)	35
Forecast Weather Warnings (New requirement)	49
Pilot Reports	34
Barometer Standardizations	8 (per year)
Airfield Command & Control Briefings (FTG SOF, SCO, DZCO, Ops Sup)	442
Aircrew Weather Briefings	10
Terminal Aerodrome Forecast (TAF)	72
TAF Worksheets	72
Airfield Services Element Quality Control (to include on-the-spot QC)	120
Mission Weather Element Quality Control (to include on-the-spot QC)	75
Mission Execution Forecasts (MEF) to include off-station support	65
USAFA Seven-Day Forecast Outlooks to include amendments	33
Document Equipment or Communications Outages	6
Operational Report (OPREP-3) Weather Inputs	< 1
Product Count Worksheet Updates	180
Standup (Staff, Seasonal, Mission) Weather Briefings	28
Climatology Requests and Mission Planning Products	62
Off-Station Support Requests	1
Air Traffic Control Tower Orientation, Training, & Testing	< 1
Airfield Operations Board Meetings	4 (per year)
Ice and Snow Control Weather Briefings	2 (per year)
Government Weather Equipment - Operator troubleshooting (HWAS, FMQ-19, FMQ-22)	15
Supervisory Management Duties (Scheduling, Personnel)	6
Files and Records Management Plan	24
Quality Control Report	1
Weather Forecast Reviews	1
Maintenance of Standing Operating Procedures	5
Maintenance of 306 FTG Instruction 15-101, USAFA Weather Support	2

Appendix 3 - Incidentals

Utilities. Gas, electricity, water, sewage, and heating fuels shall be supplied in sufficient quantities at no cost for performance under this PWS.

Computers. The contractor shall use Government provided computers for official business in the performance of the PWS.

Telephone, Internet and Email Services. The Government shall provide local, long-distance, and DSN telephone service. The Government shall provide maintenance service on phone lines and instruments. The contractor shall use Government provided telephone services for official telephone calls only in the performance of the PWS. The contractor shall provide its own non-Government telephone service through off-base switching equipment for personal or unofficial business. The Government shall provide telephone circuit and fiber-optic service for installed airfield weather systems including the AN/FMQ-19, the Bullseye ASOS, and the USAFA High Wind Alert System (USAFA HWAS). The Government shall provide Internet services and email (both .mil and .edu) service access.

Housekeeping. The contractor shall clean and dust computer workstations, monitors, equipment, and windowsills to ensure they are kept free of dirt and dust. The janitorial contractor shall be responsible for all other housekeeping services.

Office Equipment and Expendable Supplies

Office Equipment		
Equipment Item	Quantity	Age
Office Furniture	Numerous modular pieces	10 Years
Chairs	7 Each	Various
Supply Cabinets	6 Each	Unknown
Telephone Devices	6 Each	Various

Printers and Expendable Supplies. Although not all inclusive, the following is a list of materials typically used by the contractor.

Computer Paper	3 Reams per Month
Toner Cartridge - Black	1 per Quarter
Toner Cartridge - Cyan	1 per Quarter
Toner Cartridge - Magenta	1 per Quarter
Toner Cartridge -Yellow	1 per Quarter

Contractor-Provided Equipment. HP Color LaserJet Pro MFP M477 PCL 6 color printer, scanner, fax

Appendix 4 - Reference Publications

Publication Number and Date <i>The listed version may be outdated; the current version must be utilized.</i>	Name of Publication	Applicable Reference
Flight Information Publication (FLIP) Frequently Updated	VFR Supplement	USAFA and Bullseye Aux Airfield's entries only
AFMAN 11-202 Volume 3 10 Jan 2022	Flight Operations	Entire Document
AFI 17-130 13 Feb 2020	Cybersecurity Program Management	Entire Document
DAFMAN 17-1301 9 Dec 2024	Computer Security	Entire Document
DAFI 15-129 19 Nov 2025	Air and Space Weather Operations	Entire Document
AFMAN 15-111 12 Mar 2019 Incorporating Change 1, 26 Jan 2024	Surface Weather Observations	Entire Document
306 FTGI 15-101 24 Mar 2022	USAFA Weather Support	Entire Document
USAF AI 13-204 17 Aug 2021	Airfield Operations and Base Flying Procedures	Chapters 3 and 4
FAA Order 7110.65BB 20 Feb 2025	Air Traffic Control	Section 6
AFMAN 15-124 16 Jan 2019	Meteorological Codes	Entire Document
DAFI 11-209 20 May 2021	Participation in Aerial Events	Entire Document
AFI 33-322 23 Mar 2020 Department of the Air Force Guidance Memorandum 2025-01 26 Jun 2025	Records Management and Information Governance Program	Entire Document
USAFA Plan 10-2 30 Jan 2024	Installation Emergency Management Plan	Entire Document
USAFA Plan 32-1001 7 Jan 2022	Snow and Ice Control Plan	Entire Document
DAFMAN 13-204 Volume 1 12 Mar 2026	Management of Airfield Operations	Entire Document

Publication Number and Date <i>The listed version may be outdated; the current version must be utilized.</i>	Name of Publication	Applicable Reference
DAFPAM 90-803 23 Mar 2022	Risk Management (RM) Guidelines and Tools	Entire Document
DAFI 90-302 15 Mar 2023 Incorporating Change 1, 25 Jul 2025	The Inspection System of the Department of the Air Force	Entire Document
DAFMAN 17-1203 13 Sep 2022	Information Technology Asset Management (ITAM) and Accountability	Entire Document
AFMAN 10-206 18 Jun 2018 Incorporating Change 1, 1 Sep 2020	Operational Reporting (OPREP)	Entire Document
DAFMAN 91-203 24 Feb 2026	Department of the Air Force Occupational Safety, Fire, and Health Standards	Chapter 3
DoDI 1100.22 12 Apr 2010 Change 1, 1 Dec 2017	Policy and Procedures for Determining Workforce Mix	Enclosure 4
DAFMAN 36-2689 31 Mar 2023, Incorporating Change 1, 22 Jan 2024	Training Program	Chapters 2 and 3
CFETP1W0X1 19 Mar 2026	AFSC 1W0X1 Weather Career Field Education and Training Plan	Entire Document
DAFI 64-106 6 Mar 2024	Contractor Labor Relations Activities	Chapter 3
DoDI 5200.48 6 Mar 2020	Controlled Unclassified Information (CUI)	Entire Document
AFH 11-203, Volume 1 12 Jan 2012	Weather for Aircrews	Chapter 2
AFH 11-203, Volume 2 13 Aug 15, Incorporating Change 5, 13 Dec 2022	Weather for Aircrews-Products and Services	Chapter 2
FAA Order 7110.10EE 20 Feb 2025	Flight Service	Entire Document
FAA Order 7340.2P 1 Aug 2025	Contractions	Entire Document
USAFA Plan 10-208 (COOP) 30 Mar 2018	Continuity of Operations Program	Entire Document

Appendix 5 - Deliverables

Deliverables. The contractor shall submit all required reports shown below to the Meteorological Services COR.

Data Item	Report Title	Report Frequency	PWS Reference
01	Surface Weather Observations	Monthly	2.2.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
02	Terminal Aerodrome Forecast (TAF) Products	Monthly	3.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
03	Pilot Reports (PIREPs)	Monthly	3.2.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
04	Barometer Comparisons	Semi-Annually	3.4.
Report must be submitted no later than the fourth business day of the month immediately following the completion of barometer comparisons.			
05	Integration Support Hours	Monthly	4.1.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
06	Mission Execution Forecast (MEF) Reviews	Upon Request	4.4.3.
Report must be submitted within five business days of the request.			
07	MEFs	Monthly	4.4.4.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
08	Mission Weather Product (MWP) Metrics Report	Monthly	4.4.6.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
09	Seven-Day Forecast Outlooks	Upon Request	4.6.
Report must be submitted within five business days of the request.			
10	Off-Station Support Correspondence	Upon Request	4.8.
Include COR on correspondence. Report must be submitted within five business days of the request.			
11	Flight Weather Briefings	Monthly	4.9.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
12	Weather Systems Outage Reporting	Upon Request	4.11.1.
Report must be submitted within five business days of the request.			
13	Commander's Staff Briefings	As Required	5.2.
Include the COR on electronic distribution of all staff weather briefings. Submittal shall be when staff weather briefings are electronically disseminated to customers.			
14	Emergency Operations Center (EOC) Briefings	Upon Request	5.3.
Report must be submitted within five business days of the request.			

Data Item	Report Title	Report Frequency	PWS Reference
15	Ice and Snow Control Briefings	As Required	5.4.
Report must be submitted to the COR within five business days of the briefing.			
16	Seasonal Weather Briefings	Monthly	5.6.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
17	Review and Update Weather Support Plan 306 FTGI 15-101	As Required	6.1.
Include COR on correspondence. COR must review changes prior to submission to 306 OSS for approval.			
18	MICT Checklist	As determined by 306 OSS/CC	7.1.
Checklists must be completed no later than the published suspense date; validation will be completed by the COR.			
19	Daily Production Worksheet	Monthly	8.2.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			
20	Aircraft Mishaps and Ground Emergency Data Saves	Occurrence	12.3.
Data saves must be submitted as soon as practicable to the requesting individual or organization. Include the COR on paper or electronic data submittal.			
21	OPREP Submissions	Occurrence	12.4.3.2.1. and 12.4.3.2.2.
OPREP submissions must be completed as soon as practicable as required. Submittal shall be when operational reports are electronically disseminated. Include the COR on electronic distribution of all operational reports.			
22	Forecast Weather Watches, Forecast Weather Warnings and Advisories, and Observed Weather Warnings and Advisories	Monthly	12.8.-12.11.
Report must be submitted no later than the fourth business day of the month immediately following the reporting period.			