

SOLICITATION, OFFER AND AWARD				1. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)		RATING		PAGE OF PAGES 1 408			
2. CONTRACT NO.		3. SOLICITATION NO. M6700425R0007		4. TYPE OF SOLICITATION [] SEALED BID (IFB) [X] NEGOTIATED (RFP)		5. DATE ISSUED 26 Feb 2026		6. REQUISITION/PURCHASE NO.			
7. ISSUED BY USMC BLOUNT ISLAND COMMAND ATTN: TIMOTHY RIVERS 5880 CHANNEL VIEW BLVD JACKSONVILLE FL 32226 TEL: 904-696-5360 FAX:				CODE M67004		8. ADDRESS OFFER TO (If other than Item 7) CODE See Item 7 TEL: FAX:					
NOTE: In sealed bid solicitations "offer" and "offeror" mean "bid" and "bidder".											
SOLICITATION											
9. Sealed offers in original and <u>7</u> copies for furnishing the supplies or services in the Schedule will be received at the place specified in Item 8, or if handcarried, in the depository located in <u>5880 Channel View Blvd.</u> until <u>03:00 PM</u> local time <u>24 Jun 2026</u> (Hour) (Date)											
CAUTION - LATE Submissions, Modifications, and Withdrawals: See Section L, Provision No. 52.214-7 or 52.215-1. All offers are subject to all terms and conditions contained in this solicitation.											
10. FOR INFORMATION CALL:		A. NAME TIMOTHY RIVERS		B. TELEPHONE (Include area code) (NO COLLECT CALLS) 906 696 5360				C. E-MAIL ADDRESS timothy.l.rivers@usmc.mil			
11. TABLE OF CONTENTS											
(X)	SEC.	DESCRIPTION		PAGE(S)	(X)	SEC.	DESCRIPTION		PAGE(S)		
PART I - THE SCHEDULE					PART II - CONTRACT CLAUSES						
X	A	SOLICITATION/ CONTRACT FORM		1 - 2	X	I	CONTRACT CLAUSES		336 - 365		
X	B	SUPPLIES OR SERVICES AND PRICES/ COSTS		3 - 36	PART III - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS						
X	C	DESCRIPTION/ SPECS./ WORK STATEMENT		37 - 300	X	J	LIST OF ATTACHMENTS		366 - 373		
X	D	PACKAGING AND MARKING		301 - 308	PART IV - REPRESENTATIONS AND INSTRUCTIONS						
X	E	INSPECTION AND ACCEPTANCE		309 - 312	X	K	REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF OFFERORS		374 - 382		
X	F	DELIVERIES OR PERFORMANCE		313 - 317	X	L	INSTRS. CONDS. AND NOTICES TO OFFERORS		383 - 402		
X	G	CONTRACT ADMINISTRATION DATA		318 - 324	X	M	EVALUATION FACTORS FOR AWARD		403 - 408		
X	H	SPECIAL CONTRACT REQUIREMENTS		325 - 335							
OFFER (Must be fully completed by offeror)											
NOTE: Item 12 does not apply if the solicitation includes the provisions at 52.214-16, Minimum Bid Acceptance Period.											
12. In compliance with the above, the undersigned agrees, if this offer is accepted within _____ calendar days (60 calendar days unless a different period is inserted by the offeror) from the date for receipt of offers specified above, to furnish any or all items upon which prices are offered at the price set opposite each item, delivered at the designated point(s), within the time specified in the schedule.											
13. DISCOUNT FOR PROMPT PAYMENT (See Section I, Clause No. 52.232-8)											
14. ACKNOWLEDGMENT OF AMENDMENTS (The offeror acknowledges receipt of amendments to the SOLICITATION for offerors and related documents numbered and dated):				AMENDMENT NO.		DATE		AMENDMENT NO.		DATE	
15A. NAME AND ADDRESS OF OFFEROR		CODE		FACILITY		16. NAME AND TITLE OF PERSON AUTHORIZED TO SIGN OFFER (Type or print)					
15B. TELEPHONE NO (Include area code)		15C. CHECK IF REMITTANCE ADDRESS IS DIFFERENT FROM ABOVE - ENTER SUCH ADDRESS IN SCHEDULE. ☐				17. SIGNATURE		18. OFFER DATE			
AWARD (To be completed by Government)											
19. ACCEPTED AS TO ITEMS NUMBERED				20. AMOUNT		21. ACCOUNTING AND APPROPRIATION					
22. AUTHORITY FOR USING OTHER THAN FULL AND OPEN COMPETITION: ☐ 10 U.S.C. 2304(c)() ☐ 41 U.S.C. 253(c)()						23. SUBMIT INVOICES TO ADDRESS SHOWN IN (4 copies unless otherwise specified)		ITEM			
24. ADMINISTERED BY (If other than Item 7)				CODE		25. PAYMENT WILL BE MADE BY CODE					
26. NAME OF CONTRACTING OFFICER (Type or print) TEL: EMAIL:						27. UNITED STATES OF AMERICA (Signature of Contracting Officer)		28. AWARD DATE			
IMPORTANT - Award will be made on this Form, or on Standard Form 26, or by other authorized official written notice.											

Section A - Solicitation/Contract Form

CLAUSES INCORPORATED BY REFERENCE

This draft Request for Proposal (RFP) is being issued solely to solicit feedback from industry. Interested parties are encouraged to review the questions posted to SAM.GOV and provide responses by 3 July, along with any comments on the draft RFP, to the Contracting Officer, Timothy L. Rivers, at timothy.l.rivers@usmc.mil. Please note that this is not a request for proposals at this time, and no submissions will be considered as such. Only the formal solicitation, once released, should be relied upon for the Government's official requirements.

A-1 TYPE OF CONTRACT. This is a single award hybrid Indefinite Delivery Indefinite Quantity (IDIQ) contract with the flexibility to award task orders on a CPFF, FFP, and Cost Reimbursable (for Materials and Travel) basis as defined by the respective Contract Line Item Number/Sub Line Item Number (CLINs/SLINs) against which Task Orders will be issued.

A-2 ORDERING PERIODS AND CLIN NUMBERS

Base Ordering Period Year One	(CLINs 0001-0007)
Base Ordering Period Year Two	(CLINs 1001-1007)
Base Ordering Period Year Three	(CLINs 2001-2007)
Base Ordering Period Year Four	(CLINs 3001-3007)
Base Ordering Period Year Five	(CLINs 4001-4007)
Opt I Ordering Period Year Six	(CLINs 5001-5007)
Opt I Ordering Period Year Seven	(CLINs 6001-6007)
Opt I Ordering Period Year Eight	(CLINs 7001-7007)
Opt I Ordering Period Year Nine	(CLINs 8001-8007)
Opt I Ordering Period Year Ten	(CLINs 9001-9007)
52.217-8 Ordering Period	

Note: "X001" is used throughout the SOW where "X" indicates the ordering period 0 through 9 to correlate with the ordering periods as identified in paragraph 3 above.

Section B - Supplies or Services and Prices

Minimum and Maximum IDIQ Amounts

a. Minimum guarantee, base year award only: \$10,000.00

b. Maximum: TBD at time of award based on total evaluated price. The maximum represents the potential cumulative total of all task orders issued under this contract under all ordering periods.

Funds shall be obligated by issuance of Task Orders for precise quantities.

CLIN #	SOW Section	Cost Constraint	CLIN TITLE	Qty	Unit	Proposed or Govt Provided
X0001	C.1, C.2.A, C.2.B, C.2.C, and C.2.D. Phase-Out (H-21)	FFP	Program Management	12	Months	Proposed
X0002	All of the SOW except for the sections identified in CLIN X001	CPFF LOE	Maintenance Production (CONUS)	To be provided by the Government	Hours	*Government to provide labor category and hour breakdown. Contractor to provide ceiling, labor and indirect rates.
X0003	All of the SOW except for the sections identified in CLIN X001	CPFF LOE	Maintenance Production (OCONUS)	To be provided by the Government	Hours	*Government to provide labor category and hour breakdown. Contractor to provide ceiling, labor and indirect rates.
X0004	All of the SOW except for the sections identified in CLIN X001	CPFF LOE	Other logistics Support	To be provided by the Government	Hours	Govt Provided
X0005	H.10	CPFF LOE	Travel	*	Lot	Govt Provided
X0006		CPFF LOE	Other Direct Cost	*	Lot	Govt Provided
X0007	Section J	Not Separately Priced	CDRLS		NSP	Govt Provided
00008	H-21	FFP	Transition Period	3	Months	Proposed

*Estimated hours for purpose of draft RFP, subject to change.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	Program Management FFP Base Ordering Period One- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0002	Maintenance Production (CONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		

MAX COST
FIXED FEE

TOTAL MAX COST + FEE

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0003	Maintenance Production (OCONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0004	Other Logistics Support CPFF Base Ordering Period One - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0005	Travel COST Base Ordering Period One – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0006	Other Direct Costs COST Base Ordering Period Year One – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
0007	Data Requirements / CDRLs NSP Base Ordering Period Year One-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0008	Contract Transition FFP For Phase-in services FOB: Destination PSC CD: R706		Hours		

NET AMT

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1001	Program Management FFP Base Ordering Period One- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1002	Maintenance Production (CONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1003	Maintenance Production (OCONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1004	Other Logistics Support CPFF Base Ordering Period One - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1005	Travel COST Base Ordering Period One – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1006	Other Direct Costs COST Base Ordering Period Year One – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
1007	Data Requirements / CDRLs NSP Base Ordering Period Year One-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2001	Program Management FFP Base Ordering Period One- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2002	Maintenance Production (CONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2003	Maintenance Production (OCONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2004	Other Logistics Support CPFF Base Ordering Period One - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2005	Travel COST Base Ordering Period One – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2006	Other Direct Costs COST Base Ordering Period Year One – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
2007	Data Requirements / CDRLs NSP Base Ordering Period Year One-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3001	Program Management FFP Base Ordering Period One- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3002	Maintenance Production (CONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3003	Maintenance Production (OCONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3004	Other Logistics Support CPFF Base Ordering Period One - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3005	Travel COST Base Ordering Period One – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3006	Other Direct Costs COST Base Ordering Period Year One – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
3007	Data Requirements / CDRLs NSP Base Ordering Period Year One-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
4001	Program Management FFP Base Ordering Period One- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4002	Maintenance Production (CONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4003	Maintenance Production (OCONUS) CPFF Base Ordering Period One - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4004	Other Logistics Support CPFF Base Ordering Period One - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4005	Travel COST Base Ordering Period One – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4006	Other Direct Costs COST Base Ordering Period Year One – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
4007	Data Requirements / CDRLs NSP Base Ordering Period Year One-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
5001 OPTION	Program Management FFP Base Ordering Period Two- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5002 OPTION	Maintenance Production (CONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5003 OPTION	Maintenance Production (OCONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5004 OPTION	Other Logistics Support CPFF Base Ordering Period Two - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5005 OPTION	Travel COST Base Ordering Period Two – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5006 OPTION	Other Direct Costs COST Base Ordering Period Year Two – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
5007 OPTION	Data Requirements / CDRLs NSP Base Ordering Period Year Two-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
6001 OPTION	Program Management FFP Base Ordering Period Two- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6002 OPTION	Maintenance Production (CONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6003 OPTION	Maintenance Production (OCONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6004 OPTION	Other Logistics Support CPFF Base Ordering Period Two - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6005 OPTION	Travel COST Base Ordering Period Two – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6006 OPTION	Other Direct Costs COST Base Ordering Period Year Two – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
6007 OPTION	Data Requirements / CDRLs NSP Base Ordering Period Year Two-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
7001 OPTION	Program Management FFP Base Ordering Period Two- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7002 OPTION	Maintenance Production (CONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7003 OPTION	Maintenance Production (OCONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7004 OPTION	Other Logistics Support CPFF Base Ordering Period Two - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7005 OPTION	Travel COST Base Ordering Period Two – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7006 OPTION	Other Direct Costs COST Base Ordering Period Year Two – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
7007 OPTION	Data Requirements / CDRLs NSP Base Ordering Period Year Two-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
8001 OPTION	Program Management FFP Base Ordering Period Two- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8002 OPTION	Maintenance Production (CONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8003 OPTION	Maintenance Production (OCONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8004 OPTION	Other Logistics Support CPFF Base Ordering Period Two - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8005 OPTION	Travel COST Base Ordering Period Two – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8006 OPTION	Other Direct Costs COST Base Ordering Period Year Two – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
8007 OPTION	Data Requirements / CDRLs NSP Base Ordering Period Year Two-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
MAX COST					

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
9001 OPTION	Program Management FFP Base Ordering Period Two- The MCMC shall provide Program and Risk Management support in accordance with Section C.1, C.2.A, C.2.B, C.2.C, and C.2.D of the attached Statement of Work. Phase-Out (H-21) requirements shall also be captured under this FFP CLIN. FOB: Destination PSC CD: R706	12	Months		

NET AMT

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9002 OPTION	Maintenance Production (CONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with and all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9003 OPTION	Maintenance Production (OCONUS) CPFF Base Ordering Period Two - The MCMC shall provide all necessary resources to execute all tasks and responsibilities to the established standards in accordance with all Maintenance Activities of the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9004 OPTION	Other Logistics Support CPFF Base Ordering Period Two - The MCMC shall provide Contingency/Exercise/Emerging Requirements support in accordance with the attached Statement of Work. CPFF Level of Effort IAW FAR 16.306(d)(2) Overtime Premium shall not be subject to fee. Contingency/Exercise/Emerging Requirements Fixed Fee will be determined upon authorization of work in accordance with Section H-8.3: "The same ratio of fee awarded in the initial contract award will be used in any task orders issued."FOB: Destination PSC CD: R706		Hours		
				MAX COST FIXED FEE	
				TOTAL MAX COST + FEE	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9005 OPTION	Travel COST Base Ordering Period Two – Fee or any markups shall not be applied to Travel. FOB: Destination PSC CD: R706		Task		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9006 OPTION	Other Direct Costs COST Base Ordering Period Year Two – Fee shall not be applied to Other Direct Costs. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

ITEM NO	SUPPLIES/SERVICES	MAX QUANTITY	UNIT	UNIT PRICE	MAX AMOUNT
9007 OPTION	Data Requirements / CDRLs NSP Base Ordering Period Year Two-The MCMC shall provide all data requirements, reports, and submittals using DD Form 1423-1 as established in the SOW. (SEE Contract Attachment #9) Data Requirements are Not Separately Priced. FOB: Destination PSC CD: R706		Unit		
				MAX COST	

Section C - Descriptions and Specifications-



UNITED STATES MARINE CORPS

BLOUNT ISLAND COMMAND

**STATEMENT OF WORK (SOW)
FOR THE**

MARINE CORPS PREPOSITIONING PROGRAM

LOGISTICS SERVICES CONTRACT

STATEMENT OF WORK CONSTRUCT

1.0 MCPP PROGRAM REQUIREMENTS OVERVIEW

- 1.A Background
- 1.B Overall MCPP Scope
- 1.C Work Requirements
- 1.D Program Complexity
- 1.E Program Operational Objective
- 1.F Organizational Responsibility
- 1.G Contract Authority
- 1.H Personnel
- 1.I Equipment and Materiel Accountability
- 1.J Government Furnished Property (GFP) and Services
- 1.K References, Publications, Forms and Reports
- 1.L Rights in Data
- 1.M Applicable Publications/Source Documents
- 1.N Acronyms

2.0 PROGRAM AND RISK MANAGEMENT

- 2.A MPS Plans and Data
- 2.B Maintenance Management
- 2.C Business Intelligence and Key Performance Indicators (KPI's)
- 2.D Risk and Performance

3.0 MAINTENANCE ACTIVITIES

4.0 SUPPLY

- 4.A Supply Demand Planning & Monitoring of Materiel Requirements/ Shortfalls
- 4.B Procurement and Sourcing
- 4.C Inventory Management
- 4.D MMC Supply Production Operations
- 4.E T-AKE Supply Operations
- 4.F ISO Freight Container Inventory and Maintenance
- 4.G Transportation and Distribution Management Operations (TMO/DMO)
- 4.H Supply Fiscal Requirements
- 4.I Exemptions and Waivers

5.0 MEDICAL

6.0 NAVY

- 6.A Navy Services
 - 6.B Navy Fiscal Requirements

- 6.C Navy Supply Chain, Logistics, and Warehousing
- 6.D Navy Containerized CAPSET Production
- 6.E Navy Civil Engineering Support Equipment (CESE)
- 6.F Navy Watercraft (Lighterage) Ashore (Phase Bravo, Charlie & Delta)
- 6.G External Contracts Support
- 6.H Navy Watercraft Controls System Support (CSS)
- 6.I Navy Exemptions, Deviations and Waivers
- 6.J Navy Shipboard Support
- 6.K Navy MPS Plans and Data
- 6.L Navy Exercise and Surge Support
- 6.M Navy MPS Embarkation/Debarkation Support
- 6.N Navy Organic Ground Support Equipment (GSE) Maintenance
- 6.O Navy Business and Performance Requirements
- 6.P Navy Mobile Load Requirements
- 6.Q Navy Weight Handling Equipment (WHE) Program
- 6.R Navy Planning & Estimating Requirements
- 6.S Navy Safety Requirements
- 6.T Navy Environmental Requirements

7.0 SHIPBOARD

8.0 KEY MANAGEMENT INFRASTRUCTURE

- 8.A Administrative Requirements
- 8.B Inventory and Accountability
- 8.C Storage, Handling, and Transportation
- 8.D Maintenance
- 8.E Training

9.0 PORT OPERATIONS SUPPORT

- 9.A Port Operations and Embarkation Support
- 9.B Fuel Level Requirements
- 9.C Vehicles and Equipment

10.0 INSTALLATION SUPPORT SERVICES

- 10.A Equipment Support and Management
- 10.B Safety Requirements
- 10.C Environmental

11.0 COMMUNICATION SUPPORT SYSTEMS

SECTION C.1 MCPP PROGRAM REQUIREMENT OVERVIEW

1.A BACKGROUND

1.A.1 The Maritime Prepositioning Ships (MPS) program was initiated by the Secretary of Defense in August 1979 creating a new option for increasing the responsiveness of Marine Corps operating forces requiring immediate and rapid deployment. The program requires the prepositioning of equipment and supplies aboard nine Navy owned ships strategically located around the world. Seven of the ships are located in the Indian and Pacific Oceans and two ships are located in Jacksonville, FL. Maritime Prepositioning Force (MPF) is a term utilized to describe the combat capability derived when combining a Marine operating force and associated fly-in echelon (FIE) with the assets loaded aboard the MPSs. Combined, these ships carry equipment and supplies to support approximately 18000 Marines and Sailors for up to 30 days of sustained combat. Equipment and supplies include, but are not limited to; trucks, trailers, generators, watercraft, radios, ordnance equipment, tool kits, crew-served weapons, ammunition, rations, medical supplies, fuel, and water. Smaller prepositioned sets of equipment and supplies (E/S) are maintained in six caves in central Norway as part of the Marine Corps Prepositioning Program – Norway (MCPN). A new Program of Record (POR) consisting of a humanitarian assistance/disaster relief (HA/DR) equipment is prepositioned in the Philippines, known as Marine Corps Prepositioning Program – Philippines (MCPN-PHIL). MCPN-PHIL contains specific USMC designed equipment and supplies to provide operating forces with equipment required to conduct various training exercises and contingency operations. Equipment is maintained and issued/recovered, at the direction of Headquarters Marine Corps by Blount Island Command (BIC). Additional prepositioning sites are being considered in Australia and Palau and are undergoing review at HQMC. Continental United States (CONUS) based support for this entire program is conducted at Blount Island, Jacksonville, Florida.

1.A.2 The breadth and depth of the E/S prepositioned (over 11,000 national stock numbered items totaling slightly over 36 million pieces) provides significant capability and flexibility, enabling the combatant commander to conduct numerous crisis response missions. The concept of combining the speed of strategic airlift with the storage capacity of prepositioned sealift has greatly reduced force closure times in response to contingency scenarios. Under the MPS concept, the ships will be staged, in advance, near the vicinity of a possible crisis area. If deployment is ordered, the ships would move to a rendezvous point to link up with Marine Corps personnel flown to the area by the U. S. Air Force's Air Mobility Command. The equipment would be quickly downloaded and assigned to combat and support units which then would proceed to the objective area. On 12 March 1983, the Commandant of the Marine Corps (CMC) directed the Marine Corps Support Base, Atlantic, hereinafter referred to in its present name, the Marine Corps Logistics Command (LOGCOM), to contract for logistics services in support of prepositioned assets. Therefore, a contracted civilian maintenance crew living aboard the ships and at a CONUS industrial facility, would be responsible for performing a wide range and depth of logistics functions such as preventative and intermediate level corrective maintenance, limited depot level repair (up to 4th echelon depot-level maintenance), equipment modifications, stock rotation, calibration, inventory management, management of support systems, supply support, asset visibility and transportation management to include in-transit visibility. The MPS program requires logistics efforts to be accomplished aboard ship, in port areas around the world, and at

an industrial facility located on Marine Corps Support Facility Blount Island (MCSF-BI), Jacksonville, Florida during the MPF Maintenance Cycle (MMC). The Statement of Work (SOW) is applicable to both port areas and shipboard activities. Each ship E/S set is tailored to maximize combat capability and disaster relief options for the combatant commanders.

1.A.3 In 1981, the United States and the Kingdom of Norway signed a bilateral agreement establishing the Norway Air-Landed Marine Expeditionary Brigade (NALMEB) prepositioning program. The NALMEB program reached initial operating capability (IOC) in January 1990 with the prepositioning of E/S in three equipment caves, three ammunition caves, and two above ground storage hangars. Shortly thereafter, the collapse of the Soviet Union lessened the military threat to the North Atlantic Treaty Organization (NATO) northern flank and the program's relevance in its intended role became less critical. Subsequently, the program's role and importance to Norway continued to grow and in 1995, Norway assumed a 50% cost sharing arrangement with the Marine Corps. Throughout the 1990's the program was used to support NATO out of area missions in support of operations in the Balkans and the first Gulf War. NALMEB assets were withdrawn beginning in 2003 through 2005 in support of Operation Iraqi Freedom, MPS reconstitution, and to address home station shortfalls for garrison-based Marine forces. In January 2005, the Commandant announced that a prepositioning program would remain in Norway, continue to maintain support to defend Norway, and be capable of deploying globally. The approved name was changed to the Marine Corps Prepositioning Program – Norway (MCPN). The Secretary of Defense and the Norwegian Minister of Defense signed a new Memorandum of Understanding Governing Pre-stockage and Reinforcement of Norway on 8 June 2005. MCPN serves multiple activities and missions capable of global support to all Geographic Combatant Commanders (GCCs). E/S are stored for selective withdrawal and movement and can be tailored to meet multiple tasks. Logistics services conducted in Norway are performed by Norwegian Ministry of Defense (MOD) personnel from the Norwegian Defense Logistics Organization / Marine Expeditionary Brigade (NDLO/MEB) with one exception. Section C.8 details Marine Corps Maintenance Contractor (MCMC) support for Key Management Infrastructure (KMI) stored in Norway. The MCMC also provides inventory management, and shipping and receiving services in support of assets being shipped to or returned from Norway. Maintenance services are provided on the Norway assets stored on or passing through MCSF-BI. In addition, the MCMC may be tasked to provide specialized equipment expertise to and/or assist in increased maintenance or supply requirements in support of the NDLO/MEB personnel.

1.A.4 In order to meet emerging crisis response and theater engagement requirements worldwide, the Marine Corps may explore options to initiate other land-based prepositioning programs overseas. The MCMC may be tasked to provide logistics services in support of these initiatives, such as maintenance, supply/inventory management, and transportation/distribution.

1.A.5 In 1990, all 13 prepositioning ships existing at the time were downloaded in preparation for the first Gulf War in Saudi Arabia. The downloads in Southwest Asia left the workforce at Blount Island idle, which resulted substantial reduction of the MCMC CONUS support requirements and subsequent Partial Termination for Convenience. Upon conclusion of the conflict, approximately 45% of the skilled workforce did not return to the program resulting in

several adverse consequences and extended the recovery time of the program by several years. In an effort to mitigate that situation from recurring, all subsequent contracts including this procurement contain provisions for the MCMC to provide Other Logistics Services to the Marine Corps.

1.A.6 In 2022 DON and HQMC made the decision to reduce the number of Full Operating Status (FOS) ships from twelve to the current seven ships, with two ships in a Reduced Operating Status (ROS). As a result, ships in excess of the FOS requirement were rotated back to BICmd where their stocks were downloaded and either utilized for other prepositioning requirements, held for potential future prepositioning requirements, or redistributed to other units or locations. The term Global Positioning Network (GPN) was introduced during this period and refers to an overarching umbrella of the combination of prepositioning stocks, fleet operating stocks, and the maritime and aerial connectors to connect the nodes.

1.A.7 In 2024, HQMC directed the establishment of the Marine Corps Prepositioning Program Philippines (MCPP-PHIL). The new ashore site, located in the Subic Bay Metropolitan Authority (SBMA) Freeport zone within the Republic of the Philippines, includes communication radio systems, engineer equipment systems, and light, medium and heavy trucks. The MCPP-PHIL PO aims to create operationally relevant capabilities supporting FMF campaigning and provide support to Commander, INDOPACIFIC theater campaign objectives. MCPP-PHIL PO establishment consisted of a phased and incremental approach that aligned service-wide actions with resources and host nation authorizations. A portion of the PO supports humanitarian assistance/disaster relief (HA/DR) as an equipment set with associated sustainment was shipped to Subic Bay Philippines after the coordinating all necessary host nation agreements in December of 2024. The equipment arrived at SBMA in February of 2025, and the first PO equipment withdrawal occurred in March 2025.

1.A.8 The primary effort of all work shall be accomplished at the Marine Corps Support Facility Blount Island (MCSF-BI), Jacksonville, Florida utilizing Government provided facilities, Government-furnished equipment/materials (GFE/M), and MCMC employee provided common hand tools (reference Collective Bargaining Agreement (CBA) Contract attachment (10) The MMC facilities are Government Furnished Facilities (GFF) and are located at MCSF-BI, Jacksonville, Florida. Facility maintenance of the acreage and buildings is the responsibility of the MCSF-BI which has contracted through the Navy Region Southeast service provider for roads, grounds, and building support. The Commanding Officer (CO), Blount Island Command (BICmd) is also the CO, MCSF-BI. The MCMC performs Government Furnished Equipment (GFE) maintenance, repair and self-help efforts as delineated in this SOW. The MCMC shall not use Prepositioning Objective (PO) equipment and supplies for the purpose of organic support without prior government approval. The list of GFE is in Contract Attachment 6.a. The list of GFF is in Contract Attachment 6.b. The MCMC is responsible for the efficient and economical use of the facilities and equipment provided by the Marine Corps in the performance of contractual tasks. The MCMC shall coordinate new requirements for space, modifications to existing assigned space, changes to the facilities and/or equipment with the Facility Planning Committee, BICmd/MCSF-BI. The MCMC is responsible for operations which provide support to all organizations on the Installation, e.g., wash rack and fueling, and will be required to share,

with Government coordination, some facilities with other Installation organizations, e.g., Corrosion Repair Facility and some staging areas. MCMC is expected to exhibit workplace organization and hygiene in the appearance of their assigned workspaces and is responsible for maintaining professional workplace appearance commensurate with that expected on a United States Marine Corps (USMC) installation. Additionally, the MCMC is responsible for user level maintenance in those facilities where they operate which includes pickup of trash/debris and placement in appropriate receptacles, emptying of most receptacles in industrial areas, and occasional dusting, sweeping, wiping, and cleaning of industrial workspace floors, walls, and other surfaces. Sweeping, mopping, and trash receptacle pickup for administrative areas are provided by the Government.

1.A.8.A. Most of the MCPP-N services shall be provided in the Trondelag region of Norway utilizing Government provided facilities, Government-furnished equipment/materials (GFE/M), and Government provided common hand tools.

1.A.8.B. Most of the MCPP-PHIL services shall be provided in Subic Bay Philippines utilizing Government provided facilities, Government-furnished equipment/materials (GFE/M), and Government provided common hand tools. The facilities are Government Furnished Facilities (GFF) and are located in the Republic of the Philippines. The MCMC shall have the primary responsibility for coordinating import/export clearances, hiring labor to work in the Philippines for maintenance, and ensuring operations remain in accordance with Philippine law and SBMA regulations. MCMC shall register with the Philippine Security and Exchange Commission and SBMA, obtaining all necessary licensure and credentials to attain status as a licensed commercial importer/exporter of all MCPP-PHIL equipment, supplies, and consumables, which includes obtaining and maintaining a Philippine Certificate of Registration and Tax Exemption (CRTE). Further, the MCMC shall comply with U.S. laws and regulations, including International Traffic in Arms Regulations compliance and obtain a licensure from the U. S. Directorate of Defense Trade Controls for the permanent export of unclassified defense articles, termed a DSP-5 License. MCMC Shall submit a copy of its DSP-5 application to the Government and provide the Government with its nine-digit case number within 30 days of contract award.

1.B OVERALL MCPP SCOPE. The MCMC shall provide a full range of logistics services in support of the three Marine Corps' Prepositioning Program efforts: the MPS Program, MCPP-N and MCPP-PHIL. The number of ships and land based sites may increase or decrease based on Marine Corps operational needs. The MCMC shall provide all management, supervision, administrative/clerical equipment, supplies, consumables, and personal protective equipment required for all personnel performing under this effort (except GFP); cost associated with administrative/clerical equipment, supplies, consumables, and personal protective equipment shall be included in CLIN X001. This SOW delineates work to be performed by the MCMC for maintenance of equipment and materiel management such that required assets are attained, preserved, packaged, identified accurately in the Business Operating Systems/Accountable Property Systems of Record identified in paragraph 2.C.1, and available in support of the Marine Corps Prepositioning Programs (MCPP) and deployed forces world-wide.

In addition to prepositioning support, the MCMC shall provide operational logistics services to engaged Marine Corps and Department of Defense (DoD) operating forces. These services shall enable the operating forces to rapidly and successfully conduct and quickly recover from assigned missions across the full spectrum of expeditionary warfare. SOW Attachment C.1-3 (MMC Notional Plan of Action & Milestones (POA&M)) defines the phasing of MMC operations conducted separately and jointly by the MCMC and Government for both Marine Corps and Navy equipment. Tasks assigned to the MCMC are not limited to materiel management and maintenance as there are specific support activities necessary for sustainment of this program (e.g. wash rack operations, fuel station, etc. as described in this SOW). This SOW also defines some tasks performed by the Government. Government tasks described are provided to ensure a clear understanding of the total program and to help define the division of responsibilities and necessary interfaces between the Government, other contractors and the MCMC in this unique program. BICmd has been designated as Executive Agent for the MCPP by the Marine Corps and as such shall be the organization, which shall provide all guidance, direction, oversight, and liaison required for the prepositioning programs. The maintenance level to be accomplished at the MMC facility or to equipment prepositioned aboard ship is dependent upon availability of special tools, proximity of established facilities (Marine Corps/Navy maintenance facilities), and the availability of funds. Further scope specifics are provided as follows:

1.B.1 MMC. The MPS rotations are scheduled to meet American Bureau of Shipping (ABS) requirements for hull inspections and ship certifications. As such, ship schedules and MMC time frames are generally available several years in advance and are tied to dry dock periods (see SOW Attachments C.1-8 MMC-14 schedule and proposed MMC-15 schedule, and C.1-9 Navy Watercraft Plan. The MCMC work effort is extremely time sensitive for several reasons. First, the MMC effort shall be accomplished during the ship's dry dock period and secondly, when the ship is out of its area of responsibility (AOR) the squadron is in a degraded status, i.e., one seventh of the squadron's capability is not available to the regional GCC. Determination of logistics requirements is an ongoing process which shall be conducted in accordance with this document. MCMC shall provide logistics services in support of the program directives found throughout this SOW. MCMC shall, primarily in government owned CONUS-based facilities, perform equipment maintenance and materiel management operations required to accomplish up to and including intermediate level maintenance of ground combat support equipment.

1.B.2 Program Sustainment. MCMC shall provide logistics services in support of the program directives found throughout this SOW. MCMC shall perform primarily in government owned CONUS based facilities, those materiel management operations required to sustain MPS, MCPP-N and MCPP-PHIL operations. Toward this end, these materiel management operations are described throughout the SOW and include; but are not limited to quality control, organic supply, and environmental and safety compliance. The MCMC shall plan for materiel management of government assets in a Care of Supplies in Storage (COSIS) status against the current ship's/MCPP-PHIL Production Cycle/embarkation period of performance. COSIS services include preventive and corrective maintenance, application of equipment modifications, and equipment preservation and corrective maintenance.

1.B.3 Shipboard Operations. Shipboard work performance required by this SOW shall be accomplished aboard deployed MPS and Layberthed ROS ship(s). In addition, maintenance may be required ashore at the off-load site during exercises and contingencies . Shipboard logistics requirements are specified in Section C.7. The MCMC shall place necessary personnel aboard each FOS and ROS ship to perform COSIS on the embarked equipment and materiel.

1.B.4 Navy Support Requirements. The Navy effort includes the Navy Support Element (NSE) and Naval Construction Element (NCE) equipment outlined in their respective Tables of Allowance (TOA) assigned to support the MPF Program, including rotational spares and Navy organic equipment. The MCMC provides the maintenance, repair and logistical services for the Navy mission as detailed in the SOW. The MCMC's Navy support organization shall provide optimal equipment readiness while meeting limitations associated with cost and funding, production requirements and schedule timelines. The MCMC shall deliver Navy products and services in accordance with standards identified in Section C.6 of the SOW and all applicable Navy and Marine Corps orders and directives.

1.B.5 OCONUS Operations

1.B.5.a MCPP-N. The USMC has prepositioned equipment in Norway for MCPP-N that contains all classes of supply to include communications security materiel/controlled cryptographic items (COMSEC/CCI) used to provide cryptographic security of US Department of the Navy communications. Due to the sensitivity of COMSEC/CCI, this equipment requires U. S. personnel to account and maintain the equipment while it is prepositioned in Norway. BICmd has established a MCPP-N KMI Local Element (LE) subaccount that the MCMC shall maintain. This requires a two-person integrity rule to be maintained during normal and extended working hours. The U. S. MCMC personnel shall be responsible for all COMSEC materiel held by the LE account to include the following:

- Administration and management, security, accountability and daily operations of the LE account to include the conduct of inventories
- Storage/handling/disposition: safe storage and positive control of all COMSEC materiel and conduct inspections to determine that proper physical security and control are provided
- Transportation: proper physical security measures during transport of COMSEC materiel
- Maintenance of all communication/electronic equipment
- Establish, test, and maintain Emergency Action Plan (EAP) for COMSEC materiel
- Maintain all records and files in Norway, required by EKMS-1, using computer hardware and software supplied by the Naval Communications Security Materiel System (NCMS)

1.B.5.b MCPP-PHIL. The MCMC shall perform the functions necessary to issue assets at the equipment location, recover assets, ensure asset serviceability, and coordinate maintenance actions for assets requiring maintenance above the capability of the contractor for the MCPP-PHIL Equipment Set. The Contractor shall facilitate MCPP-

PHIL management and operations, to include maintenance management, maintenance, supply chain management, and KMI local element responsibilities in accordance with Appendix "K MPF SOW, container management, and associated reporting requirements. The Contractor shall execute distribution functions in support of MCPP-PHIL. The MCMC shall provide inventory management which includes receiving, receipting, accounting for, storing, maintaining, issuing, and recovering equipment and supplies, as well as Preventive Maintenance Checks, and Services (PMCS), Care of Supplies in Stores (COSIS), and Corrective Maintenance (CM) within the field-level echelon of maintenance. The MCMC shall also provide commercial shipping and receiving services to include; coordination with SBMA/host nation officials, customs processing, port handling, stevedoring and related terminal services, drayage, hustling, and transportation of assets to U. S. government leased warehouses to support MCPP-PHIL assets being shipped to or returned from the Philippines. Maintenance services are provided on the MCPP-PHIL assets stored on or passing through MCSF-BI. In addition, the MCMC may be tasked to provide specialized equipment expertise to and/or assist in increased maintenance or supply requirements in support of the operating forces during exercise, HA/DR, or contingency withdrawals. In accordance with DODI 3020.37 section 6, all services provided in support of MCPP-PHIL are considered mission essential and shall be performed by the MCMC in the event of crises, at various locations within the Republic of the Philippines, or other locations in the USINDOPACOM AOR as required. MCMC unique MCPP-PHIL requirements are specifically called out in respective subsections of this SOW. The MCPP-PHIL work hour requirement shall be in accordance with Host Nation Labor Laws Monday - Friday. Additional hours or days may be authorized by the Government as mission requirements dictate. The Contractor shall not work, to include processing or reprocessing employees, on Host Nation Holidays unless authorized by the Government. The Contractor shall, as needed, support unplanned events such as the augmentation of other Marine Corps theater initiatives, identification of other Marine Force maintenance deficiencies, and any other emerging tasks incidental to expansion of Marine Corps theater operations. These will be negotiated on a case-by-case basis. The Contractor shall report any situation of interest that affects MCPP-PHIL equipment visibility, accountability, and security to the Government.

1.B.6 RESERVED

1.B.7 Military Contingency Support Worldwide

1.B.7.a Deployed. During the period that equipment is downloaded in support of a contingency, equipment is no longer available to rotate through the maintenance cycle. The MCMC, if requested, shall be required to provide in-theater operational level logistics services to free up the operating forces to focus on contingency operations. Operational logistics support could include such services as Military Equipment (ME) rotation, sustainment support, retrograde operations, management, and maintenance of equipment pools, providing field service representatives, management of reparable issue points, preservation/packaging and packing services, equipment maintenance, supply

chain services, and program management. As an essential part of national mobilization, there is a requirement for the MCMC to be prepared to divide the current workforce (or provide immediate supplementation of current workforce) and deploy to an off-load site/arrival and assembly area (AAA) in support of a potential contingency, or to a mature theater to provide operational logistics support to deployed Marines, and/or to a MPS regeneration site to refurbish and reload MPS after a contingency. The MCMC shall sustain operations during periods of extended deployment. Planning cannot be specific as contingency requirements are generally not known until just before execution, however, there shall be a requirement for maintenance personnel, supply expertise, container packing supervision, and container repair at to be determined Outside CONUS (OCONUS) site(s) to support deploying units participating in contingency operations.

1.B.7.b Continental United States (CONUS) Based Support. With Marine forces engaged in contingencies, BICmd may be tasked to perform similar services such as maintenance on Remain Behind Equipment (RBE) at CONUS installations (e.g. Camp Lejeune, NC or Camp Pendleton, CA) and provide overflow maintenance support to Marine Corps and other service depots. Other unforeseen circumstances such as ship schedule changes or the transition from current legacy ships to future ships may result in reduced logistics requirements at the Blount Island facility. During these periods, the Marine Corps Program Management team may bring in additional Marine Corps or DoD overflow maintenance from depots or intermediate maintenance activities to maintain work force skills and to avoid layoffs of the program's skilled workforce.

1.B.8 Exercise Support. The MCMC shall provide Exercise Support as indicated in respective Exercise Support Letters. Exercise Support includes the deployment of personnel and BICmd resources in direct support of Marine Corps/Navy Operating Forces utilizing MCPP assets. For MPS exercises, the MCMC shall source shipboard personnel to meet the requirements identified in the respective Exercise Support Letter. For MCPP-N exercises, personnel support identified in the Exercise Support Letter, i.e., ordnance mechanics, may be resourced from MCMC assigned to MCSF Blount Island. For MCPP-PHIL exercises, MCMC personnel will be primarily sourced from employees permanently assigned to the MCMC's MCPP-PHIL team and be externally augmented (e.g. MCMC at MCSF-BI) as outlined in the Exercise Support Letter. The duration of exercise support varies from weeks to months dependent upon the concept of operations. Exercise support includes Overtime, Materials (inclusive of subcontractor support), Other Direct Costs, and Travel; Materials and Other Direct Costs shall be allocated to CLIN X006, Travel shall be allocated to CLIN X005. Labor augmentation from the MCMC assigned to MCSF Blount Island must be approved by the Government.

1.C WORK REQUIREMENTS. The work requirements of the MCMC are categorized into two overarching areas of support; Sustainment Operations and MMC Operations. The MCMC shall post required reports for these two categories to a government furnished common access location whereby both the Government and MCMC may access this information. The timing associated with these postings are specified herein. Further, the quality of the services and products delivered by the MCMC is documented in the joint Quality Management Support System (QMSS) used by both MCMC and BICmd.

1.C.1 Sustainment Operations. The MCMC is charged with logistics support operations that are needed to sustain the core MMC operations requirements of this contract addressed below. Facilitating these core requirements requires a stable sustainment base of support operations which are specifically addressed throughout the SOW. In many cases the status of management effectiveness, quality, and cost control in these areas are already captured in cyclical reports specified in each SOW section. The MCMC is required to post the required reports in a common access location (available for Government review); the MCMC shall identify and proactively address issues affecting long term sustainment of the program such as budget, product delivery and quality, and regulatory changes. In this manner, the prepositioning enterprise (BICmd and MCMC) are best able to assure a firm effective and efficient underpinning of sustainment for the core MMC missions.

1.C.2 MMC Operations. The MCMC is responsible for supporting the Government requirements defined in the SOW sections that specifically support materiel management and/or production of refurbishment, replacement, or restocking of MCPP equipment and materiel. These activities are monitored through periodic Government led Production, Production Planning and Execution Team (P-PET), and Quality Meetings.

1.C.3 Aviation Ground Support Equipment (AGSE). NOTE: AGSE is maintained by a separate contractor and is not anticipated to be the responsibility of the MCMC. The Government will monitor and arbitrate joint use of facilities and support requirements between these two contractors.

1.D PROGRAM COMPLEXITY

1.D.1 Program Interdependencies. The MCPP operates in a multifaceted environment characterized by levels of detail and complexity, which necessitate enterprise-wide integration and requires that the MCMC shall maintain an appropriate span of control over operational and programmatic complexities to mitigate operational and program management risks. Paragraph 1.D is provided as historical background.

1.D.2 Detail Complexity

1.D.2.a Per the government-approved strategic plan, developed by the separate Plans & Data Support (P&DS) contract, MPSs rotate one at a time, approximately every 42 months, through BICmd aboard the Marine Corps Support Facility Blount Island (MCSF-BI) in Jacksonville, Florida to go through its respective, time-constrained MPF Maintenance Cycle (MMC) lasting approximately 6 months depending on the ship type, and encompassing all three segments of the MCPP. Occasionally there are gap periods between ships. During those periods, direction is provided by the government on priority of work effort for shore-based sites and other activities (WIR, COSIS, etc.). Once the ship is offloaded via the Stevedoring & Related Terminal Services (S&RTS) contract, it is here that the MCMC performs the full range of sustainment, refurbishment, replenishment and specialized preservation logistics services that ensure the combat

readiness of equipment and supplies for subsequent years of forward deployed long-term storage.

1.D.2.b During this period (time durations are dependent upon ship type) the MCMC is required to thoroughly refurbish all Marine Corps and Navy ground tactical military equipment by performing preventive and corrective maintenance, applying modifications, ensuring the recalibration of Test Measurement and Diagnostic Equipment (TMDE), inventorying/replacing collateral equipment, and exchanging obsolete equipment with newly fielded assets. The MCMC's responsibility is to ensure that the materiel a Marine warfighter requires to operate independently in a completely expeditionary environment for 30 days of sustained combat is attained, maintained, and in a ready-to-issue status, to include accurate data in the respective systems of record, prior to re-embarkation aboard the respective MPS or shipment to one of the ashore prepositioning programs.

1.D.2.c Each ship contains an average of 700 Principal End Items (PEIs) (ranging from 447 to 871, depending on ship type) square loaded with their SL-3 (ancillary equipment) as well as associated assets such as communications and electronics equipment; ordnance equipment (weapons systems, optics equipment, etc). The specialized logistics services performed under this program include inspection, servicing, corrosion control, corrective maintenance (as required), armoring, application of any required modifications, association of collateral equipment and mobile loaded cargo, integration of communications/ electronics equipment, application of Total Asset Visibility (TAV) Radio Frequency Identification Tags (RFID), preservation for long-term storage and documentation of all of these actions in the respective APSR.

1.D.2.d Additionally, each ship averages 436 shipping containers (ranging from 291 to 604, depending on ship type) loaded with over 16,000 line items of sustainment supplies to include rations; packaged Petroleum, Oils, and Lubricants (POL); barrier/fortification materiel; medical equipment/supplies, and spare repair parts/sub-assemblies. The MCMC performs supply and transportation support, such as inventory management, stock rotation (for rations, shelf-life expiry items), calibration, corrosion control /prevention, total asset visibility marking/tracking, and transportation management. A single ship's MMC production requirements generate approximately 11,000 supply requisitions.

1.D.2.e Finally, once the equipment and supplies have been back-loaded aboard each MPS via the separate S&RTS contract, the MCMC maintains custody, provides COSIS for this materiel while forward deployed and prepares/issues it to Marine commanders for MPF exercises, and campaigns to transition to conflict. The MCMC also maintains a small subset of the equipment and supplies outside CONUS that are strategically prepositioned in Norwegian storage caves in support of MCPP-N (sensitive communications equipment and crew served weapons that the Host Nation military is not allowed to maintain for the USMC) and Humanitarian and Disaster Relief (HADR) assets in secured storage locations in the Philippines.

1.D.2.f The Program description above in paragraph 1.D.2 illustrates a prescriptive and interdependent process involving many variables. The volume of materiel processed over such a short period of time is a balancing act of program and project management.

1.D.3 Scope of Complexity

1.D.3.a The very nature of the strategic MCPP is centered on responding to the unknown with a credible capability in short-to-no-notice time frames. Therefore, BICmd's operational mandate is to: 1) attain 100% of the Commandant of the Marine Corps' stated objective for equipment and supplies; 2) configure and maintain all of the prepositioned materiel to 100% combat readiness; 3) achieve 100% data accuracy of equipment and supplies in the respective APSR; and 4) maximize the forward deployed "on station" time in support of the GCC's war plan requirements. Countless stakeholders directly and indirectly influence the day-to-day pre-planned and programmed MMC activities, introducing significant complexities directing operational mission and/or program management changes that create program-wide resource loading ripple effects. Adequacy of resources shall be assessed and adjusted by the Program Management team and the MCMC.

1.D.3.b This complexity routinely falls completely outside of BICmd's ability to forecast or influence. Some examples and impacts to on-going MMC production operations follow:

Combat and HA/DR Contingency Operations: Crisis response missions require the task organization and deployment of Technical Assistance & Advisory Teams (TAAT) which draw government and MCMC personnel away from the Blount Island MMC to prepare and issue prepositioned materiel to Marine and Navy operating forces. Subsequent post-contingency reconstitution efforts are based on the scope of sustainment items consumed and the damage to combat equipment that must be reset to 100% readiness for the next contingency. Historically, reconstitution has been executed in theater (post DESERT STORM when half of BICmd and the MCMC deployed forward) or at Blount Island (nine ships worth of equipment retrograded to BICmd post IRAQI FREEDOM I).

Exercises: The past 25 years have witnessed the quadrupled usage of prepositioned materiel for Marine Corps operating force training, engagement opportunities with foreign countries and their militaries, and deterrence operations. The number and scope of these activities are generally only determined by the GCCs and Marine Corps a year ahead of time; therefore, the MCPP contract must be flexible enough to meet this demand signal while concurrently executing MMC and shore prepositioning operations. Post-exercise corrective maintenance (CM) opportunities are typically deferred to the next scheduled MMC opportunity due to time, space, resource and schedule constraints. Therefore, the actual CM requirements are unknown until the ship is offloaded at BICmd and the equipment is fully assessed, further impacting the MMC.

New Doctrine and Employment Concepts: USMC efforts to develop doctrine to counter and destroy a constantly evolving enemy threat results in perpetual “reshaping” of the prepositioned combat capability sets produced by the MCPP. Changes in doctrine often occur faster than they can be implemented due to the 42-month maintenance cycle process to access the prepositioned materiel. This process is further complicated by the necessity to “roll-down” assets from one ship to another to place it on the correct platform to meet operating force requirements. HQMC is assessing other possible ashore prepositioning programs in Australia and Palau and continues to refine ship schedules and afloat capabilities. The Marine Corps may also utilize MPSs as platforms to support small Marine units for engagement operations. This also requires TAAT deployment impacting the MMC/MCPP contract.

Combat Equipment Modernization: The MCPP includes tens of thousands of line items of combat materiel spanning virtually the entire Marine Corps’ equipment inventory. Equipment modernization occurs along enterprise programmatic timelines with varying speed, prioritization, and resourcing. Modernization is constant and fielding for larger scale weapons systems is generally forecast early enough to be included in deliberate MMC plans. Urgent equipment modifications, modernizations or procurements in response to an operating force Urgent Needs Statement infrequently arrives with little prior notice during an ongoing MMC Production period and must then be integrated into the equipment sets as rapidly as possible. This often requires New Equipment Training (NET) to be provided to the MCMC’s workforce by the Government and induction into an ongoing MMC Production period, directly impacting current operations.

Ship Platform Modernization: Military Sealift Command (MSC) modernization programs (e.g. the transition from legacy prepositioning ships to LMSRs; MPF ships reaching end of service life; etc.) have resulted in significant changes to the MMC production activities to configure equipment for long term storage (e.g. mobile loads, truck cabs up or down, etc.). The introduction of two T-AKE sustainment ships to the prepositioning fleet necessitated a complete MMC production methodology change requiring palletized loads for those specific platforms vice using Twenty Foot Equivalent Unit (TEU) ISO shipping containers for the prepositioned sustainment assets on all other Roll-On/Roll-Off (RO/RO) MPSs.

Ship Availability: Periodically MPSs fail to return to BICmd for backload as scheduled per the MMC calendar due to extended shipyard availability periods that are caused by ship alterations/modifications driven by operational capability needs, or to address maintenance issues. The typical impact to the MCPP is an unprogrammed, additive COSIS requirement for that ship’s capability set of prepositioned materiel by the MCMC until the outgoing ship can be scheduled for backload. These COSIS efforts impact MMC production for the next ship in the cycle by drawing on resources to meet this unprogrammed requirement. Additionally, OPNAV and HQMC have at times changed the number and types of ships available to the program.

Weather: MCSF-BI encounters occasional destructive/severe weather events resulting in lost production days. Production hours lost during these days must be made up to meet ship backload and GCC on-station requirements.

1.D.3.c A review of the most recent MMCs reveal numerous major schedule changes that resulted in significant second/third order effects to the MCPP. These major program changes are heightened by hundreds of individual changes to equipment and supplies being processed during each ship's MMC. The impact of changes to the MCPP result in an inherent complexity that must be mitigated. The MCPP enterprise must be flexible enough to adjust to these imposed changes.

1.E PROGRAM OPERATIONAL GOALS

1.E.1 Effectively Meet Program Operational Goals. The primary goal of the MCPP is to effectively perform all SOW actions necessary to ensure the expectations of our external customers, the Fleet Marine Forces (FMF), are met. Full attainment of the Prepositioning Objective (PO), combat readiness of the prepositioned materiel, and accurate/reliable data visibility is the end-state of this effort. The PO is published in the NAVMC 2907 and it establishes the approved inventory list for MPF and ashore programs.

1.E.2 Efficiently Meet Program Operational Goals. The second goal of the MCPP is to ensure the Marine Force (MARFOR)/Marine Expeditionary Force (MEF) requirements are met in the most cost-efficient manner possible while remaining in conformance with this SOW. MCMC shall use the Government provided Enterprise QMSS (currently MCPIC iPrime Inspection Web and eQMS modules) to assist with external and internal tracking, trending, and tracing of performance. Upon identification of unsatisfactory trends, the MCMC shall correct/report the causes of nonconformance to Contracting Officer (KO), Contracting Officer's Representative (COR), and Contracting Officer's Technical Representatives (COTRs) through the QMSS as directed in Section C.2. NOTE: The Government will also use the QMSS to evaluate the quality of the MCMC products and services.

1.F ORGANIZATIONAL RESPONSIBILITY. The MCMC shall be directly responsible for execution of the contract and SOW requirements. MCMC, when exercising the requirements of this SOW and communicating with other DoD organization(s) on behalf of the BICmd, shall notify the Government when external Government organizations are not responsive thereby causing delays that may impact meeting contract requirements. The nature of the MCPP effort as described above calls for close daily communication and coordination between the MCMC and Government. Figure 1 depicts the organizational lines of communication necessary for Program success. Although informal communication takes place on a daily basis between the two contracted parties, directive authority rests with the KO IAW the contract and the Federal Acquisition Regulations (FAR).




Figure 1: Organizational Lines of Communication

1.G CONTRACT AUTHORITY. MCMC shall respond only to those directives given by Government personnel assigned by the KO. When questions as to the authority of Government personnel arise, the MCMC shall contact the KO before acting on the direction. Figure 2 depicts the lines of contract authority applied to this contract. The KO will appoint COR(s) and designate COTRs in various functional areas to allow for more efficient and effective communication on requirements compliance. While the COR, COTR, or QAR assists the KO in contract administration, they do not have the authority to make commitments that obligate the government. This means they cannot agree to changes that affect price, quality, quantity, or any other term or condition of the contract without the KO's approval.




Figure 2: Contracting Lines of Authority

1.H PERSONNEL

1.H.1 General Personnel Requirements. MCMC personnel shall be United States citizens. The MCMC and all MCMC personnel shall abide by pertinent state, local, and host country

regulations as required. The MCMC shall exercise due diligence and best practices to ensure compliance with the Host Nation(s) Labor Laws. The MCMC and all contract personnel located in Host Nation(s) shall be subject to the rules and/or regulations of the Base Commander in all matters relating to or affecting the operation, safety, and discipline within the base. The MCMC shall also comply with standards of conduct, applicable federal regulations, local laws and any other regulations that apply.

MCPP-PHIL Specific: Other Country National (OCN) MCMC personnel may be hired on a case-by-case basis provided that Government approval (Foreign Disclosure) is provided in advance and that the position held does not expose personnel to classified information/equipment. Further, the MCMC shall comply with the International Traffic in Arms Regulations (ITAR), and Export Administration Regulations.

1.H.2 MCMC Personnel, Disciplines, and Specialties. The MCMC shall accomplish the assigned work by employing and utilizing qualified and skilled personnel with the minimum combinations of education, training, certification and experience as identified below and in SOW Attachment C.1-7 Employee Qualifications.

- MCMC shall provide an on-site Program Manager (PM) with a minimum of 15 years of experience with demonstrated responsibility for overall management and coordination of relevant logistics management services.
- Subordinate Managers shall have a minimum of 10 years' experience in the respective areas of responsibility and four years of Supervisory experience.
- Supervisors shall have a minimum of six years' experience in their respective areas of responsibility.
- All personnel requiring special certifications (i.e. PMP, IT Certifications, etc.) shall have maintained such certifications for the most recent three years.
- The MCMC Quality Manager shall possess or must obtain the ASQ certification "Manager of Quality/Organizational Excellence Certification CMQ/OE" within two years of contract award and have requisite seven (7) years' experience in the quality profession.
- All MCMC auditors shall be certified Lead Auditors to the current version of ISO 19011 and ISO 9001 respectively. Certifications shall be updated within one year of a new version being published.
- DAWIA and FAC certifications may be submitted as an alternative to PMI and ASQ certifications.

1.H.2.a The MCMC shall provide sufficient personnel to perform the various tasks associated with the MCPP. Those personnel shall be fully trained in their specialty skills

in accordance with applicable Marine Corps Orders and directives, the NAVMC 1200.1_ (Military Occupational Specialties Manual), Department of Defense guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation.

1.H.2.b The MCMC shall meet with Command Senior Leadership and principal staff on a semi-annual basis as part of the Command's ISO 9001 Joint Management Review and present the MCMC's Program Personnel Support Plan (PPSP) (CDRL 1030) for the following year for government review and concurrence. The MCMC's PPSP shall include an expected requirement to capacity analysis to ensure the MCMC has adequate personnel resources to perform the tasks associated with the MCPP. The plan shall include an Organizational Chart and Personnel Roster of all MCMC personnel. The Organizational Chart and Personnel Roster must differentiate individuals dedicated to supporting each of the MCPP efforts and those supporting Navy Operations. The Personnel Roster must include titles and assigned numbers (if applicable). Vacant hourly billets shall be filled within 60 calendar days with qualified personnel. Key personnel vacancies are addressed in paragraph 1.H.2.e.

1.H.2.c The MCMC shall provide a monthly staffing report (CDRL 1031) by the last day of each month. The staffing report shall include the billet titles, planned number of personnel from the PPSP, vacancy(ies) quantities for those billets, duration of those billet vacancies, and hiring activity comments for those vacancies.

1.H.2.d MCMC is responsible for ensuring all personnel are trained to perform required duties as stated within the SOW and maintain such training requirements with minimal impact to production schedules in accordance with applicable Command Orders and Technical Manuals. The MCMC shall maintain training documentation for all employees and shall make training records/certifications available to the government upon request. Training for all MCMC personnel shall not be a direct charge under this contract; the MCMC shall internally manage/coordinate and process all training and associated travel to meet the requirements of this contract. Additionally, MCMC employees shall complete government required training on an annual basis as outlined in SOW Attachment C.1-6.

1.H.2.e Key Personnel

(i) Certain experienced personnel are essential to provide the requisite professional/management oversight and technical expertise necessary to assure successful accomplishment of the effort to be performed under this contract. These positions are defined as "Key Personnel" which have been defined as all personnel that report directly to the Program Manager and/or the Deputy Program Managers. In addition to personnel that report directly to the Program Manager and/or the Deputy Program Managers, the labor categories identified below are considered Key Personnel. The MCMC agrees that such personnel shall not be

removed from the contract work or replaced without compliance with paragraphs (ii) and (iii) herein.

- Program Manager
- Deputy Program Manager/Operations Manager
- Squadron Supervisor(s)
- Shipboard Supervisors
- Maintenance Production Department Manager
- Maintenance Management Office Manager (MMO)
- Navy Managers (PM, NSC, OST, MST, RST, CSS, WMC, MIT, QCM)
- Human Resources Manager
- Production Planning and Control Manager
- Quality Manager
- OCONUS Programs Manager
- MCPP-PHIL Program Manager

(ii) If one or more of the "Key Personnel" for whatever reason becomes, or is expected to become unavailable for work under this contract for a continuous period exceeding 30 or more calendar days, or is expected to devote substantially less effort to the work than indicated in the technical proposal or initially contemplated, the MCMC shall immediately notify the Contracting Officer and shall, subject to the concurrence of the Contracting Officer or his authorized representative, within two weeks of notification replace such personnel with interim personnel of at least substantially equal abilities and qualifications. The MCMC shall provide the government a letter of succession which identifies individuals authorized to act in the capacity for Key Personnel who are not available. Key Personnel vacancies shall be filled with permanent personnel within 90 days of vacancy.

(iii) Key Personnel Nominations, to include required resume, shall be submitted in writing at least 15 days in advance and provide a detailed explanation of the circumstances necessitating the proposed substitution(s)/new hire(s). The Contracting Officer will forward the Key Personnel Nomination package to the Contracting Officer's Representative for evaluation and upon completion of such evaluation the Contracting Officer will promptly notify the MCMC of Government approval or disapproval in writing.

(iv) Resumes for Key Personnel shall be required for all assignments not currently on staff and any substitutions shall be in the format shown in paragraph (1.H.2.f) below. All proposed substitutions shall meet the equivalent position classifications standards/qualifications of the job standards listed below:

- Job Grading System for Trades and Labor Occupations (WS, WL and WG) (<https://www.opm.gov/policy-data-oversight/classification-qualifications/classifying-federal-wage-system-positions/>); and

- Military Occupational Specialties Marine Corps Manual, MCO 1200
(www.marines.mil/news/publications/MCPCL/Custompubstatus/3000/)

1.H.2.e The MCMC agrees that the Program Manager assigned shall have overall responsibility for this program. Each MPS Squadron and ashore site shall have a senior supervisor assigned. The supervisor must have both the authority over and responsibility for the MCMC personnel's productivity and conduct at that squadron/site.

1.H.2.f Format. Resumes shall be prepared on 8.5 x 11-inch paper. Each resume shall contain the following:

- (1) Full name
- (2) Skill level/Position assignment
- (3) Education
- (4) Qualifications/Work Experience
- (5) Special Skills
- (6) References

1.H.2.g All personnel assigned shall be U. S. citizens unless otherwise approved by the Government.

1.H.2.h The MCMC shall establish and execute a Training Program IAW MCO 4790.2 and CmdO 4790.1. The MCMC shall ensure all employees are appropriately trained and certified (as applicable) to perform services which meet contract requirements.

1.H.2.i The MCMC agrees individual shipboard personnel shall work in the position assigned for a period of one year, and that no substitutions shall be allowed, except for substitutions necessitated by an individual's sudden illness, death, or termination of employment.

1.H.3 Security Considerations and Classification. This contract requires the MCMC to possess a Secret Facility Security Clearance in accordance with Contract Attachment #4 (DD Form 254) and will require certain contracted personnel to gain and maintain a favorably adjudicated T1 or T3 investigation IAW MCO 5510.18B. All security classification requirements shall be fully identified, reviewed, and validated in accordance with Contract Attachment #4 (DD Form 254) prior to award of the IDIQ contract. Compliance with the DD Form 254 is mandatory to ensure all security requirements are met for the Marine Corps Prepositioning Program. The MCMC and all sub-contractors (through the MCMC) shall adhere to all aspects of DoD Directive 5220.22-M, National Industrial Security Program Operating Manual (NISPOM). All personnel identified to perform on this contract shall maintain compliance with Department of Defense, Department of the Navy, and Marine Corps Information and Personnel Security Policy to include open background investigations (as required) prior to performance IAW NISPOM. By nature of this program, the MCMC requires overseas access in Norway, Diego Garcia, Saipan, the Philippines and many other locations where exercises and contingency operations may occur.

1.H.3.a The following billets require a favorably adjudicated T3 investigation: Manager and Supervisory personnel, information technology (IT) personnel, arms/ ammunition/ explosives (AA&E) personnel, and ordnance maintenance personnel (small arms/optics). Additionally, personnel not listed above but that will operate in secure spaces, work with National Security Information (NSI), or work on IT-II level systems shall also possess a favorable T3 investigation. Responsibility for submission of investigations to gain eligibility is per the current edition of MCO 5510.18B.

1.H.3.b Common Access Card (CAC) Requirement. All personnel shall meet eligibility criteria to be issued a CAC. In order to meet the eligibility criteria, MCMC employees requiring a CAC, must obtain and maintain a favorably adjudicated Personnel Security Investigation (PSI). Prior to authorizing a CAC, the employee's Defense Information System for Security (DISS) record must indicate a completed and favorably adjudicated PSI or (at a minimum) that a PSI is submitted and accepted (opened). The minimum acceptable investigation is a T1. If the MCMC employee's open investigation closes and is not favorably adjudicated, the MCMC shall immediately retrieve the employee's CAC. The Facility Security Officer (FSO) is responsible for notifying the BICmd Security Manager if any individual performing on this contract receives an unfavorable adjudication after being issued a CAC. All MCMC personnel issued CACs, and those performing IT-II functions, will be "Owned" in DISS by the employing company. The MCMC shall notify the Government (written notice) within twenty-four hours of any MCMC personnel added or removed from the contract that have been granted classified access, issued a Common Access Card (CAC) and/or Defense Biometric Identification System (DBIDS) badge. Ensure any individual requesting a replacement CAC, without turning in the old CAC, provides a written statement attesting to the circumstances surrounding the request for a new ID Card. Ensure CACs are turned into the Trusted Agent Security Manager (TASM) or designated Trusted Agent (TA) upon termination of an employee or upon termination of this contract. Report to the Contracting Officer in writing any misuse/abuse/ fraudulent use of Identification cards which may provide grounds for immediate revocation of the ID Card.

1.H.3.c The MCMC shall immediately remove any employee that endangers national security. Report violations of security requirements to the BICmd Security Office to allow dual reporting to the appropriate consolidated adjudication facility (CAF). The FSO must notify the BICmd Security Manager of any adverse/derogatory information associated with the 13 Adjudicative Guidelines/Factors concerning any MCMC personnel issued a CAC, regardless of whether a DISS Incident Report is submitted.

1.H.3.d Prior to employment, MCMC employees shall coordinate with the BICmd Security Office for submission of electronic fingerprints. Upon completion of fingerprinting, the BICmd Security Office will provide the SF-85 or SF-86 application. The MCMC shall implement staffing policies and procedures to ensure that pre-employment requirements are met in a timely manner to provide sufficient manning upon contract implementation and to meet workload fluctuations thereafter.

1.H.3.e MCMC shall ensure that all employees have the appropriate identification cards below for the appropriate level of access:

Facility/Base Only:	BICmd Badge (DBIDS) (No network access)
Information Systems Access:	CAC (Network access)
OCONUS Support and Shipboard:	Uniformed Services Identification and Privilege Card (DD 1172)

1.H.3.f In order to gain access to the installation, MCMC will comply with requirements outlined in CmdO 5560.1 for MCSF-BI badges and vehicle registration.

1.H.3.g While on Blount Island, MCMC employees shall adhere to and participate in the execution of all security instructions, Command Orders, and directives of Blount Island Command and Marine Corps Support Facility Blount Island. The MCMC shall safeguard Government equipment, and material and ensure all facilities' doors and windows are secured at the close of each work period. The MCMC shall control access to all Government provided lock combinations to preclude unauthorized entry. The MCMC is not authorized to record lock combinations without written approval by the Government. Records with written combination(s) to authorized secure storage containers, secure storage rooms or certified vaults, shall be marked and safeguarded at the highest classification level as the classified material(s) maintained inside the approved containers.

(i) MCPP-PHIL; MCMC employee(s) require Synchronized Predeployment Operational Tracker Letters of Authorization (SPOT LOA) that shall include authorization for the following countries within the USINDOPACOM AO: Philippines, Palau, Australia, Japan, Singapore, Korea, Malaysia, Papua New Guinea, Micronesia, and Indonesia.

(ii) MCPP-PHIL services require work at NSD and at various Contractor, Subcontractor, and Government facilities located within the USINDOPACOM AOR, but primarily in Subic Bay Philippines. Due to the operational nature of the AOR, emerging operational requirements which may impact daily priorities will be identified to the MCMC at the earliest time. The MCPP-PHIL work hour requirement shall be in accordance with Host Nation Labor Laws. MCPP-PHIL regular work hours shall be limited to Monday – Friday, 10 hours per day. The MCMC shall not work, to include processing or reprocessing employees, on Host Nation Holidays unless authorized by the Government.

1.H.4. Surge Support Personnel. In addition to the personnel requirements identified elsewhere in this document, the MCMC shall provide and staff for three “Surge Teams” comprised of five to seven members each. The skill sets of the personnel in these Surge Teams shall encompass the spectrum of maintenance skills across all MCPP maintenance departments. These teams may be deployed in part or in whole based on workload demands. When not deployed these individuals shall be incorporated into the on-island workforce. The MCMC shall present an anticipated Surge Team utilization plan as part of the semi-annual PPSP identified in paragraph 1.H.2.b.

1.I EQUIPMENT AND MATERIEL ACCOUNTABILITY

1.I.1 By virtue of being the MCMC PM for this contract, the MCMC shall maintain strict materiel accountability and custodial responsibility of all Government-owned equipment and supplies within the program. The scope of operations in support of the MCPP contract requires MCMC management of various retail level supply accounts, as follows: intermediate level accounts, to include a General Account (GA), a Maintenance Float/Reparable Issue Point (RIP) and associated sub-floats; multiple organic/consumer level accounts and sub-custody accounts associated with MPSRON(s), MCPP-PHIL and MCPP-N prepositioned E/S; and on-island accounts associated with General Equipment (Garrison Mobile Equipment (GME), Garrison Property and non-tactical Non-Standard Equipment) and Government Furnished Equipment (GFE)).

1.I.2 The MCMC is to execute supply chain and inventory management in accordance with standards defined in Section C.4, which are governed by Marine Corps orders, manuals, instructions, and technical directives, as well as Department of Defense, Department of the Navy, federal, state, and local laws and regulations, industry standards, and other technical documentation, except where modified by this contract to meet unique program requirements. While the MCMC will execute sub-custody responsibilities and property record adjustments in accordance with MCO P4400.151 (intermediate level inventory), MCO 4400.201, and UM 4000-125, the approval authority thresholds identified by personnel assignment/billet, associated with adjustments to property records, rests solely with Government. Therefore, all requests for adjustments to property records, regardless of dollar value or transaction type, shall be forwarded by the MCMC to the Government’s Accountable Officer (AO), via voucher requests, prior to making adjustments to accountable property records. All resulting Money Value Gain Loss (MVGL) notices shall be forwarded to the Government for signature. Likewise, formal appointment of Responsible Officers (RO) shall be completed by the Government AO, upon receipt of RO nomination letters provided by the MCMC/PM.

1.I.3 Shipboard. Tools, test equipment, office spaces, and equipment furnished as part of the ship's charter agreement shall be available for use by the MCMC but shall remain as part of ship's assets. MCMC shall conform to ship’s regulations in the use of these assets.

1.I.4 Embarked. MCMC shall receipt for all embarked prepositioned assets and shall, after accepting assets, be responsible for those assets until relieved by the KO or as specifically outlined by this SOW.

1.J GOVERNMENT FURNISHED PROPERTY (GFP) AND SERVICES

1.J.1 The MCMC shall maintain all Government Furnished Property (GFP) in a satisfactory, clean and usable condition; GFP shall be clean, corrosion free and in an operable condition. GFP is provided to the MCMC for performance of the contract items. The MCMC, as the custodian, is responsible for cleanliness and maintenance to prolong the service life of the equipment. Broken or otherwise unusable equipment shall be repaired or replaced.

1.J.2 Office Furniture and Equipment for Government provided facilities. Office furniture and equipment, to include desks, chairs, filing cabinets, office equipment, telephones, and other related items, shall be furnished by the Government. Office automated data processing equipment shall be provided by the Government. The Government provided computers operate on the Marine Corps Enterprise Network (MCEN). All GFP is for conducting official Government business only. MCMC provided computers may be utilized for private MCMC business such as a personnel system or benefits system. MCMC provided computers shall not be allowed to utilize the MCEN, nor should government data be stored on MCMC provided computers.

1.J.3 Maintenance Equipment

1.J.3.a The Government shall provide an initial outfitting of equipment and special tools for the maintenance sites, MCPP-PHIL, other ashore locations, and for the shipboard efforts. Subsequently, the MCMC is responsible for processing requests for equipment and special tools as Contractor Acquired Property IAW H-9. These items shall be for the use of the MCMC.

1.J.3.b MCMC shall be responsible for the acquisition of all components of tool chests, sets, kits and other maintenance equipment which are beyond economical repair or lost, per the FAR part 45. Accountability of such assets shall be maintained through the life cycle of the item. MCMC shall provide normal maintenance and repair for all GFE listed in Contract Attachment 6a with the exception of IT equipment for which other entities hold the maintenance responsibility. Supplies and repair parts to perform this work shall be obtained by the MCMC through the DoD supply system per procedures established for maintenance of GFE equipment. If repairs to equipment are beyond the MCMC's capability, the KO shall be notified; necessary arrangements shall be made to provide required technical or industrial repair services. If additional tools or equipment are required to conduct maintenance, the COR shall be notified. MCMC shall be responsible for ensuring all organic equipment requiring calibration is shipped to a certified calibration laboratory in sufficient time to allow the equipment to be recertified and returned to meet production timelines. Repair parts, subassemblies, assemblies, consumable supplies, and modification kits shall be provided by the Government to support equipment maintenance. Replenishment actions are the responsibility of the MCMC, using the current APSR. The Government shall provide automated data processing equipment and programs required to fulfill mandatory management reporting

and supply maintenance support systems. Additional requirements or changes desired by the MCMC in hardware or software shall be requested in writing to the BICmd Information Systems Management Office (ISMO)/MCSF-BI S-6 Officer. Required petroleum, oil, lubricants (POL), and fuels shall be provided by the Government.

1.J.4 Restrictions. Government property made available under this contract shall be for use only in the performance of tasks outlined in this SOW, or as otherwise authorized in writing by the Government. All items purchased and utilized for performance of this contract which are non-consumable shall be added to the appropriate property account. A letter from the MCMC requesting changes to the organic property accounts must be approved by the Government prior to purchase.

1.K REFERENCES, PUBLICATIONS, FORMS AND REPORTS

1.K.1 References. The Government shall initially provide all required reference manuals and applicable publications in electronic format to provide for a contract reference library in the designated maintenance facility and aboard each ship. This library shall be furnished to the MCMC for their use; all subsequent changes and additions to the library shall be electronically updated by MCMC to maintain currency of publications in accordance with the latest edition of relevant publication regulations (i.e. MCO's 5215.17D and 5600.31B). Due to the uniqueness of this program, there are instances where work requirements are not specifically identified by a publication. Requirements which are not defined by an authorized publication are specifically addressed in this SOW. Work requirements not the subject of a publication or outlined in this SOW shall be reported to the BICmd KO for resolution. All recommended changes to existing specifications outlined in this SOW shall be referred to the Government for review.

1.K.2 Forms. All required forms will be provided or approved by the Government with replenishment procedures established on a free issue basis to the MCMC. New requirements or replenishment of Government forms identified in this SOW (or applicable orders) shall be requisitioned through the established supply system by the MCMC. The MCMC shall use electronic forms to the extent they are practical or directed by the Government.

1.K.3 Reports. MCMC shall develop cyclical reports. These reports may be Government system generated or the basis of these reports may come from data collected within the Government provided systems. Further, should the MCMC wish to use reports generated from a system other than the Government-provided system the data source shall be available to the Government as well. Required reports are listed in the respective section of the SOW and identified as CDRLs in Section J of the IDIQ, as specified in the task order level, which may add additional requirements for the task order.

1.K.4 Contract Reference Library. The MCMC shall make the completed and updated Contract Reference Library available to the Government through a centralized document management system (such as SharePoint or Teams) no later than February 1st each year. The naming

convention for electronic files shall align with the designated reference, TAMCN/ID number, and/or publication name.

1.K.5 Publication Revisions (to include FSBs, MAMs, SOUMs, etc.). The MCMC has 30 calendar days, upon any Government notification of publication revision, to assess any revision impacts and identify to the Government incremental costs associated with changes to requirements or standards that directly impact the MCPP. When a publication revision will cause impacts on labor, materials, other direct and/or indirect costs, or require any additional technical direction or contract adjustments by the Government, the MCMC shall provide a detailed impact assessment analysis associated with the publication revision. Impacts related to a publication revision will be considered and negotiated as an equitable adjustment, when appropriate.

1.L RIGHTS IN DATA

1.L.1 The Government asserts ownership of all data associated with the MCPP and this contract. The MCMC shall provide the Government with access to and the right to use a completed and updated electronic copy of the Contract Documentation and all associated Technical Files through a centralized document management system (e.g., SharePoint or Teams) on an annual basis, no later than February 1st of each year. All data delivered will remain the property of the Government, with the Government retaining full rights to use, reproduce, modify, and distribute the data as needed.

1.L.2 Any and all financial, administrative, or management information produced in performance of this contract shall be made available (in electronic medium and in the format requested) upon written or verbal request of the Government. The MCMC shall not own information/data directly associated with the MCPP ; information related to MCPP readiness shall not be distributed or otherwise disclosed without prior Government approval.

1.M APPLICABLE PUBLICATIONS/SOURCE DOCUMENTS

Notwithstanding the exemptions and waivers described within each section, the below listed source documents and references shall act as supplements to the SOW and shall be used as a guide for clarification of any disputes that may arise.

<u>Title</u>	<u>Description</u>
29 CFR part 1910	Occupational Safety and Health Standards
29 CFR part 1915	Occupational Safety and Health Standards for Shipyard Employment
29 CFR part 1926	Safety and Health Regulation for Construction
40 CFR Sub Chap F	Radiation Protection Programs

40 CFR part 260	Hazardous Waste Management System
49 CFR	Safe Transportation of Hazardous Materials
Agreement	DLA and HQMC I&L (LF) Rations Performance Based Agreement
ANSI/ASSE A10.44	Control of Energy Sources (Lockout/Tagout) for Construction and Demolitions Operations
ANSI/ASQ Z1.4	Sampling Procedures and Tables for Inspection by Variables for Percent Nonconforming
ANSI/ASQ Z1.9	Sampling Procedures and Tables for Inspection by Attributes
ANSI/ASSE Z244.1	Public Safety and A10.34
ANSI/ASSE Z359.2	Lockout Tagout and Alternative Methods
ASSE/SAFE A10.34	Fall Protection Code
42 USC Section 7401	Protection of the Public on or Adjacent to Construction Sites
42 USC Chapter 116	Clean Air Act
CMC MSG 141835Z Nov 14	Emergency Planning and Community Right-to-Know Act
CMC MSG 091558Z Jan 14	Directed Use of Global Combat Service Support – Marine Corps (GCSS-MC) User’s Manual
CMC MSG 1412224 Oct 22	Policy Procedures and Management Requirements for Centralized Modification Control Records Program
CMC MSG 280850Z Jul 21	Global Combat Service Support – Marine Corps (GCSS-MC) System Access Procedures
CMC MSG 291545Z Feb 24	Requesting Disposition Instructions in GCSS-MC
CMC MSG 191845Z Jun 18	Contractors assigned as Unit User Account Managers in GCSS-MC
CmdO 4035.1	GCSS-MC Integration with Naval Identity Services (NIS)
CmdO 3440.1_ w/ch2	Maintenance Cycle Time (MCT) for Field Level Maintenance
CmdO 4790.1B	Blount Island Command Prepositioning Equipment Marking and Identification Placement Guide
CmdO 4850.1	Destructive Weather Plan
CmdO P5000.11	Blount Island Command Maintenance Management Standard
CmdO 5104.3_	Operating Procedures (MMSOP)
CmdO 5201.1	Command Production Planning and Execution Team
CmdO 5202.1	Blount Island Command Quality Manual
CmdO 5230.1	Command Radiation Protection Program
CmdO 8020.10_	Program Management SOP Manual
CmdO 8020.13	Project Management SOP Manual
CmdO 11262.1_	Command Business Systems, Information Integration and Key Performance Indicators
	Explosive Safety Self-Assessment Program
	Standard Operating Procedures for the Safe Handling of Explosive Cargos to and from the MPS
	Maintenance Operational Procedures Inspection and Load testing of

	Weight Handling Equipment
CmdO 11240.1	Use of Government Furnished Vehicles
CmdO 11240.118	Licensing Program for Tactical Wheeled Motor Transport Equipment
	Operators
DoD 4140.25-M	DoD Management of Bulk Petroleum Products
DoD 4140.27-M	Shelf Life Management Manual
DoD 4140.65-M	Compliance for Defense Packaging
DoD 4160.21-M	Defense Materiel Disposition Manual
DoD 4160.28 Vol 3	Defense Demilitarization Procedural Guidance
DoDI 4161.02	Accountability and Management of Government Contract Property
DoD 4500.32-R	Military Standard Transportation and Movement Procedures
DoDI 5000.64	Accountability and Management of DoD Equipment and Other Accountable Property
DoD 5100.76-M	Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives
DoD 7000.14-R	Department of Defense Financial Management Regulations
DoDI 8320.04	IUID Standards for Tangible Personal Property
DoD 5220.22-M	NISPOM
DoD-MIL-STD-101_	Color Code for Pipelines and Compressed Gas Cylinders
DTR 4900-R	Defense Transportation Regulation
EPA Title V	Air Operational Permit
ExecO 13423	Pollution Prevention
MARCORLOGCOMO 4440.1A	Physical Inventory Control Plan (PICP)
MCBul 4440	Management of OM&S and GFM
MARCORLOGCOMBUL 4444	Accountable Officer and Approving Authority Framework
MCICOMO 10100.1	SOP for Garrison Property and Garrison Mobile Equipment Audit Preparation and Asset Management
MCO 3000.11E	Ground Equipment Condition and Supply Materiel Readiness Reporting (MRR) Policy
MCO 3000.13B	Marine Corps Readiness Reporting
MCO 3000.17	Marine Corps Prepositioning Programs
MCO 4000.58	Prepositioning Programs Tailoring Policy
MCO 4030.33	Packaging of Materiel
MCO 4030.40	Packaging of Hazardous Material
MCO 4105.2A	Marine Corps Warranty Program
MCO 4140.5A	Marine Corps Shelf-Life Program
MCO 4200.33A	Contractor Logistics Support (CLS) for Ground Equipment, Ground Weapon Systems, Munitions, and Information Systems
MCO 4400.16H	Uniform Materiel Movement and Issue Priority System
MCO 4400.201	Management of Property in the Possession of the Marine Corps

MCO 4410.28	Item Unique Identification (IUID) for Ground Equipment
MCO 4450.12	Storage and Handling Hazardous Materials
MCO 4450.14	Joint Service Manual for Storage and Materials Handling
MCO 4450.15	Stock Readiness Program
MCO 4610.37	Marine Corps Transportation Account Code (TAC) Policy
MCO 4690.1	Marine Corps Container Management Policy
MCO 4733.1D	Marine Corps Test, Measurement, and Diagnostic Equipment (TMDE) Calibration and Maintenance Program (CAMP)
MCO 4790.18C	Corrosion Prevention and Control (CPAC) Program
MCO 4790.2	Field-Level Maintenance Management Policy (FLMMP)
MCO 4790.24	Enterprise Lifecycle Maintenance Program (ELMP)
MCO 4790.25	Ground Equipment Maintenance Program (GEMP)
MCO 4855.10C	Product Quality Deficiency Report (PQDR) Program
MCO 5090.2_	Environmental Compliance and Protection Manual
MCO 5100.29	Marine Corps Safety Management Systems
MCO 5100.34A	Deadline Safety of use Message Instructions to Suspend Operations of Marine Corps Ground Equipment and Weapons Systems
MCO 5210.11F	Marine Corps Records Management Program
MCO 5215.17D	Marine Corps Technical Publication Management
MCO 5311.1E	Total Force Structure Process (TFSP)
MCO 5510.18B	USMC Information and Personnel Security Program (IPSP)
MCO 5530.14	Marine Corps Physical Security Program Manual
MCO 5600.31B	Marine Corps Printing and Publishing Regulations
MCO 7300.21	Marine Corps Financial Management SOP Manual
MCO 8300.1D	Marine Corps Serialized Small Arms/Light Weapons Accountability Program (MCSSAAP)
MCO 8400.6	Licensing Program For Ordnance Vehicle Operators
MCO 10330.2	Storage and Handling of Liquefied and Gaseous Compressed Gasses and Their Full and Empty Cylinders
MCO 11240.66	Standard Licensing Policy For Operators Of Military Motor Vehicles
MCO 11240.118	Licensing Program For Tactical Wheeled Motor Transport Equipment Operators
MCO 11262.2	Standard Policy for Inspection, Testing, and Certification of Tactical Ground Load Lifting Equipment
MCO P4030.19	Preparing Hazardous Materials for Military Air Shipments
MCO P4030.21	Packaging of Material Packing
MCO P4030.31	Packaging of Materiel Preservation
MCO P4400.151	Intermediate-Level Supply Management Policy Manual
MCO 5100.8	Marine Corps Occupational Safety and Health (OSH) Policy
MCO 11240.106D	Garrison Mobile Equipment

MCSF-BI Air Emissions	Air Emissions Inventory and Greenhouse Gas Inventory
MCSF-BI BMHB	Building Manager Handbook
MCSF-BI BWMP	Biomedical Waste Management Plan
MCSF-BI CETEP	Comprehensive Environmental Training and Education Program
MCSF-BI EMSM	Environmental Management System Manual
MCSF-BI GPP	Green Procurement Plan
MCSF-BI HMMP	Hazardous Material Management Plan
MCSF-BI ICP	Integrated Contingency Plan
MCSF-BI INRP	Integrated Natural Resource Plan
MCSF-BI IPMP	Integrated Pest Management Plan
MCSF-BI ISWMP	Integrated Solid Waste Management Plan
MCSF-BI PPP	Pollution Prevention Plan
MCSF-BI SWPPP	Storm Water Pollution Prevention Plan
MCWP 3-32/NTTP 3.02.3M	Maritime Prepositioning Force Operations
NAVFAC P-307	Weight Handling Program Management
NAVFAC P-300	Management of Transportation Equipment
NAVMC 1200.1_	Military Occupational Specialties Manual
NAVMC 2907	Prepositioning Objective for Maritime Prepositioning Force and Marine Corps Prepositioning Program- Norway
MCO 3000.18	Marine Corps Force Deployment Planning and Execution Manual (FDP&E)
NAVMC 4000.2A	Marine Corps Class VIIIA Handbook
NAVMC 4000.3A	Marine Corps Medical Logistics Information Systems Handbook
NAVMC 4855.1	Product Quality Deficiency Reporting (PQDR) Handbook
NAVMED P-5132 (Rev. 12-2015)	Equipment Management Manual
NAVSO P-3683C	Navy and Marine Corps Product Data Reporting and Evaluation Program (PDREP) Manual
NFPA 51B	Fire Prevention During Welding, Cutting, and Other Hot Work
OPNAVINST 5090.1_	Environmental Readiness Program
OPNAVINST 11310.3_	Operation and Maintenance Policy for Shore to Ship Power
OSHA Instruction CPL 2.100	Application of the Permit Required Confined Spaces (PRCS)
OSHA 3162-01R	Medical Screening and Surveillance Requirements in OSHA Standards
OSHA VPP Standards	Voluntary Protection Program, Policies and Procedures Manual
SECNAV-M 5210.1	Records Management Manual
SECNAVINST 4355.18	Reporting of Supply Discrepancies
SECNAVINST 4440.33A	OM&S – Accountability and Management
SECNAVINST 4855.3	Product Data Reporting and Evaluation Program (PDREP)
SECNAVINST 5200.42	Accountability and Management of DoN Property
SECNAVINST 7320.10A	DoN Personal Property Policies and Procedures

TB 750-651	Use of Antifreeze Multi-Engine Type Cleaning Compounds and Test Kit in Engine Cooling Systems
TI 4733-15/1A	Calibration Requirements Marine Corps Test, Measurement and Diagnostic Equipment Calibration and Maintenance Program
TM 3835-OI/1	Installation and Operation for Tactical Fuel Systems (TFS)
TM 4700-15/1H	Ground Equipment Record Procedures
TM 4795-12/1	Marine Corps Corrosion Prevention and Control (CPAC)
TM 4750-OD	Painting and Registration Marking for Marine Corps Combat and Tactical Equipment
TM 4790-14/1	Logistics Support for Marine Corps Prepositioning Program Norway
TM 4790-14/2	Logistics Support for Maritime Prepositioning Ships (MPS) Program Maintenance and Materiel Management
TM 9-6140-200-13	Operators, Unit, Direct and General Support Maintenance Manual for Lead Acid Storage Batteries
TM 11240-15/3	Motor Vehicle Licensing Officials Manual
TM 11275-15/4	Tactical Engineer Equipment Licensing Examiner's Manual
UFC 3-460-01	UFC 3-460-01 Design: Petroleum Fuel Facilities, With Change 1
UM 4000-125 Vol 1-5	Retail Supply and Maintenance Execution Procedures
Ref replaced by CMC MSG 012004Z Feb 16	

1.N ACRONYMS / DEFINITIONS

“Ship Set” means all materiel associated with the NAVMC 2907 (Prepositioned Objective) that are designated for a specific MPS vessel IAW detailed ship-level plans.

“Set” means all materiel associated with the NAVMC 2907 (Prepositioning Objective) designated for the Marine Corps Prepositioning Program (MCP) in CONUS, Marine Corps Prepositioning Program Norway (MCP-N), Marine Corps Prepositioning Program – Philippines (MCP-PHIL), and any future Prepositioning Program established by the Marine Corps.

<u>Acronym</u>	<u>Definition</u>
3M	Maintenance Material Management System (Navy)
AA&E	Arms, Ammunition and Explosives
AAA	Arrival and Assembly Area
AAC	Acquisition Advice Code
AAC	Activity Address Code
AAFS	Amphibious Assault Fuel System
AAL	Additional Authorization List
ABDSHIP	Aboard Ship Status
ABFCVIEW	Advance Base Function Component View

ABLTS	Amphibious Bulk Liquid Transfer System
ABS	American Bureau of Shipping
ACE	Aviation Combat Element
ACV	Amphibious Combat Vehicle
ACWP	Actual Cost of Work Performed
ADAL	Authorized Dental Allowance List
AED	Automated External Defibrillators
AGSE	Aviation Ground Support Equipment
AHA	Activity Hazard Analysis
AIS	Automated Information Systems
AIT	Alteration Installation Team (Navy)
AIT	Automated Information Technology
AMA	Afloat Maintenance Activity (Navy)
AMAL	Authorized Medical Allowance List
AMP	Ampere
ANAB	American National Accreditation Board
ANSI	American National Standards Institute
AO	Accountable Officer
AOR	Area of Responsibility
APO	Accountable Property Officer
APP	Accident Prevention Plan
APSR	Accountable Property System of Record
APU	Auxiliary Power Unit
AQL	Acceptable Quality Level
AR	As Required
aRFID	Active Radio Frequency Identification
AS1	Shipment Status
ASQ	American Society of Quality
ASSE	American Society of Safety Engineers
AST-UST	Above-Ground Storage Tank - Underground Storage Tank
ATTN	Attention
AWS	American Welding Society
BEA	Budget Execution Activity
BO	Business Office
BESA	Budget Execution Sub-Activity
BFT	Blue Force Tracker
BIB	Boat Information Book
BICmd	Blount Island Command
BII	Basic Issue Item
BM	Beach Module
BOM	Bill of Material
BOV	Backorder Validation
BPQRB	Business Process Quality Review Board
C3	Corrosion Control and Coating
CAA	Clean Air Act

CAC	Common Access Card
CAF	Consolidated Adjudication Facility
CAL	Consolidated Asset Listing
CAMP	Calibration and Maintenance Program
CAP	Corrective Action Plan
CAPSET	Capability Set
CAR	Corrective Action Report
CAT	Category
CBL	Commercial Bill of Lading
CBRN	Chemical, Biological, Radiological and Nuclear
CBT	Computer Based Training
CC	Condition Code
CCI	Controlled Cryptographic Item
CCS	Containerized Crew Shelter
CE	Command Element
CEC	Combat Essentiality Code
CEC/CRIT	Combat Essentiality Code/Criticality Code
CEI	Cost Effectiveness Index
CESE	Civil Engineer Support Equipment
CETEP	Comprehensive Environmental Training and Education Plan
CFM	Cubic Feet per Minute
CFPM	Causeway Ferry Power Module
CFR	Code of Federal Regulations
CFR	Condition Found Report (Navy Craft)
CHE	Cargo Handling Equipment
CIC	Controlled Item Code
CIIC	Controlled Inventory Item Code
CL	Class (of Supply)
CLIN	Contract Line Item Number
CLM	Collateral Material
CLS	Contracted Logistics Support
CM	Corrective Maintenance
CM	Collateral Material
CMC	Commandant of the Marine Corps
CMD	Command
CMDBUL	Command Bulletin
CMDO	Command Order
CMOS	Cargo Movement Operations System
CMR	Consolidated Memorandum Receipt
CNP	Common Naval Packaging
CO	Commanding Officer
COB	Close of Business
COCOM	Combatant Commander
COEI	Components of End Items

COI	Course of Instruction
COMM/ELEC	Communications Electronics
COMPSRON	Commander Prepositioning Ships Squadron
COMSEC	Communications Security
CONUS	Continental United States
COOP	Continuity of Operations
COR	Confirmation of Receipt (Supply)
COR	Contracting Officer's Representative (Contracts)
COS	Class of Supply
COSIS	Care of Supplies in Storage
COTR	Contracting Officers Technical Representative
COTS	Commercial-Off-The-Shelf
CPAC	Corrosion Prevention and Control Program
CPEP	Carrier Performance and Evaluation Program
CPFF	Cost Plus Fixed Fee
CPI	Continuous Process Improvement
CPM	Carrier Performance Module
CRF	Corrosion Repair Facility
CRFP	Crisis Response Force Packages
CSC	Convention for Safe Containers
CSM	Coordinated SECREP Management
CSP	Certified Safety Professional
CSP	Consolidated Storage Program
CSS	Control System Support
CVRJ	CREW Vehicle Receiver/Jammer
DADMS	Department of the Navy Application Database Management System
DASF	Due and Status File
DBIDS	Defense Biometric Identification System
DCM	Dangerous Cargo Manifest
DCP	Distribution Control Point
DD FORM	Department of Defense Form
DFOW	Definable Feature of Work
DFSP	Defense Fuel Support Point
DFT	Dry Film Thickness
DIC	Document Identifier Code
DISA	Defense Information Systems Agency
DISS	Defense Information System for Security
DLA	Defense Logistics Agency
DLA-DS	Defense Logistics Agency - Disposition Services
DLA-E	Defense Logistics Agency - Energy
DML-ES	Defense Medical Logistics-Enterprise Solution
DMLSS	Defense Medical Logistics Support System
DMO	Distribution Management Office
DMP	Driver's Master Panel

DM&R	Deferred Maintenance and Repair
DMO	Distribution Management Office
DMS	Defective Material Summaries
DOD	Department of Defense
DoDFMR	Department of Defense Financial Management Regulation
DODAAC	Department of Defense Activity Address Code
DODD	Department of Defense Directive
DODI	Department of Defense Instruction
DODIC	Department of Defense Identification Code
DODM	Department of Defense Manual
DON	Department of the Navy
DOT	Department of Transportation
DPAS	Defense Property Accountability System
DRMO	Defense Reutilization and Marketing Office
DSI	Demand Supported Items
DSS	Demand-Supported Stockage
DTR	Defense Transportation Regulation
DVE	Driver's Vision Enhancer
DWP	Destructive Weather Plan
EAC	Estimate at Completion
EAF	Expeditionary Airfield
EAP	Emergency Action Plan
EAPU	External Auxiliary Power Unit
EBFL	Extended Boom Fork Lift
EBL	Expeditionary BOS'N Locker
EC	Equipment Code
ECN	Engineering Change Notice
ECV	Expanded Capability Vehicles
E-day	Embarkation (Day)
EDL	Equipment Density List
ELMP	Enterprise Lifecycle Maintenance Program
EMF	Expeditionary Medical Facility
EMS	Environmental Management System
EOL	End of Life (IT)
EOS	End of Ship
EOS	End of Support (IT)
EOSS	Engineering Operational Sequencing System
EOT/D	Elapse of Time/Distance
EOTC	Equipment Operational Time Codes
EPCRA	Emergency Planning and Community Right-to-Know Act
EPIC	El Paso Intelligence Center
EQMS	Electronic Quality Management System
ERP	Enterprise Resource Planning
ESD	Estimated Shipping Date
ESO	Explosive Safety Officer

ESR	Equipment Status Report
E/S	Equipment/Supplies
EULA	End User Licensing Agreements
EVM	Earned Value Management
EWRB	Electronic Weapons Record Book
FAB	Functional Area Breakdown
FAD II	Force Activity Designator II
FAR	Federal Acquisition Regulation
FDP&E	Force Deployment Planning & Execution
FED LOG	Federal Logistics Data on Mobile Media
FFP	Firm Fixed Price
FIAR	Financial Improvement and Audit Readiness
FIE	Fly-in Echelon
FIP	Financial Information Pointers
FLIPL	Financial Liability Investigation of Property Loss
FMC	Full Mission Capable
FMIS	Fleet Management Information System
FMR	Financial Management Regulation
FP&P	Fall Protection & Prevention Plan
FRC	Flat Rack Capability
FSB	Fleet Service Bulletin
FSMAO	Field Supply and Maintenance Analysis Office
FSO	Facility Security Officer
FY	Fiscal Year
G&A	General & Administrative
GA	General Account
GBL	Government Bill of Lading
GCC	Geographic Combatant Commander
GCE	Ground Combat Element
GCSS-MC	Global Combat Support System - Marine Corps
GEMP	Ground Equipment Maintenance Program
GFE	Government Furnished Equipment
GFE/M	Government Furnished Equipment/Materials
GFF	Government Furnished Facilities
GFP	Government Furnished Property
GME	Garrison Mobile Equipment
GOC	GCSS-MC Operations Center
GOCO	Government Owned / Contractor Operated
GOGO-CS	Government Owned Government Operated-Contractor Supported
GOTS	Government Off The Shelf
GOV	Government Owned Vehicle
GPM	Gallons per Minute
GPM/A	Ground Precautionary Message/Advisory
GPN	Global Positioning Network

GSA	General Services Administration
HA/DR	Humanitarian Assistance/Disaster Relief
HAZCOM	Hazard Communication
HAZMAT	Hazardous Material
HCP	Hearing Conservation Program
HERS	Helicopter Expedient Refueling System
HHQ	Higher Headquarters
HMMS	Hazardous Material Management System
HMMWV	High Mobility Multi Wheeled Vehicle
HQMC	Headquarters, United States Marine Corps
HRS	Hours
HSPD	Homeland Security Presidential Directive
HUB	Hold-Up Battery
HVAC	Heating, Ventilation and Air Conditioning
I&L	Installations and Logistics (HQMC)
IAC	Individual Activity Code
IAVA	Information Assurance Vulnerability Assessment
IAW	In Accordance With
IAWF	Information Assurance Workforce
IB	Installed Base
IBS	Integrated Booking System
ICODES	Integrated Computerized Deployment System
ID	Item Designator
IDIQ	Indefinite Delivery Indefinite Quantity
IDL	Internal Distribution Listing
IGC	IDE/GTN Convergence
IMDG	International Maritime Dangerous Goods
IDEP	Installation Department
IMO	Item Master Organization
IMO Code	International Maritime Organization Code
INLS	Improved Navy Lighterage System
INLS SOM	INLS System Operator's Manual
INLS WT	Improved Navy Lighterage System Warping Tug
INRMP	Integrated Natural Resource Management Plan
IOC	Initial Operating Capability
IOT	In Order To
IROAN	Inspect and Repair Only as Necessary
ISCA	International Safe Container Act
ISF	Indoor Storage Facility
ISMO	Information Systems Management Office
ISO	In Support Of
ISO	Internal Organization for Standardization
ISO Container	Standardized Intermodal Container for transport
IT	Information Technology
ITV	In-Transit Visibility

IUID	Item Unique Identification
IWGCP	Infantry Weapons Gauge Calibration Program
JCM	Joint Container Management
JCS	Joint Chiefs of Staff
JHA	Job Hazard Assessment
JLTI	Joint Limited Technical Inspection
JOAP	Joint Oil Analysis Program
JON	Job Order Number
JPERSTAT	Joint Personnel Status
JP-5	Joint Petroleum Type 5
JSA	Job Safety Assessment
JSMLT	Joint Service Mask Leakage Tester
KG	Kilogram
KMI	Key Management Infrastructure
KO	Contracting Officer
KOAM	KMI Operating Account Manager
KPIs	Key Performance Indicators
KSD	Key Supporting Documentation
LAN	Local Area Network
LARC	Lighter Amphibious Resupply Cargo
LAV	Light Armored Vehicle
LCE	Logistics Command Element
LCM	Landing Craft Mechanized
LE	Local Element
LI	Lube Instruction
Li-Ion	Lithium Ion
LMSR	Large Medium Speed Roll-on/Roll-off
LOGAIS	Logistics Automated Information System
LOGCOM	Logistics Command
LOGMARS	Logistics Applications of Automated Marking and Reading Symbols
LOI	Letter of Instruction
LOM	Level of Maintenance
LO/LO	Lift-On/Lift-Off
LRF	Lighterage Repair Facility
LSN	Local Stock Number
LSS	Lean Six Sigma
LST	Logistics Support Team
LTI	Limited Technical Inspection
LVSR	Logistics Vehicle System-Replacement
MAGTF	Marine Air Ground Task Force
MAIS	Major Automated Information System
MAL	Mechanized Allowance List
MAM	Maintenance Advisory Message
MARES	Marine Corps Automated Readiness Evaluation System

MARFOR	Marine Forces
MC	Mission Capable
MCBul	Marine Corps Bulletin
MCCOG	Marine Corps Cyber-Security Operations Group
MCEN	Marine Corps Enterprise Network
MCMC	Marine Corps Maintenance Contractor
MCO	Marine Corps Order
MCPDS	Marine Corps Publication Distribution System
MCPIC	Marine Corps Platform Integration Center
MCPP	Marine Corps Prepositioning Program
MCPP-N	Marine Corps Prepositioning Program – Norway
MCPP-PHIL	Marine Corps Prepositioning Program-Philippines
MCRW	Medical Contingency Requirements Workflow
MCSF-BI	Marine Corps Support Facility Blount Island
MCTAGS	Marine Corps Transparent Armor Gun Shield
MCWP	Marine Corps Warfighting Publication
MDMC	Marine Depot Maintenance Command
ME	Military Equipment
MEB	Marine Expeditionary Brigade
MEF	Marine Expeditionary Force
MEU	Marine Expeditionary Unit
MFC	Monthly Field Change
MHE	Material Handling Equipment
MI	Modification Instruction
MIL-HDBK	Military Handbook
MIL-SPEC	Military Specification
MIL-STD	Military Standard
MILSTRIP	Military Standard Requisitioning & Issue Procedures
MIM	Maintenance Information Message
MITSCs	MAGTF IT Centers
MLO	Medical Logistics Online
MLSR	Missing, Lost, Stolen and Recovered
MMC	Maritime Prepositioning Force Maintenance Cycle
MMO	Maintenance Management Office/Officer
MMPL	Maintenance Management Policy Letter
MMQC	Medical Material Quality Control
MMSOP	Maintenance Management Standard Operating Procedure
MOD	Ministry of Defense
MOU	Memorandum of Understanding
MOV	Material Obligation Validation
MPD	Material Production Department
MPE/S	Maritime Prepositioning Equipment/Supplies
MPF	Maritime Prepositioning Force
MPFUB	Maritime Prepositioning Force Utility Boat
MPFUB DWG	MPFUB Drawing

MPR	Maintenance Production Reports
MPS	Maritime Prepositioning Ship(s)
MPSRON	Maritime Prepositioning Ship Squadron
MRAP	Mine Resistant Ambush Protected Vehicle
MRE	Meals Ready to Eat
MRMS	Maintenance Resource Management System
MRP	Maintenance Requirements Package (Navy)
MRP	Material Return Program (USMC)
MRR	Materiel Readiness Reporting
MS	Microsoft
MSC	Military Sealift Command
MSE	Major Subordinate Element
MSP-CCB	MS Project Configuration Control Board
MST	Maintenance Support Team
MTVR	Medium Tactical Vehicle-Replacement
MVF	Management Value Factor (code)
MVGL	Money Value Gain Loss
NALCOMIS	Naval Aviation Logistics Command Management Information System
NATO	North Atlantic Treaty Organization
NAV-P	Navy Prepositioning Department
NAVFAC P	Naval Facilities Engineering Command Publication
NAVMC	Navy and Marine Corps (Departmental Publication)
NAVSEA	Naval Sea Systems Command
NAVSUP	Naval Supply System Command
NAVSUP P-###	Naval Supply System Command Publication-###
NCE	Naval Construction Element
NCHB	Naval Cargo Handling Battalion
NCMS	Naval Communications Security Materiel System
NCR	Nonconformance Report
NCT	Nonconformance Trend
NDLO	Norwegian Defense Logistics Organization
NDLO/MEB	Norwegian Defense Logistics Organization/Marine Expeditionary Brigade
NEIMS	Norway Equipment Integrated Maintenance System
NET	New Equipment Training
NID	Next Inspection Date
NIIN	National Item Identification Number
NIS	Naval Identity Services
NIS	Not In Stock
NISPOM	National Industrial Security Program Operating Manual
NLT	No Later Than
NMCS	Not Mission Capable Supply
NOC	Notice of Completion
NOMEN	Nomenclature

NRC	Nuclear Regulatory Commission
NSC	Navy Supply Center
NSD	Naval Supply Depot
NS-E	Non-Standard Equipment
NSE	Naval Support Element
NSI	National Security Information
NSMB	Navy Support Management Branch
NSN	National Stock Number
NSS	Navy Supply Support
NSTM	Naval Ship's Technical Manual
NSWC	Naval Surface Warfare Center (Crane)
NTCSS	Naval Tactical Command Support System
NTV	Non-Tactical Vehicles
OCN	Other Country National
OCONUS	Outside Continental United States
ODCL	Operator's Daily Check List
OEM	Original Equipment Manufacturer
O/H	On Hand
OIC	Officer in Charge
OIS-PC	Ordnance Information System – Personal Computer
OLS	Other Logistics Support
OMMS-NG	Organizational Maintenance Management System-Next Generation
OM&S	Operating Material and Supplies
OPFOR	Operating Forces
OPNAVINST	Office of the Chief of Naval Operations Instruction
OPP	Offload Preparation Party
OPS	Operations
OPTTEST	Operational Test
OS	Operating System
OSHA	Occupational Safety & Health Administration
OST	Order Ship Time (USMC)
OST	Operations Support Team (Navy)
OTC	Operational Test Code
OTD	On Time Delivery
P-###	Production Cycle Day (i.e. P-130)
P-PET	Production-Planning and Execution Team
P&DS	Plans & Data Support Contract
P3&M	Preservation, Packaging, Packing and Marking (P3&M)
PBA	Performance Based Agreement
PCBs	Polychlorinated Biphenyls
PDF	Portable Document Format
PDREP	Product Data Reporting and Evaluation Program
PEI	Principle End Item
PGP	Shipboard Permanent Government Personnel Report
PICP	Physical Inventory Control Plan

PKG ID	Package Identification
PL	Publication Listing
PLM	Product Lifecycle Management
PM	Preventive Maintenance
PM	Program Manager
PMBOK	Project Management Body of Knowledge
PMCS	Preventive Maintenance Checks and Services
PMI	Project Management Institute
PO	Prepositioning Objective
POA&M	Plan of Actions and Milestones
POC	Point of Contact
POCA	Plan of Corrective Action
POD	Proof of Delivery
POD	Port of Debarkation
POE	Port of Embarkation
POL	Petroleum, Oil and Lubricants
POP	(UN) Performance Orientation Packaging
POP	Proof of Principal (or Process)
POP	Period of Production
POR	Program of Record
POST-MAT	Post-MPF Maintenance Cycle Acceptance Trials
POV	Privately Owned Vehicle
PP&O	Plans, Policies and Operations (HQMC)
PP&P(P3)	Preservation, Packaging & Packing
PPE	Personal Protective Equipment
PPS	Prepositioning Planning System (PPS)
PPSP	Program Personnel Support Plan
PQDR	Product Quality Deficiency Report
PRE-MAT	Pre-MPF Maintenance Cycle Assessment Trials
PRFID	Passive Radio Frequency Identification
PREPODEP	Prepositioning Department
PSI	Personnel Security Investigation
PSI	Pounds per Square Inch
PWA	Project Web Access
Q&RCP	Quality & Risk Control Plan
QA	Quality Assurance
QAC	Quick Access Container
QAR	Quality Assurance Representative
QC	Quality Control
QCP	Quality Control Plan
QDR	Quality Deficiency Report
QMS	Quality Management System
QMSS	Quality Management Support System
QTY	Quantity
RAB	Registrar Accreditation Board

RBE	Remain Behind Equipment
RC	Risk Control
RCP	Risk Control Plan
RCRA	Resource Conservation Recovery Act
RDD	Required Delivery Date
REPSHIP	Report of Shipment
RFI	Ready for Issue
RFID	Radio Frequency Identification
RIP	Reparable Issue Point
RMP	Reoccurring Maintenance Parts
RNOSC	Regional Network Operations Support Center
RO	Responsible Officer
RO/RO	Roll-On/Roll-Off
RP	Rotational Pool
RRDF	RO/RO Discharge Facility
RRGE	Readiness Reportable Ground Equipment
RST	Repair Support Team
R-SUPPLY	Relational Supply
RU	Release Unit
S&RTS	Stevedoring & Related Terminal Services Contract
SAC	Stores Account Code
SAPS	Stay Alive Power Supply
SASU	Semi-Annual Start-Up
SBCOTR	Shipboard Contracting Officer's Representative
SBMA	Subic Bay Metropolitan Authority
SBMCMC	Shipboard MCMC
SCAC	Standard Carrier Alpha Code
SC	Support Concepts
SB	Supply Branch
SDDC	Surface Deployment and Distribution Command
SDR	Supply Discrepancy Report
SDS	Safety Data Sheet
SECREP	Secondary Reparable
SECNAVINST	Secretary of the Navy Instruction
SEI	Schedule Effectiveness Index
SF	Standard Form
SI	Supply Instruction
SICP	Survey Instrument Calibration Program
SIM	Serialized Item Management
SITCENTER	Situation Center
SITREP	Situation Report
SJRWMD	St Johns River Water Management District
SKC	Sets, Kits and Chests
SKOT	Sets, Kits, Outfits and Tools
SL	Stock List

SLC	Shelf-Life Code
SL-3	Marine Corps Stocklist; Components List
SMA	Supporting Maintenance Activities
SMAT	Supply and Maintenance Analysis Team
SME	Subject Matter Expert
SMR	Source, Maintenance and Recoverability
SMRC	Source, Maintenance and Recoverability Code
SMU	SASSY Management Unit
SN	Serial Number
SNAP	Shipboard Non-Tactical Automated Data Processing Program
SOC	State-of-Charge
SOS	Source of Supply
SOUM	Safety of Use Message
SOW	Statement of Work
SPOT LOA	Synchronized Predeployment Operational Tracker Letters of Authorization
SQ FT	Square Feet
SR	Service Request
SSA	Software Support Activity
SSHO	Site Safety & Health Officer
SSRI	Supply System Responsibility Item
STIGs	Security Technical Implementation Guidelines
STRATIS	Storage Retrieval Automated Tracking Integrity System
STD	Standard
SUC	Subordinate Unit Code
SUR	Service Upon Receipt
SWI	Standard Work Items
SYSCOM	System Command
SYSALTS	System Alterations
TA	Trusted Agent
TO	Task Order
TAAT	Technical Assistance & Advisory Teams
TAC	Transportation Account Code
TAFDS	Tactical Airfield Fuel Dispensing System
T-AKE	Dry Cargo/Ammunition Ship
TAMCN	Table of Authorized Materiel Control Number
TASM	Trusted Agent Security Manager
TAV	Total Asset Visibility
TB	Technical Bulletin
TCMD	Transportation Control and Movement Document
TCN	Transportation Control Number
T/E	Table of Equipment
TECH	Technician
TEU	Twenty-Foot Equivalent Unit

TFS	Tactical Fuel Systems
TFSMS	Total Force Structure Management System
THHR	Tactical Hand-held Radios
TI	Technical Instruction
TM	Technical Manual
TMDE	Test, Measurement and Diagnostic Equipment
TMO	Traffic Management Office
TO	Table of Organization
TOA	Table of Allowance
T/O&E	Table of Organization and Equipment
TOCNET	Tactical Operations Center Intercommunications System
TOECR	Table of Organization and Equipment Change Request
TOT	Transportation of Things
T/P	Total Price
TPS	Transportation Protective Services
TR	Technical Refresh
TRANSALTS	Transportation Alteration
TSC	Theater Security Cooperation
TSP	Transportation Service Provider
TSR	TAMCN Summary Report
TTE	Tools and Test Equipment
TWA	8-Hour Time-Weighted Average
U/I	Unit of Issue
U/P	Unit Price
UAR	User Account Review
UDL	Unit Deployment Listing
UIC	Unit Identification Code
ULO	Unliquidated Obligation
ULSS	User's Logistics Support Summary
UM	User Manual
UMMIPS	Uniform Materiel Movement and Issue Priority System
UN Code	Four-digit code used to identify flammable and harmful chemicals
UND	Urgency of Need Designator
UPS	Uninterruptible Power Supplies
USAMMA	United States Army Medical Material Agency
USCENTCOM	United States Central Command
USCG	United States Coast Guard
USDA	United States Department of Agriculture
USMC	United States Marine Corps
USN	United States Navy
USN	United States Navy Serial Number
USTRANSCOM	Transportation Command
UUAM	Using Unit Account Manager
UMMIPS	Uniform Materiel Movement and Issue Priority System
UURI	Using Unit Responsibility Item(s)

VDC	Volts Direct Current
VLP	Vehicle Lease Program (GSA)
VPP	Voluntary Protection Program
VSTF	Vehicle Storage Transportation Frame
WAN	Wide Area Network
WDC	Work Definition Conference
WEBVLIPS	Web Visual Logistics Information Processing
WHE	Weight Handling Equipment
WIR	Recoverable Items Program
WMC	Watercraft Maintenance Center
WRS	War Reserve System

SECTION C.2 PROGRAM AND RISK MANAGEMENT

2.A PLANS AND PLANS DATA MANAGEMENT

The Plans Branch is responsible for the development and management of all plans related to the Marine Corps Prepositioning Programs. Plans Branch also oversees and manages all level VI data generated by the MCMC ISO the MPF MMC and monitors and conducts quality control of level VI data developed ISO all ashore prepo sites. Plans Branch also plays a major role in the development of guidelines and command policies governing the marking of all prepositioned assets.

Following the completion of the Tailoring effort, led and managed by HQMC DC I&L and approved by DC PP&O, Blount Island Command is responsible for developing Squadron Level Plans for the MPF program based off the newly approved Prepositioning Objective (PO). These squadron level plans should be completed NLT 180 days prior to Production Day (P-Day) of the first ship of the MMC. Unlike the afloat program whose timelines are mainly driven by shipyard requirements, ashore sites have greater flexibility as to when assets will be worked and shipped to those sites.

There are multiple types of plans generated at the squadron and individual ship levels. Squadron level plans are developed OOA P-180 and are only developed once following a Tailoring Cycle. Squadron level plans are posted onto MCPIC OOA P-150 from the first ship's production of the MMC so the MCMC can review them for situational awareness. The current squadron level plans posted onto MCPIC in the MCPIC Prepositioning Planning System (PPS) application are as follows:

- Squadron Overview
- Squadron Plan – Provides a rollup of the planned qty for each TAMCN
- Ship Spread Plan – Found in the MCPIC Prepositioning Planning System (PPS) application. Provides a listing of how the squadron planned qty is distributed to the individual ships

- Major Subordinate Element (MSE) Plan – Provides a listing of how the squadron planned qty is distributed across the MSEs.
- MSE Plan By Ship – Provides a listing of the qty for a particular TAMCN that is assigned to each of the MSEs by ship
- Ship by MSE – Same as above only the listing is broke out by ship for each of the MSEs
- Capability Set (CAPSET) Letter – The CAPSET Letter is a listing of capabilities and their contents which are intended to be packaged, packed and marked in a specified manner and special stowed aboard the MPS
- Armory Weapons Squadron Plan – Listing of weapons or optics quantities traditionally stored in the armory aboard the vessels and their associated weapons system. This listing is broken out by ship.
- CMS Container Spread - Listing of CCI equipment quantities traditionally stored in a CMS designated container or in the armory with their associated end item. This listing is broken out by ship.
- Sustainment Blocks – Listing of items and their quantities divided by their individual blocks by ship. Examples would be the Petroleum, Oils and Lubricants (POL) Block, Battery Block and Class IV Fortification Block. These blocks are packaged and packed as a single capability, marked appropriately and stored aboard the specified ships within the plan.
- Class I Rations Block – While Class I Rations are considered part of sustainment, they have their own plan due to the format of this block.
- Container Estimate Worksheet – This worksheet is developed during the tailoring process, refined during the development of Squadron Level Plans and adjusted, when necessary, throughout the MMC. This worksheet serves as a tool to track, manage and monitor the number of containers required to pack specified capabilities. This worksheet is a quick ready reference that alerts planners of when a ship may be over its TEU capacity or when there may be available TEU slots. Individual detailed level ship plans are developed at P-150, staffed, reviewed and provided to the MCMC NLT P-90.
- Load Type Plan – Provides a listing of planned load methods for all TAMCN/EC items being loaded onto a specified ship. Examples are Armory, Square Load, Load onto, Put Into, Mobile Loaded, Container, and Hitched. This plan also has links to Equipment Life Cycle Management.
- Association Plan - Provides detailed load and configuration requirements for each TAMCN/EC loaded onto a specified ship.
- Logistical Set Report – Provides a detailed list of planned Children items stowed away from Parent item.
- Naval Support Element (NSE) Container Plan - Provides planned container quantities and packed equipment sets per container.
- NSE Weapons Armory Plan – Provides detailed listing of planned weapons and serial numbers for NSE.
- NSE Watercraft Workbook - Provides detailed listing of planned watercraft.
- Navy Battery Block – Provides listing of planned battery block for Navy equipment.
- Naval Construction Element (NCE) OPP Block – Detailed listing of all equipment and supplies planned in support of Navy Offload Preparation Party operations.

- NCE Container Plan - Provides planned container quantities and packed equipment sets per container.
- CESE Workbook – A detailed workbook, similar to the Association Plan, that is provided by the Navy for both NSE and NCE rolling stock and provides mobile load plans, serial number and cab configurations and any special stow requirements.
- CMS Container Plan – Provides detailed list of all COMSEC material that will be stowed aboard ship in a single consolidated container or armory.
- Armory Plan – Provides a detailed listing of USMC ground weapons to be stowed within a specific ship's armory.
- E00712BA_E00712BD Plan – Provides detailed installation requirements for the different versions of the MCTAGS on MTVR and LVSR platforms.

The MCMC has a major role in the Command's ability to achieve mission success in plans and data accuracy. The MCMC is responsible for ensuring approved Squadron and Ship level plans are adhered to in order to properly configure and stow the stated quantity of equipment and supplies aboard specified vessels. Second only to the equipment readiness, is the responsibility of the MCMC to provide data in a complete, accurate and timely manner.

The MCMC shall utilize government provided information management systems, data bases, and software systems to review, download, manage, store, and modify Maritime Prepositioning Ships planning related data as applicable. The existing system, Marine Corps Platform Integration Center (MCPIC) IPACK, will be manually populated by the MCMC as detailed in Command Bulletin (CmdBul) 3162 Data Standards.

MCMC shall conduct pRFID PACMAN runs at a minimum of twice per week to ensure current locations of equipment and containers are reflected in MCPIC iTRACK.

2.A.1 Plans Management

2.A.1.a The MCMC shall adhere to the government provided Container Estimate Worksheet when loading/packing containerized equipment and materials into twenty-foot and twenty-foot equivalent unit (TEU) ISO containers. The government provided Container Estimate Worksheet is a squadron level plan and is posted to MCPIC NLT 120 calendar days prior to the first ship of the MMC. The MCMC shall notify the Government Plans Branch of any deviations from the Government Container Worksheet.

2.A.1.b The MCMC shall adhere to the government provided Squadron and Detailed Ship Level Plans IAW MMC Execution Milestones. Changes to the Squadron or Detailed Ship Level Plans are executed and posted within MCPIC once approved by the Government staff. Email notifications are generated out of MCPIC and sent to subscribers of the MCMC.

- (i) The MCMC shall configure all equipment, supplies, and associated equipment (including SL-3) for TAMCN-controlled Principle End Items (PEIs) IAW the Government-provided Association Reference table posted in MCPIC at the

beginning of the MMC and updated throughout the cycle. Associated items include; Supply System Responsible Items (SSRI), Collateral Material (CM), Using Unit Responsible Items (UURI), and other designated prepositioned items used to enhance the operational capability of an end item.

(ii) The MCMC shall assemble each Capability Set (CapSet) as directed by the Government-provided Capability Set Letter IAW the Command Order 4035.1. The Capability Set Letter is a Squadron Level Plan and can be found in MCPIC under "Other Squadron Plans". This letter provides detailed information concerning the packing of designated prepositioned assets to achieve a specified capability. Any deviation from that outlined within this letter must first be approved by the Government.

(iii) The MCMC shall package equipment and materials in a manner which maintains the integrity of all Capability Sets. "Maintaining the integrity of a CapSet" requires all components to be packaged and co-located. If multiple containers are required, each container will be marked appropriately with its designated CapSet placard, MSE if applicable, with the total number of containers making up that CapSet annotated on the placard.

(iv) The MCMC shall provide the designated equipment and supplies in support of prepositioned weapon systems as directed by the government provided Squadron and Ship's Armory Plan. Prepositioned weapons belonging to weapons systems are stored in the ship's armory and not on the weapon system itself. Specified weapons shall be packaged and marked for designated MSE.

(v) The MCMC shall produce the specific models and configurations outlined within the MCPIC Plans.

(vi) The MCMC shall assemble and package all "Sustainment" consumable materials and supplies into Sustainment Blocks as directed by the government-provided Squadron Sustainment Plans. Sustainment Blocks include: Class I Rations, Class III Packaged Petroleum, Oils, and Lubricants (POLs), Class IV Engineering/Construction Material, Class IX Consumable and Secondary Repairable parts to include Class IX Batteries and Arrival and Assembly Support Package (AASP). All deviations including suitable substitute NSNs require prior government approval.

- a. The MCMC shall preposition designated quantities of Meals Ready to Eat (MRE's) and First Strike Rations (FSR) as directed by the Government-provided Class I Rations Plan. MREs and FSR are palletized (48) cases to a pallet and loaded either into refer containers or break bulk in support of the T-AKE vessel.

- b. The MCMC shall preposition POLs in the designated quantities and mandated units of issue as directed by the Government-provided Sustainment Blocks plan.
- c. The MCMC shall preposition Class IV pressure-treated lumber as directed by the Government-provided Sustainment Blocks plan.
- d. The MCMC shall preposition Class IV Fortification materials in the designated quantities and units of issue as directed in by the Government-provided Sustainment Blocks plan.
- e. The MCMC shall preposition Class IX Secondary Repairable (SECREP) and Consumables in the designated quantities and units of issue as directed by the Government-provided Sustainment Blocks plan.
- f. The MCMC shall preposition Class IX Batteries in the designated types, quantities, and units of issues as directed by the Government-provided Class IX Battery Plan. Lithium Batteries loaded IAW Coast Guard, Federal Hazardous Material (Hazmat) Regulations, MSC Regulation, and the International Maritime Dangerous Goods (IMDG) rules and regulations
- g. The MCMC shall configure and preposition both the Marine and Navy Offload Preparation Party (OPP) Blocks as directed by the Government-provided OPP Plan. The Marine and Navy OPP Blocks consist of materials and supplies necessary to prepare the equipment for offload. This equipment is not part of the MAGTFs Table of Equipment.
- h. The MCMC shall assemble, and package T-AKE Preservation, Packaging and Packing (PP&P) Blocks as directed by the Government-provided PP&P Plan. The PP&P block consists of lumber and miscellaneous supplies used by the Operational forces to prepare equipment for offload or reconstitution when conducting operations off the T-AKE
- i. The MCMC shall configure and preposition the Arrival and Assembly Support Package as directed by the Government-provided AASP Plan. The AASP Block consists of materials and supplies necessary to prepare containerized assets for issue. This equipment is not part of the MAGTFs Table of Equipment.

2.A.2 Data Management. MCMC shall produce a MCPIC IPACK Order in accordance with Command Bulletin (CmdBul) 3162 Data Standards.

2.A.2.a The MCMC shall utilize IPACK to produce an accurate and complete UDL for all equipment and supplies embarked on MPS for USMC and USN. The MCMC shall submit the completed UDL for government review NLT E+5. The MCMC shall ensure all UDL data corrections identified pursuant to government review are completed in IPACK before E+10.

2.A.2.b The MCMC shall submit changes to Government Plans Branch for MCPIC Meta Data updates (e.g. new equipment fielding, equipment modifications, stock rotation, model number revisions). Meta Data accuracy shall comply with CmdBul 3162 Data Standards. If an item is not resident in technical data or changes to an item need to be made in Meta Data, the MCMC will submit in writing a request to update the Meta Data file by email.

2.A.2.c The MCMC shall ensure all PEIs and containers are weighed and accurate stowed weight data entered into the IPACK data. PEI and container weight accuracy shall comply with CmdBul 3162 Data Standards. The Scale House is to be used for weighing MPE and provides weight tickets which the MCMC shall input into the respective IPACK data record.

2.A.2.d The MCMC shall populate data elements in the IPACK order required for ICODES in accordance with MMC Execution Milestones. NLT E-Day (E-20 Rolling Stock LMSR/ E-13 Rolling Stock BOBO/ E-16 Containers LMSR/ E-9 Containers BOBO). The MCMC shall populate the following data elements, associated with load and staging plan development: NSN, ITEM ID, MSE, LOAD NUMBER, DESCRIPTION, QTY PER CARGO, PKG ID, WEIGHT, actual LxWxH.

2.A.2.e The MCMC shall populate data elements in the IPACK order necessary to ensure creation of the Dangerous Cargo Manifest (DCM) in ICODES NLT E-Day. Specific data elements are: NSN, SERIAL NUMBER, DESCRIPTION, WEIGHT, QTY PER CARGO, PKG ID, UN CODE. Accuracy shall comply with CmdBul 3162 Data Standards.

2.A.2.g The MCMC shall remove and replace all faded, worn or torn IMARK Labels, MSE and other labels or stickers from all equipment NLT the approved staging date in compliance with MCTP 13-10D/NTTP 3.02.3M, NAVMC DIR 3000.18, CmdO 4035.1 and detailed ships plans. All labels shall be checked for legibility, digital scanability, and removed and replaced as necessary prior to final staging.

2.A.2.h The MCMC shall properly place and register Item Unique Identification (IUID) and passive Radio Frequency Identification (pRFID) tags on a and register in IMARK all items upon receipt at DMO IAW the MCPIC Data Standards. All pRFID tags shall be affixed and present the correct record prior to presenting to the government for final acceptance IAW MCO 4410.28 Item Unique Identification (IUID) of Ground Equipment. The MCMC shall use International Organization for Standardization (ISO) pRFID Tags.

2.A.2.i The MCMC shall accurately associate all IUID and pRFID tags IAW MCO 4410.28 using MCPIC applications.

2.B MAINTENANCE MANAGEMENT

This Section sets forth the requirements and responsibilities of the MCMC for Maintenance Management. Maintenance Management is the set of procedures aimed at efficiently and effectively using various resources in the preservation and maintenance of equipment. Maintenance management integrates policies, programs and manual/automated procedures that support the synchronization and oversight of maintenance production and engineering across all commodities. It coordinates the integration of supporting logistics functions and operations to provide flexibility and responsiveness in support of established war fighting functions. Maintenance management efforts impact quality maintenance engineering through training, data collection, reporting, analysis, and evaluation via Automated Information Systems (AIS), publication management and modification/configuration control. Maintenance management includes but is not limited to; continuous planning, coordination, analysis, evaluations, and improvement actions focused on maintenance administration, resource management, maintenance operations, supply support, equipment information management, quality control, and equipment operational reporting requirements. Maintenance Management is supported by AIS. Together, they provide management visibility while simultaneously collating maintenance analysis information for item management. Understanding and executing Marine Corps policies is essential for effective maintenance management required to ensure mission accomplishment and auditability.

The MCMC shall execute the Marine Corps ground equipment maintenance management program to support the organization, management, and integration of ground equipment maintenance capabilities in support of the Operating Forces. The MCMC Maintenance Management Office Manager shall be responsible for all “Maintenance Management Officer” responsibilities IAW MCO 4790.2 and CmdO 4790.1A for both ashore and afloat programs unless otherwise specifically stated as a Government responsibility. The MCMC shall manage the eight primary maintenance management functional areas and the Using Unit Account Manager program. The MCMC shall use the guidance contained within this Section in conjunction with applicable Marine Corps Orders, directives, and manuals to manage all maintenance efforts required under this Contract. The maintenance management responsibilities of the MCMC include: Maintenance Administration, Personnel and Training, Records and Reports, Publications Control, Equipment Availability, PMCS and CM, Supply Support, and Maintenance Related Programs. Detailed descriptions and requirements for each of the eight functional areas are addressed in MCO 4790.2 and its references. Marine Corps technical directives provide policy, procedures, and routine guidance, except where modified by this SOW to meet unique program requirements.

The Maintenance Management requirements herein shall be performed in accordance with Government approved production and delivery schedules at all locations governed by this contract. Products shall conform to the specifications described within this section. Quality assurance measurements shall be governed by the performance requirements and standards associated with this section and specifications described within Section 2.D.

2.B.1 Maintenance Administration

2.B.1.a The MCMC shall appoint a Maintenance Management Office Manager (MMO) in writing IAW MCO 4790.2 (Chapter 1 para 1) and CmdO 4790.1B. The initial appointment letter (CDRL 1003) shall be submitted to the Government NLT 10 business days after contract award; thereafter, the appointment letter shall be submitted NLT 5 business days after a change in personnel.

2.B.1.b The MCMC shall only perform authorized maintenance tasks based on maintenance capabilities IAW MCO 4790.25, CmdO 4790.1B, and MCO 4790.2 (Chapter 3 1.a).

2.B.1.c The MCMC shall maintain an Urgency of Need Designator (UND) “A” and “B” Delegation of Authority Letter IAW CmdO 4790.1B, MCO 4400.16H (All), and UM 4000-125. The UND Delegation of Authority Letter (CDRL 1004) shall be submitted to the Government NLT 10 business days after contract award; thereafter, the Delegation of Authority Letter shall be submitted to the Government NLT 10 business days after the arrival of a new hire requiring authorization. The MCMC shall submit an updated letter to the Government annually NLT 10 business days after January 1st and July 1st of each calendar year.

2.B.1.d Since the Government and the MCMC are required to be jointly certified by the International Organization for Standardization (ISO), the MCMC shall create and maintain ISO Work Instructions, Management Procedures, and forms in lieu of Desktop Procedures and Turnover Folders as described in MCO-4790.2 (Chapter 1, 3.a).

2.B.1.e The MCMC shall submit an Assessment/Inspection Schedule for internal maintenance management inspections IAW CmdO 4790.1B. The Internal Inspection Schedule (CDRL 1005) shall be submitted to the Government NLT 21 business days after contract award; thereafter the MCMC shall submit to the Government any periodic changes to the Internal Inspection Schedule prior to implementation and NLT 5 business days after July 1st of each year.

2.B.1.f The MCMC shall provide Internal Inspection Results (CDRL 1006) IAW CmdO 4790.1B. Internal Inspection Results shall be submitted to the Government NLT 10 business days after completion of inspection as identified in the internal inspection schedule.

2.B.1.g The MCMC shall complete a Plan of Corrective Action (POCA) (CDRL 1007) for discrepancies identified during Internal Inspections IAW MCO 4790.2 (Chapter 1 C. (1).e) and CmdO 4790.1B. The MCMC shall submit the POCA to the Government NLT 21 business days after the conclusion of the inspection. Timelines established in the POCA will be adhered to and discrepancies corrected on or before the established due date.

2.B.1.h The MCMC shall accurately update GCSS-MC based on the information in Safety of Use Messages (SOUM), Maintenance Advisory Messages (MAM) and supply advisories IAW MCO P5100.34_ and CmdO 4790.1B.

2.B.2 Supply Support

2.B.2.a The MCMC shall place newly fielded equipment into service IAW Fielding Plans and other equipment-specific publications (TMs, SIs, etc.), MCO 4790.2 (Chapter 1.4.c) and CmdO 4790.1B.

2.B.2.b The MCMC shall establish warranty coordination procedures that identify ME under warranty IAW MCO 4790.2 (Chapter 1.4.c, Chapter 3.6.b.2.e, Chapter 4.10), MCO 4855.10C (4.b.1.g page 2), CmdO 4790.1B, MCO 4105.2A (all), and NAVMC 4855.1 (All).

2.B.2.c The MCMC shall adhere to procedures for Contracted Logistics Support (CLS) items requiring service IAW MCO 4105.2A (All), MCO 4790.2 (Chapter 3 1.b.1; 8.a.(3); 8.b.(1).(d)), MCO 4200.33 (All), MCO 4790.25 (4.(b).(6).(d).3), and CmdO 4790.1B.

2.B.2.d The MCMC shall establish and manage the receipt, transfer, storage, organization, and validation of repair parts within a maintenance layette, also known as parts bin, ensuring efficient and accurate operations in alignment with Marine Corps maintenance procedures outlined in CmdO 4790.1B and UM 4000-125 Volume 3. The MCMC shall implement processes to streamline the flow of parts from receipt through storage in layettes, ensuring parts are readily available for application to associated military equipment. The MCMC shall maintain a high level of organization and accountability to prevent errors in parts tracking and ensure the timely and accurate parts application and debrief of parts to maintenance tasks. Additionally, the MCMC shall conduct bi-weekly validations of all parts, ensuring compliance with inventory standards and promptly addressing and correcting discrepancies.

(i) The MCMC shall establish and organize the necessary stage sub-inventories to support the receipt and transfer of repair parts to the designated layette sub-inventories. The stage sub-inventory will serve as an initial holding area for parts before they are assigned to the corresponding layette for specific Service Requests (SRs). Parts in stage sub-inventories shall be properly organized, tracked, and moved to the appropriate layette sub-inventory without delay.

(ii) The MCMC shall establish and organize layette sub-inventories to ensure proper storage and management of repair parts. Each layette locator will be designated for specific Service Requests (SR) and will be clearly labeled and organized.

(iii) Upon receipt of requisitioned repair parts, the MCMC shall be responsible for transferring parts from the stage sub-inventory to the corresponding layette sub-

inventory. This process shall include ensuring that all parts are properly tagged with the corresponding SR number, and that the correct locator number is assigned to each item. The MCMC shall ensure that this transfer is done efficiently, without delay, and with strict accountability for all parts received.

(vi) The MCMC shall maintain the organization of all parts within the layette sub-inventory. Small parts will be stored together in clearly marked bins (locators), while larger parts will be stored in designated storage areas within the layette. Each part will be tagged with its corresponding SR number. The MCMC shall ensure that all parts related to a specific SR are stored together in the appropriate and dedicated bin (locator), minimizing the risk of misplacement or misuse. Parts that have been removed from equipment for maintenance shall also be stored in the SR-specific parts bin, ensuring that no parts are used for any task other than the one for which they were requisitioned.

(v) The MCMC shall establish a process for returning parts to the layette sub-inventories if they are not applied (debriefed) within the same business day. Any parts removed from inventory that remain unused by the end of the business day shall be promptly returned to the appropriate layette, ensuring accurate tracking and maintaining inventory integrity.

(vi) The MCMC shall be responsible for conducting bi-weekly validations of all parts stored in the layette sub-inventories. This process involves comparing physical inventory counts against the quantities recorded in the GCSS-MC system to ensure all parts are accounted for and properly applied (debriefed) to the corresponding SRs. Any discrepancies identified during this validation process must be swiftly corrected. The MCMC shall maintain detailed records of all validation activities, including the results of each inventory check and any adjustments made.

(vii) The MCMC shall ensure that all activities related to the receipt, transfer, storage, and validation of parts are properly documented. The MCMC shall establish a process for reporting discrepancies, damaged items, or parts that are no longer required for SRs. This process shall include the timely identification, documentation, and notification of such issues for appropriate action. The MCMC shall promptly correct any discrepancies and report the receipt of damaged parts using a Supply Discrepancy Report (SDR) process.

2.B.2.e Demand-supported items (DSI) are quantities of expendable and nonexpendable items which are on hand based on supported or limited stockage criteria and are authorized to support mission requirements. The MCMC shall manage Demand Supported Items (DSI) inventories IAW CmdO 4790.1B, MCO 4400.201 (Volume 3), and UM 4000-125 (Volume 2). DSI Authorization Letter(s) shall be prepared IAW the government-provided template and sent to the Government for approval and signature. The MCMC shall ensure the DSI Request Letter(s) is/are fully completed by entering the

required data into the Government-provided template, maintaining the specified structure and format. The MCMC shall maintain the approved DSI Authorization Letter(s) on-hand at the DSI physical storage location(s). Items physically located in the DSI storage location(s) shall not exceed the maximum nor fall below the minimum quantity specified in the DSI Authorization Letter(s) approved in writing by the Government.

(i) The MCMC shall establish and maintain On-Island and MCPP-PHIL DSI inventories. The MCMC shall use the GCSS-MC Planner's Desktop to manage min-max for DSIs, ensuring inventory levels are optimized to meet operational needs. The MCMC is responsible for accurate data entry, inventory management, reporting, and adjustments to maintain compliance with established minimum and maximum inventory thresholds. The DSI Authorization Letter (CDRL 1008) shall be provided to the Government NLT 21 business days after contract award and NLT five business days after award of each applicable TO.

MCPP-N specific: A DSI Authorization Letter shall be provided only for COMM/ELEC equipment in Norway, if a DSI is needed. If established, the DSI Authorization Letter (CDRL 1008) shall be provided to the Government NLT 21 business days after contract award and NLT 5 business days after award of each applicable TO.

(ii) The MCMC shall establish and maintain Shipboard DSI inventories. DSI stock identified as “non-demand based” shall have the required justification. The DSI Authorization Letter (CDRL 1008) shall be provided NLT 30 calendar days prior to the start of the respective ship’s MMC production cycle, or 60 calendar days following Government provision of Detailed Ship Plans, whichever is later. The MCMC shall use the GCSS-MC Planner's Desktop to manage min-max for Shipboard DSIs. The DSI Request Letter shall be completed IAW the government provided template.

(iii) The MCMC shall establish and maintain MCPP-PHIL DSI inventories. The MCMC shall use the GCSS-MC Planner's Desktop to manage min-max for DSIs, ensuring inventory levels are optimized to meet operational needs. The MCMC is responsible for accurate data entry, inventory management, reporting, and adjustments to maintain compliance with established minimum and maximum inventory thresholds. . The DSI Authorization Letter (CDRL 1008)shall be provided to the Government NLT 21 business days after contract award and NLT five business days after award of each applicable TO.

(iv) The MCMC shall establish and maintain physical locations for On-Island, Shipboard, and MCPP-PHIL DSIs in accordance with the guidelines set forth in MCO 4400.201 (Volume 3, Chapter 2). This includes ensuring that the storage areas are properly organized, clearly marked, and comply with all safety and logistical standards as outlined in the order. The MCMC is responsible for

optimizing storage solutions to facilitate efficient inventory management, improve accessibility, and support operational readiness, both on-island and shipboard.

2.B.2.f The MCMC shall account for Government-owned Garrison Fabricated Tools in Defense Property Accountability System (DPAS) IAW MCO 4790.2 (Chapter 4.11), CmdO 4790.1B, MCO 4400.150 (Chapter 2.18) and MCO 4400.201 (Chapter 2 0216). The MCMC shall submit a Special Tools Allowance Letter (CDRL 1009) NLT 21 business days after contract award and annually NLT the fifth business day in July.

2.B.3 Records and Reporting

2.B.3.a The MCMC shall input all Maintenance and Maintenance Management data into AIS with a minimum accuracy rate of 95%. The data must conform to the Marine Corps' established standards for formatting and quality to maintain consistent, reliable, and compliant records. The accuracy of data entered will be evaluated and calculated through the following process:

(i) The Maintenance Management Administrative Records retrieved from the AIS will be used to conduct regular Quality Assurance (QA) inspections. These inspections will focus on verifying the completeness, correctness, and reliability of the data entered by the MCMC.

(ii) The data accuracy rate will be calculated based on a statistically representative sample of records reviewed. For example, in a sample of 100 records, if 5 different records contain errors, the accuracy rate will be calculated as follows:
$$100 \text{ records reviewed} - 5 \text{ records with errors} = 95 \text{ accurate records.}$$

2.B.3.b The MCMC shall conduct weekly validation/reconciliations between maintenance management, supply, and maintenance IAW MCO 4790.2 (Chapter 1 4.b; Appendix A 3.t) and CmdO 4790.1B. During these weekly validations and reconciliations, all open SRs, along with their associated tasks and parts, shall be reviewed. The MCMC shall submit a Reconciliation Schedule (CDRL 1011) to the Government NLT 21 business days after contract award and thereafter no later than the fifth business day in July.

MCCP-N Specific (2.B.3.b). The MCMC Norway section shall participate in weekly validations and reconciliations via Teams or Teleconference with the NDLO/MEB and the Norway Branch. The MCMC shall maintain detailed records of all reconciliations to include actions required to be taken.

2.B.3.c The MCMC shall adhere to inventory control procedures IAW MCO 4790.2 (Chapter 1 4.d), MCO 4400.201 (Vol 3, Chapter 2), and CmdO 4790.1B.

MCPP-N and MCPP-PHIL Specific : The MCMC shall provide PREPODEP with a Weekly On Island Equipment Status Report due NLT COB each Tuesday IAW (CDRL 1012). The report will be produced in MS Excel and will be a three-part (tabbed) report (Attachment C.4-9).

2.B.3.d The MCMC shall establish and maintain a Calibration Control program for all ME, Navy CESE, and containerized assets IAW MCO 4790.2 (Enclosure 1, Chapter 4.5), CmdO 4790.1B, TM 4700-15/1 (Chapter 2.2-7) and UM 4000-125 Vol 3 (S01.01). The Calibration Control Program shall be established for the MPS Maintenance Production Cycles, and for Organic equipment and equipment at shore-based programs IAW the equipment's established Calibration Cycle. The MCMC shall conduct an annual inventory during the month of December and submit results (CDRL 1013) of the Calibration Inventory and Calibration Inventory Letter NLT 30 business days after award of an applicable TO. The MCMC shall submit the initial Annual Calibration Inventory Letter to the Government NLT 21 business days after contract award.

(i) The MCMC shall submit a Locally Tracked Calibration Detail Report (CDRL 1014) IAW applicable TIs and TMs within 5 business days after the start of each FY quarter per applicable TO. Not all TMDE assets are resident in GCSS-MC. Therefore, the MCMC shall generate and submit a Locally Tracked Calibration Detail Report for those assets not resident in GCSS-MC. The Locally Tracked Calibration Detail Report shall contain the same data as the GCSS-MC Calibration Detail Report.

2.B.3.e The MCMC shall establish and maintain a Modification Control program IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1 Chapter 4.4) and UM 4000-125. Vol 3 (S02.05) The Modification Control Program shall be executed IAW the modification instruction timelines.

MCPP-N and MCPP-PHIL Specific: The MCMC shall not ship any equipment, for which modifications have not been completed without prior approval from the Government Norway Branch/Philippines Branch. Notification shall be sent to the Government via electronic means within five business days of completion of SUR.

2.B.3.f The MCMC shall adhere to the procedures for submission and resolution of Product Quality Deficiency Reports (PQDR) IAW MCO 4855.10C (All), CmdO 4790.1B, and NAVMC 4855.1 (All).

2.B.3.g The MCMC shall configure all equipment for Total Asset Visibility (TAV) IAW CmdO 4790.1B, UM 4000-125 Vol 3 and applicable TMs. All parent-child relationships shall be accurately configured in GCSS-MC.

2.B.3.h The MCMC shall prepare and maintain equipment records, resource records, and local records for Marine Corps and Navy ground equipment IAW CmdO 4790.1B, MCO 4790.2 (Appendix B 5.c), TM 4700-15/1 and NAVFC-P-300.

2.B.4 Maintenance and Maintenance Management Training. The MCMC shall establish and execute Maintenance and Maintenance Management training IAW MCO 4790.2 (4.a. (3).(i).3), (Chapter 2.4 page 2-1), (Chapter 4.2 page 4-1) and CmdO 4790.1B.

2.B.5 Publication Control.

2.B.5.a The MCMC shall establish and maintain a Publication Control program IAW CmdO 4790.1B and MCO 4790.2 (Chapter 4.6). The MCMC shall have the technical and non-technical publication libraries established within TDM-Publications within 90 calendar days after contract award for MPF, MCPP-N, and MCPP-PHIL.

2.B.5.b The MCMC shall maintain a dedicated external hard drive for storing digitized publications and shall update the external hard drive with the latest publications every 30 calendar days.

2.B.5.c. The MCMC shall manage and provide MCPP-N and MCPP-PHIL all current electronic publications pertaining to prepositioned assets in Norway/Philippines (to include IETM disks as they are made available). The MCMC shall provide copies of all correspondence exchanged with MCPP-N/MCPP-PHIL, to include email(s) with attachments to the Norway/Philippines Branch.

2.B.6 Equipment Availability

2.B.6.a The MCMC shall report the operational status of all ME IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1, Appendix C) and MCO 3000.11E. GCSS-MC records shall be updated daily. There shall not be more than a 24 hour lag between actual equipment readiness and GCSS-MC reporting for both ashore and afloat-phase maintenance.

2.B.7 Preventive/Corrective Maintenance

2.B.7.a The MCMC shall maintain a Preventive Maintenance Checks and Services (PMCS) program for all MCPP materiel and Organic Government Furnished Equipment (GFE) IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1 Chapter 3.4), UM 4000-125 (Vol 3) and the applicable equipment technical publications (TM, TI, etc.).

2.B.7.b The MCMC shall incorporate RPAs (Robotic Process Automations) to the fullest extent possible when transacting in the APSR. The MCMC is responsible for implementing solutions that automate routine tasks, enhance data accuracy, and minimize manual interventions through seamless integration of RPAs.

2.B.7.c The MCMC shall use task templates for standardization of PMCS SRs by equipment TAMCN, ID number, and level of PMCS required. The template shall include specific requirements during PMCS that are required per the SOW (See SECTION C.3 – MAINTENANCE ACTIVITIES). “Task Notes” shall only be entered for those functions that were performed on the specific SR. If a Task has been cancelled, a task note shall be entered and state why. Task templates shall be approved by the Government MMO before they are submitted to be input into GCSS-MC. Any task template that is updated or removed by the MCMC shall be provided to the Government MMO section for approval before update in or removal from GCSS-MC.

2.B.7.d The MCMC shall maintain a Corrective Maintenance program IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1, Chapter 3.6), UM 4000-125 (Vol 3), and the appropriate equipment technical publications.

2.B.7.e The MCMC shall be responsible for overseeing and executing the management of Deferred Maintenance and Repairs (DM&R) for military equipment IAW CmdO 4790.1B. This includes accurately documenting equipment not in the active maintenance phase, assessing the impact of deferred maintenance on operational readiness, and ensuring the allocation of necessary resources to address identified maintenance needs in a timely manner.

2.B.7.f The MCMC shall comply with procedures for Cannibalization and Selective Interchange IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1 Chapter 3.8), UM 4000-125 Vol 3 S05.03) . Selective Interchange Authorization Letters shall be prepared and submitted IAW CmdO 4790.1 (Enclosure H-6).

2.B.7.g The MCMC shall maintain a Load Lifting Certification program IAW CmdO 4790.1B, MCO 11262.2, NAVFAC P-307 IAW SECNAVINST 11260.2_, TM 4700-15/1 (Chapter 2, 2-24 & 2-26) and the applicable equipment technical documents (TM, TI, etc.),

2.B.8 Maintenance Related Programs

2.B.8.a The MCMC shall execute Corrosion Control and Coating (C3) IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1 Chapter 4.7), MCO 4790.18C, TM 4795-12/1, and TM 4750-OD/1. C3 shall be conducted IAW a C3 assessment and prescribed maintenance timelines.

2.B.8.b The MCMC shall comply with the Enterprise Lifecycle Maintenance Program (ELMP) requirements IAW CmdO 4790.1B, MCO 4790.2 (Enclosure 1 Chapter 4.9) and MCO 4790.24.

2.B.8.c The MCMC shall maintain the Using Unit Account Manager (UUAM) program IAW CmdO 4790.1B and UM 4000-125 (Vol 5). The MCMC UUAM shall submit a validated GCSS-MC user accounts list to the government primary UUAM quarterly. Due

to the separate existing requirement to conduct two semi-annual validations of all user accounts in accordance with the UM 4000-125, the number of accounts validated quarterly should equal at least 50% of total enterprise users. The quarterly reporting requirement does not alleviate the requirement to conduct the semi-annual validations. Rather, the semi-annual validations shall be used to support the quarterly reporting requirement.

SECTION 2.C BUSINESS INTELLIGENCE & KEY PERFORMANCE INDICATORS (KPIs)

This section identifies the business systems and deliverables by which much of the contract performance rating for Program Management Effectiveness (PME) is derived. It is through these systems that the Command will gather the Key Performance Indicators (KPIs) that will inform the Command on the state of the MCMC's program management. The basis of these KPIs are values associated with cost (Cost CLINs), schedule, and product/service conformance. It is these KPIs that are applied to the three missions: Production (MMC), Sustainment Operations, and OCONUS Operations that comprise an overall empirical MCMC PME rating.

It is important to understand the distinction between conformance and performance. Where "conformance" values whether a product or service meets specific tolerances at the component/service level (a.k.a. acceptable quality level), "performance" values how well all parts are functioning as an integrated whole so that they are performing in the manner in which the entire system was intended to perform. When applying this concept to program management effectiveness this means affirming that the services the government receives are being effectively managed such that the highest possible conformance/performance is obtained at the lowest risk and lowest cost in three mission areas (Production (MMC), Sustainment Operations, and OCONUS Operations).

Additionally, the MCMC is responsible for developing and implementing local procedures (IAW International Standards Organization 9001, CmdO P5000.11, Management Procedures, and Work Instructions (ISOs)) that delineate those processes used to provide timely and accurate data within the defined systems of this section.

Using the full spectrum of business systems identified and referenced herein, the MCMC is responsible for fully and accurately entering data into those systems thereby enabling cyclical assessment of program management performance in as near real-time as practicable.

2.C.1 Business Operating Systems/Accountable Property System of Record.

2.C.1.a The following Business Operating Systems (BOSs) and Accountable Property Systems of Record (APSRs) are included below as they exist at the time this document is created. These BOS/APSRs will likely be updated or replaced throughout the life of the contract period.

2.C.1.b Production Planning and Control (PPC) tool. The MCMC shall use Microsoft Dynamic 365 as the enterprise production planning and control tool. The MCMC shall exercise control of the PPC to include:

(i) PPC Administration.

(a) The MCMC shall be responsible for the hardware and security administration for the PPC in accordance with Section C.11.

(b) MCMC shall administer the enterprise functions associated with the PPC such as users permissions, MCMC-required Enterprise data and features, and MCMC production plans/schedules.

(ii) Production Planning and Execution Support.

(a) MCMC shall create baseline production plans/schedules for all MCPP activities; maintenance(to include Care of Supplies in Storage (COSIS)), supply, medical, CBRN, SKC, WIR, mobile load, as directed by the Ship's/Period of Production Planning Considerations Letter produced by the Production – Planning and Execution Team (P-PET) IAW CmdO 4850.1.

(b) MCMC shall attend and participate in cyclical P-PET meetings, which occur no less than twice a month and may be required to meet weekly.

(c) MCMC shall create baseline production plan(s) for Government approval and maintain change control over the plans using the change control processes identified in CmdO 5202.1. The MCMC shall create and maintain, on a continuous basis (rolling three- year plan), a Navy Watercraft Master Schedule as described in Section C.6.

(d) MCMC shall update and maintain approved production plans daily during the execution of maintenance and repair activities with the data that represents the status of tasks; i.e. time, cost, condition/performance Task finish dates shall be populated with a date that is within seven (7) calendar days of the actual day the entry is made in the PPC tool. FMC shall be populated with a date that is within two (2) calendar days of the actual day the entry is made. Dates beyond this will be considered “backdated” and not conforming to the contract. Additionally, the MCMC shall conduct daily PPC quality control (QC) checks to ensure there is no backdating of entries as described above. MCMC shall provide production status charts

covering the KPIs of cost, schedule, and conformance as illustrated at SOW Attachments C.2.C-1a through C.2.C-1d. NOTE: Conformance is measured by means of the QMSS (see para C.2.D.1)

(e) MCPP-N Specific: The MCMC shall submit an Annual LST COMM/ELEC PMCS Plan utilizing the the PPC tool for all PO COMM/ELEC equipment located in Norway within 30 calendar days of contract award and annually no later than 01 October.

(f) MCPP-PHIL Specific: Within 30 days of task order award MCMC shall create an annual baselined production plan/schedule(s) for all MCPP-PHIL maintenance (to include Care of Supplies in Storage (COSIS)) and repair activities based on the government's fiscal year. The plan shall be segregated by quarters and presented to the Government for review, iterative collaboration if required, and approval; submit quarterly updates 30 days prior to the start of each quarter. The MCMC shall submit changes, if required, to the site quarterly maintenance plan, as result of equipment reductions, increases, and returns using the existing PPC schedule adjustment request (SAR) process. The MCMC shall update and maintain approved production plans during the execution of maintenance and repair activities with the actual data that represents as close to near real time as practicable the actual status of the tasks; i.e., time, cost, condition/performance.

(iii) Sustainment Operations Planning and Execution. MCMC shall create baseline production plans/schedules for all on island MCPP organic assets registered in APSRs (GCSS-MC, DPAS, etc.) that require services such as PM (including SL-3 inventories) or CM, IAW CmdO 5202.1 and CmdO 5201.1. GCSS-MC Assets shall be included in the applicable Ship's/Period of Production Project plans/schedules; DPAS assets shall be in separate Organic assets Project plans/schedules. MCMC shall publish updated production plans to the PPC tool

(iv) The MCMC shall participate in the Quality Meeting where results of production planning and execution are reviewed in light of a Cost Effectiveness Index (CEI) (Cost CLINs) and a Schedule Effectiveness Index (SEI) as seen in SOW Attachment C.2.C-2.

(v) The management effectiveness (ME) of the MCMC shall be valued in three mission areas: Production Operations (MMC), Sustainment Operations, and OCONUS Operations; and, in the three KPIs, Cost (Cost CLINs), Schedule, Conformance. The value of the ME performance is based on the ME scale at SOW Attachments C.2.C-3a through C.2.C-3b where -18 is the lowest possible score (Unacceptable) and +18 is the highest possible score (Exceptional). Details of this rating can be found in CmdO 5201.1. Variance in ME KPIs is evaluated

against those agreed to in the ships' kick-off meeting. Variance in ME KPIs for Sustainment Operations is evaluated against KPIs established by contract quality and schedule requirements. The MCMC is not required to be Earned Value Management (EVM) certified, however, EVM concepts and principles must be included in the methodology and techniques used to manage associated cost(s) (Cost CLINs) and schedule(s).

2.C.1.c Global Combat Support System - Marine Corps (GCSS-MC). The Government will provide software and systems update training for program wide use of this software application. The MCMC shall use GCSS-MC as the Enterprise Resource Planning system for all retail supply and field-level maintenance requirements in the execution of logistics functions in support of the MCPP. Similar to Oracle E-Business Suite (EBS), a widely used ERP system in commercial industries for supply chain management, maintenance management, and human resource functions, GCSS-MC integrates various logistics, financial, and maintenance functions into a unified platform specifically designed for the Marine Corps. The MCMC shall utilize GCSS-MC to record and report all maintenance and supply efforts IAW MCO 4790.2 and CmdO 4790.1. The eight (8) functional areas for recording and reporting are: maintenance management, maintenance administration, training, records and reports, PMCS/CM, equipment availability, publications control, supply support and maintenance programs. The Marine Corps Users Manual 4000-125 contain all the technical requirements associated with GCSS-MC. The Objective of these Marine Corps User's Manuals is to provide user documentation on functional procedures for executing supply and maintenance in the logistics continuum in both garrison and contingency/combat environments. This manual outlines those tasks required in utilizing GCSS-MC for retail supply accounts and maintenance activities at all levels. This manual is instructive to all personnel who must make reference to the GCSS-MC ERP tool; and this manual is to serve as a guide for training and educating personnel thereby reducing the impact during personnel turnover as it establishes a standard, repeatable, and auditable process common to all Marine Corps activities.

2.C.1.d Quality Management Support System (QMSS). The MCMC shall utilize the most current and approved Quality Management Support System (QMSS) software provided by the Government (currently MCPIC IPRIME Inspection Web and eQMS) for recording and responding to all quality related non-conformities introduced into the system IAW CmdO P5000.11. The Government will provide software licensing and initial as well as systems update training for program wide use of this software application. Specific policies governing the operation and administration of the BICmd use of the QMSS as a program wide KPI monitoring and measuring software can be found in CmdO P5000.11.

(i) QMSS KPI reporting is used by Blount Island Command (BICmd) and the MCMC in order to increase the efficiency, effectiveness, and repeatability of regular status reporting and performance reviews for each Maritime Prepositioning Ship (MPS) Maintenance Cycle (MMC) in accordance with CmdO

5201.1 and CmdO 5202.1. This establishes regular/frequent group communications and reviews that both BICmd and MCMC personnel can rely on to provide an opportunity to address issues, solve problems, and maintain awareness of the status of MMC production. The QMSS KPI dashboard has six parts that are intended to provide information on three specific Program Management areas – cost (Cost CLINs), schedule, and conformance. The six parts are as follows:

- (a) Quality Control Plan (QCP). The QCP is as described in Section C.2.D. and contains the KPIs that describe the state of the MCMC's quality control program.
- (b) Risk Control Plan (RCP). The RCP is as described in Section C.2.D. and contains the KPIs that describe the state of the MCMC's risk control program.
- (c) Nonconformance Report (NCR). The MCMC's requirement to respond to NCRs is as described in Section C.2.D and CmdO P5000.11.
- (d) Nonconformance Trend (NCT). The MCMC's requirement to respond to NCTs is as described in Section C.2.D and CmdO P5000.11.
- (e) End-of Ship MCMC Performance Review. The MCMC's requirement to respond to and participate in these End-of Ship MCMC Performance Reviews is as described in Section C.2.D and CmdO P5000.11,.
- (f) Quarterly Sustainment MCMC Performance Review. The MCMC's requirement to respond to and participate in the Quarterly Sustainment MCMC Performance Review is as described in Section C.2.D and CmdO P5000.11, Risk and Performance.

2.C.1.e Marine Corps Platform Integration Center (MCPIC). MCPIC is a net-centric system designed for the Operating Forces (OPFORs), Marine Forces (MARFORs), GCCs and Joint Chiefs of Staff (JCS) warfighters providing visible, accessible, and near real-time planning data for Marine Corps go-to-war combat capability sets loaded aboard Maritime Prepositioning Ships (MPS) or stored ashore in the Marine Corps Prepositioning Programs – Norway and Philippines. The Government will provide software and systems update training for program wide use of this software application (MCO 3000.17, Marine Corps Prepositioning Programs). The following reports, worksheets, letters and plans will be posted to MCPIC through the MMC production.

- Government Container Worksheet
- Squadron and Detailed Ship Plan
- Government approved Plans and Data Milestones

- Association Reference Table
- Association Plan
- Production Schedule
- Capability Set Letter (CapSet)
- Armory Plan
- MTRV Mix Worksheet
- HMMWV Mix Worksheet
- LVSF Mix Worksheet
- Sustainment Plan
- Government provided MRE Plan
- Class III Plan
- Class IV Lumber Plan
- Class IV Fortification Plan
- Class IX Plan
- Class IX Battery Plan
- OPP Block Plan
- T-AKE P-3 Block;
- Current Ship plans
- MMC Schedule

MCPN-N Specific. MCPN-N data will be a file transfer from NEIMS to MCPIC on a monthly basis.

2.C.1.f Defense Agency Initiative (DAI). The Government will provide software and systems update training for program wide use of this software application. Specific policies governing the operation and administration of the BICmd use of the DAI as a program wide performance monitoring and measuring software can be found in Command ISOs.

2.C.1.g Defense Property Accounting System (DPAS). The Government will provide software and systems update training for program wide use of this software application. Specific policies governing the operation and administration of the BICmd use of the DPAS as a program wide performance monitoring and measuring software can be found in MCICOMO 10100.1 Standard Operating Procedures for Garrison Property and Garrison Mobile Equipment Audit Preparation and Asset Management, Command ISOs, and SharePoint. DPAS is a Department of Defense (DoD) property management system. It is the Accountable Property System of Record (APSR). DPAS contains three modules, Property Accountability, Maintenance & Utilization and Warehouse Management. Reference Section C.4.

2.C.1.h Defense Medical Logistics Support System (DMLSS). The Government will provide software and systems update training for program wide use of this software application. Defense Medical Logistics Standard Support (DMLSS) is an IT system within the Defense Medical Logistics - Enterprise Solution (DML-ES) portfolio. The

DML-ES portfolio provides a continuum of medical logistics support for the Defense Health Agency. DMLSS supports all medical logistics functions in the Military Health System. DMLSS delivers an automated and integrated information system with a comprehensive range of medical logistics management functions. It is a local server-based application that supports medical logistics functions internal to a military treatment facility and War Reserve Management sites. DMLSS supports all local medical logistics business practices including catalog research and purchase decisions, customer inventory management, medical inventory management, biomedical equipment maintenance, property management, and assemblage management. DMLSS is currently undergoing a technical refresh.

2.C.1.i Navy Tactical Command Support System (NTCSS). The multi-application command and control support information system, used for Navy maintenance and logistics management. NTCSS is the Navy's program of record for management of ships, submarines, aviation squadrons, and intermediate maintenance activities (afloat and ashore). NTCSS was developed to merge 3 legacy programs: Shipboard Non-Tactical Automated Data Processing Program (SNAP), Naval Aviation Logistics Command Management Information System (NALCOMIS), and Maintenance Resource Management System (MRMS).

(i) NTCSS provides ship and aviation maintenance management, inventory management, supply and financial business management, administration, and personnel management to Navy and Marine Corps operational forces, afloat and ashore.

(ii) The MCMC shall use these two NTCSS applications to execute Navy maintenance and logistics requirements:

(1) Organizational Maintenance Management System-Next Generation (OMMS-NG) provides maintenance personnel access to maintenance information. This includes information concerning configuration items, work candidates, and ordering parts for equipment. OMMS-NG Tracking assists personnel in the planning, scheduling, and reporting of maintenance and related logistics support activities. This application interfaces with other applications in the NTCSS suite including RSupply. MCMC shall utilize this application in accordance with the direction provided in the Navy Section C.6. There is a comprehensive imbedded User Guide within the application.

(2) Relational Supply (RSupply) provides personnel the tools and functions necessary to perform their day-to-day business: ordering, receiving, and issuing of services and materials; maintaining financial records; and reconciling supply, inventory and financial records with the shore infrastructure. MCMC shall utilize this application in accordance

with the direction provided in the Navy Section C-6. There is a comprehensive imbedded User Guide within the application.

2.C.1.j. Fleet Management Information System (FMIS). FMIS is the HQMC-mandated IT system used for Non-Tactical Vehicles (NTV) equipment management. The MCMC shall utilize this application for Preventive Maintenance Checks and Services of organic NTV in accordance with the direction provided in the SOW Section C.2.B.7.a and MCO 11240.106.

2.C.2 Program Cost Summary. Specific policies governing the operation and administration of the BICmd use of the Program Summary as a program wide performance monitoring and measuring software can be found in Command ISOs and SharePoint. The overall objective is to accurately determine historical cost data and report monthly on a cumulative lifecycle program costs by ship and class of ship, MCPP-N and MCPP-PHIL. Therein, creating a methodology whereby cost data is collected, by ship, and presented for program manager analysis and action(s).

2.C.2.a KPI reporting is used by BICmd and the MCMC in order to increase the efficiency, effectiveness, and repeatability of regular status reporting and performance reviews for each Maritime Prepositioning Ship (MPS) Maintenance Cycle (MMC) in accordance with CmdO 5201.1 and CmdO 5202.1. This process will establish regular, frequent group communications and reviews that both BICmd and MCMC personnel can rely on and maintain awareness of the status of MMC production. The Program Cost Summary KPI dashboard has five parts that are intended to provide information on three specific Program Management areas – cost, schedule, and performance. The five KPI data elements are listed below. An illustration of the data elements is at SOW Attachment C.2.C-4.

(i) Subcontracts/Supporting Contracts. The MCMC shall provide information relative to subcontracts/supporting contracts that are employed by the MCMC to complete the assigned tasks.

(ii) Materiel. The MCMC shall provide information relative to the cost of all materiel buys supporting each ship's evolution and by ashore program (MCPP-N and MCPP-Phil). These materiel buys are all inclusive insomuch as they include buys made by the MCMC or subcontractors through the standard DoD procurement systems; or, buys made outside of those primary methods of order fulfillment.

(iii) Labor. The MCMC shall provide information relative to labor and associated labor burden(s). In addition, the MCMC shall provide aggregate cost associated with Program Management CLINs relative to Program Support as apportioned to respective ships and ashore Programs.

(iv) Travel. The MCMC shall provide information relative to travel and associated G & A.

(v) Training. Often MCMC and Government personnel are required to attend training on weapon systems modifications and/or new systems/materiel introduced into the MCPP. This training impacts the availability of both the MCMC and Government personnel. When not properly planned and managed, training has the potential to negatively impact the MCMC's product and/or services delivery, as well as the Government's QA of the product and/or service delivery.

2.C.2.b The MCMC shall participate in the Quality Meeting and address the six KPIs of Program Management/Management Effectiveness, to include the MCMC actions that are planned to correct negative trends in any KPI(s).

SECTION 2.D RISK AND PERFORMANCE

This requirement sets forth the responsibilities of the MCMC for: a) establishment and management of a Quality Control (QC)/Risk Control (RC) program that meets requirements for continued International Organization of Standards (ISO) 9001 certification (currently 9001:2015) with the MCMC included in the scope of the certification; b) use of the government provided quality management support system (QMSS) software, (currently MCPIC IPrime Inspection Web and eQMS modules), used for conducting and capturing quality control inspections, tracking, tracing, trending, and resolution of non-conforming products and services as well as managing audits and corrective; c) consideration and compliance with the Command's Quality Manual (CmdO P5000.11). These requirements are program wide and cover home station operations as well as operations overseas and afloat on the prepositioning ships. The MCMC shall adhere to all requirements identified within the SOW to the standards and quality levels identified, however, critical services are described in the Performance Requirement Summary (SOW Attachment 2.D-1).

The MCMC shall create internal quality and risk control policies and procedures to provide effective management and cost control (Cost CLINs) of the processes used to realize the products and services of the MCPP contract. These policies shall be compliant with, and supportive of, the Command's ISO 9001:2015 certification.

The MCMC shall dedicate sufficient QC/RC Program Quality Inspectors (QI) and Process Control Analysts (PCA) with appropriate knowledge of the specific equipment, supply and maintenance administration required to effectively conduct quality control of MCPP military equipment. The MCMC shall include these personnel in the PPSP identified in paragraph 1.H.2.b of this document. The QIs and PCAs shall report directly to an independent Quality Manager (QM) and be independent of the maintenance and production efforts. QC/RC Program QI, PCA and QM, as agreed upon during the semi-annual PPSP, will be designated by name to support MCPP quality requirements as these individuals will be the primary focal points for government COR, COTR and QAR interactions.

The Command's ISO certification requirement is a joining of the two aspects of quality; quality control and quality assurance; where the MCMC has quality control responsibilities, and the government has quality assurance responsibilities. By extension this concept also applies to program risk identification and mitigation. Because proper program management oversight and control of quality and risk requires a holistic symbiotic relationship between quality control/risk control and quality assurance/risk assurance a comprehensive joined program must exist. It is for this reason the requirement for ISO 9001 exists; and, moreover, the requirement to be certified in ISO 9001:2015 compliance with the MCMC included in the certification scope.

The QMS utilizes the MCPIC IPrime Inspection Web and eQMS modules to record the sum of the QMS activities. Within 60 calendar days of contract award a three-day government-provided training on the systems use/utility for the MCMC's quality control team will take place.

2. D.1 QUALITY CONTROL REQUIREMENTS

2. D.1.a The MCMC shall provide Quality Control of products and services IAW FAR 52.246-11, ISO 9001:2015, and CmdO P5000.11.

(i) IAW CmdO P5000.11, the MCMC shall use the Government provided QMSS to conduct, capture and record all quality control inspections, internally track, trend, trace, and document resolution of quality control/assurance non-conforming product(s)/service(s) as well as responding to non-conformance findings discovered by external agents.

(ii) The MCMC shall respond to Government QA non-conformances initiated in the QMSS; i.e., Nonconformance Reports (NCRs) and Nonconformance Trends (NCTs). Official communications in response to non-conformances initiated by the Government QAs shall be entered into the QMSS. The MCMC shall acknowledge non-conformance findings within 1 work day by either accepting defects and assigning tasks or by disputing the defect.. The MCMC shall resolve non-conformance by the due date on the NCR or NCT or request and be approved for due date extension.

2. D.1.b The MCMC shall develop and submit a draft Risk and Performance Policy in alignment with CmdO P5000.11 within 30 calendar days of contract award and submit a final review for Government approval within 60 calendar days of contract award in order to maintain continuity of risk and quality operations between Government and MCMC programs in support of the Command's ISO 9001 certification. The approved policy is subject to validation by an accredited (American National Accreditation Board (ANAB) or Registrar Accreditation Board (RAB) third party auditor for ISO 9001:2015 certification and/or surveillance every six months (semi-annually) thereafter to remain ISO 9001:2015 certified. The MCMC shall be included in the scope of the Command's ISO 9001 certification.

(i) The MCMC shall be subject to a government analysis and assessment of the Quality and Risk Control Plan (Q&RCP) draft for government review within 30 calendar days of contract award and for final review within 60 calendar days of contract award. The Q&RCP shall comply with ISO 9001:2015, CmdO P5000.11, and shall contain the following: quality control and risk performance levels for each government defined contract deliverable as well as internal Key Performance Indicators for the Q&RCP. The MCMC shall update the Q&RCP such that it passes the semi-annual 3rd Party Audits and recertification; all Q&RCP revisions shall be submitted to the Government for review and approval.

(ii) The MCMC shall be subject to a government analysis and assessment of the Quality Key Performance Indicator (KPI) control charts on a quarterly basis for all internal quality control elements used to support the quality control plan portion of the Q&RCP. The Quality KPI Charts shall be provided IAW CmdO P5000.11 and CmdO 5201.1.

2.D.1.c The MCMC shall participate in the Ship's Kick-Off briefing IAW CmdO P5000.11, and CmdO 5201.1. Participation is required to present the projected cost, schedule, conformance, and risk baseline for each ship's MMC.

2.D.1.d The MCMC shall participate in End-of-Ship (EOS)/ Period of Performance MCMC performance review IAW CmdO P5000.11. Participation is required to review cost, schedule, conformance and risk variations from those agreed to at the Ship's Kick-Off briefing as well as review of lessons learned that may be executed as CPI initiatives moving forward. The MCMC shall provide specific details for why KPIs covering cost, schedule, conformance and risk were different from those agreed to at the Ship's Kick-Off Briefing.

2.D.1.e The MCMC shall maintain an annual ISO 9001:2015 Internal Audit Program IAW 9001:2015 and CmdO P5000.11.. The MCMC shall submit, for government approval, a rolling three-year audit schedule NLT the 2nd week in September for the next fiscal year. The audit schedule shall be designed in such a fashion that all applicable areas of the ISO 9001:2015 are audited at least once every three years and internal MCMC processes are audited as well. Upon approval by the government, the internal audit schedule shall be added by the MCMC Quality Manager to the MCPIC IPRIME eQMS Audit Module. Internal audits shall be conducted according to the annually approved Audit Schedule. The MCMC shall provide updates regarding the internal audit schedule at each Quality Meeting.

2.D.1.f The MCMC shall report on Continuous Process Improvement (CPI) of the Quality Management System as well areas of quality performance gaps/trends IAW CmdO P5000.11. The MCMC is expected to use industry best practices for data collection, analysis and seek Government approval for implementation (when required) for CPI. The MCMC shall provide a CPI summary brief at each ISO 9001 Quality Management Review occurring every six months.

2.D.1.g The MCMC shall provide a Quality Control Plan (QCP) no later than 01 November on an annual basis. The QCP details how the MCMC intends to provide surveillance and verification of the performance requirements contained within the SOW. The QCP shall include, but not be limited to, the following:

- (i) Contain procedures for written and verbal communication with the Government regarding performance of the contract
- (ii) Contain clear, measurable, and acceptable levels of performance
- (iii) Contain procedures for preventing defects and deficiencies, early detection of problems, and handling corrective actions without dependence upon Government intervention
- (iv) Contain surveillance procedures for each service to be monitored under this SOW. These procedures shall identify the list of items under surveillance, who will perform the surveillance, the frequency and method of surveillance, and procedures for correction of deficiencies.
- (v) Include a system to investigate and resolve customer complaints forwarded by the Government. The investigation results shall be documented and forwarded to the Government to include immediate corrective actions.
- (vi) Files shall be maintained and be available to the COR upon request.

SECTION C.3 –MAINTENANCE ACTIVITIES

3.A INTRODUCTION

This section delineates the requirements for equipment maintenance services to be accomplished by the MCMC during the MPF Maintenance Cycle (MMC) in support of Marine Corps ground Military Equipment (ME) and Navy Civil Engineer Support Equipment (CESE) required for Maritime Prepositioning Ships (MPS), MCPP-N, MCPP-PHIL, and future ashore site(s) per MCO 3000.17 and TM 4790-14/2. The primary mission of the overall maintenance effort is to identify, plan, perform, and provide effective maintenance solutions for MPS, MCPP-N, MCPP-PHIL and future ashore site military equipment, in accordance with applicable Marine Corps orders and applicable technical publications for the respective equipment. The secondary mission is to identify and report negative trends found with MCPP ME and CESE assets. The MCMC shall submit official correspondence to the Government identifying the negative trend(s) and the recommended corrective actions necessary to prevent the negative trend from re-occurring in the future. The Government will review and provide approval before the MCMC implements any recommended corrective action.

The diversity and quantity of Navy and Marine Corps ground military equipment covered under the scope of this section is extensive. Consequently, it is impractical to provide a complete listing of all required publications. Equipment associated technical publications required to support the scope of work identified in this section shall be determined by the equipment's unique

Identification Number (ID) and levels of authorized maintenance identified herein. To obtain equipment ID numbers, the MCMC shall cross-reference the National Stock Number (NSN) found on the equipment's data plate with the Marine Corps Stock list of Applications Lists (SL 6-1/6-2) located in the electronic Federal Logistics Data Catalog (FEDLOG). Equipment TAMCN and ID numbers are used on the Marine Corps Technical Publications website (TDM-Publications) to obtain a current listing of authorized technical publications (TIs, SIs, TMs, MAMs, SOUMs, SL-3s, ECPs, and DPs) that support each unique item of equipment.

Maintenance services shall be performed in accordance with MCMC-developed and Government-approved production and delivery schedules. Maintenance services (preventative and corrective maintenance, modifications, calibration, special function tests, certification of tactical fuel system, battery services, load test certification, fuel filtration service, corrosion control, SL-3 inventory, shelflife and service-life management, limited technical inspection, equipment configuration, and care of supplies in storage [COSIS]) shall conform to the specifications described within the SOW. MCMC Quality Control (QC) and Government Quality Assurance (QA) measures will be governed by the performance requirements and standards associated with applicable sections of the SOW and MMSOP.

3.A.1 MAINTENANCE REQUIREMENTS

The maintenance requirements listed in this section apply to all MCPP ME and Navy CESE assets, to include equipment received as a result of equipment modernization programs, stock rotation programs, and any additions to the Prepositioning Objective and/or equipment set(s). Refer to Section C.6 for Navy CESE specific maintenance requirements. The term "equipment" used herein refers to Class II and Class VII ME and CESE assets in support of each individual MPS, MCPP-N, MCPP-PHIL, and future ashore site(s). To ensure an effective maintenance effort and appropriate level of equipment readiness, the MCMC shall ensure that requirements outlined in other appropriate sections within the Statement of Work (SOW) are met. Maintenance requirements listed in this section shall be identified and captured as individual tasks on an appropriate GCSS-MC Service Request IAW CmdO 4790.1_ (MMSOP). Maintenance activities may be required at other locations/off-load sites and/or during other periods/occasions and will be identified and negotiated by the Government when required.

3.A.1.a The MCMC shall perform Limited Technical Inspections (LTIs) on ME and CESE assets IAW TM 4700-15/1, applicable equipment TMs, TIs, MCO 4400.201 and UM 4000-125. LTIs shall be completed to determine equipment overall condition during the equipment maintenance acceptance phase, or when requesting disposition instructions and equipment investigation actions for ME and CESE assets. Completed LTIs shall contain an assigned condition code in accordance TM 4700-15/1. LTIs associated with investigations and beyond economic repair, shall contain a repair cost estimate (labor and materials) and assign a condition code in accordance with TM 4700-15/1_ and MCO 4400.201. The MCMC shall perform an equipment road/operational test during the LTI effort associated with wheeled (including medium and heavy trailers) and tracked vehicles, unless restricted by local base operation regulations.

3.A.1.b The MCMC shall perform special function tests on ME and CESE assets. In order to mitigate the need for equipment disassembly or unpackaging to support the Governments Quality Assurance (QA) functions, some QA inspections shall take place prior to the equipment being declared in a Full Mission Capable (FMC) status. To facilitate these In-Process Inspections, the services to be delivered and evaluated during QA inspections prior to FMC will be defined in Joint ISO procedures. The MCMC shall notify the appropriate Government commodity QA supervisor on site within 24 hours, via email, before performing the equipment operational function tests outlined below.

(i) The MCMC shall perform operational function test of the pumping mechanisms on bulk liquid tanker pumps and dispensing equipment IAW applicable equipment TM(s) during each of the equipment's designated MMC and MCPP-PHIL production period. Perform operational function test of the pumping mechanism on Semi-Trailer Refuelers Flat Rack Capability (FRC), MTVR Fuel Trucks, Field Service Trucks, Water Distribution Trucks, Crash Fire and Rescue Trucks, Tactical Water Purification Systems (TWPS), Food Service Systems, and certain Fuel and Hygiene equipment. Over pack two sets of filters in support of the AMK970 and square loaded FRCs, per equipment TM. Filters shall be stowed on the AMK31 (or MK31) Tractors and IAW Ships' Association Plans ISO the FRC.

(ii) The MCMC shall purge and clean fuel containers on ME and CESE assets IAW applicable equipment TMs, Defense Transportation Regulation (DTR) 4900-R, Title 49 CFR during each of the equipment's designated MMC production period. Bulk fuel carriers and containers are purged, cleaned, and tested to determine the lower explosive level before performing maintenance and cargo movement. Vehicles and general supply fuel cans shall be drained and cleaned with soap and water. Fuel cans shall be completely dry before packing and/or storage.

(iii) The MCMC shall test for the lower explosive level of bulk fuel carriers and containers IAW applicable equipment TMs, DTR 4900-R, UM 4000-125, Title 49 CFR during each of the equipment's designated MMC and MCPP-PHIL production period. For ME that is managed in GCSS-MC, the MCMC shall attach supporting documentation within the equipment GCSS-MC Installed Base Notes Section and record the actual lower explosive level reading within the Service Request Task Notes section. For ME that is not managed in GCSS-MC, the MCMC shall place supporting documentation in the equipment local record folder IAW TM 4700-15/1.

(iv) The MCMC shall perform operator functional testing for tactical communication systems in Navy lighterage in accordance with Government approved production schedules and applicable TMs.

3.A.1.c The MCMC shall perform Preventive Maintenance Checks and Services (PMCS) on ME and CESE assets IAW applicable equipment TM, CmdO 4790.1 (MMSOP) during each of the equipment's designated MMC and MCPP-PHIL production period. Upon induction of ME into an active maintenance phase, the MCMC will perform the designated PMCS level on associated military equipment, for each occasion described in CmdO 4790.1 (MMSOP) IAW Section C.2.B.7. During the PMCS actions, the MCMC shall perform equipment exercise/road testing IAW the MMSOP. The service requirements established below shall be met during all levels of PMCS, regardless of level designation (e.g. "Monthly", "Annual") or hour/miles/rounds accumulated on equipment Elapse of Time/Distance (EOT) instrumentation.

(i) The MCMC shall replace all fuel filters on ME and CESE during PMCS actions IAW technical procedures listed in applicable equipment TMs. Change primary, secondary, and water separator fuel filters during each of the equipment's designated MMC and MCPP-PHIL production period.

(ii) The MCMC shall replace the paper hydraulic filters in the LAV FOV as a part of PMCS actions during each of the equipment's designated MMC production period and IAW technical procedures listed in applicable equipment TMs. Services and components replacement shall be recorded as a separate task under the PMCS Service Request in GCSS-MC.

(iii) In lieu of oil and filter replacement requirements identified in military equipment TM PMCS tables, the MCMC shall test the oil in engines, transmissions, transfer cases, differentials, drive axles, planetary drives, gear boxes, and hydraulic systems during each of the equipment's designated MMC production period and shall only replace oil and filters when contamination is detected. Additional details of this requirement are listed in CmdO 4790.1_.

(iv) The MCMC shall service, and if necessary, replace the air system filter components listed below as a part of PMCS functions during each of the equipment's designated MMC and MCPP-PHIL production period and IAW technical procedures listed in applicable equipment TMs. Services and components replacement shall be recorded as a separate task under the PMCS Service Request in GCSS-MC.

- a. MTRV FOV: Dryer Air Filter & Aftercooler Filter
- b. LVSR FOV: Air Dryer (Desiccant Cartridge) Filter
- c. P19R FOV: Air Dryer (Cartridge Dehydrator) Desiccant
- d. JLTV FOV: Air Dryer (Dehydrator) Filter
- e. LAV FOV: Air Dryer (Desiccant Cartridge) Filter

(v) The MCMC shall perform an equipment maintenance Service Upon Receipt (SUR) for all MPS, MCPP-N, MCPP-PHIL, Organic (M92502) and CESE Military Equipment. The MCMC shall review applicable warranty periods when

scheduling SUR services and complete SUR before the warranty period expires or within 45 days, whichever is sooner. SUR for all received ME and CESE assets shall be IAW procedures listed in applicable equipment technical documents (FP, TM, TI, SI, etc.) The SUR effort includes Collateral Material, Supply System Responsibility Items (SSRI), Basic Issue Items (BII), and tools, sets and kits.

(vi) The MCMC shall test and service ME and CESE assets' engine coolant systems in conjunction with PMCS services IAW TB 750-651 and applicable technical procedures listed in TMs during each of the equipment's designated MMC and MCPP-PHIL production periods. Utilize ethylene glycol antifreeze for equipment cooling systems and ensure the concentration is 50/50 for "Normal Environment." Military equipment under warranty shall be tested and serviced IAW applicable equipment TMs until warranty coverage period has expired. MCMC shall ensure coolant freeze point protection is set at a minimum of -34°F and not more than -40°F. MCMC shall ensure nitrite concentration for ethylene glycol antifreeze 50/50 mixture is between 1200 and 1400 ppm. MCMC shall record the anti-freeze type and protection readings as outlined in CmdO 4790.1_ (MMSOP).

(vii) The MCMC shall disconnect and disable all ether cylinders contained on ME and CESE assets IAW applicable technical procedures listed in TMs during each of the equipment's designated MMC production period. The ether cylinder will be capped off to prevent accidental expenditure of the ether gas. For those cylinders that cannot be capped off, the MCMC shall install a new unactivated ether cylinder. The unactivated ether cylinder shall be installed and secured in its designated bracket/holder.

(viii) The MCMC shall replace lubricity fuel filters and in-line fuel strainers for ME and CESE IAW technical procedures listed in applicable TMs during each of the equipment's designated MMC and MCPP-PHIL production period. Fuel filters and strainers shall be permanently marked with date changed (MM-DD-YYYY). Service shall be recorded as a separate task under the PMCS Service Request in GCSS-MC.

(ix) To mitigate component failures associated with TAMCNs A0097 (AN/VRC-110) and A0135 (AN/VRC-112), the MCMC shall disconnect the vehicular DC power cable (CX-13302) from J27 (DC PWR INPUT) on the SINCGARS Interface Module (SIM) when radio systems are not in an operational, maintenance, or inspection status (LTI/QC/QA). Install protective covers on J27 of the SIM and P2 of the DC power cable when disconnected.

(x) When ME and CESE are subject to a high-pressure wash after initial PMCS requirements have been completed, the MCMC shall apply fresh lubricant to lubrication service points affected by the wash, as identified in the equipment TM, Lubrication Order/Instruction, or data plate. For equipment that is road tested by QC or QA personnel, this requirement shall be accomplished prior to final staging

and stowing. For other equipment, this requirement shall be accomplished prior to placing the equipment into an “FMC” status.

MCPP-N Specific (3.A.1.c): The MCMC shall perform, Preventive Maintenance Checks and Services (PMCS) and Corrective Maintenance (CM) only on Communications/Electronic (COMM/ELEC) assets to include CCI/KMI (Key Management Infrastructure) located in Norway.

3.A.2 The MCMC shall conduct certification and testing of load-lifting ME and CESE assets IAW Section C.2.B during each of the equipment’s designated MMC and MCPP-PHIL production period. The MCMC shall provide formal notification of scheduled inspections and tests to the Government not less than 24 hrs prior to performance. Inspection, testing and certification of Marine Corps tactical load lifting per MCO 11262.2_, technical manual, and per NAVFAC P-307 for CESE.

3.A.3 The MCMC shall perform management, maintenance and certification of tactical fuel and water systems and their components IAW applicable technical and policy documents during each of the equipment’s designated MMC and MCPP-PHIL production period. The following amplifying directions are applicable:

3.A.3.a Transportable fuel and water systems and their components designed with the use of ISO container fittings/couplings shall be inspected and certified IAW MCO 4690.1_ (MARINE CORPS CONTAINER MANAGEMENT POLICY).

3.A.3.b The MCMC shall manage an elastomeric service life program for Tactical Fuel Systems (TFS) in accordance with TM 3835-OI/1_ and TI 10340-12/1_. The following clarifications of service life standards for prepositioned TFS elastomeric components shall be followed:

(i)Unused Condition. For the MPS program, elastomeric components shall have a minimum of 36 months of unused service life remaining at respective ship’s backload dates. Unused components not meeting minimal service life standards are considered expired and shall be replaced. MCPP-PHIL is exempt from the 36-month requirement (elastomeric components shall have at least 25 months of unused service life remaining at the time of shipment from BICmd to MCPP-PHIL).

(ii)Used Condition. The MCMC shall replace used components of TFS for prepositioning.

(iii)Even though service life standards for TAMCN B0570 (500 GAL Fuel Drum) are not currently listed in M 3835-OI/1_ or TI 10340-12/1_, the MCMC shall enter all available elastomeric component data into the “PM ES ELASTOMERIC SHELF LIFE” module in GCSS-MC (as shown in Fig. 9 & 10 in TI 10340-12/1).

3.A.3.c The MCMC shall complete service life certification inspections upon receipt of elastomeric components during each of the equipment's designated MMC and MCPP-PHIL production period.

3.A.3.d The MCMC shall ensure that personnel assigned to conduct service life certification inspections for TFS components are trained and experienced to the equivalent of Marine Corps Fuel Officers or Staff Non-Commissioned Officers (MOS 1390 or 1391).

3.A.3.e The MCMC shall list all 2", 4", and 6" x 25 feet/50 feet long fuel hoses for each TFS on a service life tactical hose tracking record IAW TM 3835-OI/1_. Completed fuel hose tracking records shall be attached to an Item Instance Note for each TFS (e.g. AAFS, ERS, HERS, SIXCON Pump Module, and TAFDS) in the GCSS-MC Installed Base.

3.A.4 The MCMC shall test, service, and maintain ME and CESE batteries, to include performing battery tests and services in conjunction with scheduled PM and COSIS services. The MCMC shall ensure military equipment batteries remain connected to equipment electrical systems throughout COSIS and MMC production phases to take advantage of available pulse charging technology when installed on square loaded military equipment.

3.A.4.a The MCMC shall test, service and maintain equipment lead-acid batteries IAW TM 9-6140-200-13 during each of the equipment's designated MMC and MCPP-PHIL production period.

3.A.4.b MCMC shall install a single dry inactivate 4HN series 24-volt military standard battery into each model MEP-831A generator (TAMCN B0730), in lieu of the Concorde model RG-24 24-volt battery.

3.A.4.c The MCMC shall charge and test all hold-up batteries (HUBs) for Tactical Hand Held Radios (THHRs) IAW applicable equipment TMs during each of the equipment's designated MMC and MCPP-PHIL production period. Li-Ion hold-up batteries are present in many communications assets installed on Alpha, Bravo, Delta, and Echo parent TAMCN military equipment. They may be configured as stand-alone items, SL-3 SSRI, or SL-3 UURI. The MCMC shall replace THHR HUBs which will not charge to a minimum of 3.5 VDC. All THHRs shall be stored within a secured SAPS battery charger until the THHR has been directed to be issued to an authorized agency. THHRs stored within SAPS shall be tagged and visually identifiable to the parent end item from which they are separated.

3.A.4.d The MCMC shall properly store and charge all Uninterruptible Power Supplies (UPS) for ME IAW TI 2000-OR/ and applicable equipment TM. The requirements of this task may dictate that the UPS associated with some ME needs to be stored separately from its "parent" end item.

3.A.5 The MCMC shall perform fuel filtration services on ME and CESE assets IAW fuel filtration TM during each of the equipment's designated MMC and MCPP-PHIL production period. Perform filtration services on fuel contained in equipment fuel cells. Fuel cells that will not interface directly with the filtration unit shall have the fuel drained, processed, and cleaned through the local filtration unit. All fuel in newly received equipment will also be processed and cleaned through the filtration unit during the Service Upon Receipt actions.

3.A.6 The MCMC shall wash and clean ME and CESE assets upon completion of the production maintenance phase IAW technical procedures listed in applicable equipment TM during each of the equipment's designated MMC and MCPP-PHIL production period. The MCMC shall remove all mud, dirt, sand, oil and any other environmental/industrial contaminants. Operator station/cab and tool/SL-3 stowage compartments shall be clean and free of trash and debris.

3.A.7 Lubrication Service. The Contractor shall apply fresh lubricant to all the lubrication service points for ME and CESE assets as shown in the equipment TMs, lubrication order/instruction, or data plate. This requirement shall be performed after the post-maintenance final rinse and prior to staging (rolling stock) or packing (boxed, pallet, breakbulk, or container items).

3.A.8 Corrective Maintenance (CM) on ME and CESE assets. Equipment administration reporting and documentation requirements are contained in Section C.2.B.3 of the SOW.

3.A.8.a The MCMC shall identify, via a GCSS-MC service request, all CM required to return ME and CESE assets to a Mission Capable (MC) status IAW MCO 4790.25 and applicable equipment TMs. Use applicable PMCS tables and LTI forms to capture and identify Combat Essentiality Code/Criticality Code (CEC/CRIT) "3", "5" & "6" defects and Non-Mission Capable faults associated with ME and CESE assets. When PMCS tables and/or LTI forms do not provide CEC/CRIT or Non-Mission Capable criteria, the MCMC shall use FEDLOG to look up and determine CEC/CRIT for repair part NIINs. In FEDLOG, if the "SL-6-2", via USMC Appian Platform, data table lists a CRIT code for a NIIN specifically associated to an end item Equipment ID#, then the CRIT code will take priority over the CEC code listed in the "Mgmt Control Marine Corps" data table.

3.A.8.b The MCMC shall perform CM required to return ME and CESE assets to a Mission Capable (MC) status IAW MCO 4790.25, applicable equipment TMs during each of the equipment's designated MMC and MCPP-PHIL production period. The MCMC shall perform all maintenance at the Field Level of Maintenance (LOM) as defined in MCO 4790.25. CM consists of all maintenance actions performed to restore military equipment to a MC status.

3.A.8.c The MCMC shall perform special maintenance actions for ME and CESE assets IAW published Safety-Of-Use Messages (SOUM), Maintenance Advisory Messages (MAM), Maintenance Information Messages (MIM), Ground Precautionary Messages/Advisories (GPM/A), CmdO 4790.1 (MMSOP) and Government provided timelines. SOUM, MAM, MIM, and GPM/A are published via Naval Message or other

official communication to inform operators and maintainers of potential safety concerns and/or capability limitations (until corrected) regarding the use and employment of military equipment and supplies. If production scheduling requirements cannot meet compliance periods/timelines as published in the SOUM, MAM, MIM, GPM, the Government will provide alternate compliance periods/timelines via the schedule adjustment request process.

3.A.8.d The MCMC shall conduct SL-3 inventory on ME and CESE assets during the maintenance induction phase IAW TM 4700-15/1, applicable equipment TM during each of the equipment's designated MMC and MCPP-PHIL production period. Using Unit Responsibly Items (SL-3 components) allowances, associated with ME, are addressed in Section C.4 and Section C.2.B.3 of the SOW.

3.A.8.e The MCMC shall ensure ME and Navy CESE SL-3 components meet prepositioning shelf life criteria IAW MCO 4000.58 (Ch 4, par 4.a.), FEDLOG Shelf Life Code (SLC), and the applicable TM during each of the equipment's designated MMC and MCPP-PHIL production period. SL-3 material not meeting prepositioning shelf life and service life criteria shall be removed, marked as missing, disposed of, and reported as a planned SL-3 deficiency IAW Section C.2.B.3 of the SOW. MCPP-PHIL components shall have at least 25 months of unused service life remaining at the time of shipment from BICmd to MCPP-PHIL.

3.A.8.f The MCMC shall ensure calibration services are completed for ME and CESE assets during the production maintenance phase IAW UM 4000-125, FEDLOG Operational Test Code (OTC), and the applicable TM during each of the equipment's designated MMC and MCPP-PHIL production period. Test, Measurement, and Diagnostic Equipment (TMDE) are tools that are used to perform qualitative/quantitative measure and generally require control, inventory, and maintenance. Performance of calibration will be per the procedures established in Section C.2.B of the SOW.

3.A.9 Modification Instructions (MIs) on ME and CESE assets.

3.A.9.a The MCMC shall identify all MIs associated with ME and CESE assets IAW Section C.2.B during each of the equipment's designated MMC and MCPP-PHIL production period. The MCMC shall notify the Government of MIs published by the Marine Corps that have potential application for Navy CESE assets. The Government will provide direction regarding which modifications to accomplish for Navy CESE.

3.A.9.b The MCMC shall perform all required MIs associated with ME and CESE assets IAW equipment MI during each of the equipment's designated MMC and MCPP-PHIL production period. The MCMC shall complete modifications in accordance with MIs as authorized under the scope of this contract at the Field Level of Maintenance (LOM) as defined in MCO 4790.25. Equipment modification reporting administration requirements are contained in Section C.2.B.3 of the SOW.

3.A.9.c The MCMC shall identify all ME and CESE assets that require MIs beyond Field Level repair IAW equipment MIs, a minimum of 30 days prior to the equipment's next designated MMC or MCPP-PHIL production period. Equipment modification administration and reporting requirements are contained in Section C.2.B.3 of the SOW.

3.A.9.d The MCMC shall install a retrieval hitch onto each Medium Crawler Tractor (TAMCN B0060) equipped with a ripper attachment (TAMCN B0079) in accordance with MI 11569A-23/1 to meet the production plan requirements.

3.A.10 The MCMC shall perform COSIS of Class II and VII Marine Corps ME and Navy CESE assets in open storage IAW CmdO 4450.1_ COSIS Order.

MCPP-PHIL specific: 90-day COSIS shall be performed on all PO assets stored indoors.

3.A.11 The MCMC shall complete equipment forms and maintenance records for ME and CESE assets IAW Section C.2.B prior to presenting equipment to the Government for acceptance.

3.A.12 PMCS on Organic Support assets. PMCS for all Government Furnished Equipment (Non-PO equipment) shall be conducted IAW the applicable timeframes and methods outlined within equipment Technical Manuals (TM) and/or OEM manuals, and in accordance with the PMCS roster established for GFE equipment.

3.A.13 Preventative/Corrective Maintenance of Organic GFE. The MCMC shall perform Preventive Maintenance Checks and Services (PMCS) and Corrective Maintenance (CM) for all Organic Government Furnished Equipment (GFE) IAW CmdO 4790.1_, MCO 4790.2, MCO 4790.25, UM 4000-125 and the applicable Technical Manuals (TMs).

3.A.14 Exemptions and Waivers. Many of the specific requirements referenced in this contract are written for operational Marine forces and do not universally apply to the MCPP program. Below is an accounting of exemptions and standing waivers, along with explanations, releasing the MCMC from strict adherence to those requirements. The MCMC shall adhere to these exemptions and waivers. Applicable exemptions and waivers:

Annual Load Testing IAW MCO 11262.2: The MCMC is waived from performing the required annual load testing and certification for prepositioned Marine Corps Tactical Ground Equipment during the 36 months afloat-phase, due to equipment unavailability.

3.A.15 The following prepositioned Military Equipment has a CBRN collective protective system which includes CBRN filter(s). The MCMC shall pack and load unused Condition Code A "contingency" CBRN filters on each vehicle, as listed below, prior to declaring the vehicle in a Fully Mission Capable (FMC) status.

<u>TAMCN</u>	<u>NOMENCLATURE</u>	<u>FILTERS REQUIRED (Qty)</u>
D1001	TRK, AMBULANCE, 4-LTR, ARMD	M19 (1), M18A1 (1)

3.A.15.a The MCMC shall verify that a set of “training” CBRN filter(s) is installed in each vehicle’s collective protective system, in accordance with the equipment technical manual.

3.A.15.b The MCMC shall manage and update shelf life information associated for each type of CBRN filter IAW Section 4.C.5.d.

3.A.16. Portable Fire Extinguishers. When replenishing SL-3 portable fire extinguishers associated with Military Equipment, the MCMC shall ensure a required SL-3 “Maintenance” SR has been established to properly reflect the SL-3 component part requirement. For extinguishers which are an SL-3 SSRI or UURI component of parent ME, the MCMC shall record each portable (SL-3 component) fire extinguisher serial number in the “Remarks” column of the individual equipment SL-3/TM Inventory Extract Record for any portable fire extinguisher that has an assigned manufacturer’s serial number.

3.A.16.a The MCMC shall identify, in the “Remarks” column of the SL-3 Extract Record, the actual storage location of portable fire extinguishers (components of ME) that are stored away from their parent. The remarks shall reflect the actual Container Number or Vehicle’s USMC/Navy Registration Number where the fire extinguisher is stowed, vice using the term “HazMat”. The MCMC shall also ensure each individual fire extinguisher that is stored away from its parent is properly captured (Log Set) in MDSS-II or subsequent embarkation data AIS (e.g. IMARK, etc.).

3.A.16.b The MCMC shall record all inspections, maintenance, and testing of MCPP portable fire extinguishers as a specific task on the parent’s GCSS-MC “SR” in accordance with UM 4000-125 and Section C.4 paragraphs 4.D.12 of the SOW.

3.A.16.c In addition to fire extinguishers and the subject requirements for them, KBR shall also inspect and service all fire bottles contained in individual fire suppression systems (AAV, LAV, LVSR, MTRV, JLTV, ECV FOV, etc.) in accordance with the technical instructions contained in the individual equipment technical manuals.

3.A.17 The MCMC shall ensure that Non-Destructive Testing (NDT) is performed on all specified load-sustaining components of Tactical Ground Load Lifting Equipment in accordance with MCO 11262.2_.

3.A.17.a For both Organic GFE and Prepositioned Military Equipment in production at BICmd, the MCMC shall coordinate with Marine Depot Maintenance Command (MDMC) Albany, GA for scheduling the delivery, testing and pick-up of components requiring NDT. POCs at MDMC can be reached by telephone at (229) 639-8367 and (229) 639-6124. For TAMCN B0038 (MAC-50 Crane), due to the size and weight of the hook and block, the MCMC may request that the Government Engineer QAR section coordinate with MDMC to conduct the NDT at BICmd.

3.A.17.a.1 The MCMC shall ensure components are clean prior to delivery to MDMC. MCMC shall request that MDMC perform required blasting, NDT, and application of a clear coat rust inhibitor to components after NDT is performed. MDMC will provide the NDT services and appropriate documentation to the MCMC.

3.A.17.b The MCMC shall enter NDT results into GCSS-MC in accordance with MCO 11262.2_. The MCMC shall coordinate with NDT service providers which have been approved by the Government to ensure that NDT results include, at a minimum, the following information required for GCSS-MC:

- Individual who performed test
- Date the test was performed
- Serial number of the hook (if applicable)
- Test method (specify Magnetic Particle, etc.)
- Test result (pass/fail)
- Corrective actions (if any)
- The date of next required test (Calculate in accordance with MCO 11262.2_)
- Hook throat spread measurement

3.A.18 MCPP-PHIL Specific Maintenance Requirements:

3.A.18.a PMCS on PO assets. Throughout all stages of the MCPP-PHIL effort, MCMC shall follow proper PMCS procedures to monitor the PO assets' condition and maintain the items in FMC condition. Government approval shall be sought prior to storing PO assets outdoors due to space constraints. Annually, one-third of equipment stored indoors shall have an Annual PMCS performed, to include all services leading up to and including the Annual PMCS IAW applicable Technical Manuals. The remaining two-thirds of equipment stored indoors shall receive a Monthly PMCS IAW applicable Technical Manuals on an Annual basis. All equipment stored indoors shall receive 90-day COSIS to assess the equipment's condition. If defects are found during COSIS, the MCMC shall schedule and complete corrective actions IAW Orders and Directives. Any PO asset stored outdoors shall receive 30-day COSIS to ensure that the equipment is functional. Special PMCS procedures are necessary when equipment has been exposed to harsh environments (e.g., salt water, fresh water, operations conducted in loose sand or mud). The MCMC shall consider all equipment temporarily loaned to Operational Units as having been exposed to harsh environments and shall perform an Annual PMCS during equipment regeneration and reconstitution with attention to Equipment Operational Time Codes (EOTC) per applicable equipment technical publications. The MCMC shall upload associated PMCS records and forms to a GCSS-MC SR.

3.A.18.b PMCS on Organic Support assets. MCMC Shall conduct PMCS on all Government Furnished Equipment (Non-PO equipment) IAW the applicable timeframes and methods outlined within equipment Technical Manuals (TM) and/or OEM manual/s, and in accordance with the PMCS Roster established for GFE equipment.

SECTION C.4 – SUPPLY

This section sets forth the requirements and responsibilities of the MCMC for supply, container, and distribution management in support of the Marine Corps Prepositioning Program (MCP) contract. The MCMC shall conduct efficient, effective, and policy-compliant supply, container, and distribution operations necessary to provide combat-ready assets, equipment sets, supplies, and sustainment blocks to Operating Forces in support of worldwide Marine Corps Prepositioning Program operations and exercises, while maintaining maximum materiel accountability.

The MCMC shall execute supply chain management, inventory management, container management, and distribution management in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense guidance and directives, federal, state and local laws and regulations, industry standards, and other technical documentation. Department of Defense, Department of the Navy, and Marine Corps orders, manuals, instructions, and technical directives provide policy, procedures, and guidance, except where modified by this contract to meet unique prepositioning program requirements.

The comprehensive responsibilities of the MCMC outlined in section C.4 include demand planning and forecasting; monitoring and identification of materiel requirements (relative to Government-established equipment and supply allowances); identification and sourcing of materiel shortfalls required to accomplish the MCP mission (with Government approval); identification and disposal of excess, obsolete, and unserviceable materiel (with Government approval); data management and file retention; document management; inventory management, to include accountability, sub-custody procedures, physical inventories, property record adjustments (with Government approval), warehousing, stock rotation, care of supplies in storage (COSIS), and shelf life management; container management and accountability, to include updates to property records within an AIS, inspection, repairs, and re-certification; preservation, packing, packaging and marking (P3&M) of materiel; distribution and transportation management operations; and implementation and execution of a robust quality control program.

The MCMC shall manage the following supply accounts: intermediate level accounts, to include a General Account (GA), Maintenance Floats/Reparable Issue Points (RIP) and associated sub-floats; multiple retail/consumer level accounts and sub-custody accounts associated with on-island MMC operations, Maritime Prepositioning Ships (MPS), current ashore prepositioning sites; (MCP-N and MCP-PHIL), and future ashore sites; and on-island accounts associated with General Equipment (Garrison Property and non-tactical Non-Standard Equipment [N-SE]) and Government Furnished Equipment (GFE). The list of supply accounts, associated DODAACs, descriptions of materiel within the respective accounts, and purpose for the accounts can be found at SOW Attachment C.4-1.

Supply, container, and distribution management operations governed by the MCPP contract shall be performed at Marine Corps Support Facility (MCSF-BI), worldwide afloat and forward ashore locations in accordance with approved production schedules, MARFOR exercise plans, and as required in support of contingency operations. Quality assurance measurements will be governed by the performance requirements and standards associated with this section and specifications described within Section C.2.

4.A. SUPPLY DEMAND PLANNING AND MONITORING OF MATERIEL REQUIREMENTS/SHORTFALLS

4.A.1 The MCMC shall monitor and track Military Equipment (ME) excesses and deficiencies. The Table of Equipment (T/E) within TFSMS provides established allowances for the organic Port T/E account (M92502). While the Prepositioning Objective (PO) contained in the NAVMC 2907 provides established allowances for the MPF (MMV333), Future Ashore (MMV222), MCPP-N (MMV420), and MCPP-PHIL (MMV777) accounts, the MCMC shall use the “spreads,” which are based on the PO and identified in the detailed plans within MCPIC, as the basis for equipment requirements across each of the ships/ashore sites. The exception is MCPP-N, which does not have a “spread” identified in MCPIC but does have an established PO within the NAVMC 2907. SOW Attachment C.4-1 provides additional context regarding where the respective equipment requirements for each account are defined for the MCMC.

4.A.1.a The MCMC shall provide a Monthly Excess/Deficiency Report (CDRL 4001) for the Non-Prepositioning / BICmd organic account (M92502), MCPP-PHIL account (MMV777), and MCPP-N account (MMV420), identifying excesses and deficiencies of ME relative to authorized allowances of each account NLT the 5th business day of every month (Attention to: Supply Branch, MCPP-PHIL, and MCPP-N respectively). The Maritime Prepositioning Force (MMV333) and Future Ashore (MMV222) accounts are exempt from this requirement due to requisitions not being submitted at the beginning of the ~42-month MMC, but rather prior to each respective production period within the MMC based on the equipment requirements specific for that production period. The Monthly Excess/Deficiency Reports shall be accurate IAW the latest/current versions of MCO 4400.201 (vol 3, Chap 2), UM 4000-125 (Vol 2 & Vol 4), and the applicable account T/E or spread, as well as the Accountable Property Systems of Record (APSR) O/H and physical O/H quantities. Reporting submission shall include data elements for TAMCN, NSN, nomenclature, Stores Account Code (SAC), O/H Quantity, Allowance / Authorized Quantity, Quantity Excess / Deficient, Unit Price, Extended Price of Excess / Deficiency, and Document Number with latest requisition status for deficiencies OR Service Request (SR) number associated with disposition requests for excesses, where applicable. In situations where excesses or deficiencies exist without corresponding requisitions or requests for disposition, the MCMC shall provide justification of excesses and deficiencies for each TAMCN to the Government.

MCPP-N and MCPP-PHIL specific: MCPP-N/MCPP-Phil Weekly Class of Supply report (CDRL 4002 (shall be provided weekly and shall extend beyond ME, to also include all classes of supply which possess a PO. This report shall be

submitted in MS Excel format (SOW Attachment C.4-12). This report is due NLT COB EST on Monday of each week posted on the Share Point site.

4.A.1.b The MCMC shall submit, for Government review and approval, draft Table of Organization and Equipment Change Requests (TOECR) (CDRL 5003) for validated excesses and deficiencies requiring T/E changes for the Non-Prepositioning/organic account (M92502). The TOECRs (NAVMC 11355) shall be generated IAW the latest/current version of MCO 5311.1 and MCO 4400.201 (Vol 3). TOECRs will not be used for all excesses and deficiencies, but rather when there are bona fide requirements identified by the MCMC to request adjustments to T/E allowance quantities. The MCMC shall only draft proposed TOECRs, which will ultimately be reviewed, approved, and submitted to HQMC by the Government.

4.A.2 The MCMC shall conduct demand based stock computations for consumable materials to be maintained in the (MMV200) General Account (GA) and provide recommended stocking levels to the Government on a quarterly basis via a Quarterly GA Recommended Stock Levels Report (CDRL 5005) IAW MCO P4400.151 (introduction and Chap 1), MCO 4400.201, and (Vol 3, Chap 2). The report shall be provided to the Government for approval prior to the MCMC conducting GA replenishment buys.

4.A.2.a. All GA stocks shall either meet demand-based stocking criteria in accordance with MCO 4400.201 (Vol 8) or shall have justification for non-demand based stocking, reflected by assignment of fixed requirement/requisition codes. Consideration shall be given to CEC and hits/demands in previous 24-month periods, as managed from the Intermediate Storage Workbench (ISW) in the APSR. GA inventory identified as "not stocked items" shall have required justifications for stocking in GA.

4.A.2.b. The Quarterly GA Recommended Stock Levels Report shall contain the following information: NIIN, nomenclature, O/H quantity, quantity due in, recommended stock level, over/short, unit price, total price (of over/short), unit of issue, item type name (shall only include "inventory type" for GA stocks), Acquisition Advice Code, TAMCN (if applicable), CEC, SAC, MOQ, Requirement Code, OP Code, Source of Supply, Qty of Hits in last 24 months (i.e., HITS 24), Qty of Demands in last 24 months (i.e, DMDS 24), as provided in the Intermediate Supply Workbench in the APSR.

4.A.3 The MCMC shall participate in a joint Reparable Issue Point (RIP) annual recomputation IAW annual Government RIP recomputation guidance. An annual Secondary Reparable (SECREP) recomputation is conducted on-site by a LOGCOM Consolidated SECREP Management (CSM) team, simultaneous with a physical wall-to-wall inventory, both of which combined last approximately five, eight-hour business days. The guidance contained in SOW Attachment C.4-8 serves as an example of support requirements for a previous LOGCOM-led annual inventory and recomputation, which may slightly vary from year to year. While Government representatives from LOGCOM serve as the lead, the MCMC shall support and jointly participate with BICmd Government representatives in the annual effort, consisting of three to four two-person joint inventory teams. Resources contributed by the MCMC shall

include adequate manpower (MCMC RIP Manager, three personnel in support of joint inventory teams, and a SME from each maintenance commodity, as needed) to validate RIP usage and on-hand inventory. Allowance recomputation, led by LOGCOM, is guided by MCO P4400.151 (Chapter 5), MCO 4400.201 (Vol 3, 4, & 6), and MCO 4400.200A.

4.A.3.a The MCMC shall submit an accurate monthly Secondary Reparable (SECREP) Excess and Deficiency Report (CDRL 5006) to the Government (Attn: Supply Branch) NLT the 5th business day of each month. The report shall contain data for the BICmd main RIP (MMFAU1) and MCPP-N main RIP (MMFAQ9). The report shall include the following data elements: NSN/NIIN, nomenclature, End Item Application(s), SAC, Source Maintenance and Recoverability Code (SMRC), CAL Allowance, CAL O/H, Excess / Deficient Quantity, Condition Codes of excesses, U/P, Extended Price of Excess/Deficiency, Document Number for outstanding due-ins, document numbers for any pending Material Return Requests (MRP) for disposition.

(i) The MCMC shall submit RIP Special Allowance Requests, as required, to the Government for review and approval IAW CAL records, OH Physical Inventory, and Technical Data (CATALYST [via USMC Appian Platform] and/or FEDLOG). The RIP Special Allowance Request(s) (CDRL 5007) shall be submitted within 10 business days after excesses are identified on the monthly SECREP Excess and Deficiency Report for two consecutive months without a request for disposition. Special Allowance Requests will contain the following data elements: NSN/NIIN, SAC, SMRC, Unit Price, Extended Price, End Item Application(s), Current Allowance, Proposed Allowance, account where allowance will be loaded (Main RIP or Sub Float), and justification for requesting the Special Allowance.

4.A.4 The MCMC shall submit an annual Garrison Special Tool Allowance List (CDRL 5008) for the Non-Prepositioning/organic account (M92502) IAW MCO 4400.201 (vol 3, Chap 2) and CmdO 4790.1_ NLT the fifth business day of July. The MCMC-list will be reviewed and considered for approval by the Government, as the CO BICmd is authorized to establish in writing special tool allowances for tools not currently maintained within T/O&E sets, kits, and chests needed to meet garrison peculiar requirements, and for required locally fabricated tools. Any emerging requests throughout the year that are not on the annual allowance list shall be submitted to the Government via a GFE Request. Only tools supporting the authorized levels of maintenance on organic and prepositioned equipment, and not already authorized per the T/O&E, should be identified on the Garrison Tool Allowance List.

4.A.5 The MCMC shall submit an annual Non-Tactical Vehicle (NTV) Priority Procurement List (PPL) (CDRL 5009) IAW MCO 4400.201 (Vol 15) and MCO 11240.106D NLT the fifth business day of July. The NTV Priority Procurement List (specific to the non-prepositioning account M92502) shall identify MCMC requests for additional Government-owned or Government-leased equipment needed to perform transportation, cargo movement, and other materiel handling operations. Data elements for the list shall include: Nomenclature / Description, NSN / Local Stock Number (LSN), current O/H quantity, additional quantity

requested, unit price, extended price (of quantity requested), specification sheet, and justification for additional assets.

4.A.6 The MCMC shall conduct an annual SL-3 Using Unit Responsibility Item (UURI) review and submit a UURI/Additional Authorized List (UURI/AAL) Authorization Letter (CDRL 5010) for the non-prepositioning/BICmd organic account (M92502) IAW MCO 4400.201 (Vol 3, Chap 2) and CmdO 4790.1 (Chap 4 Subject 4003 para 6). Quantities of UURI/AAL items on the authorization letter will not exceed the stated quantity listed in the SL-3/TM. A quantity less than the stated quantity on the SL-3/TM is permissible if the UURI is not needed. Additionally, where "AR" (as required) is the stated quantity in the SL-3, the quantity on the MCMC-provided UURI/AAL Authorization Letter will be used by the Government to establish the CO-approved authorized quantity to be held by the command. If the item with "AR" is not included in the CO's authorization, then the "AR" quantity to be held is 0. The UURI/AAL Authorization Letter shall be submitted within 90 calendar days after the contract award and annually NLT March 31 thereafter. The UURI/AAL shall be accurate IAW equipment SL-3/TM and complete IAW GCSS-MC property records.

4.A.6.a The MCMC shall review SL-3 Stock Lists and request updates of the (M92502) UURI/AAL Authorization Letter IAW CmdO 4790.1 to the Government within 21 calendar days of SL-3 changes being released.

4.A.7 The MCMC shall develop and submit an Annual Spend Plan that identifies anticipated GCSS-MC supply system (materiel) buys required to support MMC and sustainment operations throughout the upcoming Fiscal Year. Between July and August of each year, the Government will provide the MCMC with a funding plan that includes a budget ceiling for GCSS-MC expenditures, as provided by LOGCOM and HQMC. NLT 15 business days following receipt of Government-provided annual funding plan, the MCMC shall develop and submit the Supply/Maintenance Annual Spend Plan (CDRL 5011), identifying any anticipated shortfalls based on the Government provided budget ceiling. The Annual Supply/Maintenance Spend Plan shall identify projected funding requirements by Class of Supply and shall be phased by month.

Amongst other factors, when developing the Supply/Maintenance Annual Spend Plan, consideration should be given to planned production periods within the MMC schedule, ME and sustainment block shortfalls determined by comparing on hand inventory posture against the Detailed Plan "spreads," annual and monthly PM parts packages required to support MMC production, unique requirements for repair parts of known SOUMS/MAMS, SL-3 shortfalls, expiration of shelf-life materiel, and recurring GA and RIP replenishment requirements to support maintenance operations throughout the MMC. The MCMC shall develop the Supply/Maintenance Annual Spend Plan IAW the Federal Acquisition Regulation (FAR), DoD 7000.14-R (FMR), MCO 7300.21, and the Government provided annual funding plan.

4.A.7.a The MCMC shall submit Quarterly Spend Plan Updates (CDRL 5012) NLT December 20 for the 2nd quarter, March 20 for the 3rd quarter, and June 20 for the 4th quarter. The updates shall serve as revisions to the Supply/Maintenance Annual Spend Plan identified in the previous paragraph, incorporating updated spending forecasts for

upcoming quarters. Planned expenditures shall be categorized by Class of Supply and shall be phased by month.

4.B PROCUREMENT AND SOURCING

4.B.1 Utilizing Government-provided funding, the MCMC shall procure and source SAC 1 and 3 Military Equipment IAW MCO 4400.201 (Vol 3 & Vol 6), UM 4000-125, TM 4790-14/2, and MCO 4400.16. Prior to requisitioning from LOGCOM or DoD supply chain sources, the MCMC shall first utilize excess inventory from across the Marine Corps Prepositioning Program, processing equipment redistributions between respective BICmd DoDAACs to eliminate ME deficiencies. Equipment redistributions between the respective DoDAACs shall only occur with prior Government approval, as the Government remains the decision authority for prioritization of equipment sourcing between DoDAACs. Additionally, while the MCMC creates the requisitions within GCSS-MC, the Government retains the “approver” role within GCSS-MC, avoiding the MCMC conduct of the Inherently Governmental Function (IGF) of obligating Government funds.

4.B.1.a Specific to the MMV222 and MMV333 accounts, the MCMC shall submit requisitions for Military Equipment needed to meet MMC production requirements NLT 60 calendar days prior to start of the respective production periods, or 10 calendar days after receiving Government approval of “P-75 Attainment Deficiency Report,” whichever is later. Requisitions shall be submitted IAW MCO 4400.201 (Vol 3, Chap 2) and be based on requirements identified in the respective Detailed Plans “spreads” for the production period.

4.B.1.b Specific to the Non-Prepositioning/BICmd organic (M92502), MCPP-PHIL (MMV777), and MCPP-N (MMV420) accounts, all ME T/E and PO allowances shall either be on hand, on order, or recorded as an unfunded deficiency (the latter applicable to SAC 1 only). The MCMC shall submit requisitions within the APSR for all SAC 3 ME shortfalls within 30 calendar days of the shortfall emerging for Government approval. For SAC 1 ME shortfalls, the MCMC shall either submit requisitions within 30 calendar days of the shortfall emerging or identify the shortfall on the applicable account’s Unfunded Deficiency List. Requisitions shall be submitted IAW MCO 4400.201 (Vol 3, Chap 2) to the Government for review and approval.

4.B.2 The MCMC shall execute procurement and sourcing of SAC 1 and 3 SL-3 assets IAW MCO 4400.201, MCO 4400.16, MCO 4790.2, UM 4000-125, CmdO 4790.1, equipment TMs, and SL-3 Components Lists. Requisitioning of SL-3 shall be completed by the MCMC as deficiencies emerge and/or are identified. The only exception to this requirement applies in cases where either newly fielded assets or legacy assets are received from wholesale level with SAC 1 SSRI deficiencies. In the exception situation, upon MCMC notification to the Government, the Government will coordinate with LOGCOM Ground Equipment Asset Managers for sourcing of SSRI deficiencies.

4.B.3 The MCMC shall execute procurement and sourcing of demand-based consumables for the General Account (GA) IAW MCO P4400.151 (Chap 1), MCO 4400.201, MCO 4400.16 and UM

4000-125. Replenishment buys for the GA (MMV200) shall be conducted in batch on a quarterly basis following Government approval of the MCMC-proposed "Quarterly GA Recommended Stock Levels Report" (ref 4.A.3). Individual replenishment purchases may occur on an as-needed basis between quarterly batch purchases with prior Government approval.

4.B.4 The MCMC shall manage the sourcing of approved SECREPs for the main float (MMFAU1) account to the established allowance levels. The sourcing solution shall be guided by enterprise-wide availability of stocks and associated opportunity for lateral support, as well as cost to repair relative to cost to requisition. The criteria for selecting sourcing method shall be based on cost avoidance, with the least costly method being the first choice and the costliest method being the least desirable. Typically, lateral support from Marine Corps-wide excess stocks at other RIPs is the least expensive, followed by SECREP "repair and return" via a Government-established contract, and finally requisition of a new SECREP from wholesale level stock or manufacturer with a potential exchange credit for the corresponding unserviceable (condition code F) SECREP being turned in.

4.B.4.a The MCMC shall process SECREP repair and returns from the MMFAU1 or MMFAQ9 accounts IAW MCO 4400.200A, MCO P4400.151, MCO 4790.2, MCO 4400.201. Repair and return requirements for subfloats shall be transferred to MMFAU1 for processing from the main RIP. Prior to evacuating SECREPs to external or commercial maintenance facilities for repair/rebuild, the MCMC shall request and obtain Government approval. Upon receiving Government approval, SECREPs within the MMFAU1 account that require testing and/or repair shall be inducted into GCSS-MC by the MCMC for evacuation/shipment to a Government-designated third-party repair MCMC and facility. The Government establishes, manages, and funds the third-party contract responsible for completing testing and repairs of SECREPs. The MCMC shall request for repair and return approval from Government within 5 business days of physical receipt of unserviceable SECREP from supported commodity or sub-float. The MCMC shall process shipment of unserviceable SECREP to the Government-designated repair facility within 10 calendar days of receiving Government approval to execute repair and return.

4.B.4.b The MCMC shall utilize the Logistics Integrated Support (LIS) Triangle Project for "F" condition SECREP (s) managed by MPB. The MCMC shall submit a request for an FTA Buy to the Government for approval, and upon approval, the MCMC shall ship the "F" condition SECREP(s) to MPB. If in stock, MPB will ship an "A" condition back to the RIP. If not in stock, it will be placed on backorder to be filled when stock is available.

4.B.4.c The MCMC shall coordinate and conduct SECREP lateral support with other Marine Corps RIPs and LOGCOM Centralized SECREP Management (CSM) office IAW MCO 4400.200A and UM 4000-125 to eliminate MMFAU1 or MMFAQ9 inventory deficiencies where corresponding enterprise excesses exist. Review of the Global CAL will highlight available excesses at other RIPs to fill MMFAU1 deficiencies. The MCMC shall regularly coordinate with other RIPS and the LOGCOM CSM to seek

opportunities for lateral support. However, the MCMC shall request and obtain Government approval prior to completing lateral support transfers to/from MMFAU1, MMFAQ9, or future main RIPs.

The MCMC shall request lateral support approval from Government within 5 business days of identifying an inventory deficiency where excess enterprise inventory exists. The MCMC shall process RIP lateral support transfers within 5 calendar days of receiving Government approval.

4.B.4.d The MCMC shall requisition Government-approved SECREPs IAW MCO P4400.151, MCO 4790.2, UM 4000-125, and CAL allowances. Requisitioning of SECREPs is the last option in cases where lateral support is not available and repair and return is uneconomical. Government approval shall be obtained prior to obligation of funds to support SECREP requisitions. Request(s) for requisition shall be provided to the Government within 5 business days of identification of deficiency when "repair and return" or lateral sourcing from enterprise excesses are not available. Subsequently, the MCMC shall submit the requisition within 5 business days of receiving Government approval.

4.B.5 The MCMC shall conduct requisition and document management procedures for all MPF, ashore-based prepositioning, and organic accounts. Requisition and document management includes all requisition, report management, required follow-on transactions, receipt, and issue procedures until ultimate issue to the customer or execution of related disposition actions.

4.B.5.a The MCMC shall conduct requisition management IAW MCO 4400.201, MCO P4400.151, MCO 4400.16, MCO 4790.2, CmdO 4790.1 and UM 4000-125. Requisition management includes appropriate/adequate Requisition Submission Time for priority and Required Delivery Date (RDD); appropriate use of Urgency of Need Designator (UND), priority designators, RDD, Non-Mission Capable Supply (NMCS) indicator, Job Order Number (JON), advice code, and signal code. Repair parts and maintenance related supplies shall be requisitioned IAW time standards outlined in MCO 4400.16.

(i) The MCMC shall submit GFE Procurement Requests (CDRL 5016) for non-T/E allowance items IAW APSR property records, vendor/source of supply data, and appropriate market research. GFE Requests (for non-consumable non-T/E allowance items) shall be submitted to Government as requirements emerge, and Government approval must be obtained prior to procurement. Requests shall include, where applicable: identification as either a replacement or new procurement item, nomenclature/description, procurement cost, proposed vendor, requesting commodity, SUC that property will be loaded to, and comprehensive justification. Additional information may be required by the Government based off the unique nature of the item(s) requested in the GFE request.

(ii) The MCMC shall conduct requisition validations IAW MCO 4400.201, MCO 4790.2, and UM 4000-125. Validations shall be conducted on a continuing basis

to ensure all items due in have valid and current status to align with outstanding demands/requirements, while exercising due diligence to minimize delays and cancellations. Validations by the MCMC shall include supply, maintenance management, and commodity reconciliations, which shall be conducted and documented IAW UM 4000-125, CmdO 4790.1, Section C.2, and MCO 4790.2; as well as processing of follow-ups, tracers, modifications, and validated cancellations to existing requisitions.

4.B.5.b The MCMC shall conduct receipt management and receipt processing (physical and virtual receiving for materiel and shipments) MCO 4400.201 (Vol 3), MCO 4400.16, MCO 4855.10, MCO 4790.2, and UM 4000-125. Receipt management and processing by the MCMC shall include physical inspection, data recording, and item to documentation verification, as well as associated processing of discrepancies IAW UM 4000-125. The MCMC shall properly place and register Item Unique Identification (IUID), passive Radio Frequency Identification (pRFID) tags on all ME upon receipt at DMO. The MCMC shall ensure integration and communication between DMO, the warehouse receiving / issue point, and the document management section. Receipt take-up time shall be IAW MCO 4400.16. CBRN equipment receipt management shall comply with TI 10010-OR, appropriate equipment manuals and official messages. Hazardous materials receipt management shall comply with MCO 4450.12,

(i) The MCMC shall prepare, submit, and follow-up on Supply Discrepancy Reports (SDR) via Product Data Reporting and Evaluation Program (PDREP) IAW MCO 4400.201, NAVSOP-3683C, and UM 4000-125. SDRs shall be submitted IAW the timelines specified in SECNAVINST 4355.18 and UM 4000-125 when there is variation between physical goods received and the data on the corresponding shipping documents as well as on the DASF (Due in and Status File), to include variations in condition or quantity, incorrect or misdirected material, receipt of cancelled requirements, improper or inadequate technical data or supply documentation, unsatisfactory condition due to improper packaging, and in cases of non-receipt or lost shipments meeting specific criteria outlined in the references.

(ii) The MCMC shall submit a Sourced CBRN Equipment Discrepancy Report (CDRL 5017) to the Government within 5 business days of receiving CBRN equipment to identify discrepancies found during the receiving process from LOGCOM CBRN Consolidated Storage Program (CSP). Report format can be found at SOW Attachment C.4-2 and shall include a copy of the DD 1149 or DD 1348. The CBRN Equipment Discrepancy Report shall contain accurate information relative to inventory received and shipping documentation (quantity expected to receive).

(iii) The MCMC shall conduct receipt validations IAW MCO 4400.201, MCO 4855.10, MCO P4400.151, MCO 4790.2, and UM 4000-125. Receipt validations by the MCMC shall include reconciliation and validation of receipts against

Unliquidated Obligations (ULO), Supply/Maintenance commodity reconciliations, Proof of Delivery (POD) file validations, tracer actions, SDR validations, IGC/ITV/WEBVLIPS research and other means. Supply, maintenance management, and commodity reconciliation shall be conducted and documented IAW Section C-2 and CmdO 4790.1. ULO validations shall be completed to ensure cancellations, receipts, and new requisitions are properly obligated or de-obligated as required.

4.B.5.c The MCMC shall conduct issue management IAW MCO 4400.201 and UM 4000-125. Given the unique nature of multiple intermediate and consumer level accounts at BICmd, coupled with the geographic dispersion of accounts afloat and at worldwide ashore-based locations, the MCMC shall execute the following Confirmation of Receipt (COR) framework:

(i) MPF Maintenance Cycle production. MCMC shall process the COR in GCSS-MC at the time of issuing materiel (from the GA) to the on-island maintenance commodities.

(ii) Afloat/ashore requisitions. MCMC shall process the COR in GCSS-MC at the time of physical receipt of materiel aboard the afloat MPS, in Norway for MCPP-N, in Philippines for MCPP-PHIL, or at physical storage location for future ashore sites.

4.B.5.d The MCMC shall maintain required audit trails for all requisition, receipt, and issuance of material IAW the latest / current versions of MCO 4400.201 and UM 4000-125.

4.B.6 Utilizing GCSS-MC, the MCMC shall requisition consumables from the MMV200 General Account, required to support maintenance operations of prepositioning assets IAW Section C.2, MCO 4400.201, MCO 4400.16, MCO 4790.2, CmdO 4790.1, and UM 4000-125. MMV200 GA will be the first source of supply for all parts requirements, and requisitions not filled by MMV200 are to be reviewed for appropriate action with subsequent routing to wholesale level source of supply where appropriate. Consumables shall be requisitioned from the GA to support maintenance operations of prepositioning assets that include those on-island (in support of COSIS), in the MMC production cycle, prepositioned afloat on MPS, and stored/staged at ashore-based prepositioning locations (i.e., MCPP-N and MCPP-PHIL). Repair parts and maintenance related supplies shall be requisitioned (Requisition Submission Time) IAW time standards in MCO 4400.16. Parts and supplies unavailable in the Supply system due to acquisition advice code (AAC), required delivery dates (RDD), or other mission constraints, may be open purchased IAW FAR 52.244-2 and MCO 4400.201. All open purchases shall be receipted into the GA and/or debriefed against a SR as applicable. When open purchases cannot be receipted into the GA due to cataloguing or IMO restriction, items will be added to DPAS and accounted for or consumed appropriately.

4.B.7 Utilizing GCSS-MC, the MCMC shall conduct SECREP exchange procedures, required to support maintenance operations of prepositioning assets, from the supporting BICmd RIP IAW MCO 4400.201, MCO 4790.2, and UM 4000-125. SECREP exchanges shall be completed to support maintenance operations of prepositioning assets that include those on-island in the MMC production cycle, prepositioned afloat on MPS, and stored/staged at ashore-based prepositioning locations (i.e, MCPP-N, MCPP-PHIL). Unserviceable SECREPs shall be transferred (transacted in the APSR and shipped) to MMFAU1/MMFAQ9 within the following timelines, unless otherwise directed by the Government):

- On Island: 5 business days
- OCONUS Ashore Prepositioning: NTE 30 calendar days
- OCONUS Afloat: NTE 60 calendar days

4.B.8 The MCMC shall prepare and maintain appropriate supply administrative documentation for personnel conducting requisitioning and receiving functions IAW MCO 4400.201. Examples of required documentation include, but are not limited to, appointment letters, DD Form 577 and NAVMC 11869 (delegation of authority).

4.B.9 The MCMC shall execute the procurement of fuel from the DLA-E capitalized fuel facility IAW MCO 4400.201, and CMC msg 051307Z Apr 18. MCPP-PHIL currently does not have a supporting DLA fuel facility; therefore, MCMC shall use locally approved DLA fuel vendor under the ODCCLIN (X006) to attain fuel to support prepositioning operations.

4.B.9.a The MCMC shall maintain a Fuel Logbook for the purposes of issuing QR Codes (Quick Response Code) and utilize DD 1898-e for each fuel transaction. MCMC shall ensure VIL keys are secured and inventoried daily. MCMC shall reconcile the Fuel Logbook and completed DD 1898-e forms daily with the Organic Supply Officer or Delegated Individuals IAW CMC Msg 051307Z Apr 18 and MCO 4400.201 vol 5. The MCMC will maintain DLA 1898-e forms as KSDs (key supporting documents); retention period IAW MCO 4400.201.

4.B.9.b The MCMC shall ensure the issuing and recovery of QR Codes VIL keys are conducted via a logbook. At a minimum, the logbook will contain the following:

- (i) Printed name and signature of the individual issued the card or key.
- (ii) The QR card number issued.
- (iii) The date and time issued and returned.
- (iv) The phone number of the card or key recipient.
- (v). The estimated and actual gallons purchased.
- (vi) The estimated and actual dollar amount of the purchase.

(vii) The approver's signature (e.g., SupO/APO, fund holder).

(viii) The MILSTRIP document number of the fuel purchase.

4.B.9.c The MCMC shall reconcile fuel obligations posting in EEBP by ensuring the MILSTRIP Document numbers are annotated in the Logbook and on the receipt (DD 1898-e) for reconciled posting. Fuel Charges that fail to post within two working days shall be researched to determine the cause.

4.B.9.d Bulk fuel is purchased with the intent of secondary issue. For secondary issuing of fuel, the MCMC shall ensure requests for bulk fuel are forwarded to the Organic Supply Officer, APO or fund holder 24 hours prior to issuing QR Codes . Request for bulk fuel shall contain the following information.

(i) Name of the requestor.

(ii) Date of the request.

(iii) The drivers name key/card recipient.

(iv) Type of product (e.g., diesel, gasoline).

(v) Vehicle number

(vi) Estimated quantity in gallons.

(vii) Purpose of bulk fuel request (e.g., field exercise).

(viii) Duration of issue.

4.C INVENTORY MANAGEMENT

4.C.1 The MCMC shall submit an annual Physical Inventory Control Plan (PICP) (CDRL 5018) IAW DLM 4000.25 (Chap 6), MCO 4400.201(Vol 4), and MARCORLOGCOMO 4440.1 PICP for all DoDAACs within the program.

The MCMC shall submit the PICP for Government approval NLT 30 calendar days after the contract commences and shall update the plan annually NLT August 15 for follow-on annual/FY PICPs. The Physical Inventory Control Plan shall be comprehensive, providing inventory timelines and planned percentages to physically inventory for all supply accounts/AACs, to include intermediate level and consumer level inventories. The planned frequency of physical inventories and percentage of stocks to be physically inventoried by category of property shall be IAW MCO 4400.201 and MARCORLOGCOMO 4440.1 PICP. PICP results will be reported monthly to the Government.

4.C.1.a The MCMC shall support Independent Public Accountant (IPA), Internal Controls and Audit Readiness Team (ICART), Logistics Command (LOGCOM), Field Supply and Maintenance Analysis Office (FSMAO), and other external agency requirements for existence and completeness (E&C) inventory testing, as required. Inventory sample sizes and assigned dates are not known in advance, and they are directed from Higher Headquarters (HHQ) on a periodic basis to validate the accuracy of inventory and records. Sample responses are generally required within a 5-day timeframe and include, at a minimum, providing KSDs and pictures to validate possession and accuracy within the APSR. Templates and timelines will be provided via separate correspondence as sample are requested by HHQ.

4.C.2 The MCMC shall maintain accurate materiel accountability of all Government-owned ME and Government Furnished Property, utilizing the appropriate APSR IAW DoDI 5000.64, SECNAVINST 7320.10, MCO 4400.201, and UM 4000-125. Accountability includes induction of proper supply transactions to document O/H inventory and provide an audit trail of supply actions taken from the time of requisition and receipt to disposition, while ensuring assets are transitioned without a lapse in accountability. APSRs include GCSS-MC and DPAS. DPAS shall be utilized for all Non-tactical vehicles (NTV) and Non-Standard Military Equipment. Examples of NTVs include all non-tactical, commercially available assets such as passenger vehicles, cargo vehicles, and non-tactical material handling equipment. Additionally, DPAS is the designated APSR for SAC 1 CBRN equipment. The physical O/H inventory shall match the O/H inventory reflected in APSR and vice versa (described as “Existence and Completeness”). Change of custody APSR transactions shall be completed within ~~one~~ two (2) business day of physical custody change in the case of receipts, issues, redistributions, and disposals IAW MCO 4400.210 (vol 6) and UM 4400-125. The Responsible Officer (for all APSRs) and Accountable Officer (only for GCSS-MC) shall be accurately reflected in APSR.

4.C.2.a The MCMC shall submit draft GCSS-MC Item Master Organization (IMO) Load Requests (CDRL 5019)IAW MCO 4400.201, CmdO 4790.1, and UM 4000-125 NLT 10 business days of identification by either the Government or the MCMC. MCMC shall submit draft requests, and upon concurrence, Government will forward to the appropriate approving authority. IMO load requests are submitted in situations where assets are possessed by or introduced to the command that cannot be loaded to the GCSS-MC Install Base (IB) because they are not yet catalogued.

4.C.2.b The MCMC shall nominate, in writing, supply sub-custody Responsible Officers (ROs) within 30 days of contract commencing, and subsequently, NLT 5 business days after identification of a forthcoming RO change (RO departure or change of billet) for follow-on formal appointment by the Government RO. Nomination Packages (CDRL5020) routed to the Government for approval and formal appointment shall include appointment letters, completed DD Form 577 (when applicable) and NAVMC 11869 documents (IAW MCO 4400.201). RO Nomination Letters shall be in accordance with Government provided format found at SOW Attachment C.4-3.

- (i) Ship Supervisors shall serve as the ROs for all respective shipboard SUCs within both the MPF (MMV333) and Non-Prepositioning/BICmd Organic (M92502) accounts.
- (ii) Specific to the non-shipboard SUCs within MMV222, MMV333, M92502, and MMV777, ROs shall be the (management-level) MCMC representatives who maintains physical accountability, custody and control of the asset. In some situations, primarily associated with on-island SUCs, Government representatives maintain sub-custody of the assets, thereby requiring Government appointment of Government ROs. In the case of Government representatives appointed as the RO, there is no requirement for a MCMC nomination, but the MCMC shall maintain copies of the CO-endorsed RO appointment letters for both MCMC and Government ROs.
- (iii) Specific to the MMV420 DoDAAC for the overseas MCPP-N account, Norwegian military representatives will serve as the RO with the exception of the YN03 (M92502) organic sub-custody account, the YKMIN (MMV420) KMI sub-custody account, and the YARM (MMV420) Armory sub-custody account. The MCMC shall serve as the RO for the SUCs associated with the on-island and intransit equipment for MCPP-N and MCPP-PHIL, which will require MCMC nomination to the Government.

4.C.2.c The MCMC shall conduct physical inventories of ME to ensure accurate Existence and Completeness of consumer level retail accounts IAW DoDI 5000.64 and MCO 4400.201. Consumer level accounts include M92502, MMV222, MMV333, MMV420, and MMV777.

- At a minimum, ME shall be physically inventoried 100% on an annual basis IAW MCO 4400.201 (Vol 4).
- MPF ME that is afloat is exempt from the 100% annual inventory, and instead, it shall be inventoried 100% during the MMC download of the respective MPF vessels. This exemption is specific to prepositioning equipment (possesses a Prepositioning Objective) and does not include organic equipment that is afloat on MPS. The exemption also negates the need for quarterly CMR reconciliations for MPF ME that is afloat.
- Afloat organic ME (within M92502 account) shall be inventoried 100% annually and shall be subject to quarterly CMR reconciliations by the RO.
- Annual physical inventory of ME within the MMV420 DoDAAC for the overseas MCPP-N account will not be a responsibility of the MCMC, but rather will be jointly completed by NDLO/MEB custodians and Government representatives with requested assistance from the MCMC.
- Controlled Items, EKMS/CCI, and small arms shall be physically inventoried at frequencies IAW MCO 400.201 (Vol 1) and EKMS 1B (Chap 7).

All physical inventories shall be completed and recorded by respective account/AAC. The frequency of physical inventories and percentage of inventory completed shall be IAW Government-approved Physical Inventory Control Plan (par 4.C.1), developed IAW MCO 4400.201 and MARCORLOGCOMO 4440.1 PICP.

(i) The MCMC shall document and provide physical inventory results of consumer level retail accounts to the Government IAW MCO 4400.201. Inventory results shall be provided NLT 10 business days after completion of the respective physical inventory. The PICP Consumer Level Account Inventory Results (CDRL 5021) will be broken out/reported by AAC. Results will include comprehensive causative research and recommended adjustments to APSR property records. At a minimum, physical inventory results shall include quantities, data elements (NIIN, TAMCN, SAC, U/P, and T/P), recommended adjustment transaction (Document Identifier Code/DIC), and causative research.

(ii) The MCMC shall conduct quarterly CMR inventories for all accounts' SUCs IAW MCO 4400.201 and UM 4000-125. The only exception to quarterly CMR reconciliations is afloat ME (PO assets). The exception does not apply to organic ME that is afloat.

(iii) The MCMC shall ensure all KSDs supporting the transfer of equipment in support of an exercise, contingency, or temporary loan, are uploaded into GCSS-MC. Supporting KSDs include the Exercise Support Letter, Outgoing/Incoming Consolidated Asset List with proper signatures, 1348s (if required), CMRs (if required), or any other documents used to ensure proper chain of custody.

4.C.2.d The MCMC shall maintain positive chain of custody (physical and virtual within APSR) of ME and associated SL-3 for assets temporarily shipped to outside maintenance facilities/depots as part of Repair and Return, upgrade, and modification programs IAW MCO 4400.201, MCO 4790.2, UM 4000-125, and CmdO 4790.1. Typically, SSRI/COEI will be transferred with the end item during changes of custody, CM/BII will normally remain with the using unit during redistribution/rebuild or other change of custody of the end item, and UURI are not transferred with an end item during redistribution/rebuild or other changes in custody, unless otherwise directed. ME and SL-3 (when SL-3 is applicable) shall be retained on property records or transferred IAW official message traffic from Program Managers and Item Managers.

4.C.3 The MCMC shall maintain accurate materiel accountability of all perpetual inventory within the MPF and ashore-based prepositioning programs, utilizing GCSS-MC. Accountability includes induction of proper supply transactions to document O/H inventory and provide an audit trail, to include key supporting documentation, of supply actions taken from the time of requisition and receipt to disposition or consumption.

4.C.3.a The MCMC shall conduct cyclical physical inventories of perpetual inventory to ensure accurate Existence and Completeness of intermediate level retail accounts IAW MCO 4400.201 and MARCORLOGCOMO 4440.1 PICP.

- (i) The requirement to conduct physical inventories of perpetual inventory includes OM&S held at the intermediate level (GA and RIP) and OM&S at the consumer level (Demand Supported Items), whether on island or afloat/ashore-based, but excludes prepositioned sustainment blocks aboard ship due to inaccessibility, which shall be inventoried upon download during MMC production.
- (ii) The MCMC shall document and report physical inventory results for intermediate level accounts IAW MCO 4400.201 and MARCORLOGCOMO 4440.1. MCMC shall submit inventory results to the Government through submission of the PICP Intermediate Level Account Inventory Results Report (CDRL 5022) within 10 business days following inventory completion, whether conducting 100% annual physical inventory, 50% semi-annually, 25% quarterly, or 10% monthly. Inventory results shall include comprehensive causative research and recommended adjustments transactions (Document Identifier Code) to correct the APSR property records for each disparate NIIN. Additionally, the inventory results shall include the following data elements: NIIN, SAC, physical OH Qty vs. APSR Qty, difference between the OH and APSR, U/P, T/P, overall inventory accuracy and variance.

4.C.3.b The MCMC shall utilize perpetual sub-inventories within GCSS-MC for accountability of perpetual inventory prepositioned stocks IAW MCO 4400.201, UM 4000-125, and CmdO 4790.1. The standard perpetual sub-inventories within GCSS-MC will be used IAW the direction contained in the MCO 4400.201 and UM 4000-125, apart from shipboard sustainment blocks embarked on ships other than T-AKEs, which is detailed in the next task. Stocks shall not be resident in 01A longer than four business days (with exception of 01F pending disposition and 01A sub-inventory for GA, RIP, and T-AKE O/H stocks). The physical O/H inventory shall match the O/H inventory in APSR and vice versa (existence and completion).

4.C.3.c The MCMC shall load prepositioned shipboard sustainment blocks to the corresponding GCSS-MC sub-inventories and locations IAW Detailed Ship Plans and physical inventory embarked aboard MPF. Loading shall be completed NLT the end of each ship's respective MMC production cycle. Consumable sustainment blocks / perpetual inventory loaded to the T-AKE ships shall be loaded to the standard perpetual sub-inventories. However, the sustainment blocks embarked on ships other than T-AKEs shall be loaded to the following Government-prescribed sub-inventories specific to BICmd: POL (Class III), OPP, BATT, CLIX (Class IX), FORT (Class IV), and OPSTOCK (assets previously possessing TAMCNs that require accountability tracking). Sustainment blocks embarked aboard T-AKE vessels will be accounted for under the ship DODAAC using 01A sub-inventory, while sustainment blocks embarked

on other MPF will be accounted for under respective DODAAC using aforementioned sub-inventories and ship as location.

4.C.4 The MCMC shall manage the physical inventory of all maritime prepositioned equipment and supplies (MPE/S), whether afloat or ashore, maintaining accurate accountability within the appropriate APSR IAW MCO 4400.201, MCO P4400.151, and UM 4000-125.

4.C.4.a. The MCMC shall submit GCSS-MC produced Consolidated Memorandum Receipts (CMR), Consolidated Asset Listing (SECREPs), CLIX and Sustainment Block listings, signed by the Responsible Officer (RO) after each ship's production cycle at E+5 (CDRL 5024). IAW MCO4400.201, prepositioned ME on afloat MPS is exempt from quarterly CMR reconciliations. This exemption does not apply to organic ME (M92502) afloat on MPS, which continues to require quarterly CMR reconciliations that result in RO-endorsed CMRs.

The RO must initial each page and sign the last page of the CMR, which can be accomplished electronically. The Shipboard RO shall use all available data sources to assist with validating accountability of all equipment (e.g. MCPIC, Staging Plan, Deck Diagrams, etc.). As equipment completes production and is declared FMC (which includes data accuracy), Shipboard ROs should begin validation of equipment as early possible to meet the E+5 deadline. The signed CMR is the official Key Supporting Document (KSD) that meets the MCO 4400.201 and Financial Improvement Audit Readiness (FIAR) requirements for MPF accountability. While prepositioned ME on afloat MPS is exempt from the recurring quarterly CMR reconciliation, during the afloat phase, there are two occasions which require the submission of a signed CMR. Validated CMRs will be submitted within 30 days following an RO turnover and within 30 days following the completion and backload of any exercise. As with the post-MMC production period CMR, the Shipboard ROs shall use all available data sources to assist with validating accountability of all equipment (e.g. MCPIC, CAL, Staging Plan, Deck Diagrams, etc.).

Due to the unique nature of the MPF program, embarkation of MPE/S requires maximizing space aboard the vessel (to include containerized assets and mobile loads). Due to the inaccessibility of some containerized and mobile loaded equipment, it is essential for the Shipboard RO to maximize the time before E+5 to validate accountability of equipment. Once afloat, the use of data sources to certify accountability of equipment is acceptable, specifically the use of seal serial numbers as verification of containerized and packaged assets that cannot be physically verified.

The guidance above regarding CMR frequency and timeframes is specific to MPF accounts afloat and does not include M92502 equipment/assets that are afloat on ship sub-custody SUCs. The shipboard SUC resident on M92502 account remain subject to the quarterly CMR reconciliation requirements. Additionally, the conduct of monthly small arms serialized inventories afloat (CDRL 5025) is still required to be conducted IAW Section C.4.C.2.c and C.4.C.4.b.

4.C.4.b The MCMC shall conduct monthly physical inventories of CRANE reportable serialized small arms embarked aboard MPS and subsequently provide a Monthly Afloat Armory Report (CDRL 5025) for each ship with embarked small arms/weapons IAW OH inventory, GCSS-MC, and MCPIC records. The Monthly Afloat Armory Report shall be submitted NLT the last business day of the month and must be RO- endorsed, validating continuous accountability of serialized small arms. The report shall be IAW Government-provided format (SOW Attachment C.4-4).

4.C.4.c The MCMC shall maintain positive chain of custody and accountability of all ME during exercise and contingency operations IAW MCO 4400.201, TM 4790-14/2, MCO 3000.17, Government-provided Exercise Support Letters, and UM 4000-125. Prepositioning Program ME (to include Navy assets), either offloaded from MPS or drawn from ashore prepositioning inventory, provided to the MAGTF in support of exercises and contingencies shall be issued on a temporary loan basis, utilizing a Consolidated Asset Listing (CAL). The Government provides the MCMC with an initial CAL, which is produced from MCPIC data for MPS and NEIMS data for MCPP-N, prior to an exercise based upon specific equipment that is *expected* to be temp loaned to the MAGTF. However, the MCMC is responsible for the final generation of an accurate CAL that matches the equipment that was *actually* temp loaned for the exercise or operation, which shall be signed by the MAGTF RO and NSE RO as a sub-custody receipt for the exercise. Subsequent to the MCMC's development of an accurate RO- endorsed CAL, the MCMC shall change the assets to reflect a temporary loan status within GCSS-MC.

(i) The MCMC shall place applicable ME into a temporary loan status within GCSS-MC after issuing MPF, MCPP-N, and MCPP-PHIL prepositioning program equipment to the MAGTF in support of exercises or contingencies IAW MCO 4400.201, CmdO 4790.1, UM 4000-125, and TM 4790-14/2. Temp loan status shall be reflected in GCSS-MC within 5 calendar days of equipment change of custody (temp loan upon issuing ME, and removal of temp loan upon accepting ME back). There will be assets resident on the CAL and physically temp loaned to the MAGTF that will not be able to be placed into a GCSS-MC temp loan status due to not residing in GCSS-MC (i.e. Navy CESE assets are not in GCSS-MC, assets that are not loaded to the IMO cannot be picked up in GCSS-MC and are accounted for within DPAS, CBRN assets are accounted for within DPAS, Non-Standard Equipment with HQMC-established POs such as wash racks and floodlights).

(ii) While the standard procedure, as defined by policy, is to issue Prepositioning Program ME in support of exercises and operations on a temporary loan basis utilizing a CAL, there are occasions where HQMC (PP&O) directs the use of equipment transfers. In these situations, the MCMC shall utilize EATO transactions to transfer the equipment identified on the CAL (where resident in GCSS-MC) to the MAGTF/Exercise Force DoDAAC. For exercise purposes,

weapons and CCI are not included in the transfers, avoiding the requirement for CRANE transactions.

4.C.5 The MCMC shall conduct storage and warehousing operations for all Government-owned property IAW MCO 4400.201, MCO P4400.151, MCO 4450.12, MCO 10330.2, MCO 4140.5A, MCO 5530.14, MCO 4450.14, MIL-STD-129, and MIL-STD-130. Warehousing operations include storage plan-o-graphs, segregation of materiel, layout, spacing, markings, location verifications, stock surveys, spot inventories, security, and materiel handling.

4.C.5.a The MCMC shall maintain an updated stock location database for all retail level inventory accounts located at MCSF-BI and all MCPP-PHIL retail accounts IAW MCO 4400.201, MCO P4400.151, and MCO 4450.14. Accurate and updated locator decks/location information files shall be made available for Government access. The stock location database shall possess accurate location, type/NSN, quantity, U/I, and condition code of materiel.

4.C.5.b The MCMC shall utilize the designated warehousing management system for warehouse operations of those stocks carried within the General Account (MMV200) IAW the STRATIS Administrative User's Manual, STRATIS Desktop User's Manual, and STRATIS Handheld User's Manual. GCSS-MC is the APSR for accountability of perpetual inventory while the Storage Retrieval Automated Tracking Integrated System (STRATIS) currently serves as the warehouse management system to complement GCSS-MC. The STRATIS Workload (Pick, Pack, Ship, Stow, and Inventory) shall be cleared daily. The warehouse denial rate shall not be greater than two percent (2%) per month IAW inventory accuracy standards in MCO 4400.201 (Vol 1), and STRATIS inventory records shall match GCSS-MC inventory records.

4.C.5.c The MCMC shall establish and maintain a surveillance program for the care of supplies in storage (COSIS) IAW MCO 4450.14, MCO 4400.201, MCO 4450.15, UM 4000-125, applicable TMs, and the command order for COSIS. The MCMC shall submit a COSIS Surveillance Plan (CDRL 5027) for Government review and approval within 60 calendar days after contract commencement, and thereafter, annually NLT September 1st each year. COSIS Surveillance Plan shall include processes of in-storage inspection/testing to ensure that the accurate condition of materiel in storage is known and properly recorded, and that the materiel is properly provided with adequate packaging protection to prevent any degradation to lower condition codes. COSIS actions shall include stock surveillance; stock rotation; quantity, location, U/I, markings, condition, and identification accuracy; periodic inspections for serviceability, screening, and/or testing, with follow-on corrective action and/or PMCS completed to restore the assets to a ready for issue condition and/or prevent future deterioration. COSIS Plan shall cover a full fiscal year with detailed status and updates provided on a monthly basis. Monthly updates will include a listing of the materiel (by SN where applicable) planned for COSIS inspection, testing, or PMCS for the following month.

(i) The MCMC shall conduct and report status of COSIS IAW the Government-approved COSIS Surveillance Plan. The MCMC shall submit a Monthly COSIS Surveillance Plan Update and Status Report (CDRL 5028) NLT the last business day of each month. The Monthly COSIS Surveillance Plan Update and Status Report shall include a listing of the materiel (by SN where applicable) planned for COSIS inspection, testing, or PMCS for the following month, as well as a listing of materiel and related actions for which COSIS was completed the prior month. The MCMC shall ensure materiel condition is accurately identified in the COSIS database IAW physical O/H inventory and LTI records (where applicable). ME in open storage shall be cared for IAW Sections C.2 and C.3.

(ii) The MCMC shall maintain an active COSIS database to track requirements, completed actions, and scheduled/pending actions, which shall be available for Government review IAW MCO 4450.14, MCO 4400.201, MCO 4450.15, and respective applicable TMs. The database shall identify COSIS requirements and completed efforts for all on island assets, SECREPs, and material requiring operational and serviceability checks that are not slated for disposition or scheduled for MMC within next 60 calendar days. The COSIS database shall be complete and accurate relative to possessed materiel and COSIS actions required.

(iii) The MCMC shall conduct and record operational/serviceability checks on SECREPs carried within the MMFAU1 RIP account and subfloats IAW MCO 4450.14, MCO 4450.15, MCO 4400.201, and TM 4700-15/1. In cases where serviceability testing cannot be completed organically, Marine Depot Maintenance Command (MDMC) Albany will provide services under the Repair and Return program, which will be coordinated (and funded) between BICmd Government personnel and LOGCOM at the request of the MCMC. The MCMC shall ensure that SECREP condition codes are accurately identified in GCSS-MC, and shall ensure that DD Form 1225 and NAVMC 1018 tags are accurate for SECREPs in the MMFAU1 account (and subfloats). In addition, SECREPs that are placed in P3&M crate/box shall be properly mark as per MIL-STD-129 with a copy of NAVMC 1018 on the outside of the box.

4.C.5.d The MCMC shall develop and execute a Shelf Life/Service Life Management program for all shelf life assets and materiel in its possession IAW DoD 4140.27-M, MCO 4000.58, MCO 3000.17, MCO 4140.5A, TM 4790-14/2, and Rations PBA Annex between DLA and I&L (LF). Standards for minimum shelf life remaining at the time of MMC embarkation aboard MPF, or at the time of shipment to MCPP-N, or MCPP-PHIL, may be waiverable on a case-by-case basis by the Government, with consideration given to cost to procure new materiel, remaining shelf life, length of afloat phase prior to next MMC production period, type of materiel being considered for waiver, and planned exercises/operations for the respective ship. Waiver requests shall be submitted to the Government, as applicable, in the form of Letters of Reconsideration.

- (i) IAW MCO 4000.58, the MCMC shall ensure Type I (non-extendable) assets that are listed on the PO with a shelf life code of 36 months or longer are loaded/embarked aboard MPF with a minimum of 24 months or more remaining shelf life at the time of MMC embarkation (E-day) aboard MPS.
- (ii) IAW MCO 4000.58, the MCMC shall ensure Type II (extendable) assets that are listed on the PO with a shelf life code of 24 months or longer are loaded/embarked aboard MPF with a minimum of 18 months or more remaining shelf life at the time of MMC embarkation aboard MPS.
- (iii) **Exception:** See Section C.3 (Maintenance), Para. 3.A.3.b for the Service Life Requirements designated for elastomeric components of prepositioned Tactical Fuel Systems (TFS).
- (iv) IAW MCO 4000.58, the MCMC shall ensure rations/MREs possess 33 months or more until end of shelf life at the time of MMC embarkation aboard MPS.

MCPP-N and MCPP-PHIL Specific (4.C.5.d): The MCMC shall ship only material, products, and supplies with a 25-month or greater shelf life remaining IAW MCOs, TMs, and Norway and Philippines Branch direction. In order to ensure 24 months shelf life on location in Norway/Philippines, 25 months of shelf life must remain prior to shipping.

- (v) The MCMC shall submit a Quarterly Shelf Life/Service Life Expiration Report within the first 10 calendar days of each FY quarter. The report shall be accurate IAW MCO 4000.58, MCO 4140.5, FEDLOG, TMs, the MCMC-generated shelf life database and O/H inventory. The Quarterly Shelf Life/Service Life Expiration Report (CDRL 5029) shall contain the following data elements (where applicable) for all O/H assets with an end of service life occurring within the following 18 months, regardless of Type I or Type II shelf life code (SLC): AAC (that materiel is loaded to within GCSS-MC), SUC (ship, commodity, or cave), TAMCN (if applicable), NIIN, nomenclature, quantity, unit price, extended price, shelf life type (I or II), SLC, number of extensions authorized IAW SLC, number and dates of previous extensions, manufacturer date, last inspection date, type of inspection required to extend shelf life, next inspection date (NID), final expiration date/end of service life, and associated parent TAMCN for assets that have been configured.
- (vi) The MCMC shall maintain a complete and accurate record, available to the Government for review, with all shelf life/service life data on materiel with a SLC IAW DoD 4140.27-M, MCO 4000.58, MCO 4140.5, FEDLOG, TMs, and physical O/H inventory. The shelf life database shall contain the following elements (where applicable): AAC, SUC (ship, commodity, or cave), TAMCN (if applicable), NIIN, nomenclature, quantity, unit price, extended price, shelf life type (I or II), SLC, serial number, contract/lot/batch

number, number of extensions authorized IAW SLC, number and dates of previous extensions, manufacturer date, last inspection date, type of inspection required to extend shelf life, next inspection date (NID), final expiration date/end of service life, and associated parent TAMCN for assets that have been configured. Data shall be accurate IAW TM 4700-15/1 and TI 10010-OR for CBRN equipment.

- (vii) The MCMC shall obtain shelf life extensions on materiel when required and permissible IAW respective equipment Shelf Life Codes, Supply Bulletins (SB), DoD 4140.27-M, MCO 4000.58, MCO 4140.5, MCSF-BI Hazardous Management Plan, TMs and/or SL-3. Eligible shelf life extensions shall be obtained in all situations where extensions are possible.
- (viii) The MCMC shall utilize materiel without sufficient shelf life for embarkation on MPS to fill local (on-island, MMC production, or organic account) requirements or redistribute to the operating forces IAW DoD 4140.27-M, MCO 4000.58, MCO 4140.5, and the MCSF-BI Hazardous Material Management Plan. In an effort to avoid unnecessary materiel costs and maximize the efficient use of materiel, any materiel that does not meet shelf life requirements for storage/prepositioning during an afloat phase shall be used to meet other applicable requirements to the maximum extent possible.

4.C.5.e The MCMC shall conduct Preservation, Packaging, Packing, and Marking (P3&M) of equipment and supplies requiring storage, embarkation, or shipment IAW MCO 4400.201 (Vol 14), MCO P4030.31, MCO 4030.40, MCO 4030.33, MCO P4030.21, MIL-STD-129, MIL-STD-130, MIL-STD-2073-1E, and NAVSUP P700-CNP.

4.C.5.f The MCMC shall adhere to physical security and safeguarding requirements of all Government assets IAW DoD 5100.76-M and MCO 4400.201. Physical security shall include segregating and restricting access to highly pilferable, sensitive, and other items requiring special storage and handling.

4.C.5.g The MCMC shall conduct materiel/cargo handling in support of warehousing and distribution operations. Personnel training, testing, and licensing program for MHE/CHE shall be managed IAW the latest versions of MCO P11240.106 and MCO 4450.14. The MCMC shall use appropriate MHE and CHE to move respective materiel IAW the latest/current versions of applicable equipment TMs. MHE/CHE operators shall be licensed for the equipment they are operating.

4.C.6 The MCMC shall apply Automatic Identification Technology (AIT) resources to materiel and assets to identify, track, and document materiel IAW DoDI 8320.04, MCO 4000.51C, MCBul 4440, Section C.2.A of the SOW, and CmdO 4035.1. Minimum AIT applications include passive RFID tags, Item Unique Identification (IUID), and linear/2D barcodes, and 2D data matrix bar codes. The MCMC shall utilize the DoD IUID registry for applicable (IUID tagged) asset visibility, accountability, management and reporting of materiel.

4.C.7 The MCMC shall execute the redistribution, rollback, or disposition of unserviceable, obsolete, or excess materiel and assets IAW DoD 4160.21-M, MCO 4400.201, MCO P4400.151, MCO 4790.2, CmdO 4790.1, UM 4000-125, UM 4400-60, respective equipment TM/TI, Disposal Plans, and official messages providing disposition instructions. Requests for disposition (WIR/GCSS-MC Return SRs) shall be entered into APSR within 20 calendar days of receiving Government approval to dispose of excess/obsolete/unserviceable asset. Assets shall be shipped within 25 calendar days of receiving disposition instructions or shipped in time to meet stated Required Delivery Date (RDD), whichever is earlier.

4.C.7.a The MCMC shall request Government approval prior to executing redistributions, executing rollback/MRP, or submitting requests for disposition (WIR) for unserviceable, obsolete, or excess equipment or consumable supplies (CDRL 5030). MCMC requests to the Government for redistributions, rollbacks/MRPs, or dispositions shall be accurate IAW property records (O/H and allowances / PO), GA demand history (for consumables), condition codes, and acquisition advice codes. Government approval shall be obtained prior to executing disposition or submitting disposition request via the APSR.

4.C.7.b When submitting requests for disposition (WIR) for unserviceable ME, the MCMC shall upload an Uneconomical Repairs Cost Assessment Package to the Return SR within GCSS-MC IAW MCO 4400.201 (Vol 6), CmdO 4790.1, and MSG 280850Z Jul 21.

4.C.8 The MCMC shall notify the Government of missing, lost, stolen, or damaged Government-owned assets IAW MCO 5530.14 and MCO 4400.201. Written notification from the MCMC shall include, as applicable: TAMCN, DODIC (ammunition specific), nomenclature, quantity, serial number, dollar value, name of RO and associated AAC/SUC, (issuing) local element, time of discovery, security breaches, and a brief synopsis of circumstances surrounding the incident (CDRL 5031). "Immediate notification" shall be provided for any assets identified as MLSR reportable items; "Immediate notification" is defined as "written with receipt confirmation via phone call provided by the end of the business day of any assets identified as MLSR reportable items. Updates shall be provided every three business days for situations requiring "immediate notification", until the equipment is recovered, Government approval is obtained to drop the assets from property records, or Government directs ceasing notification updates. "Urgent notification" shall be provided within 24 hours for any non-MCBul 3000 serialized assets valued above \$800, any non-consumable unserialized property valued above \$5,000, and any controlled item not meeting "immediate notification" standard. "Routine notification" shall be provided within 48 hours for any serialized asset valued below \$800 and not meeting criteria for "immediate" or "urgent" notification.

4.C.8.a The MCMC shall prepare and route DD Form 200 for lost, damaged, or destroyed Government property IAW FLIPL MCBUL (MCBUL 4440.4) and MCO 4400.201 within five business days of discovery of the lost, damaged, or destroyed equipment or supplies (CDRL 5032). DD Form 200 is used to initiate the "Financial Liability Investigation of Property Loss" (FLIPL) process. The Form is to be completed when one

or more of the situations listed in the most current FLIPL MCBUL (MCBUL 4440.4) or FLIPL Volume of MCO 4400.201 exists, to include "Marine Corps property in the possession of the MCMC is lost, damaged, or destroyed". DD Form 200 is not used to relieve or hold the MCMC liable for lost, damaged, or destroyed Marine Corps property, but rather to serve as documentation for inventory adjustments. MCMC-generated voucher requests (reference 4.C.9.a) are still required for Government approval of all inventory record adjustments. DD Form 200 is an additional requirement that will supplement the voucher request for situations outlined in the FLIPL MCBUL or FLIPL Volume of MCO 4400.201 related to lost, damaged, or destroyed property. In addition to the MCMC completing blocks 1, 3, 4-9, and 17a-f of DD Form 200 (as directed by MCBUL 4440.4), blocks 10 and 11 shall also be completed by the MCMC prior to submission to the Government. Subsequently, the Government will complete blocks 17.e and 17.f. The MCMC shall assign a document number and complete box 17.a upon receipt of Government approval to adjust property records.

4.C.8.b The MCMC shall conduct causative research and provide a completed investigation report (CDRL 5033) to the Government for situations requiring MLSR reporting and other cases of missing, lost, stolen, or damaged materiel, as directed by the Government IAW MCO 5530.14 and MCO 4400.201. Conduct of MCMC causative research involving MLSR incidents is independent of normal adjustment procedures or Government command investigations. At a minimum, the MCMC's Investigation Report format shall include: Preliminary Statement, Findings of Facts, Opinions, Recommendations, and corresponding accident LTI (in the case of tactical equipment) or repair estimate (from commercial facility in the case of GME or GSA leased vehicles) to provide dollar value of damages. Investigation Report(s) shall be provided to the Government within 15 calendar days of initial notification of MLSR incident.

4.C.8.c The MCMC shall provide completed SF-91, accident LTI, and corresponding SF-94 when applicable, to the Government when Government-owned assets are involved in accidents IAW TM 4700.15/1 and MCO P11240.106 (CDRL 5034). Requirement applies to ME and Non-Tactical Vehicles/GSA leased vehicles. In situations involving NTVs, SFs shall be provided to Government Fleet Manager within one business day of the accident. In situations involving tactical assets, SFs shall be provided to the Government (Attention: Director LOGDIV) within one business day of the accident. Accident LTI for tactical assets, or repair estimate from commercial facility in the case of NTV and GSA leased assets, shall be provided with MCMC investigation (where required) within 15 calendar days after accident (unless constrained by commercial facility's delivery of estimate). Accident LTI shall accurately document physical damages incurred.

4.C.9 The MCMC shall, upon Government approval, adjust property records to ensure on hand inventory matches APSR records IAW MCO 4400.201, MCO P4400.151, MCBUL 4440.4, and UM 4000-125. Inventory adjustment transactions shall be completed within five business days of Government approval, via Government endorsed voucher request and/or DD Form 200.

4.C.9.a The MCMC shall submit requests (voucher requests) for property record adjustments IAW MCO 4400.201 and MCO P4400.151 (CDRL 5035). All property record adjustment requests, regardless of dollar value and/or type of gain or loss, shall be routed to the Government (Attention: "Program" OIC) via voucher request form for approval prior to transacting in the APSR utilizing the Government provided format for the voucher request (SOW Attachment C.4-5). In cases of physical loss adjustments (DIC D9_) where Marine Corps property was lost, damaged, or destroyed, a DD Form 200 shall accompany the voucher request that is routed to the Government for approval (reference 4.C.8.a) IAW MCO 4400.201 (Vol 17, Chapters 2 and 7) or upon the discretion of the Government that a DD 200 is required. All voucher requests forwarded to the Government shall be endorsed by the MCMC's Supply Manager and shall include results of causative research, identification of root cause for accountability imbalance, justification for recommended property record adjustment transactions, and the following fields: Applicable AAC, recommended Document Identifier Code (DIC) to make inventory adjustments, TACMN (where applicable), NIIN, Nomenclature, Serial Number (where applicable), SAC, CIC, Quantity, Unit Price, Extended Price (of recommended APSR adjustment). Voucher requests shall be submitted within five business days of identification of inventory discrepancy, and the voucher request information shall be accurate IAW physical OH inventory, APSR property records, APSR historical transaction information (related to causative research).

4.C.9.b The MCMC shall route all APSR generated Money Value Gain Loss (MVGL) notices to the Government for endorsement IAW MCO 4400.201 and MCO P4400.151. The MCMC shall ensure routed MVGLs include a copy of the corresponding voucher requests (and DD Form 200 where applicable) that were previously approved and endorsed by the Government, serving as the authorization to transact the property record adjustment in the APSR. MVGLs shall be routed to the Government within 5 business days of processing the adjustment transaction within GCSS-MC.

4.C.9.c The MCMC shall complete required supply transactions associated with the Monthly Field Change (MFC) IAW UM4000-125 and monthly GCSS-MC Operations Center (GOC) MFC processing guidance. MFCs result from updates to core GCSS-MC data, usually associated with IMO attributes such as the serial control flag, IB tracking flag, and/or unit of issue. Government will provide detailed guidance for each MFC based on the pre-MFC notifications received. When this occurs, the MCMC shall process appropriate APSR transactions required to ensure the property is accurately loaded back to property records under new attribute values. Voucher requests associated with MFCs shall be routed to the Government to document the requested property record adjustments, and Government approval of the voucher requests shall be obtained prior to transacting property record adjustments. In the case of MFC, there will not be a need for an accompanying DD Form 200, unless Marine Corps property is physically lost, damaged, or destroyed. Voucher requests associated with MFC shall be submitted by the MCMC to the Government within five business days of completion of MFC cycle. Subsequently, GCSS-MC inventory adjustment transactions shall be completed by the MCMC within three business days of Government (voucher) approval. The MCMC shall

ensure the GCSS-MC transactions are accurate (DIC, quantity, NSN) IAW the Government approved voucher request.

4.C.10 The MCMC shall retain accurate and complete supply documentation, records, and files IAW MCO 4400.201, MCO P4400.151 and UM 4000-125.

4.C.11 The MCMC shall maintain the BICmd NTV Program IAW MCO P11240.106D, NAVFAC P-307, CmdO 11240.1, and GSA Vehicle Lease Program (VLP) MOU. A Government representative will formally serve as Fleet Manager, and MCMC shall maintain and execute the operations of the program with Fleet Manager oversight. Program shall include NTV, dispatching of assets, accountability, maintenance, accident prevention, licensing, utilization tracking, and accident reporting. The MCMC shall utilize DPAS for asset accountability and utilize the Marine Corps-approved Federal Fleet Management Information System (FMIS), "Fleet Focus", for life cycle management of GME fleet assets. The MCMC shall perform, or obtain from a third-party, emergent equipment recovery for Government Furnished Equipment and/or Military Equipment traveling to or from inspection and repair facilities outside the confines of Marine Corps Support Facility-Blount Island.

4.C.11.a The MCMC shall operate and maintain Government-furnished Non-Tactical Vehicles (NTV) IAW MCO P11240.106D, NAVFAC P-307, CmdO 11240.1, and GSA Vehicle Lease Program (VLP) MOU.

4.C.11.b The MCMC shall implement and manage a Non-Tactical Vehicle Licensing Program IAW CmdO 11240.1, MCO P11240.106D, MCO 11240.66, TM 11240-15/3, and TM 11275-15/4.

4.C.12 MCPP-N Specific: Monthly, the MCMC shall reconcile MMV420 GCSS-MC all classes of supply data against NEIMS UICs, conduct causative research (if necessary) contact NDLO/MEB counterparts, and update the GCSS-MC to reflect. The MCMC shall submit a detailed report to the government electronically (CDRL 5036). The MCMC shall utilize GCSS-MC and NEIMS AIS including reports produced by NDLO/MEB.

4.D MMC SUPPLY PRODUCTION OPERATIONS

4.D.1 The MCMC shall manage intermediate level supply accounts to support BICmd consumer level accounts and the MMC with consumables and secondary reparable IAW MCO 4400.201, MCO P4400.151, MCO P4450.7, MCO 4790.2, and UM 4000-125. Intermediate level supply accounts include a General Account (AAC MMV200) and a Reparable Issue Point (AAC MMFAU1), both located on MCSF-BI.

4.D.2 The MCMC shall operate the MCSF-BI Defense Fuel Support Point (DFSP) IAW DOD 4140.25-M, DLA-Energy P1, DLA-Energy P2, DLA-Energy P7, and other established DLA-Energy procedures for capitalized fuel storage. The MCSF-BI DFSP is Government-owned/Contractor-operated (GOCO). MCMC operations shall include the ordering of fuel, receiving of fuel, monitoring of fuel levels, recording and reporting of fuel consumption,

inventory management, recycling, safeguarding, and distribution of fuel. The MCMC shall ensure adequate fuel supplies are on hand at all times to support operations with levels maintained IAW DLA-E procedures. Accurate and complete DD Form 2921 (CDRL 5037) shall be submitted daily (for previous day's consumption/inventory levels). Accurate and complete DD Form 1348-8 shall be submitted within two business days after the end of month. MCPP-PHIL is exempt from this requirement.

4.D.3 The MCMC shall submit an Attainment Deficiency Report (CDRL 5038)identifying ME deficiencies for the upcoming ship or ashore program in the MPF Maintenance Cycle (MMC) IAW the Detailed Ship Plans, O/H inventory resident in APSR, and physical O/H inventory. Government will provide requirements document (Detailed Ship Plans), which identifies the load out/spread for each respective ship, to the MCMC NLT 90 calendar days prior to start of ships' production periods. Subsequently, the MCMC shall submit the Attainment Deficiency Report to the Government (Attn: Supply Branch) NLT 75 calendar days prior to the commencement of the respective ships' production period (P-75), or 15 calendar days after receiving the Detailed Ship Plans from the Government, whichever is later. The ME Attainment Deficiency Report shall highlight equipment shortfalls that exist when comparing available O/H assets to the load out "spread" quantities in the Detailed Ship Plans. Report shall include data elements for: TAMCN, NIIN, nomenclature, Stores Account Code (SAC), quantity short/required to attain, unit price, and extended price (of deficient quantity). When determining ME attainment deficiencies for the ship or ashore program in MMC production, consideration shall be given to available program-wide excesses and/or on hand assets filling lower priority requirements that can be used to fill immediate MMC/ship PO requirements.

4.D.4 (RESERVED)

4.D.5 The MCMC shall prepare the shipboard sustainment blocks and containerized/mobile loaded assets during MMC production, preparing materiel for MPF backload at the conclusion of the ships' production cycles IAW Detailed Ship Plans.

4.D.5.a The MCMC shall download and unpack all containers and mobile loads IAW TM 4790-14/2, Government-approved Production Schedules, and Government-provided Ship/Production Planning Considerations.

4.D.5.b The MCMC shall inventory downloaded sustainment blocks and containerized assets IAW APSR Property Records, Government-approved Production Schedules, MCPIC embarkation records, TM 4790-14/2, MCO 4400.201, MCO P4400.151, and Detailed Ship Plans.

4.D.5.c The MCMC shall adjust APSR property records to reflect accurate OH inventory of downloaded sustainment blocks IAW Section 4.C. "Inventory Management".

4.D.5.d The MCMC shall manage shelf life of sustainment block assets and materiel IAW Section 4.C. "Inventory Management" during MMC production, to include screening for shelf life expiration, obtaining extensions where possible, and determining

materiel that is eligible for another afloat phase versus materiel that shall be replaced IAW Detailed Ship Plans.

4.D.5.e The MCMC shall conduct serviceability inspections of sustainment block contents and containerized assets/materiel (to include CBRN equipment), IAW Section 4.C. "Inventory Management". Specific to all inspections of CBRN equipment, the MCMC shall record the inspection results using the Government-provided CBRN Inspection Log (SOW Attachment C.4-6), which shall be retained on file for a minimum of six years and available for Government review.

4.D.5.f The MCMC shall conduct stock rotation of sustainment block contents during MMC production IAW Section 4.C "Inventory Management" and Detailed Ship Plans.

(i) The MCMC shall conduct MRE stock rotation with DLA Troop Support (DLA-TS) IAW Detailed Ship Plans and the Operational Rations PBA Annex between DLA and HQMC (LF). MREs contained in the CL I prepositioned blocks embarked aboard MPF shall be downloaded during MMC production in order to rotate the stocks with DLA-TS and acquire replacement stocks that have adequate shelf life to last through the scheduled afloat phase. Rations/MREs shall possess 33 months or more until end of service life at the time of MMC embarkation aboard MPF IAW MCO 4000.58. The quantity of MREs obtained from DLA and back loaded aboard respective ships during MMC production phase shall be IAW Detailed Ship Plans.

4.D.5.g The MCMC shall track and report prepositioned sustainment block excesses and deficiencies IAW Detailed Ship Plans, TM 4790-14/2, as well as Official Government Guidance provided via Ship/Production Planning Considerations. The MCMC shall provide the report NLT 75 calendar days prior to commencement of ship production, or 15 calendar days after receiving the Detailed Ship Plans from the Government, whichever is later, concurrent with the ME Attainment Deficiency Report (CDRL 5040). Sustainment blocks include Class I Rations, Class III Packaged (P), Class IV Engineering/Construction materiel and lumber, and Class IX (consumable repair parts, batteries, and Secondary Repairables); Preservation, Packaging, Packing and Marking (P3&M) block; and Offload Preparation Party (OPP) block IAW respective ships' Detailed Ship Plans. Sustainment Block Status Report, which shall be part of the ME Attainment Deficiency Report submitted at P-75, shall identify excesses and deficiencies relative to Ship Spread contained in the Detailed Ship Plans found in the MCPIC Prepositioning Planning System (PPS) application, with amplifying guidance in the Ship Planning Considerations, and it will include identification of which sustainment block the excess/deficiency applies to, NIIN, Nomenclature, U/I, quantity O/H, quantity excess or deficient, U/P, extended price of excess or deficient quantity, SAC, CEC, end item application where appropriate, and remarks that include requested disposition action (MRP, DLA-DS / DRMO, WIR) for excesses or sourcing plan for deficiencies.

(i) The MCMC shall requisition/source approved material for downloaded sustainment blocks IAW NAVMC 2907 (PO), Detailed Ship Plans, MCO 4400.201, MCO 4000.58, MCO P4400.151, TM 4790-14/2, MCO 4400.16, MCO 3000.17, and UM 4000-125. Ship allowance quantities (quantity to be attained and backloaded during the MMC) are provided in the respective Government-provided Detailed Ship Plans, provided to the MCMC 90 calendar days prior to the start of ships' production period. For those sustainment block deficiencies without a GA O/H quantity, requisitions shall be submitted for the upcoming ship in the MMC NLT 60 calendar days prior to the start of the ship's production cycle (after receiving Government approval), or 10 calendar days after receiving Government approval of Attainment Deficiency Report, whichever is later. Any sustainment block materiel that has constraints associated with early attainment negatively affecting the shelf life during the afloat phase (i.e. CL I MREs, CL III POL, CL IX batteries) shall be an exception to the aforementioned P-60 requisition timeline. In these cases, materiel shall be attained at the latest possible date that still allows for MCMC receipt, inventory, P3&M, containerize, mark, etc. during the MMC in order to meet the ship backload timeline, thereby maximizing remaining shelf life for the afloat phase. Materiel shall be sourced IAW Section 4.B.7.

(ii) The MCMC shall conduct rollback or disposition of excess/obsolete inventory from downloaded consumable sustainment blocks IAW Section 4.C. "Inventory Management" NLT the end of the respective ship's production cycle.

4.D.5.h The MCMC shall load and secure MMC-completed mobile loads onto/into designated Principal End Items IAW Government-provided Mobile Load Association Plans, which are part of the Detailed Plans in MCPIC. Mobile loads shall be secured IAW Section C.9 Port Operations. Mobile loads shall be secured as to allow Lift-On/Lift-Off (LO/LO), Roll-On/Roll-Off (RO/RO), and not hinder the proper operations of the Principle End Item.

4.D.6 The MCMC shall conduct supply operations associated with Sets, Kits, Outfits, and Tools (SKOT) and SL-3 requirements during MMC/ashore production IAW the Government approved Production Schedule, equipment TMs, and SL-3 Component Stock Lists.

4.D.6.a The MCMC shall conduct SL-3 inventories of SKOTs that are needed in support of the MMC production period, as identified in the Detailed Plans "spread" within MCPIC. Inventories shall be conducted IAW MCO 4400.201, UM 4000-125, CmdO 4790.1, and respective equipment TMs/SL-3 Component Stock Lists. The MCMC shall place a copy of completed SL-3 inventory list in each SKOT upon completion of the physical inventory during production. Inventory lists shall be accurate IAW physical O/H inventory. In addition, the MCMC shall upload inventory lists into GCSS-MC for auditability and accountability. Ashore program SKOTS inventories shall be included in the respective annual/quarterly production plans specific to the programs.

4.D.6.b The MCMC shall requisition SL-3 deficiencies of ME and SKOTs to meet MMC production and backload timelines IAW MCO 4400.201, CmdO 4790.1, UM 4000-125, Detailed Ship Plans, SL-3 Component Stock Lists, equipment TMs, and completed SL-3 inventories. To increase the likelihood of producing SL-3 complete assets during production, the MCMC shall review the "SL-3 Deficiency Report" from the ship's previous MMC, and if the same ME or SKOTs are being planned for the current MMC production period, the MCMC shall ensure the SL-3 are ordered within the first 45 calendar days of the production period. Likewise, the MCMC shall requisition any SL-3 deficiencies discovered during the conduct of LTIs and completion of SL-3 inventories as part of MMC production. The MCMC shall ensure all prepositioned Military Equipment (ME) and Sets. Kits, Outfits and Tools (SKOT) meet the following stock criteria for components:

- (i) Contain all components identified in the applicable data as CEC/CRIT 3, 4, 5 and 6 components, unless otherwise authorized by the government.
- (ii) Meet a minimum SL-3 Component Stock Level (CSL) of 80%.

MCPN and MCPN-PHIL Specific: All MCPN and MCPN-PHIL SKOTs shall be 100% validated prior to shipment to Norway or the Philippines. The term validated is defined as identifying shortages, placing deficiencies on order, receiving deficiencies, and placing in SKOT prior to shipment to Norway or the Philippines. Government authorization is required for shipments not SL-3 complete by appropriate MCO or applicable TM.

4.D.6.c The MCMC shall provide an SL-3 Deficiency Report (CDRL 5041) for the ship/ashore site in production NLT 14 calendar days prior to the end of the production cycle (Px-14). At a minimum, this report shall contain the following data elements for SL-3 shortfalls: TAMCN (if applicable), Nomenclature, and NIIN of Parent ME that has the SL-3 shortage; NIINs, Nomenclatures, Quantities of SL-3 Allowances, Quantities of SL-3 OH, Deficiencies, U/P, T/P, CEC/CRIT, SAC, and Document Numbers of Requisitions for SL-3 Deficiencies. Provision of this report from the MCMC to the Government will allow for Government review and feedback on whether to load the SL-3 deficient end item, keep outstanding requisitions for SL-3 open or cancel them, and what to do with the SL-3 upon receipt (hold O/H in the GA or forward to the ship).

4.D.7 The MCMC shall conduct set assembly marking for component parts of disassembled items IAW CmdO 4035.1. Marking shall be completed prior to MCMC declaration of respective sets as production complete and ready for Government inspection IAW Government-approved Production Schedule. Set marking is used to easily identify the association between separate components and/or containers of sets. Assets such as the TAFDS, AAFS, HERS, EFK, etc., which consist of multiple disparate containers, require set markings.

Marking structure shall consist of "BIC", followed by TAMCN of parent end item (B0685), followed by locally assigned four-digit set number that is unique to that particular set/parent end item amongst total sets within the program (i.e. 0003), and finally followed by the assigned

number for that particular piece of separate component or container relative to total number of separate pieces for the parent end item (i.e. 7 of 30). Example: "BICB06850003 / 7 of 30" (container 7 of 30 total containers for set #3 of the B0685)

4.D.8 The MCMC shall conduct container packing operations IAW MCO 4450.14, MCO 4690.1, MCO P4030.31, MCO P4030.21, MCO P4030.33, MCO 4400.201 (Vol 14), TM 4790-14/2, MIL-STD-129, IMDG Code, 49 CFR Part 178, UN Performance Orientation Packaging (POP) standards, CmdO 4035.1, and CmdBul 3162. "Container packing operations" shall include P3&M actions; loading of material into cabinets, bins, or other smaller containers; generation of locator files and packing lists; container marking and labeling relative to container contents; and associated data entry for warehousing/embarkation. The MCMC shall conduct container packing IAW the Government-provided Container Worksheet and related deviation reporting requirements outlined in Section C.9 Port Operations. Container contents shall be accurate IAW the Detailed Ship Plans for each respective ship.

4.D.8.a The MCMC shall generate and affix container packing lists identifying container contents. Container packing lists shall be accurate with container contents and MCPIC data. Packing lists shall be placed on inside and outside of one door for each container, with outside list protected from natural elements. The MCMC shall complete the container packing list prior to placing the security seal on the container. The MCMC shall maintain electronic container packing lists so that the Government can access, view, sort, and share the data with applicable stakeholders.

4.D.8.b The MCMC shall secure and seal the doors of completed containers with serialized High Security Seal IAW ISO 17712:2013. The seal shall be affixed immediately upon Government approval to close/seal container. Subsequently, the MCMC shall enter accurate seal data into MCPIC for all container seals.

4.D.9 The MCMC shall conduct P3&M operations in support of MMC production IAW DoD 4140.65-M, MCO P4030.31, MCO 4030.40, MCO 4030.33, MCO P4030.21, MCO 4400.201 (Vol 14), applicable equipment MIL-SPEC and TMs, MIL-STD-2073-1, NAVSUP P700-CNP, UN POP, and TM 4790-14/2. P3&M operations shall be conducted IAW Government-approved Production Schedules. Requirements for P3&M include ME/PEIs, SKOTs, containerized assets, mobile loads, and consumable sustainment blocks. Embarked rolling stock/vehicles shall be preserved in a modified Level B drive-away state, unique to the requirements of respective commodities for which the deprocessing demands of Level A preservation would bear significantly on the operational readiness and ability to rapidly offload/deploy the assets. Weapons, electrical parts and components, communication assets, and optics equipment shall be Level A packed. Mobile loads shall be protected from the elements. Stenciled weight markings on containers shall be accurate IAW scale house records and actual physical weight of loaded containers. Packing material shall be marked IAW MIL-STD 129, MIL-STD 130, 49 CFR, IMDG Code, and the UN POP standards.

4.D.10 The MCMC shall conduct logistics support operations for downloaded weapons during MMC production, maintaining accountability throughout the process.

4.D.10.a The MCMC shall conduct joint inventories of all weapons downloaded from MPF during the MMC prior to shipment to LOGCOM for inspection and repair, as well as upon weapons returning from LOGCOM for MPF backload, ensuring accurate accountability for all weapons is maintained. Weapons downloaded from MPF during MMC and weapons returned from LOGCOM in support of MMC backload shall be stored in the BICmd Temporary Weapons Facility when direct shipment between BICmd (after ship download and prior to ship backload) and LOGCOM, and vice versa, is not feasible. Joint inventories shall be completed upon download from MPF prior to storing in the MCSF-BI Temporary Armory Facility or prior to shipping to LOGCOM for PMCS (in cases of direct shipment). Joint inventories shall be completed within 24 hours of receiving PMCS-completed weapons back from LOGCOM.

(i) The MCMC shall nominate, in writing to the Government, primary and alternate Armory Custodians for the MCSF-BI Temporary Armory Facility. Custodians shall be selected so that at least one custodian is available at all times during working hours. Armory Custodian nomination letters (CDRL 5042) shall be provided prior to contract execution, and within 24 hours of personnel changes. The MCMC shall adhere to MCO standards with respect to AA&E access and handling when nominating custodians.

(ii) The MCMC shall nominate, in writing to the Government, designated personnel for access to the BICmd Temporary Weapons Facility. Neither the Government nor MCMC representatives shall access the facility without the presence of the others' designated representatives. Armory Access nomination letters (CDRL 5043) provided prior to contract execution and within 24 hours of personnel changes.

4.D.10.b The MCMC shall inventory, replace, and replenish weapons SL-3 as required IAW Section 4.A. and 4.B. Requisitions for weapons SL-3 deficiencies shall be submitted NLT 15 calendar days after the start of production.

4.D.10.c The MCMC shall complete appropriate APSR transactions of weapons shipped to/from LOGCOM or other repair facility IAW UM 4000-125, MCO 4400.201, and Detailed Ship Plans. LOGCOM MDMC conducts Field Level Maintenance PMCS services on BICmd weapons. As such, upon ship downloads, the MCMC shall transfer the weapons to MDMC. Depending upon the "spread" requirement for the respective production period, the MCMC shall submit requisitions for replacement weapons, using an RDD that is within 2-3 weeks of Px-day for the given production period. APSR transfer transactions shall be completed the same calendar day as weapon outbound shipments or completing physical inventory of received (inbound/arriving) shipments. All weapons sent to LOGCOM for maintenance shall be transferred from property records, regardless if required to be returned for backload or not within the next few months. Lastly, additional weapons, not already on BICmd property records may be

needed to support Ship Spread / Detailed Ship Plans, found in the MCPIC Prepositioning Planning System (PPS) application.

4.D.10.d The MCMC shall arrange for Transportation Protective Services and ship downloaded weapons via bonded carrier to LOGCOM, or other Government designated facility, for maintenance IAW DTR 4500.9-R Part II. When possible, direct shipment to LOGCOM upon download from MPF shall be arranged to minimize storage at BICmd Temporary Weapons Facility. The MCMC shall notify the Government when same day shipment is not possible and storage is required. The MCMC shall conduct advance planning and liaison with the consignor, consignee, and Transportation Service Provider's (TSP) dispatcher for safe and secure transport of weapons, to include contacting destination activity to confirm the ability and intent to receive and secure the shipment. DD Form 1907 (Signature and Tally Record) shall be prepared and retained for all Transportation Protective Services (TPS) shipments IAW DTR Part II. The Report of Shipment (REPSHIP) shall be submitted for all weapon shipments.

4.D.10.e. MCPP-N Specific. The USMC has prepositioned equipment in Norway for MCPP-N that contains all classes of supply to include crew served weapons. Due to the sensitivity of weapons, this equipment requires U. S. personnel to account and store the equipment while it is prepositioned in Norway. The MCMC shall perform the duties of Armory Custodian(s). This requires a two-person integrity rule to be maintained during normal and extended working hours. The MCMC personnel shall be responsible for all crew served weapons on the MMV420 account to include the following:

- Administration and management, security, accountability and daily operations of the armory account to include the conduct of inventories
- Storage/handling/disposition: safe storage and positive control of all weapons and conduct inspections to determine that proper physical security and control are provided
- Transportation: proper physical security measures during transport of weapons
- Establish, test, and maintain Emergency Action Plan (EAP)
- The MCMC shall nominate, in writing to the Government, primary and alternate Armory Custodians for the Frigard Temporary Armory Facility. Armory Custodian nomination letters shall be provided prior to contract execution, annually, and within 24 hours of personnel changes. The MCMC shall adhere to MCO 5530.14_ with respect to AA&E access, key control, and when nominating custodians.
- The MCMC shall nominate, in writing to the Government, designated personnel for access to the Frigard Temporary Weapons Facility. Armory Access nomination letters provided prior to contract execution, annually, and within 24 hours of personnel changes.

4.D.11 The MCMC shall provide a GCSS-MC vs. MCPIC Discrepancy Report (CDRL 5044) for the current ship in the MMC production cycle NLT the start of the respective ship's backload (E-1) , which shall identify all GCSS-MC and MCPIC disparities for all MPE/S (non-expendables/ME and expendables/consumables/sustainment blocks) to include cases where discrepancies are unavoidable (assets are not loaded to IMO and cannot be picked up on GCSS-MC records but are resident in MCPIC). Report shall include the following data elements, where applicable: TAMCN, nomenclature, NIIN, SN, and O/H quantity for both GCSS-MC and MCPIC; MCPIC package ID; Ship Spread quantity identified on Detailed Ship Plans, found in the MCPIC Prepositioning Planning System (PPS) application, and justification for discrepancies between the two systems.

4.D.12. Requirements for Portable Fire Extinguishers associated with ME.

4.D.12.a NFPA Compliance. The MCMC shall adhere to the National Fire Protection Association (NFPA) 10-18 standards for the inspection, maintenance, and testing of portable fire extinguishers.

4.D.12.b The MCMC shall centrally manage all MCPP portable fire extinguishers, developing standard operating procedures for tracking inspections, maintenance, and testing. This includes procedures for extinguisher tagging, marking, and labeling, as well as annual, six-year, and twelve-year inspections. Monthly and annual inspections are waived during the Afloat Phase for MPF.

4.D.12.c During MMC Production, the MCMC ensure all extinguishers are serviced, tested, and certified according to NFPA standards, including those resulting from SL-3 configuration changes, fielding, or tailoring changes. Non-compliant extinguishers shall be replaced with suitable alternatives.

4.D.12.d The MCMC shall document annual maintenance and hydrostatic testing for all portable fire extinguishers, maintaining official records in accordance with the FAR. These records must be available to the Government upon request.

4.D.12.e All MCPP portable fire extinguishers utilized on MPS shall be certified by the manufacturer or serviced, inspected, and certified by an authorized service provider within 12 months of embarkation (E-Day). Extinguishers at ashore locations must be serviced in line with NFPA timelines.

4.D.12.f Commercial service invoices shall identify the type of service (maintenance or hydrostatic test) work performed. The service request and/or invoice shall reflect the organization that performed the work, description of service, the individual portable fire extinguisher's serial number (when applicable), NSN, cost, qty, and date work was completed.

4.D.12.g Inspection Tags and Labels:

- (i) For newly-manufactured extinguishers, the MCMC shall conduct a manual inspection and affix a completed inspection tag.
- (ii) The MCMC shall ensure that each extinguisher has the required tags or labels, including a verification of-service collar, tamper seal, Six-Year Internal Examination Label, hydrostatic test date, and manufacturer nameplate.
- (iii) Maintenance service tags shall include the month/year of service, the technician's name, and the hydrostatic test date

4.G T-AKE SUPPLY OPERATIONS

Supply and warehousing operations aboard the T-AKE ships include issuing consumable and expendable stocks, as well as secondary reparables to the MAGTF; recovering unexpended ground ammunition; replenishing stocks that were depleted as a result of issuing to the MAGTF; and conducting shipboard warehousing and storage operations to support the selective offload, replenishment, and restocking of consumables, expendables, and secondary reparables from/to the T-AKE ships.

4.G.1 The MCMC shall issue consumable/expendable stocks from the prepositioned sustainment blocks embarked aboard the T-AKE to the MAGTF during MPF exercises IAW MCO 4790.2, MCO P4400.151, UM 4000-125, the Government Exercise Support Letter for the specific exercise and Section C.7 Shipboard. While Class II and VII (non-consumables) are issued to the MAGTF on a temporary loan basis in support of all MPF exercises and operations (as directed in Section 4.C.4.c), consumable/expendable stocks are issued to and consumed by the MAGTF during exercises that involve the use of T-AKE ships. Consumables / expendables issued to the MAGTF (from the T-AKE) in support of exercises include Class I, III (P), IV, V (W), and IX (C). Each of the classes of supply have unique requisitioning/request procedures by the MAGTF, resulting in specific document management and order fulfillment procedures required by the MCMC. Class V (W) shall only be issued at the unit pack level unless otherwise directed by the Government. Of note, bulk fuel / Class III (B) is coordinated between the MAGTF and MSC, with no requirements levied upon the MCMC.

4.G.2 The MCMC shall provide Class IX Secondary Repairable supply support to the MAGTF during MPF exercises involving the use of T-AKE ships IAW the latest / current version of MCO 4790.2, MCO 4400.201, UM 4000-125, Government Exercise Support Letter for the specific exercise, and Section C.7 Shipboard. SECREP support shall be provided to the MAGTF, using the T-AKE sub-float accounts of MMFAQ61 and MMFAQ62 to issue serviceable SECREPs. In nearly all situations, the T-AKE sub-float will issue the serviceable SECREP with the MAGTF turning in the associated unserviceable SECREP carcass, which shall subsequently be evacuated to MMFAU1 for repair and return. In other situations, although the MAGTF will initially be issued a serviceable SECREP from the T-AKE inventory to expedite the repair of the end item that the SECREP is associated to, the MAGTF will not turn in a carcass to the T-AKE. Instead, when time permits during the conduct of the exercise, the MAGTF will conduct a carcass exchange with its home station supporting RIP and obtain a serviceable replacement

SECREP from that RIPs OH inventory to replace the serviceable asset issued from the T-AKE, thereby avoiding any MAGTF reimbursement cost to the MPF program. Lastly, there may be situations where the Government TAAT refuses to accept the MAGTFs unserviceable carcass due to either its severely degraded condition or HAZMAT restrictions on the ship, resulting in an "issue (from the T-AKE) without a carcass turn-in (from the MAGTF)". In all situations, the Government TAAT will coordinate with the MAGTF and the LOGCOM Coordinated SECREP Management (CSM) Office to determine MEF financial reimbursement requirements, which is dependent upon whether an unserviceable carcass was turned in, which wholesale organization manages the SECREP, and whether or not the MAGTF can source a serviceable replacement SECREP during the conduct of the exercise.

4.G.3 Utilizing the Government-provided template for a "T-AKE Post-Exercise Consumption List" (SOW Attachment C.4-7), the MCMC shall track and report the issuing of consumables, expendables, and secondary reparables to the MAGTF from the prepositioned sustainment blocks embarked aboard the T-AKE during MPF exercises. T-AKE Post-Exercise Consumption List (CDRL5045) shall be accurate IAW physical materiel/consumables (type and quantity) that were issued to the MAGTF from the T-AKE, while considering any unconsumed or unexpended supplies that were eventually turned back in to the T-AKE prior to the exercise conclusion, providing total accounting for equipment and material *issued to* and *consumed by* the MAGTF. The T-AKE Post-Exercise Consumption List shall be a real-time tracker that is updated daily as supplies are issued, with the finalized list provided to the Government (on-site TAAT / COTR) at the conclusion of the exercise or prior to the T-AKE departure from the exercise, whichever is earlier. The final list shall be reconciled and agreed upon between the Government TAAT, MCMC, and MAGTF, as the Government will use the list for funds reimbursement purposes from the MAGTF. This list is separate and distinct from the "Post Exercise Discrepancy List", which lists those CL IX(C) parts and SECREPs (associated with specific TAMCNs and serial numbers) that were NOT issued from the T-AKE and require MCMC to open SRs after the exercise because repairs were not completed by the MAGTF during regeneration and prior to backload.

4.G.4 The MCMC shall recover unexpended Class V (W) stocks from the MAGTF during exercises where ammunition was issued from the T-AKE prepositioned sustainment blocks, to include updating OIS-PC to reflect current inventory status IAW the Government Exercise Support Letter for the specific exercise. The Class V (W) physical inventory shall match the OIS-PC inventory records. Any unexpended ammunition that remains in unit pack configuration and is properly sentenced can be returned to the T-AKE by the MAGTF. Repackaging / sentencing of unexpended ammunition is a MAGTF requirement prior to turning back into the T-AKE inventory.

4.G.5 The MCMC shall replenish Class III(P), IV, and IX consumables of stocks issued to the MAGTF from the prepositioned sustainment blocks embarked aboard the T-AKE. Replenishment shall be to levels consistent with the quantities of the Detailed Ship Plans that the ships were loaded to during their respective MMC production cycle. MCMC replenishment of consumables is only required for Class III (P), IV, and IX consumables that were depleted during T-AKE exercises. MCMC replenishment of these consumables shall be sourced from MMV200

as the first source of supply, with requisitions passed to wholesale level when not available from MMV200. Government will coordinate Class I / MRE replenishment with DLA and Class V (W) with PM Ammo after respective exercises. While the Government will coordinate replenishment of Class I and V, the MCMC will be responsible for rewarehousing of those stocks when pier side replenishment of the T-AKE occurs. GCSS-MC requisitions shall be submitted within two business days following the issuance of the specific consumable stock to the MAGTF.

4.G.6 Upon issuing / exchanging SECREPs to / with the MAGTF during T-AKE exercises, the MCMC shall replenish the SECREP block embarked aboard the T-AKE ships with serviceable SECREPs. In situations where the MAGTF turned in an unserviceable SECREP carcass in exchange for a serviceable SECREP from the T-AKE, replenishment of the T-AKE sub-float shall be conducted via carcass exchange with BICmd main float (MMFAU1). If MMFAU1 has a serviceable replacement on hand, it shall be sent to the T-AKE sub-float for replenishment purposes. Conversely, if MMFAU1 does not have the serviceable stock immediately on hand, the main float shall coordinate the repair and return in order to bring the SECREP back to a serviceable state for the purpose of replenishing the T-AKE sub-float. In situations where the exercise MAGTFs supporting RIP has a serviceable replacement SECREP on hand and time permits to ship the SECREP to the exercise location prior to MPF backload, the replenishment will come from the MAGTFs supporting RIP. In cases where the MAGTF was issued a serviceable SECREP without a carcass turn-in, lateral support via LOGCOM shall be considered as an option. If lateral support of enterprise wide excesses is not an option, the MCMC may be directed by the Government to purchase a replacement SECREP after the MAGTF reimburses the MPF Program for the serviceable SECREP it was issued from the T-AKE.

4.G.7 The MCMC shall conduct warehousing operations aboard the T-AKE. While the Government will develop and provide the embarkation plans that identifies ship holds and specific locations for square load assets (by class of supply with POLs, MREs, ammunition, medical supplies, batteries, repair parts, and secondary reparables segregated in designated locations), the MCMC shall create a warehousing scheme / locator deck that provides NSN-level visibility to facilitate rapid location verification and accessibility of embarked supplies for the purpose of selective offload in support of the MAGTF. For example, the plans will not designate specific locations for smaller individual Class IX items (traditionally referred to as "bins"), and the MCMC shall be responsible for warehousing such items in the designated VSTF locations. Warehousing operations shall also consider physical security requirements, shelf life management, refrigeration, and storage compatibility restrictions (ammunition). The MCMC will not be responsible for operating MHE aboard the ship, and instead, all MHE support shall be coordinated with the MSC staff aboard ship. The T-AKE locator deck shall be accurate IAW physical on-hand inventory, and T-AKE supplies shall be maintained in a ready for issue state.

4.H ISO FREIGHT CONTAINER INVENTORY AND MAINTENANCE

The MCMC shall manage the command's ISO container program, ensuring accountability, storage, inspection, recertification, maintenance, marking, and intermodal transport. A

comprehensive Container Management Plan shall include container rotation to maximize afloat cycles, acquisition recommendations, repair, and disposal in support of MPS, MCPP-N, MCPP-PHIL, and future ashore programs.

4.H.1 Container Management Compliance

The MCMC shall manage ISO containers per DTR 4500.9-R Part VI and MCO 4690.1B while supporting the DoD biennial asset inventory through MARCORLOGCOM. Quarterly container readiness reports and other required reports shall be submitted. JCM shall be the sole system for managing Marine Corps 20ft ISO container inventory, ensuring data accuracy per physical O/H inventory.

4.H.2 Container Accountability

The MCMC shall maintain accountability of Marine Corps-owned and leased ISO freight containers within MPS and ashore-based prepositioning programs per MCO 4690.1 and DTR 4500.9-R Part VI.

4.H.2.a An annual physical inventory shall be conducted in Q4 of the FY, validated against the container management system, and reported via an Annual Container Inventory Discrepancy Report (CDRL 5046) to the Government (LOGDEP) by October

1. Discrepancies shall include:

- Physical vs. system O/H quantity
- Container type
- ISO serial number
- Physical vs. system location
- DODAAC

4.H.2.b An accurate electronic locator file shall be maintained for all ISO containers within USMC Prepositioning Programs, in addition to JCM data. The locator file shall specify physical locations, including lot-/cave-level details for MCMC-held containers.

4.H.3 Container Inspections

The MCMC shall inspect ISO freight containers per MCO 4690.1, 49 CFR 452, DTR 4500.9-R Part VI, ISCA, MIL-STD-3037, ISO Standards Handbook: Freight Containers, and IMDG Code. Inspections apply to all new, used, refurbished, and leased containers before use, recertification, embarkation, or shipment.

4.H.3.a Inspection forms (DA Form 2404) shall be retained:

- For leased containers, until lease return.
- For all containers, until the next completed inspection.

4.H.4 Container Recertification

The MCMC shall recertify ISO freight containers per ISO Standards Handbook, MIL-STD-3037, DTR 4500.9-R Part VI, and IMDG Code. Certification validity:

- New containers: 60 months
- Recertifications: 30 months (unless damage requires earlier recertification)
- MCSF-BI & MCPP-PHIL: MCMC responsible for recertification
- Norway: Recertification managed by host nation authorities
- Embarkation: DD Form 2282 CSC decals must be valid for at least 60 days at embarkation.

4.H.5 Container Maintenance

The MCMC shall execute a maintenance program covering repairs, corrosion control, blasting, and painting per MIL-STD-3037, DTR 4500.9-R Part VI, and ISO Standards Handbook.

4.H.5.a All container markings (ISO serial numbers, owner's codes, tare/net/max weights) shall comply with ISO Handbook, MIL-STD-3037, and DTR 4500.9-R Part VI.

4.H.5.b Code H containers (repair cost >65% of acquisition cost) shall be disposed via DLA-DS with Government approval. Shipping documentation shall be uploaded into the container management system within three business days of shipping.

4.H.6 Quarterly Container Projection Report

The MCMC shall submit a Quarterly Container Projection Report (CDRL 5047) by the last business day of each quarter, detailing:

- O/H quantity by type, condition code, and location
- Washout rates and maintenance requirements
- Container availability vs. requirements
- Projected procurement needs

4.H.7 Container Handling & Storage

Containers shall be handled per DTR 4500.9-R Part VI and MCO 4450.14 to prevent damage. Requirements include:

- No direct ground contact (use railroad ties)
- Proper MHE/CHE usage for movement
- Secured doors/ramps before moving
- Protection from elements for open containers
- No crimped door gaskets in storage

4.H.8 Refrigerated Container Power Connectors

The MCMC shall requisition, account for, and maintain electrical power connectors for refrigerated shipping containers (TAMCNs K4229, K4230), documenting services in GCSS-MC and MS Project.

4.H.8.a Inventory shall be recorded on the Government-provided locally-generated inventory sheet and stored in equipment folders.

4.H.8.b Prior to embarkation, 250V, 4-wire connectors shall be wrapped in VCI-treated material, sealed in MIL-PRF 131K barrier material, and secured with a ZIP tie.

4.H.8.c The Hubbell 5-wire tactical power connector shall be packed in MIL-PRF-22191 barrier material, heat-sealed, and securely stowed in the refrigerator unit's cable storage compartment. This connector supplements but does not replace OEM commercial connectors.

4.I TRANSPORTATION AND DISTRIBUTION MANAGEMENT OPERATIONS (TMO/DMO)

4.I.1 The MCMC shall conduct Transportation Management Shipping and receiving functions IAW DTR 4500.9-R Part II, MCO 4600.41B Marine Corps Distribution Manual, DoD 4500.32-R, MCO 4450.14, MILSTAMP, MIL-STD-129 Military Marking for Shipment and Storage and UM 4000-125. Cargo Movement Operations System (CMOS), currently the DoD-designated system to record freight receiving, shall be appropriately utilized by the MCMC.

4.I.1.a The MCMC shall process arriving shipments requiring special handling or expedited delivery to commodities IAW DoD 5100.76-M, MCO 10330.2, MCO 4450.14, MCO 4400.201, MCO 5530.14, 49 CFR, and MCO 4450.12. Items include materiel with security requirements (CCI and weapons), AA & E, urgent delivery / high priority materiel, refrigeration / environmentally-controlled items, hazardous materiel, pilferable and sensitive items. Notification of shipment arrival shall be sent to responsible commodity the day of arrival with delivery / pick up / secure storage (where applicable) completed IAW Section 4.C.5.f "Inventory Management" requirements.

(i) The MCMC shall process inbound shipments of Class V (ammunition) IAW CmdO 8020.13 and DTR 4500.9-R Part II. The MCMC shall provide a Container Seal Verification Report (CDRL 5048) within one business day of completion of ammunition containers backload to MPF. Minimum data elements on the report will include: Container Serial Number, Seal Number associated with each container Serial Number. The report shall be endorsed by the MCMC conducting the inspection and his/her supervisor. Container Seal Verification Report shall be accurate IAW physical container serial number and associated seal number.

4.I.1.b The MCMC shall maintain an accurate Transportation Management database that reflects all received shipments IAW CMOS, DD Form 1348-1A, DD Form 1149 and DASF. Government database will be provided and used to track all received shipments,

regardless of carrier, mode of shipment, or type of materiel received. Data fields include: Date received, TCN, document number, priority, description / nomenclature, TAMCN, NSN, quantity, U/I, serial number, IUID, CBL #, and mode of shipment.

4.I.1.b. MCPP-N Specific: Foreign military equipment or materiel being transported across the Norwegian border is subject to prior approval from NJHQ. This includes equipment and materiel coming in by road, rail, air or sea. The MCMC shall provide MCPP-N Weekly Equipment Clearance report (CDRL 5049) (SOW Attachment C.4-11) NLT COB Wednesday. This report will be emailed to njhq.nmcc@mil.no with cc antonio.smith2@usmc.mil the Norway Branch Supply personnel.

(ii) The MCMC shall ship equipment to meet TRANSCOM requirements, Norwegian Customs, and Agricultural regulations. Equipment shipped meets USTRANSCOM, Norwegian Customs, and Agricultural regulations. All Shipping documentation and required signatures shall be accurate. Shipping documentation shall be but is not limited to DD Form 1149, DD Form 1348-1, freight bill and applicable shipping manifests.

4.I.1.c. MCPP-PHIL Specific: The Republic of the Philippines (Department of Foreign Affairs (DFA)) treats MCPP-PHIL's prepositioned equipment shipments as a primarily commercial activity governed by the regulations of the 2022 Foreign Investment Act, its accompanying Negative List, and relevant regulations of the Subic Bay Management Authority (SBMA). The MCMC shall attain status as a licensed commercial importer in the Philippines, attain a Certificate of Registration (CR) and a Certificate of Registration and Tax Exemption (CRTE). MCMC shall be responsible for attaining import/export clearances of MCPP-PHIL equipment entering into SBMA via commercial/contracted shipping through a coordinated End User Certificate and Statement of Undertaking with SBMA and any necessary local customs brokers or support providers. Equipment imported into Subic is tax-free because Subic is a tax-free special economic zone. In the case that the USMC wants to move the equipment from Subic as part of a bilateral military exercise, for Humanitarian Assistance/Disaster Response, or further storage at an EDCA site, then BICmd will coordinate with the U.S. Embassy and attain the necessary certificate of tax-exemption under the Visiting Forces Agreement (VFA) to "import" the equipment into the Philippines from the SBMA free trade zone. MCMC shall facilitate government coordination by preparing any required shipment documentation such as DD-1149/1750, bills of lading, packing lists etc. If MCPP-PHIL equipment, supplies arrive on a U.S. military vessel, BICmd will coordinate with the US Embassy to attain import/export clearances, which the MCMC shall facilitate by providing required documentation.

4.I.2 The MCMC shall conduct Transportation Management shipping functions IAW DTR 4500.9-R Part II, DoD 4500.32-R, MCO 4450.14, 49 CFR, IMDG Code, MCO P4030.19, MCO 4610.37, MIL-STD-129, MCO 4400.16, and UM 4000-125. Shipping functions include, but are not limited to, entering shipment data into Cargo Movement Operations System (CMOS),

requesting carriers, preparation and filing of documentation, preparation and marking of shipping containers, and inspection of transportation carriers' assets and credentials.

4.I.2.a The MCMC shall utilize the most cost-effective transportation mode that meets mission requirements / required delivery dates IAW DTR 4500.9-R Part II, MCO 4610.37 and MCO 4400.16. Mode of shipment shall consider priority, RDD, destination, weight, size, and type of materiel.

4.I.2.b The MCMC shall process outbound shipments of Class V (ammunition) IAW CmdO 8020.13 and DTR 4500.9-R Part II. DD Form 1907 (Signature and Tally Record) shall be prepared and retained for all Transportation Protective Services (TPS) shipments IAW DTR Part II. Report of Shipment (REPSHIP) shall be submitted for all ammunition shipments. The MCMC shall complete the Outbound Ammunition Container Seal Verification report, which shall be accurate IAW physical container serial number and associated seal number, and the MCMC shall provide the report (CDRL 5050) to the Government within one business day of completion of ammunition container download from MPS.

4.I.2.c The MCMC shall complete requirements associated with overseas / export shipments IAW DTR 4500.9-R Part II and Military Surface Deployment and Distribution Command (SDDC) requirements. Requirements include, but are not limited to, applying for export release requests, customs and agriculture processes, obtaining routing for release units (RU) through Integrated Booking System (IBS), preparing Transportation Control and Movement Documents (TCMDs).

MCPN Specific:

- (i) The MCMC shall request approval from the Government via electronic means prior to inbound/outbound shipment. Each request shall include TAMCN, NOMEN, NIIN, QTY and Estimated Transportation Cost. Estimated Arrival Date will be communicated to the Government.
- (ii) The MCMC shall provide all shipping information via electronic means to Norwegian Defense Logistics Organization / Marine Expeditionary Brigade (NDLO/MEB), Norway Branch, and 426 ABS LGTT (VIFC) prior to shipment of material to and from Norway. The DD Form 1149 and Shipping Manifest will be scanned and e-mailed.

MCPN-PHIL Specific:

- (i) MCMC shall coordinate all MCPN-PHIL commercial import/export clearances, with SBMA IAW regulations and Philippine law, International Traffic In Arms Regulations (ITAR) and Export Administration Regulations (EAR) and shall have a CRTE .

4.I.2.d The MCMC shall maintain an accurate Transportation Management database that reflects all pending and completed shipments IAW CMOS. Government database will be provided and used to track all pending and completed shipments, regardless of carrier,

mode of shipment, or type of materiel being shipped. Data fields include: Document number, Priority, U/I, quantity, NSN, TCN, description / nomenclature, TAMCN, serial number, CBL #, mode of shipment, weight, CBL cost, CBL date paid, SCAC, RFID, POE, POD, consignee, destination, TAC 1, TAC 2, TAC 3, Date in TMO, RDD, date shipped, IUID.

4.I.2.e The MCMC shall procure and apply Automatic Identification Technology (AIT) resources on outbound materiel IAW MCO 4000.51C and DTR 4500.9-R Part II.

4.I.3 The MCMC shall monitor the Transportation of Things (TOT) expenditures. HQMC (LPC) funds TOT shipping. In doing such, HQMC (LPD) does not provide specific amounts for quarterly or annual TOT allocations, making it impossible to monitor and report allocations relative to expenditures in order to determine the balance of the TOT budget. Thus, only expenditures shall be captured by the MCMC.

4.I.3.a The MCMC shall monitor and accurately report the TOT expenditures via the Monthly TOT Balance Report (CDRL 5051), which shall be submitted NLT the 3rd business day of each month. The Monthly TOT Balance Report shall capture expenditures during the previous month, as well as cumulative year to date total expenditures.

4.I.3.b The MCMC shall reconcile PowerTrack with electronic shipment records IAW DTR 4500.9-R Part II and MCO 4610.37. The MCMC shall conduct PowerTrack reconciliations daily. The MCMC shall provide email notification of prior cycle's completed reconciliation along with the PowerTrack statement to BICmd Certifying Officer within one business day of the start of the new billing cycle.

4.I.4 The MCMC shall prepare, submit, and retain appropriate documents and records for transportation management functions IAW DTR 4500.9-R Part II, MCO 4400.201, and UM 4000-125.

4.I.5 The MCMC shall document carrier performance and maintain carrier performance files IAW DTR 4500.9-R Part II and the Carrier Performance and Evaluation Program (CPEP). The Carrier Performance Module (CPM) shall be used to document carrier performance.

4.J FISCAL REQUIREMENTS.

4.J.1 This subsection outlines the responsibilities related to the effective management and accurate accounting of funds utilized through Department of Defense (DoD) supply systems and other government-funded procurement channels. A high degree of precision is essential to ensure that requisitions are processed in an efficient, economical manner. By maintaining rigorous standards, the Marine Corps upholds public trust and reinforces confidence in its ability to responsibly manage resources.

4.J.1.a Scope. The Marine Corps Maintenance Coordinator (MCMC) is tasked with the comprehensive management and precise accounting of funds expended to support maintenance cycle operations. This includes costs associated with repair parts, shelf-life replacements, SL-3 unit responsibility items, shipboard operations, and additional logistics support efforts. The MCMC holds responsibility for the complete lifecycle ("cradle to grave") financial oversight of all supply-related actions, ensuring adherence to published Fiscal Year-end Closeout guidelines and delivering required status reports.

4.J.1.b All references to the Government within Section 4.H specifically pertain to the BICmd Resource Management Office (RMO) as the primary government entity.

4.J.1.c The MCMC is responsible for delivering a timely and accurate electronic Contract Cost Plus Fixed Fee (CPFF) and Status Report (CCSR) (CDRL 5057) for each Task Order (TO) in accordance with Section G-6. The CCSR must be submitted on a monthly basis, or upon request by the Government, concurrently with invoice submissions, starting 30 days after the contract award date.

4.J.1.d References

MCO P7300.21__.....Marine Corps Financial Execution Standard Operating Procedures
DoD FMR.....Department of Defense Financial Management Regulations
UM 4000.125.....Retail Supply and Maintenance Execution Procedures

4.J.1.e Required Reports

Report Name	Frequency
Unliquidated Orders Report (ULO)	Monthly
Unmatched Transaction Report (UMT)	Daily
Budget Execution Validation (BEV)	Monthly
FAMRS Report (General Ledger Status of Funds)	Daily
Budget Execution Report (SAIF Load Balances)	Weekly
Reimbursable Report (General Account Re-Stock)	Monthly
Re-Stock Job Order Number/Financial Information Pointer Annual	Annually
Contract Cost and Status Report (CCSR)	Monthly

4.J.2 Accounting

4.J.2.a Funding Authorizations. MCMC shall:

- (i) Ensure that funds are expended in accordance with the authorized amounts allocated and recorded in the Supported Activities Information File (SAIF) ledger within GCSS-MC.
- (ii) Submit a request to increase authorized amounts as necessary, ensuring it is completed prior to anticipated spending requirements.

4.J.2.b Material Returns Program (MRP) Management. MCMC shall:

- (i) Prepare and provide a comprehensive report of all MRP transactions to the Government. This memorandum report should include a detailed record of all credit billings (FD2/1) received during the fiscal year. It must be maintained on the shared drive for the Government's review as needed. The memorandum records shall be updated daily to reflect new billing transactions as they appear in DAI.
- (ii) Send a follow-up regarding the credit due if the credit billing has not been received within 60 calendar days from the date the FTZ with creditable status was processed.

4.J.3 Supply Fiscal Reconciliations

4.J.3.a Fiscal/Supply Reconciliations. MCMC shall ensure that appropriate supply transactions are balanced with the accounting system records. This process shall include the following tasks:

- (i) Perform reconciliation between official accounting reports and memorandum records following each accounting cycle update. It is important to note that DAI cycle updates are processed daily, except on Sundays. Updates processed on business days shall be reconciled on the same day. Saturday updates will be addressed on the first business day of the subsequent week.
- (ii) Ensure that all GCSS-MC requisitions and offline system requisitions are accurately obligated and posted in DAI. Offline requisitions, including Prime Vendor purchases that are not obligated through a mechanized feeder system, must be manually entered into DAI after proper validation within the supply system. Additionally, ensure that status and receipt documents from GCSS-MC align with the corresponding records in DAI.
- (iii) Correct or request correction of all supply records in GCSS-MC and accounting records in DAI found to be in error either by manual research or by usage of an automated system.
- (iv) Conduct daily reconciliations of the DNR Unmatched Report and update error records as required on a daily basis. All errors should be corrected on the same day it appears on the error report. If MCMC is unable to correct the error immediately, MCMC shall immediately notify Government.
- (v) Monitor GCSS-MC DASF reports daily to identify cancellations and ensure timely processing of corrective actions.

(vi) Immediately report and identify accounting system issues to the Government upon discovery, ensuring all necessary supporting documentation is provided.

(vii) Ensure the storage and maintenance of all source documents and accounting reports required for audits for a period of 10 years. This includes receipt documentation for both supply system and offline system requisitions.

4.J.3.c Unliquidated Orders (ULO) Reviews. MCMC shall:

(i) Provide a monthly reconciliation discrepancy report based on internal ULO, GCSS-MC DASf, and VLIPS validations.

(ii) Conduct monthly validations for all current fiscal year ULOs and ULOs from the five preceding fiscal years.

(iii) Submit a monthly ULO validation report (CDRL 5052) to the Government within 15 calendar days after the last day of the month for current fiscal year ULOs. The ULO validation report for August shall follow End of Year Closeout Guidance.

(iv) Take immediate corrective actions in DAI to adjust or cancel ULOs found to be invalid.

(v) Review all ULOs with processed receipts. For receipts older than 30 days, request billing actions in writing (via email or letter) from the appropriate Source of Supply (SOS).

(vi) Review all liquidations with no associated expenses. Provide document numbers to the appropriate supply personnel to ensure receipts are processed within 3–4 days of material delivery.

(vii) Act on documents requested by the Government in support of BEV reviews for ULOs from current and prior years, in accordance with guidance from Headquarters Marine Corps (HQMC) and Marine Corps Logistics Command (MCLC). These reviews, similar to ULO validations, are typically required monthly.

(viii) Take appropriate action on documents provided by the Government in support of BEV reviews for ULOs from current and prior years, in compliance with guidance from Headquarters Marine Corps (HQMC) and Marine Corps Logistics Command (MCLC). These reviews, similar to ULO validations, are typically conducted on a monthly basis. Ensure submission of BEV reviews within 15 calendar days following January 31, May 31, and September 30.
(Remove this)

4.J.4 Fiscal Closeout Guidance. MCMC shall adhere to the annual Fiscal Year (FY) closeout guidance provided by the Contracting Officer.

4.J.5 Supply Fiscal Reports

4.J.5.a Status Report. MCMC shall provide the Government with a weekly Status of Funds report (CDRL 5055), adhering to government-approved accounting procedures. The report shall include, at a minimum, the following information:

- Posted Authorizations
- Posted Obligations
- Posted Available Balance
- Pending Corrections
- Revised Available Balance
- Allocations Received
- MRP Credits Received

4.J.5.b Reimbursable Report. MCMC shall provide a monthly Reimbursable Report (CDRL 5056):

- (i) Submit a monthly status report and daily transaction listing detailing general account charges for all non-MPF funding sources, including Navy, MCPP-N, MCPP-PHIL, and Other Logistics Support (OLS). These reports shall be submitted electronically to BICmd RMO, the Navy Financial Management Analyst, the MCPP-N Supply Analyst, the MCPP-PHIL Supply Analyst, and the designated OLS analyst.
- (ii) Ensure the submission of the monthly status report, detailing both monthly and cumulative general account charges by customers, no later than the 5th of each month.

4.J.6 Fiscal Requirements for Manpower

4.J.6.a Ensure a minimum of five personnel are dedicated to supporting fiscal requirements, filling key roles such as team lead, procurement officer, P2P receipts manager, and other necessary positions to ensure the timely completion of all functions outlined in Section 4.J.

4.K EXEMPTIONS AND WAIVERS

4.K.1 Although the MCMC shall manage the day-to-day supply functions and operations associated with Supply Officer responsibilities, as outlined in Marine Corps Orders, the authority to approve adjustments to accountable property records rests solely with the Government, regardless of dollar value. The MCMCs roles and responsibilities include identification of recommended property record adjustments (via voucher requests with appropriate causative

research where required), processing of approved APSR adjustment transactions, and provision of the resulting Money Value Gain Loss (MVGL) to the Government for review and signature.

4.K.2 The MCMC shall abide by all Department of Defense, Navy and Marine Corps small arms orders, directives, policies, and procedures unless otherwise directed by the Government. While the MCMC is responsible for small arms accountability and associated transaction processing using the approved APSR, the MCMC shall not conduct small arms reporting or annual Crane verification with Naval Surface Warfare Center Crane Division (NSWC Crane). Rather, the Government will conduct small arms reporting with NSWC Crane, to include completing requirements associated with the annual Crane verification.

MCPP-N Specific: The MCMC shall take the following actions to report assets, establish local accountability, and handle MCPP-N small arms. The MCMC shall upload all required LST reports applicable to serialized small arms to the Government provided SharePoint site. Two-person integrity is required in Norway for armory access and accountability during NDLO MEB business hours (0730-1530 local).

4.K.3 Minimum shelf life requirements for prepositioning of materiel with shelf life codes is contradictory amongst several orders and policy. As it relates to minimum duration of shelf life remaining on materiel at the time of embarkation aboard MPF, the MCMC shall follow the guidance outlined in MCO 4000.58, which supersedes MCO 4140.5 and MCO 3000.17 in this specific area.

4.K.4 The MCMC shall inventory SL-3 annually during PMCS and place SL-3 equipment in accordance with stowage configurations as identified in technical publications as applicable (SL-3 can be stored in boxes and labeled with the equipment serial number. Once inventoried, SL-3 shall be stored securely with locks and/or authorized banding material.)

SECTION C.5 – MEDICAL

This Section sets forth the requirements and responsibilities of the MCMC for the management and support services associated with Class VIII medical material in support of Maritime Prepositioning Force (MPF), Marine Corps Prepositioning Program-Norway (MCPP-N), MCPP-PHIL, and future ashore sites. The MCMC shall provide quality control oversight to the Class VIII medical consumables and equipment of MCPP contract as it relates to the three principals of contract performance; management effectiveness, cost control, and quality.

Medical Material Management at all locations governed by the contract shall be performed in support of the Marine Corps Prepositioning Program (MCPP) in accordance with Government-approved production schedules. Products shall conform to the specifications described within this section. Quality assurance measurements will be governed by the performance requirements

and standards associated with this section and specifications described within Section C.2.D Performance and Risk Management.

5.A The MCMC shall perform Class VIII Management and Sustainment in accordance with the MCO 4400.201 (Vol. 12), NAVMC 4000.2A, and the AMAL/ADAL ship spread loads found in the MCPIC Prepositioning Planning System (PPS) application. The MCMC shall identify all requirements by AMAL/ADAL block. The MCMC shall provide the associated Bill of Material listing NLT P-60 for government review and approval. MCMC acquired property/ equipment/ materials shall be procured IAW Section H-9.

5.B The MCMC shall perform receiving functions.

5.B.1 The MCMC shall maintain chain of custody documents IAW NAVMC 4000.2A section 9.8 and NAVMED P-5132 and ensure separation of responsibilities for ordering and receiving property/equipment/materials.

5.B.2 The MCMC shall ensure all shelf-life items are not expired, soiled, and package integrity is maintained. For MPF, the MCMC shall ensure a 36-month minimum expiration date with government approval for less than 36 months. For ashore sites, the MCMC shall ensure a 24-month minimum expiration date, with government approval for less than 24 months.

5.B.3 IAW NAVMED P-5132 section 7, the MCMC shall act on any SF-361 or SF-364 receiving discrepancies completing the SF-361 Transportation Discrepancy Report.

5.C The MCMC shall perform accountability functions related to software systems GCSS-MC and DMLSS. IAW NAVMC 4000.2A section 2.1, MCMC shall utilize DMLSS for line-item accountability and GCSS-MC for TAMCN accountability.

5.C.1 The MCMC shall provide post MPF-production documents to the Government within 30 calendar days after the completion of production (PX+30). Government provided templates include SOW Attachments C.5.C.1-1 through C.5.C.1-4 and C.5.C.1-6 through C.5.C.1-7.

- AMAL/ADAL Spread Load (CDRL 5058)
- AMAL/ADAL Attainment Status Report (see section 5.C.3, CDRL 5059)
 - a. True Attainment Rate
 - b. Prepositioned Attainment Rate
- Medical Container Data Report (CDRL 5060)
- AMAL/ADAL Fly-in-Echelon (FIE) Report (CDRL 5061)
 - Deferred items: items not prepositioned IAW NAVMC 4000.2A
 - Shorts: items not attained during production
 - Short shelf life: items that will expire within 36 months of embarkation
- Container Asset/Location Report (CDRL 5063)
- Hazardous Material Report (CDRL 5064)

5.C.2 The MCMC shall provide post ashore-production documents to the Government within 30 calendar days after the completion of production.

- AMAL/ADAL TAMCN Inventory Report
- AMAL/ADAL Attainment Status Report (see section 5.C.3)
 - True Attainment Rate
 - Prepositioned Attainment Rate
- AMAL/ADAL Fly-in-Echelon (FIE) Report
 - Deferred items: items not prepositioned IAW NAVMC 4000.2A
 - Shorts: items not attained during production
 - Short shelf life: items that will expire within 24 months of production
- Container Asset/Location Report
- Hazardous Material Report

5.C.3 The MCMC shall calculate two distinct attainment rates for each AMAL and ADAL at the end of production. Attainment shall be measured by item quantity and attainment rates shall be calculated using the following formulas:

5.C.3.a True Attainment Rate (TAR): measures the percentage of materiel present in the capability set compared to the fleet standard that the end users expect. This rate reflects the true readiness of the asset, showing how much of the AMAL components meet the required fleet standard as per the MCRW assemblage line list.

$$\text{TAR} = \frac{(\text{Qty of MCRW assemblage line list items} - \text{Qty of deferred items qty} - \text{Qty of short item})}{\text{Qty of MCRW assemblage line list items}}$$

Where *deferred items* are those that cannot be prepositioned due to policy restrictions and *short items* are those that were not procured due to procurement issues.

5.C.3.b Prepositioned Attainment Rate (PAR): reflects the percentage of materiel that is eligible and successfully prepositioned, considering the items that can be prepositioned IAW NAVMC 4000.2A.

$$\text{PAR} = \frac{(\text{Qty of MCRW assemblage line list items} - \text{Qty of deferred items qty} - \text{Qty of short item})}{(\text{Qty of MCRW assemblage line list items} - \text{Qty of deferred items})}$$

Where *deferred items* are those that cannot be prepositioned due to policy restrictions and *short items* are those that were not procured due to procurement issues.

5.C.4 MCMC shall input all data into DMLSS IAW NAVMED P-5132 and DMLSS User Manual. Minimum data entry elements will include:

- On hand quantity
- NSN
- Lot #
- Expiration date of all materiel, regardless of shelf-life code.

5.C.5 (RESERVED)

5.D The MCMC shall perform inventory accountability.

5.D.1 The MCMC shall conduct an annual 100 percent wall-to-wall inventory for all MPF assets upon download IAW MCO 4400.201. The MCMC shall deliver the Inventory Findings Report and Memorandum. MCPP-N, MCPP-PHIL, and future ashore sites medical inventories will be planned with consideration of on-island production schedules.

5.D.1.a MCMC shall provide an Inventory Adjustment Report to the Government within 7 calendar days of inventory.

(i) The MCMC shall provide an inventory voucher report for any inventory adjustment report discrepancies within 7 calendar days of inventory. Attachment C.5.D.1.a.i provides an example of the inventory voucher report in DMLSS.

5.D.2 The MCMC shall complete and submit a DD Form 200 IAW MCO 4400.201 volume 17 chapter 2 if an item cannot be located. The DD Form 200 shall be submitted within 30 calendar days of identifying an item is missing.

5.D.3 The MCMC shall retain a copy of all supply documents. The MCMC shall retain all supply documents IAW the FAR and MCO 4400.201 (Vol. 1).

5.D.4 The MCMC shall manage short shelf-life material IAW DoD 4140.27-M (Vol. 1).

5.D.5 The MCMC shall execute recall procedures IAW NAVMC 4000.2A (section 9.2). The MCMC shall provide a Suspensions and Recall Items Notification. Information is available via United States Army Medical Material Agency (USAMMA) and Medical Material Quality Control (MMQC). The MCMC's written response is required NLT 7 calendar days of notification. The MCMC shall retain associated quality deficiency reports, recalls, and notifications for three years.

5.E The MCMC shall perform maintenance on all Authorized Medical Allowance List (AMAL) and Authorized Dental Allowance List (ADAL) equipment IAW NAVMED P-5132. MCPP-N, MCPP-PHIL, and future ashore sites medical maintenance will be planned with consideration of on-island production schedules.

5.E.1 The MCMC shall perform preventative equipment maintenance IAW NAVMED P-5132 and applicable technical manuals. If the manufacturer or DMLSS literature conflict with the NAVMED P-5132, the manufacturer or DMLSS literature take precedence.

5.E.2 The MCMC shall maintain a scheduled maintenance program for medical equipment IAW NAVMED P-5132 (article 15-2 section 6a). Maintenance schedule dates for all equipment shall be entered into DMLSS.

5.E.3 The MCMC shall assign all pieces of medical equipment to an AMAL in DMLSS block IAW NAVMED P-5132 (Article 15-3 section 4c(1)).

5.E.2 The MCMC shall place a copy of the equipment manual with the equipment IAW NAVMED P-5132.

5.E.3 The MCMC shall utilize DMLSS as the sole APSR to track all maintenance performed on Class VIII items, document maintenance and repair efforts, and maintain repair parts accountability in accordance with NAVMED P-5132 (Article 15-2, Section 7).

5.E.3.a Actions performed on any equipment shall be documented in the proper location of DMLSS IAW NAVMED P-5132 (article 15-4 section 5).

5.E.3.b All operational and preventative maintenance checks must be annotated in DMLSS within 7 calendar days as per NAVMED P-5132. If equipment fails operational tests, the MCMC shall submit a Quality Deficiency Report (QDR) to the Defense Logistics Agency and create a DMLSS work order for non-operational equipment.

5.E.4 The MCMC shall place the original DMLSS active report with the equipment IAW NAVMED P-5132.

5.E.5 The MCMC shall notify the Government and annotate in DMLSS any recalled equipment within 7 calendar days IAW NAVMED P-5132.

5.E.6 The MCMC shall maintain a technical library for equipment IAW NAVMED P-5132 (Article 15-4, section 12). At a minimum one operator's manual, one service manual, and one parts/list manual for each model type of equipment maintained at BICmd.

5.E.7 The MCMC shall complete equipment receipt and inspection procedures IAW NAVMED P-5132 Article 8-5. Acceptance inspections shall be executed and documented into DMLSS within 14 calendar days upon receipt. If new equipment fails the acceptance inspection, the MCMC shall complete a SF-368 IAW NAVMED P-5132 Article 7-4 and notify the Government within 7 calendar days.

5.E.8 The MCMC shall provide the Government with a Surplus Equipment Report, detailing any equipment quantities greater than the PO, within the first 7 calendar days of the month.

5.F The MCMC shall produce AMAL/ADAL blocks for embarkation.

5.F.1 The MCMC shall assemble all AMAL/ADAL blocks IAW NAVMC 2907 MPF PO, the government approved production schedule and the MLO MCRW AMAL packing list. Do not embark NSN 6505 material except for intravenous solutions and medical gasses IAW NAVMC 4000.2A section 6.2.. Written Government approval shall be obtained prior to embarking narcotics, controlled medical items, precious metal indicator or refrigerated material.

5.F.2 The MCMC shall place late attainment items in the block IAW the approved production schedule and NAVMC 2907.

5.F.3 The MCMC shall pack hazardous material IAW the government approved production schedule and ship spread loads found in the MCPIC Prepositioning Planning System (PPS) application. A Hazardous Material List shall be part of "Post-Production Documents."

5.F.4 The MCMC shall properly mark all AMAL/ADAL Environmental Container System (ECS) IAW MILSTD-2073-1E and MMS NO. 1A.

5.G The MCMC shall perform all disposition services.

5.G.1 The MCMC shall perform disposition services for equipment IAW DoD 4160.21-M and NAVMED P-5132 (article 12).

5.G.2 The MCMC shall perform disposition services for consumables IAW DoD 4160.21-M and NAVMC 4000.2A (section 9.1).

5.H The MCMC shall ensure all medical management personnel are trained IAW The Marine Corps Medical Logistics Information Systems Handbook (NAVMC 4000.2A) and NAVMED P-5132.

5.I. MCPP-N Specific. All MCPP-N AMALS will be maintained, stored, and replenished in Norway. Annually, the MCMC shall identify all expired material and equipment requiring maintenance or calibration. All maintenance, calibration, and replenishment shall occur in Norway. Annually the MCMC shall conduct replenishment, maintenance, and calibration of AMALS in Norway. Every third year, the MCMC shall ensure all AMALS are refreshed 100% and maintenance complete and ready for issue.

5.G MCPP-PHIL, and future ashore sites. All MCPP-PHIL and future ashore sites' AMALS will be maintained, stored, and replenished at the respective geographic location. Annually, the MCMC shall identify all expired material and equipment requiring maintenance or calibration. All maintenance, calibration, and replenishment shall occur at the respective geographic location. Annually, the MCMC shall conduct replenishment, maintenance, and calibration of AMALS at the respective geographic location. Every third year, the MCMC shall ensure all AMALS are 100% complete and ready for issue.

SECTION C.6 – NAVY

This Section sets forth the requirements related to Navy Prepositioning Department (NAV-P) assets which support the Marine Corps Prepositioning Program (MCPP). The Marine Corps Maintenance Contractor (MCMC) shall provide the maintenance, repair and logistical services for the Navy mission. The MCMC's Navy organization shall provide optimal equipment readiness while meeting cost control (Contract Line Item Numbers (CLINs)/Sub Line Item Numbers (SLINs)), production requirements, logistics requirements and scheduled timelines (see SOW Attachment C.1-3 Phase IV). Navy support requirements for the MCPP includes the Navy

Support Element (NSE) and Naval Construction Element (NCE) equipment outlined in their respective Table of Allowances (TOAs) assigned to support the MPF Program, including rotational spares, designated management stock and Navy organic equipment. The MCMC shall deliver Navy products and services in accordance with (IAW) standards defined in this section and all applicable Navy and Marine Corps Orders and directives, Department of Defense guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation.

Navy products and services at all locations governed by this contract shall be performed in support of the MCPP IAW approved production and delivery schedules. Quality Control measurements will be governed by the performance requirements and standards associated with this section and Section C.2.D. Requirements and clarifications identified herein are those specific to Navy equipment, services and product delivery in support of the MCPP II contract. Continuous Process Improvement (CPI) and safety should be intertwined in all facets supporting the Navy product. MCMC management should strive to make prudent decisions regarding expenditures to be reimbursed by the Government and Government Supply System acquisitions. All changes from written standards will be reviewed on a case-by-case basis and shall have approval from the Contracting Officer prior to deviations.

Navy "Over and Above" tasks require prior authorization IAW DFARS 252.217-7028.

Navy supply and maintenance administration shall be documented in the Naval Tactical Command Support System (NTCSS), Organizational Maintenance Management System-Next Generation (OMMS-NG) and Relational Supply (RSupply) modules, or their replacements.

The Lighterage Maintenance Model (SOW Attachment C.1-3, Phase IV) represents Watercraft maintenance steps that take place over an ~18-month process that includes Preventive Maintenance (PM) and Corrective Maintenance (CM). Corrective Maintenance includes Organizational, Intermediate and Depot Level Maintenance. Navy Watercraft maintenance is an evolution that occurs in parallel to Marine Corps operations; but, has its own milestones that significantly precedes the Marine Corps MMC model. That is, the Watercraft maintenance process starts well in advance of the Marine Corps maintenance cycle; but ends with watercraft backload onto specific ships along with the Marine Corps equipment. For short periods of time, there may be several ship sets of management stock watercraft at home station and there may be two or more desegregated ship sets in differing stages of the Lighterage Maintenance Model. This maintenance model is supported by rotational assets that allow the longer duration maintenance availabilities.

The Lighterage Maintenance Model has four major phases. The list of tasks within Tables 1 through 3 outlined in SOW Attachment C.1-3 is a general overview and not meant to be a comprehensive list. Detailed deliverables are in this Section.

Phase Alpha is the Afloat Phase with watercraft embarked aboard Maritime Prepositioning Ships (MPS) and is considered the beginning of the Maintenance Model. This Phase is ~36-42 months IAW the MMC schedule. Preventive and Corrective Maintenance for afloat watercraft is

accomplished in a separate contract referred to as Navy Watercraft Afloat Maintenance Services (NWAMS) for the Afloat Maintenance Activity (AMA). However, SOW Section 6.G details specific requirements that provide maintenance administration, shipping and supply support for the AMA.

Phase Bravo starts the ashore maintenance cycle with offload from ship, Phase Alpha closeout, custody transfer, pier side inspections, pier side operational tests, underway condition assessments and eventual docking/cleaning for further comprehensive assessments/surveys. This Phase is 45 days in duration IAW the Lighterage Maintenance Milestone and may require emergent repair consisting of PM or CM, depending on its arrival condition. Emergent, unplanned watercraft regeneration may be necessary in order to (IOT) conduct underway operational tests of all systems by the Government appointed operators during a Pre MMC-Assessment Trial (Pre-MAT). The requirements for Phase Bravo are depicted in SOW Section 6.F. Accurate and thorough condition assessments during this phase are critical for establishing follow on work packages for Phase Charlie that will be detailed during the Work Definition Conference (WDC) process. Phase Bravo continues after testing with watercraft transport to the Watercraft Maintenance Center (WMC), where watercraft are dry-docked, cleaned and surveyed. Phase Bravo is typically a joint effort between the Repair Support Team (RST), the Operations Support Team (OST), Government Operators and NAV-P.

Phase Bravo may also involve a Materiel Inspection Team designated by the President, Inspection and Survey (INSURV).

Phase Charlie is the second ashore phase of the model and is when intermediate and depot level Corrective Maintenance is scheduled and accomplished. This phase is the longest, with a duration of ~12 months or more, depending on the MMC Ship schedule and squadron spread load for watercraft. Due to Marine Corps Support Facility - Blount Island (MCSF-BI) facilities limitations, much of the work identified during the WDC process may be outsourced/subcontracted to local ship repair facilities by MCMC Navy Operations via MCMC processes for Planning & Estimating, and Source Selection. Maintenance scope and funding availability is determined and approved by the Government. Intermediate maintenance and some Depot level maintenance may be performed at MCSF-BI, depending on size, scope and MCMC vendor ability to meet MCSF-BI environmental and safety requirements. Skillsets to perform such work would consist of welder (gas, arc, MIG, TIG), machinist, shipfitter, marine mechanic, marine electrician, plumber, hydraulics, HVAC, rigger, and possibly others. MCSF-BI Navy Point shall be maintained as an organized maintenance and staging area and not appear as a Shipyard. All organizational, intermediate or depot level work performed at MCSF-BI shall be performed in an organized, inspection ready manner projecting a military appearance with work areas clear of debris, tools and supplies put away each day. Maintenance support gear shall be stored in adjacent storage containers and other support gear stored neatly under or near the affected craft at the end of each workday.

Due to the length, environmental conditions, and complexity of Phase Charlie, the watercraft monitoring (Care of Supplies in Storage (COSIS)) requirements outlined in Section C.6.F are essential to prevent progressive damage. During Phase Charlie, individual watercraft may

receive maintenance at several different local facilities (as outsourced by the MCMC) based on the Government approved work packages. Phase Charlie typically has ~52 different watercraft in various stages of maintenance, all on different schedules. Management of each Phase Charlie maintenance availability, complete with quality control oversight and the schedule complexities is critical. Additionally, Phase Charlie may also include maintenance availability/periods for System Command (SYSCOM) sponsored requirements, as well as other Government managed contracted maintenance efforts external to the MCPP II contract. Technical Refresh (TR) of watercraft is also conducted during Phase Charlie. Schedule creep should be avoided. Phase Charlie bleeding over into Phase Delta confounds the process and puts Phase D and the backload schedule at risk.

Phase Delta contains five unique stages that methodically move watercraft through the Navy MMC production cycle toward a specific ship's backload at E+5. This Phase moves a designated ship set of watercraft through multiple stages of organizational level maintenance outlined in the Maintenance Requirements Package (MRP) (SOW Attachment C.6-024) that prepare watercraft for MPS embarkation that is aligned with the USMC MMC process and MMC schedule. Phase Delta is primarily PM, but it may include O-level CM and/or specific intermediate level maintenance within the MCMC capabilities/skillsets. This phase includes Control System configuration performed by the SYSCOM on-site support team. Phase Delta ends with operational tests, Government acceptance of the watercraft and eventual MPS backload.

Finally, it is important to understand that all three ashore phases, Bravo, Charlie and Delta, are concurrently producing multiple ship sets of watercraft on different schedules. Projected notional quantities of watercraft for each maintenance phase is detailed in SOW Attachment C.1-9.

Navy Watercraft (Lighterage) may be transported and transferred to external, independent contractors during Phase Alpha, Bravo, Charlie and Delta periods. Over and above maintenance requirements and external vendors will be identified by the Government. In addition, over and above maintenance requirements may be identified by SYSCOM by way of Fleet Service Bulletins (FSBs), Safety of Use Messages (SOUTs), Engineering Change Notices (ECNs), and System Alterations (SYSALTs) which may be tasked to the MCMC.

MCPP II applies to the majority of the NSE equipment. However, the Sealift portfolio is divided up and maintained by several different external contracts as detailed in the maintenance model above, physical location, custodial assignments and levels of maintenance, whether Organizational, Intermediate and/or Depot.

Section C.6 supersedes all other sections of this Statement of Work (SOW) concerning Navy requirements. Contact the Navy Contracting Officer's Representative (COR) for further clarification, as needed.

6.A NAVY SERVICES

6.A.1 The MCMC shall establish and maintain an organizationally separate Navy element to support Navy efforts detailed in this SOW. Dedicated support shall be minimized and includes

managerial, supervisory and skilled labor to meet all Navy requirements. The MCMC shall provide a Navy Organizational Chart and Personnel Roster of all Navy MCMC personnel. The Organizational Chart and Personnel Roster shall differentiate individuals dedicated to supporting each of the MCPP II efforts and those supporting Navy Operations. The Personnel Roster (CDRL 6001) shall include titles and assigned numbers (if applicable). Vacant billets shall be filled within 30 calendar days with qualified personnel. The Organizational Chart (CDRL 6002) and Personnel Roster are due within 30 calendar days of award or change of personnel.

Dedicated support exceptions noted below.

The Navy element shall leverage USMC maintenance/production services for Navy ground tactical gear/Civil Engineer Support Equipment (CESE). Additionally, the MCMC shall provide the following services: welding/fabrication services, wash rack services, battery storage services, trucking services, scale house functions, Preservation, Packaging and Packing (PP&P), carpentry, machinist, shipping services, calibration services, communication/green gear services, tug services/barrier open/closing services, Corrosion Repair Facility (CRF) services, Rough Terrain Forklift (RTFL), Container Handling/Rough Terrain Container Handler (RTCH) and certification services, MOGAS, Diesel supply, and disposal services.

6.A.1.a The MCMC shall establish a dedicated Navy Program Manager as Key personnel. The Navy Program Manager will be directly supported by the following functionalities: Purchasing, Financial, 3M Data (Navy Maintenance and Material Management), Plans/Projects, Quality Control, and Subcontract Management. Detailed below are the direct report Managers and their respective sections supporting the Navy effort.

6.A.1.b The MCMC shall establish and maintain a dedicated Operations Support Team (OST). The OST supports and performs operational tests of lighterage systems, troubleshooting, watercraft movement (portage), watercraft monitoring/COSIS, and associated support functions such as lifting, rigging, staging, docking/undocking, cross-decking, drydocking, load testing, berthing, fendering, mooring, floating piers and docks, fueling/defueling, craft dewatering. OST supports RST during Phase Bravo and Phase Charlie evolutions. Crane Operations (300 Ton Crawler Crane), Weight/Material Handling Equipment (Heavy-Lift Transporters (HLT), Mobile Boat Hoists (MBH), forklifts, man-lift, organic equipment, Rough Terrain Container Handler (RTCH)), and movement of other non-watercraft assets. The OST may be required to work irregular hours (Sat, Sun, shiftwork) in support of operational tests and/or ship offload/backload events. Flex hours are authorized with prior Government approval. The OST Manager is designated Key Personnel.

6.A.1.c The MCMC shall establish and maintain a Navy Watercraft Maintenance Center (WMC) organization that maintains marine technicians with occupational skill sets to accomplish the Maintenance Requirements Package (MRP) (SOW Attachment C.6-024) and O-Level troubleshooting and Corrective Maintenance. Occupational skill sets shall be marine technician in type and shall include at a minimum: Electrical, Electronics,

Mechanical, Hydraulics, Corrosion Prevention and Control, Hull/ship fitting, and Craft Equipage. Some of these skill sets should also be licensed forklift, man-lift and organic equipment operators. Navy Watercraft includes the Lighter Amphibious Resupply Cargo (LARC) and the LARC Maintenance Facility (LMF) is considered an element of the WMC. LMF occupational skill sets shall be marine in type and shall include at a minimum: Supervisory, Electrical, Mechanical and Material Handler. The WMC Manager is designated Key personnel.

6.A.1.d The MCMC shall establish and maintain a dedicated Navy Supply Center (NSC) organization that maintains occupational skill sets to accomplish supply chain, warehousing, and Capability Set (CAPSET) container production. Occupational skill sets shall include at a minimum: Supervisory, Logistics Specialist, Materiel Specialist, Materiel Handlers and a Hazardous Material/Hazardous Waste Specialist. The NSC Manager is Key personnel.

6.A.1.e The MCMC shall establish and maintain a dedicated Controls System Support (CSS) organization that maintains occupational skill sets to accomplish Machinery Control System Technical Refresh, FSB and SYSALT installation, and other electronic or electrical support. Occupational skill sets shall be marine technician in type and shall include at a minimum: Supervisory, Electrical, Electronic and Mechanical. These marine technicians shall be in addition to those included in OST and WMC. The CSS Manager is Key personnel.

6.A.1.f The MCMC shall establish and maintain a dedicated Repair Support Team (RST) that manages/oversees subcontract repair work on designated Navy lighterage and provides quality control oversight of subcontracted repairs and maintenance. The Repair Officer/Manager shall be supported by the following skill sets/specialists: Ship fitting, Corrosion Control, Hull Surveying, and Planning/Estimating, each with their respective certifications. The RST may be required to work irregular hours (Sat, Sun, shiftwork) in support of aligning Quality Control requirements to shipyard/repair production. Flex hours are authorized. The Repair Manager is Key personnel.

The RST shall evaluate pricing submissions received from their subcontractors and negotiate for best value prior to submitting to Government for approval. This process shall be in place for new work, growth work, and Condition Found Reports (CFRs) that carry an estimate for recommended work items associated with current effort.

6.A.1.g The MCMC shall establish and maintain a dedicated Maintenance Integration Manager (MIM) that manages integration between the maintenance sections of WMC, CSS and RST to produce watercraft CAPSETs. The MIM is a direct report to the Navy PM and is considered Key personnel.

6.A.1.h The MCMC shall establish and maintain a dedicated Navy Quality Control Manager (QCM) that manages Quality Control processes for Navy Operations, including

WMC, RST, CSS, NSC, and OST. The QCM is a direct report to the Navy PM and is considered Key personnel.

6.A.1.i The MCMC shall establish and maintain a dedicated Maintenance Augment Team (MAT). The MAT provides a scalable surge capability intended to augment the maintenance sections, as needed. The composition of the MAT should include MDM, ME, and ES skill sets necessary to perform corrective maintenance actions. The MST Supervisor is a direct report to the MIM.

6.A.1.i The MCMC shall provide intermittent support with an Intermediate Maintenance Team (IMT) capability that maintains occupational skill sets to accomplish Intermediate and minor to mid-grade Depot level maintenance. MCMC can draw/leverage their own existing capabilities and personnel to meet this requirement. Occupational skill sets shall be marine technician in type and shall include at a minimum: Welder (gas, arc, MIG, TIG), Machinist (metal lathe, mill), Shipfitter, Carpentry, Plumber, Hydraulics, and HVAC. The IMT may be required to work irregular hours (Sat, Sun, shiftwork) in support of operational tests and/or ship offload/backload events. Flex hours are authorized with prior Government approval.

6.A.1.j The MCMC Navy Organization Managers and Supervisors shall support and participate in meetings and/or discussions with Government counterparts to maintain situational awareness of changes and provide status update of progress and challenges.

6.A.2 The MCMC shall provide a weekly Status and Progress Report on all Navy work in progress inclusive of any subcontractor support, no later than (NLT) the close of business every Wednesday.

The Status and Progress Report will contain all “Over and Above” Work Requests IAW DFARS 252.217-7028, routing status and progress percentage, and any other Navy project specific/Government identified information. The weekly report shall be accurate and current within one business day of submittal.

6.A.3 The MCMC shall maintain strict accountability of assigned Navy Government Furnished Equipment (GFE) using Defense Property Accountability System (DPAS) IAW SECNAVINST 7320.10A.

6.A.3.a The MCMC shall maintain an accurate and complete listing of accountable GFE (both Capitalized and Non-Capitalized) in DPAS. Accountable property records will be established in DPAS for property that meets the following criteria:

- (i) All Government property purchased or otherwise obtained having an acquisition cost of \$5,000 or more.
- (ii) Property of any value provided to the Contractor for performance on a contract.
- (iii) When instructed to by NAV-P.

6.A.3.b The Government will provide an initial outfitting of GFE to be used in performance of this contract. Subsequently, the MCMC will be responsible for initiating

GFE purchase request(s) for required tools/equipment needed IOT perform the duties of the contract, that are not already provided by the Government.

6.A.3.c All GFE shall be kept in a satisfactory, clean, corrosion free and in an operable/serviceable condition. GFE is provided to the MCMC for performance of the contract items. The MCMC is responsible for cleanliness and maintenance to prolong the service life of equipment.

6.A.3.d The MCMC shall notify the appropriate Responsible Officer (RO), Accountable Property Officer (APO), Assistant Contracting Officer's Representative (ACOR) or Contracting Officer's Representative (COR) of any missing, lost, stolen, broken, damaged or otherwise unusable GFE within 3 business days (CDRL 6003) via email. The MCMC shall perform an investigation and provide a full written report (hardcopy), with pictures, to the appropriate RO, APO, ACOR or COR within 15 business days of identification. This report shall provide detailed information regarding the circumstances leading to the condition of the GFE. All property losses shall be reported via DD Form 200 Financial Liability Investigation of Property Loss. This equipment shall be repaired or replaced as directed by the COR. Damaged, broken, or otherwise unusable property will be inspected by the Government to ensure no negligence or misuse prior to disposition.

6.A.3.e The MCMC shall identify and nominate a Responsible Individual/s (RI) in writing who will be responsible for GFE in their possession. The RI designation letter (CDRL 6004) shall be submitted to the Navy APO for concurrence and signed by the Navy COR for designation. The designated MCMC RI shall perform quarterly accountability inventories/Custodian Reports via DPAS of the GFE in their possession. Completed reports shall be submitted to the RO, APO, ACOR, and COR NLT the 5th business day after the close of each quarterly inventory. All broken, missing, or otherwise unusable GFE shall be annotated on the report. The MCMC RI shall notify the Government RO, APO, ACOR and COR (via email) of any/all scheduled quarterly inventories, including date and time, prior to commencing quarterly inventories.

6.A.3.f All property acquisitions, transfers, property losses, and dispositions for Navy Unit Identification Code (UIC) N32264 will be submitted to the appropriate RO and APO and be approved/disapproved by the NAV-P RO, APO, ACOR, or COR prior to execution.

6.A.4 The MCMC shall inspect, maintain, and operate Navy assigned General Services Administration (GSA) Fleet vehicles IAW GSA Fleet Vehicle Operator guidance and operator's manual.

6.A.4.a The MCMC shall accurately report accidents and equipment defects for Navy assigned GSA Fleet vehicles. Initial notification should be by telephone or e-mail to the NAV-P GSA Fleet Manager within one(CDRL 6005) hour of accident occurrence and within four hours (CDRL 6006) of equipment defect discovery. Accident notification

shall include completion of the GSA Form 1627 GSA Motor Vehicle Accident Reporting Kit, Standard Form (SF) 91 GSA Motor Vehicle Accident Report, and SF 94 Statement of Witness.

6.A.4.b The MCMC shall clean/detail assigned Navy GSA Fleet vehicles on a quarterly basis. Receipts to be provided to the NAV-P GSA Fleet Manager.

6.A.5 The MCMC shall plan, schedule, and execute all training requirements to ensure assigned personnel maintain mandated skill specific qualifications which comply with Navy Occupational Standards and skills requirements. Personnel shall be trained, qualified, and certified for the work they are performing prior to commencing work. Provide training status and forecast as required (CDRL 6007). For Weight Handling Equipment (WHE) operators/maintenance and riggers refer to section 6.Q.1.e.

6.A.6 The MCMC shall plan and accomplish the staging/storage of Navy owned equipment and materiel at MCSF-BI Navy Point, and/or other areas as identified by NAV-P. The Staging and Storage Laydown Plan (CDRL 6008) is due NLT the first business day of the quarter. If changes occur, an updated plan shall be submitted within five business days.

6.A.6.a The MCMC shall designate a primary and secondary Point of Contact (POC) from the Navy MCMC organization to manage and coordinate activities on Navy Point.

6.A.7 The MCMC shall investigate and submit warranty repair claims for Navy equipment. When defects are found, inquire with Original Equipment Manufacturer (OEM) vendors and submit warranty claims to repair equipment faults that are under warranty coverage per applicable equipment; and ensure any services rendered do not violate equipment warranty provisions. Notify NAV-P via email within 72 hours of identification.

6.B NAVY FISCAL REQUIREMENTS

6.B.1 This is intended to delineate responsibilities for accounting of Navy funds expended through Government funded procurements. Meticulous detail is required to ensure that acquisitions are processed in an efficient and economical manner to ensure a high level of confidence in the MCMC's ability to manage resources.

6.B.1.a. The MCMC shall perform those actions particular to the proper management and accounting for Navy funds expended in support of maintenance cycle operations. The MCMC shall be responsible for "cradle to grave" financial accounting of all Navy financial actions, following published Fiscal Year-end Closeout guidance, and providing required status reports.

6.B.2 The MCMC shall segregate costs for each Navy effort (NSE, NCE, NBG, etc.). Provide Navy MCMC established accounting charge codes to appropriate expenses. The MCMC shall

provide NAV-P with detailed cost and expense information as requested. The MCMC shall correct identified errors within one business day.

6.B.3 The MCMC shall update an NAV-P provided joint stakeholders' Navy Actual Cost of Work Performed (ACWP) (CDRL 6009) Report on a daily basis. As authorized purchases and/or subcontracts for materials and/or services are executed, the MCMC shall update the applicable report (SOW Attachment C.6-004) for the specific Navy effort (NSE, NCE, NBG, etc.) The joint Navy ACWP Report shall not have more than two data errors per month.

6.B.4 The MCMC shall provide a complete and accurate Navy End-of-Ship MPF Maintenance Cycle (MMC) Life Cycle Cost Report (CDRL 6010) NLT 60 calendar days after each MPS embarkation using the report template provided in SOW Attachment C.6-005. Report by serial number all costs incurred for the MMC and life cycle costs for Navy Watercraft, including LARC and ABLTS systems to include ship's name, maintenance cycle dates, and total costs separately for material, subcontract services, shipyard basic and over and above work and supply system items. A summary sheet for each type of Navy Watercraft and ABLTS system shall be provided for each applicable MMC. All NAV-P identified corrections shall be made to the report within one business day.

6.B.5 The MCMC shall provide a weekly Status of Funds report utilizing Government approved accounting procedures to NAV-P. The following minimum information shall be provided:

- (a) Posted Authorizations Posted Obligations Posted Available Balance Pending Corrections.

- (b) Revised Available Balance Allocations Received MRP Credits Received.

6.B.6 The MCMC shall provide an Estimate At Completion (EAC) (CDRL 6011) Report for Navy fiscal tracking and execution using the report template provided in SOW Attachment C.6-006. MCMC shall provide a 12-month projection initially for each Contract Line Item Number (CLIN) with a monthly breakdown. Subsequent months should show prior month actuals. The EAC Report is due NLT the tenth business day of the month.

- 6.B.6.a The follow-on year EAC (CDRL 6012) will be provided to the COR NLT 1 June of the current year.

6.B.7 The MCMC shall provide a detailed Navy Invoice Report (CDRL 6013) for accurate accounting purposes using the template provided at SOW Attachment C.6-007. Detailed invoice shall be provided prior to submission for payment and include detailed labor, material and subcontract costs, and travel expenses. Invoice(s) shall be submitted with detailed backup documentation, delivered NLT first weekday of each month.

6.B.8 The MCMC shall provide a timely and accurate electronic Contract Cost (CPFF) and Status Report (CCSR) for each Task Order (TO). The CCSR shall be submitted monthly, or as requested by the Government, concurrent with invoice submission, commencing 30 days after

contract award. The CCSR shall include, but not limited to, the following information for Navy Task Orders:

- (a) MCMC's name and address
- (b) Contract number and Task Order number
- (c) Date of report
- (d) Title
- (e) Period covered by the report
- (f) Contract value by Accounting Classification Reference Number (ACRN)
- (g) Funded value by ACRN
- (h) Actual cost of work performed by CLIN/SLIN
- (i) Percentage of funded
- (j) Funding balance
- (k) EAC or projected costs at completion of the Task Order; EAC shall include a breakdown of anticipated labor, materials, other direct costs associated with task order completion
- (l) Delta committed to invoiced
- (m) Delta committed to EAC or projected
- (n) Narrative explanation by ACRN of any anticipated variances from CLIN values.
- (o) Costs incurred by equipment ownership group for the reporting period, total contractual expenditures by equipment ownership group as of reporting date and projected total contract costs by equipment ownership group.
- (p) Name of person(s) preparing report, including telephone number

6.B.8.a CCSR References

MCO P7300.21.....Marine Corps Financial Execution Standard Operating Procedures
DoD FMR.....Department of Defense Financial Management Regulations

6.B.9 Required Reports

Report Name	Frequency
Joint Stakeholders' Navy Actual Cost of Work Performed (ACWP) Report	Daily
Status of Funds Report	Weekly
Navy Invoice Report	Monthly
Estimate At Completion (EAC) Report	Monthly
Contract Cost and Status Report (CCSR)	Monthly
Job Order Number/Financial Information Pointer Annual Update	Annually
Follow-on year EAC	Annually

6.B.10 Fiscal Reconciliations

6.B.10.a Report, identify, and provide supporting documentation on accounting system problems to Government immediately upon discovery.

6.B.10.b Store and maintain all source documents and accounting reports required for audits. This is to include receipt documentation for supply system and offline system requisitions.

6.B.11 Fiscal Closeout Guidance. MCMC shall adhere to the annual Fiscal Year (FY) closeout guidance provided by the Contracting Officer.

6.C NAVY SUPPLY CHAIN, LOGISTICS, AND WAREHOUSING

6.C.1 The MCMC shall establish and maintain a dedicated Navy Supply Center (NSC) Organization.

6.C.1.a The MCMC shall perform Supply Chain Management functions IAW NAVSUP P-485 for all Navy MCMC efforts and to include logistics support to other NAV-P Contracts, via Government approval and/or direction. Supply management consists of the following but not limited to: replenishment, processing Defective Material Summaries (DMS), technical data research, disposal, and upgrading condition of MPS equipment, supplies, and maintenance cycle support materiel.

6.C.2 The MCMC shall operate and maintain the assigned Navy Warehouses. The MCMC shall comply with facilities requirements IAW MCSF-BI Building Manager Handbook. Navy warehousing facilities' management includes but is not limited to indoor, outdoor, improved, and semi-improved locations with regard to cleanliness, safety violations, and discrepancies.

6.C.2.a The MCMC shall use the Operator's Daily Check List (ODCL) for all Navy owned Material Handling Equipment (MHE) IAW NAVSUP P-538.

6.C.3 The NSC shall execute directed redistribution and disposal of Government authorized excess and obsolete Navy materiel IAW NAVSUP P-485 and NAVFAC-P-300. Redistribution includes but is not limited to; receipt, disposal, and transfer to other Government agencies external to BICmd. NAV-P will provide authorized notification of all redistribution of Navy materiel. The MCMC is required to accurately complete/submit the DD Form 1348-1 and DD Form 1149 as appropriate to support Government and designated Contractors.

6.C.4 The MCMC shall store Navy materiel.

6.C.4.a The MCMC shall segregate, store, and maintain Navy materiel IAW NAVSUP P-485 and NAVSUP P-723 by Coordinated Shipboard Allowance List (COSAL) type

(NSE, NCE, and NBG). Stored materiel shall remain segregated and accurate IAW stated quantity, location and identity.

(i) The MCMC shall maintain a segregated Navy warehouse inventory by COSAL type. Inventories shall be accessible and downloadable by NAV-P. Inventories shall be complete and accurate.

(ii) The MCMC shall affix placards on all warehousing containers approved for use as storage of Navy items. The container placard shall show the POC, telephone number and organization, as well as an appropriate Major Support Element (MSE) and Force Module Sticker, as applicable. The placard shall be affixed on the center of the access door prior to loading content.

(iii) The MCMC shall maintain physical security of all Navy owned storage facilities ensuring adequate safeguarding of all materiel, especially items that are sensitive, classified, or subject to pilferage IAW NAVSUP P-485 and NAVSUP P-723.

(iv) The MCMC shall submit an annual Physical Inventory Control Plan (PICP) (CDRL 6014) IAW DoDI 5000.64, NAVSUP P-485, and NAVSUP P-723 NLT 30 calendar days after the contract commences and shall update the plan annually NLT 15 June for the following annual/FY PICP. The PICP shall be comprehensive, providing inventory schedule/timelines. All inventory adjustments shall be approved prior to submission in RSupply.

(v) The MCMC shall document and provide PICP results of retail accounts in RSupply or Global Combat Support System – Marine Corps (GCSS-MC) to the Government IAW Marine Corps Order (MCO) 4400.201 NAVSUP P-485 and NAVSUP P-723. Inventory results shall be provided NLT the 5th day of the following month. Results will be broken out/reported by COSAL type and location, whether conducting 100% annual physical inventory, semi-annually, quarterly, or monthly inventories. The results will include comprehensive causative research and recommended adjustments to Accountable Property System of Record (APSR) property records. At a minimum, physical inventory results shall include quantities, data elements (National Item Identification Number (NIIN), nomenclature, unit price, total price), recommended adjustment transaction and causative research, all of which shall be complete and accurate IAW physical On Hand (O/H) inventory, APSR data, transactional history, and Federal Logistics Data (FED LOG).

(vi) The MCMC shall support any Independent Public Accountant (IPA), Internal Controls and Audit Readiness Team (ICART), and Naval Facility Command (COMNAVFAC) and Marine Corp Logistics Command (LOGCOM) Internal Testing sample requirements when published. Samples size and dates assigned are not known in advance, they are directed from Higher Headquarters (HHQ) on a periodic basis to validate the accuracy of

APSRs. Sample responses are generally required within a five (5) day time frame and include at a minimum providing Key Supporting Documents (KSDs) and pictures, validating possession and accuracy within the APSR.

6.C.4.b The MCMC shall develop and execute shelf Life/Service Life Management Program for all Navy Shelf Life Assets and Materiel resident in Navy Warehouse and Storage Areas IAW DoD 4140.27 and MCO 3000.17. The MCMC shall submit a Shelf Life Report (CDRL 6015) on the last day of every quarter. Navy Shelf Life materiel prepositioned on MPF ships requires a Shelf Life of greater than 24 months. Shelf life materiel with less than 24-months of shelf life remaining shall not be prepositioned unless a Letter of Non-Conformance is approved by NAV-P.

(i) The MCMC shall obtain Shelf Life extensions on materiel when required and permissible IAW respective equipment Shelf Life Codes, Supply Bulletins (SB), DoD 4140.27-M, MCSF-BI Hazardous Management Plan and Technical Manuals (TMs). Eligible Shelf Life extensions shall be obtained in all situations where extensions are possible.

6.C.5 The MCMC shall establish and maintain a Navy specific General Account (GA) by COSAL type. Inventory levels shall be maintained within high and low levels, using template provided in SOW Attachment C.6-008.

6.C.5.a The MCMC shall, at a minimum, use the following COSAL and sub inventory structure in RSupply:

- (i) NSE
 - (a) Reoccurring Maintenance Parts (“RMP”)
 - (b) High Failure Parts (“HFP”)
 - (c) Software Support Activity (“SSA”)
 - (d) Navy Watercraft Afloat Maintenance Services (“WMS”)
 - (e) Navy Cargo Handling Battalion (“CHB”)
- (ii) NCE
 - (a) Civil Engineer Support Equipment (“CE”)
- (iii) NBG
 - (a) Expeditionary Boatswain’s Locker (“EBL”)

6.C.5.b The MCMC shall, at a minimum, use the following RMP sub inventory Local Management Codes (LMC):

- (i) Amphibious Bulk Liquid Transfer System (“AB”)
- (ii) Landing Craft Mechanical (“LC”)
- (iii) Lighter, Amphibious Resupply Cargo (“LA”)
- (iv) Ramp Module (“RM”)
- (v) Beach Module (“BM”)
- (vi) Combination Module (“CM”)

- (vii) Docking Module (“DM”)
- (viii) Intermediate Module (“IM”)
- (ix) Warping Tug (“WT”)
- (x) MPF Utility Boat (“WB”)

6.C.5.c The MCMC shall maintain General Account Program Records and shall submit an accurate Quarterly Shelf Life/Service Life expiration reports (CDRL 6016) the first business day of each quarter IAW DoD 4140.27-M and MCO 3000.17.

6.C.5.d The database shall be accessible to NAV-P for reviewing upon request.

6.C.5.e MCMC shall submit a RSupply Reorder Review NLT 11:59 am on the second and fourth Friday of every month for NAV-P review and guidance.

6.C.5.f GA contents shall be approved by NAV-P then entered into RSupply. The MCMC shall maintain General Program Records.

6.C.6 The MCMC shall ensure all KSDs supporting the transfer of equipment in support of an exercise, contingency, temporary loan or transfer to another unit/contractor, are uploaded into GCSS-MC and/or RSupply, as applicable. Supporting KSDs include the Exercise Support Letter, Outgoing/Incoming Consolidated Asset List with proper signatures, DD Forms 1348, DD Form 1149 (if required), Navy Consolidated Memorandum Receipt (CMRs) (if required), or any other documents used to ensure proper chain of custody.

6.C.6.a The MCMC shall maintain a file of all Financial Improvement and Audit Readiness (FIAR) audit required KSDs. This file shall be in DoDAAC/UIC, Julian date and document sequence order.

6.C.6.b The MCMC shall immediately notify NAV-P if any of the following occur:

- (i) RSupply, GCSS-MC or any other authorized program is not available or working as intended.
- (ii) A safety issue occurs.
- (iii) A work stoppage occurs for any reason.
- (iv) MCMC employees have no more tasks or work available.
- (v) Missing, lost, stolen, or damaged Government-owned assets.

6.C.6.c The MCMC shall notify the Government of missing, lost, stolen, or damaged Government-owned assets IAW MCO 5530.14, MCO 4400.201, and Marine Corps Bulletin (MCBul) 3000 series. The MCMC shall conduct investigations as directed by the Government.

6.C.6.d The MCMC shall prepare and route DD Form 200 for Prepositioning Objective (PO) materiel to the Navy COR for lost, damaged, or destroyed Government property IAW NAVSUP P-485, FLIPL MCBUL (MCBUL 4440.4) and MCO 4400.201 within five business days of discovery of the lost, damaged, or destroyed equipment or supplies. DD Form 200 is used to initiate the "Financial Liability Investigation of Property Loss"

(FLIPL) process. The Form is to be completed when one (1) or more of the situations listed in the most current FLIPL MCBUL (MCBUL 4440.4) or FLIPL Volume of MCO 4400.201 exists, to include "Navy property in the possession of the MCMC is lost, damaged, or destroyed". DD Form 200 is not used to relieve or hold the MCMC liable for lost, damaged, or destroyed Marine Corps property, but rather to serve as documentation for inventory adjustments. MCMC-generated voucher requests are still required for Government approval of all inventory record adjustments. DD Form 200 is an additional requirement that will supplement the voucher request for situations outlined in the FLIPL, MCBUL or MCO 4400.201 related to lost, damaged, or destroyed property. In addition to the MCMC completing blocks 1, 3, 4-9, and 17a-f of DD Form 200 (as directed by MCBUL 4440.4), blocks 10 and 11 shall also be completed by the MCMC prior to submission to the Government. Subsequently, the Navy COR will complete blocks 17.e and 17.f. The MCMC shall assign a document number and complete box 17.a upon receipt of Government approval to adjust property records.

6.C.7 The MCMC shall requisition materiel and services for all Navy requirements IAW NAVSUP P-485. Reflect the appropriate abbreviation in the supplemental address field on the Military Standard Requisitioning & Issue Procedures (MILSTRIP) document.

6.C.7.a The MCMC shall receipt for all requisitioned and force-fed Navy materiel ensuring compliance with FIAR and IAW NAVSUP P-485, DoD FMR, DoD Instruction 5000.64, SECNAVINST 4440.33A, SECNAVINST 5200.42, SECNAVINST 7320.10A. Material shall be receipted for within two (2) business days of delivery. The process shall include:

- (i) Receipt and Acceptance
- (ii) Secondary Level Review of Acquisitions
- (iii) Key Supporting Documents (KSD) to Accountable Property System of Record (APSR)
- (iv) Reconciliation of Acquisition
- (v) Physical Inventory
- (vi) Disposition Authorization
- (vii) Secondary Level Review of Disposition
- (viii) KSD to APSR Reconciliation of Disposition

6.C.7.b The MCMC shall stow or distribute materiel, upon receipt, to the appropriate Navy recipient ensuring compliance with FIAR IAW NAVSUP P-485, DoD FMR, DoD Instruction 5000.64, SECNAVINST 4440.33A, SECNAVINST 5200.42, SECNAVINST 7320.10A.

6.C.7.c The MCMC shall process Depot Level Repair (DLR) and returns from the MMV104 account IAW NAVSUP P-485 AND NAVSUP P-723. Unserviceable DLRs shall be turned into DLA on a one for one exchange basis. Prior to shipping a DLR carcass the MCMC shall request and obtain Government approval. Upon receiving

Government approval, DLRs in the MMV104 account shall be administratively (RSupply) and physically processed by the MCMC for evacuation/shipment to DLA.

6.C.7.d The MCMC shall requisition Government-approved DLRs. Requisitioning of DLRs. Government approval shall be obtained prior to obligation of funds to support DLR requisitions.

6.C.8 The MCMC shall segregate, store, and maintain Navy hazardous material IAW Section 6.T. The MCMC shall have the ability to identify, declare, package, certify, and load containerized hazardous materials IAW the current International Maritime Dangerous Goods (IMDG) code and Command Order (CmdO) 4035.1.

6.C.9 The MCMC shall execute the redistribution, rollback, or disposition of unserviceable, obsolete, or excess materiel and assets IAW DoD 4160.21-M, NAVSUP P-723, NAVSUP P-485, CmdO 4790.1, respective equipment TM/TI, Disposal Plans, and official messages providing disposition instructions.

6.C.9.a The MCMC shall request NAV-P approval prior to executing redistributions, executing rollback, or submitting requests for disposition for unserviceable, obsolete, or excess repair parts. MCMC requests to the Government for redistributions, rollbacks and/or dispositions shall be accurate IAW ASPR (O/H and allowances/RO). Government approval shall be obtained prior to executing disposition or submitting disposition via the APSR.

6.C.10 The MCMC shall ensure adequate protection and physical security of all Navy assets IAW NAVSUP P-485 and NAVSUP P-723. Discrepancies shall be noted during spot check.

6.C.11 The MCMC shall perform Care of Supplies in Storage (COSIS) IAW NAVSUP P-485 and NAVSUP P-723.

6.C.12 The MCMC shall prepare and maintain appropriate supply administrative documentation for personnel conducting requisitioning and receiving functions IAW NAVSUP P-485 and NAVSUP P-723. Examples of required documentation include, but are not limited to, DD Form 577 and Navy Marine Corps (NAVMC) 11869.

6.C.13 The MCMC shall track, provide follow-up and keep record of all requisitions for the fiscal year, follow-up on all outstanding Navy materiel requisitions including those from previous fiscal years and provide a Navy Weekly Status Report (CDRL 6017) (SOW Attachment C.6-009) to NAV-P IAW NAVSUP P-485. All cancelled requisitions will be identified and the MCMC shall provide recommendations to NAV-P on whether to reorder the National Stock Number (NSN), reorder an alternate NSN or not to reorder the NSN based on inputs from the requisitioner. The Navy Weekly Status Report shall be delivered each Monday by 11:59 am. The MCMC shall submit a Supply Discrepancy Report (SDR) with document identifier per "AS1" NLT 10 business days old with a value equal to or greater than \$100 per line item.

6.C.13.a Per NAVSUP P-485 Para. 3532 Review of Outstanding Requisitions. The status of outstanding requisitions will be reviewed per below to ensure that, when necessary, timely follow-up action is initiated as follows:

- (i) Priority Designator (PD) 01-03 requisitions should be reviewed daily;
- (ii) PD 04-08 requisitions should be reviewed weekly; and
- (iii) PD 9-15 requisitions should be reviewed at least monthly, preferably in conjunction with the processing of Materiel Obligation Validation (MOV) requests (see paragraph 3591).

6.C.13.b The MCMC shall conduct requisition management IAW NAVSUP P-485. Requisition management includes appropriate/adequate Requisition Submission Time for priority and Required Delivery Date (RDD); appropriate use of Urgency of Need Designator (UND), priority designators, RDD, Non-Mission Capable Supply (NMCS) indicator, Job Order Number (JON), advice code, and signal code. Repair parts and maintenance related supplies shall be requisitioned (Requisition Submission Time) IAW time standards outlined in NAVSUP P-485.

- (i) The MCMC shall conduct requisition validations IAW NAVSUP P-485 and NAVSUP P-723. Validations shall be conducted on a daily basis to ensure all items due in have valid and current status to align with outstanding demands/requirements, while exercising due diligence to minimize delays and cancellations. Validations by the MCMC shall include supply, maintenance management, and commodity reconciliations, which shall be conducted and documented IAW NAVSUP P-485, NAVSUP P-723, CmdO 4790.1, Section C.2, processing of follow-ups, tracers, modifications, and validated cancellations to existing requisitions; and quarterly MOV/Backorder Validations (BOV). Materiel Obligation Validations shall be completed accurately IAW NAVSUP P-485.

6.C.13.c The MCMC shall conduct receipt management and receipt processing (physical and virtual/APSR receiving for materiel and shipments) IAW DoD 4140.27-M, SECNAVINST 4355.18, SECNAVINST 4855.3, SECNAVINST 7320.10A, NAVSUP P-485 and NAVSUP P-723. Receipt management and processing by the MCMC shall include physical inspection, data recording, and item to documentation verification, as well as associated processing of discrepancies IAW UM 4000-125. The MCMC shall ensure integration and communication between Distribution Management Office (DMO), the warehouse receiving / issue point, and the document management section.

- (i) The MCMC shall prepare, submit, and follow-up on Supply Discrepancy Reports (SDR) via Product Data Reporting and Evaluation Program (PDREP) or DLA Customer Service Help Desk IAW DoD 4140.27-M, SECNAVINST 4355.18, SECNAVINST 4855.3, and NAVSUP P-485. SDRs shall be submitted IAW the timelines specified in SECNAVINST 4355.18, NAVSUP P-485, and

NAVSUP P-723 when there is variation between physical goods received and the data on the corresponding shipping documents as well as on the Due in File, to include variations in condition or quantity, incorrect or misdirected material, receipt of cancelled requirements, improper or inadequate technical data or supply documentation, unsatisfactory condition due to improper packaging, and in cases of non-receipt or lost shipments meeting specific criteria outlined in NAVSUP P-485.

(ii) The MCMC shall conduct receipt validations IAW SECNAVINST 4355.18 NAVSUP P-485 and NAVSUP P-723. Receipt validations by the MCMC shall include reconciliation and validation of receipts against Unliquidated Obligations (ULO), Supply/Maintenance commodity reconciliations, Proof of Delivery (POD) file validations, tracer actions, SDR validations, IGC / ITV / WEBVLIPS research and other means IAW NAVSUP P-485 and NAVSUP P-723. Supply, maintenance management and commodity reconciliation shall be conducted and documented IAW Section C-2 and CmdO 4790.1. ULO validations shall be completed to ensure cancellations, receipts, and new requisitions are properly obligated or de-obligated as required.

6.C.13.d The MCMC shall maintain required audit trails for all requisition, receipt, issuance of material and other KSD IAW NAVSUP P-485 and NAVSUP P-723.

6.C.14 The MCMC shall conduct reconciliations every second and fourth Wednesday of the month between NSC Supply and Maintenance Commodities IAW NAVSUP P-485 and NAVSUP P-723 and deliver the Navy Reconciliation Log Report (CDRL 6018) to NAV-P by 11:59 am on every second and fourth Friday.

6.C.15 The MCMC shall receipt for store and distribute all Navy weapons IAW NAVSUP P-485, applicable plans, and ship's Planning Consideration Letter (PCL). Weapons are receipted for using the DD Form 1348-1 which is included with the shipment to NAV-P. Submit the signed and dated DD Form 1348-1 or DD Form 1149 NLT the close of business on the day received. This will require coordination with the MCMC. The MCMC shall identify any issues preventing completion of this task to the Government for remedy.

6.C.15.a The MCMC shall perform and submit a Navy Small Arms Monthly Inventory Report (CDRL 6082) (SOW Attachment C.6-010) of all Navy weapons onboard MPF Ships and MCSF-BI Armory stating the actual physical inventory. Navy Small Arms Monthly Inventory Report shall be endorsed and validated by Responsible Individual (RI). The completed Small Arms Monthly Inventory Report is to be scanned (PDF) and submitted to the NAV-P RO, ACOR and COR NLT the tenth business day of each month.

6.C.16 The MCMC Transportation and Distribution Management Operation (TMO/DMO) shall support NSC and NAV-P shipping requirements.

6.C.16.a The MCMC shall conduct Transportation Management receiving functions for NSC, and NAV-P designated contractors IAW DTR 4500.9-R Part II, DoD 4500.32-R, MCO 4450.14, and UM 4000-125. Cargo Movement Operations System (CMOS), currently the DoD designated system to record freight receiving, shall be appropriately utilized by the MCMC.

6.C.16.b The MCMC shall process arriving shipments requiring special handling or expedited delivery to NSC and NAV-P designated contractors IAW DoD 5100.76-M, MCO 10330.2, MCO 4450.14, MCO 4400.201, MCO 4400.150, MCO 5530.14, 49 CFR, and MCO 4450.12. Items include materiel with security requirements (CCI and weapons), AA & E, urgent delivery / high priority materiel, refrigeration / environmentally-controlled items, hazardous materiel, pilferable and sensitive items. Notification of shipment arrival shall be sent to responsible commodity the day of arrival with delivery / pick up / secure storage (where applicable) completed IAW "Inventory Management" requirements.

(i) The MCMC shall process inbound shipments of Class V (ammunition) IAW CmdO 8020.13 and DTR 4500.9-R Part II. Processing of inbound Class V shipments includes MCMC provision of a Container Seal Verification Report immediately upon completion of ammunition containers backload to MPS. Minimum data elements on the report will include: Container Serial Number, Seal Number associated with each container Serial Number. The report shall be endorsed by the MCMC conducting the inspection and his/her supervisor. Container Seal Verification Report shall be accurate IAW physical container serial number and associated seal number.

6.C.16.c The MCMC shall maintain an accurate Transportation Management database that reflects all received shipments IAW CMdOs, DD Form 1348-1A and DD Form 1149. A Government database will be provided and used to track all received shipments, regardless of carrier, mode of shipment, or type of materiel received. Data fields include: Date received, Transportation Control Number (TCN), document number, priority, description / nomenclature, Equipment Code (EC), NSN, quantity, U/I, serial number, IUID, CBL #, and mode of shipment.

6.C.16.d The MCMC shall complete requirements associated with overseas / export shipments for NSC IAW DTR 4500.9-R Part II and Military Surface Deployment and Distribution Command (SDDC) requirements. Requirements include, but are not limited to, applying for export release requests, customs and agriculture processes, obtaining routing for release units (RU) through Integrated Booking System (IBS), preparing Transportation Control and Movement Documents (TCMDs).

6.C.16.e The MCMC shall maintain an accurate Transportation Management database that reflects all pending and completed shipments for NSC and NAV-P designated contractors IAW CMdOs. Government database will be provided and used to track all pending and completed shipments, regardless of carrier, mode of shipment, or type of materiel being shipped. Data fields include: Document number, Priority, U/I, quantity,

NSN, TCN, description / nomenclature, EC, serial number, CBL #, mode of shipment, weight, CBL cost, CBL date paid, SCAC, RFID, POE, POD, consignee, destination, TAC 1, TAC 2, TAC 3, Date in TMO, RDD, date shipped, IUID.

6.C.16.f The MCMC shall conduct materiel/cargo handling in support of distribution operations for NSC and NAV-P designated contractors. Personnel training, testing, and licensing program for MHE/Cargo Handling Equipment (CHE) shall be managed IAW the latest versions of MCO P11240.106 and MCO 4450.14. The MCMC shall use appropriate MHE and CHE to move respective materiel IAW the latest / current versions of MCO 4450.14, MCO 4400.201, and applicable equipment TMs. MHE/CHE operators shall be licensed for the equipment they are operating.

6.C.17 The MCMC shall conduct Preservation, Packaging, and Packing (P3) of equipment and supplies requiring storage, embarkation, or shipment for NSC and NAV-P designated contractors IAW MIL-STD-130, MIL-STD-2073-1E, and NAVSUP P-700-CNP.

6.C.18 The MCMC is authorized the use of Other Direct Cost (ODC) funding in emergency situations for limited supply chain functions, as directed by the Government.

6.C.19 The MCMC shall maintain the Logistics Over-the-Shore (LOTS) Rotational Pool (RP) (CDRL 6019) assets IAW SOW Attachment C.6-002. The MCMC shall update as equipment is rotated or as inventory is revised.

6.C.20 The MCMC shall submit a Navy Deficiency Report (CDRL 6020) (SOW Attachment C.6-001) identifying deficiencies for the upcoming ship in the MPF Maintenance Cycle (MMC) 130 calendar days prior to the start of the ship's production cycle (P-130). Class of Supply (COS) attainment deficiencies shall be listed by NSN, quantity and nomenclature. COS shall include Class II, Class III, Class IV, Class VII, Class VIII, and Class IX.

6.C.21 The MCMC shall attain all Navy material deficiencies approved by NAV-P. All authorized deficiencies shall be placed on order within five business days.

6.C.22 The MCMC shall accurately update a NAV-P provided joint stakeholders' Navy report (DODAAC Documents Report) (CDRL 6021) (SOW Attachment C.6-003) for fiscal reconciliation NLT 8:00 am daily each business day. New documents for supply system transactions that support the Navy effort shall be updated daily on the report. The DODAAC Documents Report shall not have more than two data errors per month. For purchasing system buys, the MCMC shall adhere to NAV-P guidance for segregation of costs by equipment ownership groups for each Navy effort (NSE, NCE, NBG, etc.). For Defense Logistics Agency (DLA) supply system requisitions the MCMC shall utilize the Navy provided Job Order Number (JON).

6.C.23 The MCMC shall provide a complete and accurate daily report (CDRL 6022) listing updated purchasing system material and subcontract services ordered for tracking of Navy expenditures by NLT 8:00 am. Report shall provide a breakdown by account for each item to

include at minimum the item name, unit cost and total cost with a note detailing the application, i.e.; serial number of end item. All price adjustments shall be corrected within one business day.

6.C.24 The MCMC shall monitor Navy Receipt/Due File and take actions relative to active Department of Defense (DoD) supply system transactions that effect fiscal status IAW NAVSUP P- 485 Supply Systems Management procedures. Actions should be taken daily to: 1) coordinate de-obligation of funds for cancellations; 2) receipt for material received; 3) research for liquidations of material not received; and 4) coordination of manual transactions in the accounting system for offline requisition transactions.

6.C.25 The MCMC shall reconcile status of current year and prior years' Navy supply system documents that have Unliquidated Obligation (ULO) and provide a ULO report (CDRL 6023) to NAV-P IAW NAVSUP P- 485 Supply System Management procedures on the last business day of the month. Upon Government approval, actions taken may include transactions to cancel, adjust, process receipt or contact source of supply for billing action of material received.

6.C.26 The MCMC shall operate the MCSF-BI Defense Fuel Support Point (DFSP) to support Navy requirements IAW SOW Section 4.D.2. The MCMC shall ensure adequate fuel supplies are on hand at all times to support Navy operations with levels maintained IAW DLA-E procedures.

6.D NAVY CONTAINERIZED CAPSET PRODUCTION

6.D.1 The MCMC shall manage and maintain a Navy owned International Organization for Standards (ISO) container program. Container Program management includes accountability, storage, inspection, recertification, maintenance, inventory, production, marking, and the use of containers for intermodal transport.

6.D.1.a The MCMC shall inventory and visually inspect MPS downloaded Navy containers. Inventory includes verification of serial number and obvious defects. Inspection is a quick preliminary look in support of container repair triage. Inventories shall be delivered within five business days of download completion. The MCMC shall accurately complete the Navy Container Management Report (CDRL 6024) (SOW Attachment C.6-012) NLT five business days after download.

6.D.1.b The MCMC shall remove contents of all containers containing Navy equipment IAW the approved NSC Production Schedule and priority listing provided in this SOW. Damaged Navy containers will be downloaded at the beginning of production to allow sufficient time for container repairs. Refer to SOW Attachment C.6-012.

6.D.1.c The MCMC shall ensure that there are sufficient quantities of Ready for Issue (RFI) Navy owned containers IAW the approved Production Schedule, applicable plans, ship's PCL, and Navy Container Inventory. Ensuring sufficient containers quantities includes overseeing approved repairs, and container certification; and provide copies of the DA Form 2404 with cost estimate to NAV-P for repair approval.

6.D.1.d The NSC shall maintain a Navy container ownership database IAW SOW Attachment C.6-012. The database shall be accessible and downloadable for NAV-P personnel.

(i) The MCMC shall submit an accurate Navy Container Management Report (SOW Attachment C.6-012) quarterly in conjunction with Navy Consolidated Memorandum Receipt (CMR) (SOW Attachment C.6-021).

6.D.1.e The MCMC shall submit a weekly Navy Production Attainment Report (CDRL 6026) (SOW Attachment C.6-011) NLT close of business (COB) every Tuesday.

6.D.1.f The MCMC shall label all Navy owned containers NLT two business days after receipt of container or completion of repair. Labeling will consist of: 4-inch-high letters in a contrasting color on the lower left front door identifying the unit owner, i.e. "NSE", "NCE", "AMA", "HFP", "EBL" or "NCHB". NAV-P will provide the organizational assignment.

(i) The MCMC shall keep an adequate quantity of NSE, NCE and Force Module stickers for containers and Civil Engineer Support Equipment (CESE) on-hand at all times IAW CmdO 4035.1. Additionally, the MCMC shall provide the required/requested stickers to external contractors as requested.

6.D.1.g The MCMC shall perform inventory of Navy assemblies and Class IX Blocks during ship production using TOAVIEWER and Government provided information. Identify all shortages and non-conforming items and submit to NAV-P using Navy Production Assembly and Class IX Inventory Short List (CDRL 6027) (SOW Attachment C.6-013). The MCMC shall deliver the completed Navy Production Assembly and Class IX Inventory Short List within three business days of each assembly or Class IX block inventory completion.

6.D.1.h The MCMC shall download, and coordinate delivery of all Navy containerized CESE and other containerized equipment requiring maintenance and operational service checks IAW the MPS Production Schedule, applicable plans, and ship's PCL and deliver to applicable maintenance commodity sections. This effort will require NSC to coordinate with the MCMC maintenance commodities for the accomplishment of required maintenance. MCMC shall provide and accurately maintain a Navy Containerized Equipment Maintenance Transfer Log (CDRL 6028) (SOW Attachment C.6-019). The MCMC shall monitor the completion progress and report delays to the Government. This Transfer Log shall be provided to NAV-P bi-weekly NLT 1400 every other Tuesday.

(i) The MCMC shall perform required maintenance and operational service checks IAW the MPS Production Schedule, applicable plans, and maintenance/production PCL. The MCMC shall include all required maintenance

in the project. All containerized assets will be completed in the first quarter of production and returned fuel free and purged to allow ample time for reloading containerized assets.

6.D.1.i Provide a container production project IAW 6.O.2.a to NAV-P for approval.

6.D.2 The MCMC shall attain all material and shortages annotated on the Navy Production Assembly and Class IX Inventory Short List (SOW Attachment C.6-013) IAW NAVSUP P-485 upon approval by NAV-P. All Government approved shortages shall be ordered within two business days.

6.D.3 The MCMC shall "Level A pack" all weapons, electronic parts and components, communication gear, medical gear, and optics gear IAW MPS Production Schedules, applicable plans, and ship's PCL. Process includes level "A" Method 50 packaging where applicable in accordance with the standards. The MCMC shall perform IAW P-700-Common Naval Packaging (CNP), DoD 4140.65-M and MIL-STD-2073-1E.

6.D.4 The MCMC shall complete Assembly and Class IX Block Packaging.

6.D.4.a The MCMC shall place copies of inventory sheets inside and outside of Assembly(s) and/or Class IX Block(s) IAW P-700-CNP and MCO P4030.21 prior to packaging completion. NAV-P will provide guidance for Assembly and Class IX Block Packaging inventory sheets for any requirements that are not covered by P-700-CNP and MCO P4030.21

6.D.4.b The MCMC shall label all Assemblies/Class IX Blocks with correct markings prior to container backload. All assemblies, Class IX Blocks, shall be placard with NSN, Nomenclature, Unit of Issue, Quantity, Facility, Serial Number, Method of Packing, and Date Packed. Labels shall be placed on the front and right sides of each package IAW CmdO 4035.1.

6.D.5 The MCMC shall pack Navy containers and associated mobile loads.

6.D.5.a The MCMC shall pack containers and associated mobile loaded Principle End Items (PEIs) as required IAW with ship's detailed plans posted on MCPIC, ship's PCL, and as described in the MPS Production Schedule IAW DoD 4140.65M, MCO P4030.21 and MIL-STD-2073-1. Platforms shall have proper cushioning, anchoring, bracing, and blocking to prevent materiel damage from deterioration during shipment, handling, storage, and wet weather conditions.

6.D.5.b The MCMC shall place packing lists identifying contents on the inside and outside of one door for each container IAW CmDO 4035.1 prior to notice of completion. Outside packing lists shall be protected from the natural elements. The MCMC shall deliver the Navy Container Contents Packing List (CDRL 6029) (SOW Attachment C.6-014) to NAV-P NLT two business days after container completion.

6.D.5.c The MCMC shall install iMark labels on the outside of Navy used containers IAW CmdO 4035.1. An additional iMark label shall be placed outside the container inside the load list protective sleeve prior to container completion.

(i) The MCMC shall update MCPIC data IAW CmdBul 3162. The Unit Deployment Listing (UDL) shall be updated within three business days of container completion.

(ii) The MCMC shall properly register IUID, and place passive RFID (pRFID) tags on all Navy PEIs IAW Section 6.K Navy MPS Plans and Data, CmdO 4035.1 and MCO 4410.28.

(iii) The MCMC shall weigh all Navy MPS loaded containers and associated mobile loaded platforms IAW MIL-STD 129 series and the Planning Milestones.

6.D.6 The MCMC shall submit Container Production End of Ship (EOS) Reports.

6.D.6.a The MCMC shall submit complete and accurate Navy End of Ship Class II, III, IV, VII, and IX Attainment Percentage Reports (CDRL 6030) (SOW Attachment C.6-015) five business days after completion of the approved production period.

6.D.6.b The MCMC shall submit complete and accurate Navy Assemblies and Class IX Shortage Report(s) (CDRL 6031) (SOW Attachment C.6-016) five business days after completion of the approved production period. NSE and NCE shall be separate reports.

6.D.6.c The MCMC shall submit a complete and accurate Navy INLS, MPFUB, LARC, ABLTS and LCM-8 Class IX Attainment and Shortage Report (CDRL 6032) (SOW Attachment C.6-017) five business days after completion of the approved production period.

6.D.6.d The MCMC shall submit a complete and accurate Navy End of Production Container Report (CDRL 6033) (SOW Attachment C.6-012) for all MCPIC designated Navy containers for the current production period within five business days after completion of the approved production period.

6.D.6.e The MCMC shall submit a complete and accurate Navy Consolidated Memorandum Receipt (CMR) (CDRL 6034) (SOW Attachment C.6-021) for on Island PEIs by the fifth business day of each quarter.

Note: Completeness is defined as having all the necessary and/or appropriate data/information. Accuracy is defined as correct data/information.

6.D.7 The MCMC shall establish a Navy Calibration Control Program for all Navy CESE and containerized assets IAW the SOW and CmdO 4790.1.B.3.c. The MCMC shall deliver the Navy

Calibration Report (CDRL 6035) (SOW Attachment C.6-022) NLT E Day or seven business days following the end of each ship's production cycle, whichever is sooner.

6.D.8 The MCMC shall perform International Organization for Standardization (ISO) Freight Container Inventory and Maintenance.

6.D.8.a The MCMC shall inspect/recertify every ISO freight container within the Navy inventory. Newly manufactured container certifications are valid for 60 months and recertifications are valid for 30 months, unless damage occurs, and repairs/recertification is required. Inspection applies to all Navy containers (new, used, refurbished, and leased) coming into the organization's inventory, regardless of ownership. ISO freight containers shall be inspected/recertified IAW the latest/current version of ISO Handbook, 49 CFR 452, DTR 4500.9-R Part VI, Convention for Safe Containers (CSC) International Safe Container Act (ISCA), MIL-STD-3037. The MCMC shall complete the container certification (DD Form 2282) prior to packing/use, recertification, embarkation, and/or shipment. Accurate DD Form 2282 CSC decal applied to CSC data plate.

6.D.8.b The MCMC shall retain inspection forms (DA 2404) on each container upon completion of inspection IAW MCO 4690.1, 49 CFR 452, DTR 4500.9-R Part VI, CSC International Safe Container Act (ISCA) and MIL-STD-3037. Records of inspections on containers may be destroyed/discarded after subsequent inspection generates a new record, with the exception of leased containers. All inspections for leased containers will be retained until return of the lease. This report shall be used to facilitate arbitration with the vendor regarding wear and damage while leased. The most current inspection form (DA Form 2404) for all other containers will be retained on file for all containers until the next inspection and a copy provided to NAV-P.

6.D.8.c The MCMC shall stow all Navy Containers at Navy Point with the exception of staging for MPS backload. Deviation requires NAV-P approval.

6.D.8.d The MCMC shall store all Navy assigned Containers on concrete ties. NAV-P shall provide guidance pertaining to laydown locations as required.

6.D.8.e The MCMC shall utilize proper MHE for Navy container movement operations.

6.D.8.f The MCMC shall secure Navy freight containers prior to movement.

6.D.8.g The MCMC shall ensure Navy freight container doors remain closed when not in use. To preclude unnecessary deterioration of wood or steel floors container doors shall not be left open except during packing/unpacking, maintenance, inspection and other necessary operations.

6.D.8.h The MCMC shall ensure all Navy open top containers (4.25' and 6' high) are covered in a weather-tight condition when stored or staged in Condition Codes "A" or "F" IAW DTR 4500.9 series.

6.D.8.i The MCMC shall obtain, stock, issue and affix placards and data plates to Navy containers IAW MIL-STD-3037, 49 CFR 452, DTR 4500.9-R Part VI and CmdO 4035.1. NAV-P will provide placard and data plate guidance for any situation not covered by the applicable publications.

6.D.8.j The MCMC shall inspect every Navy-assigned ISO freight container prior to embarkation or shipment IAW MIL-STD-3037 and perform necessary repairs as authorized by DFARS 252.217-7028.

(i) The MCMC shall establish a triage process to segregate Navy containers in categories of repair and submit an "Over and Above" Work Request IAW DFARS 252.217-7028. MCMC shall certify all containers with no CSC defects and treat any surface rust prior to loading. Navy Containers with CSC defects or excessive rust shall be staged for maintenance. MCMC shall supply an acceptable itemized electronic document showing needed repairs with estimated cost(s) (CDRL 6036) prior to being approved by NAV-P for repair. MCMC shall not place any Navy owned containers in the repair cycle without approval and authorization.

(ii) The MCMC shall provide a schedule for Navy container maintenance and repairs IAW MIL-STD-3037. The schedule will meet production timeline requirements.

6.D.8.k The MCMC shall utilize the OMMS-NG module for container maintenance. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize container maintenance without OMMS-NG approved work candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open container maintenance OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

6.D.9 The MCMC shall create and complete a Service Life Data Sheet and manila tag for all natural fiber and synthetic lines in the EBL, Line Assembly, ABLTS and RRDF force module with the following information, NSN/Part #, Nomenclature, Manufacture Date or Receipt Date, In-Service Date, Assembly Number, and Name and Signature of person completing the information. The Manila tags shall be placed on all lines, regardless of location, and the Service Life Data Sheet shall be placed in the container when lines are put in service and a copy maintained in the warehouse line log. NSC shall maintain a copy of the Service Life Data Sheets for all lines until each individual lines are disposed of.

6.D.10 The MCMC shall utilize the following prioritization for NSE containerized asset production to maximize attainment and readiness of the most critical NSE Force Modules.

- (a) Expeditionary Bos'n Locker (EBL)
- (b) High Failure Parts Container (HFP)

- (c) Craft Support Module (CSM)
- (d) Beach Party Module (BPM)
- (e) Roll On/Roll Off Discharge Facility (RRDF)
- (f) Amphibious Bulk Liquid Transfer System (ABLTS)
- (g) Expeditionary Pier Module (EPM)
- (h) Navy Support Element Headquarters (NSE)
- (i) Horizontal Construction Module (HCM)
- (j) CESE Regeneration Module (CRM)
- (k) Expeditionary Habitability Module (EHM)
- (l) Expeditionary Aid Module (EAM)

Note 1: Engineering and Calibration gear may be pulled early from less priority Force Module containers to facilitate maintenance. Container production priority will be maintained.

6.E NAVY CIVIL ENGINEERING SUPPORT EQUIPMENT (CESE)

This section delineates the CESE maintenance services to be accomplished by the MCMC during MPS MMC Phases of the Maritime Prepositioning Equipment /Supplies (MPE/S) Continuum per MCO 3000.17 and TM 4790-14/2 in support of CESE. Maintenance services executed under MCPP II shall be performed in accordance with Government approved MCMC production and delivery schedules. Maintenance Services to include but not limited to Preventative and Corrective Maintenance, Modifications, Calibration, Special Function Tests, Battery Services, Load Test Certification, Fuel Filtration Service, Corrosion Control, SL-3 Inventory, Shelf-Life and Service-Life Management, Limited Technical Inspection, Equipment Configuration, and Care of Supplies in Storage (COSIS) shall conform to the specifications described within the SOW. MCMC Quality Control (QC) and Government Quality Assurance (QA) measurers will be governed by the performance requirements and standards associated with applicable sections of the SOW.

The diversity and quantity of Navy ground military equipment covered under the scope of this section is extensive. Consequently, it is impractical to provide a complete listing of all required publications.

6.E.1 The MCMC shall perform Limited Technical Inspections (LTIs) on CESE IAW TM 4700-15/1, applicable equipment TMs, TIs, MCO 4400.201 and UM 4000-125. LTIs shall be completed IAW Section C.4 disposition and investigation timelines. LTIs are required to determine equipment overall condition during equipment maintenance acceptance phase, when requesting disposition instructions and equipment investigation actions for ME and CESE assets. LTIs associated with WIR (excess & obsolete) shall contain an assign a condition code in accordance MCO 4400.201. LTIs associated with investigations and beyond economic repair, shall contain repair cost estimate (labor and materials) and assign a condition code in accordance MCO 4400.201.

6.E.1.a The MCMC shall perform comprehensive operational function tests on CESE, including attachments, pumping mechanisms, communications, etc. The MCMC shall

notify the Navy QAR 24 to 48 hours, via email, before performing the equipment operational function test outlined below.

- (i) The MCMC shall clean fuel containers on CESE IAW applicable equipment TMs, Defense Transportation Regulation (DTR) 4900-R, Title 49 CFR, and Government approved MCMC production schedules.

6.E.2 The MCMC shall perform Preventive Maintenance Checks and Services (PMCS) for Navy CESE. This includes NCE, NSE, and as required, Expeditionary Medical Facility.

6.E.2.a The MCMC shall utilize the OMMS-NG module for PMCS. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize PMCS without OMMS-NG approved work candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open PMCS OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

6.E.3 PMCS CESE IAW applicable equipment TM, CmdO 4790.1 (MMSOP) and Government approved MCMC production schedules. Upon induction of ME into the active maintenance phase, the MCMC will perform the designated PMCS level on associated military equipment, for each occasion described in CmdO 4790.1 (MMSOP). During the PMCS actions, the MCMC will perform equipment exercise/road testing IAW the MMSOP. The service requirements established below shall be met during all levels of PMCS, regardless of level designation (e.g. “Monthly”, “Annual”) or hour/miles/rounds accumulated on equipment Elapse of Time/Distance (EOT) instrumentation. During COSIS actions, the MCMC shall only replace hydraulic and air system filters as a result of Corrective Maintenance requirements. The MCMC shall test, service and maintain Navy equipment lead-acid batteries IAW TM 9-6140-200-13.

6.E.3.a The MCMC shall replace all fuel filters on CESE during PMCS functions IAW technical procedures listed in applicable equipment TMs. Change primary, secondary, and water separator fuel filters during all required MMC PMCS and Government-approved MCMC production schedules. The MCMC mechanic that changed the fuel filters shall date and place his/her initials in a permanent marker on the outside of the fuel filter the date of the filter change.

- (i) In lieu of oil and filter changing requirements contained in military equipment TM PMCS tables, the MCMC shall test the oil in engines, transmissions, transfer cases, differentials, drive axles, planetary drives, gear boxes, and hydraulic systems, and shall only replace oil and filters when contamination is detected. Additional details of this requirement are listed in CmdO 4790.1.

- (ii) The MCMC shall service, and replace, if necessary, the air system filter components listed below as a part of PMCS functions during every MMC Production Cycle and IAW technical procedures listed in applicable equipment

TMs. Services and components replacement shall be recorded as a separate task under the PMCS Service Request in GCSS-MC.

MTVR FOV: Dryer Air Filter & Aftercooler Filter

(iii) The MCMC shall perform Government directed Service Upon Receipt (SUR) within 45 calendar days of initial receipt on all received CESE IAW technical procedures listed in applicable equipment TMs. The SUR effort will be completed IAW MCO 4790.2 and CmdO 4790.1.

(iv) The MCMC shall test and service CESE engine coolant systems in conjunction with PMCS services IAW applicable technical procedures listed in TMs and Government approved MCMC production schedules. MCMC shall ensure nitrite concentration for ethylene glycol antifreeze 50/50 mixture is between 1200 and 1400 ppm. MCMC shall record the anti-freeze type and protection readings as outlined in CmdO 4790.1.

(v) The MCMC shall disconnect and disable all ether cylinders contained on CESE IAW applicable technical procedures listed in TMs and Government-approved MCMC production schedules. The ether cylinder will be capped off to prevent accidental expenditure of the ether gas. For those cylinders that cannot be capped off, the MCMC shall install a new un-activated ether cylinder. The un-activated ether cylinder shall be installed and secured in its designated bracket/holder.

(vi) The MCMC shall replace lubricity fuel filters and in-line fuel strainers for CESE IAW technical procedures listed in applicable TMs and Government-approved MCMC production schedules. This requirement pertains but is not limited to EC 182011 forklifts. Lubricity Fuel filters and strainers shall be replaced during MMC and every 6 months thereafter IAW equipment TM. Fuel filters and strainers shall be permanently marked with date changed (MM-DD-YYYY). Service shall be recorded as a separate task under the assigned Service Request in GCSS-MC.

(vii) When CESE are subject to a high-pressure wash after PMCS requirements have been completed, the MCMC shall apply fresh lubricant to lubrication service points affected by the wash, as identified in the equipment TM, Lubrication Order/Instruction, or data plate. For all equipment, this requirement shall be accomplished prior to placing the equipment into an "FMC" status.

6.E.3.b The MCMC shall load bank Navy owned generators and record the results IAW NAVFAC P-300 and Maintenance Requirement Card. The MCMC shall notify the NAV-P QAR NLT 24 and 48 hours prior to load banking generators. The Navy has generator assets within the NSE and NCE which includes assets that are containerized. 50% of NSE and NCE assets will be load banked to 100% of their rated capacity and the remaining

50% will be load banked the following MMC. A Load Bank Form (CDRL 6037) will be used to record the load banking process. An example of the form is provided, see SOW Attachment C.6-023. The completed form will be filed in the equipment folder/history file within five business days.

6.E.3.c Portable Fire Extinguishers. When replenishing SL-3 portable fire extinguishers associated with Military Equipment, the MCMC shall ensure a required SL-3 “Maintenance” SR has been established to properly reflect the SL-3 component part requirement. For extinguishers which are an SL-3 SSRI or UURI component of parent ME, the MCMC shall record each portable (SL-3 component) fire extinguisher serial number in the “Remarks” column of the individual equipment SL-3/TM Inventory Extract Record for any portable fire extinguisher that has an assigned manufacturer’s serial number.

(i) The MCMC shall identify, in the remarks column of the SL-3 Extract Record, the actual storage location of portable fire extinguishers (components of ME) that are stored away from their parent. The remarks shall reflect the actual Container Number or Vehicle’s Navy Registration Number where the fire extinguisher is stowed. The MCMC shall also ensure each individual fire extinguisher that is stored away from its parent is properly captured (Log Set) in MCPIC or subsequent embarkation data AIS (e.g. IMARK, etc.).

6.E.3.d Transportable fuel and water systems and their components designed with the use of ISO container fittings/couplings shall be inspected and certified IAW MCO 4690.1 (MARINE CORPS CONTAINER MANAGEMENT POLICY).

6.E.3.e The MCMC shall perform COSIS of Class II and VII CESE assets in open storage IAW CmdO 4450.1.

6.E.4 The MCMC shall maintain a Corrective Maintenance (CM) program IAW CmdO 4790.1, MCO 4790.2, MCO 4790.25, UM 4000-125, SL-3s, Technical Instructions (TIs) and Technical Manuals (TMs). The MCMC shall identify, via a GCSS-MC service request, all CM required to return CESE assets to a Mission Capable (MC) status.

The MCMC shall perform all Corrective Maintenance for Navy CESE. This is a “Over and Above” requirement IAW DFARS 252.217-7028 which requires prior authorization. Corrective Maintenance consists of all repair actions performed, as a result of equipment failure/fault, to restore equipment to a specified condition. The MCMC shall perform CM IAW Original Equipment Manufacturer's (OEM) manuals and appropriate technical manuals to render equipment mission capable. NAV-P technical direction will be provided for Navy CESE for which OEM manuals and/or appropriate technical manuals are not available.

6.E.4.a The MCMC shall utilize the OMMS-NG module for CM. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize CM without OMMS-NG approved work

candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open CM OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

(i) The MCMC shall complete equipment forms and maintenance records for CESE assets prior to presenting equipment to the Government for acceptance. See 6.E.5.f for details.

6.E.4.b The MCMC shall perform fuel filtration services on CESE assets IAW Fuel Filtration TM, and Government approved MCMC production schedules. Perform filtration services on fuel contained in equipment fuel cells. Fuel cells that will not interface directly with the filtration unit shall have the fuel drained, processed and cleaned through the local filtration unit. All fuel in newly received equipment will also be processed and cleaned through the filtration unit during the Service Upon Receipt actions.

6.E.4.c The MCMC shall wash and clean CESE assets upon completion of the production maintenance phase IAW technical procedures listed in applicable equipment TM and Government approved MCMC production schedules. Remove all mud, dirt, sand, oil and any other environmental/industrial contaminants. Operator station/cab and tool/SL-3 stowage compartments shall be clean and free of trash and debris.

6.E.4.d Lubrication Service. The Contractor shall apply fresh lubricant to all of the lubrication service points for CESE assets as shown in the equipment's TM, lubrication order/instruction, or data plate. This requirement shall be performed after the post-maintenance final rinse and prior to staging (rolling stock) or packing (boxed, pallet, breakbulk, or container items).

6.E.4.e The MCMC shall perform special maintenance actions for CESE assets IAW published SOUMs, Maintenance Advisory Messages (MAMs), Maintenance Information Messages (MIMs), Ground Precautionary Messages/Advisories (GPM/A), CmdO 4790.1 (MMSOP) and Government provided timelines. SOUMs, MAMs, MIMs, and GPM/As are published via Naval Message or other official communication to inform operators and maintainers of potential safety concerns and/or capability limitations (until corrected) regarding the use and employment of military equipment and supplies. If production scheduling requirements cannot meet compliance periods/timelines as published in the SOUM, MAM, MIM, GPM/A, the Government will provide alternate compliance periods/timelines via change request.

6.E.5 Maintenance Related Programs

6.E.5.a The MCMC shall execute Corrosion Control and Coating (C3) IAW CmdO 4790.1, MCO 4790.2 MCO 4790.18, TM 4795-OR-1, TM 4750-OD/1, and NAVFAC P-

300 C3 shall be conducted IAW the Government approved C3 assessment and prescribed maintenance timelines.

6.E.5.b The MCMC shall comply with procedures for Cannibalization and Selective Interchange IAW CmdO 4790.1, MCO 4790.2, UM 4000-125 and MCO 4400.201. Selective Interchange Authorization Letters shall be prepared and submitted IAW CmdO 4790.1.

6.E.5.c The MCMC shall ensure Calibration Services are completed for CESE assets during the production maintenance phase IAW UM 4000-125, FED LOG Operational Test Code (OTC), the applicable TM and Government approved MCMC production schedules. Test, Measurement and Diagnostic Equipment (TMDE) are tools that are used to perform qualitative/quantitative measure and generally require control, inventory, and maintenance.

6.E.5.d The MCMC shall establish and execute maintenance quality control programs IAW MCO 4790.2, TM 4700-15-1, UM 4000-125, and CmdO 4790.1.

6.E.5.e The MCMC shall perform Condition Code Limited Technical Inspection (LTI) for Navy CESE shipments, redistribution, and disposal IAW NAVFAC P-300 and NAV-P Disposition Instructions. The MCMC shall accurately complete and submit DD Form 1348-1 and DD Form 1149 as required.

6.E.5.f The MCMC shall establish accurate maintenance records/history file for each Navy CESE PEI IAW NAVFAC P-300 and NAVFAC P-307. The MMC maintenance service records will be printed and filed inside an equipment folder/history file. The information will include the United States Navy (USN) serial number assigned to all CESE, National Stock Number (NSN), Equipment Code (EC), Description of item, and is not limited, to PMCS records, Corrective Maintenance records, modification control forms, inventory forms, annual condition inspection forms, warranty records, contracted vendor services forms and records. For Navy cranes, the history file shall also include wire rope certification, hook non-destructive test form, crane condition inspection record, maintenance inspection specification record, and the certification of condition inspection and test forms.

Note: The MCMC shall provide CESE equipment maintenance folder/history file(s) to the NAV-P CESE QARs NLT 1 business day after CESE is presented to the Government as Full Mission Capable (FMC).

6.E.5.g The MCMC shall manage Navy technical and commercial publications by a locally developed database that meets all Government requirements IAW Section C.2 and CmdO 4790.1. The MCMC shall identify and report Principle End Items for Navy and Commercial assets that require publications to Director, Navy Prepositioning Department, via: Maintenance Management Office (MMO), Attn: NAV-P Department Director for Government sourcing. Every Navy publication provided to the MCMC and

SBMCMC shall be listed on the locally developed database technical manual publication listing.

6.E.5.h The MCMC shall perform Equipment Modifications for Navy CESE. Modifications for Navy CESE will be identified by the Government and accomplished IAW applicable modification instructions.

6.E.5.i The MCMC shall perform or obtain from a third-party; Emergent Equipment Recovery for Navy CESE and Organic Equipment traveling to or from inspection and repair facilities outside the confines of Marine Corps Support Facility, Blount Island.

6.E.5.j The MCMC shall provide completed SF-91, accident LTI, and corresponding SF-94 when applicable, to the Government when Government-owned assets are involved in accidents IAW TM 4700.15/1 and MCO P11240.106. Requirement applies to ME and Non-Tactical Vehicles. SF-91s/SF-94s regarding Navy CESE shall be provided to the Government (Attention to Director NAV-P) within one business day of the accident. Accident LTI for tactical assets, or GSA leased assets, shall be provided with MCMC investigation (where required) within 15 calendar days after accident (unless constrained by commercial facility's delivery of estimate). Accident LTI shall accurately document physical damages incurred. For accidents involving cranes and/or associated rigging gear, refer to section 6.Q.

6.E.6 The MCMC shall submit a complete and accurate Navy EOS CESE Maintenance Report (CDRL 6038) (SOW Attachment C.6-045) for all CESE scheduled to be completed (IAW applicable plans on MCPIC) during the current production period within five business days after completion of the approved production period.

6.F NAVY WATERCRAFT (LIGHTERAGE) ASHORE (PHASE BRAVO, CHARLIE & DELTA)

6.F.1 The MCMC shall establish and maintain a Navy Watercraft Maintenance Center (WMC) IAW 6.A.1.C with dedicated personnel for maintenance and selective repair of Navy Watercraft, including LARC and ABLTS. The MCMC shall perform all organizational level maintenance IAW the Maintenance Requirements Package (MRP). Selective intermediate level maintenance may be performed depending on skill set and facility capabilities. The MCMC shall establish, with Government approval, outsourcing criteria for maintenance requirements beyond their internal capabilities. All maintenance, whether PM or CM, shall be scheduled and completed IAW the Maintenance Model, Master Schedule, Lighterage Maintenance Milestones, and relative maintenance projects. Deviations from schedule shall be approved via Letter of Non-Conformance.

6.F.1.a The LARC Maintenance Facility (LMF) is an on-island dedicated facility and is considered an element of the WMC. The WMC shall establish a team to maintain the LARC maintenance program and LMF. The LMF and personnel may be used for dual purpose to assist with watercraft monitoring, MPFUB maintenance, and Organic

Watercraft assigned to NAV-P boat crew. Navy Point management/coordination, LARC familiarization training or other maintenance and logistics functions as long as LARC maintenance, repair or production is not negatively impacted. Deviation requires COR approval.

6.F.2 The MCMC shall produce and maintain a Government-approved Navy Master Schedule. Navy Master Schedule is a continuous three-year schedule projecting all maintenance phases and milestones for all watercraft assets and ABLTS. The MCMC shall deliver a revised Navy Master Schedule (CDRL 6039) for approval within 20 business days of receiving a new or updated MMC schedule with changes that take effect more than nine months from receipt date. The MCMC shall deliver a revised Navy Master Schedule for approval within ten business days of receiving a new or updated MMC schedule with changes that take affect less than nine months from receipt date.

6.F.3 The MCMC shall produce, maintain and adhere to a COR approved production schedule tailored for each ship and its associated Navy Watercraft and ABLTS. A Tailored Navy Watercraft Production Schedule (CDRL 6040) for each ship is due to NAV-P for approval NLT the WDC-III for that respective production period; deviations from Lighterage Maintenance Milestones are to be identified and briefed at WDC-III. Navy Watercraft work shall be performed IAW approved project and Lighterage Milestones (see SOW Attachment C.1-3 Phase IV); the Navy Watercraft Production Schedule shall be accurate IAW the Navy Master Schedule. The MCMC shall provide written notification for changes to the Navy Watercraft Production Schedule baseline within five business days of identification.

The following are minimal milestone requirements:

- (a) Receive Navy Watercraft and ABLTS at Marine Corps Support Facility-Blount Island (MCSF-BI) and transport to MCMC Off Site facility.
- (b) Accomplish Pre-MPF Maintenance Cycle Assessment Trials (Pre-MAT).
- (c) Dry-dock craft.
- (d) Pressure wash Navy Watercraft and ABLTS.
- (e) Accomplish structural hull repairs to Navy Watercraft and ABLTS.
- (f) Perform mechanical and electrical repairs.
- (g) Blast and paint or touch-up coating systems.
- (h) Undock Navy Watercraft and ABLTS (NLT E-73).
- (i) Accomplish Post-MPF Maintenance Cycle Acceptance Trials (Post-MAT) waterborne tests NLT End of ship (E) E-45 day.
- (j) Present Navy Watercraft and ABLTS for Government Craft Close Out/Acceptance (NLT E-35 day).
- (k) Transport waterborne Navy Watercraft and ABLTS to MCSF-BI and stage for vessel backload (NLT E-24).

6.F.3.a The MCMC shall track all Watercraft Maintenance Phase schedules relative to the Master Schedule and Milestones (SOW Attachment C.1-3 Phase IV) and inform the COR when any task is in jeopardy of not completing on time. This schedule/task

assessment should occur on a regular basis and be presented during the weekly production meeting. The MCMC will highlight for the COR's attention when 50% of the Phase C period of performance has been reached (E-264); and again when 75% of the Phase C period of performance has been reached (E-231). The MCMC shall present a detailed list of all approved work items that will not complete on time and any work items that have yet to be approved or authorized for accomplishment and present to the COR a recommended course of action at each of these events. Any items that will not meet schedule or cannot be accomplished prior to milestone date are to have a Letter of Non-Conformance submitted to the COR within 5 business days of identification.

6.F.3.b All authorized work shall be scheduled in a manner which describes the sequence of work and identifies significant task interdependencies required to meet the requirements of the program. Scheduling in a watercraft repair environment is of critical importance and shall be accomplished in conjunction with the systems employed to manage material procurement and assembly. NAV-P requires a Functional Area Breakdown (FAB) format (refer to SOW Attachment C.6-039) to support defined reporting criteria to external entities.

6.F.4 (Phase Delta) The MCMC shall perform all preventative maintenance checks and services (PMCS) for designated Navy Watercraft, including LARCs and ABLTS during each ship cycle IAW the Maintenance Requirements Package (MRP), Navy Watercraft Production Schedule and Lighterage Maintenance Milestones (SOW Attachment C.1-3 Phase IV). PMCS includes, but is not limited to designated daily, weekly, monthly, quarterly, semi-annual, and annual maintenance checks. See SOW Attachment C.6-024. The MCMC shall utilize the OMMS-NG module for PMCS. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize PMCS without OMMS-NG approved work candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open PMCS OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

6.F.5 (Phase Delta) The MCMC shall accurately produce and maintain an individual Boat Information Book (BIB) for each Watercraft and ABLTS; the BIB shall be submitted to the Government for review NLT E-4. The BIB shall include at a minimum the following: (1) Hull History (2) Mechanical History (3) Electrical History (4) Collateral Gear Inventory (5) Boat/Ship alterations (6) Configuration Report (7) Deferred Maintenance Report (8) Calibration Report (9) Weight Certificate History (10) Load Test Report (11) Wire Rope and Line Log (12) Corrosion Survey Report (SOW Attachment C.6-025) (13) FSB Completion Log (14) INSURV Message, (15) Blast and Paint History and (16) Remarks/ Miscellaneous Section.

6.F.6 (Phase Bravo) The MCMC shall produce and order a Bill of Material (BOM) IAW MRP and WDC-II in support of Navy Watercraft, including LARCs and ABLTS production. The Bill of Material (BOM) is the standard parts to support each and every ship cycle. To include but not limited to POLs, filters, lamps, consumables, Demand Support Items (DSI); i.e. nuts, bolts, screws, safety items, etc. The BOM shall be on order NLT E-236, all BOM material shall be stored in its respective layette at NSC and called forward to WMC prior to production start.

BOM readiness status shall be provided upon request. One BOM per ship set shall be ordered using the OMMS-NG and RSupply modules.

6.F.6.a All unused BOM materials shall be inventoried at the end of production, results provided to NAV-P along with reason for non-use, then returned to the NSC for future re-issue.

6.F.6.b BOM material shall be ordered from the Annual Sustainment Task Order.

6.F.7 The MCMC shall participate in three joint Work Definition Conferences (CDRL 6041) (Refer to SOW Attachment C.1-3). WDC-I, to be held NLT Offload + 90 O Day, and is MCMC scheduled and led. WDC-I identifies the As-Found condition of the watercraft, LARCs and ALBTS as offloaded, provides all surveys as previously defined, provides a MCMC developed Corrective Maintenance recommendation, and highlights any other items or areas of concern relative to the identified on the Navy Watercraft and ABLTS offloaded from the most recent MPS and is intended to support Phase Charlie maintenance. The maintenance strategy is based on the Pre-MATS, hull surveys, coating system surveys and configuration validation of SYSALTS, FSB and SOUM and includes items from the previous/most recent deferred maintenance report. WDC-II scheduled NLT E-360 is Government scheduled and led. WDC-II pertains to the watercraft designated for backload to a designated ship. At the WDC-II, the Government provides the MCMC an authorized Maintenance Strategy package based off of the information received from the MCMC at WDC-I as well as any new requirements. At WDC-III (E-345), the MCMC shall schedule, lead and present their project for Phase Charlie and Phase Delta that includes all requirements from WDC-I and WDC-II.

6.F.8 The MCMC shall maintain a Navy Watercraft, including LARCs and ABLTS technical library on site at the WMC IAW the latest Force Revision and publication updates (NAV-P provided). The MCMC is to maintain this library IAW the latest publications and Force Revision. Library should include: Technical Manuals, NAVSEA Standard Items, NSTM, EOSS procedures, Reference and Builder Drawings (can be in online database), FSBs, ECNs, ShipAlts, Deviations, Safety of Use Messages, Emergent Repairs, Equipment Concession, Departure from Specification, Maintenance Requirement Package (MRP), for all Navy Watercraft, including LARCs and ABLTS. Revisions and Updates to the Technical Library shall be completed NLT 20 business days after receipt.

6.F.9 (Phase Delta) The MCMC shall maintain an onboard watercraft hardcopy technical library for each Navy Watercraft, LARCs and ABLTS. The MCMC is to maintain this library IAW the latest Force Revision and publications updates (NAV-P provided). Library to include: Technical Manuals and EOSS. This on-board hardcopy allows the operator/customer to perform in theater maintenance and repairs to the systems IAW the latest data available. The Library shall be updated by the MCMC prior to commencement of Stage 4 (E-56).

6.F.10 The MCMC shall maintain the NAV-P Maintenance Requirements Package (MRP) IAW the latest Force Revision (NAV-P-provided). Updates shall occur NLT 20 business days after receipt of Force Revision. Updates shall be made NLT ten business days after identification of

CAT II or CAT III requirement(s). The NAV-P Maintenance Requirements Package consists of four (4) categories: Cat I are routine reoccurring tasks, CAT II are local procedures, CAT III are local selective Corrective Maintenance tasks and CAT IV are situational requirement tasks. Reference Maintenance Requirements Package (See SOW Attachment C.6-024) and INLS Calibration Requirements List (See SOW Attachment C.6-027).

6.F.11 The MCMC shall provide all records (CDRL 6042) of the results of any test, inspections, maintenance, or monitoring for Navy Watercraft, including LARCS and ABLTS within one business day of request from NAV-P. Documentation/Information Request. Any time engines or generators are operated by MCMC, regardless of reason, a set of readings are to be documented on the current engine operating logs. Entries are to be legible and include the printed name of person conducting the operational test, date, and starting/ending hours from the engine operating panel.

6.F.12 The MCMC shall perform operator functional testing for communication systems, tactical and non-tactical, in all watercraft to include LARC(V), IAW Government approved production schedules and applicable TMs.

6.F.13 Navy Watercraft including LARCs and ABLTS current maintenance status shall be accurately input into NTCSS OMMS-NG. The MCMC shall record newly identified maintenance deficiencies and Pre-MAT deficiencies. The MCMC shall utilize the OMMS-NG module for Corrective Maintenance. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize CM without OMMS-NG approved work candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open CM OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance or completion of (Phase C, Phase D).

6.F.14 (Phase Bravo) Pre-MATs are the point where the Navy Watercraft, including LARCs and ABLTS are placed into full operational mode. This allows all concerned to identify any maintenance or repair issues. The MCMC shall schedule, provide Pre-MMC Assessment Trials (Pre-MAT) packages and document joint Pre-MATs for all Navy Watercraft, including LARCs and ABLTS (CDRL 6043) (see SOW Attachment C.1-3 Phase IV). All Pre-MAT deficiencies shall be annotated in and have a work candidate created in OMMS-NG. Pre-MATs will be performed and completed within 45 calendar days of ship download. Pre-MATs are Government led, MCMC assisted and may include Government, military, prime and subcontractor personnel participation. Pre-MATs shall be accurately documented IAW the Pre-MAT form (SOW Attachment C.6-028); the MCMC NAV-P will deliver the completed Pre-MAT form to NAV-P five (5) business days after completion of the Pre-MAT.

Note: OMMS-NG Work Candidates are due within 30 calendar days.

6.F.15 (Phase Delta) The MCMC shall perform and document electrical and electronic grooming for each Navy Watercraft and ABLTS every ship cycle IAW the AC and DC Electrical Groom Plans (SOW Attachment C.6-029) and Tailored Navy Watercraft Production Schedule.

6.F.16 (Phase Delta) The MCMC shall replace all Petroleum, Oils, and Lubricants (POL) to include filters for all Navy Watercraft, LARCS and ABLTS for every ship cycle IAW Applicable TMs and Maintenance Requirements Package and the Navy Watercraft Production Schedule. The MMC length of time (~3 years) the PEIs are deployed exceeds all of the service life of the POLs. Therefore, all of the POLs shall be fully changed each time they return to MCSF-BImd.

6.F.17 The MCMC shall draw and provide lubricating oil and Jacket Water samples for laboratory analysis on offloaded INLS Watercraft during Phase Bravo. The MCMC shall provide the Navy Watercraft Oil Analysis Report (CDRL 6044) IAW NAVSEA Standard 009-63 and Caterpillar SOS testing report of Jacket Water within 5 business days of receipt from lab.

6.F.18 (Phase Delta) As directed, the MCMC shall perform load testing of hull fittings and “J”-bar davits for Navy Watercraft and ABLTS IAW applicable TMs, FSBs and Builder Drawings; load testing shall be conducted IAW the Navy Watercraft Production Schedule. Fittings shall include all INLS Bridle fittings, travel lift deck fittings, portable J-Bar davits, J-Bar davit bases, Warping Tug A-frame, Warping Tug deck winch, ABLTS A and B winch, Bow chute adapter, and Jib boom. The MCMC shall provide Navy Watercraft and ABLTS Load Test Certification(s) (CDRL 6045) for periodic and situational load test requirements.

6.F.19 (Phase Delta) The MCMC shall perform maintenance and inspection(s) on NAV-P identified wire and fiber rope and rigging for Navy Watercraft, including LARCs and ABLTS IAW NSTM 613. The WMC shall provide the Fibrous and Wire Rope Service Life Data Sheet (CDRL 6046) (SOW Attachment C.6-030) and Written Report NLT E-day. Where cost effective, replacement may occur over testing and maintenance. Submit a written report to NAV-P with justification for replacement.

6.F.20 (Phase Delta) Post-MMC Acceptance Trials (Post-MATs) are the point where the Navy Watercraft and ABLTS are placed into full operational mode. This allows all concerned to verify that all maintenance and repairs were effective and identify any outstanding issues. Post-MATs are Government led and MCMC assisted. MCMC will accurately document the Post-MAT results IAW the Post-MAT Form (CDRL 6043) (SOW Attachment C.6-028) and provide to NAV-P within five business days after completion of the Post-MAT for each craft. Deficiencies noted during Post-MATS where possible will be corrected prior to Government craft acceptance (typically E-30). Deficiencies not corrected will be documented and included in the Watercraft End of Ship Report (CDRL 6047) (SOW Attachment C.6-026) as recommended to be deferred maintenance items.

The MCMC shall schedule Post-MATs and provide Post-MAT packages for Navy Watercraft, including LARCs and ABLTS IAW Master Schedule and Lighterage Milestones NLT E-56 (see SOW Attachment C.1-3 Phase IV). Post-MMC Trials may include Government, military, prime and subcontractor personnel.

6.F.21 (Phase Charlie) The MCMC shall perform NAV-P approved corrective maintenance to all MPF Navy Watercraft, including LARCs and ABLTS IAW applicable TMs, drawings or Maintenance Requirements Package (Categories I, II, III & IV); OPNAVINST 4790.4 Ships Maintenance and Material Management AWS D1.1 through D1.6 Structural Welding Code, American Bureau of Shipping (ABS) Rules of Building and Classing Steel Vessels, MIL-STD-2035, and NAVSEA Standard Items, to include all Tier I, II and III references. Corrective Maintenance functional areas include but are not limited to: hull, mechanical, electrical, hydraulics, electronic repairs, corrosion control and craft equipage. CM is maintenance that is corrective in nature and repairs resulting from the Pre-MAT or Post-MAT inspections, surveys, condition-based assessments, operational tests, time directed repairs or other diagnostic means that determine repair actions are warranted to ensure safe and reliable operation of the system and equipment. Known non-emergent (not time/process sensitive) intermediate and depot level Corrective Maintenance actions shall be scheduled for Phase Charlie. O level Corrective Maintenance actions shall be scheduled during Phase Delta.

This is an “Over and Above” task which requires prior authorization IAW DFARS 252.217-7028. In addition to any MCMC developed work request/job order routing forms, the OMMS-NG module shall be used to document all Corrective Maintenance requests/actions/completions. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The Government will not authorize corrective maintenance without OMMS-NG approved work candidates. The JSN/JCN/WCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open Watercraft OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

6.F.21.a During performance of maintenance work efforts in any phase, when additional, associated work requirements have been identified by the MCMC or Government that are associated with, but not covered within the existing authorized work item, the newly discovered items on Navy Watercraft shall be communicated to the COR based on a Condition Found Report (CFR). The required work shall be performed IAW the applicable directives for the condition found, and Government direction. This is an “Over and Above” task which requires prior authorization of the Contracting Officer. The MCMC shall submit the Craft Condition Found Report (CDRL 6048) (CFR) (SOW Attachment C.6-048) NLT five (5) business days after identification of the condition.

6.F.22 (Phase Delta) The MCMC shall provide weight certificates IAW NAVSUP P-307 for all Navy Watercraft and ABLTS with all dry and as-loaded weights NLT E-21. The craft weight certificate shall be accurate within 1000 lbs. In addition, the MCMC shall utilize the Navy Watercraft and ABLTS Weight Calculation Form (SOW Attachment C.6-031) as supporting documentation. Weight calculation form shall include current sounding levels and actual gallons, and weight of liquid contained within fuel tank(s), ballast tanks, and oily waste tanks.

6.F.23 (Phase Delta) The MCMC shall deliver all Navy Watercraft and ABLTS IAW Navy Watercraft production Schedule to the departing ship with an optimal amount of JP-5 fuel as indicated: MPFUB (285 gallons per tank); LCM-8 (520 gallons per tank); INLS WT (400-450

gallons); CFPMs (400-450 gallons); BMs (200-250 gallons); ABLTS (17 gallons); LARCs (65 gallons per tank); CCS (95 gallons).

6.F.24 (Phase Delta) The MCMC shall submit an accurate Navy Watercraft and ABLTS Fuel Status Report (CDRL 6049) (See SOW Attachment C.6-032) NLT E-21 day (see SOW Attachment C.1-3 Phase IV).

6.F.25 (Phase Delta) As required, the MCMC shall replace lube oil and hydraulic hoses on all Navy Watercraft, including LARCs and ABLTS IAW NAVSEA Publication S6430-AE-TED-010 and the NAVSEA Critical Hose List. See (SOW Attachment C.6-033).

6.F.26 The MCMC shall provide the NAV-P Director a "Selective Interchange Request Letter" (CDRL 6050) (SOW Attachment C.6-034) for Navy Watercraft, LARCs and ABLTS prior to performing ANY exchange of parts.

6.F.27 (Phase Charlie) The MCMC shall perform corrosion control and coating systems repairs to Navy Watercraft, LARCs and ABLTS IAW NAVFAC 1600471 INLS Paint Schedule and Deck Covering, NAVFAC LARC Drawing 1600901-4-A, MPFUB DWG 4033-650-001-D, NAVSEA STD Item 009-32, NSTM 631, NSTM 634 and the Navy Watercraft Production Schedule. Navy Watercraft are to be blasted and painted at a minimum of every six years, upon paint system failures in excess of 25% of panel total area of the watercraft. Instances where paint system failures do not exceed 25% but the corrosion is significant enough that structural integrity may be suspect or impacting to operational performance, the MCMC shall submit a CFR for Government review and approval. LARCs, MPFUBs, LCM, and INLS may be repaired utilizing the MCSF-BI Corrosion Repair Facility (CRF) or be repaired utilizing 3rd party facilities. The MCMC shall submit the Corrosion Survey Report(s) (SOW Attachment C.6-025). Refer to INLS/MPFUB/LARC/LCM Paint Schedule and Deck Drawings (CDRL 6051) (SOW Attachment C.6-035) as required.

Areas less than 25% of a panel are considered touch-up and touch-up is defined as preservation operations on cumulative surface areas less than 25% of the total area of a specific panel (e.g. deck, side shell, underwater hull bottom, bulkhead, tank wall, etc.) being preserved, with no individual spot area greater than 10 square feet (1440 square inches). Touch-up painting can occur or be performed during Phase C, Phase D, or while in a COSIS status.

This is an "Over and Above" task which requires prior authorization IAW DFARS 252.217-7028. In addition to any MCMC developed work request/job order routing forms, OMMS-NG module shall be used to document all corrosion control and coating systems repairs requests/actions/completions. The Government will not authorize maintenance without OMMS-NG approved work candidates. The JSN/JCN shall be clearly stated on the MCMC developed work request/job order routing forms. The MCMC shall close out all open corrosion control and coating systems repairs OMMS-NG work candidates within 30 calendar days of repair completion and associated Government acceptance.

6.F.27.a The MCMC shall provide joint quality checkpoints for coating system repairs on Navy Watercraft. Minimum Checkpoints include but not limited to: Cleanliness, Surface profile, Prime Coat Dry Film Thickness (DFT), Topcoat DFT IAW Navy Watercraft Checkpoints for Coating System Repairs Completed Paint Report (CDRL 6052) (SOW Attachment C.6-036). The MCMC shall participate in checkpoints for each craft and shall provide the Government with 24-hour notice for all checkpoints. The MCMC shall submit the Navy Watercraft Checkpoints for Coating Systems Repairs Completed Paint Report IAW NAVSEA Standard 009-32 NLT two business days after completion of final paint inspection/acceptance.

6.F.27.b The RST shall manage watercraft coating system maintenance utilizing the MCSF-BI CRF (Depot Level). Organizational coating system maintenance is managed by the respective MCMC, whether WMC or OST.

6.F.28 (Phase Bravo through Delta) The MCMC shall inventory, order, replace/repair, operationally test and maintain as necessary all outfitting/equipage for Navy Watercraft, including LARCs and ABLTS IAW applicable reference documents. In the event a craft departs MCSF-BI for maintenance or if the presence of craft equipage interferes with the scope of work for a designated area, all craft equipage shall be removed (disassociated) from craft, inventoried, and properly stowed, including labeling to maintain set integrity. During Phase Bravo, the MCMC shall inspect and operationally test all craft equipage. A list of all items requiring replacement shall be provided to NAV-P complete with replacement cost estimate. When authorized, the replacement parts shall be ordered. When received, items will be labeled and stowed with the appropriate craft assigned equipage on hand. During Phase Delta (Stages 1 and 2) perform maintenance, repair, and refurbish as necessary, all craft equipage. During Stage III, all craft equipage shall be re-associated with the respective craft for final inspection during Post-MATs. The MCMC shall accurately report and submit the appropriate Pre-MAT and Post-MAT Forms (CDRL 6043) (SOW Attachment C.6-028) and Navy Watercraft, LARCs and ABLTS Collateral Gear Inventory List (CDRL 6053) (SOW Attachment C.6-037) within five business days of completion.

6.F.29 The OST shall provide all movement services for Navy Watercraft and ABLTS IAW NAV-P approved Navy Watercraft and ABLTS Movement Schedule and NAV-P provided docking plans. Navy Watercraft and ABLTS movement includes but is not limited to movement on land, movement on water, ship cross-decking and docking/undocking (recovery lifting/launching between land/water).

6.F.29.a The MCMC shall create, maintain and provide updates for the NAV-P approved Navy Watercraft and ABLTS Movement Schedule; revisions shall be submitted NLT three business days prior to changes in the movement schedule. Navy Watercraft and ABLTS movement schedule (CDRL 6054) identifies all of the watercraft and ABLTS movement during the ships cycle. It will identify dates and locations where craft are currently located and three to six weeks projections necessary to meet schedule requirements. The Navy Watercraft and ABLTS Movement Schedule shall be accurate IAW the Navy Watercraft Production Schedule.

6.F.30 The MCMC shall perform and report shipping of Navy Watercraft and ABLTS equipment. All shipping directions and timelines will be provided in writing by NAV-P. The MCMC shall provide NAV-P copies of the Navy and ABLTS equipment shipping document(s).

6.F.31 The MCMC shall perform all work to accomplish known FSBs, Deviations, SYSALTs, Class Advisories, and Safety of Use Messages on Navy Watercraft, including LARCs and ABLTS. The MCMC shall submit electronic and hardcopy of Notice of Completion (NOC) documentation (CDRL 6055) (SOW Attachment C.6-038) NLT five business days upon task completion. New requirements require Contractor analysis and Government direction prior to incurring any costs.

6.F.32 The MCMC shall support the prototype and operational testing pursuant to maintenance and associated data collection for maintenance of Navy Watercraft Ashore, INLS, ABLTS, MPFUB, LCM, and LARC in support of major system alterations and special projects.

6.F.33 The MCMC shall report on and perform emergent repairs or services to Navy Watercraft. Emergent Repairs are defined as "An immediate repair/service required to protect life or property or environment or time sensitive operation." The MCMC shall notify NAV-P within one hour of identification of emergent repair or services requirement for Contracting Officer/Government approval.

6.F.34 (Phase Bravo through Delta) The MCMC shall perform "Organizational Level" corrosion control and coating systems maintenance to Navy Watercraft, LARCs and ABLTS IAW NAVFAC 1600471 INLS Paint Schedule and Deck Covering, NAVFAC LARC Drawing 1600901-4-A, MPFUB DWG 4033-650-001-D, NAVSEA STD Item 009-32, NSTM 631, NSTM 634 and the Navy Watercraft Production Schedule. Navy Watercraft coating systems spot maintenance shall be performed to prevent premature system wide degradation/ deterioration, which left unattended, leads to Depot Level maintenance. Spot maintenance is considered to be paint system failures equating to less than ~25% of hull panel total area with no individual spot area being greater than 10 square feet. The MCMC shall determine in collaboration with the Government the size and scope of area to be painted to present military appearance compared to area of paint system failure. Instances where paint system failures do not exceed 25% but the corrosion is significant enough that structural integrity may be suspect or impacting to operational performance, the MCMC shall submit a CFR for Government consideration as a Depot Level repair. Spot preservation shall be annotated on the Corrosion Survey Report(s) (SOW Attachment C.6-025) and submitted to the Government for review and approval. Refer to the MRP, Cat II SWI for Organizational Level Spot Preservation procedures. This applies to both internal and external hull panels.

6.F.34.a The MCMC shall perform continuous and persistent Organizational Level Coating System maintenance (both internal/external) in the following priority:

- (i) Shipset in production/being backloaded
- (ii) Organic equipment
- (iii) Watercraft in maintenance rotation

(iv) Other Navy assets as assigned

Note: The MCMC shall solicit individual asset priority from the NAV-P Deck QAR.

6.F.34.b Watercraft and organic assets not designated or scheduled for depot level repairs on coating systems shall be maintained in the highest state of readiness to mitigate progressive corrosion, coating system degradation leading to depot level maintenance and an un-kept military appearance. Spot preservation after Depot Level coating system repairs may also be necessary in some cases to maintain paint system integrity.

6.F.34.c The MCMC WMC and OST shall provide Lighterage Finisher work schedule status information to NAV-P during the weekly production meeting.

6.F.34.d Coating system supplies, tools/equipment and paint shall be maintained in sufficient quantity on island and at designated offsite locations to prevent work delays.

6.F.34.e Costs associated with replenishment of supplies, tools, equipment and paint shall be detailed in the EAC.

6.F.34.f Organizational Level coating system maintenance on parts, pieces and components, both interior and exterior, shall be accomplished based on the coating system survey, craft inspection or as directed by the Government. The 25% surface area criteria does not apply to: parts, pieces and Components. Coating system maintenance shall apply to operability, service life functionality and military appearance as criteria for prioritization and accomplishment.

6.F.34.g Intermediate and Depot Level coating system maintenance, as assigned, shall be accomplished IAW C.6-025 Intermediate/Depot Level Coating System Spot Preservation Criteria which details existing coating system "spot preservation" criteria and procedures.

6.F.35 The MCMC shall maintain all Navy Watercraft, LARCs and ABLTS in a satisfactory, clean, and usable condition IAW Section C.9 Port Operations, NSTM 583, INLS SOM and in compliance with USDA Regulations. The Navy Watercraft, including LARCs and ABLTS shall remain clean, dewatered and free from debris and loose material/liquid to pass agricultural inspection.

6.F.36 (Phase Bravo or Delta) The MCMC shall perform high pressure washing of all Navy Watercraft IAW the Lighterage Milestones and Maintenance Model. High pressure washing (minimum 3500-5000 PSI) is required if Navy Watercraft and ABLTS is removed from deployed environment, after removal from saltwater to prevent progressive corrosion, prior entering the CRF to remove chlorides or salts and prior to redeployment to remove any dirt or pests from being deployed on the vessel.

6.F.37 The MCMC shall create, maintain and execute an NAV-P approved "Destructive Weather Plan" (DWP) with actions and milestones for Navy Watercraft, including LARCs. In the event of a "Hurricane" or any major weather event the MCMC shall make all of the necessary preparations to minimize the possible damage to the Navy Watercraft. The Plan will include the maintenance of all support gear required to execute the DWP. The DWP will be reviewed/revised on an annual basis NLT 1 May. The MCMC shall ensure that necessary support gear inventory is accurate and equipment serviceable IAW approved DWP.

6.F.38 The MCMC shall establish and maintain a tool control program for Navy Watercraft Maintenance Center, including the LMF, NSC, CSS and RST. Navy Watercraft, LARCS and ABLTS Tools and Test Equipment (TTE) are required to perform maintenance on the individual systems. All tools are to be checked in and out of the MCMC managed tool rooms and accounted for, properly surveyed and replaced as necessary with NAV-P approval.

6.F.39 RESERVED

6.F.40 RESERVED

6.F.41 The MCMC shall comply with Hazardous Material/Hazardous Waste management in accordance with Section 6.T.

6.F.42 The MCMC shall allow NAV-P personnel and other Government, Sailors, and authorized Contractors with specialized training the right to accomplish work at the MCMC's facility, concurrently with MCMC operations; NAV-P personnel and other Government personnel/contractors will not impede MCMC operations without prior notice. On a case-by-case basis, NAV-P will identify work that is necessary to be performed by U.S. Navy or other designated Contractor personnel. The MCMC shall provide access within 24 hours of NAV-P notification. This work may be performed within the MCMC core production schedule. All U.S. Navy and civilian Contractor personnel will be approved by NAV-P Director prior to starting any work.

6.F.43 (Phase Charlie) The MCMC shall provide advance email notification to NAV-P of scheduled QA checks required to be performed on Watercraft and ABLTS. For locations less than 50 miles from MCSF-BI 24-hour notice is required. For locations greater than 50 miles from MCSF-BI, 72 hours' notice is required. For locations out of continental U.S. ten business days' notice is required.

6.F.44 (Phase Bravo thru Delta) The MCMC shall monitor and maintain all assigned Navy Watercraft IAW Watercraft Monitoring Requirements (CDRL 6056) (SOW Attachment C.6-041), regardless of CONUS location. Navy Watercraft will be designated in a "Monitoring" status if not scheduled for a maintenance action within 30 calendar days. The Monitoring program includes systematic inspections, detections and corrections of discrepancies, including documentation, for Navy Watercraft that is not in use, assigned to fill a current MPS production cycle or is openly stored pending a future maintenance requirement or pending maintenance phase. SOW Attachment C.6-041 shall be submitted to NAV-P for review and approval.

6.F.45 Shall participate with and perform Joint Limited Technical Inspection (JLTI) to support custody transfer/turnover to/from military units directed by the Government. Refer to Navy Watercraft and ABLTS JLTI Custody Transfer Package (SOW Attachment C.6-044).

6.F.46 (Phase Bravo & Delta) The MCMC shall perform procedures associated in preparing craft (INLS, MPFUB, LCM8 and ABLTS) for MPS embarkation ISO MPS backload conducted at MCSF-BI IAW Vessel Offload/Backload Letter of Instruction (LOI) provided by BICmd

Operations Department. Procedures shall be performed IAW the applicable TMs and Engineering Operating Sequencing System (EOSS). Prior to embarkation events of MPF vessels, the Navy Watercraft and ABLTS shall be configured for embarkation and custody turnover to the NWAMS Contractor ISO Phase Alpha afloat phase. The MCMC shall perform the following preparatory tasks at a minimum: 1) For backloads: Prepare Navy Watercraft and ABLTS for shipboard embarkation (backload) and proper configuration IAW the ship's load plan/drawings. Preparation includes the following: A-Frame positioning, lower navigation light mast, install or remove lifelines, connect or disconnect shore power at MCSF-BI (Navy Point or Berth 3) locations, remove vents, covers, and install blanks based on projected ship's load plan, meet fuel requirements, deballast, remove anemometer, remove SATNAV antenna, remove bell. 2) For offloads, perform to Government approved schedule for custody transfer of watercraft, LARC and ABLTS from the NWAMS Contractor. The MCMC ensure watertight/hull integrity checks and make emergent repairs as necessary in preparation for Pre-MATs. 3) For offload and backload: Provide and coordinate tug services for Navy Watercraft and ABLTS movement to include at a minimum (Licensed Tug Captain and Deck Hand) to safely transport craft to or from MPS, to include making up tug to craft, utilizing adequate fendering and mooring at either the MPS or shore side berthing location. Additionally, the MCMC shall provide notice to the tug service provider that U.S. Government and military have the right to embark onboard the tug to perform Government functions in support of backloads, offloads and cross decking operations. 4) For backloads/offloads: MCMC MPS access is not anticipated but may be required at the Government's direction and prior notice will be provided. 5) For offload and backload: Provide trained LARC operator and one guide/deckhand to operate LARC craft and drive them onto/off from the ship as required for offload/backload operations. 6) Once custody transfer is complete, perform outfitting tasks to ensure craft are safe for MCMC access.

6.F.46.a (Phase Bravo & Delta) The MCMC shall schedule and perform WHE operational checks five to seven workdays prior to embarkation or disembarkation events for the HLTs, MBH, forklifts, etc. that may be utilized during ship embarkation/disembarkation or scheduled portage events. The MCMC shall develop and maintain pre-operational check sheet/ODCLs.

6.F.47 (Phase Delta) The MCMC shall submit a Watercraft End of Ship Report (CDRL 6047) (SOW Attachment C.6-026) to NAV-P NLT E-3.

6.F.47.a Incomplete work list (CDRL 6047) shall include every assigned SYSALT, FSB, deferred maintenance, PM and CM item and any associated CFRs that were authorized by Government to perform but were not accomplished or finished prior to MPS/ROS backload. Included with this worklist shall be an inventory of unused parts/materials that are available for regain into stock for future reuse.

6.F.48 (Phase Delta) The MCMC shall submit a weekly Watercraft Maintenance Status Report (CDRL 6057), organized by ship and the watercraft (in the FAB format) assigned to that ship. The report should provide the status of percentage of tasks completed and OTD for Phase B,

Phase C and Phase D. Phase D should be broken down by Stage I, II, III, and IV with their respective Milestone dates (see SOW Attachment C.1-3 Phase IV for maintenance model).

6.F.49 The MCMC shall safeguard all assigned lighterage/watercraft at all times to include the following basic measures:

- (a) Protect the vessel from fire, flooding, wind and rain damage.
- (b) Protect the vessel from the activities of maintenance personnel or maintenance actions leading to collateral damage or progressive rework in surrounding areas.
- (c) Protect the vessel from dirt, debris, clutter, water and salt accumulation.
- (d) Protect the vessel from physical security violations and provide safeguards against unauthorized entry, malicious mischief, theft or sabotage.
- (e) Protect the vessel from waterborne damage, while berthed or towed.

Additionally, the MCMC shall provide, maintain and enforce a written security plan that addresses the above bullets, as well as the following NSI 009-72 items; 3.2.5, 3.2.5.1, 3.2.5.2, 3.2.5.5, 3.2.5.6, 3.2.8.5, 3.2.9.5, 3.3.2 and Note 5 a-c and Note 6 a-c. This plan is applicable for the WMC as well as any other offsite watercraft maintenance locations. Deviations from the plan require Government approval.

6.F.50 The MCMC shall schedule, support, participate in, and document watercraft Operational Tests (OPTTEST) for all Navy Watercraft. OPTTESTs shall be performed as scheduled and shall include Government, military, prime and any MCMC personnel. OPTTESTs shall be accurately documented IAW the provided OPTTEST form (CDRL 6058); the MCMC shall deliver the completed OPTTEST form within five calendar days after completion. OPTTESTS include but are not limited to Technical Refresh, Major SYSALTS, FSBs, Water Quality System, Mid Life Upgrades or other SYSCOM field testing or prototypes.

6.F.51 (Phase Delta) The MCMC shall stage and deliver Navy Watercraft ship sets with their respective Readiness Report for ship backload NLT E+3 IAW the Navy Watercraft spread-load, WDC Packages, Planning Considerations, and Lighterage Milestones. MCMC format is acceptable for the Readiness Report (CDRL 6059). The Readiness Report shall report readiness on staging, backload preparations, fuel status, weight and any pertinent remarks on craft status that should be turned over to the AMA or included in the Ops Advisory.

6.F.52 The MCMC shall have a system in place at the WMC to manage the hazardous material inventory by authorized use list, shelf-life, and quantities to ensure efficient use of hazardous material. Inventory inspections shall be conducted monthly and a report IAW 40 CFR submitted to the Government within 5 business days.

6.F.52.a The MCMC shall manage all waste generated at WMC IAW 40 CFR. Also provide to the Government copies of all hazardous waste manifest of waste shipped for disposal.

6.F.53 Upon completion of final craft close-out/Government acceptance (E-7) the MCMC shall

schedule a shipset production hotwash meeting with NAV-P to discuss the successes, failures and recommended process improvements learned during the recent production period and recommend methods for improvement to be implemented for next production period. The MCMC shall provide their assessment for Government review.

6.F.54 The MCMC shall utilize the Functional Area Breakdown (FAB) format: Each watercraft will have functional areas that have a direct impact on whether that craft is Full Mission Capable (FMC), Partial Mission Capable (PMC), or Non-Mission Capable (NMC).

6.F.54.a Functional areas include Craft Equipage, Deck Equipment, Damage Control, Coating System(s), Habitability, Auxiliaries, Hull/Structural, Electrical, Communications /Navigation, Machinery Control System, Ship's Service Diesel Generator (SSDG), Propulsion, Main Propulsion Diesel Engine (MPDE). All craft systems and sub-components fall under one of the functional areas. Not all watercraft have all of these system capabilities, and where they do not exist on a craft type, those absent delivery requirement(s) for that craft type are thus waived.

6.F.54.b All weekly/bi-weekly reporting requirements within this document relative to USN Watercraft, LARCs and ABLTS will report on craft status, areas/items of concern, and efforts to mitigate in order to render PMC and NMC areas fully FMC. Reports will be formatted to include details specific to each applicable FAB functional area, including sub systems and components (if not FMC) on every watercraft, LARC and ABLTS assigned for the current production period. Any FAB functional areas not FMC at the end of Phase D Stage 4 (typically E-30), will require a Letter of Non-Conformance from the MCMC detailing their efforts to produce the capability set that meets task order delivery requirements.

Note: Refer to SOW Attachment C.6-039 for Functional Area Breakdown logic.

6.G EXTERNAL CONTRACTS SUPPORT

6.G.1 As required, the MCMC shall provide OMMS-NG data entry services for external Contractors. Information/data will be provided by NAV-P via the 2K Transmittal Form (CDRL 6060) (SOW Attachment C.6-018).

6.G.2 As required, the MCMC shall provide procurement services, both system buys and Open Purchase, of parts, equipage and supplies ISO external NAV-P contracts. Requirements will be provided by NAV-P.

6.G.3 As required, the MCMC shall receipt, store and/or issue parts, equipage and supplies ISO of external NAV-P contracts. Requirements will be provided by NAV-P.

6.G.4 As required, the MCMC shall provide shipping of parts, equipage and supplies to/from the external NAV-P contracts. Requirements will be provided by NAV-P.

6.G.5 The LARC Maintenance Facility shall provide "Just in Time and Over the Shoulder" LARC familiarization training to the NWAMS Contractor /AMA NAVMC. Familiarization includes basic maintenance required by the Maintenance Requirements Package (MRP), trouble

shooting, land mode operation and post sea mode maintenance requirements. The Government anticipates initial NAVMC onboarding orientation training, and MPS backload training session throughout the MMC for each MPS that has LARCs embarked. Government provided course of instruction (COI) is available for MCMC utilization and tailoring, as needed. The MCMC is authorized 2 days for the training, which will normally be scheduled the week preceding MPS backload.

6.H NAVY WATERCRAFT CONTROLS SYSTEM SUPPORT (CSS)

6.H.1 (Phase Charlie) The MCMC shall conduct Technical Refresh (TR) Alterations on designated Navy Watercraft.

6.H.1.a The MCMC shall procure equipment defined in the Navy provided Technical Refresh (TR) Alteration Package (SOW Attachment C.6-046) for each designated watercraft IAW the Watercraft Master Schedule when directed by NAV-P.

6.H.1.b The MCMC shall assemble purchased components into TR installation kits by serialized hull number for Navy Watercraft IAW TR Alteration Package. TR kits shall be assembled NLT 30 calendar days prior to the scheduled installation.

6.H.1.c The MCMC shall issue and deliver completed TR kits to the installation group for designated Navy Watercraft NLT five calendar days prior to installation IAW the Master Schedule. Note: Control System Support (CSS) Shipping Report (SOW Attachment C.6-047) shall be used for shipping to Fleet Concentration Areas. The MCMC shall complete Control System Support Issue Receipts and Control System Support Delivery Receipts as required.

6.H.1.d The MCMC shall provide an accurate Control System Support Monthly TR Inventory, Kitting, and Delivery Status Report (CDRL 6061) NLT the fifth business day of every month.

6.H.1.e The MCMC shall install and integrate TR alteration kits on designated Navy MPS Navy Watercraft IAW TR Alteration Package, the Navy Watercraft Master Schedule and individual watercraft production schedule. Installation shall be completed in no more than 50 business days. The MCMC shall ensure successful completion of control system integration testing and provide the Notice of Completion (CDRL 6055) (NOC) (SOW Attachment C.6-038) to NAV-P NLT five business days after testing is complete. The MCMC shall complete the Craft Condition Found Report (CDRL 6048) (CFR) (SOW Attachment C.6-048) as required when actual configuration does not comply with the respective drawings.

6.H.1.f (RESERVED)

6.H.1.g The MCMC WMC shall provide and schedule no fewer than five business days of unhindered access to the shipset to be reserved for Government sourced controls

system configuration and certification during Navy Watercraft production cycles IAW the Lighterage milestones (see SOW Attachment C.1-3 Phase IV).

6.H.1.h The MCMC shall participate in and provide support for operational testing of TR installations for Navy Watercraft IAW Alteration Package test procedures and the Navy Watercraft Production Schedule. The MCMC shall submit the Control System Support Sail List prior to getting underway.

6.H.1.i The MCMC shall provide annual estimated material costs (CDRL 6062) associated with MPS Navy Watercraft TR Control System Support installations as defined in the Master Schedule NLT 1 June each year of the contract performance period.

6.H.1.j (RESERVED)

6.H.2 The MCMC shall create and maintain a dedicated shipping account. Individual shipments will be provided by NAV-P. The MCMC shall submit a copy of all shipping invoices and the CSS Shipping Report (CDRL 6063) (SOW Attachment C.6-047) NLT the second Monday of every month.

6.H.3 (Phase Charlie) The MCMC shall perform all work to modify existing configuration and perform field level changes on Navy Watercraft based on condition found. The required work shall be performed IAW the applicable directives for the condition found, and NAV-P or Software Support Activity (SSA) Representative direction. This is an “Over and Above” task which requires prior authorization of the Contracting Officer. The MCMC shall submit the Craft Condition Found Report (CFR) (CDRL 6048) (SOW Attachment C.6-048) NLT two business days after identification of the condition.

6.H.4 The MCMC CSS shall perform Government directed electrical/electronic maintenance tasks, FSB or SYSALTS during inactive Tech Refresh periods.

6.I NAVY EXEMPTIONS, DEVIATIONS AND WAIVERS

Many of the specific requirements referenced in contract resource documents are written for operational Navy units/forces and do not universally apply to the MPF program. Detailed below is an accounting of exemptions and standing waivers, along with explanations, releasing the MCPP II MCMC from strict adherence to those requirements. The MCPP II MCMC shall adhere to these exemptions and waivers. Specific applicable exemptions and waivers or tailoring follow:

6.I.1 3M Inactive Equipment Maintenance (Lay-up): Navy semi-annual Force Revision requirements will be tailored via NAV-P Maintenance Requirements Package (MRP) process for Standard Work Items (SWI).

6.I.2 Compass swing (Variation/Deviation): Navy semi-annual Force Revision requirements are waived.

6.I.3 Navy Oil Analysis Program: Navy semi-annual Force Revision requirement is modified via 6.F.17.

6.I.4 Diesel Engine Inspection Program: Navy semi-annual Force Revision requirements are waived.

6.I.5 Gauge Calibration Requirements: Modified IAW SYSCOM direction. Calibration for watercraft will be conducted IAW NSWCCD CRL Letter 93/115 dated 01 Dec 2014 or its successor. (See SOW Attachment C.6-027).

6.J NAVY SHIPBOARD SUPPORT

This Section delineates the surveillance, maintenance, and logistics services to be accomplished by the MCMC during Afloat Phase for Navy equipment per MCO P3000.17 and TM 4790-14/2. This section does not apply to other Navy Contractor services performed aboard MPS. Any conflicts or confusion should be resolved by the respective Contractors Squadron or Ship Supervisors. If necessary, elevate to the Navy COR.

Additionally, this Section identifies the services that shall be performed to issue and recover Maritime Prepositioning Navy Equipment and Supplies (MPE/S) during Maritime Prepositioning Ships (MPS) Operations. Work performance shall include places of debarkation throughout the world, during MPS exercises, contingencies, or other types of scheduled and unscheduled downloads, as directed by the Government. Logistics Services (Preventative and Corrective Maintenance, Modifications, Calibration, Maintenance Management, Battery Services, Shelf-Life Management, Inventory Management, Limited Technical Inspection, Equipment Configuration, Exercise Support, Shipboard Reports, and surveillance shall conform to the specifications described within the SOW. Shipboard logistics services aboard MPS, governed by the MCPP II contract shall be performed in accordance with the afloat phase surveillance schedule.

6.J.1 The MCMC shall ensure all KSDs supporting the transfer of equipment in support of an exercise, contingency, temporary loan or transfer to another unit/contractor, are uploaded into RSupply, as applicable. Supporting KSDs include the Exercise Support Letter, Outgoing/Incoming Consolidated Asset List with proper signatures, DD Form 1348s, DD Form 1149 (if required), CMRs (if required), or any other documents used to ensure proper chain of custody.

6.J.2 The MCMC shall perform surveillance for assigned Navy MPE/S during MPS afloat phase.

6.J.3 The MCMC shall manage the physical inventory of all assigned Navy MPE/S during the afloat phase, maintaining accurate accountability within the appropriate APSR IAW TM 4790-14/2, MCO 3000.17, MCO 4400.201, MCO P4400.151, and UM 4000-125.

6.J.4 The MCMC shall perform and submit a Navy Small Arms Monthly Inventory Report (CDRL 6082) (SOW Attachment C.6-010) of all Navy weapons onboard MPF Ships stating the actual physical inventory. Navy Small Arms Monthly Inventory Report shall be endorsed and validated by the RO. The completed Small Arms Monthly Inventory Report is to be scanned (PDF) and submitted to NAV-P NLT the 10th business day of each month.

6.J.4.a The MCMC shall conduct logistics support operations during the offload and backload of MPS. The MCMC shall transport Navy weapons to/from the ship and MCSF-BI armory IAW LOIs, POA&Ms, and Government guidance. A joint weapons' inventory shall be conducted during every custody transfer.

6.J.4.b The MCMC shall maintain positive chain of custody and accountability of all assigned Navy ME during exercise and contingency operations IAW MCO 4400.201, TM 4790-14/2, MCO 3000.17.

(i) The MCMC shall execute temporary loans of authorized Navy CESE when issuing MPF prepositioning program equipment to the operating forces in support of exercises or contingencies IAW MCO 4400.201, CmdO 4790.1, UM 4000-125, and TM 4790-14/2.

(ii) The MCMC shall make adjustments to Government-provided Consolidated Asset Listing (CAL) (Exercise CAL) during the conduct of temp loaning Navy CESE to the operating forces in support of exercises and operations utilizing prepositioned equipment and supplies from MPS IAW TM 4790-14/2.

6.J.5 The MCMC shall perform Operator Level PMCS on Navy MPE/S assets IAW applicable equipment operator manuals. As applicable per equipment TM, complete Operator (before, during, and after) PMCS during Semi-Annual start-ups (SASU) for square loaded rolling stock and non-rolling stock (e.g. containers, generators, etc.). PMCS shall be completed every six months beginning 60 calendar days after MMC or upon completion of an MPS backload operation. The MCMC shall develop a local form and record PMCS actions required IAW the equipment technical manual for Navy MPE/S. The PMCS record/form shall be locally generated and contain the following minimal information: EC, Serial Number, deficiencies identified, date, and signature of the individual who completed the PMCS

6.J.6 Battery Maintenance. The MCMC shall test, service, and maintain Navy equipment batteries for square loaded MPE/S IAW TM 9-6140-200-13 and the MCMC Battery Maintenance Plan. Battery testing and servicing shall be performed in conjunction with scheduled PMCS and prior to MPS offloads. The comprehensive battery maintenance plan shall be sufficient in scope and effort to minimize battery failure due to storage configuration by ensuring that equipment batteries are in a ready condition.

6.J.7 Navy Surveillance/Stock Checks.

6.J.7.a Square loaded assets. The MCMC shall preform visual surveillance in all holds and compartments containing embarked Navy MPE/S. Visually inspect Navy MPE/S for safety and security problems, fuel level, leaks, flat/low tires, excessive corrosion, damage, pilferage, or loss. The MCMC shall develop a local form to document stock check results to include item (EC), description, serial number, location, date, defect found, and signature of inspector. MPE/S, to include weapons and assets in the armory, shall be visually checked every 30 calendar days, starting 30 calendar days after load completion.

Note: The MCMC shall maintain Navy CESE Fuel Levels equal to $\frac{3}{4}$ tank as required during initial embarkation. Coordinate accounting data with the Navy COR/ACOR. Generate requests for fuel issue from ship's masters by completing a DD1149. Class of ship will vary in availability of fuel.

6.J.7.b The MCMC shall replace lubricity fuel filters for Navy Extended Boom Fork Lift (EBFL) IAW Filter Manufacturer Instructions. The lubricity fuel filters shall be replaced every 250 hours or 6 months after last replacement, whichever comes first. Fuel filters and strainers shall be permanently marked with date changed (MM-DD-YYYY). Service shall be recorded as a separate task under the PMCS Service Request in GCSS-MC. Validate lubricity fuel filters that have been replaced by operating forces during post-MPS exercise/contingency JLTl. Report all instances of non-conformance to the COR/ACOR.

6.J.7.c Navy Corrective Maintenance.

(i) The MCMC shall perform Corrective Maintenance on Navy MPE/S during the afloat phase IAW applicable technical manuals, UM 4000-125, or directives (SOUm, MAM, etc.). Corrective maintenance services shall be sufficient in scope and effort to correct all non-mission capable faults in order to restore equipment to a Mission Capable condition. MPE/S warranties are to be considered and coordinated with the Navy COR.

(ii) All non-mission capable equipment shall be repaired. In cases where completing maintenance actions are not possible (due to space restrictions, lack of special tools, and required repair parts), place the equipment into an "ABD SHIP" status in GCSS-MC IAW UM 4000-125 within two business days, and add to the Deferred Maintenance Listing (DML).

6.J.8 MPS Exercises and Contingencies.

6.J.8.a The MCMC shall perform the following for each exercise or contingency:

(i) Provide a proposed Resource and Support Plan for Contracting Officer approval NLT 10 business days after receiving Government Request for Proposal (RFP). The plan shall include effort to support Offload Preparation Party (OPP)

operations, equipment offloads, arrival and assembly, reconstitution/regeneration, backload operations, and other requirements identified in the RFP.

- (ii) Complete Logistics Services for IAW the approved Resource Plan.
- (iii) Utilize and update the Government issued Consolidated Asset Listing (CAL). Government produced CAL shall be used to document the issue/receipt of MPE/S to the NAVFOR RO. All changes to the CAL shall be coordinated through the Navy TAAT OIC via the assigned USMC COTR.
- (iv) Perform Navy Mobile Load Association validation during MPS offloads and backload Operations.
- (v) Prepare and issue Temporary Folders, as required per the RFP. Place equipment records, scheduled for offload, in a suitable container and organized by EC and USN number before passing to the NAVFOR RO. As required, Temp Equipment Folders and keys are accounted for prior to and after the JLT/SL-3 process.
- (vi) Issue Navy Prepositioned Weapons IAW the approved Resource Plan. The MCMC shall follow the issuing, recovery, and documentation requirements associated with prepositioned weapons issues.
- (vii) Issue/receipt Navy assets IAW approved Equipment Density List (EDL)/Resource Plan. Navy assets to be issued by the MCMC include the following:
 - (a) All NSE and NCE CESE.
 - (b) All NSE and NCE containers except the following which are under control and custody of the embarked NAVMC:
 - (i) RRDF CCS.
 - (ii) EBL.
 - (ii) NCHB Hatch Box.
 - (iv) HFP Container.
 - (v) AMA Working Containers.
 - (c) All embarked Navy Watercraft to include ABLTS Hose Reels and LARC-Vs are in the custody of the embarked NAVMC. A custodial transfer for these assets shall be completed between the embarked NAVMC and the NBG Ship's Debarkation Officer (SDO) or Navy TAAT member.
- (viii) Validate/check assigned Navy MPE/S prior to final staging for backload to meet configuration requirements upon completion of the MPS regeneration efforts.
- (ix) Validate/check Navy MPE/S fuel levels in the final staging area during the JLT process (prior to MPS backload). Coordinate with the assigned COTR to coordinate equipment fueling or defueling.

6.J.9 Shipboard Reports. Shipboard reports shall be prepared using standard Microsoft Office programs. The MCMC shall provide the following reports to the Navy COR/ACOR IAW the CDRL delivery schedule:

6.J.9.a Monthly Situation Report (SITREP) (CDRL 6083). Monthly SITREPs shall:

- (i) Be submitted by Squadron and assigned MPS.
- (ii) Be submitted NLT the first business day of each month using the standardized format provided in SOW Attachment C.7-1.
- (iii) Accurately summarize Logistics Services provided during the afloat phase to include but not limited to:
 - (a) Cover Sheet with Squadron Roll up of afloat actions
 - (i) Stock Checks, corrective maintenance, and Inventories.
 - (ii) Stock Discrepancy/Deterioration/Surveillance Status.
 - (iii) Semi-Annual PMCS completed.
 - (b) Equipment Warranty Issues
 - (c) Applicable directives (SOU, TI, MAM, etc.)
 - (d) Organic Calibration Equipment (overdue)
 - (e) General Comments or issues that affect the MCMC's ability to meet the performance of this SOW. Examples include:
 - (i) MPS facilities or support concerns/issues.
 - (ii) Refrigeration issues.
 - (iii) Inability to perform MPE/S services.
 - (iv) Recommendations for ship alterations to better accommodate shipboard requirements.

6.J.9.b Semi-Annual Startup (SASU) Report (CDRL 6084). SASU will commence six months after departing MMC and continue every six months until next MMC or contingency offload. The SASU shall:

- (i) Be submitted upon SASU completion and include the following:
 - (a) Detailed Start-up Results Sheet
 - (b) Battery Evaluation Form
 - (c) SASU Ship Assistance Request
 - (d) SASU Plan
 - (e) SASU Safety Brief
 - (f) Training Attendance Record
 - (g) Battery Recharging/Maintenance Plan

6.J.9.c Pre-Exercise Status Report (CDRL 6085). IAW the exercise approved Resource Plan, the MCMC will perform Navy equipment serviceability and function checks to include battery condition and fluid checks for equipment identified for offload in support of MPS exercises. This report shall be delivered as required by the Exercise Support Letter.

- (i) The Pre-Exercise Status Report shall contain the following topics associated with the approved final Equipment Density Listing (EDL):
- (ii) Exercise Equipment
- (iii) Move Only Equipment
- (iv) Battery Evaluation Form
- (v) Open SVC Requests
- (vi) Temporary Record Folder Status
- (vii) Corrective Action Plan
- (viii) Recommended Equipment Changes
- (ix) Listing of Equipment Containing KMI
- (x) OPP Deficiency Report

6.J.9.d Post Exercise Discrepancy Listing (PEDL) (CDRL 6086). The MCMC shall deliver a draft PEDL to the Navy TAAT OIC upon completion of backload, during deck validation, or end of exercise. The final report will be delivered to the Navy COR/ACOR NLT 10 business days after completion of exercise or backload operations, as appropriate. The PEDL shall include equipment damages occurred during initial offload, exercise, final backload, and deck validation. The MCMC shall submit PEDL electronically. This format includes the following information:

- (i) Equipment ECC
- (ii) Equipment Serial #
- (iii) Equipment Nomenclature
- (iv) National Item Identification Number (NIIN)/Part Number
- (v) Nomenclature
- (vi) Combat Essentiality Code (CEC)
- (vii) Quantity
- (viii) Unit of Issue (U/I)
- (ix) Cost (Each)
- (x) Total Cost
- (xi) Remarks
- (xii) Total Cost (all deficiencies)

6.J.9.e Post Exercise Cost Estimate (CDRL 6087). The MCMC shall deliver a total exercise cost report that includes all costs for Navy supplies and services performed in support of the exercise. The final report shall be delivered electronically to the Navy COR/ACOR NLT 10 business days after completion of exercise or backload operations, as appropriate.

6.J.9.f Post Exercise After Action Report (CDRL 6088). The MCMC shall provide a Post Exercise After Action Report NLT 15 calendar days after completion of an exercise or backload operation. Standard format of topic, discussion, and recommendation shall be used to identify MCMC perspective regarding risks and issues throughout planning and execution of the exercise.

6.J.9.g 120 Day Pre-MMC Report (CDRL 6089). The MCMC shall submit a 120 Day Pre-MMC report NLT 120 calendar days before scheduled MMC ship offload. The report shall include the results of Navy equipment maintenance issues that affect equipment offload and maintenance cycle production to include GCSS-MC Service Requests (SR) and open parts trailers to be transferred to maintenance commodities prior to the start of MMC production using format:

- (i) Battery List by PEI
- (ii) Serviceable Battery Turn in List
- (iii) Unserviceable Battery List
- (iv) Lithium Battery Turn in List
- (v) Equipment Special Offload Requirements (Requires Tow/Lift)
- (vi) Flat Tire List
- (vii) Exercised Equipment List with miles and hours accumulated during exercise(s)
- (viii) DSI Turn in List
- (ix) SOC Turn in List
- (x) USN OPP Block Lists
- (xi) USN Serialized Weapons Inventories w/VSTF Seal Listings
- (xii) SECREP Turn in List
- (xiii) POL and HAZMAT Lists
- (xiv) GFE DPAS Service List
- (xv) Request for GFE Tools and SMEL Items
- (xvi) Excess Parts List/Rollback (for turn into MMC production)
- (xvii) Deferred Maintenance List
- (xviii) Calibration Turn in List

6.K NAVY MPS PLANS AND DATA

The MCMC has a major role in the command's ability to achieve mission success in plans and data accuracy. The MCMC is responsible for ensuring Squadron and Ship level plans are adhered to in order to properly configure and stow the stated quantity of equipment and supplies aboard specific vessels. Second only to equipment readiness, is the responsibility of the MCMC to provide data in a complete, accurate, and timely manner.

The planning facet of the MMC is an 18-Month process that results in Squadron and Ship level plans being developed in support of the MPF Program. Currently there several different types of plans utilized in support of a squadron's MPF Maintenance Cycle (MMC). At specified times outlined within this section, the MCMC will execute the detailed plans for each of the vessels within the squadrons.

6.K.1 The MCMC shall execute Navy Plans and Data Management.

6.K.2 The NSC shall appoint a Navy Plans and Data POC who will be responsible for the execution and management of all Squadron and ship level detailed plans IAW the MCPP II SOW.

6.K.3 The MCMC shall produce a Unit Deployment Listing (UDL) End of Ship Report (CDRL 6064) via MCPIC for all equipment and supplies embarked on MPS or as required IAW Production/Maintenance PCLs. This data shall be for the Navy at the NSN Level, IAW most current CmdBul 3162 and Ships Detailed Plan posted on Marine Corps Platform Integration Center (MCPIC). The MCMC shall use MCPIC for managing transportation data, which is part of the Defense Transportation Regulations (DTR) DoD 4500.9, and Marine Corps Prepositioning Programs Policy (MCO 3000.17). The UDL shall be produced IAW Government published milestones contained in Section C.1.

6.K.4 The MCMC shall utilize Government provided information management systems, data bases, and software systems to review, download, manage, store, and modify Maritime Prepositioning Ships planning related data as applicable, utilizing the Marine Corps Platform Integration Center (MCPIC) software system. Required data fields will be populated by the MCMC as detailed in CmdBul 3162 MCPIC Data Summary during the MPS specific production period.

6.K.4.a MCPIC is a web-based Information Technology (IT) tool that consists of multiple applications that support the MPF planning and execution processes. The MCMC shall utilize this system to receive, review, monitor, and execute all plans and data requirements that are applicable to the NAV-P, Blount Island Command.

(i) The Government will provide software and systems training for program wide use of the MCPIC software and associated applications. MCPIC is the current program of record which collects and provides detailed embarkation data.

(ii) In the context of the MCPP II effort:

(a) "Ship Set" is defined as all materiel associated with the Navy and Marine Corps (NAVMC) 2907 (Prepositioning Objective) that are designated for a specific MPS vessel IAW detailed ship-level plans.

6.K.5 The MCMC shall adhere to the Government provided Navy Squadron and Ship Detailed Level Plans available on MCPIC IAW MMC execution milestones. Any deviation from these plans shall approved by the Government prior to execution.

6.K.5.a Navy detailed plans consist of but not always limited to:

- (i) NSE/NCE Squadron Level Plans
- (ii) NSE/NCE CESE Mobile Load Plan
- (iii) NSE/NCE Container Plan
- (iv) NSE Watercraft Plan
- (v) NSE Armory/Weapons Plan
- (vi) NSE/NCE OPP Block
- (vii) NSE/NCE Battery Block

6.K.5.b The MCMC shall notify the COR of any Navy spread load/planning consideration changes (CDRL 6065) within one (1) business day of change requirement identification.

6.K.6 The MCMC shall provide a complete and accurate UDL in MCPIC IAW CmdBul 3162 MCPIC Data Summary for all Navy equipment and supplies embarked on MPS NLT E+5.

6.K.6.a The MCMC shall ensure all PEIs (CESE and containers) are weighed and accurate stowed weight data entered into the MCPIC UDL (iPack plan). PEI and container weight accuracy shall comply with CmdBul 3162 Data Standards. The Scale House is to be used for weighing MPE/S and provides weight tickets which the MCMC shall input into the MCPIC UDL.

6.K.6.b The MCMC shall populate data elements in the MCPIC UDL required for ICODES in accordance with MMC Execution Milestones. NLT E-Day (E-20 Rolling Stock LMSR/ E-13 Rolling Stock BOBO/ E-16 Containers LMSR/ E-9 Containers BOBO). The MCMC shall populate the following data elements, associated with load and staging plan development: NSN, ITEM ID, MSE, LOAD NUMBER, DESCRIPTION, QTY PER CARGO, PKG ID, WEIGHT, LxWxH, UIC.

6.K.6.c The MCMC shall populate data elements in the MCPIC necessary to ensure creation of the Dangerous Cargo Manifest (DCM) in ICODES NLT E-Day. Specific data elements are: NSN, SERIAL NUMBER, DESCRIPTION, WEIGHT, QTY PER CARGO, PKG ID, UN CODE, IMO CODE. Accuracy shall comply with CmdBul 3162 Data Summary Standards. The MCMC shall utilize the MCPIC platform, and the applications contained within to capture Navy MPE/S data.

(i) All NSE/NCE Force Modules/Capability sets will be marked (in MCPIC) to the NSN level in order to capture and ensure 100% visibility of MPE/S in data. SKOs shall be marked at the kit level, marking all individual components of the kit is not required.

6.K.6.d The MCMC shall populate all required data in the MCPIC UDL within 24 hours of a satisfactory final container Quality Assurance Inspection by a NAV-P QAR. This signifies that the data in the UDL is ready for Government inspection. Additionally, the MCMC shall simultaneously add FMC to the project task.

6.K.6.e The MCMC shall notify the Government of any Navy Technical Data Changes not resident in MCPIC.

6.K.7 The MCMC shall remove and replace all faded, worn or torn iMark, Ship, MSE, Force Module, and other labels or stickers from all equipment NLT the approved staging date in compliance with MCTP 13-10D/NTTP 3.02.3M, MCMC DIR 3000.18, CmdBul 4035 and detailed ships plans. All labels shall be checked for legibility, digital scanability, and removed and replaced as necessary.

6.K.7.a The MCMC shall properly place and register Item Unique Identification (IUID), passive Radio Frequency Identification (pRFID), tags on all items prior to presenting to the Government for final acceptance IAW MCO 4410.28 Item Unique Identification

(IUID) of Ground Equipment. The MCMC shall use International Organization for Standardization (ISO) RFID Tags.

(i) The MCMC shall accurately associate all IUID and RFID tags IAW MCO 4410.28 using MCPIC.

(ii) The MCMC shall apply only ISO 18000-7 aRFID tags IAW the most current version of the Radio Frequency Identification (RFID) migration to International Organization for Standardization (ISO) Tags. For TMO applications the MCMC shall use only Data Rich ISO 18000-7 tags. For MCPP II operations, the MCMC shall use License Plate ISO 18000-7 tags.

6.L NAVY EXERCISE AND SURGE SUPPORT

6.L.1 The MCMC shall provide Exercise Support as required in the respective Government provided Exercise Support Letter. Exercise support includes the deployment of personnel and BICmd resources in direct support of USMC/USN Operating Forces utilizing Maritime Prepositioning Equipment and Supplies (MPE/S), as well as the short-notice maintenance and preparation of Navy prepositioning assets ISO an MPF exercise. The duration of exercise support can and will vary from weeks to months dependent upon concept of operations. Exercise support includes but is not limited to overtime, materials, ODCs, and travel. CLIN allocations and funding requirements will be provided by the Government in the respective Exercise Support Letter or by other means.

6.M NAVY MPS EMBARKATION/DEBARKATION SUPPORT

6.M.1 The MCMC shall support all required maintenance actions and embarkation support for Navy equipment IAW the current vessel Letter of Instruction (LOI), POA&M and Ship Confirmation Brief. Including recovery actions for deadlined items as may be required for shipboard prepositioned vehicular assets in conjunction with Port Operations and provide qualified personnel for electrical boost starting of vehicles that have been prepositioned aboard ships or that have been staged shore side for backload.

6.M.2 The MCMC shall download, and backload all assigned Navy prepositioned MPE/S, Offload Preparation Party (OPP), Petroleum, Oils, and Lubricants (POL), Armory and Battery Blocks IAW approved LOI, POA&M and Ship Confirmation Brief.

6.M.3 The MCMC shall stage all Navy vehicles and equipment in preparation for MPS backload operations IAW the Vehicle Staging List provided by BICmd Port Operations. The MCMC shall remove all debris and garbage from vehicles prior to being staged for backload IAW the USDA Compliance Agreement. This task shall be completed prior to vehicle staging. Staged vehicles shall not be removed from the staging lot without permission from Port Operations. Staging shall be completed IAW published MMC Notional POA&M.

6.M.3.a The MCMC shall stage all Navy containers in preparation for MPS backload operations IAW the Container Staging List provided by Port Operations. The MCMC

shall wash all containers prior to being staged IAW the USDA Compliance Agreement. If a container delivered to the staging area has not been washed properly, the container will be sent back to be rewashed and inspected before backload is permitted. Staging shall be complete IAW published MMC Notional POA&M. (SOW Attachment C.1-3).

6.M.4 The MCMC shall secure Navy mobile loads IAW MIL-STD-209 and MCRP 4-11.3. Mobile loads will be secured to prime movers to ensure it does not become damaged during ship offload, backload and transportation and is completed IAW the MIL Standard; no damage shall occur to mobile load prior to the ship's departure. Mobile loads will not exceed the maximum transport weight listed in the applicable TMs or Government provided supplemental information. The MCMC shall ensure that current advisories, safety of use messages, etc. are adhered to when securing mobile loads.

6.M.5 The MCMC shall ensure all Navy mobile load and PEI equipment overall height does not exceed the requirements set forth in the Mobile Load Association Plan. This task shall be accomplished prior to staging. Failure to complete this task as required places backload operations at risk due to exceeding MPS deck height restrictions.

6.M.6 The MCMC shall validate, and update Integrated Computerized Deployment System (ICODES) deck diagram after backload in conjunction with the Government. The MCMC shall validate the ship's drawings against the actual as loaded vessel; validations and updates shall be completed prior to the ship's departure and approved by Port Operations.

6.N NAVY ORGANIC GROUND SUPPORT EQUIPMENT (GSE) MAINTENANCE

6.N.1 The MCMC shall perform PMCS and Corrective Maintenance for all Navy GSE IAW the OEM Manuals. Navy organic GSE is defined as the equipment that is owned by the Navy and used by the MCMC ISO the MPF mission and requirements contained herein. Navy GSE includes but is not limited to the following: (1) 348 Link-Belt Crawler Crane (CC), (3) 150C Marine Travel Lift Mobile Boat Hoists (MBH), (1) 8065 Link-Belt Rough Terrain Crane (RTC), (2) Heavy-Lift Transporters (HLT), (1) 68 SJ-X GMG Manlift (ML), (1) Freight Liner Septic Truck (ST), (3) 11,000 lb. JLG Extendable Boom Fork Lifts (EBFL), (1) 4,000 lb. J.I. Case Rough Terrain Forklift (4KRTFL), (1) 12,000 lbs. Sellick Rough Terrain Forklift (12KRTFL), (1) 6,000 lb Toyota Warehouse Forklift, (3) 4,000 lbs. Hyster Warehouse Forklifts (4KWHFL), (2) 3,500 lb Toyota Stand-up Forklifts, (1) 6200 Tennant Floor Sweeper, (5) HD Pick-Up Trucks, (17) Bobcat Utility Low-Speed Vehicles (ULSV), (2) Commercial Semi-Tractors, (3) Trailers, (1) Skid-Steer Multi-Purpose Machine, (1) 250 CFM Air Compressor, and (2) 20' ISO Container Carts. The number of GSE may vary as much as 5% without a contract modification. The above listed GSE is assigned a priority of maintenance effort as follows:

6.N.1.a The following Navy assets are critical and support a ship offload/backload and/or the Navy watercraft maintenance effort and are assigned a "Priority 1" maintenance Level of Effort (LOE). Priority 1 is defined as "in the event any of the below GSE become non-operational, work shall start immediately to return the GSE asset back to

operational status. The MCMC shall notify the NAV-P Department Director within one hour of the asset becoming non-operational. The MCMC shall expedite the procurement/sourcing of repair parts/services and be prepared to work uninterrupted until maintenance/repairs are complete based on Navy COR direction.

- (1) 348 Link-Belt Crawler Crane.
- (1) 150C Marine Travel Lift Mobile Boat Hoist.
- (1) 8065 Link-Belt Rough Terrain Crane.
- (2) Heavy Lift Transporters (HLT).

6.N.1.b The following assets are used to support the Navy maintenance effort and are assigned as “Priority 2” maintenance LOE. Priority 2 is defined as “in the event that any of the below GSE becomes non-operational, work shall start as soon as practical to return to GSE back to operational status. The MCMC shall notify the NAV-P Department Director within one day of the GSE becoming non-operational. The MCMC shall expedite the procurement/sourcing of repair parts/services to return the asset to operational status within established work routine IOT minimize impact to production efforts. Deviation requires COR consent.

- (1) 68 SJ-X GMG Manlift.
- (1) 12K Rough Terrain Forklift.
- (3) 11K JLG Extendable Boom Forklifts.
- (1) 6K Toyota Warehouse Forklift.
- (2) 3.5K Toyota Stand-up Forklifts.
- (3) 4K Warehouse Forklifts.

6.N.1.c The following assets are used to support the Navy watercraft maintenance effort and are assigned as Priority 3” maintenance LOE. Priority 3 is defined as “in the event that any of the below GSE becomes non-operational, work shall start as soon as practical to return the GSE back to operational status. The MCMC shall expedite the procurement/sourcing of repair parts/services to return the asset to operational status within established work routines not to exceed 30 days. Deviation requires COR consent. without.

- (1) 6200 Tennant Floor Sweeper.
- (1) 250 CFM Ingersoll-Rand Air Compressor.
- (2) ISO 20 ft Container Carts.
- (1) Freight Liner Septic Truck.
- (5) HD Pick-Up Trucks.
- (17) Bob Cat Utility Low-Speed Vehicles.
- (2) Commercial Semi Tractors.
- (3) Semi Trailers.
- (1) Skid-Steer Multi-Purpose Machine.

6.N.1.d The MCMC shall provide licensed operators for the below (but not limited to) GSE. (1) 348 Link-Belt Crawler Crane, (3) 150C Marine TraveLift Mobile Boat Hoists, (1) 8065 Link-Belt Rough Terrain Crane, (2) Heavy-Lift Transporters, (1) 68 SJ-X GMG Manlift, (1) Septic Truck, (3) 11,000 lb. JLG Extendable Boom Fork Lifts, (1) 4,000 lb. J.I. Case Forklift, (1) 12,000 lbs. Sellick Forklift, (3) 4,000 lbs. Hyster Warehouse Forklifts, (6) HD Pick-Up Truck, (17) Bobcat Utility Vehicles, (2) Commercial Semi-Tractors.

6.N.1.e The MCMC shall provide sufficient quantities of licensed operators in reference to the above GSE as to not adversely affect Navy production and operations timelines due to scheduled and unscheduled MCMC absences.

6.N.2 The MCMC shall provide maintenance and logistical services for Navy Organic GFE.

6.N.2.a The MCMC shall perform PMCS on Navy organic GFE to include corrosion control and preservation efforts IAW applicable maintenance manuals, NAVFAC P-300, NAVFAC P-307, and the Navy Consolidated Memorandum Receipt (CMR) via DPAS.

6.N.2.b The MCMC shall perform corrosion control on all Navy organic GFE IAW the applicable OEM manuals, NAVFAC P-300, TM 4795-12/1, NAVSEA Standard Items 009-32 and Navy Consolidated Memorandum Receipts (CMR) via DPAS.

6.N.3 The MCMC shall perform Corrective Maintenance on Navy Organic GSE and GFE. CM is "Over & Above" work IAW DFARS 252.217-7028. Corrective Maintenance shall be accomplished IAW applicable maintenance manuals, NAVFAC P-300, NAVFAC P-307 and Navy Consolidated Memorandum Receipt (CMR) via DPAS.

6.N.4 The MCMC shall record Navy organic GFE maintenance in the Naval Tactical Command Support Systems (NTCSS) Organizational Maintenance Management System Next Generation (OMMS-NG) module or similar Government approved maintenance management system. All preventive and corrective maintenance actions shall be input into the NTCSS OMMS-NG module. Maintenance actions shall be entered accurately IAW maintenance requirements and actual maintenance performed. The MCMC shall close out all open Navy organic GFE OMMS-NG work candidates within 30 calendar days of repair/maintenance completion and associated Government acceptance.

6.N.5 The MCMC shall procure all WHE load bearing parts, load controlling parts or operational safety devices from the OEM. Examples of load bearing, load controlling and operational safety devices can be found in the NAVFAC P-307.

6.N.5.a The MCMC shall procure parts through the Government supply system for GSE/GFE (supported in DLA), unless otherwise approved by the Government.

6.N.6 The MCMC shall inspect, maintain and operate Navy leased ground support equipment provided as Government Furnished Equipment. Leased ground support equipment shall be

inspected, maintained, and operated IAW the operator's manual and the lease agreement terms and conditions. The MCMC shall report (CDRL 6066) accidents for Navy leased equipment to the Navy Prepositioning Department (NAV-P) RO by e-mail within one hour of accident occurrence. For equipment defect discovery, which include but are not limited to, broken/defective, unserviceable or degraded equipment/parts, notify the NAV-P via email and pictures within four hours of identification.

6.N.7 Maximum Maintenance Cycle Time (MMCT). Maintenance Cycle Time (MCT) is the period of time covered from the initiation of maintenance actions until repairs and maintenance records are complete.

6.N.7.a Maximum Maintenance Cycle Time (MMCT) is the maximum prescribed time an asset is to remain in the maintenance cycle. The prescribed time is established as a decision-making threshold. Every asset type has a unique maintenance cycle time and therefore, maintenance managers shall focus on minimizing maintenance cycle times and will only reach the maximum by exception. Maximum Maintenance Cycle Time thresholds only apply to deadlining/degraded services request that are corrective in nature and only exceeded by exception, e.g. economically justifiable, advantageous to mission completion, or availability of resources. The intent is to provide the highest level of operational GSE in support of the MPF program. Extension requests shall be submitted to the Navy COR for approval.

6.N.7.b Navy GSE shall have a MMCT of 30 days. MMCT extension requests shall be submitted IAW 6.N.7.g.

6.N.7.c The MMCT shall be entered into the electronic maintenance database to record GSE maintenance history. MMCT Requests shall be submitted IAW 6.N.7.g.

6.N.7.d The Navy COR is the Government representative to extend or reject MMCT extension requests.

6.N.7.e All requests for MMCT extensions shall be printed and filed in the equipment history file.

6.N.7.f The MMCT extension requests shall contain, at a minimum, the below information:

- (i) USN of the PEI
- (ii) Defect(s) not meeting the MMCT requirement
- (iii) Detailed information explaining why the defect could not be repaired in a timely manner.

6.N.7.g The MCMC shall submit an MMCT extension request to the Government at least five (5) working days prior to the end of the MMCT. Batching or grouping MMCT extension requests within a single work order is not authorized.

6.N.7.h The MCMC MMO shall develop internal control procedures to ensure the requirements above have been met.

(i) Organizational Maintenance Management System-Next Generation (OMMS-NG) will be utilized for GSE.

6.N.7.i Intentionally postponing or delaying the initiation of maintenance actions and/or closing work orders to circumvent MMCT is not authorized.

6.N.8 The MCMC shall provide a monthly Organic GFE Status Report for MHE, WHE and Ground Support Equipment (GSE) (CDRL 6067) (SOW Attachment C.6-020). The GFE Status Report will list the operational, degraded, and nonoperational status of designated Navy GFE, the report will list all equipment discrepancies and shall be provided to the Government NLT the fifth day of each month.

6.O NAVY BUSINESS AND PERFORMANCE REQUIREMENTS

General Scope: Each MPS production period (generally 80-110 days) contains an average of (60) Twenty Foot Equivalent Units (TEUs) that contain an average of 10,000 total containerized line items. The specialized logistics services performed during a production period include but are not limited to; inspection, inventory, servicing, corrosion control, Preventive/Corrective Maintenance (as required), configuration of mobile loaded equipment, association of collateral equipment, stock rotation, calibration, marking and labeling of assets and containers with labels and RFID tags.

6.O.1 The MCMC will be responsible for developing and implementing local procedures (IAW International Standards Organization 9001, CmdO P5000.11 Management Procedures, and BICmd Work Instructions (ISOs)) that delineate those processes used to provide timely and accurate data.

6.O.2 The MCMC shall utilize project management fundamentals and best practices to create production plans and schedules for all MCPP II maintenance requirements (to include Care of Supplies in Storage (COSIS)) and repair activities as directed in by the Ship's Planning Considerations Letter produced by the Government IAW CmdO 4850.1. These production plans shall be submitted to the Government for review NLT 60 days prior to the commencement of a given production period.

6.O.2.a The MCMC shall include the following fields in each production plan and the plan shall be broken down by individual PEI/container/objective:

- (i) Projected start date and time
- (ii) Actual start date and time
- (iii) Projected end date and time
- (iv) Actual start date and time
- (v) Container Number (based on ships container plan)

- (vi) Equipment Code (EC)
- (vii) Serial Number
- (viii) Description
- (ix) Task Name
- (x) Projected hours
- (xi) Remarks
- (xii) Task Number

6.O.2.b The MCMC shall create a baseline MS Project/Production plan for all Navy CESE and containerized assets IAW MCPIC plans/requirements. The plan and schedule shall be provided to the Government for approval. The MCMC shall maintain change control over the plans using the change control process identified in CmdO 5202.1.

6.O.3 The MCMC shall ensure that Navy CESE is evenly planned for and distributed throughout the baseline project production plan. The MCMC shall maintain a steady flow of Navy equipment through the maintenance shops, balancing the completion ratio with USMC ground tactical equipment. The Production planning process shall account for this balance to ensure that both Navy CESE and USMC equipment are serviced and completed (ran FMC) within the baseline project schedule. The MCMC shall submit a Letter of Non-Conformance for each item that is not complete and ran FMC by the baseline finish date.

6.O.4 The MCMC shall update and maintain production plans during the execution of maintenance, production, and repair activities with actual data that represents as close to real time as practicable the actual status of required project tasks; i.e., time/schedule, cost, conformance.

6.O.5 The MCMC shall utilize the Electronic Quality Management System (eQMS) application within MCPIC to perform internal quality inspections and respond to external Government Non-Conformance Reports (NCRs).

6.O.6 The MCMC shall provide Quality Control of products and services IAW FAR 52.246-11, ISO 9001:2015, and CmdO P5000.11.

6.O.6.a IAW CmdO P5000.11, the MCMC shall use the Government provided eQMS to internally track, trend, trace, and document resolution of quality control non-conforming product(s)/service(s) as well as responding to non-conformance findings discovered by external agents.

6.O.6.b The MCMC shall respond to Government QA non-conformances initiated in the eQMS; i.e., NCRs and Non-Conformance Trends (NCTs). Communications in response to non-conformances initiated by the Government QAs shall be in the eQMS. The MCMC shall acknowledge non-conformance findings within 12 work hours. The MCMC shall resolve non-conformance by the due date on the NCR or NCT.

6.O.7 The MCMC shall develop and submit a draft Risk and Performance Policy in alignment with CmdO P5000.11 within 30 calendar days of contract award and submit a final review for Government approval within 60 calendar days of contract award in order to maintain continuity of risk and quality operations between Government and MCMC programs in support of Joint ISO 9001 compliance. The approved policy is subject to validation by an accredited (American National Accreditation Board (ANAB) or Registrar Accreditation Board (RAB) third party auditor for ISO 9001:2015 certification and/or surveillance every six months (semi-annually) thereafter to remain ISO 9001:2015 certified. The MCMC shall be jointly certified with Blount Island Command during the next scheduled surveillance.

6.O.7.a The MCMC shall be subject to a government analysis and assessment of the Quality and Risk Control Plan (Q&RCP) draft for government review within 30 calendar days of contract award and for final review within 60 calendar days of contract award. The Q&RCP shall comply with ISO 9001:2015, CmdO P5000.11, and shall contain the following: quality control and risk performance levels for each government defined contract deliverable as well as internal Key Performance Indicators for the Q&RCP. The MCMC shall update the Q&RCP such that it passes the semi-annual 3rd Party Audits and recertification; all Q&RCP revisions shall be submitted to the Government for review and approval.

6.O.7.b The MCMC shall be subject to a government analysis and assessment of the Quality Key Performance Indicator (KPI) control charts on a quarterly basis for all internal quality control elements used to support the quality control plan portion of the Q&RCP. The Quality KPI Charts shall be provided IAW CmdO P5000.11 and CmdO 5201.1.

6.O.7.c The MCMC shall be subject to a government analysis and assessment of the Risk Key Performance Indicator (KPI) control charts on a quarterly basis for all internal risk control elements used to support the risk control plan portion of the Q&RCP. The Risk KPI Charts shall be provided IAW CmdO P5000.11, and CmdO 5230.1.

6.O.8 The MCMC shall participate in the Ship's Kick-Off briefing IAW CmdO P5000.11, and CmdO 5201.1. Participation is required to present the projected cost, schedule, conformance, and risk baseline for each ship's MMC.

6.O.9 The MCMC shall participate in the End-of-Ship (EOS) MCMC performance review IAW CmdO P5000.11. Participation is required to review cost, schedule, conformance and risk variations from those agreed to at the Ship's Kick-Off briefing as well as review of lessons learned that may be executed as CPI initiatives moving forward. The MCMC shall provide specific details for why KPIs covering cost, schedule, conformance and risk were different from those agreed to at the Ship's Kick-Off Briefing.

6.O.10 The MCMC shall maintain an annual ISO 9001:2015 Internal Audit Program IAW 9001

:2015 and CmdO P5000.11, and CmdO 5201.1. Each annual internal audit schedule shall be maintained on record for a period of 3 years. The MCMC shall submit, for government approval, the annual audit schedule NLT the 2nd week in September for the next fiscal year. Internal audits shall be conducted according to the annually approved Audit Schedule. The MCMC shall provide updates regarding the internal audit schedule at each Business Process and Quality Review Board (BPQRB).

6.O.11 The MCMC shall report on Continuous Process Improvement (CPI) IAW CmdO P5000.11. The MCMC is expected to use industry best practices for data collection, analysis and seek Government approval for implementation (when required) for CPI. The MCMC shall provide a CPI summary brief at each Quality/Risk Management Review Board occurring every six months.

6.O.12 The MCMC shall provide a Quality Control Plan (QCP) NLT 1 November on an annual basis. The QCP details how the MCMC intends to provide surveillance and verification of the performance requirements contained within the SOW. The QCP shall include, but not be limited to, the following:

- (i) Contain procedures for written and verbal communication with the Government regarding performance of the contract
- (ii) Contain clear, measurable, and acceptable levels of performance
- (iii) Contain procedures for preventing defects and deficiencies, early detection of problems, and handling corrective actions without dependence upon Government intervention
- (iv) Contain surveillance procedures for each service to be monitored under this SOW. These procedures shall identify the list of items under surveillance, who will perform the surveillance, the frequency and method of surveillance, and procedures for correction of deficiencies.
- (v) Include a system to investigate and resolve customer complaints forwarded by the Government. The investigation results shall be documented and forwarded to the Government to include immediate corrective actions.
- (vi) Files shall be maintained and be available to the COR upon request.

NOTE: The Government will monitor and arbitrate the joint use of on-base facilities and supporting requirements between the contractors (as/if required).

6.P NAVY MOBILE LOAD REQUIREMENTS

6.P.1 The MCMC shall download and inventory all mobile loads to include SL-3 IAW TM 4790-14/2, Government-approved Production Schedules, and Government-provided maintenance/production PCLs and applicable MCPIC plans.

6.P.1.a The MCMC shall provide downloaded Navy mobile loaded equipment/supplies to the appropriate commodity in the beginning of the production period.

6.P.1.b The MCMC shall prepare/label mobile loaded equipment/supplies during MMC production, preparing materiel for MPS backload at the conclusion of the ships' production cycles IAW Detailed Ship Plans and CmdO 4035.1

6.P.1.c The MCMC shall associate and load all Navy mobile loads IAW applicable MCPIC plans ensuring all equipment/supplies are marked/packed in MCPIC, IAW the Command Data Summary Standards Letter (CmdBul) 3162.

6.Q NAVY WEIGHT HANDLING EQUIPMENT (WHE) PROGRAM

6.Q.1 The MCMC shall establish and maintain a Navy WHE program for WHE and rigging gear IAW NAVFAC P-307, NAVFAC P-300, and Navy Consolidated Memorandum Receipt (CMR) via DPAS for pre-positioning assets (PO). The NAVFAC P-307 provides the requirements for designating WHE personnel, training, maintenance, inspection, test, certification, repair, alteration, operation, and the use of WHE owned by the US Navy.

6.Q.1.a The MCMC shall nominate, in writing, Weight Handling Program Manager for Navy WHE for Government approval and signature. The appointment letters (CDRL 6068) shall be submitted to the Navy COR for concurrence within 30 calendar days following contract award or change of personnel. The Weight Handling Program Manager shall be appointed by the Commanding Officer (CO) of BICmd. The requirements for this position shall be found in the NAVFAC P-307.

6.Q.1.b The MCMC shall nominate, in writing, a Licensing Official for Navy WHE for Government approval and signature. The appointment letters (CDRL 6068) shall be submitted to the Navy COR for concurrence within 30 calendar days following contract award or change of personnel. The Licensing Official shall be appointed by the Commanding Officer of BICmd. The requirements for this position shall be found in the NAVFAC P-307.

6.Q.1.c The MCMC shall nominate, in writing, a primary and secondary Certifying Official(s) for Navy WHE for Government approval and signature. The appointment letters (CDRL 6068) shall be submitted to the Navy COR for concurrence within 30 calendar days following contract award or change of personnel. The Certifying Official(s) shall be appointed by the Commanding Officer of BICmd. The requirements for this position shall be found in the NAVFAC P-307.

6.Q.1.d The Certifying Official shall appoint, in writing, a primary and secondary Load Test Director(s) and other personnel involved in the certification process for Navy WHE. Appointment letters (CDRL 6068) shall be submitted to the Navy COR for concurrence within 30 calendar days following contract award or change of personnel.

6.Q.1.e The MCMC shall provide qualified/trained personnel for the operation (to include movement and lifting), maintenance, inspection, and testing of Navy WHE and rigging gear.

6.Q.1.f The MCMC shall perform inspection, testing and certification for Navy Government furnished WHE/rigging gear IAW applicable maintenance manuals, NAVFAC P-300 and the NAVFAC P-307.

6.Q.1.g The MCMC shall provide notification of scheduled Navy WHE inspections and tests to the NAV-P. The MCMC shall send an e-mail notifying Government of any upcoming inspections/ testing of Navy WHE NLT five business days prior to performance of the inspection/test. All certifying inspections/testing shall be scheduled around ship offload/backload evolutions and destructive weather season, where possible, but not to exceed the current expiration date.

6.Q.1.h The MCMC shall establish and maintain an Inspection and Usage Program for all Navy WHE rigging gear IAW NAVFAC P-307. The Inspection and Usage Program shall be established and approved by NAV-P.

6.Q.1.i The MCMC shall notify NAV-P of any accidents involving Navy owned WHE/rigging gear. The MCMC shall notify NAV-P of any damage to any WHE or rigging gear verbally and via e-mail. The NAVFAC P-307 defines crane and rigging gear accidents and provides timeline requirements. Initial notification shall be submitted within two hours of occurrence. An accurate and complete Accident Investigation Report (CDRL 6069) shall be submitted within seven calendar days of the accident occurrence.

6.Q.1.j The MCMC shall report near misses and other unplanned occurrences involving Navy WHE/rigging gear. Near misses and unplanned occurrences are defined in the NAVFAC P-307. The initial notification of near misses and other unplanned occurrences involving Navy WHE/rigging gear shall be submitted within four hours of occurrence. Accurate and complete Near Miss Reports for “near misses” and other “unplanned occurrences” (CDRL 6070) shall be submitted within seven calendar days of occurrence.

6.Q.1.k The MCMC shall provide a minimum of two (2) licensed crane operators to support Navy operations and production schedules. The operators shall be licensed to operate, a minimum of a 300 Ton Crawler Crane, 150 Ton Mobile Boat Hoist, and a 65 Ton Rough Terrain Crane IAW NAVFAC P-307.

6.Q.1.l The MCMC shall ensure their Destructive Weather Plan (DWP) addresses NAVFAC P-307 and CmdO 3440 requirements for Navy owned cranes, to include but not limited to the Crawler Crane Rough Terrain Crane and Mobile Boat Hoists. The MCMC shall maintain a current copy of the Destructive Weather Plan inside the operator’s cab on each crane.

6.Q.1.m The MCMC shall provide a Crane Metrics Report (CDRL 6071) (SOW Attachment C.6-042) to the Navy COR NLT the 5th business day of each month. Minimum required metrics shall at a minimum include but not limited to the following:

- (i) Complete and accurate WHE inventory
- (ii) Crane and/or rigging gear accidents
- (iii) Near misses
- (iv) Unplanned occurrences
- (v) Crane reliability (to include time spent non-operational)
- (vi) Crane maintenance costs

6.Q.1.n MHE used to lift suspended loads shall meet the requirements of the NAVFAC P- 307.

6.Q.2 The MCMC shall procure all WHE load bearing parts, load controlling parts or operational safety devices from the OEM. Examples of load bearing, load controlling and operational safety devices can be found in the NAVFAC P-307.

6.Q.3 The MCMC shall identify if the load(s) to be lifted meet the requirements of a “Critical Lift” per section 10 of the NAVFAC P-307. Critical Lift Plans (CDRL 6072) (SOW Attachment C.6-040) (including rigging sketches where required) shall be completed prior to conducting all Critical Lifts. Critical Lift Plans shall be maintained in a unique binder, subject to Government review/audit.

6.Q.4 The MCMC shall perform an internal self-assessment of the WHE Program and report the results to the Navy COR NLT March 30th each year. Additionally, as directed, the MCMC shall support a Government lead assessment of the WHE Program.

6.Q.5 The MCMC shall provide a monthly WHP Monitoring Observation Report (CDRL 6073) (SOW Attachment C.6-043). This report shall include but is not limited to the following: Observations of in-process weight handling evolutions, maintenance inspections, and load testing. Key focus areas of the Monitoring Program should be to identify tangible deficiencies such as poor load control, inattentive crane team members, inadequate sling protection, and all other requirements set forth in Section 2 of the NAVFAC P-307. The Monitoring (observation) Report is due to the Navy COR NLT the 5th business day of each month.

6.R NAVY PLANNING & ESTIMATING REQUIREMENTS

6.R.1 (Phase Bravo) The MCMC shall perform structural, mechanical, electronics, electrical, deck drain and coating systems survey for all Navy Watercraft, including LARC and Amphibious Bulk Liquid Transfer Systems (ABLTS) in support of MPF Maintenance Cycle (MMC) IAW NAVSEA Standard Items (NAVSEAINST 9070.1).

6.R.1.a MCMC shall provide an accurate Detailed Report of Findings from the Navy Watercraft and ABLTS Survey, including the Corrosion Survey Report (CDRL 6074)

(SOW Attachment C.6-025) and a MCMC recommended Corrective Maintenance Memo to NAV-P within 60 calendar days of the MPS offload, typically at WDC-I.

- (i) MCMC shall take necessary measures to stop water intrusion identified during Phase B, identify location of leaks, and develop a descriptive scope of work for repairs that are not within MCMC capability to correct. No craft shall be allowed to incur water intrusion and associated progressive damage in any Phase of Maintenance, regardless of which commodity (RST, WMC, OST, CSS, etc) has custody of the craft.

6.R.1.b The MCMC shall provide an individual and descriptive scope of work (CDRL 6075) for the structural, mechanical, electronics, electrical, and coating system repair requirements identified in the initial survey of Navy Watercraft and associated amphibious systems within 10 business days after receipt of the Detailed Report of Findings. The statement of work will be serialized with a unique identifier using the craft serial number or ABLTS serial number IAW the scope of work and Government guidance.

- (i) The MCMC shall safeguard all lighterage/watercraft during maintenance availabilities, regardless of location. For off-site repair work, the statement of work/work order shall include the following basic measures:

- (ii) The sub-contractor shall exercise reasonable measures to protect the vessel from fire, flooding, wind and rain damage.

- (iii) The sub-contractor shall take reasonable measures on the vessel to prevent collateral damage leading to progressive rework in surrounding areas from the activities of welders, burners, painters, pipe fitters and/or similar workers. The sub-contractor shall provide for and ensure the cleanliness of interior spaces and that all fire hazards, dirt, debris, and waste is removed daily;

- (iv) The sub-contractor shall establish and maintain physical security boundaries, positive access controls, and other security measures to provide safeguards against unauthorized entry, malicious mischief, theft, espionage, sabotage, and terrorism.

6.R.1.c The MCMC shall provide an itemized cost estimate for Navy repairs identified in the scope of work from initial survey of Navy Watercraft and associated amphibious systems within 10 business days after the submittal of the statement of work. Estimate (CDRL 6076) shall be IAW FAR Acquisition Regulation (FAR) Subpart 15.4-Contract Pricing.

6.R.2 The MCMC shall provide a detailed and descriptive SOW (CDRL 6077) IAW NAVSEA Standard Items (NAVSEAINST 9070.1) for reoccurring support tasks, MRP standard work items (Cat II), or services that support the shore maintenance of all Navy lighterage/watercraft and

ABLTS within 10 business days of the requirement being identified. The SOW will be serialized with a unique identifier using the craft serial number or ABLTS serial number.

6.R.2.a The MCMC shall provide an itemized cost estimate for reoccurring support tasks (CDRL 6078) or services IAW the scope of work and Government guidance within 10 business days of the requirement being identified.

6.R.3 The MCMC shall provide a SOW IAW NAVSEA Standard Items (NAVSEAINST 9070.1) for Government identified maintenance tasks ISO organic lighterage (CDRL 6079) for the Navy mission within 10 business days of the requirement being identified. The SOW will be serialized with a unique identifier by organic equipment serial number or Navy mission nomenclature.

6.R.3.a The MCMC shall provide an itemized cost estimate (CDRL 6080) within 10 business days for repairs to organic equipment that supports Navy mission requirements IAW the statement of work.

6.R.4 The MCMC shall provide a Repair Log (CDRL 6081) for all Navy Corrective Maintenance. The work log shall include (as a minimum) the following information: MPS assigned, craft serial number, unique identifier from the statement of work, date SOW was written, date estimate was returned from the MCMC, % of completion, required task completion date, date completed, and description of work. The Repair Log shall be updated and submitted to NAV-P NLT the close of business on the second business day of each week.

6.S NAVY SAFETY REQUIREMENTS

6.S.1 The MCMC shall comply with Safety and Occupational Health requirements IAW Marine Corps Order 5100.29, 29 Code of Federal Regulations (CFR) 1910, 1915 and all applicable National Fire Protection Association codes/standards IAW 10.B.

6.T NAVY ENVIRONMENTAL REQUIREMENTS

6.T.1 The MCMC shall comply with all environmental requirements IAW all local, state and federal environmental statutes, regulations and standards. This includes Executive Orders (EO), Department of Defense (DoD), Department of Navy (DoN) and Marine Corps (USMC) Policies, Instructions and Directives IAW Section 10.C.

SECTION C.7 – SHIPBOARD AND EXERCISE SUPPORT

7. This Section delineates the activities required of the MCMC during the Afloat Phase of the MPF Program. The activities include surveillance, maintenance, and logistics services as identified in MCO P3000.17 and TM 4790-14/2. Additionally, this Section identifies the services that shall be performed to issue and recover Maritime Prepositioning Equipment and Supplies (MPE/S) during Maritime Prepositioning Ships (MPS) Operations. General maintenance management, quality control, supply, Key Management Infrastructure (KMI),

Transportation, Embarkation Data, Navy, and Organic Property requirements that are associated with afloat phase operations, are addressed in other sections within this SOW (Section C.2, Section C.4, Section C.6, and Section C.9). Work performance shall include places of debarkation throughout the world, during MPS exercises, contingencies, Maintenance Support Team (MST) or other types of scheduled and unscheduled downloads, as directed by the Government. Logistics Services (Preventative and Corrective Maintenance, Modifications, Calibration, Maintenance Management, Battery Services, Shelf-Life Management, Inventory Management, Limited Technical Inspection, Equipment Configuration, Exercise Support, Key Management Infrastructure, Shipboard Reports, and surveillance shall conform to the specifications described within the SOW. Shipboard logistics services aboard MPS, governed by the MCPP contract shall be performed in accordance with the afloat phase surveillance schedule.

7.A. The MCMC shall perform shipboard logistics (supply and maintenance) services in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense (DoD) guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation to deliver responsive, consistent, and reliable logistics solutions for Maritime Prepositioning Ships (MPS) afloat.

7.B. The MCMC shall perform surveillance for MPE/S during MPS afloat phase, to include prepositioned Military Equipment (ME), containers, Civil Engineering Support Equipment (CESE), square loaded Aviation Support Equipment, and installed communication end items. Afloat phase surveillance will not include Refrigeration End Units, Expeditionary Airfield (EAF), nor Navy LARCs and Lighterage. The MCMC shall report MPE/S maintenance and operational status. Maintenance reporting and documentation requirements are contained in Section C.2 of the SOW.”

7.C. The MCMC shall perform Operator Level Preventive Maintenance Checks and Services (PMCS) on MPE/S assets IAW applicable equipment operator manuals. As applicable per equipment TM, complete Operator (before, during, and after) PMCS during Semi-Annual start-ups (SASU) for square loaded rolling stock and non-rolling stock (e.g. generators, LVSR flatracks, etc.). For communications systems, perform the daily and weekly PMCS/Scheduled Services in conjunction with scheduled SASU. PMCS shall be completed every six months beginning 60 calendar days after MMC or upon completion of an MPS backload operation. The MCMC shall develop a local form and record PMCS actions required IAW the equipment technical manual for MPE/S. The PMCS record/form shall be locally generated and contain the following minimal information: TAMCN, Serial Number, deficiencies identified, date, and signature of the individual who completed the PMCS and the Supervisor that verified the completion of the service.

7.D. Battery Maintenance. I.A.W TM 9-6140-200-13 all batteries must be tested regularly. Batteries that register 12.1 volts or lower, indicating a state of charge SOC of 35% or less, should be charged to maintain proper SOC for vehicle roll-on, roll-off conditions. This guidance

specifically deviates from the previously referenced 12.65 volts, as the lower threshold is justified by historical experience with equipment preservation during long-term storage aboard MPF ships in dehumidified cargo holds. Battery testing and servicing shall be performed in conjunction with scheduled PMCS and prior to MPS offloads. The MCMC shall develop a comprehensive battery maintenance plan to be sufficient in scope and effort to minimize battery failure due to storage configuration by ensuring that equipment batteries are in a ready condition.

7.D.1 The MCMC shall complete all modifications that affect any Tactical Communications Systems and associated equipment (to include laptop computers) Authority to Operate (ATO) or Authority to Connect (ATC) to Marine Corps Tactical Networks when possible during a offload. Additionally, modifications affecting ATO or ATC shall be coordinated prior to any exercise / contingency offload for any items placed in a deferred maintenance status.

7.D.2. Marine Corps Transparent Armored Gun Shield (MCTAGS) batteries shall be installed and battery power cables connected in prepositioned tactical motor transport wheeled vehicles (ECV FOV, MTVR FOV, LVSF FOV, and JLTV FOV). For MCTAGS identified as mobile loaded or containerized systems:

- The MCMC shall ensure effective battery accountability, tracking, and issuing procedures are established and executed between the on-island battery facility and shipboard personnel.
- The MCMC shall ensure an effective battery plan is established aboard each ship to service, maintain, and issue MCTAGS batteries associated with mobile loaded or containerized systems during the afloat phase.

7.D.3. The MCMC shall maintain the Tactical Hand Held Radios (THHRs) IAW Graywacke Engineering Inc. User/Technical Manual (GEI-24-SAPS) and appropriate equipment TM's. THHRs and their primary batteries shall be maintained in the Stay Alive Power Systems (SAPS) at all times when not in use.

7.D.4. The MCMC shall perform quarterly recoil exercises on the M777A2 I.A.W. applicable equipment operator manuals and TI 10407C-OR/3 every 90 days after backload. The MCMC shall document quarterly recoil exercises by utilizing a service request and M777 Gun Book within GCSS-MC I.A.W. UM 4000.125.

7.D.5 The MCMC shall remove and maintain M777A2 hardware and waterproof caps within the ship(s) battery facility I.A.W applicable equipment technical manual. MCMC shall notify the Operation Department (Shipboard Branch) once the removal of the batteries has been accomplished. Batteries, hardware and waterproof caps shall be installed prior to offload I.A.W exercise support letter.

7.E. Stock Checks.

7.E.1. Square loaded assets. The MCMC shall preform visual Stock Check in all holds and compartments containing embarked MPE/S. Visually inspect MPE/S for safety and security problems, fuel level, leaks, flat/low tires, excessive corrosion, damage, pilferage, or loss. The MCMC shall develop a local form to document stock check results to include item (TAMCN/EC), description, serial number, location, date, defect found, and signature of inspector and supervisor. MPE/S, to include weapons and assets in the armory, shall be visually checked every 30 calendar days, starting 30 calendar days after load completion.

Note: The MCMC shall maintain Fuel Levels IAW Section C.9. Coordinate accounting data with the COR. Generate requests for fuel issue from ship's masters by completing a DD1149. Class of ship will vary in availability of fuel.

7.E.2. The MCMC shall check refrigerated containers weekly starting the first week after backload operations. MCMC shall monitor the temperature readings on all refrigerated containers containing Supply Class I (Rations), Class II (Set, Chests and Kits), Class VIII (Medical Supplies), Class IV (Repair Parts) during weekly inspections. Temperatures for Class I (Rations), Class II (Set, Chests and Kits), and Class IV (Repair Parts) shall be kept at 80 degrees or below Fahrenheit. Temperatures for Class VIII (Medical Supplies) shall be between 40-45 degrees Fahrenheit. Immediately report any abnormal readings observed to the ship's master and to the Government through electronic mail. The MCMC shall provide refrigerated container discrepancies in the next monthly SITREP.

Note: MCMC is not responsible for the afloat phase COSIS of refrigerated container end unit. The ship's Operating Companies are contracted for the care and maintenance of refrigerated container end units while embarked aboard MPS.

7.E.3. The MCMC shall replace lubricity fuel filters for Extended Boom Fork Lift (EBFL) IAW Filter Manufacturer Instructions. The lubricity fuel filters shall be replaced every 250 hours or 6 months after last replacement, whichever comes first. Fuel filters and strainers shall be permanently marked with date changed (MM-DD-YYYY). Service shall be recorded as a separate task under the PMCS Service Request in GCSS-MC. Validate lubricity fuel filters that have been replaced by operating forces during post-MPS exercise/contingency JLT. Report all instances of non-conformance to the COR.

7.F. Corrective Maintenance.

7.F.1. The MCMC shall perform Corrective Maintenance on MPE/S during the afloat phase IAW applicable technical manuals, UM 4000-125, or directives (SOUM, MAM, etc.). Corrective maintenance services shall be sufficient in scope and effort to correct all non-mission capable faults in order to restore equipment to a Mission Capable condition.

7.F.2. Complete Priority Designators 02 (Deadline) repairs within ten business days from the receipt of required repair parts. Complete Priority Designators 05 (Operational-Degraded) repairs within 15 business days from receipt of the required repair parts. Complete maintenance

and repairs for Priority Designators 12 (Operational-Minor) within 30 business days from the receipt of the required repair parts.

7.F.3. The MCMC shall complete all "Urgent" Modification Instructions (MI's) on tactical ground equipment embarked aboard ship IAW the UM 4000-125 and applicable Urgent MI contained on the Marine Corps Stock List (S-L-1/2). The MCMC shall notify the Government of Marine Corps published MIs that has potential application for Navy CESE assets. The Government will provide direction from the Contracting Officer on which modifications to accomplish for Navy CESE assets. Make every reasonable effort to complete equipment "Urgent modifications for equipment embarked aboard MPS vessels within the time compliance period specified in applicable technical manuals. In cases where completion of "Urgent modifications is not possible, the MCMC shall perform all maintenance actions possible, obtain all necessary modification kits/materials and place the equipment into a deferred maintenance status per Section C.2. Normal MI will be deferred to the MMC.

7.F.4. All non-mission capable equipment shall be repaired. In cases where completing maintenance actions are not possible (due to space restrictions, lack of special tools, and required repair parts), IAW UM 4000-125 within two business days, and add to the Deferred Maintenance Listing (DML).

7.F.5. MPE/S warranties are to be completed when applicable. See Section C.2.

7.G. MPS Exercises and Contingencies.

7.G.1. For each MPS exercise or contingency, the Contracting Officer will provide a Request for Proposal (RFP) that contains situation, mission, timelines, equipment density listing, milestones and planning assumptions.

7.G.2. For each exercise or contingency, the MCMC shall:

- provide a proposed Resource and Support Plan (CDRL 7002) for Contracting Officer approval NLT 10 business days after receiving government RFP. The plan shall include effort to support OPP operations, equipment offloads, arrival and assembly, reconstitution/regeneration, backload operations, and other requirements identified in the RFP.
- complete Logistics Services for IAW the approved Resource Plan.
- utilize and update the Government issued Consolidated Asset Listing (CAL) IAW Section C.4. Government produced CAL shall be used to document the issue of MPE/S to the Marines Air Ground Task Force's (MAGTF) Responsible Officer (RO). All changes to the CAL shall be coordinated through the TAAT OIC via the assigned COTR.
- perform Mobile Load Association validation during MPS offloads and backload Operations.
- prepare and issue Temporary Folders, GSSS-MC M777 Gun Book data shall be placed in equipment temporary folders as required per the RFP. Place equipment records, scheduled for offload, in a suitable container and organized by TAMCN and USMC

number before passing to the MAGTFs RO. As required, ensure original GSSS-MC M777 Gun Book data, along with Temp Equipment Folders and keys are accounted for prior to and after the JLT/SL-3 process.

- Issue Prepositioned Weapons IAW the approved Resource Plan. The MCMC shall follow the issuing, recovery, and documentation requirements associated with prepositioned weapons issues. See Section C.4.
- Issue and recover Key Management Infrastructure (KMI) assets IAW Section C.8. Temporary and permanent transfer procedures shall comply with the requirements reflected in Section C.8 (General Requirements). The MCMC shall complete and deliver a SF153 to the BICmd KMI manager via the exercise COTR.
- Issue/receipt of Navy assets (except for lighterage) IAW the approved Resource Plan. Assets shall be issued/received IAW Section C.6. Navy assets to be issued if requested and approved includes, but not limited to: NSE working boxes (NCHB EBL box and NSE EBL/Training box), RRDF deployment Kits w/12K Forklift, ABLTS deployment kits, TEU/TRICONS, , and NCE OPP block.
- Validate/check MPE/S prior to final staging for backload to meet configuration requirements upon completion of the MPS regeneration efforts.
- Validate/check MPE/S fuel levels in the final staging area and during the JLT/SL process (prior to MPS backload). Coordinate with the assigned COTR for equipment fueling or defueling.

7.H. Shipboard Reports. Shipboard reports (CDRL 7001) shall be prepared using standard Microsoft Office programs. The MCMC shall provide the following reports to the COR IAW the CDRL delivery schedule:

7.H.1. Monthly Situation Report (SITREP). Monthly SITREPs shall:

- Be submitted NLT the first business day of each month using the standardized format provided in SOW Attachment C.7-1.
- Accurately summarize Logistics Services provided during the afloat phase to include but not limited to:
 - Cover Sheet with Squadron Roll up of afloat actions
 - Stock Checks, corrective maintenance, and Inventories
 - Stock Discrepancy/Deterioration/Surveillance Status
 - Semi-Annual PMCS completed
 - Equipment Warranty Issues
 - Applicable directives (SOU, TI, MAM, etc.)
 - Organic Calibration Equipment (overdue)
 - General Comments or issues that affect the MCMC's ability to meet the performance standards of this SOW. Examples include:
 - MPS facilities or support concerns/issues
 - Refrigeration issues
 - Inability to perform MPE/S services.
 - Recommendations for ship alterations to better accommodate shipboard requirements.

- Overtime hours
- THHR and DML by MPS

7.H.2. The MCMC shall submit an accurate electronic Monthly Permanent Government Personnel Report (PGP) (CDRL 7003) NLT the first business day of each month using the standardized format provided in SOW Attachment C.7-2. The Squadron Supervisor shall provide a copy of the report to the COMPSRON. Each ship supervisor shall provide a copy of the PGP report to the ship's Captain/Master. The following data is required:

- Ship Name by Squadron
- List of Personnel (Name, Billet, Grade (as applicable))
- Actual number of calendar days on ship
Note: If a MCMC has an assigned room aboard MPS and is present during meal hours, that person is considered to be aboard ship for one day.
- Remarks to include any absences (e.g., leave of absence, vacation, stranded ashore, etc.)
- Any personnel coordinated to stay aboard by BICmd or any visitors sponsored by the MCMC.

7.H.3. Weekly Staffing Report. Weekly Shipboard Staffing Report (CDRL 7004) shall:

- be submitted NLT COB Tuesday of each week (separate from the PGP report) using format contained in SOW Attachment C.7-3.
- contain a list of names of MCMC Shipboard personnel assigned by location (i.e. Squadron, Ship, BICmd). The format shall include:
 - billet of the individual
 - where they are located
 - current status
 - any vacancies
 - projected new hires
 - pending and unexpected terminations
 - hired personnel not afloat for more than sixty days

7.H.4. Semi-Annual Startup (SASU) Report. SASU will commence six months after Ship departs MMC and continues every six months until the next MMC or contingency offload. The SASU Report (CDRL 7011) shall:

- be submitted 15 business days upon SASU completion using format contained in SOW Attachment C.7-4.
- include the following:
 - Detailed Start-up Results Sheet
 - Battery Evaluation Form
 - SASU Ship Assistance Request
 - SASU Plan
 - SASU Safety Brief
 - Training Attendance Record
 - B2561 PMCS Report
 - Battery Recharging/Maintenance Plan

- Provide Maintenance Check/SASU Form upon request

7.H.5. Pre-Exercise Status Report. IAW the exercise approved Resource Plan, the MCMC will perform equipment serviceability and function checks to include battery condition and fluid checks for equipment identified for offload in support of MPS exercises. The Pre-Exercise Status Report (CDRL 7005) shall:

- be submitted using format contained in SOW Attachment C.7-5.
- contain the following topics associated with the approved final Equipment Density Listing (EDL):
 - Exercise Equipment
 - Move Only Equipment
 - Battery Evaluation Form
 - Open Service Requests
 - Temporary Record Folder Status
 - Corrective Action Plan
 - Recommended Equipment Changes
 - Listing of Equipment Containing KMI
 - OPP Deficiency Report

7.H.6. Post Exercise Discrepancy Listing (PEDL). The MCMC shall deliver a draft PEDL to the TAAT OIC upon completion of backload and deck validation. The final report (CDRL 7006) will be delivered to the COR NLT 10 business days after completion of exercise or backload operations.. The PEDL shall include equipment damages occurred during initial offload, exercise, final backload, and deck validation. The MCMC shall submit PEDL electronically using the format contained in SOW Attachment C.7-6. This format includes the following information:

- Equipment TAMCN Control Number/ECC
- Equipment Serial #
- Equipment Nomenclature
- National Item Identification Number (NIIN)/Part Number
- Nomenclature
- Combat Essentiality Code (CEC)
- Quantity
- Unit of Issue (U/I)
- Cost (Each)
- Total Cost
- Remarks
- Total Cost (all deficiencies)

7.H.7. Post Exercise Cost Estimate. The MCMC shall deliver a total exercise cost report that includes all costs for supplies and services performed in support of the exercise. The final report shall be delivered electronically to the COR NLT 10 business days after completion of exercise or backload..

7.H.8 The MCMC shall provide a Shipboard Post Exercise After Action Report (CDRL 7007) NLT 15 calendar days after completion of exercise or backload operation. Standard format of topic, discussion, and recommendation shall be used to identify MCMC perspective regarding risks and issues throughout planning and execution of the exercise.

7.H.9. 120 Day Pre-MMC Report. The MCMC shall submit a 120 Day Pre-MMC report (CDRL 7008) NLT 120 calendar days before scheduled MMC ship offload. The report shall include the results of equipment maintenance issues that affect equipment offload and maintenance cycle production to include GCSS-MC Service Requests (SR) and open parts trailers to be transferred to maintenance commodities prior to the start of MMC production using format contained in SOW Attachment C.7-7 and contained in the following information:

- Battery List, (Enclosure 2 of latest SASU Report)
- Serviceable Battery Turn in List
- Unserviceable Battery List
- Lithium Battery Turn in List
- Equipment Recovery Offload Requirements (Requires Tow/Lift)
- Flat Tire List
- Exercised Equipment List
 - with miles and hours accumulated during exercise(s)
- DSI Turn In List
- Shop Overhead Consumables Turn in List
- USMC and USN OPP Blocks Lists
- USMC and USN Serialized Weapons Inventories
 - w/VSTF Seal Listings
- SECREP Turn In List
- POL and HAZMAT Lists
- Contractor Acquired Property (CAP) DPAS Service List
- Request for GFE Tools and SMEL Items
- Excess Parts List/Rollback (for turn into MMC production)
- Deferred Maintenance List
- Calibration Turn In List

7.I. Stranded Ashore. MCMC stranded ashore at a foreign port due to launch transportation non-availability shall be deemed in a per diem status. Per diem will be paid per the rates contained in the current edition of the Joint Travel Regulations. Waivers to this clause shall only be granted by the Contracting Officer and will be handled on a case-by-case basis. The following information must be submitted by the MCMC for payment of the appropriate per diem using standard letter format: Employee Name and Signature, Ship Name, Date(s), Time(s), and Reason (e.g., Weather, Ship Schedule, etc.).

- Ship Master's verification and MCMC Supervisor endorsement for every scheduled trip unavailable while they are deemed to be in a per diem status.
- Employee Expense Report with receipts.

Notes:

- Rental car not authorized.
- In the event the MCMC must disembark an MPS due to mechanical or services related issues, the Squadron Supervisor shall make every effort to arrange for temporary billeting on one or more of the other MPS in that location prior to requesting approval for temporary lodging ashore from the COR.

7.J. MCMC subordinate to Ship's Master. All MCMC personnel aboard a ship shall be subject to the direction of the Ship's Master in matters relating to or affecting the navigation, operation and safety of the ship, and the loading and discharge of cargo and equipment. The ship's master has the authority to remove MCMC personnel from the ship under negative conditions that involve the safety and security of the vessel, poor house-keeping, and good order and discipline aboard MPS. aa7.J.1. The MCMC Supervisors are designated as licensed officers under ISSA.

7.J.2. The MCMC shall provide the following housekeeping functions aboard ship:

- Cleaning the USMC maintenance shop spaces and non-common use accesses to shop spaces routinely used by the MCMC.
- Sanitary cleaning of berths and heads assigned to the MCMC.
- Materials required for cleaning shall be coordinated with the Chief Steward, via the Ship's Master or Chief Mate.

7.J.3. Conduct of Contractor Personnel. The MCMC shall bear all costs associated with replacing the employee in the event it becomes necessary to remove any employee from the ship. The MCMC shall have shipboard replacement personnel available at the applicable port within 30 days in the event an assigned person's employment is terminated. Reasons for contractor removal may include, but not limited to the following:

- Employee is found to be a security risk.
- Employee is found to have violated orders of the ship's master, or ship's regulations.
- Employee is found in violation of federal or state laws.
- Employee is found in violation of local laws in a foreign country.

7.K. Government Furnished Services. The Government will provide certain services and support for contractor employees specifically assigned to work aboard MPS. Services and support include:

- Unaccompanied baggage authorization. Employees are authorized a 300 pound weight allowance for unaccompanied baggage allowance under the following conditions; initial assignment to a ship and after successful completion of a contract assignment. On transfer due to promotion or increases or decreases in authorized personnel per ship due to government direction. On a case-by-case basis, as approved by the Government, special circumstances will authorized (e.g., extended temporary duty assignments, hardships). The most economical (i.e. lowest cost) means of shipment, normally U.S. Mail is utilized.)Food, lodging, internet and email access for official Government or contractor proprietary business, and other certain personal services through Inter-Service Support Agreement (ISSA) between BICmd and Military Sealift Command (MSC).
- Fleet post office mailing privileges, subject to geographic availability.

- Use of ship's store and recreational facilities, subject to hours of operation.
- Use of crew's laundry (self-service).
- Contractor personnel may make personal phone calls on a "not-to-interfere" basis via the ship's communications equipment, subject to any charges associated for this service. Use will be subject to operational restrictions and shall only be provided at the discretion of the Ship's Master.
- Privileges at military exchanges, clubs, commissaries, medical facilities, are limited to areas where commercial facilities are not available. To ensure contract requirements are met, shipboard employees shall be issued a Letter of Authorization (LOA) in the Synchronized Pre-deployment & Operational Tracker (SPOT) database. The privileges will be incorporated onto the employees Common Access Card (CAC). The website for access is <https://spot.dmdc.mil>; this website requires an account to generate by name LOA's. The LOA's should be generated during the pre-deployment process for new employees before the CAC is issued. A SPOT LOA must be generated for those employees who are located OCONUS and do not have the required privileges. Coordinate this effort with the COR to ensure all employees have the appropriate privileges.
- Medical services aboard ship is limited. There will be no routine medical care provided aboard ship to the MCMC. The MCMC shall make their own arrangements for medical services ashore at their own expense.
- No dental services will be available on MPS.
- In most cases, each employee will be given a single stateroom with private bathroom and shower. Some staterooms may be designated as double occupancy and have shared bathroom and shower.
- Transportation to and from the ships while anchored at sea (arranged by the Ship's Master).
- Initial training for use of Government required Automated Information Systems (AIS).
- New equipment training will be provided by the Government, as required.

7.L. The MCMC shall submit a MSC SAAR-N for access to shipboard networks in accordance with Government ISO procedures.

7.M. For ammunition billets aboard T-AKE vessels, the MCMC shall submit Arms, Ammunition and Explosives Screening (AA&E) forms (CDRL 7010) IAW MCO 8027. __, OPNAVINST 8027.B4, and MCO 5530.14 within 30 calendar days of boarding their assigned ship.

7.N. CBRN Filters.

7.N.1. The MCMC shall not remove or replace installed "training" CBRN filters during the afloat phase or for MPS training exercises, unless specifically directed by the COR. See Section C.3.A.14 for a list of equipment and filters.

7.N.2. During OPP Orientation Briefs, the MCMC Shipboard Supervisor(s) shall brief the OPP OIC on the availability and intended use of the “training” and “contingency” CBRN filters currently installed and loaded in support of each vehicle.

7.N.3. During the afloat phase, if a CBRN “contingency” filter lot number is placed in Condition Code “H” status for expiration date, or did not pass shelf life extension testing, the MCMC shall requisition new Condition Code “A” CBRN “contingency” filter(s) and forward them to the appropriate ship(s). The MCMC shall remove Condition Code “H” filter(s) that were loaded on the vehicle(s) and replace them with the new Condition Code “A” filter(s).

7.N.4. The MCMC shall develop and implement internal shipboard procedures which ensure any replaced Condition Code “H” filter(s) that are removed from prepositioned assets are visibly identified as non-conforming product with the condition code clearly marked, separated, and held until the ship returns to its next scheduled MMC for proper disposition.

7.O. Shipboard Supervisors shall ensure the COR is informed of all afloat communications (e.g. unscheduled overtime requirements, ashore coordination, schedule, requests for information, etc.) that will influence routine daily business or prepositioned assets.

7.P. While forward deployed, the Shipboard Contracting Officer’s Technical Representative (COTR) will act as the interface between MCMC, Contracting Officer’s Representative (COR), and the Contracting Officer (KO) and has the authority to clarify work requirements and verify the extent to which requirements are met. The COR and COTR are the coordinating links between MCMC, Ship Masters, COMPSRON Staff, BICmd Technical Assistance and Advisory Team (TAAT), and operational forces drawing MPE/S from MPS.

7.Q MCPP-PHIL and future ashore exercises.

7.Q.1. For each MCPP-PHIL and Ashore Site exercise or contingency, the Contracting Officer will provide an exercise support letter that contains situation, mission, timelines, equipment density listing, milestones and planning assumptions.

- 7.Q.2. For each exercise or contingency, the MCMC shall:
- Provide a proposed Resource and Support Plan for Contracting Officer approval NLT 10 business days after receiving government RFP. The plan shall include effort to support withdrawal operations, arrival and assembly, reconstitution/regeneration operations, and other requirements identified in the exercise support letter primarily with the locally assigned labor and shall only request augmentation/travel where local resources are insufficient.
- Complete Logistics Services IAW the approved Resource Plan.
- Utilize and update a Consolidated Asset Listing (CAL) IAW Section C.4. MCPIC produced CAL shall be used to document the issue of MPE/S to the Marine Air Ground Task Force (MAGTF) Responsible Officer (RO). All changes to the CAL shall be coordinated through the COR or TAAT OIC.

- Perform Mobile Load Association/SL-3 validation during withdrawal regeneration/reconstitution operations.
- Prepare and issue temporary equipment record jackets. Place equipment records, scheduled for withdrawal, in a suitable container organized by TAMCN and USMC number before passing to the MAGTF's RO.
- Issue and recover Key Management Infrastructure (KMI) assets IAW Section C.8. Temporary and permanent transfer procedures shall comply with the requirements reflected in Section C.8 (General Requirements). The MCMC shall complete and deliver a SF153 to the BICmd KMI manager via the exercise COTR.
- Validate/check MPE/S prior to final storage to meet configuration requirements upon completion of the regeneration efforts.
- Validate/check MPE/S fuel levels in the final staging area and during the JLT I process. Coordinate with the assigned COTR for equipment fueling or defueling.

7.Q.3. Pre-Exercise Status Report. IAW the exercise approved Resource Plan, the MCMC shall perform equipment serviceability and function checks to include battery condition and fluid checks for equipment identified for MCPP-PHIL/Ashore site exercises. The Pre-Exercise Status Report shall:

- be submitted using format contained in SOW Attachment C.7-5.
- contain the following topics associated with the approved final Equipment Density Listing (EDL):
 - Exercise Equipment
 - Battery Evaluation Form
 - Open Service Requests
 - Temporary Record Folder Status
 - Corrective Action Plan
 - Recommended Equipment Changes
 - Listing of Equipment Containing KMI
 - EPP Deficiency Report

7.Q.4. Post Exercise Discrepancy Listing (PEDL). The MCMC shall deliver a draft PEDL to the TAAT OIC upon completion of regeneration/reconstitution operations. The final report shall be delivered to the COR NLT 10 business days after completion of exercise or backload operations. The PEDL shall include equipment damages incurred during initial withdrawal, exercise, and regeneration/reconstitution. The MCMC shall submit PEDL electronically using the format contained in SOW Attachment C.7-6. This format includes the following information:

- Equipment TAMCN Control Number/ECC
- Equipment Serial #
- Equipment Nomenclature
- National Item Identification Number (NIIN)/Part Number
- Nomenclature
- Combat Essentiality Code (CEC)
- Quantity

- Unit of Issue (U/I)
- Cost (Each)
- Total Cost
- Remarks
- Total Cost (all deficiencies)

7.Q.5 Post Exercise Cost Estimate. The MCMC shall deliver a total exercise cost report that includes all costs for supplies and services performed in support of the exercise. The final report shall be delivered electronically to the COR NLT 10 business days after completion of exercise regeneration/reconstitution.

SECTION C.8 - KEY MANAGEMENT INFRASTRUCTURE

This Section provides overarching guidance for the proper management and positive control of Key Management Infrastructure (KMI) assets during prepositioning and ashore operations. A KMI Account is assigned to BICmd for management of all Communications Security (COMSEC)/Controlled Cryptographic Item (CCI) assets. The mission of KMI is to ensure the proper distribution, control, security and accountability of COMSEC/CCI materiel used to maintain the cryptographic security of the Department of the Navy Communications. KMI provides for the security of highly sensitive, classified COMSEC and COMSEC-related materiel/equipment. KMI Support Services as described below are required at all program operating locations.

The MCMC shall perform KMI support operations as Local Elements, Issuing or Using in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense guidance and directives and shall ensure the proper management, maintenance and inventory control of KMI assets assigned to them during prepositioning and ashore operations. KMI support operations at all locations governed by the contract shall be performed in support of the MCPP contract in accordance with the schedule and requirements listed below.

8.A. ADMINISTRATIVE REQUIREMENTS

8.A.1 The MCMC shall appoint, in writing, Primary and Alternate Local Element (LE) personnel IAW CMS-1 (Series), , and MCO 2281.1 (Series). The letters of appointment shall be forwarded to for concurrence and endorsement by BICmd Commanding Officer. Appointment letters shall be forwarded to the BICmd Contract Office no later than 60 calendar days after Change of Command for all LEs.

8.A.2 The MCMC shall forward, in writing, a list of personnel that require access to COMSEC material IAW CMS 1 (Series), , and MCO 2281.1 (Series) within 10 business days upon change of personnel. The COMSEC personnel Access Listing shall be updated and forwarded to the

BICmd Key Management Infrastructure Operating Account Manager (KOAM) anytime that an employee is added or removed from listing.

8.A.3 The MCMC shall submit to the BICmd KOAM an Initial KMI Incident Report for all KMI incidents IAW CMS 1 (Series) within 24 hours of incident discovery.

8.A.4 The MCMC shall submit an Emergency Action Plan (EAP) to the Government KOAM for all Local Elements IAW CMS 1 (Series) within the first 10 business days every October. Individual Plans shall be submitted to the Government KOAM via the LE's respective managers.

8.A.5 MCMC conduct KMI local elements operations at MCPP-N, MCPP-PHIL, and shall plan to conduct them at future ashore sites when established.

8.B INVENTORY AND ACCOUNTABILITY

8.B.1 The MCMC shall gain approval from the Government KOAM prior to receiving or transferring any COMSEC Material via SF-153 IAW CMS 1 (Series) and . COMSEC Material shall be issued on SF-153 provided by the Government KOAM.

8.B.2 The MCMC shall perform semi-annual inventories during June and December on all COMSEC Material maintained by the LE IAW CMS 1 (Series), EKMS-1E SUPP-1A, and MCO 2281.1 (Series) and all applicable orders and directives as referenced within these documents. Semi-Annual Inventory results will be forwarded from the LEs via their respective managers to the BICmd KOAM NLT 10 business days after the inventory is forwarded to the LE. Of the semi-annual inventories for the Philippines and Norway and all off island land based local elements, the June inventory shall be conducted as a joint inventory.

8.B.3 The MCMC shall perform and provide an accompanied Quarterly Inventory on all COMSEC assets maintained in the on-island supply accounts IAW CMS 1 (Series), , and MCO 2281.1 (Series) and all applicable orders and directives as referenced within these documents. The Quarterly Inventory Report shall be submitted to the BICmd KOAM NLT 10 business days after completion of inventory.

8.B.4 In addition, the MCMC shall perform and provide an inventory upon LE personnel rotation IAW CMS 1 (Series), and MCO 2281.1(Series) and all applicable orders and directives as referenced within these documents. Inventory results shall be submitted to the BICmd KOAM NLT 10 business days after completion of inventory.

8.B.5 The MCMC shall provide a monthly spot check IAW CMS-3(Series) utilizing Contract Attachment 6.a. Results of the monthly spot check shall be forwarded to the BICmd KOAM NLT 10 business days after completion of spot check(s).

8.C STORAGE, HANDLING, AND TRANSPORTATION

8.C.1 The MCMC shall establish and maintain U.S. Post Office Boxes in Diego Garcia and Saipan. Establishment of P.O. Boxes in Diego Garcia and Saipan will allow for the Shipboard Supervisor to ship and receive Controlled Cryptographic Items (CCI) to and from the BICmd account IAW CMS 1 (Series), and MCO 2281.1(Series) and all applicable orders and directives as referenced within these documents. The MCMC shall establish an FPO/AP address at the US Embassy in the Philippines to allow the KMI LE to ship and receive Controlled Cryptographic Items (CCI).

8.C.2 The MCMC shall return all mobile COMSEC materiel to the parent KMI account IAW CMS 1 (Series), and MCO 2281.1(Series) and all applicable orders and directives as referenced within these documents. Shipboard personnel are accountable for CCI, therefore ME will not be removed from the staging area or turned over to any other commodity until the COMSEC/CCI has been removed by Shipboard personnel and turned in to the KOAM. Ashore Based Prepositioning Programs will inventory and remove all CCI from vehicles upon return of systems from exercises. Material shall be returned to parent KMI account within ninety-six (96) hours after the vehicles have been downloaded during the regularly scheduled maintenance cycle.

8.D MAINTENANCE

8.D.1 The MCMC shall ensure that all personnel performing maintenance on telecommunications equipment containing cryptographic items have an updated DD Form 1435 (COMSEC Maintenance Training and Experience Record) IAW DODINST 4660.2 and all applicable orders and directives as referenced within these documents.

8.D.2 The MCMC shall ensure that all personnel performing maintenance on telecommunications equipment containing cryptographic items complete KMI awareness training annually IAW DODINST 4660.2 and all applicable orders and directives as referenced within these documents. The MCMC shall submit the applicable KMI Awareness Training roster and certificate(s) of completion to the BICmd KOAM.

8.D.3 The MCMC shall submit SD 572 (Cryptographic Access Certification and Termination Form), DD FORM 2625 (Controlled Cryptographic Item (CCI) Briefing and COMSEC Briefing and Acknowledgment Form as required. upon assignment of any LE personnel IAW CMS 1 (Series) and . The MCMC shall submit all required documents to the Government KMI Office within 10 business days of personnel assignment.

8.E TRAINING

8.E.1 The MCMC shall ensure that all personnel designated as Primary or Alternate Local Element complete KMI Computer Based Training Modules (CBT) and submit certificates of completion to the Government KOAM IAW MCO 2281.1 (Series) and all applicable orders and

directives as referenced within this document. Personnel shall complete the CBT prior to receiving any formal training from the BICmd KOAM.

8.E.2 The MCMC shall ensure that all personnel designated to handle COMSEC Equipment complete monthly training requirements (NTE one hour per month) and submit training rosters to the BICmd KOAM IAW CMS 1 (Series), and MCO 2281.1 (Series) and all applicable orders and directives as referenced within these documents. Monthly training requirements are set forth by the Annual Training Schedule provided by the BICmd KOAM. The monthly Training Attendance Roster and certificate(s) of completion shall be submitted to the BICmd KOAM NLT the 1st week of the following month.

8.E.3 The MCMC shall ensure that all personnel designated as Primary or Alternate LE receive COMSEC refresher training from the BICmd KOAM prior to redeployment IAW CMS 1 (Series), , and MCO 2281.1(Series) and all applicable orders and directives as referenced within these documents. BICmd KOAM shall provide training to all designated personnel prior to redeployment. All LE personnel must pass an end of course test.

SECTION C.9 - PORT OPERATIONS SUPPORT

This Section sets forth the requirements and responsibilities of the MCMC for Port Operations services during offload and backload evolutions of Marine Corps Maritime Prepositioning Ships (MPS) in support of the Marine Corps Maritime Prepositioning Force (MPF) Maintenance Cycle (MMC). The mission of the MCMC relative to offload/backload operations is to provide support as required by the Government Port Operations Branch during the offload and backload of United States Navy and United States Marine Corps equipment and supplies aboard MPS in a safe, efficient and timely manner.

The MCMC shall support all offload/backload operations in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation. Operations at all locations governed by the MCPP contract shall be performed in accordance with published ship Planning Objectives and Milestones (POA&Ms) and published Plans and Data timelines. Products shall conform to the specifications described within this section. Quality assurance measurements will be governed by the performance requirements and standards associated with this section and specifications described within Section C.2. Requirements and clarifications identified herein are those specific to product/service delivery in support of offload/backload operations. The MCMC shall adhere to these requirements.

9.A PORT OPERATIONS AND EMBARKATION SUPPORT

9.A.1 The MCMC shall support all required maintenance actions and embarkation support IAW the current vessel Letter of Instruction (LOI), POA&M and Ship Confirmation Brief. Including

recovery actions for deadlined items as may be required for shipboard prepositioned vehicular assets in conjunction with Port Operations and provide qualified personnel for electrical boost starting of vehicles that have been prepositioned aboard ships or that have been staged shore side for backload.

9.A.2 The MCMC shall download and backload all prepositioned COSIS, Offload Preparation Party (OPP), Petroleum, Oils, and Lubricants (POL), Armory and Battery Blocks IAW approved LOI, POA&M and Ship Confirmation Brief.

9.A.3 The MCMC shall execute all lighterage offload/backload operations IAW the approved LOI, POA&M, Section C.6 Navy and the Ship Confirmation Brief.

9.A.4 The MCMC shall stage all vehicles and equipment in preparation for MPS backload operations IAW the Vehicle Staging List provided by BICmd Port Operations. The MCMC shall remove all debris and garbage from vehicles prior to being staged for backload IAW the USDA Compliance Agreement. This task shall be completed prior to vehicle staging. Staged vehicles shall not be removed from the staging lot without permission from Port Operations. Staging shall be completed IAW published MMC Notional POA&M (SOW Attachment C.1-3).

9.A.5 The MCMC shall stage all containers in preparation for MPS backload operations IAW the Container Staging List provided by Port Operations. The MCMC shall wash all containers prior to being staged IAW the USDA Compliance Agreement. If a container delivered to the staging area has not been washed properly, the container will be sent back to be rewashed and inspected before backload is permitted. Staging shall be complete IAW published MMC Notional POA&M (SOW Attachment C.1-3).

9.A.6 The MCMC shall secure mobile loads IAW MIL-STD-209 and MCRP 4-11.3. Mobile loads will be secured to prime movers to ensure it does not become damaged during ship offload, backload and transportation and is completed IAW the MIL Standard; no damage shall occur to mobile load prior to the ship's departure. Mobile loads will not exceed the maximum transport weight listed in the applicable TMs or Government provided supplemental information. The MCMC shall ensure that current advisories, safety of use messages, etc. are adhered to when securing mobile loads.

9.A.7 The MCMC shall ensure all mobile load and PEI equipment overall height does not exceed the requirements set forth in the Mobile Load Association Plan. This task shall be accomplished prior to staging. Failure to complete this task as required places backload operations at risk due to exceeding MPS deck height restrictions.

9.A.8 The MCMC shall validate the ship's drawings against the actual as loaded vessel; validations and updates shall be completed prior to the ship's departure and approved by Port Operations.

9.B FUEL LEVEL REQUIREMENTS

9.B.1 The MCMC shall fill all Military Equipment (ME) with registered JP-5 fuel to 3/4 of a tank of fuel or 110 gallons whichever is less, plus (+) or minus (-) the width of the fuel gage needle prior to equipment staging. Trailer mounted Generators and Light Sets shall contain 1/2 tank of registered JP-5 fuel. Fuel tanks shall be emptied for all containerized ME assets.

T-AKE Specific: Fuel tanks shall be empty for all ME stowed within the holds of T-AKE class vessels. Refer to Section C.2 Maintenance Management for fuel requirements associated with all other ME.FICODES

MCP-PHIL Specific: The MCMC shall fill all ME from 1/2 to 3/4 tank of fuel .

9.B.2 The MCMC shall drain and purge all containerized, mobile loaded, square loaded MPE/S fuel cells embarked aboard T-AKE and MPS ME

9.C VEHICLES AND EQUIPMENT

9.C.1 The MCMC shall disconnect all vehicles' negative battery cables and take adequate precautions to prevent damage, short circuiting and spillage of the battery electrolyte IAW DOT-SP 12362, Eighth Revision.

9.C.2 The MCMC shall provide a listing of all hazardous containers by Container Number and IMO code IAW published MMC Notional POA&M (CDRL 9001) (SOW Attachment C.1-3).

SECTION C.10 - INSTALLATION SUPPORT SERVICES

This Section sets forth the requirements and responsibilities of the MCMC to support Marine Corps Support Facility Blount Island (MCSF-BI) operational mission when dealing with those equipment management and maintenance requirements associated with the Marine Corps Prepositioning Programs (MCP-P). Materiel referred to in this section is defined as non-Information Technology (IT) equipment. The government is responsible for maintenance of IT equipment. For non-IT equipment, these other support services are vital to the success of the mission by ensuring the installations equipment support assets, environmental needs, and safety requirements are always available to support the BICmd operational mission and training requirements. MCSF-BI plans, coordinates, and executes facility maintenance, construction, environmental management, safety, communications/network services, and physical security efforts in support of Blount Island Command's (BICmd) logistics mission of managing/executing the Marine Corps Prepositioning Programs. In support of the BICmd's logistics mission of executing the MCP-P MCSF-BI coordinates and executes the installation's facility maintenance, repair and construction requirements; manages both the MCSF-BI and BICmd personnel safety programs; and provides environmental management and oversight.

The following paragraphs within this Section will provide greater details on such requirements as, but not limited to; compliance with safety and environmental regulations; the need to

maintain and operate specialized equipment (gantry crane, overhead cranes, oil lube and recovery system, jib hoists, boats and outboard motors, sprung shelters, trailers, etc.); the need to provide manatee watch in support of the Military Sealift Command (MSC) ship movements and other vessels entering/leaving the slipway; and operating and maintaining the wood mulching machine. BICmd leased facilities for MCPP-PHIL operations; the MCMC is a tenant in them. MCMC shall provide safety, environmental, hazardous material/waste services, POL storage, pollution prevention, spill response and clean up services. However, MCMC is exempted from installation maintenance and repair, pest management, waste management, services in MCPP-PHIL.

10.A EQUIPMENT SUPPORT AND MANAGEMENT

10.A.1 General Information. The Contractor shall provide all labor, management, and supervision, as well as designated tools, material, and equipment required to perform Equipment Support and Management services at MCSF-BI, Jacksonville, Florida.

10.A.1.a Outline of Services. The intent of 10.A is to specify the requirements for a program consisting of vehicles and equipment maintenance and repairs, vehicle and equipment operations to include dispatch, Weight Handling Equipment (WHE), Material Handling Equipment (MHE), Aerial Work Platforms (AWP), liquid movements, operator licensing and training, inspection and certification and specified administrative program management. Facilities mounted WHE (CAT II and III) are also included in this spec section due to the consolidated program and management oversight of mission critical WHE assets.

10.A.2 Management and Administration

10.A.2.a Definitions and Acronyms. Definitions and Acronyms are listed in C.10-01.

10.A.2.b Personnel. The contractor shall provide personnel with the qualifications, specified below.

(i) Certification, Training, and Licensing. The Contractor shall provide personnel with the qualifications, technical knowledge, experience and skills required for efficient operations within the Equipment Support and Management function.

NTVE operators shall comply with all Federal, State, and local laws and regulators regarding certification, training and licensing.

WHE operators shall comply with standards stated in NAVFAC P-307.

Non-Tactical Vehicles and Equipment (NTVE) operators shall comply with the standards stated in MCO 11240.106_

Personnel working on electric vehicles shall be certified to work on the electrical components, sub-assemblies and assemblies.

(ii) Key Personnel

(1) Transportation Manager. The Contractor shall provide an on-site Transportation Operations Manager who shall have authority and responsibility for assuring performance objectives and standards identified in spec 10.A are met. The Transportation Operations Manager shall have a minimum of 5 years' experience in managing Transportation Operations in projects of similar size, scope and complexity. The Transportation Manager shall not be the same person as the WHE Operation and Maintenance Manager.

(2) WHE Operation and Maintenance Manager. The Contractor shall provide a Weight Handling Equipment (WHE) Operation and Maintenance (O&M) Manager with full authority to ensure safe and effective crane operations. The WHE O&M Manager shall have a minimum of 10 years of experience involving weight handling equipment operation and maintenance. Five years' experience must involve supervision or management of weight handling equipment personnel and equipment. The WHE Operation and Maintenance Manager shall not be the same person as the Transportation Manager.

10.A.2.c Special Requirements

(i) Safety. Vehicles used for transporting ammunition, explosives, or other dangerous/hazardous material shall be marked and operated by the rules and regulations prescribed by the Federal Motor Carrier Safety Regulations, U.S. Department of Transportation, Federal Highway Administration, Bureau of Motor Carrier Safety.

(ii) Permits and Licenses. The Contractor shall obtain all required permits, licenses, and authorizations to perform for the movement of overweight/oversized loads on public highways and comply with all the applicable Federal, state and local laws and regulations. The Contractor shall submit copies of Permits and Licenses (CDRL 10002).

(iii) Audits Evaluations and Inspections. The contractor shall provide assistance and cooperation for all authorized related equipment related inspections, internal review, audits, evaluations, and inspections conducted by the Government.

(iv) Special Vehicle Maintenance and Repair Requirements

(1) Established Priorities

The Fleet Inventory shown in C.10-02, C.10-03 and C.10-04 indicates the priority assigned to each piece of NTVE in the fleet. The Government may change the priorities of the NTVE without a contract modification. The Contractor shall perform maintenance and repair in accordance with the timeframes established in the following priorities:

Priority 1

Generally, Priority 1 NTVE includes emergency vehicles, utility boom bucket trucks,. However, the KO may designate Priority 1 work without regard to the type of vehicle use. Work on NTVE in this category shall start immediately after being reported down or received in the shop during regular working hours, and within two hours after regular working hours. In the event NTVE will be down more than 24 continuous hours, the Contractor shall notify the KO of the reason for the delay, action being taken to shorten the delay, and the estimated day and hour NTVE will be returned to service. Excluding such delays, the Contractor shall work uninterrupted until maintenance/repair is complete.

Priority 2

Generally, Priority 2 NTVE includes designated buses, automobiles assigned to base tenant activity staffs, emergency service vehicles, cranes, and MHE. However, the KO may designate Priority 2 work without regard to the type of vehicle use. Work shall be completed on NTVE in this category within two hours after being reported down or received in the shop during regular working hours, and within four hours after regular working hours. In the event NTVE will be down more than 48 continuous hours, the Contractor shall notify the KO of the reason for the delay, action being taken to shorten the delay, and the estimated day and hour NTVE will be returned to service. Excluding such delays, the Contractor shall work uninterrupted until maintenance/repair is complete.

Priority 3

Work shall be completed on NTVE in this category within five working days after being reported down or received in the shop.

(2) Allowable Downtime Standards

The Contractor shall manage the overall maintenance effort, so NTVE downtime does not exceed the allowable downtime standards specified herein. For the purpose of computing downtime, regular working hours is defined as eight hours per day, Mondays through Fridays, except observed Federal holidays. Downtime shall be measured by individual Shop Repair Order as well as by Allowable Downtime by Individual Alpha Group.

Downtime hours per Shop Repair Order shall not exceed the Allowable Individual Downtime by Alpha Code specified in C-10-05. Downtime hours per individual alpha group shall not exceed 10% of the total available hours per individual alpha group per month (invoice period). For any given alpha group, the total hours of availability per month equals the total number of units in the group times the number of regular working hours per month.

(3) Downtime Computation. Downtime computation shall start immediately when a vehicle is reported down; regardless of the Priority identified.

Any time period that NTVE is returned to the Contractor for rework shall be included in the downtime computation. Any time period NTVE is under the control of the Government shall not be included in the downtime computation. If the Government elects to have work performed by other than the Contractor, any downtime associated with such performance will not be included in the downtime computation. When computing downtime, fractions of hours shall be rounded to the nearest hour (less than 30 minutes = 0, 30 minutes or more = one hour).

Examples of downtime computation for individual Service Repair Order:

Scenario 1:

Background:

N9812345 is a Low Speed Vehicle with an Alpha Code Z (LSV) and is a Priority 3 asset.

Situation:

The Asset is reported down at 10:00 hours on April 1, 2016, and the Work Order was completed at 09:00 hours on April 3, 2016. The asset is returned without any Downtime infraction.

Scenario 2:

Background:

N9812456 is a Low-Speed Vehicle with an Alpha Code Z (LSV) and is a Priority 3 asset.

Situation:

The Asset is reported down at 10:00 hours on April 1, 2016, and the Work Order was completed at 12:00 on April 4, 2016. The asset is returned without meeting the allowable downtime by Individual Alpha Code for an individual service repair order. (Work Order exceeded the 24 maximum allowable hours for individual Alpha Code Z (LSV)).

Examples of downtime per Individual Alpha Group:

1) Available Hours = number pieces of equipment per Individual Alpha Code * eight hours per day * number of working days in the month.

Example:

50 pieces of equipment identified within Alpha Code Z * eight hours per day * 21 working days in April 2016 = 8,400 Available Hours.

2) Downtime Hours = 10 pieces of equipment identified within Alpha Code Z had 400 total hours of downtime.

Percentage of Alpha Code Z Downtime:

400 total hours of downtime / 8,400 Available Hours = 4.8 % of Downtime

(4) Temporary Suspensions of Downtime Standards

When the Contractor experiences a delay in material receipt that will cause the individual unit downtime of a particular unit to exceed the allowable time, the Contractor shall submit a Temporary Suspension of Downtime Accumulation (CDRL 10003) to the KO. Written requests shall include a copy of a purchase order showing the material order date and expected delivery date, and information demonstrating the lack of required material is beyond the Contractor's control.

Downtime suspensions will not be approved if the material in question should have been stocked in adequate quantities to meet expected demand and was not ordered to allow for adequate vendor lead times, or if the shipping method used to transport the material causes/contributes to the delay.

If granted, suspension of downtime accumulation will only cover the period from the date/time the Contractor's written request was provided to the KO to the date/time the material is received. The Contractor shall notify the KO immediately upon receipt of the material and provide written documentation showing date and time of receipt.

(5) Excessive Repairs

The one-time repair limits set forth in Appendix G of MCO 11240.106_ do apply. Before the Contractor performs all repairs that exceed the one-time limits they will obtain approval (CDRL 10004) from KO.

(6) Fleet Size

Fleet size shall be based upon the actual quantity of equipment in the fleet at a given time and is not a cumulative total of the equipment maintained throughout the contract. The number of NTVE may vary as much as 5% without a contract modification.

The contract inventory will be adjusted semiannually based on actual inventory. Each modification shall reset the 5% variance allowance.

Each item of equipment pending removal from the fleet, and its designated replacement, shall be counted as a single unit for inventory purposes while the replacement unit is prepared for service (e.g., equipment installation, marking, and record establishment). Repairs to keep equipment safe and reliable while pending disposition shall be required.

(7) Computerized Maintenance Management System (CMMS)

The Contractor shall provide and implement a commercially available Computerized Maintenance Management System (CMMS), to be licensed to the Government, which manages all service operations and shall provide to the government a monthly preventive maintenance

(PM) work schedule. The Contractor shall ensure appropriate licenses are provided which will provide three licenses for Government use and adequate appropriate licenses for Contractor data management and entry. Required data types for Service Provider Information is:

- Work Order Data: Work order data includes all necessary information for the documentation of all completed work orders, including, but not limited to, service orders, preventive maintenance, and work issued as work request.
- Asset Data: Asset data includes the specific details necessary for proper identification and tracking of assets. Asset data shall be updated for all completed work orders where an asset is repaired, replaced, installed, or otherwise affected. When replacing existing assets, the Contractor shall change the status of the current asset which will remove it from the maintenance plan and add the new asset.

(8) Fleet Focus. The Contract shall obtain access to government system, Fleet Focus. This will be the system of records for all GSA, NTVE maintenance records (inventory provided in C-10-02, 03, 04).

(iv) Records and Reports. The Contractor shall maintain NTVE, AWP, MHE, and WHE records and reports in accordance with MCO 11240.106_, and NAVFAC P-307 and. Such records include the following:

- (1). Individual vehicle/equipment history jackets
- (2). Accident damage repair estimates
- (3). Vehicle repair status
- (4). Annual safety and reliability inspection checklists
- (5). Enter/maintain monthly mileage report from activity in Fleet Focus.

The Contractor is responsible for validation, accountability and accuracy of NTVE, AWP, MHE, and WHE documents and Fleet Focus data fields. All physical and digital records are subject to USMC Audit's and evaluations. The Contractor shall ensure reports and data are accurate, on time and completed in Fleet Focus on a daily basis.

(v) Reserved

(vi) Workmanship and Material Standards

The Contractor shall be responsible for maintaining all NTVE (to include NTVE, WHE, MHE and support equipment), identified in this technical spec to a standard that prevents deterioration beyond that which results from normal wear and tear and corrects deficiencies in a timely manner to assure full life expectancy of the NTVE (to include NTVE, WHE, MHE and, and support equipment). Best commercial practices shall be applied in the performance of work. All work shall be completed per approved equipment manufacturers and accepted industry standards and shall comply with safety codes, applicable activity, local, state, and federal regulations, and other technical requirements identified within this technical spec.

Workmanship for maintenance and repair shall include all work necessary to safely return NTVE (to include NTVE, WHE, MHE and support equipment) to service, including corrosion control and operational checks. Workmanship includes repair of coating systems damaged during maintenance or repair. Upon completion of work, the Contractor shall ensure all NTVE (to include NTVE, WHE, MHE and support equipment) are free of missing components or defects which would affect the safety, appearance or operation of the NTVE (to include NTVE, WHE, MHE and support equipment) or would prevent any electrical, mechanical, or structural system from functioning in accordance with design intent. Repairs shall be made in accordance with the manufacturers' specifications and guidelines. The quality of repairs shall meet the applicable standards and shall prevent any malfunction reoccurrences caused by poor workmanship or other contractor inadequacies. The quality of the repaired areas shall be fully compatible with adjacent surfaces or equipment. Except where otherwise specified, replacements shall match existing components and interior and exterior paint/coating in dimensions, finish, color, design, and functionality and shall have an appearance like the original finished appearance with only minor unobjectionable deterioration resulting from normal use.

The Contractor shall not allow debris to spread unnecessarily into adjacent areas nor accumulate in the work area. All such debris, excess material, and parts shall be cleaned up and removed at the completion of the job and at the end of each day work is in progress. Upon completion of work, any stains and other unsightly marks shall be removed. All equipment, including parts washers, comply and are managed in accordance with all federal, state and local requirements.

The Contractor shall secure and organize all tools, equipment and materials (used and un-used); to prevent loss and ensure a clean and safe working environment in the immediate working area as well as all adjacent areas. The Contractor shall adequately secure all material stored on cranes and other vehicles and equipment to prevent injury from overhead falling objects and debris.

(vii) Reserved

10.A.3 Recurring Work

The Contractor shall develop and implement a comprehensive industrialized transportation program consisting of NTVE, MHE, and WHE management, operations, maintenance, repair, and alteration to ensure efficient, safe and reliable NTVE, MHE, and WHE services such that all NTVE, MHE, and WHE requirements are continually met.

The Contractor shall comply with federal, state, local regulations, applicable instructions, publications, manuals, directives, manufacturer's specifications, and recommendations.

GSA Fleet Inventory is provided in C-10-02.

NTVE Fleet Inventory is provided in C-10-03.

Material Handling Equipment (MHE) Fleet Inventory is provided in C-10-04

Weight Handling Equipment (WHE) Inventory is provided in C-10-##.

10.A.3.a Operations

The Contractor shall operate NTVE to ensure services are performed.

Obtain necessary permits for the movement of overweight/oversized loads on public highways. Necessary permits must be obtained prior to scheduled performance.

Mark and operate vehicles used for transporting ordinance, hazardous materials and other dangerous articles in accordance with NAVSEA OP-2239, Federal Motor Carrier Safety Regulations, U.S. Department of Transportation, Federal Highway Administration and Bureau of Motor Carrier Safety and other applicable rules and regulations

Provide qualified operators for WHE and MHE services.

Provide qualified rigging support.

Provide proper and certified equipment for all work requested.

Complete and retain Operator Daily Checklist and PM records on vehicles and equipment as specified by the MCO 11240.106_ and NAVFAC P-307. Retained records shall be used to take corrective actions in accordance with MCO 11240.106_ and NAVFAC P-307.

All crane lifts shall be documented and reported to the Government to include a description of and the total number of jobs.

Vehicles used for transporting ammunition, explosives, or other dangerous/hazardous material shall be marked and operated per applicable laws and regulations.

(i) WHE/MHE/NTVE Services

The Contractor shall provide WHE/MHE/NTVE services when dispatched to ensure the mission of the Government is accomplished safe and timely manner. Appropriate equipment and qualified operators and support personnel are provided 30 minutes prior to the scheduled time. The Contractor shall provide pier side gantry crane support per the MMC offload/backload schedule and during ammunition operations. Ammunitions Operators occur after workhours (after 1900 on Friday(s) continuing nonstop (24 hrs) until Ammunition Operators are complete).

Operating personnel shall have experience in operating cranes of the size and capability used to perform the work and the necessary safety precautions required per the NAVFAC P-307.

The Contractor shall comply with crane weight restrictions and weightlifting capacity of piers at MCSF-BI. Crane operators shall be trained and licensed to operate crane per the NAVFAC P-307 and MCO 11240.106_.

Crane riggers/signalman shall be trained and qualified to signal a crane per the NAVFAC P-307. The size of the crane team will vary to suit the job as determined by the rigger supervisor. The Contractor shall provide additional riggers as needed to ensure safe crane operation (e.g., ordnance work, high work lifting personnel, multiple elevation lifts). The Contractor may receive assistance from qualified shipboard personnel: However, the Contractor cannot be guaranteed such assistance and is responsible for completing jobs with its' own workforce.

For all crane jobs the Contractor shall be on site in sufficient time to inspect the equipment and rigger gear, position the crane, and make all preparation such that the Contractor is ready at the time requested by the customer to perform the first lift.

The Contractor shall meet safety and operation standards for crane services and shall have a certificate of load test and condition inspection on the crane at all times and that the crane and rigger gear are in compliance with the NAVFAC P-307.

The Contractor shall fully cooperate with all Government incident/accident investigations and shall provide all requested information for the Crane Accident Review Board (CARB) following crane accidents and incidents. After a weight handling incident or crane accident, the operator shall be prohibited from operating a crane until after the weight handling incident has been reviewed. The Government will make the determination when an operator can continue to operator cranes under this Contractor.

The Contractor shall provide and maintain a sufficient inventory of slings, straps, and lifting devices. All rigging equipment shall comply with the NAVFAC P-307 requirements. Maintain a serialized record of slings and lifting devices. Test all new slings and lifting devices per the NAVFAC P-307. Destroy all unsafe slings and lifting devices.

Cranes will be washed monthly. All wash water from crane washing and other large equipment shall drain into the sewer system. Discharge of wash water to the storm drain is prohibited.

As a minimum, the Contractor shall maintain two full-time licensed crane operators and two full-time qualified riggers to ensure team size requirements are maintained per NAVFAC P-307. The workload/requirements specified are not limited by the minimum number of crane crews. The Contractor must perform all workload specified including exigencies.

Necessary permits for the movement of overweight/oversized loads on public highways shall be obtained.

Vehicles used for transporting ammunition, explosives, or other dangerous/hazardous material shall be marked and operated per NAVSEA OP-2239 and the rules and regulations prescribed by the Federal Motor Carrier Safety Regulations, U.S. Department of Transportation, Federal Highway Administration, Bureau of Motor Carrier Safety.

(ii) Fuel Delivery Service and Fuel Program Requirements

The contractor shall use GFE and provide personnel to dispense Government procured fuel in NTVE/MHE.

The Contractor shall fuel NTVEs/MHE as needed. Fuel delivery services are performed safely in an efficient, accurate, and timely manner. Fuel is safely delivered within plus or minus 15 minutes of scheduled time.

The Contractor shall oversee the entire fuel transfer operation and coordinate and oversee the opening and closing of the valves on the fuel tanker truck.

The Contractor shall take all steps and precautions necessary for product receipt and issue from storage facilities per UFC 460-01/03, DoN regulations, and installation instructions applicable to fuel storage operations. To this end, the contractor shall develop and submit to the contracting officer for approval within 14 calendar days of award, standard operating procedures that detail how the contractor intends to ensure that fueling operations are conducted in a safe and environmentally sound manner and in accordance with all Federal and state laws.

Provide unscheduled gasoline and diesel fuel delivery services as requested by the COR or KO.

Maintain accurate fuel record of fuel delivery in accordance with DLA P-2.

Ensure fuel accountability of at least 98% accuracy.

Ensure that all fuel meters are certified and calibrated as required.

10.A.3.b Support Services

The Contractor shall provide NTVE/MHE support services to ensure that the service requirements are met.

(i) Dispatching Services

The Contractor shall provide dispatching services for NTVE/MHE to ensure vehicles are dispatched in a timely manner.

Provide dispatching services during Government regular working hours to support customer requirements.

Provide service within 15 minutes plus or minus of scheduled time.

Dispatch of NTVE/MHE are processed through Fleet Focus.

Dispatch Process and Procedures are reviewed and updated periodically. The Contractor shall implement any future versions of Dispatch Process and Procedures at no additional cost to the Government.

Permissible Operating Distance (POD) requests shall be approved by the Government.

Vehicles and equipment dispatched are inspected at check-out and check-in, and discrepancies are noted by the operator on in Fleet Focus.

The Contractor shall ensure compliance with GSA Fleet Guide and Accident Reporting.

The Contractor shall ensure operators complete SF-91 if involved in an accident.

The Contractor shall ensure dispatchers are cognizant of the Government's fuel conservation program, and trips are consolidated whenever possible.

The Dispatcher's Log in Fleet Focus shall be used to record all vehicles dispatched off station and for all Class C pool vehicles.

(ii) GSA Leased Vehicles

The Contractor shall coordinate, and schedule required maintenance and repair of leased vehicles to ensure maintenance is kept up to date and repairs are performed in an expeditiously.

GSA Fleet Inventory is provided in C-10-02.

(1) Support for GSA Leased Vehicles

The Contractor shall coordinate, and schedule required maintenance and repair to ensure maintenance is kept up to date and repairs are performed expeditiously.

The Contractor shall coordinate preventive maintenance, repairs, recalls and warranty to ensure work is performed at the intervals specified by GSA, Fleet Manager, and approved service providers.

Prepare and submit Shop Repair Orders in Fleet Focus and GSA Fleet.Gov for all work performed on vehicles and equipment and maintain copies in each history file.

Each GSA vehicle requires an annual service. Additionally, approximately 10% require unscheduled maintenance or repair.

(2) Received, Replaced and Reassigned GSA Vehicles and Equipment

Provide Support Services for newly Received, Replaced and Reassigned GSA Vehicles and Equipment to ensure satisfactory operation.

The work includes GSA Vehicles and Equipment for Government use.

The contractor shall pick up and drop off newly received, reassigned and replaced GSA vehicles and equipment at B-351 Organic Maintenance. The contractor shall also perform other in-service and turn-in duties to include vehicle preparation and administrative functions.

For Received Vehicles and Equipment:

Establish new History Jacket, and initial new service Shop Repair Order (SRO); perform an initial safety inspection; if problems identified, prepare a Quality Deficiency Report.

Spare Keys shall be locked and secured within the designated key lockbox.

The contractor shall coordinate the installation and removal of specialized accessories including but not limited to, special lights, radios, racks, shelves, tow-hitches, and other customer provided accessories.

Pick up new vehicles from the dealership or auction house and complete in-service preparation within two working days of notification of arrival.

Ensure the presence of technical and digital parts manuals and ensure that accident reporting kits are in each GSA vehicle and coordinate all warranty requirements with the manufacturer or leaser.

For Reassigned Vehicles and Equipment:

Ensure that the vehicle is up to date with Preventative Maintenance requirements.

Establish History Jacket as required.

10.A.3.c Maintenance of Non-Tactical Vehicles and Equipment (NTVE)

The Contractor shall maintain, repair and alter Government owned vehicles and equipment to ensure they are in fully operational condition.

Selective exchange of parts between vehicles or equipment must be authorized (CDRL 10005) by the KO.

Ensure adequate parts are available to expedite maintenance repairs in order to meet allowable downtime standards.

Properly mark vehicles and equipment as required so that vehicle identification markings are clear and visible at all times in accordance with MCO 11240.106_ and P-307.

Maintain vehicle and equipment history files (hardcopy) for life of all units serviced under this contract.

Prepare and submit Shop Repair Orders for all work performed on all vehicles and equipment and maintain copies in each history file.

Vehicles are maintained in accordance with OEM recommendations.

Provide all tools, testing equipment, technical training, and technical related data necessary to service and maintain new or used vehicles and equipment throughout the contract. The Government may replace vehicles and equipment throughout the contract with newer units, which may change in mix, manufacturer, model, and types. The Contractor is responsible for in-service and maintaining these replaced units under the requirements.

Vehicles to be maintained, along with the associated alpha code and priority, are listed in the Fleet Inventory provided in C-10-03, -04 and -05. Perform work in accordance with established priorities.

(i) Maintenance (Government-Owned)

The Contractor shall maintain, and repair Government owned vehicles and equipment to ensure they are in fully operational condition.

The Contractor shall submit a monthly Maintenance Schedule.

The Contractor shall perform preventative maintenance, repairs, safety and condition inspection, testing, and certification, and provide engineer support services as required on NTVE, WHE, MHE, and Aerial Work Platforms (AWP) in accordance with the manufacturer's specifications and recommendations, MCO 11240.106_, NAVFAC P-307, applicable ANSI Standards (e.g.; ANSI 92.2 etc.), and NAVSEA SWO23, NAVSEA OP5, AH-WHM-010.

The Contractor shall manage the overall maintenance effort, so equipment downtime does not exceed the allowable downtime standards.

Maintenance and repair functions are performed in accordance with manufacturer specifications and recommendations,

Ensure adequate parts are available to expedite maintenance repairs in order to meet allowable downtime standards.

Properly mark vehicles and equipment as required so that vehicle identification markings are clear and visible at all times in accordance with MCO 11240.106_ and P-307

Maintain vehicle and equipment history files (hardcopy) for life of all units serviced under this contract.

Prepare and submit Shop Repair Orders in Fleet Focus for all work performed on vehicles and equipment and maintain copies in each history file.

NTVE, AWP, MHE, WHE and are maintained in accordance with OEM recommendations.

Provide all tools, testing equipment, technical training and technical related data necessary to service and maintain new or used vehicles and equipment throughout the contract. The Government may replace vehicles and equipment throughout the contract with newer units, which may change in mix, manufacturer, model, and types. The Contractor is responsible for in-service and maintaining these replaced units under the requirements.

An individual occurrence of repair shall include all repairs identified by a single inspection. A single inspection includes but is not limited to the Operator's Daily Checklist (ODCL), Operator Trouble Report, Preventive Maintenance (PM) inspection, Crane Condition Inspection Report (CCIR) and the Maintenance Inspection Specification Record (MISR).

As part of corrosion control the Contractor shall prepare, refinish surfaces, and apply protective coatings and under-coating as required to prevent corrosion. Materials and application shall meet or exceed OEM specifications. Repairs shall meet workmanship standards of Spec Item 10.A.2.f.

Vehicle Accident Reports (CDRL 10006) shall be submitted. Repairs will commence upon approval from the KO.

(1) New and Reassigned Vehicles and Equipment Services

The Contractor shall perform new and reassigned vehicle and equipment services on all new and reassigned used vehicles added to the fleet to ensure proper and safe operation. Required services are correctly performed and completed within three working days.

The Contractor shall develop the vehicle and equipment history jacket(s) in accordance with MCO 11240.106_, NAVFAC P-307 and.

New Vehicles

Prepare history jacket, Scheduled Maintenance (SM) record, and initial new service SRO; perform an initial safety inspection; clean windows; install parts/equipment shipped with vehicle; apply corrosion preventive compounds and under-coating, if not applied by the manufacturer; service all fluid levels and tire pressures; and apply appropriate vehicle markings as required. Spare Keys shall be locked and secured in designated key lockbox.

Reassigned Used Vehicles

Service includes (if needed or within 30 days of scheduled SM) an oil change, tune-up, lube, reliability inspection, and repair of any deficiencies noted during the required inspections. Spare Keys shall be locked and secured in designated key lockbox.

(2) Preventative Maintenance, Inspection, Load Test and Certification
Support of WHE, MHE, and AWP.

The Contractor shall perform Maintenance (Preventative, Interim), Inspection, Testing, and Certification of all WHE, MHE and AWP to ensure equipment is maintained in a safe and fully operational and certified condition at all times.

The Contractor shall Inspect, test, and certify all WHE, MHE, AWP, and OHE at least annually and after an adjustment, repair, replacement, or alternation/modification of a load bearing or load controlling part in accordance with MCO 11240.106_, NAVFAC P-307, NAVSEA OP-5 and the equipment manufacturer's instructions and manuals.

The Contractor shall provide an updated monthly PM/Certification and Testing schedule (CDRL 10007) to include 100% of the identified WHE, MHE, OHE.

The Contractor shall submit a Maintenance Inspection Specification and Record for WHE to the government certifying official for approval. Conduct condition inspection for WHE in accordance with MCO 11240.106_ and P-307.

The Contractor shall perform preventative maintenance, interim maintenance and repairs found necessary as a result of any inspection/test, or preventive maintenance deficiency.

The Contractor shall support all related audits, evaluations, safety and condition inspections, and investigations from authorized Government audits and pre-audits. The Contractor shall perform tasks such as, but not limited to, rigging, operator, test director and inspector duties; ensuring all equipment and program requirements are in full compliance; providing report responses CDRL 10008) within 20 days of report receipt in proper format and address all findings and observations with sound recommendations for correcting all discrepancies.

Corrosion control inspection, repairs and prevention measures shall be performed as part of Preventive Maintenance.

The Contractor shall submit a Schedule for Testing and Certification (CDRL 10009) of the equipment listed the Fleet Inventories provided in Section C-10. Testing and Certification Qualifications, including names and qualifications of Contractor personnel performing load testing certification (CDRL 10010) shall be submitted. Post certifications signed by the certifying official on equipment after completion of Annual Load Test and in full view of operator with copies provided to the KO.

The Contractor shall perform Monthly Operators Check List (MOCL) on all jib and bridge cranes. The Contractor shall perform repairs found necessary as a result of any safety and condition inspection/test. The Government will be the Certifying Officer.

The Contractor shall submit a Maintenance Inspection Specification and Record (CDRL 10011) for WHE to the KO for approval. Conduct condition inspection for WHE in accordance with MCO 11240.106_ and P-307.

The Contractor shall provide and test all rigging gear and equipment required for testing per NAVFAC P-307. The Contractor shall provide and maintain a sufficient inventory of slings, straps, and lifting devices. All rigging equipment shall comply with the NAVFAC P-307 requirements. Maintain a serialized record of slings and lifting devices. The contractor shall test all new slings and lifting devices per the NAVFAC P-307 and destroy all unsafe slings and lifting devices.

(3) Preventive Maintenance Inspections of NTVE

The Contractor shall perform preventive maintenance (PM) inspections, including safety and reliability inspections for automotive vehicles and equipment, to ensure safe and proper operation.

The Contractor shall submit a PM Schedule (CDRL 10012).

PM shall be performed up to 14 calendar days prior to the due date if the equipment is in the shop for any other reason.

Unless otherwise specified PM inspections and any related repair work shall be completed within three working days after NTVE is received, except where the criteria for Priority 1 or 2 applies. Corrosion control inspection, repairs and prevention measures shall be performed as part of Preventive Maintenance.

PM's intervals for vehicles shall be performed at least annually during the safety/reliability inspection. However, additional PM's may be performed if the vehicle exceeds more than 6,000 miles or 200 hours from the safety/reliability inspection or as specified by the manufacturer or as specified by the manufacturer for city driving. If the mileage/hour meter or annual safety/reliability inspection are within 60 calendar days of each other the more stringent type of service shall be performed. The Contractor shall affix a PM "Inspection Due" sticker with the current month plus one year on the inside windshield of the vehicle upon completion.

Perform required inspection testing and certification for applicable equipment requiring certification in accordance with OEM, MCO 11240.106_ and NFPA.

The Contractor shall wash all NTVE when annual PM is performed.

All work shall be in accordance with the MCO 11240.106_ , NFPA and OEM standards.

10.A.3.d Maintenance, Facility - Mounted Weight Handling Equipment (WHE)

The Contractor shall develop and implement a PM program for facility-mounted (jib and rail) WHE and to ensure proper operation, to minimize breakdowns, and to maximize useful life.

Description of the WHE systems is provided in C-10-##.

The Contractor shall maintain WHE in accordance with manufacturers' recommended procedures, OEM standards, and NAVFAC P-307.

Where performance of maintenance or associated repairs requires testing or recertification of WHE, refer to the Spec above for inspection, testing, and certification of WHE.

10.A.3.e Maintenance (Government-Owned) Equipment

The Contractor shall maintain, repair and alter Government owned equipment, except for IT equipment, to ensure they are in fully operational condition.

Selective exchange of parts between vehicles or equipment must be authorized by the KO.

Ensure adequate parts are available to expedite maintenance repairs in order to meet allowable downtime standards.

Properly mark vehicles and equipment as required so that vehicle identification markings are clear and visible at all times in accordance with MCO 11240.106_ and P-307.

Maintain vehicle and equipment history files (hardcopy) for life of all units serviced under this contract.

Prepare and submit Shop Repair Orders for all work performed on all vehicles and equipment and maintain copies in each history file.

Equipment is maintained in accordance with OEM recommendations.

Provide all tools, testing equipment, technical training, and technical related data necessary to service and maintain new or used equipment throughout the contract. The Government may replace equipment throughout the contract with newer units, which may change in mix, manufacturer, model, and types. The Contractor is responsible for in-service and maintaining these replaced units under the requirements.

Equipment to be maintained, along with the associated alpha code and priority, are listed in the Fleet Inventory provided in C-10-##, and -05. Perform work in accordance with established priorities.

10.B SAFETY REQUIREMENTS

The MCMC shall comply with Safety and Occupational Health requirements IAW Marine Corps Order 5100.29, 29 Code of Federal Regulations (CFR) 1910, and all applicable National Fire Protection Association codes/standards. The MCMC shall provide a Site Safety and Health Officer (SSHO) whose primary duty and responsibility is to prepare and enforce the MCMC's safety program on this contract. The SSHO or an equally qualified Designated Representative/alternate shall be on-site at all times when work is being performed to implement and administer the Contractor's safety program and government-accepted Accident Prevention Plan. The SSHO must have a working knowledge of current CFR's, NFPA, and ANSI standards. Must have completed the OSHA 30 Hour Construction or equivalent, General Industry safety classes, and maintain competency through 24 hours of formal safety and health related coursework every four years. The SSHO shall be certified in First Aid/CPR/AED. The SSHO shall have, at minimum, a four-year degree in Occupational Safety and Health and 5-7 years of satisfactory experience in preparing and enforcing safety programs on contracts of similar size and complexity. The SSHO shall also have incident and accident investigation knowledge as well as experience using root cause methodology. The SSHO shall not be the

same person as the Project Manager, Quality Manager, Environmental Coordinator, Transportation Manager, WHE Operation and Maintenance Manager, or site manager.

The Contractor shall provide an Alternate SSHO with the same qualifications as the Primary SSHO. The Alternate SSHO shall be dedicated as primary duty to MCSF-BI.

10.B.1 Accident Prevention Plan (APP)

A qualified person shall prepare the written site-specific APP (CDRL 10014). Prepare the APP in accordance with the format and requirements of 29 CFR 1910, MCO 5100.29, and as supplemented herein. The APP shall be job-specific and address any unusual or unique aspects of the activity for which it is written. The APP shall interface with the MCMC's overall safety and health program referenced in the APP in the applicable APP element and made site-specific. Describe the methods to evaluate past safety performance of potential subcontractors in the selection process. Also, describe innovative methods used to ensure and monitor safe work practices of subcontractors. The Government considers the MCMC to be the "controlling authority" for all work site safety and health of their respective subcontractors. MCMC is responsible for informing their subcontractors of the safety provisions under the terms of the contract and the penalties for noncompliance, coordinating the work to prevent one craft from interfering with or creating hazardous working conditions for other crafts, and inspecting subcontractor operations to ensure that accident prevention responsibilities are being carried out.

The APP shall be signed by an officer of the firm (MCMC senior person), the individual preparing the APP, and the designated Site Safety and Health Officer (SSHO)).

The SSHO shall provide and maintain the APP and a log of signatures (CDRL 10015) by each subcontractor, attesting that they have read and understand the APP, and make the APP and log available on-site to the Contracting Officer.

Submit the APP to the Contracting Officer 30 calendar days from contract award. Work cannot proceed without an accepted APP. Once reviewed and accepted by the Contracting Officer, the APP and attachments will be enforced as part of the contract. Disregarding the provisions of this contract or the accepted APP is cause for stopping of work, at the discretion of the Contracting Officer, until the matter has been rectified.

Continuously review and amend the APP, as necessary, throughout the life of the contract. Changes to the accepted APP shall be made with the knowledge and concurrence of the Contracting Officer, SSHO and Quality Control Manager. Incorporate unusual or high-hazard activities not identified in the original APP as they are discovered. Should any severe hazard exposure (i.e. imminent danger) become evident, stop work in the area, secure the area, and develop a plan to remove the exposure and control the hazard. Notify the Contracting Officer within 24 hours of discovery. Eliminate and remove the hazard. In the interim, take all necessary action to restore and maintain safe working conditions in order to safeguard onsite personnel, visitors, the public (as defined by ASSE/SAFE A10.34), and the environment.

The MCMC shall notify the IDIV Safety Section immediately by calling 904-696-5623/5624 upon shutdown of any operation due to an unsafe situation or workplace injury investigation. The MCMC shall provide a written notification (CDRL 10016) by email within 24 hours of a shutdown.

Provide plans in the APP in accordance with the requirements outlined in 29 CFR 1910, MCO 5100.29, including the following:

10.B.1.a Confined Space Entry Plan (CDRL 10017). Develop a confined or enclosed space entry plan in accordance with applicable OSHA standards 29 CFR 1910, 29 CFR 1915, and 29 CFR 1926, OSHA Directive CPL 2.100, and any other federal, state and local regulatory requirements identified in this contract. Identify the qualified person's name and qualifications, training, and experience. Delineate the qualified person's authority to direct work stoppage in the event of hazardous conditions. Include procedure for rescue by MCMC personnel and the coordination with emergency responders.

10.B.1.b Multi-Purpose Machines and Material Handling Equipment Plan (CDRL 10018). Multi-purpose machines and material handling equipment used to lift loads that are suspended by rigging gear, require proof of authorization from the machine OEM that the machine is capable of making lifts of loads suspended by rigging equipment. Written approval from a qualified registered professional engineer, after a safety analysis is performed, is allowed in lieu of the OEM's approval. Demonstrate that the operator is properly trained, and that the equipment is properly configured to make such lifts and is equipped with a load chart.

10.B.1.c Fall Protection and Prevention (FP&P) Plan (CDRL 10019). The plan shall comply with the requirements of ASSE/SAFE Z359.2, be site specific, and address all fall hazards in the workplace and during different phases of work. Address how to protect and prevent workers from falling to lower levels when they are exposed to fall hazards at 1.2 meter (4 feet) or more. A competent person or qualified person for fall protection shall prepare and sign the plan documentation. Include fall protection and prevention systems, equipment and methods employed for every phase of work, roles and responsibilities, assisted rescue, self-rescue and evacuation procedures, training requirements, and monitoring methods. Review and revise, as necessary, the Fall Protection and Prevention Plan documentation as conditions change. Keep and maintain the accepted Fall Protection and Prevention Plan documentation at the job site for the duration of the contract. Include the Fall Protection and Prevention Plan documentation in the Accident Prevention Plan (APP). Provide for review by the Government an Annual Fall Protection inspection report (CDRL 10020) for all fall protection equipment NLT April 1st.

10.B.1.d Control of Hazardous Energy (lockout/tagout). The contractor shall establish a Control of Hazardous Energy (lockout/tagout) program (CDRL 10021) and utilize procedures to affix appropriate lockout/tagout device(s) to energy isolating devices, and to otherwise disable machines or equipment to prevent unexpected energization, start up or release of stored energy

which could cause injury to employees to ensure compliance with 29 CFR 1910.147, 29 CFR 1910.333, 29 CFR 1915.89, ANSI/ASSE Z244.1, and ANSI/ASSE A10.44.

10.B.2 Activity Hazard Analysis (AHA)

10.B.2. Activity Hazard Analysis. The Contractor shall prepare Activity Hazard Analyses (AHAs) (CDRL 10022) for all applicable common recurring work activities performed under this contract. AHAs for recurring work shall be submitted with the APP and shall be updated as work activities or conditions change and additional AHAs prepared as new work activities are required. AHAs for non-recurring and one-time work occurrences shall be submitted at least two working days prior to start of work.

10.B.3 Hot Work

10.B.3.a Permit and Personnel Requirements. Obtain a signed permit (CDRL 10023) prior to performing "Hot Work" (i.e. welding or cutting) or operating other flame-producing/spark producing devices, from the IDIV Safety Office. A permit is required from the Explosives Safety Office for work in and around where explosives are processed, stored, or handled. **CONTRACTORS ARE REQUIRED TO MEET ALL CRITERIA BEFORE A PERMIT IS ISSUED.** Provide at least two 20 lb. (9 kg) extinguishers with a minimal rating of 4A:20BC for normal "Hot Work". The extinguishers must be current inspection tagged, and contain an approved safety pin and tamper resistant seal. It is also mandatory to have a designated FIRE WATCH for any "Hot Work" done at this activity. The Fire Watch shall be trained in accordance with NFPA 51B and remain on-site for a minimum of one hour after completion of the task or as specified on the hot work permit.

When starting work in the facility, require personnel to familiarize themselves with the location of the nearest fire alarm boxes and place in memory the emergency phone numbers. **REPORT ANY FIRE NO MATTER HOW SMALL, TO THE RESPONSIBLE INSTALLATION SAFETY OFFICE IMMEDIATELY AFTER CALLING THE EMERGENCY NUMBER.**

10.B.3.b No Hot Work Permit Required Designated Areas. The MCMC may, in coordination with and under the authorization of the Installation, establish No Hot Work Permit Required Designated Areas. These areas shall be maintained in compliance with NFPA 51B standards. Standard signs shall be posted to identify No Hot Work Permit Required Designated Areas.

10.B.4 Explosive Safety

The MCMC shall comply with explosive safety requirements and regulations, IAW 29 CFR 1910, MCO 5100.29, NFPA Codes Standards, CmdO 8020.13, and CmdO 8020.10.

10.B.4.a The MCMC shall submit a quarterly report (CDRL 10024) of all Personnel for Explosive Safety purposes. This notification will also be in advance of any changes in personnel, (i.e., work schedule, work location) and will be provided by the last business day of each quarter.

10.B.4.b The MCMC shall request permission from the government to repurpose or otherwise make changes to facilities and or numbers of building occupants. The request must include an internal review and risk assessment, for approval prior to any process/shop or personnel changes. This will be done within 10 business days prior to any process/shop or personnel change (from the original approved process or work location). This is necessary to provide the data elements for the Installation to comply with ammunition operations.

10.B.4.c The MCMC will also submit a Work Request (CDRL 10025) prior to any startup for new personnel additions or moves, work equipment requests, personnel work hours/schedule changes (including number of MCMC personnel changes, working/assigned by building number along with their estimated working hours and work schedule).

10.B.5 Voluntary Protection Program (VPP)

The MCMC shall provide representation and employee participation in the Installation's OSHA VPP. Participation includes, but is not limited to, attendance at meetings, providing data, and providing recommendations to improve processes or correct non-compliance issues and will be IAW OSHA VPP standards, the elements of VPP and the VPP evaluation checklist. Installation Safety will request data when required by the annual VPP Application.

10.B.6 Personal Protective Equipment (PPE)

The MCMC shall comply with established OSHA PPE requirements and shall provide PPE that is in a serviceable condition to their employees IAW 29 CFR 1910 and MCO 5100.29. Appropriate garment shall be based on the worker hazards and tasks, complexity of the work environment or background, and vehicular traffic and speed.

The MCMC shall assess the workplace to determine if hazards are present, or are likely to be present, which necessitate the use of personal protective equipment (PPE). If such hazards are present, or likely to be present, the MCMC shall:

1. Select, and have each affected employee use, the types of PPE that will protect the affected employee from the hazards identified in the hazard assessment;
2. Communicate selection decisions to each affected employee; and,
3. Select PPE that properly fits each affected employee.

The MCMC shall verify that the required workplace hazard assessment has been performed through a written certification that identifies the workplace evaluated; the person certifying that the evaluation has been performed; the date(s) of the hazard assessment; and, which identifies the document as a certification of hazard assessment.

10.B.7 Automated External Defibrillators (AEDs)

The MCMC shall perform annual inspections, calibrations, and maintenance on all government provided AEDs and accessories installation wide, IAW 29 CFR 1910, MCO 5100.29, and manufacturer's manuals and instructions by serial number and location. The MCMC shall accomplish a monthly visual inspection of all Installation AEDs to verify operability. AEDs which are inoperable are to be returned to the IDIV Safety Office immediately for replacement.

10.b.7.a The MCM shall inspect AEDs in their work/admin areas monthly IAW Cmd SOP 5100.17.

10.B.8 Fire Protection and Prevention

Contractor shall know where fire alarms are located and how to activate them. The Contractor shall handle and store all combustible supplies, materials, waste, and trash in a manner that prevents fire or hazards to persons, facilities, and materials. Contractor employees operating critical equipment shall be trained to properly respond during a fire alarm or fire in accordance with activity instructions.

10.B.8.a The MCMC shall maintain a current inventory of all portable fire extinguishers in the MCMC's work and administrative areas. The inventory (CDRL 10026) will be submitted to IDIV Safety Office annually and within 30 calendar days of an inventory change. The inventory shall contain the fire extinguishers manufacturer name and manufacture date, the serial number, the type, and the weight.

10.B.8.b The MCMC shall inspect all portable fire extinguishers in their work/admin areas monthly IAW 29 CFR 1910, MCO 5100.29, NFPA Codes Standards.

10.B.8.c The MCMC shall notify the IDIV Safety Office upon any detection of firefighting equipment and safety systems that are not in place, damaged, or out of service. Verbal notification shall be provided within 2 hours and then with written notification (email) within 3 business days.

10.B.8.d The MCMC shall designate competent person(s) (as defined by OSHA) as primary and alternate Fire Wardens for all MCMC's work/administrative areas. This roster (CDRL 10027) shall be provided annually and within 30 calendar days of personnel changes and in IAW 29 CFR 1910 and MCO 5100.29.

10.B.8.e The MCMC shall provide all initial evacuation routes (CDRL 28) and updates/changes made for the MCMC's work/administrative areas, within 30 calendar days of contract award and 10 calendar days after any changes for government review. Evacuation routes shall be provided in a map/floor plan type drawing showing entrance/exit locations for offices/stations and main entrance/exits, workstation configurations, all doors marked, all fire alarm locations, fire extinguisher locations,

assemble/muster locations, stairwells, and elevators with DO NOT USE IN CASE of EMERGENCY marked on the plan, IAW 29 CFR 1910 and NFPA Codes Standards.

10.B.8.f The MCMC shall conduct semi-annual fire drills for all MCMC's work and administrative area in coordination with the IDIV IAW 29 CFR 1910 and NFPA Codes Standards.

10.B.8.f.i The MCMC shall provide to the installation safety office an after-action report (CDRL 10029) for each fire-drill, no later than 30 calendar days after the fire drill is complete. The after-action fire-drill Report should include drill date, drill type, time drill began and ended, organization/section performing drill, POC (to include name, number and email), attach or include a participant roster (who completed drill and who didn't), summary of drill details, any issues, corrective actions if any issues noted.

10.B.9 Smoking Policy

Smoking is prohibited within and outside of all buildings on the installation, except in designated smoking areas. Discarding tobacco materials other than into designated tobacco receptacles is considered littering. The Contracting Officer will identify designated smoking areas. The MCMC shall enforce the smoking and non-smoking areas with their employees.

10.B.10 Accident and Damage Reporting

The Contractor shall notify (CDRL 10030) the Contracting Officer as soon as practical, but no more than four hours after any accident meeting the definition of Recordable Injuries or Illnesses or High Visibility Accidents, property damage, or any Weight Handling Equipment (WHE) accident. Notification shall also be provided for any mishap occurring in any of the following high hazard areas: electrical (to include Arc Flash, electrical shock, etc.); uncontrolled release of hazardous energy (includes electrical and non-electrical); weight or load handling equipment (LHE) or rigging; and fall-from-height (any level other than same surface). These mishaps shall be investigated in depth to identify all causes and to recommend hazard control measures.

Within notification include Contractor name; contract title; type of contract; name of activity, installation, or location where accident occurred; date and time of accident; names of personnel injured; extent of property damage, if any; extent of injury, if known, and brief description of accident (to include type of equipment used, PPE used, etc.). Preserve the conditions and evidence on the accident site until the Government investigation team arrives on-site and Government investigation is conducted.

The Contractor shall conduct an accident investigation for recordable injuries and illnesses, for accidents requiring Medical Treatment, property damage accidents, and near misses as defined in MCO 5100.29, to establish the root cause(s) of the accident.

For any weight handling equipment accident to include when MHE configured in a manner to lift suspended loads (including rigging gear accidents) the Contractor shall conduct an accident investigation to establish the root cause(s) of the accident and comply with additional requirements and procedures for accidents in accordance with NAVFAC P-307, Section 12. The Contractor shall submit a WHE Accident Report. No crane operations are allowed to proceed until cause is determined and corrective actions have been implemented to the satisfaction of the Contracting Officer.

For a near miss involving crane or rigging operations, the Contractor shall report verbally to the Contracting Officer as soon as management becomes aware but not later than 4 hours of such event and comply with additional requirements and procedures for near-misses in accordance with NAVFAC P-307, Section 12. A near miss occurs when an accident was avoided by mere chance or when intervention prevented an ongoing sequence of events that would have resulted in an accident (e.g. unplanned encroachment, improper crane set-up, improperly rigged load, etc.). The Contractor shall submit a Crane and Rigging Gear Near Miss Report.

10.B.10.a Accident Reporting and Notification Criteria

The following criteria and definitions apply to the accident reporting requirements specified above:

Recordable Injuries or Illnesses. Any work-related injury or illness that results in:

1. Death, regardless of the time between the injury and death, or the length of the illness;
2. Days away from work (any time lost after day of injury/illness onset);
3. Restricted work;
4. Transfer to another job;
5. Medical treatment beyond first aid;
6. Loss of consciousness; or
7. A significant injury or illness diagnosed by a physician or other licensed health care professional, even if it did not result in (1) through (6) above.

High Visibility Accident. Any mishap which may generate publicity or high visibility.

Medical Treatment. Treatment administered by a physician or by registered professional personnel under the standing orders of a physician. Medical treatment does not include first aid treatment even through provided by a physician or registered personnel.

WHE Accident. A WHE accident occurs when any one or more of the eight elements in the operating envelope fails to perform correctly during operation, including operation during maintenance or testing resulting in personnel injury or death; material or equipment damage; dropped load; derailment; two-blocking; overload; or collision, including unplanned contact between the load, crane, or other objects. A dropped load, derailment, two-blocking, overload and collision are considered accidents even though no material damage or injury occurs. A component failure (e.g., motor burnout, gear tooth

failure, bearing failure) is not considered an accident solely due to material or equipment damage unless the component failure results in damage to other components (e.g., dropped boom, dropped load, roll over, etc.

The MCMC shall provide a mishap statistics report that shall categorize all mishap information from the previous year by type of mishap and shall identify property losses and MCMC man-days lost and will be submitted by close of business (COB annually on January 15th.

10.B.10.b The MCMC shall provide a quarterly mishap statistics report that shall categorize mishap information by type of incident, (i.e. First Aid, OSHA reportable, and lost time).

10.B.11 Radiation Safety Requirements

The MCMC shall comply with radiation safety standards IAW CmdO P5104.3, 29 CFR 1910, and MCO 5100.29.

10.B.11.a The MCMC shall provide notification (CDRL 10031) to the Radiation Safety Manager regarding any radiation accident/incident IAW CmdO 5104.3, 29 CFR 1910, MCO 5100.29. Notification will be verbally within 30 minutes of incident and followed up with a formal written (email, memo, letter) notification within 3 business days of incident.

10.B.11.b The MCMC shall ensure adequate radiation training for designated personnel IAW CmdO P5104.3, 29 CFR 1910, and MCO 5100.29.

10.B.11.c The MCMC shall properly manage a radioactive material/waste storage area IAW EPA 40 CFR, The U.S. Nuclear Regulatory Commission (NRC) 10 CFR Part 20, MCO 4450.12, 29 CFR 1910, and MCO 5100.29.

10.B.11.d The MCMC shall complete semi-annual radioactive material inventories and submit (CDRL 10032) to Installation Safety Office IAW CmdO P5104.3, 29 CFR 1910, MCO 5100.29, EPA 40 sub Chap F CFR, the U.S. Nuclear Regulatory Commission (NRC) 10 CFR Part 20, MCO 4450.12 by June 30th and January 30th every year.

10.B.11.e The MCMC shall provide notification (CDRL 10033) to the Radiation Safety Manager within 3 business days of any radiation producing components that have been received aboard MCSF-BI or left. The notification shall list the type of radiation source, the location of the component (or where it was headed), and any documentation that accompanies the components (i.e. wipe test), RAM movement forms, and inventories.

10.B.12 Vehicle Safety

The MCMC shall follow all safety requirements for vehicle operations IAW 29 CFR 1910, CmdO 11240.1C and as stated herein.

10.B.12.a The MCMC shall implement and manage a Tactical/Organic Vehicle / Equipment Licensing Program IAW CmdO 11240.118, MCO 11240.66, MCO 11240.118, MCO 8400.6, TM 11275-15/4, TM 11240-15/3, 49 CFR, and 5 CFR.

10.B.12.b The MCMC shall provide properly licensed, certified and trained operators and safety observers, when needed, for all equipment IAW 29 CFR. The Government Licensing Official will approve all licenses (CDRL 10034) IAW CmdO 11240.118.

10.B.12.c The MCMC shall adhere to regulations for equipment operators/ personnel requiring a Commercial Driver's License, and personnel operating vehicles transporting or handling hazardous materials or hazardous waste IAW 40 CFR, 49 CFR, 29 CFR 1910, MCO 5100.29, MCO 5090.2, DOD-MIL-STD-101, and CmdO 11240.118.

10.B.12.d Report all incidents involving vehicles to the Government per MCO P11240.106 (series) and MCO 5100.29C Vol. 9. The MCMC shall notify the government within one hour following a vehicle accident. The MCMC shall provide the Contracting officer a Mishap report (CDRL 10035) within 10 business days.

10.B.13 Safety Inspections

The Contractor shall conduct inspections of its work areas, sites, and work crews every day work is being performed to ensure that all Contractor operations are being conducted safely. These inspections shall ensure:

- The site is safe and free of job-site hazards
- Proper PPE is being utilized and worn.
- Safe work practices and processes are being followed.
- Workers are familiar with the hazards covered in the respective AHA for that work activity.
- All equipment and tools are in good condition and being used safely.

The Government reserves the right to inspect and monitor Contractor operations for safety compliance. In general, the Government approach will be to conduct Performance Assessment on the quality and effectiveness of the Contractor's safety program. The Government reserves the right to stop any work activity when it deems danger is imminent. Contractor personnel shall work in a safe manner and comply with all applicable safety regulations. The Contractor shall be subject to safety inspections of its work sites by the Government. Contractor safety records shall be available to the KO upon request.

The Contractor shall submit a copy of the Contractor Safety Inspection and Monitoring Report upon request (CDRL 10036). The Contractor Safety Inspection and Monitoring Report shall include a narrative of significant events; a tabulated summary and results of the safety inspection

and monitoring events performed; inspection-driven corrective actions taken, and the results attained; and management process adjustments during the previous month.

10.B.13.a OSHA Citations and Violations. The Contractor shall correct violations and citations promptly and submit a copy of each OSHA citation and OSHA report with written OSHA Citations and Violations Corrective Action Report within 48 hours after receiving a citation.

10.B.13.b The MCMC shall cooperate with and provide immediate notification (CDRL 10037) to the Government upon recognition of third-party regulatory agency personnel conducting inspections/audits in their respective work areas. This should be done by a Verbal notification within 30 minutes of discovery and includes but not limited to regulatory agencies such as OSHA, Fire Marshal, DOT, Health Department, etc.

10.B.14 Hazard Reporting and Abatement Program

The MCMC shall develop a Hazard Reporting and Abatement Program IAW 29 CFR 1910 and MCO 5100.29. Note: Hazardous situation reporting can be confidential.

10.B.14.a The MCMC shall report (CDRL 10038) any hazard situation where the loss of life or major damage to Government Property is/was probable, verbally within 30 minutes of the observation and will be documented in writing (email, memo, letter) within 48 hours of the observation.

10.B.15 Medical Screening and Surveillance Requirements

The MCMC shall comply with all Medical Screening and Surveillance requirements in OSHA standard: A Guide IAW OSHA 3162-01R, 2014. The Government will be notified of any changes in personnel within 10 business days. The Government also reserves the right to inspect the program for compliance.

10.B.15.a The MCMC shall maintain up-to-date personnel medical surveillance records IAW 29 CFR 1910, MCO 5100.29 and NAVFAC P-307

10.B.16 Respiratory Protection Program

The MCMC shall establish a respiratory protection program IAW 29 CFR 1910 and provide (CDRL 10039) the Contracting Officer and Installation Safety a list of all personnel assigned to respirators and or required to be in the program.

10.B.16.a The MCMC shall maintain an accurate list of personnel assigned and approved to wear respirators. The Government will be notified of any changes to this list within 10 business days of personnel changes.

10.B.17 Hearing Conservation Program (HCP)

The MCMC shall administer a continuing, effective hearing conservation program IAW 29 CFR 1910.95 and MCO 5100.29 where contractor personnel's workplace noise exposure equals or exceeds OSHA's occupational noise Action Level (i.e., 8-hour time-weighted average sound level (TWA) of 85 decibels measured on the A scale). The MCMC is responsible for determining MCMC personnel's occupational noise exposure and ensuring all required personnel are enrolled in the HCP.

10.B.18. Hazard Communication (HAZCOM) Program

The MCMC shall develop, implement, and maintain a written HAZCOM program IAW 29 CFR 1910.1200 and MCO 5100.29. The program should include, but is not limited to, label and warning requirements, Safety Data Sheet requirements, and employee information and training.

10.C ENVIRONMENTAL

10.C.1 The MCMC shall comply with all environmental requirements in accordance with all local, state and federal environmental statutes, regulations and standards. This includes Executive Orders (EO), Department of Defense (DoD), Department of Navy (DoN) and Marine Corps (USMC) Policies, Instructions and Directives.

10.C.2 Environmental Manager

The Contractor shall provide (CDRL 10040) an Environmental Manager and designated alternate whose primary duty and responsibility is to ensure Contractor operations adhere to the goals and policies of the Environmental Management System, and other specified Sustainability requirements affecting this contract. The Environmental Manager shall develop, implement, and monitor environmental strategies, policies and programs that promote sustainable development and examine the contract activities to establish where improvements can be made and ensure compliance with environmental legislation and energy policy.

The Environmental Manager shall have a minimum two years' experience with environmental procedures similar to those of this contract; familiarity with Environmental Management Systems (EMSs); and knowledge of environmental regulations and policy (including energy and water reduction requirements and renewable energy requirements) that are applicable to operations similar to those of this contract and shall have experience in hazardous waste management and hazardous substance spill response.

The Environmental Manager shall be trained prior to the start of this contract and possess the following:

1. Site supervisor for spill cleanup in accordance with OSHA regulation and 29 CFR 1910
2. Initial DOT Ground Shipper for Hazardous Material/Hazardous Waste training that meets 49 CFR 177.800-816 and triennial refresher.

3. Initial 40 CFR 262.17(a)(7) and 40 CFR 265.19 training for a Large Quantity Generator of Hazardous Waste and annual refresher.
4. 40 hours HAZWOPER and annual 8-hour refresher training
5. A minimum of 16-hour course in hazardous material transportation.
6. Within 6 months following the start of the contract, the Environmental Manager shall complete annual training in SPCC, Storm Water Pollution Prevention, site specific training for HW, 40 CFR 265.16 training for a Large Quantity Generator of Hazardous Waste, and EPCRA.

The Environmental Manager shall not be the same person as the Project Manager, Quality Manager, SSHO, Transportation Manager, WHE Operation and Maintenance Manager, or site manager.

10.C.3 Air Resources

Equipment operation, activities, or processes shall be in accordance with 40 CFR 64, state air emission and performance laws & standards and all air permits.

10.C.3.a IAW EPA Title V Air Permit the MCMC shall (CDRL 10041) input and maintain operating data for all painting and abrasive blast operations. This data will be kept in a Government provided Microsoft Access Air database and will include at a minimum date of operation, painting hours, amount of paint used/applied, type of paint used/applied, type of application (i.e., spray, can, brush), type and amount of solvent used, blast hours, type of blast media, amount of blast media used, and visual emission observations. The database will be updated NLT the fifth business day of every month. Database training will be provided as needed to the MCMC contractor by Installation Division Environmental Section as needed. If training is needed MCMC shall make a request in writing immediately and provide a time for the required training.

10.C.3.b The MCMC shall request through the Environmental Compliance Workflow approval for any new or existing paint or paint related product they wish to use that is not currently listed in the Microsoft Access Air Database. The new paint or paint related product request (CDRL 10042) should include the name of the product, product information (size, type, etc.) and its Safety Data Sheet (SDS) number. The request should be at least 5 business days prior to the required usage date.

10.C.3.c The MCMC shall (XDRL 10043) provide an accurate inventory for all MCMC assigned Green House Gas (stationary and mobile) sources NLT 30 calendar days after the Government's request for annual reporting. The tracking and inventory of the Green House Gases shall be IAW the Clean Air Act (CAA), MCSF-BI Air Emission Integrity and Green House Gas Inventory.

10.C.3.d The MCMC shall utilize the Microsoft Access Ozone Depleting Substance Government database located on the shared site and input accurate Ozone Depleting

Substance inventory data and update (CDRL 10044) it NLT the 5th business day of each new quarter.

10.C.4 Stormwater

10.C.4.a The MCMC shall obtain Government approval prior to any water discharges using the Water Discharge Form/Workflow. Water discharges include storm water, waste water, large amounts of potable water, and contained/confined water.

10.C.4.b Stormwater Pollution Prevention

The MCMC shall comply with the installation's Stormwater Pollution Prevention Plan (SWPP), requirements of 40 CFR 122.26, along with NPDES, and St John's River Water Management District (SJRWMD) Master Stormwater Permit.

10.C.4.b.1 Inspection Reports

Submit "Inspection Reports" (CDRL 10045) to the Contracting Officer in accordance with section 10.C.4.b.

10.C.5 Hazardous Material Management

10.C.5.a The MCMC shall comply with all Federal, state, local and DoD hazardous materials requirements, IAW 40 CFR Parts 260-370, 49 CFR Parts 105-178, 29 CFR 1910, MCO 5100.29B, MCO 5090.2, DoD MIL-STD-101C, and the most recent U.S. DOT Emergency Response Guidebook. Do not bring hazardous material onto Government property that does not directly relate to requirements for the performance of this contract at that specific Government property location. Submit (CDRL 10046) a SDS and estimated quantities to be used for each hazardous material to the Installation Division Environmental manager prior to bringing the material on the installation. Use hazardous materials in a manner that minimizes the amount of hazardous waste generated. Containers of hazardous materials shall have National Fire Protection Association labels or their equivalent. Certify that hazardous materials removed from the installation or offsite locations are hazardous materials and do not meet the definition of hazardous waste, in accordance with 40 CFR 261.

10.C.5.b The MCMC shall provide a written Exposure Control Plan (CDRL 10047) for hazardous work environments to all work centers within 30 calendar days of contract award and 30 calendar days of a change to the plan. The plan shall include the mechanisms for providing knowledge to the workforce and follow-up exposure criteria. Mechanisms are defined as email, signs, training, safety meetings, etc.

10.C.5.c The MCMC shall provide all required training to all personnel that handle hazardous materials IAW 40 CFR Parts 260-370, 49 CFR Parts 105-178, 29 CFR 1910, MCO 5100.29B, MCO5090.2, DoD MIL-STD-101, and MCSF-BI Comprehensive Environmental Training and Education Plan (CETEP).

10.C.5.d The MCMC shall maintain all hazardous materials in the Marine Corps approved system Hazardous Material Management System (HMMS) IAW MCSF-BI Hazardous Material Management Plan (HMMP). The MCMC shall conduct inspections as required by HMMP and provide (CDRL 10048) the respective HAZMAT Inspection Form to the Government NLT the 5th business day following the inspection.

10.C.5.e The MCMC shall comply with Emergency Planning and Community Right-to-Know Act Reporting (EPCRA) requirements IAW MCSF-BI Integrated Contingency Plan and MCO 5090.2.

10.C.6 Hazardous Waste Control and Management

Do not dispose of, nor bring hazardous waste on Government property. Do not discharge any waste to a sanitary sewer, storm drain, or to the surface water or conduct waste treatment or disposal on Government property without written approval of the Contracting Officer.

10.C.6.a Hazardous Waste Management

Identify, label, handle, transport and storage of hazardous waste or debris in accordance with federal, state, and local regulations, including DoD, DoN, USMC and installation Policies, Instructions, Directives and plans.

Manage hazardous waste in accordance with the approved installation Hazardous Waste Management Plan. Store hazardous wastes in approved containers in accordance with 49 CFR 173 and 49 CFR 178. Hazardous waste generated within the confines of Government facilities is identified as being generated by the Government. Prior to removal of any hazardous waste from Government property, hazardous waste manifests shall be signed by personnel from the Installation Division Environmental Office. Do not bring hazardous waste onto Government property.

10.C.6.b Facility Hazardous Waste Generator Status. MCSF-BI is designated as a Large Quantity Generator. The MCMC shall meet the regulatory requirements of this generator designation for any work conducted within the boundaries of the installation. Comply with provisions of federal, state, and local regulatory requirements applicable to this generator status regarding training and storage, handling, and disposal of derived wastes.

10.C.6.c Waste Storage/Satellite Accumulation/90 Calendar Day Storage Areas. Accumulate hazardous waste at satellite accumulation areas and in compliance with 40 CFR 262 and other applicable federal, state or local regulations. Individual waste streams shall be limited to less than 208 liter/ 55 gallons of accumulation (or 0.95 liter 1 quart for acutely hazardous wastes).

10.C.6.d Universal Waste Management. Manage the following categories of universal waste in accordance with federal, state, and local requirements and installation instructions:

- (i) Batteries as described in 40 CFR 273.2
- (ii) Lamps as described in 40 CFR 273.5
- (iii) Mercury-containing equipment as described in 40 CFR 273.4
- (iv) Pesticides as described in 40 CFR 273.3

10.C.6.e Electronics End-of-Life Management. Recycle or dispose of electronics waste, including, but not limited to, used electronic device such as computers, monitors, hard-copy devices, televisions, mobile devices, in accordance with 40 CFR 260-262, state, and local requirements and installation instructions.

10.C.6.f Biomedical Waste. The MCMC shall manage all biomedical waste generation, handling, and storage IAW MCSF-BI's Biomedical Waste Management Plan. The MCMC is the permittee for the installation's Biomedical Waste disposal permit. The MCMC shall have the permit transferred to them upon commencement of the contract and maintain the permit in a compliant status.

10.C.6.g The MCMC shall identify waste generated and complete all waste disposal turn-in-documents IAW MCSF-BI's Hazardous Waste Management Plan. Turn in documentation to include Safety Data Sheets (SDS) for Off-Spec or HMMS waste profile number for used items.

10.C.7 Pest Management

The MCMC shall comply with Pest Management IAW MCSF-BI Integrated Pest Management Plan.

10.C.7.a The Contractor shall not apply any pesticide products per ESOH-W-8.1.1089 Obtaining Animal and Pest Control Services. Pesticide application shall be according to need and not by schedule. Application of pesticides in any area inside or outside the premises shall not occur unless visual inspections or monitoring devices indicate the presence of pests in that specific area.

10.C.8 Petroleum, Oil, Lubricant (POL) Storage and Fueling

POL products include flammable or combustible liquids, such as gasoline, diesel, lubricating oil, used oil, hydraulic oil, mineral oil, and cooking oil. Store POL products, fuel equipment, motor vehicles and used oil in a manner that affords the maximum protection against spills into the environment. Manage and store POL products and used oil in accordance with 40 CFR 112, and other federal, state, regional, and local laws and regulations. Use secondary containments, dikes, curbs, and other barriers, to prevent POL products and used oil from spilling and entering the ground, storm or sewer drains, stormwater ditches or canals, or navigable waters of the United States. Storage of fuel on the installation or offsite locations shall be in accordance with EPA, state, and local laws and regulations and paragraph POL storage including fuel tanks.

10.C.8.a Used Oil Management. Manage used oil generated on site in accordance with 40 CFR 279, state and local regulation and applicable MCSF-BI environmental plans.

10.C.8.b POL Storage Including Fuel Tanks.

(i) Provide secondary containment and overfill protection for POL storage tanks. Use drip pans during POL transfer operations; adequate absorbent material shall be onsite to clean up any spills and prevent releases to the environment. Cover tanks and drip pans during inclement weather. Provide procedures and equipment to prevent overfilling of tanks. If tanks and containers with an aggregate aboveground capacity greater than 1,320 gallons will be used on the installation or offsite locations (only containers with a capacity of 55 gallons or greater are counted), provide and implement a SPCC plan meeting the requirements of 40 CFR 112. Submit the SPCC plan to the Contracting Officer for approval.

(ii) Monitor any rainwater that accumulates in open containment dikes or berms; coordinate with Installation Division Environmental office for removal. Inspect the accumulated rainwater and contract the Environmental Office to schedule the water to be drained or pumped out.

10.C.8.c The MCMC shall take operational control of the storage tanks assigned to the MCMC under the MCSF-BI's AST-UST Plan and IAW MCSF-BI Integrated Contingency Plan. The MCMC shall perform storage tank inspections and provide the necessary maintenance. The MCMC shall submit Tank Maintenance Records(CDRL 10049) monthly, NLT the 30th day of each month following maintenance.

10.C.9 Employee Training

10.C.9.a The MCMC shall develop and maintain a training program to enhance annual environmental awareness training for all employees in addition to training required by all applicable Federal, State, and local laws, regulations, and executive orders, and with base-wide instructions, standards, and permit requirements. Environmental awareness training shall include topics such as hazardous material and regulated/non-regulated waste management, recycling, solid waste disposal, stormwater BMPs, general housekeeping procedures, fueling procedures, spill prevention and response, natural resources, and cultural resources.

All site personnel shall receive annual and refresher training and training records are maintained on site for five years. Employees identified as the Environmental Manager, spill response team member, or as a qualified individual for a specific program must obtain the necessary training certifications required to fulfill the position assigned. Training records must be maintained and available for inspection

Provide a Position Description for each employee, by subcontractor, evaluating the employee's association with hazardous and regulated wastes. This Position Description will include training requirements as defined in 40 CFR 265 for a Large Quantity Generator facility.

10.C.9.b The MCMC shall provide appropriate spill response training for personnel who routinely handle POLs or hazardous material within 30 calendar days of a new hire or transfer.

10.C.9.c The MCMC shall complete and report (CDRL 10050) attendance of all employees Environmental Training and Education using the Government provided Comprehensive Environmental Training and Education Plan (CETEP) Microsoft Access Database. Once the Employee has completed the training, the Training records will be entered into the database NLT the 5th business day of the following month.

10.C.10 Solid Waste Management

10.C.10.a Pickup solid wastes, and place in covered containers that are regularly emptied. Do not prepare or cook food on the installation. Prevent contamination of the site or other areas when handling and disposing of wastes. Employ segregation measures so that no hazardous or toxic wastes will become co-mingled with non-hazardous solid waste.

10.C.10.b The MCMC shall comply with Solid Waste Management IAW MCSF-BI Integrated Solid Waste Management Plan including the recycling of all waste stream outlined in the plan.

10.C.11 Green Procurement

The MCMC shall comply with the Green Procurement Process for MCMC acquired consumables, materials and equipment IAW federal laws, regulation and EOs as well as DoD and DoN policies. This shall be done IAW MCSF-BI Green Procurement Plan and a report of Green Procurement actions (CDRL 10051) will be provided to the Government NLT the 5th of each month.

10.C.12 Pollution Prevention

The MCMC shall comply with pollution prevention federal laws, regulation, EOs, DoD and DoN policies. This shall be accomplished IAW MCSF-BI Pollution Prevention Management Plan, which shall include participating in the Navy's Pollution Prevention Program per Executive Order 13423 and OPNAV 5090.1. The MCMC will also follow Pollution Prevention Program per MCO 5090.2 which requires Pollution Prevention surveys, and including but not limited to, attendance in kickoff meetings, planning meetings, responding to requests for data collection, verification of data provided for collection, and providing recommendations to improve processes or decrease the amount of waste generated.

10.C.13 Protection of Natural Resources

10.C.13.a The MCMC shall minimize interference with, disturbance to, and damage to fish, wildlife, and plants, including their habitats. Prior to the commencement of activities, consult with the IDIV Environmental Office, regarding rare species or sensitive habitats that need to be protected.

10.C.13.b The MCMC shall comply with the MCSF-BI Natural Resources Management program as outlined in the MCSF-BI's Integrated Natural Resource Management Plan (INRMP).

10.C.13.c The MCMC shall conduct Manatee watch as required IAW MCSF-BI's INRMP and provide an after Action Log (CDRL 10052) NLT the 5th of the following month. Manatee watch is required with 30 minutes notification each time there are ship movements in the slipway except during designated winter months as determined by IDIV Environmental Office. The Government will provide a Government provided boat and all MCMC employees will be required to have National Association of State Boating Law Administrators class or equivalent.

10.C.14 Control and Management of Polychlorinated Biphenyls (PCBs)

The MCMC shall manage PCB contaminated waste in accordance with 40 CFR 761.

10.C.15 Military Munitions

The MCMC shall comply MCO 5090.2 when dealing with Military Munitions Waste. In the event military munitions, as defined in 40 CFR 260, are discovered, immediately stop work in that area and immediately notify MCSF-BI or BICmd Safety Office.

10.C.16 Conformance with the Environmental Management System (EMS)

10.C.16.a The MCMC shall participate in the Installation's ISO 14001 site certification and EMS Programs IAW MCSF-BI Environmental Management System Manual.

10.C.16.b Work under this contract shall be consistent with the policy and objectives identified in the installation's EMS. Perform work in a manner that conforms to objectives and targets of the environmental programs and operational controls identified by the EMS. Support Government personnel when environmental compliance and EMS audits are conducted by escorting auditors at the shop/building, answering questions, and providing proof of records being maintained. Provide monitoring and measurement information as necessary to address environmental performance relative to environmental, and energy goals. In the event an EMS nonconformance or environmental noncompliance associated with the contracted services, task, or actions occurs, take corrective and preventative actions. In addition, employees shall be aware of

their roles and responsibilities under the installation EMS and of how these EMS roles and responsibilities affect work performed under the contract.

10.C.16.c The MCMC shall coordinate with the installation's EMS coordinator to identify training needs associated with environmental aspects and the EMS, and arrange training or take other action to meet these needs. Make EMS Awareness training completion certificates available to Government auditors during EMS audits and include the certificate in the Employee Training Records. See paragraph 10.C.9 Employee Training.

10.C.17 Recycling

10.C.17.a The MCMC shall recycle to the maximum extent possible; office paper, computer paper, mixed paper, corrugated cardboard, wood, scrap metals, POL products, e-waste, batteries, antifreeze, and any additional items identified by the government.

10.C.17.b The MCMC shall recycle all spent fluids IAW MCSF-BI Solid Waste Management Plan. All spent fluids shall be recycled to the maximum extent possible. All spent fluids handling and transportation shall be closely coordinated with the Government and shall be in full compliance with DoD, Navy and Marine Corps, Federal, State, and local environmental regulations.

10.C.17.c The MCMC shall keep their respective building's trash collection areas clean at all times to deter the harboring of pest including areas in and around all roll-off containers, dumpsters and compactors.

10.C.17.d The MCMC shall coordinate all recycling activities with the government.

10.C.17.e The MCMC shall designate personnel responsible for the orderliness of recyclable material collection areas.

10.C.18 Releases/Spills of Oil and Hazardous Substances

10.C.18.a Response and Notifications. The MCMC shall exercise due diligence to prevent, contain, and respond to spills of hazardous material, hazardous substances, hazardous waste, regulated gas, POLs, and other substances regulated in accordance with 40 CFR 300. In the event of a spill, take prompt, effective action to stop, contain, curtail, or otherwise limit the amount, duration, and severity of the spill/release. In the event of any release of oil and hazardous substances, chemicals, or gases; immediately notify (CDRL 10053), the Installation Command Duty, and the IDIV Environmental Office and follow the procedures in the MCSF-BI Integrated Contingency Plan. Spill response shall be in accordance with 40 CFR 300 and applicable state and local regulations, and IAW MCSF-BI Integrated Contingency Plan. The MCMC boat crew shall be the initial response team for any spills in the slipway and will be responsible for deploying the containment boom across the slipway to prevent any spill within the slipway from

migrating to the river. The boat crew shall all be OSHA 40-hour HAZWOPER trained, maintain a boater education certificate “boaters license”, and shall be familiar with the Facility Response Plan. The boat crew shall attend initial FRP training and annual refresher training and/or exercises. The boat crew supervisor shall function as an alternate Incident Commander and as such should have successfully complete National Incident Management System training courses 100c, 200c, and ICS 300.

10.C.18.b Clean Up. The MCMC shall clean up hazardous and non-hazardous waste spills. Reimburse the Government for costs incurred including sample analysis materials, clothing, equipment, and labor if the Government will initiate its own spill cleanup procedures, for MCMC – responsible spills, when: Spill cleanup procedures have not begun within one hour of spill discovery/occurrence; or, in the Government’s judgment, spill cleanup is inadequate and the spill remains a threat to human health or the environment.

10.C.18.c The MCMC shall maintain spill kits IAW MCSF-BI Integrated Contingency Plan. The MCMC shall complete the Spill Kit Inventory Form (CDRL10054) and provide it to the government monthly.

10.C.19 Regulated Garbage Inspection and Control

10.C.19.a The MCMC shall inspect all garbage which includes waste material derived in whole or in part from fruits, vegetables, meats, or other plant or animal material and other refuse of any character whatsoever that has been associated with such material under 7 CFR 330.400 and 9 CFR 94.5. The regulated garbage shall be stored in a red, 96-gallon, identifiable containers labeled “Regulated Garbage” for foreign garbage. The Installation Division Environmental USDA team will implement training programs for relevant personnel before they are permitted to handle or supervise the handling of regulated garbage annually or as needed along with the compliance agreement and training records. The MCMC supervisor is responsible for inspections and possess knowledge of the ships layout. MCMC shall provide IDIV Environmental with records of regulated garbage pickups. All regulated garbage shall be kept completely separate from trash.

SECTION C.11 – COMMUNICATION SUPPORT SYSTEMS

This Section applies to land-based preposition sites established or will be established to additional OCONUS locations and sets forth the requirements and responsibilities of the MCMC for providing voice, video, and data services in support of MCSF-BI, BICmd and tenant organizations associated with the facility and the Marine Corps Prepositioning mission. The Marine Corps operates a Government Owned, Government Operated - MCMC Supported (GOGO-CS) Enterprise Network. It is setup within a regionalized strategy comprised of four Regional Network Operations Support Centers (RNOSCs) and eight sub regions supported by Marine Air Ground Task Force (MAGTF) IT Centers (MITSCs) designed to provide garrison Marine Expeditionary Forces and Marine Corps Supporting Establishments within respective

areas of responsibility. Under this construct, the MCMC shall provide touch labor in support of the MITSCs. MITSC East is the region for this contract. Overall NetOps/Cyber Network Operations (Cyber NetOps) are directed by the Marine Corps Cyber-Security Operations Group (MCCOG).

The MCMC shall install, configure, administer, operate, and maintain all video, and data services and equipment under the direction of the S-6, MITSC East and Higher Headquarters (HHQ). Under the MCEN, the MCMC shall be responsible for Managed services such as Data Center Support, Tech Refresh, Asset Management, Staging and Warehousing, and Software Release & Deploy. The MCMC shall be responsible for Sustainment operations such as Network Support, IT Service Management, Data Center. Equipment the MCMC shall install, configure, administer, operate, and maintain is listed below. This list may not be all inclusive and will change as technology changes. Network devices such as routers, switches (90), wireless Access Points (50), Passive Radio Frequency Identification (pRFID) readers (50) that are currently used at the facility. End User devices currently consist of Dell, HP, Panasonic, GETAC, DT, Lenovo and Microsoft workstations (1100). Video Teleconference equipment is primarily Cisco Tandberg systems (10). Servers running virtual software (75 physical/virtual servers) and Miscellaneous IT equipment includes but is not limited to leased Multifunction Devices (50), Raspberry Pi devices, standalone printers and plotters (20).

The Government has identified GFE as identified in SOW Attachment C.1-2 to include IT equipment. The MCMC must receive Government approval prior to utilizing associated MCMC provided peripherals; Bluetooth and or wireless technologies are not permitted without prior Government approval. Any unauthorized devices may be confiscated without reimbursement. The Government has maintenance contracts in place which provide consumable supplies for Multi-Function Devices (MFD) and standalone printers (except paper).

Primary software and systems that the Contactor shall install, configure, administer, operate and maintain are listed below. This list may not be all inclusive and will change as technology changes. Microsoft Office products, Microsoft Server products (SharePoint, Project, SQL, etc.), Adobe Acrobat Professional, AutoCAD products, Citrix, iCODES, Oracle Database Enterprise, Sybase SQL Anywhere, Citrix, Stencil CAD Basic, and various graphic programs. The MCMC is required to manage software licenses as defined in Section 11.B.3.

The MCMC shall ensure video, and data service delivery in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation. Services at MCPP locations governed by the contract shall be performed in accordance with standards set forth and approved delivery schedules. Products shall conform to the specifications described within this section. Quality assurance measurements will be governed by the performance requirements and standards associated with this section and specifications described within Section C.2 Performance and Risk Management. Requirements and clarifications identified herein are those specific to video, and data service delivery. The MCMC shall adhere to these requirements.

MCPP-PHIL Specific: IT support positions are considered part of the Information Assurance Workforce (IAWF). As such, there are minimum qualifications with regard to capabilities and certifications that each member must possess prior to being granted privileged access to network resources. The current revision of Department of Defense Instruction (DODI) 8570 (8570.1m as of this writing) and Department of Defense Directive (DODD) 8140 govern the minimum qualifications for IAWF positions. The skillset and autonomous task execution expectations for IT support within MCPP-PHIL require an IAWF level II technical certification. Due to the critical nature of IT service delivery and heavy reliance upon automated resources in order to meet contractual requirements, IT support responsibilities shall be assigned as a primary duty.

11.A The MCMC shall operate a Help Desk in direct support of video, and data service delivery. The Help Desk shall be operated during normal business hours for resolving video, and data service delivery related problems. The MCMC shall provide voice service delivery resolution as it pertains to server and network delivery. Normal business hours are: 0600-1630 Monday through Friday, excluding Federal holidays.

11.A.1 Scheduled After-Hours Support (Flextime). The Government will provide notification of required Scheduled After-Hours Support NLT 24 hours in advance. The MCMC shall use Flextime to conduct operations that take place after normal working hours.

11.A.2 Scheduled Weekend Maintenance (Flextime). Weekend maintenance may be required occasionally to make repairs and minimize impact to the network. The Government will provide notification and approval of required Scheduled Weekend Maintenance Support NLT 24 hours in advance; MCMC employees shall flex their work schedule to meet weekend maintenance requirements.

11.A.3 Emergency/Unscheduled After-Hours/Unscheduled Weekend Maintenance Support (Overtime). The MCMC shall provide onsite support within three (3) hours of notification for Unscheduled After-Hours/Unscheduled Weekend Support requirements. Verbal authorization for overtime in response to Emergency/Unscheduled After-Hours/Unscheduled Weekend Support services may be provided by the S-6, Deputy S-6 or S-6 Installation Operations Officer. Authorization by S-6 as identified above for Unscheduled After-Hours/Unscheduled Weekend Support shall not exceed \$3,500.00. In the event of an emergency the S-6 will notify the MCMC IS Manager of the required support.

11.A.4 The MCMC shall record all Help Desk calls, service requests, and special projects (e.g. migrations/tech refresh/VTC support). Means of recording shall be through use of Government provided software product(s). Current product for service request management is Remedy IT Service Management Suite. Product(s) may change as enterprise architecture evolves.

11.A.5 The MCMC shall provide support for audio/visual information systems. Support includes, but is not limited to, facility coordination, set-up, testing, and operation of all Video Teleconferencing requests or Audio Visual requirements. Telephone Systems (except cyber

security patching) MASS Notification and Installation Surveillance Systems are excluded from this requirement.

11.A.6 The MCMC shall maintain an inventory of consumable supplies, for Government consumption, and provide a quarterly inventory report of available and consumed supplies for video, and data service delivery. MCMC shall identify the requirement to reorder consumable supplies when inventory drops to < 30%. Supplies include, but are not limited to, printer cartridges, toner, audio visual cables, surge protectors, uninterruptable power supplies (desktop version), mouse pads, DVD/CDs, etc. The MCMC shall submit an accurate, detailed inventory to include issued supplies, date issued and name to whom items are issued NLT the 5th business day of each quarter.

11.B The MCMC shall perform installation of all data service delivery hardware and supporting software. Hardware and supporting software includes products that are Commercial Off-the-Shelf (COTS) and Government Off-the-Shelf (GOTS).

11.B.1 The MCMC shall only install hardware which has been authorized by S-6. Hardware shall be configured IAW manufacturer's instructions, applicable Defense Information Systems Agency (DISA) Security Technical Implementation Guidelines (STIGs), and current USMC baseline parameters.

11.B.2 The MCMC shall only install software products which have been authorized by S-6. The MCMC shall verify that software products are approved in the Department of the Navy Application Database Management System (DADMS). The MCMC shall configure software IAW manufacturer's instructions, applicable Security Technical Implementation Guides (STIGs) and IAW licensing agreement terms and conditions.

11.B.3 The MCMC shall maintain accurate accountability of all GOTS and COTS software. Accountability includes tracking total number of licenses, product key (COTS), number currently installed, hardware assets that product(s) are installed on, and Database Management System (DADMS) expiration information. The MCMC shall provide an Accountability List on a Quarterly basis or as requested.

11.B.4 The MCMC shall maintain accountability of all data service delivery hardware IAW Section C.4 Supply. Data service delivery hardware includes network distribution equipment such as switches, routers, access points, and transceivers that are required to deliver LAN/BAN/WAN services throughout the Blount Island network presence.

11.B.5 The MCMC shall maintain accountability of all network server hardware IAW Section C.4 Supply. Network server hardware includes servers and data storage devices that are required for processing and storing data.

11.B.6 The MCMC shall dispose of excess and unserviceable IT equipment IAW Section C.4 Supply, Section P (Hazardous Material), and S-6 disposition approval.

11.C The MCMC shall perform maintenance on video, and data service delivery hardware. Hardware includes, but is not limited to, WAN/BAN/LAN distribution architecture components (routers, switches, wireless access points, etc.); workstations and printers; audio and visual equipment suites (Video Teleconferencing (VTC) equipment, projectors, classroom automation equipment, etc.). Telephone switching equipment is specifically excluded from this requirement.

11.C.1 The MCMC shall utilize GCSS-MC to document maintenance services on all TAMCN IT assets that are accounted for within GCSS-MC IAW UM 4000-125 and CmdO 4790.2. The minimal services to be captured in GCSS-MC include LTI, PM, CM, MI, and the conduct of SL-3 inventories, where applicable. Any parts or SL-3 requisitions that are done outside of GCSS-MC using commercial sources must be documented/uploaded and debriefed within GCSS-MC IAW the CmdO 4790.2. All Labor and Material shall be debriefed within GCSS-MC. The MCMC shall ensure all Task Notes are entered for each task created on the SR. The MCMC shall document all GCSS-MC actions performed in the Remedy IT Service Management Suite and reference the GCSS-MC Service Request.

11.C.2 The MCMC shall perform preventive maintenance annually on video and data service delivery equipment IAW Command Order (CmdO) 2620.1 and manufacturer's technical manuals. Hardware preventive maintenance procedures and requirements are contained in CmdO 2620.1. The MCMC shall comply with the authorization procedures and maintenance windows as defined in CmdO 2620.1. Service interruptions for maintenance procedures shall be scheduled and approved prior to execution.

11.C.3 The MCMC shall initiate troubleshooting and root cause analysis of video, and data service delivery hardware failures. Failures occurring during working hours shall be recorded within 10 minutes of notification. Failures occurring during non-working hours shall be recorded within 10 minutes of commencement of the next business day. Distribution and server architecture monitoring shall be conducted continually during working hours. Failures affecting distribution or server architecture shall be reported to the S-6 immediately upon discovery (no later than five minutes).

11.C.3.a The MCMC shall receive written authorization from the Government prior to procurement of components or services to execute repairs not covered by current Government maintenance procedures.

11.D The MCMC shall perform maintenance on video, and data service delivery software. Software maintenance includes, but is not limited to, upgrades, Information Assurance Vulnerability Assessment (IAVA) implementation, Security Technical Implementation Guide (STIG) implementation, patches, firmware upgrades, and Operating System (OS) modifications and changes. Telephone service delivery equipment (i.e. switch, server, etc.) are specifically included in Cyber Security monitoring, scanning, and software maintenance operations.

11.D.1 The MCMC shall perform maintenance on video, and data service delivery software (including telephone service delivery equipment) IAW CmdO 2620.1, USMC Cyber Security

regulations and directives, and any applicable End User Licensing Agreements (EULA). The MCMC shall obtain authorization from the Government prior to conducting maintenance procedures that interrupt normally available services. CmdO 2620.1 outlines available maintenance windows and authorization procedures. Service interruptions for maintenance procedures shall be scheduled prior to execution.

11.D.2 The MCMC shall initiate troubleshooting and root cause analysis of video, and data software failures. Failures occurring during working hours are recorded within 10 minutes. Failures occurring during non-working hours are recorded within 10 minutes of commencement of next business day. Distribution and server architecture monitoring shall be conducted continually during working hours. Failures affecting distribution or server architecture shall be reported to the S-6 immediately (no later than five minutes) upon discovery. The MCMC shall implement corrective action to restore proper software functionality within one hour of discovery.

11.D.2.a The MCMC shall use current Government software maintenance contracts IAW the terms of the software maintenance agreement terms and conditions when troubleshooting measures require vendor support.

11.D.2.b The MCMC shall receive written authorization from the Contracting Officer prior to utilizing ancillary vendor support, such as maintenance support services.

11.E The MCMC shall perform network administration services for Blount Island LAN/BAN/WAN. Network administration services include, but are not limited to, all tasks normally associated with "Domain Administration" in the IT industry.

11.E.1 The MCMC shall submit updates for the Blount Island Continuity of Operations Plan (COOP) for IT services. The Continuity of Operations Plan (COOP) for IT is to ensure survivability of, and access to, mission critical data and technology in the event of a disaster. Updates shall be submitted to the Cyber Security Manager for approval prior to implementation. The COOP will be reviewed/updated at a minimal of once a calendar year.

11.E.2 The MCMC shall revise and maintain an IT services Backup Plan and perform back-up and restoration of all required data. Monthly back up data shall be stored in a secured off-site facility as identified by the government. Data that requires back-up is identified in the current revision of the COOP for IT services. The MCMC shall ensure that Data is backed up on a daily, weekly and monthly basis. Daily back up data shall be successfully restored within 30 minutes of restoration request. Weekly back up data shall be successfully restored within 24 hours of restoration request. Monthly back up data shall be successfully restored within 48 hours of restoration request.

11.F The MCMC shall provide recommendations as required for life cycle management of Blount Island voice, video and data service delivery systems. Recommendations include

hardware or software approaching End of Life or End of Support (EOL/EOS) or any alternative IT solutions that may better support the mission of Blount Island.

11.F.1 The MCMC shall prepare and submit to the S6 a Determinations and Findings form (SOW Attachment C.11-1) for all IT procurement requests IAW the FAR, DoD, DoN and USMC IT acquisition procedures. Regulatory guidance for IT related expenditures will be provided by the S6 IT Procurement Specialist.

11.G The MCMC shall provide, on an annual basis, proof of Information Assurance (IA) certifications IAW National Institute of Standards and Technology (NIST) SP 800 Series and DoD 8570.01M, DoD 8140 and Enterprise Cyber Security Manual 024.

11.H The MCMC shall receive approval from the Blount Island Command IT Configuration Control Board (CCB) prior to making any changes to the Blount Island network architecture, server architecture or software configuration(s).

MCPP MANAGEMENT SUPPORT SYSTEMS

This Section sets forth the requirements and responsibilities of the MCMC for providing voice, video, and data services in support of MCSF-BI, BICmd and tenant organizations associated with the facility and the Marine Corps Prepositioning mission. The Marine Corps operates a Government Owned, Government Operated - MCMC Supported (GOGO-CS) Enterprise Network. It is setup within a regionalized strategy comprised of four Regional Network Operations Support Centers (RNOSCs) and eight sub regions supported by Marine Air Ground Task Force (MAGTF) IT Centers (MITSCs) designed to provide garrison Marine Expeditionary Forces and Marine Corps Supporting Establishments within respective areas of responsibility with four regional Network Battalions responsible for the IT transport equipment and services. Under this construct, the MCMC shall provide touch labor in support of the BICmd S6 and Regional Network Battalion. Overall NetOps/Cyber Network Operations (Cyber NetOps) are directed by the Marine Corps Cyber-Security Operations Group (MCCOG).

The MCMC shall install, configure, administer, operate, and maintain all voice, video, and data services and equipment under the direction of the S-6, Network Battalion and Higher Headquarters (HHQ). Under the MCEN, the MCMC shall be responsible for Managed services such as Data Center Support, Tech Refresh, Asset Management, Staging and Warehousing, and Software Release & Deploy. The MCMC shall be responsible for sustainment operations such as Desktop Support, Network Support and IT Service Management. Equipment the MCMC shall install, configure, administer, operate, and maintain is listed below. This list may not be all inclusive and will change as technology changes. Network devices such as routers and switches (quantity to be location and mission dependent), Wireless Access Points (quantity to be location and mission dependent), Passive Radio Frequency Identification (pRFID) readers (quantity to be location and mission dependent) will be utilized at the facility. End User devices currently consist of Dell, HP, Panasonic, DT Research, and Microsoft workstations (quantity to be location and mission dependent). Server types are IBM, and Dell running virtual software. Miscellaneous

IT equipment includes but is not limited to leased Multifunction Devices (quantity to be location and mission dependent), Raspberry Pi devices, standalone printers and plotters that support mission function.

The Government has identified GFE as identified in SOW Attachment C.1-2 to include Information Technology equipment. The MCMC must receive Government approval prior to utilizing associated MCMC provided peripherals; Bluetooth and or wireless technologies are not permitted without prior Government approval. Any unauthorized devices may be confiscated without reimbursement. The Government has maintenance contracts in place which provide consumable supplies for Multi-Function Devices (MFD) and standalone printers (except paper).

Primary software and systems that the Contactor shall install, configure, administer, operate and maintain are listed below. This list may not be all inclusive and will change as technology changes. Microsoft Office products, Microsoft Server products (SharePoint, Project, SQL, etc.), Adobe Acrobat Professional, AutoCAD products, Citrix, iCODES, Oracle Database Enterprise, Sybase SQL Anywhere, Citrix, Stencil CAD Basic, and various graphic programs. The MCMC is required to manage software licenses as defined in Section 11.B.3.

The MCMC shall ensure voice, video, and data service delivery in accordance with standards defined in this section and all applicable Marine Corps Orders and directives, Department of Defense guidance and directives, Federal, State and Local laws and regulations, industry standards, and other technical documentation. Services at MCPP locations governed by the contract shall be performed in accordance with standards set forth and approved delivery schedules. Products shall conform to the specifications described within this section. Quality assurance measurements will be governed by the performance requirements and standards associated with this section and specifications described within Section C.2 Performance and Risk Management. Requirements and clarifications identified herein are those specific to voice, video, and data service delivery. The MCMC shall adhere to these requirements.

IT support positions are considered part of the Information Assurance Workforce (IAWF). As such, there are minimum qualifications with regard to capabilities and certifications that each member must possess prior to being granted privileged access to network resources. The current revision of Department of Defense Directive (DODD) 8140 govern the minimum qualifications for IAWF positions. The skillset and autonomous task execution expectations for IT support within the MCPP require an IAWF level II technical certification. Additionally, due to the critical nature of IT service delivery and heavy reliance upon automated resources in order to meet contractual requirements, IT support responsibilities shall be assigned as a primary duty.

11.A The MCMC shall operate a Help Desk in direct support of voice, video, and data service delivery. The Help Desk shall be operated during normal business hours for resolving voice, video, and data service delivery related problems. Normal business hours are: 0600-1630 Monday through Friday, excluding Federal holidays.

11.A.1 Scheduled After-Hours Support (Flex hours). The Government will provide notification of required Scheduled After-Hours Support NLT 24 hours in advance. The MCMC shall use Flex hours to conduct operations that take place after normal working hours.

11.A.2 Scheduled Weekend Maintenance (Flextime). Weekend maintenance may be required occasionally to make repairs and minimize impact to the network. The Government will provide notification and approval of required Scheduled Weekend Maintenance Support NLT 24 hours in advance, MCMC employees shall flex their work schedule to meet weekend maintenance requirements.

11.A.3 Emergency/Unscheduled After-Hours/Unscheduled Weekend Maintenance Support (Overtime). The MCMC shall provide onsite support within three (3) hours of notification for Unscheduled After- Hours/Unscheduled Weekend Support requirements. Verbal authorization for overtime in response to Emergency/Unscheduled After-Hours/Unscheduled Weekend Support services may be provided by the S-6, Deputy S-6 or S-6 Installation Operations Officer. Authorization by S-6 as identified above for Unscheduled After-Hours/Unscheduled Weekend Support shall not exceed \$3,500.00. In the event of an emergency the S-6 will notify the MCMC IS Manager of the required support.

11.A.4 The MCMC shall record all Help Desk calls, service requests, and special projects (e.g. migrations/tech refresh/VTC support). Means of recording shall be through use of Government provided software product(s). Current product for service request management is Remedy IT Service Management Suite. Product(s) may change as enterprise architecture evolves.

11.A.5 The MCMC shall provide support for audio/visual information systems. Support includes, but is not limited to, facility coordination, set-up, testing, and operation of all Video Teleconferencing requests or Audio Visual requirements. MASS Notification and Installation Surveillance Systems are excluded from this requirement.

11.A.6 The MCMC shall maintain an inventory of consumable supplies, for Government consumption, and provide a quarterly inventory report of available and consumed supplies for voice, video, and data service delivery. MCMC shall identify the requirement to reorder consumable supplies when inventory drops to < 30%. Supplies include, but are not limited to, printer cartridges, toner, audio visual cables, surge protectors, uninterruptable power supplies (desktop version), mouse pads, DVD/CDs, toolsets required for communications support, etc. The MCMC shall submit an accurate, detailed inventory to include issued supplies, date issued and name to whom items are issued NLT the 5th business day of each quarter.

11.B The MCMC shall perform installation of all data service delivery hardware and supporting software. Hardware and supporting software includes products that are Commercial Off-the-Shelf (COTS) and Government Off-the-Shelf (GOTS).

11.B.1 The MCMC shall only install hardware which has been authorized by S-6. Hardware must be configured IAW manufacturer's instructions, applicable Defense Information Systems Agency (DISA) Security Technical Implementation Guidelines (STIGs), and current USMC baseline parameters.

11.B.2 The MCMC shall only install software products which have been authorized by S-6. The MCMC shall verify that software products are approved in the Department of the Navy Application Database Management System (DADMS) and included in the current USMC baseline prior to installation. The MCMC shall configure software IAW manufacturer's instructions, applicable Security Technical Implementation Guides (STIGs) and IAW licensing agreement terms and conditions.

11.B.3 The MCMC shall maintain accurate accountability of all GOTS and COTS software. Accountability includes tracking total number of licenses, product key (COTS), number currently installed, hardware assets that product(s) are installed on, and Database Management System (DADMS) expiration information. The MCMC shall provide an Accountability List on a Quarterly basis or as requested.

11.B.4 The MCMC shall maintain accountability of all data service delivery hardware IAW Section C.4 Supply. Data service delivery hardware includes network distribution equipment such as switches, routers, access points, and transceivers that are required to deliver LAN/BAN/WAN services throughout the network presence.

11.B.5 The MCMC shall maintain accountability of all network server hardware IAW Section C.4 Supply. Network server hardware includes servers and data storage devices that are required for processing and storing data.

11.B.6 The MCMC shall dispose of excess and unserviceable IT equipment IAW Section C.4 Supply, Section P (Hazardous Material), and S-6 disposition approval.

11.C the MCMC shall perform maintenance on voice, video and data service delivery hardware. Hardware includes, but is not limited to, WAN/BAN/LAN distribution architecture components (routers, switches, wireless access points, etc.); workstations and printers; audio and visual equipment, projectors, classroom automation equipment, etc.).

11.C.1 The MCMC shall perform preventive maintenance annually on voice, video and data service delivery equipment IAW Command Order (CmdO) 2620.1 and manufacturer's technical manuals. Hardware preventive maintenance procedures and requirements are contained in CmdO 2620.1. The MCMC shall comply with the authorization procedures and maintenance windows as defined in CmdO 2620.1. Service interruptions for maintenance procedures shall be scheduled and approved prior to execution.

11.C.2 The MCMC shall initiate troubleshooting and root cause analysis of voice, video and data service delivery hardware failures. Failures occurring during working hours shall be recorded within 10 minutes of notification. Failures occurring during non-working hours shall be recorded within 10 minutes of commencement of the next business day. Failures affecting distribution or server architecture shall be reported to the S-6 within 30 minutes of being identified.

11.C.2.a The MCMC shall receive written authorization from the Government prior to procurement of components or services to execute repairs not covered by current Government maintenance procedures.

11.D The MCMC shall perform maintenance on voice, video and data service delivery software. Software maintenance includes, but is not limited to, upgrades, Information Assurance Vulnerability Assessment (IAVA) implementation, Security Technical Implementation Guide (STIG) implementation, patches, firmware upgrades, and Operating System (OS) modifications and changes.

11.D.1 The MCMC shall perform maintenance on voice, video and data service delivery software (including telephone service delivery equipment) IAW CmdO 2620.1, USMC Cyber Security regulations and directives, and any applicable End User Licensing Agreements (EULA). The MCMC shall obtain authorization from the Government prior to conducting maintenance procedures that interrupt normally available services. CmdO 2620.1 outlines available maintenance windows and authorization procedures. Service interruptions for maintenance procedures must be scheduled prior to execution.

11.D.2 The MCMC shall initiate troubleshooting and root cause analysis of voice, video and data software failures. Failures occurring during working hours are recorded within 10 minutes. Failures occurring during non-working hours are recorded within 10 minutes of commencement of next business day. Failures affecting distribution or server architecture are reported to the S6 and 3dr Network Battalion within 30 minutes of identification. The MCMC shall implement corrective action to restore proper software functionality within one hour of discovery.

11.D.2.a The MCMC shall use current Government software maintenance contracts IAW the terms of the software maintenance agreement terms and conditions when troubleshooting measures require vendor support.

11.D.2.b The MCMC shall receive written authorization from the Contracting Officer prior to utilizing ancillary vendor support, such as maintenance support services.

11.E The MCMC shall perform network administration services in support of MCPP operations. Network administration services include, but are not limited to, all tasks normally associated with "Domain Administration" in the Information Technology industry.

11.F The MCMC shall provide recommendations as required for life cycle management of MCPP voice, video and data service delivery systems. Recommendations include hardware or software approaching End of Life or End of Support (EOL/EOS) or any alternative Information Technology solutions that may better support the mission of MCPP.

11.F.1 The MCMC shall prepare and submit to the S6 a Determinations and Findings form (SOW Attachment C.11-1) for all IT procurement requests IAW the FAR, DoD, DoN and USMC IT acquisition procedures. Regulatory guidance for IT related expenditures will be provided by the S6 IT Procurement Specialist.

11.G The MCMC shall provide, on an annual basis, proof of Information Assurance (IA) certifications IAW National Institute of Standards and Technology (NIST) SP 800 Series and DoD 8140 (Cybersecurity Workforce Qualification and Management Program).

Section D - Packaging and Marking

CLAUSES INCORPORATED BY REFERENCE

52.246-2	Inspection Of Supplies--Fixed Price	AUG 1996
52.246-3	Inspection Of Supplies Cost-Reimbursement	MAY 2001
52.246-4	Inspection Of Services--Fixed Price	AUG 1996
52.246-5	Inspection Of Services Cost-Reimbursement	APR 1984
52.246-16	Responsibility For Supplies	APR 1984

CLAUSES INCORPORATED BY FULL TEXT

52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (DEC 2014)

(a) The Contractor shall comply with the higher-level quality standard(s) listed below.

The Contractor shall comply with the "American National Standards Institute/ International Organization for Standardization, ANSI/ISO, currently 9001:2015", and CmdO 5000.11, which is hereby incorporated into this contract by reference.

The contractor shall be certified within nine months of contract award to the provisions of ANSI/ISO, 9001:2015 by a Government approved third party certification organization. Additionally, the contractor shall employ quality control measures as described in ANSI/ASQ Z1.4-2003, ANSI/ASQ Z1.9-2003 and the Lean Six Sigma principles, concepts, and practices recognized as standards by the American Society of Quality.

(b) The Contractor shall include applicable requirements of the higher-level quality standard(s) listed in paragraph (a) of this clause and the requirement to flow down such standards, as applicable, to lower-tier subcontracts, in--

(1) Any subcontract for critical and complex items (see 46.203(b) and (c)); or

(2) When the technical requirements of a subcontract require--

(i) Control of such things as design, work operations, in-process control, testing, and inspection; or

(ii) Attention to such factors as organization, planning, work instructions, documentation control, and advanced metrology.

(End of clause)

252.211-7003 ITEM UNIQUE IDENTIFICATION AND VALUATION (JAN 2023)

(a) Definitions. As used in this clause--

Automatic identification device means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

Concatenated unique item identifier means--

(1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or

(2) For items that are serialized within the original part, lot, or batch number, the linking together of the unique identifier data elements in order of the issuing agency code; enterprise identifier; original part, lot, or batch number; and serial number within the original part, lot, or batch number.

Data Matrix means a two-dimensional matrix symbology, which is made up of square or, in some cases, round modules arranged within a perimeter finder pattern and uses the Error Checking and Correction 200 (ECC200) specification found within International Standards Organization (ISO)/International Electrotechnical Commission (IEC) 16022.

Data qualifier means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

DoD recognized unique identification equivalent means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at <https://www.acq.osd.mil/asda/dpc/ce/ds/unique-id.html>.

DoD item unique identification means a system of marking items delivered to DoD with unique item identifiers that have machine-readable data elements to distinguish an item from all other like and unlike items. For items that are serialized within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier and a unique serial number. For items that are serialized within the part, lot, or batch number within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier; the original part, lot, or batch number; and the serial number.

Enterprise means the entity (e.g., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

Enterprise identifier means a code that is uniquely assigned to an enterprise by an issuing agency.

Government's unit acquisition cost means--

(1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery;

(2) For cost-type or undefinitized line, subline, or exhibit line items, the Contractor's estimated fully burdened unit cost to the Government at the time of delivery; and

(3) For items produced under a time-and-materials contract, the Contractor's estimated fully burdened unit cost to the Government at the time of delivery.

Issuing agency means an organization responsible for assigning a globally unique identifier to an enterprise, as indicated in the Register of Issuing Agency Codes for ISO/IEC 15459, located at http://www.aimglobal.org/?Reg_Authority15459.

Issuing agency code means a code that designates the registration (or controlling) authority for the enterprise identifier.

Item means a single hardware article or a single unit formed by a grouping of subassemblies, components, or constituent parts.

Lot or batch number means an identifying number assigned by the enterprise to a designated group of items, usually referred to as either a lot or a batch, all of which were manufactured under identical conditions.

Machine-readable means an automatic identification technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

Original part number means a combination of numbers or letters assigned by the enterprise at item creation to a class of items with the same form, fit, function, and interface.

Parent item means the item assembly, intermediate component, or subassembly that has an embedded item with a unique item identifier or DoD recognized unique identification equivalent.

Serial number within the enterprise identifier means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

Serial number within the part, lot, or batch number means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part, lot, or batch number assignment.

Serialization within the enterprise identifier means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

Serialization within the part, lot, or batch number means each item of a particular part, lot, or batch number is assigned a unique serial number within that part, lot, or batch number assignment. The enterprise is responsible for ensuring unique serialization within the part, lot, or batch number within the enterprise identifier.

Type designation means a combination of letters and numerals assigned by the Government to a major end item, assembly or subassembly, as appropriate, to provide a convenient means of differentiating between items having the same basic name and to indicate modifications and changes thereto.

Unique item identifier means a set of data elements marked on items that is globally unique and unambiguous. The term includes a concatenated unique item identifier or a DoD recognized unique identification equivalent.

Unique item identifier type means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at <https://www.acq.osd.mil/asda/dpc/ce/ds/unique-id.html>.

(b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.

(c) Unique item identifier. (1) The Contractor shall provide a unique item identifier for the following:

(i) Delivered items for which the Government's unit acquisition cost is \$5,000 or more, except for the following line items:

Contract line, subline, or exhibit	
line item No.	Item description

N/A	

(ii) Items for which the Government's unit acquisition cost is less than \$5,000 that are identified in the Schedule or the following table:

Contract line, subline, or exhibit line item No.	Item description
.....	

(If items are identified in the Schedule, insert "See Schedule" in this table.)

(iii) Subassemblies, components, and parts embedded within delivered items, items with warranty requirements, DoD serially managed repairables and DoD serially managed nonrepairables as specified in Attachment Number ----.

(iv) Any item of special tooling or special test equipment as defined in FAR 2.101 that have been designated for preservation and storage for a Major Defense Acquisition Program as specified in Attachment Number ----.

(v) Any item not included in paragraphs (c)(1)(i), (ii), (iii), or

(iv) of this clause for which the contractor creates and marks a unique item identifier for traceability.

(2) The unique item identifier assignment and its component data element combination shall not be duplicated on any other item marked or registered in the DoD Item Unique Identification Registry by the contractor.

(3) The unique item identifier component data elements shall be marked on an item using two dimensional data matrix symbology that complies with ISO/IEC International Standard 16022, Information technology--International symbology specification--Data matrix; ECC200 data matrix specification.

(4) Data syntax and semantics of unique item identifiers. The Contractor shall ensure that--

(i) The data elements (except issuing agency code) of the unique item identifier are encoded within the data matrix symbol that is marked on the item using one of the following three types of data qualifiers, as determined by the Contractor:

(A) Application Identifiers (AIs) (Format Indicator 05 of ISO/IEC International Standard 15434), in accordance with ISO/IEC International Standard 15418, Information Technology--EAN/UCC Application Identifiers and Fact Data Identifiers and Maintenance and ANSI MH 10.8.2 Data Identifier and Application Identifier Standard.

(B) Data Identifiers (DIs) (Format Indicator 06 of ISO/IEC International Standard 15434), in accordance with ISO/IEC International Standard 15418, Information Technology--EAN/UCC Application Identifiers and Fact Data Identifiers and Maintenance and ANSI MH 10.8.2 Data Identifier and Application Identifier Standard.

(C) Text Element Identifiers (TEIs) (Format Indicator 12 of ISO/IEC International Standard 15434), in accordance with the Air Transport Association Common Support Data Dictionary; and

(ii) The encoded data elements of the unique item identifier conform to the transfer structure, syntax, and coding of messages and data formats specified for Format Indicators 05, 06, and 12 in ISO/IEC International Standard 15434, Information Technology-Transfer Syntax for High Capacity Automatic Data Capture Media.

(5) Unique item identifier.

(i) The Contractor shall--

(A) Determine whether to--

(1) Serialize within the enterprise identifier;

(2) Serialize within the part, lot, or batch number; or

(3) Use a DoD recognized unique identification equivalent (e.g. Vehicle Identification Number); and

(B) Place the data elements of the unique item identifier (enterprise identifier; serial number; DoD recognized unique identification equivalent; and for serialization within the part, lot, or batch number only: Original part, lot, or batch number) on items requiring marking by paragraph (c)(1) of this clause, based on the criteria provided in MIL-STD-130, Identification Marking of U.S. Military Property, latest version;

(C) Label shipments, storage containers and packages that contain uniquely identified items in accordance with the requirements of MIL-STD-129, Military Marking for Shipment and Storage, latest version; and

(D) Verify that the marks on items and labels on shipments, storage containers, and packages are machine readable and conform to the applicable standards. The contractor shall use an automatic identification technology device for this verification that has been programmed to the requirements of Appendix A, MIL-STD-130, latest version.

(ii) The issuing agency code--

(A) Shall not be placed on the item; and

(B) Shall be derived from the data qualifier for the enterprise identifier.

(d) For each item that requires item unique identification under paragraph (c)(1)(i), (ii), or (iv) of this clause or when item unique identification is provided under paragraph (c)(1)(v), in addition to the information provided as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report, the following information:

(1) Unique item identifier.

(2) Unique item identifier type.

(3) Issuing agency code (if concatenated unique item identifier is used).

(4) Enterprise identifier (if concatenated unique item identifier is used).

(5) Original part number (if there is serialization within the original part number).

(6) Lot or batch number (if there is serialization within the lot or batch number).

(7) Current part number (optional and only if not the same as the original part number).

(8) Current part number effective date (optional and only if current part number is used).

(9) Serial number (if concatenated unique item identifier is used).

(10) Government's unit acquisition cost.

(11) Unit of measure.

(12) Type designation of the item as specified in the contract schedule, if any.

(13) Whether the item is an item of Special Tooling or Special Test Equipment.

(14) Whether the item is covered by a warranty.

(e) For embedded subassemblies, components, and parts that require DoD unique item identification under paragraph (c)(1)(iii) of this clause, the Contractor shall report as part of, or associated with, the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

(1) Unique item identifier of the parent item under paragraph (c)(1) of this clause that contains the embedded subassembly, component, or part.

(2) Unique item identifier of the embedded subassembly, component, or part.

(3) Unique item identifier type.**

(4) Issuing agency code (if concatenated unique item identifier is used).**

(5) Enterprise identifier (if concatenated unique item identifier is used).**

(6) Original part number (if there is serialization within the original part number).**

(7) Lot or batch number (if there is serialization within the lot or batch number).**

(8) Current part number (optional and only if not the same as the original part number).**

(9) Current part number effective date (optional and only if current part number is used).**

(10) Serial number (if concatenated unique item identifier is used).**

(11) Description.

** Once per item.

(f) The Contractor shall submit the information required by paragraphs (d) and (e) of this clause as follows:

(1) End items shall be reported using the receiving report capability in Wide Area WorkFlow (WAWF) in accordance with the clause at 252.232-7003. If WAWF is not required by this contract, and the contractor is not using WAWF, follow the procedures at <http://dodprocurementtoolbox.com/site/uidregistry/>.

(2) Embedded items shall be reported by one of the following methods--

(i) Use of the embedded items capability in WAWF;

(ii) Direct data submission to the IUID Registry following the procedures and formats at <http://dodprocurementtoolbox.com/site/uidregistry/>; or

(iii) Via WAWF as a deliverable attachment for exhibit line item number (fill in) ----, Unique Item Identifier Report for Embedded Items, Contract Data Requirements List, DD Form 1423.

(g) Subcontracts. If the Contractor acquires by subcontract any item(s) for which item unique identification is required in accordance with paragraph (c)(1) of this clause, the Contractor shall include this clause, including this

paragraph (g), in the applicable subcontract(s), including subcontracts for commercial products or commercial services.

(End of clause)

D.1 GENERAL PACKAGING REQUIREMENTS

1. All supplies and materials furnished under this IDIQ contract shall be preserved, packaged, packed, and marked in accordance with the requirements of:
 - MIL-STD-129 (Military Marking for Shipment and Storage) for shipments to DoD facilities.
 - MIL-STD-2073-1 (Standard Practice for Military Packaging) for items requiring military-grade protection.
 - Commercial packaging standards if specified in the task or delivery order.
 - Command Order 4035.1
2. Packaging shall ensure that items remain serviceable while in transit, storage, and handling, and shall prevent deterioration due to environmental factors.

D.2 PACKAGING SPECIFICATIONS

1. Packaging requirements for each task or delivery order shall be defined in the order's statement of work (SOW).
2. Unless otherwise specified, packaging shall adhere to Level B or C standards based on the item's fragility and shipping method.
3. Items shall be packed to prevent damage due to shock, vibration, moisture, static electricity, and rough handling.
4. Containers shall be stackable and modular, where possible, to optimize storage and transportation.

D.3 MARKING REQUIREMENTS

Each package shall be clearly marked with the following:

1. Required Markings on Each Package:
 - Contract Number: [Insert Contract Number]
 - Task/Delivery Order Number: [Insert TO/DO Number]
 - National Stock Number (NSN) or Manufacturer Part Number
 - Item Description and Quantity
 - Manufacturer's Name and CAGE Code
 - Lot/Serial Number (if applicable)
 - Shelf-life or Expiration Date (if applicable)
2. Military Shipping Label (MSL) Requirements (if applicable):
 - Required for shipments to DoD facilities per MIL-STD-129.
 - Label shall include linear and 2D barcodes for automated tracking.
 - RFID tagging shall be applied when required by the task/delivery order.
3. Hazardous Materials Marking (if applicable):
 - Shipments containing hazardous materials must comply with:
 - 49 CFR (DOT regulations) for ground transport.
 - IATA Dangerous Goods Regulations for air transport.
 - United Nations (UN) Hazardous Materials Classification System.
 - Proper hazard class labels, placards, and handling instructions shall be affixed as required.

D.4 UNIQUE IDENTIFICATION (UID) MARKING

1. Each UID-eligible item shall be marked per MIL-STD-130 with:
 - Data Matrix 2D barcode.
 - Unique Item Identifier (UII).
 - Contract Number, Lot Number, and Serial Number.
2. UID marking requirements shall be specified in each task/delivery order where applicable.

D.5 RFID TAGGING REQUIREMENTS

1. Passive RFID tags shall be applied in accordance with DoD logistics guidance.
2. Passive RFID tags shall be placed on the exterior of the shipping container or vehicle and comply with DoD Wide-Area Workflow (WAWF) electronic tracking requirements.

D.6 EXPORT CONTROLLED ITEMS (if applicable)

1. If items are subject to International Traffic in Arms Regulations (ITAR) or Export Administration Regulations (EAR), packages shall be marked:
 - “EXPORT CONTROLLED – ITAR RESTRICTED”
 - “AUTHORIZED U.S. GOVERNMENT PERSONNEL ONLY”
2. The contractor shall ensure proper recordkeeping and shipment tracking for export-controlled items.

D.7 DELIVERY, INSPECTION, AND ACCEPTANCE

1. Items shall be packaged for easy access to allow government inspection upon receipt.
2. Each shipment shall contain a packing list inside the primary shipping container, including:
 - Contract Number and Delivery/Task Order Number.
 - Itemized list of shipped products with quantities and serial numbers (if applicable).
 - Any required safety data sheets (SDS) for hazardous materials.
3. The Government reserves the right to reject improperly marked or inadequately packaged items at the contractor's expense.

Section E - Inspection and Acceptance

INSPECTION AND ACCEPTANCE TERMS

Supplies/services will be inspected/accepted at:

CLIN	INSPECT AT	INSPECT BY	ACCEPT AT	ACCEPT BY
0001	Destination	Government	Destination	Government
0002	Destination	Government	Destination	Government
0003	Destination	Government	Destination	Government
0004	Destination	Government	Destination	Government
0005	Destination	Government	Destination	Government
0006	Destination	Government	Destination	Government
0007	Destination	Government	Destination	Government
0008	Destination	Government	Destination	Government
1001	Destination	Government	Destination	Government
1002	Destination	Government	Destination	Government
1003	Destination	Government	Destination	Government
1004	Destination	Government	Destination	Government
1005	Destination	Government	Destination	Government
1006	Destination	Government	Destination	Government
1007	Destination	Government	Destination	Government
2001	Destination	Government	Destination	Government
2002	Destination	Government	Destination	Government
2003	Destination	Government	Destination	Government
2004	Destination	Government	Destination	Government
2005	Destination	Government	Destination	Government
2006	Destination	Government	Destination	Government
2007	Destination	Government	Destination	Government
3001	Destination	Government	Destination	Government
3002	Destination	Government	Destination	Government
3003	Destination	Government	Destination	Government
3004	Destination	Government	Destination	Government
3005	Destination	Government	Destination	Government
3006	Destination	Government	Destination	Government
3007	Destination	Government	Destination	Government
4001	Destination	Government	Destination	Government
4002	Destination	Government	Destination	Government
4003	Destination	Government	Destination	Government
4004	Destination	Government	Destination	Government
4005	Destination	Government	Destination	Government
4006	Destination	Government	Destination	Government
4007	Destination	Government	Destination	Government
5001	Destination	Government	Destination	Government
5002	Destination	Government	Destination	Government
5003	Destination	Government	Destination	Government
5004	Destination	Government	Destination	Government
5005	Destination	Government	Destination	Government
5006	Destination	Government	Destination	Government
5007	Destination	Government	Destination	Government

6001	Destination	Government	Destination	Government
6002	Destination	Government	Destination	Government
6003	Destination	Government	Destination	Government
6004	Destination	Government	Destination	Government
6005	Destination	Government	Destination	Government
6006	Destination	Government	Destination	Government
6007	Destination	Government	Destination	Government
7001	Destination	Government	Destination	Government
7002	Destination	Government	Destination	Government
7003	Destination	Government	Destination	Government
7004	Destination	Government	Destination	Government
7005	Destination	Government	Destination	Government
7006	Destination	Government	Destination	Government
7007	Destination	Government	Destination	Government
8001	Destination	Government	Destination	Government
8002	Destination	Government	Destination	Government
8003	Destination	Government	Destination	Government
8004	Destination	Government	Destination	Government
8005	Destination	Government	Destination	Government
8006	Destination	Government	Destination	Government
8007	Destination	Government	Destination	Government
9001	Destination	Government	Destination	Government
9002	Destination	Government	Destination	Government
9003	Destination	Government	Destination	Government
9004	Destination	Government	Destination	Government
9005	Destination	Government	Destination	Government
9006	Destination	Government	Destination	Government
9007	Destination	Government	Destination	Government
9008	Destination	Government	Destination	Government
9009	Destination	Government	Destination	Government
9010	Destination	Government	Destination	Government
9011	Destination	Government	Destination	Government
9012	Destination	Government	Destination	Government
9013	Destination	Government	Destination	Government
9014	Destination	Government	Destination	Government

CLAUSES INCORPORATED BY REFERENCE

52.246-2	Inspection Of Supplies--Fixed Price	AUG 1996
52.246-3	Inspection Of Supplies Cost-Reimbursement	MAY 2001
52.246-4	Inspection Of Services--Fixed Price	AUG 1996
52.246-5	Inspection Of Services Cost-Reimbursement	APR 1984
52.246-16	Responsibility For Supplies	APR 1984

CLAUSES INCORPORATED BY FULL TEXT

52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (DEC 2014)

(a) The Contractor shall comply with the higher-level quality standard(s) listed below.

The Contractor shall comply with the "American National Standards Institute/ International Organization for Standardization, ANSI/ISO, currently 9001:2015", and CmdO 5000.11, which is hereby incorporated into this contract by reference.

The contractor shall be certified within nine months of contract award to the provisions of ANSI/ISO, 9001:2015 by a Government approved third party certification organization. Additionally, the contractor shall employ quality control measures as described in ANSI/ASQ Z1.4-2003, ANSI/ASQ Z1.9-2003 and the Lean Six Sigma principles, concepts, and practices recognized as standards by the American Society of Quality.

(b) The Contractor shall include applicable requirements of the higher-level quality standard(s) listed in paragraph (a) of this clause and the requirement to flow down such standards, as applicable, to lower-tier subcontracts, in--

(1) Any subcontract for critical and complex items (see 46.203(b) and (c)); or

(2) When the technical requirements of a subcontract require--

(i) Control of such things as design, work operations, in-process control, testing, and inspection; or

(ii) Attention to such factors as organization, planning, work instructions, documentation control, and advanced metrology.

(End of clause)

E-1 INSPECTION/MONITORING OF PERFORMANCE

(a) Inspection and monitoring of services performed under this contract will be conducted to verify accomplishment of work in compliance with the Statement of Work and all applicable publications, adherence to established MCMC processes, to determine timeliness of actions taken, and to ascertain quality of the efforts. The goal of contract performance and the inspections is to attain 100% of required supplies and equipment, maintain them at 100% fully mission capable status and to ensure 100% data accuracy is achieved at the levels described in the SOW. Technical standards for maintenance preservation and inspection will be those contained in the SOW and equipment technical manuals.

(b) In addition to inspection and monitoring by the Government, inspection and monitoring of services shall be performed by the MCMC in accordance with his approved quality control plan. The MCMC's Quality Control Plan must align with the BICmd Risk and Performance Manual (CmdO P5000.11) to comply with ISO Joint Certification requirements. Documentation associated with MCMC Quality Control shall be available to Government Quality Assurance (QA) personnel upon request. The MCMC shall use the Government provided Quality Management Support System, to document all MCMC inspection and monitoring of services as identified in the approved quality control plan.

(c) Inspection and monitoring of services under this contract may be accomplished by any of the following Government personnel:

(1) The Contracting Officer and/or assigned Contracting Officer's Representative (COR).

(2) Quality Assurance Representatives (QAR) personnel responsible for the inspection and monitoring of equipment, supplies, or processes.

(3) Personnel who inspect equipment as an adjunct to their primary task of equipment employment.

(4) Cognizant personnel at Marine Corps Logistics Command and Blount Island Command charged with the responsibility for the MPS Program, MCPP-N and MCPP-PHIL.

(d) Government personnel will inspect and monitor through:

- (1) Examination and employment of equipment and supplies,
- (2) Reviewing records of maintenance actions taken,
- (3) Reviewing written reports from the MCMC
- (4) Reviewing the maintenance, supply or other Government approved records, and
- (5) Monitoring established MCMC processes.

(e) The extent of Government Verification inspection will be determined by the Government. Such inspections will normally not exceed the definitive quality assurance requirements established in the SOW, specifications, and/or contract; however, the Government reserves the right to perform any amount of inspection (including 100% inspection), when it determines such inspection is warranted.

(f) At the option of the Government, Government inspection may be performed concurrently with the MCMC, or independently on samples selected by the Government representative. When independent Government inspection is performed, the MCMC shall ensure that adequate test equipment is available to perform the inspection.

(g) Inspection or monitoring by the Government may be accomplished at any time convenient to the Government.

(h) All MCMC generated quality records shall be available for review by Government personnel via QMSS at all times.

(i) Discrepancies noted by any of the above personnel will be brought to the attention of the MCMC. All official notification of discrepancies shall be in writing from either the Contracting Officer, COR, or personnel duly assigned by the Contracting Officer. Any official notice of unsatisfactory performance shall be in writing from the Contracting Officer.

(j) In addition to the foregoing inspections, inspection of the methods of performing the services under this contract may be performed by the Master or Officers of a prepositioning ship to assure conformance with applicable maritime laws, rules, and regulations relating to the performance of such activities on board ships and to ensure the general safety and sea-worthiness of the ship. Any shipboard MCMC activity or condition found by the Master of a ship to be in violation of, or not in consonance with, any of the foregoing may be brought to the attention of the COR by the Master of the vessel or one of her Officers on his behalf. If the activity or condition is not discontinued or corrected as directed by the Master within such time period and in such manner as shall be acceptable to the Master, the Master may issue a written notice to the COR with a copy to the MCMC; such notice may be the basis of removal from the vessel as expeditiously as possible of the employee(s) responsible for the failure to comply with the Master's instructions.

(k) Differences in interpretation of technical issues or the inspection reports will be brought to the attention of the COR for resolution. Issues not resolved at this level will be forwarded to the Contracting Officer for final determination.

(l) The Government reserves the right to participate in MCMC ISO 9001:2015 internal audits or perform independent ISO 9001:2015 external audits.

E-2 ACCEPTANCE

Place of acceptance is Blount Island, Jacksonville, Florida unless other is designated on the individual task order. No written acceptance document is required. Certification of invoices for payment shall be considered acceptance of services and supplies delivered unless a formal notice of unsatisfactory performance has been issued in accordance with paragraph E-1, (i) above.

Section F - Deliveries or Performance

DELIVERY INFORMATION

CLIN	DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
0001	POP 01-MAY-2027 TO 30-APR-2032	N/A	USMC BLOUNT ISLAND COMMAND MPF PROGRAM 5880 CHANNEL VIEW BLVD. JACKSONVILLE FL 32226-3404 (904) 696-5360 FOB: Destination	M38450
0002	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0003	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0004	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0005	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0006	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0007	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
0008	POP 01-JUN-2027 TO 30-AUG-2027	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1001	POP 01-MAY-2027 TO 31-MAY-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1002	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1003	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1004	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1005	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450

1006	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
1007	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2001	POP 01-MAY-2027 TO 31-MAY-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2002	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2003	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2004	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2005	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2006	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
2007	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3001	POP 01-MAY-2027 TO 31-MAY-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3002	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3003	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3004	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3005	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3006	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
3007	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4001	POP 01-MAY-2027 TO 31-MAY-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4002	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450

4003	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4004	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4005	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4006	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
4007	POP 01-MAY-2027 TO 30-APR-2032	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5001	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5002	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5003	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5004	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5005	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5006	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
5007	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6001	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6002	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6003	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6004	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6005	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
6006	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450

6007	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7001	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7002	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7003	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7004	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7005	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7006	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
7007	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8001	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8002	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8003	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8004	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8005	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8006	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
8007	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9001	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9002	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9003	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450

9004	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9005	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9006	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450
9007	POP 01-APR-2032 TO 31-MAY-2037	N/A	(SAME AS PREVIOUS LOCATION) FOB: Destination	M38450

CLAUSES INCORPORATED BY REFERENCE

52.242-15 Alt I	Stop-Work Order (Aug 1989) - Alternate I	APR 1984
52.242-17	Government Delay Of Work	APR 1984

F-1 PERFORMANCE PERIOD

PERIOD OF PERFORMANCE. The Government may issue task orders against this contract from the date of award for a period of five years, an additional five years upon exercising Option I, and 6 additional months upon exercising 52.217-8 . Refer to Section H-8 Ordering of Services for additional guidance related to task order issuance.

<u>Contractual Coverage</u>	<u>Period of Performance</u>
Phase-In	Upon Contract Award for a period of 90 days
Basic Ordering Period	Contract Award date through five year period
Option Ordering Period I	Five year Optional Ordering Period
52.217-8	See clause

Each task order will cite the period of performance.

Section G - Contract Administration Data

CLAUSES INCORPORATED BY REFERENCE

252.204-7006 Billing Instructions--Cost Vouchers

MAY 2023

CLAUSES INCORPORATED BY FULL TEXT

252.232-7006 WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (JAN 2023)

(a) Definitions. As used in this clause—

“Department of Defense Activity Address Code (DoDAAC)” is a six position code that uniquely identifies a unit, activity, or organization.

“Document type” means the type of payment request or receiving report available for creation in Wide Area WorkFlow (WAWF).

“Local processing office (LPO)” is the office responsible for payment certification when payment certification is done external to the entitlement system.

“Payment request” and “receiving report” are defined in the clause at 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(b) Electronic invoicing. The WAWF system provides the method to electronically process vendor payment requests and receiving reports, as authorized by Defense Federal Acquisition Regulation Supplement (DFARS) 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(c) WAWF access. To access WAWF, the Contractor shall—

(1) Have a designated electronic business point of contact in the System for Award Management at <https://www.sam.gov>; and

(2) Be registered to use WAWF at <https://wawf.eb.mil/> following the step-by-step procedures for self-registration available at this web site.

(d) WAWF training. The Contractor should follow the training instructions of the WAWF Web-Based Training Course and use the Practice Training Site before submitting payment requests through WAWF. Both can be accessed by selecting the “Web Based Training” link on the WAWF home page at <https://wawf.eb.mil/>.

(e) WAWF methods of document submission. Document submissions may be via web entry, Electronic Data Interchange, or File Transfer Protocol.

(f) WAWF payment instructions. The Contractor shall use the following information when submitting payment requests and receiving reports in WAWF for this contract or task or delivery order:

(1) Document type. The Contractor shall submit payment requests using the following document type(s):

(i) For cost-type line items, including labor-hour or time-and-materials, submit a cost voucher.

(ii) For fixed price line items—

(A) That require shipment of a deliverable, submit the invoice and receiving report specified by the Contracting Officer.

(Contracting Officer: Insert applicable invoice and receiving report document type(s) for fixed price line items that require shipment of a deliverable.)

(B) For services that do not require shipment of a deliverable, submit either the Invoice 2in1, which meets the requirements for the invoice and receiving report, or the applicable invoice and receiving report, as specified by the Contracting Officer.

(Contracting Officer: Insert either “Invoice 2in1” or the applicable invoice and receiving report document type(s) for fixed price line items for services.)

(iii) For customary progress payments based on costs incurred, submit a progress payment request.

(iv) For performance based payments, submit a performance based payment request.

(v) For commercial financing, submit a commercial financing request.

(2) Fast Pay requests are only permitted when Federal Acquisition Regulation (FAR) 52.213-1 is included in the contract.

[Note: The Contractor may use a WAWF “combo” document type to create some combinations of invoice and receiving report in one step.]

(3) Document routing. The Contractor shall use the information in the Routing Data Table below only to fill in applicable fields in WAWF when creating payment requests and receiving reports in the system.

Routing Data Table*

<i>Field Name in WAWF</i>	<i>Data to be entered in WAWF</i>
Pay Official DoDAAC	_____
Issue By DoDAAC	_____
Admin DoDAAC**	_____
Inspect By DoDAAC	_____
Ship To Code	_____
Ship From Code	_____
Mark For Code	_____
Service Approver (DoDAAC)	_____
Service Acceptor (DoDAAC)	_____
Accept at Other DoDAAC	_____
LPO DoDAAC	_____

DCAA Auditor DoDAAC	_____
Other DoDAAC(s)	_____

(*Contracting Officer: Insert applicable DoDAAC information. If multiple ship to/acceptance locations apply, insert “See Schedule” or “Not applicable.”)

(**Contracting Officer: If the contract provides for progress payments or performance-based payments, insert the DoDAAC for the contract administration office assigned the functions under FAR 42.302(a)(13).)

(4) Payment request. The Contractor shall ensure a payment request includes documentation appropriate to the type of payment request in accordance with the payment clause, contract financing clause, or Federal Acquisition Regulation 52.216-7, Allowable Cost and Payment, as applicable.

(5) Receiving report. The Contractor shall ensure a receiving report meets the requirements of DFARS Appendix F.

(g) WAWF point of contact.

(1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity’s WAWF point of contact.

(Contracting Officer: Insert applicable information or “Not applicable.”)

(2) Contact the WAWF helpdesk at 866-618-5988, if assistance is needed.

(End of clause)

G-1 CONTRACTING OFFICER AND ADMINISTRATIVE AUTHORITY

(a) After award, this contract will be administered by the office listed below.

PROCURING CONTRACTING OFFICER
CONTRACTS OFFICE (CODE 902)
5880 CHANNEL VIEW BOULEVARD
BLOUNT ISLAND COMMAND
JACKSONVILLE, FL 32226-3404

(b) The Contracting Officer (KO) is the only person authorized to approve changes or modify any of the requirements under this contract, and, notwithstanding any provisions contained elsewhere in this contract, this authority remains with the KO. In the event the MCMC effects any change at the direction of any person other than the KO, the change will be at the MCMC’s risk, without authority, and no adjustment will be made in the contract amount to cover any increase in costs incurred because of this change.

(c) Contractual problems of any nature which occur during the life of the contract must be handled in conformance with public laws and regulations and must be referred to the KO for resolution. The MCMC is directed to bring all contractual problems to the immediate attention of the KO. Any request for contract changes or modification will also be referred to the KO.

(d) The KO will appoint a Contracting Officer's Representative (COR) and Quality Assurance (QA) personnel to inspect and accept the MCMC's performance and assist the KO to administer this contract.

(e) All correspondence concerning this contract, such as requests for information, explanation of terms, and contract interpretation shall be submitted to the KO.

G-2 CONTRACTING OFFICER'S REPRESENTATIVE (COR)

(a) The COR for this contract will be assigned at the Task Order level. To assist with the inspection and monitoring of the services, specific technical personnel report directly to the COR. These individuals are:

(1) Contracting Officer Technical Representative (COTR) – Technical representatives of the COR used to perform specific technical or administrative functions (i.e. Shipboard, Navy, Information Systems, Installation Services). The COTR ensures that the contractor delivers the expected results on time and within scope while maintaining quality standards and technical accuracy. However, they do not have authority to make binding decisions or modify contract terms themselves—that's the role of the KO.

(2) COTRs responsibilities are limited to the following:

- a. Contract Oversight: The COTR monitors the contractor's performance to ensure compliance with the contract's terms, conditions, and specifications. They oversee project timelines, deliverables, and quality.
- b. Technical Guidance: They provide technical expertise and guidance to contractors to ensure that work is done in accordance with the contract's technical requirements. This may involve clarifying technical issues or offering solutions to any problems that arise.
- c. Liaison Role: COTRs serve as a communication link between the contractor and the KO and COR. They ensure that both parties understand each other's needs and expectations, and that the contractor's performance aligns with the contract's objectives.
- d. Performance Monitoring and Reporting: COTRs assess the contractor's performance, track milestones, and document progress. They typically report any issues, delays, or deviations from the contract to the KO and COR.
- e. Approval of Deliverables: They are responsible for reviewing and approving or rejecting the contractor's deliverables (such as reports, products, or services) based on the terms of the contract.
- f. Quality Assurance: The COTR helps ensure that the contractor meets required standards of quality and works within the scope of the contract. If the contractor fails to meet these standards, the COTR may take corrective action.
- g. Issue Resolution: If technical problems arise or the contractor faces challenges, the COTR works with both the contractor and the KO to find appropriate solutions or to adjust timelines.
- h. Compliance and Documentation: The COTR ensures that all work is performed in compliance with relevant regulations, standards, and contract terms. They also document decisions, approvals, and communications for accountability and future reference.
- i. Training and Guidance: In some cases, a COTR may provide training to the contractor or government personnel regarding specific technical requirements or procedures.

(2) Quality Assurance Representatives (QAR) – QA personnel are appointed from the functional area(s) to assist the COR. Their duties will include quality assurance, inspection, surveillance, and certification of MCMC performance. QA authority will not include directing or authorizing the MCMC to change the scope or terms of the contract. The QAR personnel will be monitored by the COR.

(b) The authority of the COR is confined to inspection of services as specified herein. Only the KO has authority to make changes to the terms and conditions of this contract, including deviation from specification requirements. In the event the MCMC does deviate from the terms of the contract, or perform unauthorized work, such shall be at the risk of, and any costs associated thereto, shall be borne by the MCMC.

(c) A copy of the COR's and COTRs appointment letter will be furnished to the MCMC. The KO will notify the MCMC in writing of the names, duties, and limitations of QAR personnel.

G-3 INVOICING, VOUCHERING, AND PAYMENT INSTRUCTIONS

(a) Invoices/vouchers will be submitted monthly. The MCMC shall utilize Wide Area Workflow when invoicing. Certification of the invoice for payment will not occur if detailed backup in the prescribed format, or if the information contained therein is determined to be inaccurate or incomplete.

(b) Invoice Content. Separate invoices shall be submitted for each Task Order which references Contract Line-Item Number (CLIN)/SubCLIN (SLIN) and the appropriate Accounting and Appropriation data shall be identified. Documentation shall include:

(1) Labor: The detailed backup for each invoice shall cite the hours by named personnel by Task Order and CLIN/SLIN. The work accomplished shall be coded as to differentiate between on-site work, augmentation work (straight time and overtime), and shipboard work. The detailed backup for each invoice which includes labor charges shall cite the hours by named personnel by ship and port area maintenance sites by CLIN/SLIN and Task Order, and data/codes which indicate the following information accurately and completely to the satisfaction of the KO:

- (a) Accounting Number (e.g. department)
- (b) Labor Category (as described in the applicable AWD or CBA) and regular hourly salary and number of hours associated with the regular hourly salary
- (c) Overtime Pay shall be designated by separate line which indicates the number of hours and type of overtime (time and a half or double time)
- (d) Period the charges were incurred with approval number
- (e) Subtotal (of hours for each employee)
- (f) Dollars (wages for each employee, separated for regular hours and overtime types)
- (g) Total Labor (hours, dollars and add-ons); to include associated indirect rates and
- (h) Total number of employees

(2) Contractor Acquired Property (CAP)/Subcontracts: The detailed backup for each invoice for CAP by CLIN/SLIN shall indicate the following information accurately and completely to the satisfaction of the KO:

- (a) Accounting Number (e.g. department; this and other data should match those used for labor, e.g., Program Management, so all costs for that area may be readily identified.)
- (b) Vendor
- (c) Task Order Number
- (d) Date
- (e) Dollar Amount
- (f) Approval Number (assigned by PCO prior to purchase)
- (g) Description of item/service purchased (e.g. toolbox, computer repair, etc.)

(3) Travel: The detailed backup for each invoice which includes expenditures for travel should include a notation that explains the reason for the travel, the employee's name, the dates, the appropriate Travel Request Number approved by the KO and the amount.

(c) All invoices shall be paid subject to adjustments which may be required because of audit review. Overtime, Travel, Materials/ODC/CAP shall strictly be reimbursement of actual cost and shall not bear fee. G&A is allowable on Travel costs. MCMC shall retain 15% of fee in accordance with FAR 52.216-8.

G-4 ACCOUNTING AND APPROPRIATION DATA

Task orders issued under this contract may be fully funded or incrementally funded. Each task order will state the applicable clauses given the funding method determined by the KO. Accounting and appropriation data will be set forth in individual task orders issued under this contract. The payment office will be identified by each task order.

The amount shown on each task order will be considered applicable for the purpose of the Limitation of Funds and Limitation of Cost Clauses in Section I. The MCMC shall advise the KO upon reaching 75% of the stated amount within the 60-day notification period.

G-5 SEGREGATION OF COSTS BY EQUIPMENT OWNERSHIP GROUPS

The MPS assets requiring maintenance/support services can be subdivided into equipment ownership groups as detailed in the individual ship plans and Production Planning Considerations. For the purpose of this requirement, an equipment ownership group identifies the service, command or task organization responsible for funding a portion or portions of the contract effort. As a result of multiple funding activities, the contract includes CLINs and their appropriate Accounting Classification Reference Numbers (ACRNs), the equipment ownership group, and requisite accounting and appropriation citations to which costs will be charged. The MCMC's accounting procedures and practices must be sufficient to reflect accurately all direct and indirect costs incurred by equipment ownership group. The MCMC must indicate costs incurred by charging for these equipment ownership groups. Cost by equipment ownership group will be reported monthly. The structure is set up to allow specific funding relating to the following "Equipment Ownership Groups" efforts:

- Marine Corps
- Navy Support Element
- Naval Construction Element
- Naval Beach Group
- Marine Corps Prepositioning Program – Norway
- Marine Corps Prepositioning Program – Philippines
- Any Additional Marine Corps Prepositioning Program- Ashore Sites

G-6 CONTRACT COST AND STATUS REPORT

The MCMC shall provide a timely and accurate electronic Contract Cost and Status Report (CCSR) for each task order in the following format. The CCSR shall be submitted monthly, concurrent with invoice submission, commencing 30 days after contract award. The CCSR shall include, but not limited to, the following information:

- (1) MCMC's name and address
- (2) Contract number and Task Order number
- (3) Date of report
- (4) Title
- (5) Period covered by the report

- (6) Contract value by ACRN
- (7) Funded value by ACRN
- (8) Actual cost of work performed by CLIN/SLIN
- (9) Percentage of funded
- (10) Funding balance
- (11) Estimate at completion (EAC) or projected costs at completion of the Task Order; EAC shall include a breakdown of anticipated labor, materials, other direct costs associated with task order completion
- (12) Delta committed to invoiced
- (13) Delta committed to EAC or projected
- (14) Narrative explanation by ACRN of any anticipated variances from CLIN values.
- (15) Costs incurred by equipment ownership group for the reporting period, total contractual expenditures by equipment ownership group as of reporting date, and projected total contract costs by equipment ownership group
- (16) Name of person(s) preparing report, including telephone number

G-7 INDIRECT COST RATES

The Government will not be obligated to pay an additional amount should the final indirect cost rates exceed the negotiated ceiling rates. This requirement extends to all respective subcontractor indirect rates. In the event the final indirect cost rates are less than the negotiated ceiling rates, the negotiated rates will be reduced to conform to the lower rates. See contract attachment x identifying the ceiling rates.

Section H - Special Contract Requirements

H-1 STANDARD WORKDAY

A standard workday is defined as any eight hours of productive labor during the core business hours of 5 a.m. through 5 p.m., Monday through Friday. Performance may be required beyond the normal standard workday and if so will be specified within the applicable task order. Requests by the Marine Corps Maintenance Contractor (MCMC) to alter the Standard Workday must be approved by the Government prior to implementation.

H-2 HOLIDAYS

a) Government personnel observe the following holidays:

- New Year's Day
- Birthday of Martin Luther King, Jr.
- Washington's Birthday
- Memorial Day
- Independence Day
- Juneteenth
- Labor Day
- Columbus Day
- Veterans Day
- Thanksgiving Day
- Christmas

b) In addition to the days designated as holidays, the Government observes the following days:

- Any other day designated by Federal Statute
- Any other day designated by Executive Order
- Any other day designated by the President's Proclamation

c) It is understood and agreed between the Government and the MCMC that observance of such days by Government personnel shall not otherwise be a reason for an additional period of performance, or entitlement of compensation except as set forth within the contract. In the event the MCMC's personnel are required to work during the holiday, they may be reimbursed by the MCMC, however, no form of holiday or other premium compensation will be reimbursed either as a direct or indirect cost, other than their normal compensation for the time worked; the MCMC shall employ flexibly scheduled hours to avoid overtime.

d) When the Government grants excused absence to its employees, assigned MCMC personnel may also be dismissed at the discretion of the MCMC; the MCMC agrees to continue to provide sufficient personnel to perform critical tasks already in operation or scheduled, and shall be guided by the instructions issued by the Contracting Officer (KO) or the Contracting Officer's Representative (COR).

H-3 DESTRUCTIVE WEATHER

(a) In such cases where hurricanes/foul weather threatens MCMC operations, the following applies:

(1) Blount Island Command (BICmd) will determine if the facility will be closed for hurricanes/foul weather.

(2) When such a determination is made, all MCMC employees will promptly depart the facility, with specific exceptions such as those personnel required to prepare the facility for foul weather as determined by BICmd.

H-4 RESERVED

H-5 CONDUCT OF MCMC PERSONNEL

(a) For the reasons set forth below, the KO may direct the MCMC to remove any employee from performance under this contract:

- (1) The employee is found to be a security risk.
- (2) The employee is found to have violated orders of the ship's Master, or ship's regulations.
- (3) The employee is found in violation of federal or state laws.
- (4) The employee is found in violation of local laws in a foreign country.

(b) In the event it becomes necessary to remove any employee for any of the above reasons, the MCMC shall bear all costs associated with replacing the employee.

H-6 CONTRACTOR IDENTIFICATION

Contractor personnel performing services on Department of Defense (DoD) installations or other Government facilities shall ensure they are readily identifiable as contractor employees. Contractor personnel shall identify themselves as contractor personnel at the onset of every off-site meeting, conference, or any other gathering attended in support of this contract.

The MCMC shall provide distinctive clothing with company name to "shop/ labor" type personnel, a shirt, or jacket as a minimum. The contractor shall have the option to supply their office personnel with either the distinctive clothing or a badge with company name which shall be worn in a conspicuous place on the body. These shall be worn at all times in performance of this contract to readily identify the person as a contractor employee.

H-7 RESTRICTION ON EMPLOYMENT OF DEPARTMENT OF DEFENSE (DoD) PERSONNEL

In performing this contract, the MCMC shall not use or employ (on either a full or part-time basis) any active duty DoD personnel (civilian or military) without the prior approval of the KO. Such approval may be given only in circumstances where it is clear that no laws or DoD, or service instruction, regulations, or policies might possibly be contravened and no appearance of a conflict of interest will result.

H-8 ORDERING OF SERVICES

This is a single award hybrid IDIQ contract with the flexibility to award task orders on a CPFF, FFP, and Cost Reimbursable (for Overtime/Materials/Travel) basis as defined by the respective CLINs/SLINs against which Task Orders will be issued. Firm Fixed Price Support services will be consolidated on one overarching Task Order per period of performance and will not be apportioned to the associated CPFF CLINs.

- a) The MCMC shall not proceed with any work under a proposed task order unless authorized in writing by the cognizant KO.
- b) A task order will indicate an effective date, which shall be considered the start date for the determination of due dates for deliverables is concerned.
- c) The period of performance will be specified in individual task orders. In the event that a task order requires performance that extends beyond the current contract term, the MCMC shall be required to complete performance within the period set forth in the task order, provided such period does not extend beyond one year after expiration of the contract.
- d) Funds for services to be provided under this contract will be obligated by each individual task order.

H-8.1 Task Order Content

- a) Each task order issued under this contract will include the following information as applicable:
 - 1) Contract number and task order number

- 2) Pay Office
- 3) Date of the order
- 4) Description of the work to be performed
- 5) The work schedule, period of performance or required completion date;
- 6) Place of delivery or performance
- 7) CLIN/SLIN number(s) and description, quantity, unit price and extended total
- 8) The cost plus any adjustable fees
- 9) Accounting and appropriation data.

H-8.2 Allowable Costs

- a) Material and Travel will be reimbursed in accordance with (IAW) FAR subsections 31.205-26 and 31.205-46 and Section H-10 of the contract. Overtime will be reimbursed IAW Section G-3.

H-8.3 Fee on Task Orders

- a) For CPFF - the Government will pay to the MCMC a fixed fee, identified on contract award associated with the respective CLIN/SLIN, as set forth in each task order (see section I, FAR 52.216-8 "Fixed Fee"). The fixed fee will be expressed in terms of dollars, not rates or percentages. At the time of reimbursement of allowable cost, the MCMC will be entitled to payment of the fixed fee determined in each initial task order award regardless of actual costs incurred. Fee is subject to proportionate downward or upward adjustment as a result of changes in scope. This includes hours originally estimated but not actually ordered on a term task order. The same ratio of fee awarded in the initial contract award will be used in any task orders issued unless a lower fee is negotiated.
- b) For FFP – profit for task orders will be included in the FFP amount for the respective CLINS/SLINS identified in the contract award.

H-8.4 Release of Claims

After completing each task order, and prior to submission of final invoice, the MCMC shall furnish to the KO, a release of claims against any outstanding balances or claims arising out of the task order. These are claims other than those specifically resulting from work that is reasonably anticipated by the MCMC when originally estimating the order.

H-8.5 Task Order Close-Out

It is the intention of the KO to perform closeout procedures on an individual task order basis. The MCMC agrees to perform those internal functions necessary to support this process in a timely manner. Task order closeout will occur as soon as possible after task order performance has concluded.

H-8.7 Indirect Rate Change Notification

The MCMC shall submit notification to the KO within five working days of proposing any rate change to the designated Government audit agency, or of receiving any rate change approval, affecting cost or price. The Government is not obligated to pay an additional amount should the final indirect cost rates exceed the indirect ceiling rates, therefore, indirect rates will not be increased above the indirect rate ceiling identified on contract award. The MCMC is required to insert this notification requirement in all first-tier subcontracts.

H-9 CONTRACTOR ACQUIRED PROPERTY (CAP)/SUBCONTRACTS

- (a) The MCMC shall furnish supplies/services required for performance of the maintenance effort. The MCMC is required to comply with FAR 52.208-9, Contractor Use of Mandatory Sources of Supply or Services and FAR 52.251-1, Government Supply Sources. When the supplies are not available through the Government supply system or services not available through the mandatory sources, the MCMC will request authorization to purchase/subcontract

in accordance with DFARS 252.217-7028 as incorporated into this contract. The MCMC shall not apply fee to materials acquired through the Government supply system(s) or services not available through the mandatory sources and CAP.

(b) All CAP for which the MCMC is subsequently reimbursed is Government Furnished Property/Equipment for which the Government holds title.

(c) The MCMC shall provide an original copy of all Lease Agreement(s), upon contract award and subsequent lease renewal, to the government to substantiate reimbursement.

H-10 TRAVEL PROCEDURES

(a) Travel – The MCMC is responsible for making all necessary travel arrangements for employees. MCMC travel associated with FFP CLINs do not require Government approval. All employee travel in support of FFP CLINs, to include vacations and any allowances/compensation associated with OCONUS support (except as noted in paragraphs (c)(2) and (c)(3) below), are included in the respective CLIN price and therefore do not require Government approval. All travel associated with required employee training (except New Equipment Training (NET)) shall not be a direct charge under this contract: the MCMC shall internally manage/coordinate and process all training and associated travel to meet the requirements of this contract. All CPFF travel requirements shall be pre-approved by the Government, to include travel itinerary, duration, modes of transportation, dates and estimated costs. Costs for travel shall be billed in accordance with the regulatory implementation of Public Law 99-234 and FAR 31.205-46 Travel Costs (subject to local policy and procedures). In the case of CPFF OCONUS personnel, a consolidated Travel Report shall be submitted on a monthly basis to the KO for the approval of all planned CPFF OCONUS personnel travel. The MCMC shall be reimbursed for CPFF travel expenses incurred as follows:

(1) The MCMC shall not be reimbursed for lodging or subsistence for shipboard personnel while in Port during the MMC.

(2) Travel expenses associated with the coordination of services performed at other prime contractor or subcontractor facilities shall not be reimbursable under this contract unless specifically approved, in writing, by the KO.

(3) The KO will utilize the Joint Travel Regulations (JTR) Per Diem/Lodging rates to evaluate MCMC travel requests prior to approval, in order to determine the estimated travel cost as reasonable. The MCMC shall, in performance of necessary travel, utilize the lowest cost mode commensurate with the requirements of the mission and in accordance with good traffic management principles. When it is necessary to use air or rail travel, the MCMC shall use coach, tourist class, or similar accommodations to the extent consistent with the successful and economical accomplishment of the mission for which the travel is being performed. Automobile rental shall be reimbursed at the cost for a compact economy model. Exceptions to the foregoing require KO approval.

(4) Travel requests must be submitted and approved by the Government prior to the assignment of irrevocable/nonrefundable reservations or other expenditure of funds. Travel requests must be submitted to the KO. The KO endorsement of approved requests will include an approval number (e.g., Task Order#-TO0001) which shall be cited on the invoice for which the MCMC is reimbursed. MCMC travel associated with corporate events/requirements/training shall not be approved or directly reimbursed. In the case of OCONUS personnel, a consolidated Travel Report shall be submitted on a monthly basis to the KO for the approval of all planned OCONUS personnel travel.

(5) The MCMC's invoices shall include evidence such as receipts substantiating actual costs incurred for authorized travel. In no event will such payments exceed rates of common carriers.

(6) Only G & A may be applied to travel, no fee is allowed.

(c) Travel/Per Diem for OCONUS Personnel (CPFF CLINs only) - The Government will pay the costs of travel and will pay per diem in connection with travel as set forth below:

(1) The Government will not reimburse travel expenses associated with involuntary removal of personnel, for cause, from OCONUS duty by the Government or the MCMC. In addition, the Government will not reimburse travel expenses associated with voluntary separation from duty.

(2) The Government will pay one way costs of travel to the nearest hospital in the event it is required for treatment of an accident or illness, or if treatment cannot be furnished at the nearest hospital, the Government will pay one way costs of travel to the employee's residence. Upon release from either a foreign or CONUS hospital, the Government will pay a one way trip for either return to the ship or travel to the employee's residence.

(3) In the event of emergencies verified by the Red Cross, the Government will pay the costs of travel to and from the employee's residence if the costs are equal to or less than the transportation cost to and from the nearest CONUS port for employees assigned aboard a ship. No per diem will be paid.

(4) The Government will pay all travel and per diem costs in connection with personnel dispatched for maintenance.

(d) No reimbursement shall be allowed for travel costs incurred as a result of the following:

(1) The MCMC is expected to recoup any travel costs associated with the resignation/termination of an individual employee who does not complete his/her initial assignment. The MCMC is expected to defray the cost associated with replacement personnel travel by recouping travel costs from departing personnel. Each instance shall be reviewed separately and shall be subject to the approval of the KO to determine whether the employee early departure is a bona fide, independently verifiable circumstance, i.e., a Red Cross message. A copy of such documentation will be provided to the Government at the time of billing.

(2) The rehire of an employee who did not successfully complete their 12 month assignment, except when the resignation was the result of a bona fide, independently verifiable circumstance, i.e., a Red Cross message. Each instance shall be reviewed separately and shall be subject to the approval of the KO. A copy of such documentation will be provided to the Government at the time of billing.

(e) Per Diem. Expenses for subsistence and lodging shall be reimbursed to the MCMC only to the extent that overnight stay is necessary and authorized by the KO for performance of the services required under this contract. When authorized, per diem shall be paid by the MCMC to his employees at a per diem rate not to exceed the rate specified in the JTR. The authorized per diem rate shall be the same as the prevailing per diem locality. The rates will be based on rates contained in the JTR. Fractional parts of a day shall be payable on a prorated basis for purposes of billing for per diem charges. Fractional billing for the first and last travel day shall be on a 3/4 day basis. Reimbursement to the MCMC for per diem shall be limited to actual payments to employees for authorized per diem not to exceed the authorized per diem defined herein. The MCMC shall retain supporting documentation for per diem expenses as evidence of actual payment.

H-11 OVER AND ABOVE

“Over and Above” requirements in accordance with DFAR 252.217-7028 shall be negotiated by Work Request and authorized against respective task orders. The scope of work to be performed will be provided to the MCMC for a written proposal which will be negotiated and authorized by Work Request. The pricing structure of the effort under this CLIN will not be limited to fixed price, but will be determined based on the type and scope of work to be performed.

H-12 CONTINUOUS PROCESS IMPROVEMENT (CPI) INCENTIVE PROGRAM

The MCMC is required to become ISO 9001:2015 certified within 9 months of award. Paragraph 8.5 of ISO 9001:2015 Quality Systems Standard requires the implementation of a CPI program. This further incentivizes the ISO requirement. See Section C.2 of the SOW.

The MCMC is encouraged to submit any process improvement to the Government for review and approval. For any process improvement incorporated into this contract by modification, which is shown by reliable data to reduce the cost of the contract and results in a cost savings to the Government, the MCMC shall be compensated. The compensation will be in the form of an incentive program by which a percentage of the cost savings/cost reduction to the Government/contract will be shared with the MCMC. The MCMC shall be entitled to 30% of the savings for the first year of the CPI approval and 10% of each year's savings thereafter and shall be paid during the year of the savings. This incentive will be incorporated into the contract under a separate CLIN (to be assigned when required) with the modification incorporating the process improvement and the cost reduction of the contract. After the contract modification is issued, the MCMC shall perform the contract at the reduced rate with no degradation of performance. The approval of any process improvement is entirely at the Government's discretion and shall not be subject to the Disputes Clause.

If at any time after the incorporation of the process improvement the MCMC determines that the process improvement is no longer appropriate, he may requests a cancellation thereof. Any incentive paid to the MCMC shall be repaid to the Government on a prorated basis. This prorated basis shall be based on 10% (30% if within the first year) of the contract increase for the year that the incentive payment has been made to the MCMC. All other years remaining in the contract will be adjusted by reducing the incentive pool for that year by 10% of the cost increase associated with the canceled process improvement.

H-13 BASE SUPPORT

Base support shall be provided by the Government to the MCMC. Failure by the MCMC to comply with the requirements stated below shall release the Government, without prejudice, from its obligation to provide base support by the date(s) required.

Base support is provided for all workspaces, equipment, and facilities (services provided include facilities and equipment maintenance and repair, equipment procurement, custodial, pest control, refuse services and grounds maintenance) where this contract shall be performed. All Government property in the possession of the MCMC, provided through this contract, shall be used and managed in accordance with the Government Property clauses.

The Government shall furnish and maintain all required facilities and facility-support equipment, including building air compressors, HVAC units, and ice machines. Personnel-support equipment for on-site personnel will include but not be limited to; desks, chairs, telephones, computers, printers, and copiers needed to perform the contract.

Utility service to include water, and electricity and sewer on the Government facility will be provided at no cost to the MCMC for the duration of this contract. The MCMC shall carefully conserve utilities furnished and be required to participate in all energy conservation programs.

H-14 CONDITIONS APPLICABLE TO EMPLOYMENT IN FOREIGN PORTS

The MCMC agrees to comply with any and all applicable agreements between the United States and foreign Governments where performance may be required. When a requirement for performance in a foreign country is known, applicable agreements will be secured and furnished to the MCMC.

H-15 DIFFERENTIAL PAY

MCMC personnel who are required to work in areas that have been declared areas of imminent danger will be entitled to differential pay. The rate of differential pay will be equal to that paid to Department of Defense civilian employees in the same area.

In the event the MCMC must pay additional compensation above that established by Department of State standards for DoD civilians to retain or obtain personnel to perform in a theater of operations during a declared contingency, the MCMC must obtain prior approval by the PKO before incurring any additional compensation costs. The MCMC shall furnish proper business case analysis to the KO to substantiate any adjustment to the contract. Any such increases shall not be subject to fee.

H-16 AVOIDANCE OF ORGANIZATIONAL CONFLICTS OF INTEREST

(a) To prevent conflicting roles that may bias the MCMC's judgment or objectivity, and to preclude the MCMC from obtaining an unfair competitive advantage in concurrent or future acquisition, the MCMC shall be restricted as set forth below and IAW BICmd Order 4200.3:

(1) In accordance with FAR Subpart 9.5, entitled "Organizational and Consultant Conflicts of Interest," the MCMC shall avoid conflicts of interest in accordance with the principles set forth in this subpart. Since the MCMC under terms of this contract will have access to Government and third part data which might place the MCMC in an OCI, the MCMC shall perform this contract as set forth below:

a. To refrain from unauthorized use or disclosure to any individual, corporation, or organization of information/data/software (referred to hereinafter as "data") proprietary to the Government or other companies coming into its possession in connection with the work under this contract for as long as it remains proprietary.

b. To establish associate MCMC relationships by executing written agreements between companies having a proprietary interest in such data. These agreements shall prescribe the scope of authorized use of such data as well as necessary safeguards against unauthorized use or disclosure. A copy of the agreement shall be furnished to the KO promptly after execution of the contract.

c. The MCMC shall formally train its employees, in regard to OCI, that they shall not divulge proprietary data obtained from other companies or from the Government to anyone except as authorized in writing. The MCMC shall require its employees to execute certificates attesting to their training and understanding of the requirements to safeguard all sensitive information. The MCMC shall warrant that its employees shall not use for their benefit any data, advice, trade secrets, confidential financial information, proprietary or restricted information (to include FOR OFFICIAL USE ONLY information) that the employee received in connection with this contract, during or subsequent to the term of his/her employment.

d. To obtain from each of its employees, whose responsibility in connection with the work under this contract may be reasonably expected to involve access to such proprietary data or classified information (Government or MCMC generated), a written agreement between the company and employee, which in substance shall provide that the employee will not, during employment by the MCMC or thereafter, disclose any such proprietary data or classified information to which the employee had access in connection with the work under this contract.

e. To refrain from utilizing proprietary data or classified Government information coming into its possession in connection with work under this contract for purposes other than those for which it has been furnished, unless specifically authorized by the organization providing such proprietary data or Government information.

f. To hold the Government harmless for any cost/loss resulting from the unauthorized use or disclosure of third party data or software by the MCMC, its employees, MCMC, or agents.

g. The MCMC shall insert language conforming to this requirement in all MCMC/partnering agreement(s).

h. If a MCMC determines that it, or any potential MCMC, has an OCI, or a potential OCI, then the MCMC shall address the conflict of interest, and shall provide a mitigation plan for the conflict of interest. The mitigation plan shall relieve the OCI such that the full scope of the work can be performed by the MCMC.

(2) The KO may terminate this contract for convenience, in whole or in part, if he/she deems termination necessary, to avoid an OCI. If the MCMC was aware of a potential OCI prior to award, or discovered an actual or potential conflict after award but did not disclose it, or misrepresented relevant information to the KO, the Government may terminate the contract for default, debar the MCMC from Government contracts, or pursue other remedies as may be permitted by law or this contract.

(3) The general rules in FAR 9.505 prescribe limitations on contracting as the means of avoiding, neutralizing, or mitigating OCI that might otherwise exist in the stated situations. Illustrative examples are also provided in FAR 9.508. The two underlying principles are; preventing the existence of conflicting roles that might bias a MCMC judgment; and preventing unfair competitive advantage by a MCMC competing for award.

(4) Except with the prior written consent of the KO, the MCMC shall not compete (as a prime MCMC, MCMC, main supplier, or consultant) during the period of this contract, including any extension thereof, and for one year thereafter, for the award of any contract for supplies or services which was generated under this contract. This prohibition does not prohibit the MCMC from competing on the follow-on to this contract.

(5) When a prospective MCMC has an unmitigated OCI conflict or the KO cannot determine fair pricing, the Government reserves the right to exercise some or all of the following rights:

- a. Render MCMC(s) ineligible for award for the specified task order and/or future contract;
- b. Require prospective MCMC(s) withdrawal from at least one team when affiliates participate on two different teams in the same acquisition;
- c. When the prime offeror proposes and subcontracts with more than one prime MCMC for the same effort the Government may evaluate the prospective proposal(s) as high risk may result in non-award.

H-17 ASSOCIATE CONTRACTOR AGREEMENTS

(a) Pursuant to the responsibilities under the MCPP contract, the MCMC may find it necessary to forge relationships with companies, individuals, or organizations (hereinafter called "associate contractors" to facilitate exchanges of information necessary to the performance of this contract. Relationships shall be identified via written agreements.

(1) The agreements shall provide for the timely, free, and direct exchange of information and data necessary to the performance of this contract and shall be structured to ensure effective communication between counterparts at all levels. Agreements shall include the provision that any proprietary information furnished by an associated contractor will be protected from unauthorized release or disclosure beyond the scope of the agreements. Further, the agreements shall hold the Government harmless from liability for the unauthorized disclosure of proprietary information.

(2) The MCMC may be required to support technical interface/integration meetings with other BICmd contractors and other Government agencies.

(3) The MCMC will not be required to provide proprietary information to non-Government entities or personnel absent a non-disclosure agreement between the MCMC and those entities/personnel.

(4) BICmd contractors, other contractors, or other Government agencies are not authorized to direct the MCMC in any manner.

(b) The MCMC agrees to include language, substantially the same as identified in H-17 requirements, in all subcontracts. This agreement will not relieve the MCMC of its responsibility to manage its subcontracts effectively nor is it intended to establish privity of contract between the Government and the MCMC's subcontractors.

(c) This requirement shall not prejudice the MCMC or its subcontractors from negotiating separate organizational conflict of interest agreements with BICmd contractors. Separate agreements shall not restrict any of the Government's rights, nor shall they conflict with the Government's rights established herein.

(d) In the event of a disagreement as to what constitutes a permissible exchange of information or data under associate contractor agreements, the matter shall be brought to the attention of the KO for resolution.

H-18 PARTNERING

(a) The Government may engage in partnering. Participation in the partnering process is entirely voluntary and is based upon a mutual commitment between government and industry to work cooperatively as a Team to identify and resolve problems and facilitate contract performance. Partnering requires the parties to look beyond the strict bounds of the contract in order to formulate actions that promote their common goals and objectives. It is a relationship that is based upon open and continuous communication, mutual trust and respect, and the replacement of the "us vs. them" mentality of the past with a "win-win" philosophy for the future. Partnering also promotes synergy, creative thinking, pride in performance, and the creation of a shared vision for success.

(b) After contract award, the Government and the successful offeror will decide whether to engage in the partnering process. Accordingly, offerors shall not include any anticipated costs associated with the implementation of the partnering process in their proposed cost (e.g. cost of hiring a facilitator and conducting the partnering workshop). If the parties elect to partner, any costs associated with that process shall be identified and agreed to after contract award.

(d) The establishment of this partnering arrangement does not affect the legal responsibilities or relationship of the parties and cannot be used to alter, supplement, or deviate from the terms of the contract. Any changes to the contract must be executed in writing by the KO.

H-19 COMMON TOOLS REIMBURSEMENT

As provided in the Collective Bargaining Agreement, common tools which are defined as, "Tools available from commercial sources which are used by employees on a daily basis and are not power driven or do not require calibration," shall be furnished by the MCMC's employees except for shipboard personnel. The employees shall also be responsible for maintaining and replacing these tools. The government will utilize the following estimated tool kit costs provided below in consideration of reasonable cost reimbursement for employee purchased tools allowable and allocable to CPFF CLINs:

<u>LABOR CATEGORY</u>	<u>TOOL KIT COST</u>	<u>REFERENCE</u>
ELECTRONIC SYSTEMS (COMM)	\$1,255	Technical Library SL-3-11477B
ELECTRO-OPTICAL	\$3,585	Technical Library SL-3-09863B
GENERAL MECHANIC (CESE, ENGR, MT, ORD)	\$2,015	Technical Library SL-3-11668A
WELDER	\$2,015	Technical Library SL-3-11668A
CORROSION CONTROL TECH	\$ 62	Navy Tool Lists (Tab: CCT)
LIGHTERAGE FINISHER (NAVY)	\$ 62	Navy Tool Lists (Tab: LF)
MARINE DIESEL MECHANIC (NAVY)	\$2,100	Navy Tool Lists (Tab: MDM)
MARINE ELECTRICIAN (NAVY)	\$1,200	Navy Tool Lists (Tab: ME)
SHIPFITTER QC (NAVY)	\$ 190	Navy Tool Lists (Tab: SFQA)
SURVEYOR (NAVY)	\$ 157	Navy Tool Lists (Tab: SRV)

H-20 PUBLICITY

Publicity releases in connection with this contract shall not be made by the MCMC unless prior written approval has been received from the KO.

H-21 CONTRACT TRANSITION - PHASE-IN/PHASE-OUT PLAN REQUIREMENTS

(a) General.

(1) Applicability: The Phase-In Plan, is applicable only when the successful offeror is not the incumbent.

(2) Transition Tasks: This part identifies general transition tasks applicable to the MCMC as either the successor or the incumbent. Tasks identified in this part and in the Phase-In/Phase-Out Plan are directive and are supportive of the requirements incorporated by reference of FAR 52.237-3 -- Continuity of Services, and shall be accomplished in addition to the requirements identified in the SOW.

The joint inventory referenced in the paragraphs below, is an inventory conducted with the participation of the incumbent and successor with monitoring from Government personnel. These inventories will be properly documented and copies provided to the participating parties.

(3) Transition Period: The Government will define the contract transition period. This period will not exceed 90 calendar days. Maintenance responsibilities shall be transferred to the successor MCMC no more than 90 calendar days after transition period begins.

(4) Transition Goals:

- a. The successor shall provide sufficient qualified personnel to perform SOW requirements.
- b. The successor shall assume control and accountability for GFE, GFP, and facilities from the incumbent as of the date the Government accepts the joint inventory discussed in subparagraph C-1(a)(2).
- c. The incumbent shall cooperate with the successor and Government personnel to ensure an orderly transition.
- d. The incumbent shall provide the COR detailed causative research substantiating the jointly discovered inventory discrepancies.

(b) Transition Tasks:

(1) Phase-In - The successor shall:

- a. Accept the incumbent's phase-in/phase-out service plan and negotiate in good faith the timing, nature, and extent of transition training.
- b. Attend incumbent furnished phase-in training.
- c. Assign and identify requisite Program Manager, Program Management Staff and necessary transition personnel.
- d. Assemble and co-locate transition team with incumbent.
- e. Assess overall equipment status and condition.
- f. Observe applicable MCPP (MMC-12 operations/projection MMC-13) and establish a formal date of transfer of full operational responsibility for MMC/Afloat/OCONUS program/production/project management.
- g. Provide enough personnel during hands-on training and observation period to ensure sufficient number of qualified personnel to continue MMC operations through transition of operational responsibility. The number of personnel shall be submitted to the Government for approval.

- h. Have requisite qualified personnel necessary to assume MCPP operations and allow for as many incumbent personnel as practicable to remain on the job to facilitate continuity and consistency of services while transferring responsibility.
- i. The successor MCMC shall assume responsibility from the incumbent MCMC for the accountability of all Government MCPP property unless the Government assigns responsibility earlier, based on the hand off of inventories from the incumbent to successor.

1. All Government property including the intermediate supply accounts shall be jointly inventoried. The results of these inventories will form the baseline for accountability of the involved assets. Results of these joint inventories shall be provided to the COR.

2. A statistical sampling with at least a 95 percent confidence level, of the intermediate supply accounts shall be conducted. This sample will reflect the percentage of accuracy of these accounts. A written plan for the procedure of this sampling shall be provided to the Government for approval no later than 20 days after contract award. The successor MCMC shall begin cyclic inventories to correct errors and reconcile the accounts. The cyclic inventory shall be in compliance with the MCO 4400.201, Intermediate Level Management Policy Manual. The resulting files will be the baseline inventory for these accounts.

(2) Phase-Out: The incumbent shall:

a. Maintain MCPP operational and maintenance responsibility in accordance with the SOW requirements until formal transfer is complete.

b. Make available to the successor no later than 30 days prior to end of the Transition Period:

1. All historical records including vendor lists, GCSS-MC/NTCSS/DPAS records, and organic maintenance records.

2. All equipment status records and information pertaining to equipment status, location, and condition.

3. All equipment logistic requisition status, that is, requisition numbers, estimated delivery dates, and priority requisitioned.

4. Ensure that all funded materiel requirements are on valid requisitions.

5. All information concerning known material and technical deficiencies.

6. All technical data, manuals, publications, Tables of Organization (TOs), and Tables of Equipment (TEs) and Modification Instructions (MI).

7. All information pertaining to pending and in-process modifications.

8. All records except those designated as company proprietary.

(3) Under the cognizance of Government, assist the successor MCMC in conducting the inventories described in paragraph C-1(a)(2).

(4) Allow the successor MCMC to observe and participate in hands-on operation and maintenance of transitioning equipment in support of their Phase-In requirements.

(5) That for any change in the term of the contract as a result of the Phase-In/Phase-Out requirement(s), of 10 days or more, the contract cost (including fee) shall be revised on a pro-rata basis at the price for the latest option year.

Section I - Contract Clauses

CLAUSES INCORPORATED BY REFERENCE

52.202-1	Definitions	JUN 2020
52.203-3	Gratuities	APR 1984
52.203-5	Covenant Against Contingent Fees	MAY 2014
52.203-6	Restrictions On Subcontractor Sales To The Government	JUN 2020
52.203-7	Anti-Kickback Procedures	JUN 2020
52.203-8	Cancellation, Rescission, and Recovery of Funds for Illegal or Improper Activity	MAY 2014
52.203-10	Price Or Fee Adjustment For Illegal Or Improper Activity	MAY 2014
52.203-12	Limitation On Payments To Influence Certain Federal Transactions	JUN 2020
52.203-13	Contractor Code of Business Ethics and Conduct	NOV 2021
52.203-16	Preventing Personal Conflicts of Interest	JUN 2020
52.203-17	Contractor Employee Whistleblower Rights	NOV 2023
52.203-19	Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements	JAN 2017
52.204-1	Approval of Contract	DEC 1989
52.204-2	Security Requirements	MAR 2021
52.204-9	Personal Identity Verification of Contractor Personnel	JAN 2011
52.204-10	Reporting Executive Compensation and First-Tier Subcontract Awards	JUN 2020
52.204-13	System for Award Management Maintenance	OCT 2018
52.204-22	Alternative Line Item Proposal	JAN 2017
52.204-23	Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab Covered Entities	DEC 2023
52.204-25	Prohibition on Contracting for Certain Telecommunications and Video Surveillance Services or Equipment	NOV 2021
52.204-27	Prohibition on a ByteDance Covered Application	JUN 2023
52.208-9	Contractor Use of Mandatory Sources of Supply or Services	MAY 2014
52.209-6	Protecting the Government's Interest When Subcontracting With Contractors Debarred, Suspended, Proposed for Debarment, or Voluntarily Excluded	JAN 2025
52.209-9	Updates of Publicly Available Information Regarding Responsibility Matters	OCT 2018
52.209-10	Prohibition on Contracting With Inverted Domestic Corporations	NOV 2015
52.210-1	Market Research	NOV 2021
52.211-5	Material Requirements	AUG 2000
52.215-2	Audit and Records--Negotiation	JUN 2020
52.215-8	Order of Precedence--Uniform Contract Format	OCT 1997
52.215-10	Price Reduction for Defective Certified Cost or Pricing Data	AUG 2011
52.215-11	Price Reduction for Defective Certified Cost or Pricing Data--Modifications	JUN 2020
52.215-12	Subcontractor Certified Cost or Pricing Data	JUN 2020
52.215-13	Subcontractor Certified Cost or Pricing Data--Modifications	JUN 2020
52.215-14	Integrity of Unit Prices	NOV 2021
52.215-15	Pension Adjustments and Asset Reversions	OCT 2010
52.215-18	Reversion or Adjustment of Plans for Postretirement Benefits (PRB) Other than Pensions	JUL 2005

52.215-21	Requirements for Certified Cost or Pricing Data and Data Other Than Certified Cost or Pricing Data -- Modifications	NOV 2021
52.215-23	Limitations on Pass-Through Charges	JUN 2020
52.216-8	Fixed Fee	JUN 2011
52.219-4	Notice of Price Evaluation Preference for HUBZone Small Business Concerns	OCT 2022
52.219-8	Utilization of Small Business Concerns	JAN 2025
52.219-9 Alt II	Small Business Subcontracting Plan (JAN 2025) Alternate II	NOV 2016
52.219-16	Liquidated Damages-Subcontracting Plan	SEP 2021
52.222-1	Notice To The Government Of Labor Disputes	FEB 1997
52.222-3	Convict Labor	JUN 2003
52.222-4	Contract Work Hours and Safety Standards - Overtime Compensation	MAY 2018
52.222-19	Child Labor -- Cooperation with Authorities and Remedies	JAN 2025
52.222-29	Notification Of Visa Denial	APR 2015
52.222-41	Service Contract Labor Standards	AUG 2018
52.222-43	Fair Labor Standards Act And Service Contract Labor Standards - Price Adjustment (Multiple Year And Option Contracts)	AUG 2018
52.222-50	Combating Trafficking in Persons	NOV 2021
52.222-54	Employment Eligibility Verification	JAN 2025
52.222-55	Minimum Wages for Contractor Workers Under Executive Order 14026	JAN 2022
52.222-62	Paid Sick Leave Under Executive Order 13706	JAN 2022
52.223-2	Reporting of Biobased Products Under Service and Construction Contracts.	MAY 2024
52.223-5	Pollution Prevention and Right-to-Know Information	MAY 2024
52.223-10 (Dev)	Waste Reduction Program (DEVIATION 2025-O0004)	MAR 2025
52.223-11	Ozone-Depleting Substances and High Global Warming Potential Hydrofluorocarbons.	MAY 2024
52.223-12	Maintenance, Service, Repair, or Disposal of Refrigeration Equipment and Air Conditioners.	MAY 2024
52.223-20	Aerosols	MAY 2024
52.223-21	Foams	MAY 2024
52.223-23 (Dev)	Sustainable Products and Services (DEVIATION 2025-O0004)	MAR 2025
52.224-1	Privacy Act Notification	APR 1984
52.224-2	Privacy Act	APR 1984
52.224-3	Privacy Training	JAN 2017
52.225-13	Restrictions on Certain Foreign Purchases	FEB 2021
52.226-8	Encouraging Contractor Policies To Ban Text Messaging While Driving	MAY 2024
52.227-1	Authorization and Consent	JUN 2020
52.227-2	Notice And Assistance Regarding Patent And Copyright Infringement	JUN 2020
52.227-14	Rights in Data--General	MAY 2014
52.228-3	Worker's Compensation Insurance (Defense Base Act)	JUL 2014
52.228-5	Insurance - Work On A Government Installation	JAN 1997
52.228-7	Insurance--Liability To Third Persons	MAR 1996
52.229-3	Federal, State And Local Taxes	FEB 2013
52.229-6	Taxes--Foreign Fixed-Price Contracts	FEB 2013
52.230-2	Cost Accounting Standards	JUN 2020
52.230-3	Disclosure And Consistency Of Cost Accounting Practices	JUN 2020
52.230-6	Administration of Cost Accounting Standards	JUN 2010

52.232-1	Payments	APR 1984
52.232-8	Discounts For Prompt Payment	FEB 2002
52.232-9	Limitation On Withholding Of Payments	APR 1984
52.232-11	Extras	APR 1984
52.232-17	Interest	MAY 2014
52.232-20	Limitation Of Cost	APR 1984
52.232-22	Limitation Of Funds	APR 1984
52.232-23 Alt I	Assignment of Claims (May 2014) - Alternate I	APR 1984
52.232-25 Alt I	Prompt Payment (Jan 2017) Alternate I	FEB 2002
52.232-33	Payment by Electronic Funds Transfer--System for Award Management	OCT 2018
52.232-37	Multiple Payment Arrangements	MAY 1999
52.232-39	Unenforceability of Unauthorized Obligations	JUN 2013
52.232-40	Providing Accelerated Payments to Small Business Subcontractors	MAR 2023
52.233-1 Alt I	Disputes (May 2014) - Alternate I	DEC 1991
52.233-3 Alt I	Protest After Award (Aug 1996) - Alternate I	JUN 1985
52.233-4	Applicable Law for Breach of Contract Claim	OCT 2004
52.237-2	Protection Of Government Buildings, Equipment, And Vegetation	APR 1984
52.237-3	Continuity Of Services	JAN 1991
52.239-1	Privacy or Security Safeguards	AUG 1996
52.240-1	Prohibition on Unmanned Aircraft Systems Manufactured or Assembled by American Security Drone Act--Covered Foreign Entities	NOV 2024
52.242-1	Notice of Intent to Disallow Costs	APR 1984
52.242-3	Penalties for Unallowable Costs	DEC 2022
52.242-4	Certification of Final Indirect Costs	JAN 1997
52.242-5	Payments to Small Business Subcontractors	JAN 2017
52.242-13	Bankruptcy	JUL 1995
52.243-1 Alt I	Changes--Fixed Price (Aug 1987) - Alternate I	APR 1984
52.244-5	Competition In Subcontracting	AUG 2024
52.244-6	Subcontracts for Commercial Products and Commercial Services	JAN 2025
52.245-1	Government Property	SEP 2021
52.245-2	Government Property Installation Operation Services	APR 2012
52.245-5 (Dev)	Government Property (Cost-Reimbursement, Time-and-Material, and Labor-Hour Contracts) (Deviation)	JUN 2003
52.245-9	Use And Charges	APR 2012
52.246-23	Limitation Of Liability	FEB 1997
52.246-25	Limitation Of Liability--Services	FEB 1997
52.246-26	Reporting Nonconforming Items.	AUG 2024
52.247-63	Preference for U.S. Flag Air Carriers	JAN 2025
52.247-68	Report of Shipment (REPSHIP)	FEB 2006
52.248-1	Value Engineering	JUN 2020
52.249-2	Termination For Convenience Of The Government (Fixed-Price)	APR 2012
52.249-6	Termination (Cost Reimbursement)	MAY 2004
52.249-8	Default (Fixed-Price Supply & Service)	APR 1984
52.249-14	Excusable Delays	APR 1984
52.251-1	Government Supply Sources	APR 2012
52.253-1	Computer Generated Forms	JAN 1991
252.201-7000	Contracting Officer's Representative	DEC 1991

252.203-7000	Requirements Relating to Compensation of Former DoD Officials	SEP 2011
252.203-7001	Prohibition On Persons Convicted of Fraud or Other Defense-Contract-Related Felonies	JAN 2023
252.203-7002	Requirement to Inform Employees of Whistleblower Rights	DEC 2022
252.203-7003	Agency Office of the Inspector General	AUG 2019
252.203-7005	Representation Relating to Compensation of Former DoD Officials	SEP 2022
252.204-7000	Disclosure Of Information	OCT 2016
252.204-7003	Control Of Government Personnel Work Product	APR 1992
252.204-7008	Compliance With Safeguarding Covered Defense Information Controls	OCT 2016
252.204-7009	Limitations on the Use or Disclosure of Third-Party Contractor Reported Cyber Incident Information	JAN 2023
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting	MAY 2024
252.204-7015	Notice of Authorized Disclosure of Information for Litigation Support	JAN 2023
252.204-7018	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services	JAN 2023
252.204-7020	NIST SP 800-171 DoD Assessment Requirements	NOV 2023
252.204-7022	Expediting Contract Closeout	MAY 2021
252.204-7023 Alt I	Reporting Requirements for Contracted Services (JUL 2021) Alternate I	JUL 2021
252.205-7000	Provision Of Information To Cooperative Agreement Holders	OCT 2024
252.209-7004	Subcontracting With Firms That Are Owned or Controlled By The Government of a Country that is a State Sponsor of Terrorism	MAY 2019
252.211-7008	Use of Government-Assigned Serial Numbers	SEP 2010
252.215-7002	Cost Estimating System Requirements	JAN 2025
252.217-7028	Over And Above Work	DEC 1991
252.219-7003 Alt II	Small Business Subcontracting Plan (DoD Contracts)(DEC 2019) Alternate II	DEC 2019
252.222-7002	Compliance With Local Labor Laws (Overseas)	JUN 1997
252.222-7006	Restrictions on the Use of Mandatory Arbitration Agreements	JAN 2023
252.223-7001	Hazard Warning Labels	DEC 1991
252.223-7002	Safety Precautions for Ammunition and Explosives	NOV 2023
252.223-7003	Changes In Place Of Performance--Ammunition And Explosives	DEC 1991
252.223-7006	Prohibition On Storage, Treatment, and Disposal of Toxic or Hazardous Materials	SEP 2014
252.223-7008	Prohibition of Hexavalent Chromium	JAN 2023
252.225-7001	Buy American and Balance of Payments Program	FEB 2024
252.225-7002	Qualifying Country Sources As Subcontractors	MAR 2022
252.225-7004	Report of Intended Performance Outside the United States and Canada--Submission After Award	JUL 2024
252.225-7012	Preference For Certain Domestic Commodities	APR 2022
252.225-7013	Duty-Free Entry--Basic	NOV 2023
252.225-7015	Restriction on Acquisition of Hand Or Measuring Tools	JUN 2005
252.225-7040	Contractor Personnel Supporting U.S. Armed Forces Deployed Outside the United States	OCT 2023
252.225-7048	Export-Controlled Items	JUN 2013
252.225-7976 (Dev)	Contractor Personnel Performing in Japan. (DEVIATION 2018-O0019)	AUG 2018

252.225-7980 (Dev)	Contractor Personnel Performing in the United States Africa Command Area of Responsibility. (DEVIATION 2016-O0008)	JUN 2016
252.225-7987 (Dev)	Requirements for Contractor Personnel Performing in the U.S. Southern Command Area of Responsibility (DEVIATION 2021-O0004)	FEB 2021
252.225-7993 (Dev)	Prohibition on Providing Funds to the Enemy (Deviation 2024-O0003)	DEC 2023
252.225-7995 (Dev)	Contractor Personnel Performing in the United States Central Command Area of Responsibility (Deviation 2017-O0004)	SEP 2017
252.226-7001	Utilization of Indian Organizations, Indian-Owned Economic Enterprises, and Native Hawaiian Small Business Concerns	JAN 2023
252.227-7014	Rights in Other Than Commercial Computer Software and Other Than Commercial Computer Software Documentation	JAN 2025
252.227-7016	Rights in Bid or Proposal Information	JAN 2025
252.227-7025	Limitations on the Use or Disclosure of Government-Furnished Information Marked with Restrictive Legends	JAN 2025
252.227-7030	Technical Data--Withholding Of Payment	MAR 2000
252.231-7000	Supplemental Cost Principles	DEC 1991
252.232-7003	Electronic Submission of Payment Requests and Receiving Reports	DEC 2018
252.232-7010	Levies on Contract Payments	DEC 2006
252.233-7001	Choice of Law (Overseas)	JUN 1997
252.234-7002	Earned Value Management System	JAN 2025
252.237-7010	Prohibition on Interrogation of Detainees by Contractor Personnel	JAN 2023
252.239-7000	Protection Against Compromising Emanations	OCT 2019
252.239-7001	Information Assurance Contractor Training and Certification	JAN 2008
252.239-7016	Telecommunications Security Equipment, Devices, Techniques, And Services	DEC 1991
252.242-7005	Contractor Business Systems	JAN 2025
252.242-7006	Accounting System Administration	JAN 2025
252.243-7001	Pricing Of Contract Modifications	DEC 1991
252.243-7002	Requests for Equitable Adjustment	DEC 2022
252.244-7000	Subcontracts for Commercial Products or Commercial Services	NOV 2023
252.244-7001	Contractor Purchasing System Administration	JAN 2025
252.245-7003	Contractor Property Management System Administration	JAN 2025
252.245-7004 (Dev)	Reporting, Reutilization, and Disposal (DEVIATION 2022-O0006)	NOV 2021
252.246-7003	Notification of Potential Safety Issues	JAN 2023
252.246-7004	Safety of Facilities, Infrastructure, and Equipment for Military Operations	OCT 2010
252.247-7027	Riding Gang Member Requirements	MAY 2018

CLAUSES INCORPORATED BY FULL TEXT

52.204-21 BASIC SAFEGUARDING OF COVERED CONTRACTOR INFORMATION SYSTEMS (NOV 2021)

(a) Definitions. As used in this clause--

Covered contractor information system means an information system that is owned or operated by a contractor that processes, stores, or transmits Federal contract information.

Federal contract information means information, not intended for public release, that is provided by or generated for the Government under a contract to develop or deliver a product or service to the Government, but not including information provided by the Government to the public (such as on public websites) or simple transactional information, such as necessary to process payments.

Information means any communication or representation of knowledge such as facts, data, or opinions, in any medium or form, including textual, numerical, graphic, cartographic, narrative, or audiovisual (Committee on National Security Systems Instruction (CNSSI) 4009).

Information system means a discrete set of information resources organized for the collection, processing, maintenance, use, sharing, dissemination, or disposition of information (44 U.S.C. 3502).

Safeguarding means measures or controls that are prescribed to protect information systems.

(b) Safeguarding requirements and procedures.

(1) The Contractor shall apply the following basic safeguarding requirements and procedures to protect covered contractor information systems. Requirements and procedures for basic safeguarding of covered contractor information systems shall include, at a minimum, the following security controls:

(i) Limit information system access to authorized users, processes acting on behalf of authorized users, or devices (including other information systems).

(ii) Limit information system access to the types of transactions and functions that authorized users are permitted to execute.

(iii) Verify and control/limit connections to and use of external information systems.

(iv) Control information posted or processed on publicly accessible information systems.

(v) Identify information system users, processes acting on behalf of users, or devices.

(vi) Authenticate (or verify) the identities of those users, processes, or devices, as a prerequisite to allowing access to organizational information systems.

(vii) Sanitize or destroy information system media containing Federal Contract Information before disposal or release for reuse.

(viii) Limit physical access to organizational information systems, equipment, and the respective operating environments to authorized individuals.

(ix) Escort visitors and monitor visitor activity; maintain audit logs of physical access; and control and manage physical access devices.

(x) Monitor, control, and protect organizational communications (i.e., information transmitted or received by organizational information systems) at the external boundaries and key internal boundaries of the information systems.

(xi) Implement subnetworks for publicly accessible system components that are physically or logically separated from internal networks.

- (xii) Identify, report, and correct information and information system flaws in a timely manner.
 - (xiii) Provide protection from malicious code at appropriate locations within organizational information systems.
 - (xiv) Update malicious code protection mechanisms when new releases are available.
 - (xv) Perform periodic scans of the information system and real-time scans of files from external sources as files are downloaded, opened, or executed.
- (2) Other requirements. This clause does not relieve the Contractor of any other specific safeguarding requirements specified by Federal agencies and departments relating to covered contractor information systems generally or other Federal safeguarding requirements for controlled unclassified information (CUI) as established by Executive Order 13556.
- (c) Subcontracts. The Contractor shall include the substance of this clause, including this paragraph (c), in subcontracts under this contract (including subcontracts for the acquisition of commercial products or commercial services, other than commercially available off-the-shelf items), in which the subcontractor may have Federal contract information residing in or transiting through its information system.
- (End of clause)

52.211-11 LIQUIDATED DAMAGES--SUPPLIES, SERVICES, OR RESEARCH AND DEVELOPMENT (SEP 2000)

- (a) If the Contractor fails to deliver the supplies or perform the services within the time specified in this contract, the Contractor shall, in place of actual damages, pay to the Government liquidated damages of \$46,000.00 (BOBO Class ship)/\$84,000.00 (LMSR Class ship) per calendar day of ship departure delay.

In addition, the contractor shall be assessed liquidated damages in the amount of \$34.00 per Government reinspection of nonconforming services; such liquidated damages specifically excludes any newly discovered non-conformities which were not identified at initial inspection. The Government will not assess Liquidated damages for reinspection of nonconforming services which are identified by government approved joint and/or in-process inspection(s).

- (b) If the Government terminates this contract in whole or in part under the Default--Fixed-Price Supply and Service clause, the Contractor is liable for liquidated damages accruing until the Government reasonably obtains delivery or performance of similar supplies or services. These liquidated damages are in addition to excess costs of repurchase under the Termination clause.

- (c) The Contractor will not be charged with liquidated damages when the delay in delivery or performance is beyond the control and without the fault or negligence of the Contractor as defined in the Default--Fixed-Price Supply and Service clause in this contract.

(End of clause)

52.215-19 NOTIFICATION OF OWNERSHIP CHANGES (OCT 1997)

- (a) The Contractor shall make the following notifications in writing:

(1) When the Contractor becomes aware that a change in its ownership has occurred, or is certain to occur, that could result in changes in the valuation of its capitalized assets in the accounting records, the Contractor shall notify the Administrative Contracting Officer (ACO) within 30 days.

(2) The Contractor shall also notify the ACO within 30 days whenever changes to asset valuations or any other cost changes have occurred or are certain to occur as a result of a change in ownership.

(b) The Contractor shall--

(1) Maintain current, accurate, and complete inventory records of assets and their costs;

(2) Provide the ACO or designated representative ready access to the records upon request;

(3) Ensure that all individual and grouped assets, their capitalized values, accumulated depreciation or amortization, and remaining useful lives are identified accurately before and after each of the Contractor's ownership changes; and

(4) Retain and continue to maintain depreciation and amortization schedules based on the asset records maintained before each Contractor ownership change.

The Contractor shall include the substance of this clause in all subcontracts under this contract that meet the applicability requirement of FAR 15.408(k).

(End of clause)

52.216-7 ALLOWABLE COST AND PAYMENT (AUG 2018)

(a) Invoicing.

(1) The Government will make payments to the Contractor when requested as work progresses, but (except for small business concerns) not more often than once every 2 weeks, in amounts determined to be allowable by the Contracting Officer in accordance with Federal Acquisition Regulation (FAR) subpart 31.2 in effect on the date of this contract and the terms of this contract. The Contractor may submit to an authorized representative of the Contracting Officer, in such form and reasonable detail as the representative may require, an invoice or voucher supported by a statement of the claimed allowable cost for performing this contract.

(2) Contract financing payments are not subject to the interest penalty provisions of the Prompt Payment Act. Interim payments made prior to the final payment under the contract are contract financing payments, except interim payments if this contract contains Alternate I to the clause at 52.232-25.

(3) The designated payment office will make interim payments for contract financing on the 30th day after the designated billing office receives a proper payment request.

In the event that the Government requires an audit or other review of a specific payment request to ensure compliance with the terms and conditions of the contract, the designated payment office is not compelled to make payment by the specified due date.

(b) Reimbursing costs. (1) For the purpose of reimbursing allowable costs (except as provided in subparagraph (b)(2) of the clause, with respect to pension, deferred profit sharing, and employee stock ownership plan contributions), the term "costs" includes only--

(i) Those recorded costs that, at the time of the request for reimbursement, the Contractor has paid by cash, check, or other form of actual payment for items or services purchased directly for the contract;

(ii) When the Contractor is not delinquent in paying costs of contract performance in the ordinary course of business, costs incurred, but not necessarily paid, for--

(A) Supplies and services purchased directly for the contract and associated financing payments to subcontractors, provided payments determined due will be made--

(1) In accordance with the terms and conditions of a subcontract or invoice; and

(2) Ordinarily within 30 days of the submission of the Contractor's payment request to the Government;

(B) Materials issued from the Contractor's inventory and placed in the production process for use on the contract;

(C) Direct labor;

(D) Direct travel;

(E) Other direct in-house costs; and

(F) Properly allocable and allowable indirect costs, as shown in the records maintained by the Contractor for purposes of obtaining reimbursement under Government contracts; and

(iii) The amount of financing payments that have been paid by cash, check, or other forms of payment to subcontractors.

(2) Accrued costs of Contractor contributions under employee pension plans shall be excluded until actually paid unless--

(i) The Contractor's practice is to make contributions to the retirement fund quarterly or more frequently; and

(ii) The contribution does not remain unpaid 30 days after the end of the applicable quarter or shorter payment period (any contribution remaining unpaid shall be excluded from the Contractor's indirect costs for payment purposes).

(3) Notwithstanding the audit and adjustment of invoices or vouchers under paragraph (g) of this clause, allowable indirect costs under this contract shall be obtained by applying indirect cost rates established in accordance with paragraph (d) of this clause.

(4) Any statements in specifications or other documents incorporated in this contract by reference designating performance of services or furnishing of materials at the Contractor's expense or at no cost to the Government shall be disregarded for purposes of cost-reimbursement under this clause.

(c) Small business concerns. A small business concern may receive more frequent payments than every 2 weeks.

(d) Final indirect cost rates. (1) Final annual indirect cost rates and the appropriate bases shall be established in accordance with Subpart 42.7 of the Federal Acquisition Regulation (FAR) in effect for the period covered by the indirect cost rate proposal.

(2)(i) The Contractor shall submit an adequate final indirect cost rate proposal to the Contracting Officer (or cognizant Federal agency official) and auditor within the 6-month period following the expiration of each of its fiscal years. Reasonable extensions, for exceptional circumstances only, may be requested in writing by the

Contractor and granted in writing by the Contracting Officer. The Contractor shall support its proposal with adequate supporting data.

(ii) The proposed rates shall be based on the Contractor's actual cost experience for that period. The appropriate Government representative and the Contractor shall establish the final indirect cost rates as promptly as practical after receipt of the Contractor's proposal.

(iii) An adequate indirect cost rate proposal shall include the following data unless otherwise specified by the cognizant Federal agency official:

(A) Summary of all claimed indirect expense rates, including pool, base, and calculated indirect rate.

(B) General and Administrative expenses (final indirect cost pool). Schedule of claimed expenses by element of cost as identified in accounting records (Chart of Accounts).

(C) Overhead expenses (final indirect cost pool). Schedule of claimed expenses by element of cost as identified in accounting records (Chart of Accounts) for each final indirect cost pool.

(D) Occupancy expenses (intermediate indirect cost pool). Schedule of claimed expenses by element of cost as identified in accounting records (Chart of Accounts) and expense reallocation to final indirect cost pools.

(E) Claimed allocation bases, by element of cost, used to distribute indirect costs.

(F) Facilities capital cost of money factors computation.

(G) Reconciliation of books of account (i.e., General Ledger) and claimed direct costs by major cost element.

(H) Schedule of direct costs by contract and subcontract and indirect expense applied at claimed rates, as well as a subsidiary schedule of Government participation percentages in each of the allocation base amounts.

(I) Schedule of cumulative direct and indirect costs claimed and billed by contract and subcontract.

(J) Subcontract information. Listing of subcontracts awarded to companies for which the contractor is the prime or upper-tier contractor (include prime and subcontract numbers; subcontract value and award type; amount claimed during the fiscal year; and the subcontractor name, address, and point of contact information).

(K) Summary of each time-and-materials and labor-hour contract information, including labor categories, labor rates, hours, and amounts; direct materials; other direct costs; and, indirect expense applied at claimed rates.

(L) Reconciliation of total payroll per IRS form 941 to total labor costs distribution.

(M) Listing of decisions/agreements/approvals and description of accounting/organizational changes.

(N) Certificate of final indirect costs (see 52.242-4, Certification of Final Indirect Costs).

(O) Contract closing information for contracts physically completed in this fiscal year (include contract number, period of performance, contract ceiling amounts, contract fee computations, level of effort, and indicate if the contract is ready to close).

(iv) The following supplemental information is not required to determine if a proposal is adequate, but may be required during the audit process:

(A) Comparative analysis of indirect expense pools detailed by account to prior fiscal year and budgetary data.

- (B) General organizational information and limitation on allowability of compensation for certain contractor personnel. See 31.205-6(p). Additional salary reference information is available at <https://www.whitehouse.gov/wp-content/uploads/2017/11/ContractorCompensationCapContractsAwardedBeforeJune24.pdf> and <https://www.whitehouse.gov/wp-content/uploads/2017/11/ContractorCompensationCapContractsAwardedafterJune24.pdf>.
- (C) Identification of prime contracts under which the contractor performs as a subcontractor.
- (D) Description of accounting system (excludes contractors required to submit a CAS Disclosure Statement or contractors where the description of the accounting system has not changed from the previous year's submission).
- (E) Procedures for identifying and excluding unallowable costs from the costs claimed and billed (excludes contractors where the procedures have not changed from the previous year's submission).
- (F) Certified financial statements and other financial data (e.g., trial balance, compilation, review, etc.).
- (G) Management letter from outside CPAs concerning any internal control weaknesses.
- (H) Actions that have been and/or will be implemented to correct the weaknesses described in the management letter from subparagraph G) of this section.
- (I) List of all internal audit reports issued since the last disclosure of internal audit reports to the Government.
- (J) Annual internal audit plan of scheduled audits to be performed in the fiscal year when the final indirect cost rate submission is made.
- (K) Federal and State income tax returns.
- (L) Securities and Exchange Commission 10-K annual report.
- (M) Minutes from board of directors meetings.
- (N) Listing of delay claims and termination claims submitted which contain costs relating to the subject fiscal year.
- (O) Contract briefings, which generally include a synopsis of all pertinent contract provisions, such as: Contract type, contract amount, product or service(s) to be provided, contract performance period, rate ceilings, advance approval requirements, pre-contract cost allowability limitations, and billing limitations.
- (v) The Contractor shall update the billings on all contracts to reflect the final settled rates and update the schedule of cumulative direct and indirect costs claimed and billed, as required in paragraph (d)(2)(iii)(I) of this section, within 60 days after settlement of final indirect cost rates.
- (3) The Contractor and the appropriate Government representative shall execute a written understanding setting forth the final indirect cost rates. The understanding shall specify (i) the agreed-upon final annual indirect cost rates, (ii) the bases to which the rates apply, (iii) the periods for which the rates apply, (iv) any specific indirect cost items treated as direct costs in the settlement, and (v) the affected contract and/or subcontract, identifying any with advance agreements or special terms and the applicable rates. The understanding shall not change any monetary ceiling, contract obligation, or specific cost allowance or disallowance provided for in this contract. The understanding is incorporated into this contract upon execution.

(4) Failure by the parties to agree on a final annual indirect cost rate shall be a dispute within the meaning of the Disputes clause.

(5) Within 120 days (or longer period if approved in writing by the Contracting Officer) after settlement of the final annual indirect cost rates for all years of a physically complete contract, the Contractor shall submit a completion invoice or voucher to reflect the settled amounts and rates. The completion invoice or voucher shall include settled subcontract amounts and rates. The prime contractor is responsible for settling subcontractor amounts and rates included in the completion invoice or voucher and providing status of subcontractor audits to the contracting officer upon request.

(6)(i) If the Contractor fails to submit a completion invoice or voucher within the time specified in paragraph (d)(5) of this clause, the Contracting Officer may--

(A) Determine the amounts due to the Contractor under the contract; and

(B) Record this determination in a unilateral modification to the contract.

(ii) This determination constitutes the final decision of the Contracting Officer in accordance with the Disputes clause.

(e) Billing rates. Until final annual indirect cost rates are established for any period, the Government shall reimburse the Contractor at billing rates established by the Contracting Officer or by an authorized representative (the cognizant auditor), subject to adjustment when the final rates are established. These billing rates--

(1) Shall be the anticipated final rates; and

(2) May be prospectively or retroactively revised by mutual agreement, at either party's request, to prevent substantial overpayment or underpayment.

(f) Quick-closeout procedures. Quick-closeout procedures are applicable when the conditions in FAR 42.708(a) are satisfied.

(g) Audit. At any time or times before final payment, the Contracting Officer may have the Contractor's invoices or vouchers and statements of cost audited. Any payment may be (1) Reduced by amounts found by the Contracting Officer not to constitute allowable costs or (2) Adjusted for prior overpayments or underpayments.

(h) Final payment. (1) Upon approval of a completion invoice or voucher submitted by the Contractor in accordance with paragraph (d)(5) of this clause, and upon the Contractor's compliance with all terms of this contract, the Government shall promptly pay any balance of allowable costs and that part of the fee (if any) not previously paid.

(2) The Contractor shall pay to the Government any refunds, rebates, credits, or other amounts (including interest, if any) accruing to or received by the Contractor or any assignee under this contract, to the extent that those amounts are properly allocable to costs for which the Contractor has been reimbursed by the Government. Reasonable expenses incurred by the Contractor for securing refunds, rebates, credits, or other amounts shall be allowable costs if approved by the Contracting Officer. Before final payment under this contract, the Contractor and each assignee whose assignment is in effect at the time of final payment shall execute and deliver--

(i) An assignment to the Government, in form and substance satisfactory to the Contracting Officer, of refunds, rebates, credits, or other amounts (including interest, if any) properly allocable to costs for which the Contractor has been reimbursed by the Government under this contract; and

(ii) A release discharging the Government, its officers, agents, and employees from all liabilities, obligations, and claims arising out of or under this contract, except--

- (A) Specified claims stated in exact amounts, or in estimated amounts when the exact amounts are not known;
- (B) Claims (including reasonable incidental expenses) based upon liabilities of the Contractor to third parties arising out of the performance of this contract; provided, that the claims are not known to the Contractor on the date of the execution of the release, and that the Contractor gives notice of the claims in writing to the Contracting Officer within 6 years following the release date or notice of final payment date, whichever is earlier; and
- (C) Claims for reimbursement of costs, including reasonable incidental expenses, incurred by the Contractor under the patent clauses of this contract, excluding, however, any expenses arising from the Contractor's indemnification of the Government against patent liability.

(End of clause)

52.216-19 ORDER LIMITATIONS (OCT 1995)

(a) Minimum order. When the Government requires supplies or services covered by this contract in an amount of less than \$2,500.00, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.

(b) Maximum order. The Contractor is not obligated to honor -

(1) Any order for a single item in excess of \$100,000,000.00;

(2) Any order for a combination of items in excess of \$125,000,000.00; or

(3) A series of orders from the same ordering office within 7 days that together call for quantities exceeding the limitation in paragraph (b) (1) or (2) of this section.

(c) If this is a requirements contract (i.e., includes the Requirements clause at subsection 52.216-21 of the Federal Acquisition Regulation (FAR)), the Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum-order limitations in paragraph (b) of this section.

(d) Notwithstanding paragraphs (b) and (c) of this section, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within ten days after issuance, with written notice stating the Contractor's intent not to ship the item (or items) called for and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

(End of clause)

52.216-22 INDEFINITE QUANTITY. (OCT 1995)

(a) This is an indefinite-quantity contract for the supplies or services specified, and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.

(b) Delivery or performance shall be made only as authorized by orders issued in accordance with the Ordering clause. The Contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the Schedule as the "maximum". The Government shall

order at least the quantity of supplies or services designated in the Schedule as the "minimum".

(c) Except for any limitations on quantities in the Order Limitations clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; provided, that the Contractor shall not be required to make any deliveries under this contract after 18 months following the end of the ordering period..

(End of clause)

52.217-8 OPTION TO EXTEND SERVICES (NOV 1999)

The Government may require continued performance of any services within the limits and at the rates specified in the contract. These rates may be adjusted only as a result of revisions to prevailing labor rates provided by the Secretary of Labor. The option provision may be exercised more than once, but the total extension of performance hereunder shall not exceed 6 months. The Contracting Officer may exercise the option by written notice to the Contractor:

- A) No later than 30 days prior to the expiration of the base contract ordering period
- B) No later than 30 days prior to the expiration of the period of performance of any task order

Note – this clause applies to both the base IDIQ contract and all task orders issued, including any task order during an ordering period that was extended. The cumulative value of all extensions under the base IDIQ or task order shall not exceed 6 months.

(End of clause)

52.217-9 OPTION TO EXTEND THE TERM OF THE CONTRACT (MAR 2000)

(a) The Government may extend the term of this contract by written notice to the Contractor within 30; provided that the Government gives the Contractor a preliminary written notice of its intent to extend at least 60 days before the contract expires. The preliminary notice does not commit the Government to an extension.

(b) If the Government exercises this option, the extended contract shall be considered to include this option clause.

(c) The total duration of this contract, including the exercise of any options under this clause, shall not exceed ten years and six months (10yr 6mo).

(End of clause)

52.222-2 PAYMENT FOR OVERTIME PREMIUMS (JUL 1990)

(a) The use of overtime is authorized under this contract if the overtime premium cost does not exceed zero or the overtime premium is paid for work --

- (1) Necessary to cope with emergencies such as those resulting from accidents, natural disasters, breakdowns of production equipment, or occasional production bottlenecks of a sporadic nature;
 - (2) By indirect-labor employees such as those performing duties in connection with administration, protection, transportation, maintenance, standby plant protection, operation of utilities, or accounting;
 - (3) To perform tests, industrial processes, laboratory procedures, loading or unloading of transportation conveyances, and operations in flight or afloat that are continuous in nature and cannot reasonably be interrupted or completed otherwise; or
 - (4) That will result in lower overall costs to the Government.
- (b) Any request for estimated overtime premiums that exceeds the amount specified above shall include all estimated overtime for contract completion and shall--
- (1) Identify the work unit; e.g., department or section in which the requested overtime will be used, together with present workload, staffing, and other data of the affected unit sufficient to permit the Contracting Officer to evaluate the necessity for the overtime;
 - (2) Demonstrate the effect that denial of the request will have on the contract delivery or performance schedule;
 - (3) Identify the extent to which approval of overtime would affect the performance or payments in connection with other Government contracts, together with identification of each affected contract; and
 - (4) Provide reasons why the required work cannot be performed by using multishift operations or by employing additional personnel.

(End of clause)

52.222-35 EQUAL OPPORTUNITY FOR VETERANS (JUN 2020)

- (a) Definitions. As used in this clause--

"Active duty wartime or campaign badge veteran," "Armed Forces service medal veteran," "disabled veteran," "protected veteran," "qualified disabled veteran," and "recently separated veteran" have the meanings given at Federal Acquisition Regulation (FAR) 22.1301.

- (b) Equal opportunity clause. The Contractor shall abide by the requirements of the equal opportunity clause at 41 CFR 60-300.5(a), as of March 24, 2014. This clause prohibits discrimination against qualified protected veterans, and requires affirmative action by the Contractor to employ and advance in employment qualified protected veterans.

- (c) Subcontracts. The Contractor shall insert the terms of this clause in subcontracts valued at or above the threshold specified in FAR 22.1303(a) on the date of subcontract award, unless exempted by rules, regulations, or orders of the Secretary of Labor. The Contractor shall act as specified by the Director, Office of Federal Contract Compliance Programs, to enforce the terms, including action for noncompliance. Such necessary changes in language may be made as shall be appropriate to identify properly the parties and their undertakings.

(End of clause)

52.222-36 EQUAL OPPORTUNITY FOR WORKERS WITH DISABILITIES (JUN 2020)

(a) Equal opportunity clause. The Contractor shall abide by the requirements of the equal opportunity clause at 41 CFR 60-741.5(a), as of March 24, 2014. This clause prohibits discrimination against qualified individuals on the basis of disability, and requires affirmative action by the Contractor to employ and advance in employment qualified individuals with disabilities.

(b) Subcontracts. The Contractor shall include the terms of this clause in every subcontract or purchase order in excess of the threshold specified in Federal Acquisition Regulation (FAR) 22.1408(a) on the date of subcontract award, unless exempted by rules, regulations, or orders of the Secretary, so that such provisions will be binding upon each subcontractor or vendor. The Contractor shall act as specified by the Director, Office of Federal Contract Compliance Programs of the U.S. Department of Labor, to enforce the terms, including action for noncompliance. Such necessary changes in language may be made as shall be appropriate to identify properly the parties and their undertakings.

(End of clause)

52.222-42 STATEMENT OF EQUIVALENT RATES FOR FEDERAL HIRES (MAY 2014)

In compliance with the Service Contract Labor Standards statute and the regulations of the Secretary of Labor (29 CFR part 4), this clause identifies the classes of service employees expected to be employed under the contract and states the wages and fringe benefits payable to each if they were employed by the contracting agency subject to the provisions of 5 U.S.C. 5341 or 5332.

THIS STATEMENT IS FOR INFORMATION ONLY: IT IS NOT A WAGE DETERMINATION
Employee Class Monetary Wage-Fringe Benefits

AAV MECHANIC	WG-6641-08	\$21.02
AAV MECHANIC SR	WG-6641-10	\$24.00
AMMUNITION TECHNICIAN (T-AKE)	GS-0346-05	\$16.00
ARTILLERY MECHANIC	WG-6605-08	\$21.02
ARTILLERY MECHANIC SR	WG-6605-10	\$24.00
CARPENTER	WG-4607-05	\$16.66
CARPENTER LEAD	WG-4607-07	\$19.59
CBRN SPECIALIST	GS-1802-04	\$14.30
CONTAINER INSPECTOR	WG-1910-08	\$21.02
CONTAINER INSPECTOR/CERTIFIER	WG-1910-10	\$24.00
CONTRACT EXPEDITOR	GS-1102-09	\$24.24
CORROSION CONTROL TECHNICIAN	WG-4102-09	\$22.52
DESKTOP SUPPORT TECHNICIAN	GS-2210-09	\$24.24
DESKTOP SUPPORT TECHNICIAN SR	GS-2210-11	\$29.33
DISPATCHER	GS-2151-04	\$14.30
DRIVER MESSENGER	WG-3502-02	\$12.17
ELECTRICAL EQUIPMENT REPAIR TECHNICIAN	WG-2854-07	\$19.59

ELECTRONIC INDUSTRIAL CONTROLS MECHANIC	WG-2606-08	\$21.02
ELECTRONIC INDUSTRIAL CONTROLS MECHANIC LEAD	WG-2606-10	\$24.00
ELECTRONIC TECHNICIAN	WG-2604-10	\$24.00
ELECTRONIC TECHNICIAN JR	WG-2604-08	\$21.02
ELECTRONIC TECHNICIAN LEAD	WL-2604-10	\$27.43
ELECTRONIC TECHNICIAN SR	WG-2604-10	\$24.00
ENGINEER ASSISTANT	GS-1640-06	\$17.84
ENGINEER EQUIP MECHANIC	WG-5803-10	\$24.00
ENGINEER EQUIP MECHANIC SR	WG-5803-10	\$24.00
ENGINEER EQUIPMENT MECHANIC	WG-5803-07	\$19.59
ENGINEER MECHANIC	WG-5806-08	\$21.02
	WG-1142-08	
	WG-1341-08	
	WG-1342-08	
	WG-1343-08	
FISCAL TECHNICIAN	GS-0510-07	\$19.82
FREIGHT OPERATIONS SPECIALIST	GS-2102-07	\$19.82
	GS-3112-07	
FREIGHT OPERATIONS SPECIALIST LEAD	GS-2102-07	\$19.82
	GS-3112-07	
FUEL EQUIPMENT SERVICER	WG-5431-07	\$19.59
	WG-1391-07	
GENERAL MAINTENANCE TECH	WG-5300-08	\$21.02
HAZARDOUS MATERIAL WASTE SPECIALIST	WG-6912-09	\$22.52
	WG-8056-09	
HAZARDOUS MATERIAL WASTE SPECIALIST SR	WG-6912-11	\$25.44
	WG-8056-11	
HEAVY EQUIPMENT OPERATOR	WG-5716-11	\$25.44
HEAVY TRUCK DRIVER	WG-5705-07	\$19.59
	WG-3531-07	
HVAC MECHANIC	WG-5306-11	\$25.44
HYGIENE EQUIPMENT MECHANIC	WG-5409-07	\$19.59
INDUSTRIAL TECHNICIAN II	WG-2606-07	\$19.59
INTERMEDIATE AUTO MECHANIC	WG-5841-08	\$21.02
	WG-3523-08	
INTERMEDIATE AUTO MECHANIC SR	WG-5841-10	\$24.00
	WG-3522-10	
INTERMEDIATE AUTO MECHANIC SR LEAD	WL-5841-10	\$27.43
	WL-3522-10	
ISO LIBRARIAN	GS-1910-09	\$24.24
	GS-0403-09	
LABORER	WG-3502-03	\$13.70
LAV MECHANIC	WG-6641-08	\$21.02
LAV MECHANIC SR	WG-6641-10	\$24.00
LIGHTERAGE FINISHER	WG-9122-11	\$25.44
LIGHTERAGE MAINTENANCE TECHNICIAN	WG-9122-11	\$25.44
LOGISTICS SPEC III	GS-0346-05	\$16.00
	GS-0411-05	
LOGISTICS SPEC III LEAD	GS-0346-05	\$16.00
	GS-0411-05	
MACHINIST	WG-3414-08	\$21.02
MACHINIST LEAD	WG-3414-10	\$24.00

MARINE DIESEL MECH SR	WL-5334-10	\$27.43
MARINE DIESEL MECHANIC	WG-5334-11	\$25.44
MARINE ELECTRICIAN	WG-5334-11	\$25.44
MATERIAL HANDLER	WG-6907-05	\$16.66
MATERIAL SPECIALIST II	GS-2003-04	\$14.30
MATERIAL SPECIALIST III	GS-2003-06	\$17.84
MATERIAL SPECIALIST III LEAD	GS-0346-06	\$17.84
MECHANIC TECHNICIAN SR.	WG-5841-10	\$24.00
	WG-1349-10	
MEDICAL EQUIPMENT REPAIR	WG-4805-09	\$22.52
	WG-8478-09	
MEDICAL EQUIPMENT REPAIR LEAD	WG-4805-10	\$24.00
	WG-8478-10	
MOTOR TRANSPORT MECHANIC	WG-5823-08	\$21.02
	WG-3521-08	
NAVY 3M SYSTEMS COORDINATOR	GS-0318-06	\$17.84
NAVY CRAFT EQUIPMENT/EQUIPAGE SPECIALIST	WG-1670-11	\$25.44
NAVY EQUIPMENT SPECIALIST	WG-1670-11	\$25.44
NAVY PLANNER-ESTIMATOR	WG-613X-10	\$24.00
	WG-1910-10	
NETWORK ENGINEER	GS-2210-11	\$29.33
NETWORK SECURITY SPECIALIST	GS-2210-12	\$35.16
OPTICAL INSTRUMENT TECHNICIAN	WG-3306-10	\$24.00
ORDNANCE MECHANIC	WG-5803-08	\$21.02
	WG-2831-08	
	WG-2141-08	
	WG-2146-08	
	WG-2147-08	
PAINTER HELPER	WG-4102-07	\$19.59
PERSONNEL SPECIALIST IV	GS-0201-05	\$16.00
	GS-0193-05	
PRESERVATIONIST	WG-7006-07	\$19.59
PRODUCTION CONTROL CLERK	GS-0335-07	\$19.82
	GS-0111-07	
PRODUCTION PLANNING ANALYST	GS-0334-09	\$24.24
	GS-4067-09	
SCALE HOUSE ATTENDANT	WG-5424-05	\$16.66
	WG-3500-05	
SECRETARY III	GS-0318-07	\$19.82
SHIPFITTER	WG-713X-11	\$25.44
SHIPMENT COORDINATOR	GS-2102-07	\$19.82
	GS-3112-07	
SHIPMENT/PLANNING SPECIALIST	GS-2101-07	\$19.82
	GS-3112-07	
SUPERVISOR ELECTRICAL	GS-1670-11	\$29.33
	GS-0402-11	
TANK MECHANIC	WG-6641-08	\$21.02
TANK MECHANIC SR	WG-6641-10	\$24.00
TRACTOR TRAILER OPERATOR	WG-5705-05	\$16.66
	WG-3531-05	
VEHICLE DETAILER	WG-5417-05	\$16.66
	WG-3501-05	
WASH RACK ATTENDANT	WG-3502-02	\$12.17

WEAPONS TECHNICIAN (TURRET)	WG-6656-08	\$21.02
WEAPONS TECHNICIAN SR (TURRET)	WG-6656-10	\$24.00
WELDER	WG-3703-09	\$22.52
WOODWORKER	WG-4604-05	\$16.66
	WG-1371-05	

(End of clause)

52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (FEB 2021)

(a) "Hazardous material", as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract).

(b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material (if none, insert None)	Identification No.
_____	_____
_____	_____
_____	_____

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

(h) The Government's rights in data furnished under this contract with respect to hazardous material are as follows:

(1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to--

(i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;

(ii) Obtain medical treatment for those affected by the material; and

(iii) Have others use, duplicate, and disclose the data for the Government for these purposes.

(2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.

(3) The Government is not precluded from using similar or identical data acquired from other sources.

(End of clause)

52.223-7 NOTICE OF RADIOACTIVE MATERIALS (JAN 1997)

(a) The Contractor shall notify the Contracting Officer or designee, in writing, three (3) days prior to the delivery of, or prior to completion of any servicing required by this contract of, items containing either (1) radioactive material requiring specific licensing under the regulations issued pursuant to the Atomic Energy Act of 1954, as amended, as set forth in Title 10 of the Code of Federal Regulations, in effect on the date of this contract, or (2) other radioactive material not requiring specific licensing in which the specific activity is greater than 0.002 microcuries per gram or the activity per item equals or exceeds 0.01 microcuries. Such notice shall specify the part or parts of the items which contain radioactive materials, a description of the materials, the name and activity of the isotope, the manufacturer of the materials, and any other information known to the Contractor which will put users of the items on notice as to the hazards involved (OMB No. 9000-0107).

* The Contracting Officer shall insert the number of days required in advance of delivery of the item or completion of the servicing to assure that required licenses are obtained and appropriate personnel are notified to institute any necessary safety and health precautions. See FAR 23.601(d).

(b) If there has been no change affecting the quantity of activity, or the characteristics and composition of the radioactive material from deliveries under this contract or prior contracts, the Contractor may request that the Contracting Officer or designee waive the notice requirement in paragraph (a) of this clause. Any such request shall-

(1) Be submitted in writing;

(2) State that the quantity of activity, characteristics, and composition of the radioactive material have not changed; and

(3) Cite the contract number on which the prior notification was submitted and the contracting office to which it was submitted.

(c) All items, parts, or subassemblies which contain radioactive materials in which the specific activity is greater than 0.002 microcuries per gram or activity per item equals or exceeds 0.01 microcuries, and all containers in which such items, parts or subassemblies are delivered to the Government shall be clearly marked and labeled as required by the latest revision of MIL-STD 129 in effect on the date of the contract.

(d) This clause, including this paragraph (d), shall be inserted in all subcontracts for radioactive materials meeting the criteria in paragraph (a) of this clause.

(End of clause)

52.229-8 TAXES--FOREIGN COST-REIMBURSEMENT CONTRACTS (MAR 1990)

(a) Any tax or duty from which the United States Government is exempt by agreement with the any foreign Government, or from which the Contractor or any subcontractor under this contract is exempt under the laws of of any foreign Government, shall not constitute an allowable cost under this contract.

(b) If the Contractor or subcontractor under this contract obtains a foreign tax credit that reduces its Federal income tax liability under the United States Internal Revenue Code (Title 26, U.S. Code) because of the payment of any tax or duty that was reimbursed under this contract, the amount of the reduction shall be paid or credited at the time of such offset to the Government of the United States as the Contracting Officer directs.

(End of clause)

52.243-2 CHANGES--COST-REIMBURSEMENT (AUG 1987)

(a) The Contracting Officer may at any time, by written order, and without notice to the sureties, if any, make changes within the general scope of this contract in any one or more of the following:

(1) Drawings, designs, or specifications when the supplies to be furnished are to be specially manufactured for the Government in accordance with the drawings, designs, or specifications.

(2) Method of shipment or packing.

(3) Place of delivery.

(b) If any such change causes an increase or decrease in the estimated cost of, or the time required for, performance of any part of the work under this contract, whether or not changed by the order, or otherwise affects any other terms and conditions of this contract, the Contracting Officer shall make an equitable adjustment in the (1) estimated cost, delivery or completion schedule, or both; (2) amount of any fixed fee; and (3) other affected terms and shall modify the contract accordingly.

(c) The Contractor must assert its right to an adjustment under this clause within 30 days from the date of receipt of the written order. However, if the Contracting Officer decides that the facts justify it, the Contracting Officer may receive and act upon a proposal submitted before final payment of the contract.

(d) Failure to agree to any adjustment shall be a dispute under the Disputes clause. However, nothing in this clause shall excuse the Contractor from proceeding with the contract as changed.

(e) Notwithstanding the terms and conditions of paragraphs (a) and (b) above, the estimated cost of this contract and, if this contract is incrementally funded, the funds allotted for the performance of this contract, shall not be increased or considered to be increased except by specific written modification of the contract indicating the new contract estimated cost and, if this contract is incrementally funded, the new amount allotted to the contract. Until this modification is made, the Contractor shall not be obligated to continue performance or incur costs beyond the point established in the Limitation of Cost or Limitation of Funds clause of this contract.

(End of clause)

52.244-2 SUBCONTRACTS (JUN 2020)

(a) Definitions. As used in this clause--

Approved purchasing system means a Contractor's purchasing system that has been reviewed and approved in accordance with Part 44 of the Federal Acquisition Regulation (FAR).

Consent to subcontract means the Contracting Officer's written consent for the Contractor to enter into a particular subcontract.

Subcontract means any contract, as defined in FAR Subpart 2.1, entered into by a subcontractor to furnish supplies or services for performance of the prime contract or a subcontract. It includes, but is not limited to, purchase orders, and changes and modifications to purchase orders.

(b) When this clause is included in a fixed-price type contract, consent to subcontract is required only on unpriced contract actions (including unpriced modifications or unpriced delivery orders), and only if required in accordance with paragraph (c) or (d) of this clause.

(c) If the Contractor does not have an approved purchasing system, consent to subcontract is required for any subcontract that—

(1) Is of the cost-reimbursement, time-and-materials, or labor-hour type; or

(2) Is fixed-price and exceeds—

(i) For a contract awarded by the Department of Defense, the Coast Guard, or the National Aeronautics and Space Administration, the greater of the simplified acquisition threshold, as defined in FAR 2.101 on the date of subcontract award, or 5 percent of the total estimated cost of the contract; or

(ii) For a contract awarded by a civilian agency other than the Coast Guard and the National Aeronautics and Space Administration, either the simplified acquisition threshold, as defined in FAR 2.101 on the date of subcontract award, or 5 percent of the total estimated cost of the contract.

(d) If the Contractor has an approved purchasing system, the Contractor nevertheless shall obtain the Contracting Officer's written consent before placing the following subcontracts:

(1) Under Micro-Purchase Threshold. As defined in FAR Subpart 2.1. Each Micro-Purchase shall be approved by the Government. Government approval authority will be determined by designation by the Contracting Officer.

(2) Over Micro-Purchase Threshold. Procurements over the Micro-Purchase Threshold up to \$25,000.00 will be submitted to the designated Contracting Officer Representative, for approval.

(3) Over \$25,000. The Contracting Officer will approve all purchases over \$25,000.00.

Additionally, all purchases for CAP or Subcontracts regardless of dollar value are subject to audit or review at any time. The Contractor shall maintain a real-time or near real-time accounting system which reflects all available information relative to CAP/Subcontracts, associated Task Orders and Accounting Classification Reference Number (ACRN); this system shall be available to the Government for review on a continual basis. CAP also includes any subcontracted efforts.

(e)(1) The Contractor shall notify the Contracting Officer reasonably in advance of placing any subcontract or modification thereof for which consent is required under paragraph (b), (c), or (d) of this clause, including the following information:

- (i) A description of the supplies or services to be subcontracted.
- (ii) Identification of the type of subcontract to be used.
- (iii) Identification of the proposed subcontractor.
- (iv) The proposed subcontract price.
- (v) The subcontractor's current, complete, and accurate certified cost or pricing data and Certificate of Current Cost or Pricing Data, if required by other contract provisions.
- (vi) The subcontractor's Disclosure Statement or Certificate relating to Cost Accounting Standards when such data are required by other provisions of this contract.
- (vii) A negotiation memorandum reflecting—
 - (A) The principal elements of the subcontract price negotiations;
 - (B) The most significant considerations controlling establishment of initial or revised prices;
 - (C) The reason certified cost or pricing data were or were not required;
 - (D) The extent, if any, to which the Contractor did not rely on the subcontractor's certified cost or pricing data in determining the price objective and in negotiating the final price;
 - (E) The extent to which it was recognized in the negotiation that the subcontractor's certified cost or pricing data were not accurate, complete, or current; the action taken by the Contractor and the subcontractor; and the effect of any such defective data on the total price negotiated;
 - (F) The reasons for any significant difference between the Contractor's price objective and the price negotiated; and
 - (G) A complete explanation of the incentive fee or profit plan when incentives are used. The explanation shall identify each critical performance element, management decisions used to quantify each incentive element, reasons for the incentives, and a summary of all trade-off possibilities considered.
- (2) The Contractor is not required to notify the Contracting Officer in advance of entering into any subcontract for which consent is not required under paragraph (c), (d), or (e) of this clause.
- (f) Unless the consent or approval specifically provides otherwise, neither consent by the Contracting Officer to any subcontract nor approval of the Contractor's purchasing system shall constitute a determination—
 - (1) Of the acceptability of any subcontract terms or conditions;
 - (2) Of the allowability of any cost under this contract; or
 - (3) To relieve the Contractor of any responsibility for performing this contract.
- (g) No subcontract or modification thereof placed under this contract shall provide for payment on a cost-plus-a-percentage-of-cost basis, and any fee payable under cost-reimbursement type subcontracts shall not exceed the fee limitations in FAR 15.404-4(c)(4)(i).
- (h) The Contractor shall give the Contracting Officer immediate written notice of any action or suit filed and prompt notice of any claim made against the Contractor by any subcontractor or vendor that, in the opinion of the

Contractor, may result in litigation related in any way to this contract, with respect to which the Contractor may be entitled to reimbursement from the Government.

(i) The Government reserves the right to review the Contractor's purchasing system as set forth in FAR Subpart 44.3.

(j) Paragraphs (c) and (e) of this clause do not apply to the following subcontracts, which were evaluated during negotiations:

None

(End of clause)

52.246-20 WARRANTY OF SERVICES (MAY 2001)

(a) Definition.

"Acceptance," as used in this clause, means the act of an authorized representative of the Government by which the Government assumes for itself, or as an agent of another, ownership of existing and identified supplies, or approves specific services, as partial or complete performance of the contract.

(b) Notwithstanding inspection and acceptance by the Government or any provision concerning the conclusiveness thereof, the Contractor warrants that all services performed under this contract will, at the time of acceptance, be free from defects in workmanship and conform to the requirements of this contract. The Contracting Officer shall give written notice of any defect or nonconformance to the Contractor. This notice shall state either (1) that the Contractor shall correct or reperform any defective or nonconforming services, or (2) that the Government does not require correction or reperformance.

(c) If the Contractor is required to correct or reperform, it shall be at no cost to the Government, and any services corrected or reperformed by the Contractor shall be subject to this clause to the same extent as work initially performed. If the Contractor fails or refuses to correct or reperform, the Contracting Officer may, by contract or otherwise, correct or replace with similar services and charge to the Contractor the cost occasioned to the Government thereby, or make an equitable adjustment in the contract price.

(d) If the Government does not require correction or reperformance, the Contracting Officer shall make an equitable adjustment in the contract price.

(End of clause)

52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

<https://www.acquisition.gov/>

(End of clause)

252.203-7004 DISPLAY OF HOTLINE POSTERS (JAN 2023)

(a) Definition. As used in this clause--

United States means the 50 States, the District of Columbia, and outlying areas.

(b) Display of hotline poster(s).

(1)(i) The Contractor shall display prominently the DoD fraud, waste, and abuse hotline poster prepared by the DoD Office of the Inspector General, in effect at time of contract award, in common work areas within business segments performing work under Department of Defense (DoD) contracts.

(ii) For contracts performed outside the United States, when security concerns can be appropriately demonstrated, the contracting officer may provide the contractor the option to publicize the program to contractor personnel in a manner other than public display of the poster, such as private employee written instructions and briefings.

(2) If the contract is funded, in whole or in part, by Department of Homeland Security (DHS) disaster relief funds and the work is to be performed in the United States, the DHS fraud hotline poster shall be displayed in addition to the DoD hotline poster. If a display of a DHS fraud hotline poster is required, the Contractor may obtain such poster from—

(i) DHS Office of Inspector General/MAIL STOP 0305, Attn: Office of Investigations – Hotline, 245 Murray Lane SW, Washington, DC 20528-0305; or

(ii) Via the internet at https://www.oig.dhs.gov/assets/Hotline/DHS_OIG_Hotline-optimized.jpg.

(c)(1) The DoD hotline poster may be obtained from: Defense Hotline, The Pentagon, Washington, D.C. 20301-1900, or is also available via the internet at <https://www.dodig.mil/Resources/Posters-and-Brochures/>.

(2) If a significant portion of the employee workforce does not speak English, then the poster is to be displayed in the foreign languages that a significant portion of the employees speak.

(3) Additionally, if the Contractor maintains a company website as a method of providing information to employees, the Contractor shall display an electronic version of the required poster at the website.

(d) Subcontracts. The Contractor shall include the substance of this clause, including this paragraph (d), in all subcontracts that exceed the threshold specified in Defense Federal Acquisition Regulation Supplement 203.1004(b)(2)(ii) on the date of subcontract award, except when the subcontract is for the acquisition of a commercial product or commercial service.

(End of clause)

252.204-7007 ALTERNATE A, ANNUAL REPRESENTATIONS AND CERTIFICATIONS (OCT 2024)

Substitute the following paragraphs (b), (d) and (e) for paragraphs (b) and (d) of the provision at FAR 52.204-8:

(b)(1) If the provision at FAR 52.204-7, System for Award Management, is included in this solicitation, paragraph (e) of this provision applies.

(2) If the provision at FAR 52.204-7, System for Award Management, is not included in this solicitation, and the Offeror has an active registration in the System for Award Management (SAM), the Offeror may choose to use paragraph (e) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The Offeror shall indicate which option applies by checking one of the following boxes:

☐ (i) Paragraph (e) applies.

☐ (ii) Paragraph (e) does not apply and the Offeror has completed the individual representations and certifications in the solicitation.

(d)(1) The following representations or certifications in the SAM database are applicable to this solicitation as indicated:

(i) 252.204-7016, Covered Defense Telecommunications Equipment or Services--Representation. Applies to all solicitations.

(ii) 252.216-7008, Economic Price Adjustment--Wage Rates or Material Prices Controlled by a Foreign Government. Applies to solicitations for fixed-price supply and service contracts when the contract is to be performed wholly or in part in a foreign country, and a foreign government controls wage rates or material prices and may during contract performance impose a mandatory change in wages or prices of materials.

(iii) 252.225-7042, Authorization to Perform. Applies to all solicitations when performance will be wholly or in part in a foreign country.

(iv) 252.225-7049, Prohibition on Acquisition of Certain Foreign Commercial Satellite Services--Representations. Applies to solicitations for the acquisition of commercial satellite services.

(v) 252.225-7050, Disclosure of Ownership or Control by the Government of a Country that is a State Sponsor of Terrorism. Applies to all solicitations expected to result in contracts of \$150,000 or more.

(vi) 252.229-7012, Tax Exemptions (Italy)--Representation. Applies to solicitations when contract performance will be in Italy.

(vii) 252.229-7013, Tax Exemptions (Spain)--Representation. Applies to solicitations when contract performance will be in Spain.

(2) The following representations or certifications in SAM are applicable to this solicitation as indicated by the Contracting Officer:

X (i) 252.209-7002, Disclosure of Ownership or Control by a Foreign Government.

X (ii) 252.225-7000, Buy American--Balance of Payments Program Certificate.

☐ (iii) 252.225-7020, Trade Agreements Certificate.

☐ Use with Alternate I.

☐ (iv) 252.225-7031, Secondary Arab Boycott of Israel.

X (v) 252.225-7035, Buy American--Free Trade Agreements--Balance of Payments Program Certificate.

☐ Use with Alternate I.

____ Use with Alternate II.

____ Use with Alternate III.

____ Use with Alternate IV.

____ Use with Alternate V.

____ (vi) 252.226-7002, Representation for Demonstration Project for Contractors Employing Persons with Disabilities.

____ (vii) 252.232-7015, Performance-Based Payments--Representation.

(e) The Offeror has completed the annual representations and certifications electronically via the SAM website at <https://www.sam.gov>. After reviewing the SAM database information, the Offeror verifies by submission of the offer that the representations and certifications currently posted electronically that apply to this solicitation as indicated in FAR 52.204-8(c) and paragraph (d) of this provision have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer, and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [Offeror to insert changes, identifying change by provision number, title, date]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

FAR/DFARS provision No.	Title	Date	Change

Any changes provided by the Offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications located in the SAM database.

(End of provision)

252.223-7999 ENSURING ADEQUATE COVID-19 SAFETY PROTOCOLS FOR FEDERAL CONTRACTORS
(DEVIATION 2021-O0009) (OCT 2021)

(a) Definition. As used in this clause –

United States or its outlying areas means—

(1) The fifty States;

(2) The District of Columbia;

(3) The commonwealths of Puerto Rico and the Northern Mariana Islands;

(4) The territories of American Samoa, Guam, and the United States Virgin Islands; and

(5) The minor outlying islands of Baker Island, Howland Island, Jarvis Island, Johnston Atoll, Kingman Reef, Midway Islands, Navassa Island, Palmyra Atoll, and Wake Atoll.

(b) Authority. This clause implements Executive Order 14042, Ensuring Adequate COVID Safety Protocols for Federal Contractors, dated September 9, 2021 (published in the Federal Register on September 14, 2021, 86 FR 50985).

(c) Compliance. The Contractor shall comply with all guidance, including guidance conveyed through Frequently Asked Questions, as amended during the performance of this contract, for contractor or subcontractor workplace locations published by the Safer Federal Workforce Task Force (Task Force Guidance) at <https://www.saferfederalworkforce.gov/contractors/>.

(d) Subcontracts. The Contractor shall include the substance of this clause, including this paragraph (d), in subcontracts at any tier that exceed the simplified acquisition threshold, as defined in Federal Acquisition Regulation 2.101 on the date of subcontract award, and are for services, including construction, performed in whole or in part within the United States or its outlying areas.

(End of clause)

252.225-7043 ANTITERRORISM/FORCE PROTECTION POLICY FOR DEFENSE CONTRACTORS
OUTSIDE THE UNITED STATES (JUN 2015)

(a) Definition. United States, as used in this clause, means, the 50 States, the District of Columbia, and outlying areas.

(b) Except as provided in paragraph (c) of this clause, the Contractor and its subcontractors, if performing or traveling outside the United States under this contract, shall--

(1) Affiliate with the Overseas Security Advisory Council, if the Contractor or subcontractor is a U.S. entity;

(2) Ensure that Contractor and subcontractor personnel who are U.S. nationals and are in-country on a non-transitory basis, register with the U.S. Embassy, and that Contractor and subcontractor personnel who are third country nationals comply with any security related requirements of the Embassy of their nationality;

(3) Provide, to Contractor and subcontractor personnel, antiterrorism/force protection awareness information commensurate with that which the Department of Defense (DoD) provides to its military and civilian personnel and their families, to the extent such information can be made available prior to travel outside the United States; and

(4) Obtain and comply with the most current antiterrorism/force protection guidance for Contractor and subcontractor personnel.

(c) The requirements of this clause do not apply to any subcontractor that is--

(1) A foreign government;

(2) A representative of a foreign government; or

(3) A foreign corporation wholly owned by a foreign government.

(d) Information and guidance pertaining to DoD antiterrorism/force protection can be obtained from CMC Code POS-10; telephone, DSN 224-4177 or commercial (703) 614-4177.

(End of clause)

252.232-7007 LIMITATION OF GOVERNMENT'S OBLIGATION (APR 2014)

(a) Contract line item(s) _____ is/are incrementally funded. For this/these item(s), the sum of \$---- _____ of the total price is presently available for payment and allotted to this contract. An allotment schedule is set forth in paragraph (j) of this clause.

(b) For item(s) identified in paragraph (a) of this clause, the Contractor agrees to perform up to the point at which the total amount payable by the Government, including reimbursement in the event of termination of those item(s) for the Government's convenience, approximates the total amount currently allotted to the contract. The Contractor is not authorized to continue work on those item(s) beyond that point. The Government will not be obligated in any event to reimburse the Contractor in excess of the amount allotted to the contract for those item(s) regardless of anything to the contrary in the clause entitled "TERMINATION FOR THE CONVENIENCE OF THE GOVERNMENT." As used in this clause, the total amount payable by the Government in the event of termination of applicable contract line item(s) for convenience includes costs, profit and estimated termination settlement costs for those item(s).

(c) Notwithstanding the dates specified in the allotment schedule in paragraph (j) of this clause, the Contractor will notify the Contracting Officer in writing at least ninety days prior to the date when, in the Contractor's best judgment, the work will reach the point at which the total amount payable by the Government, including any cost for termination for convenience, will approximate 85 percent of the total amount then allotted to the contract for performance of the applicable item(s). The notification will state (1) the estimated date when that point will be reached and (2) an estimate of additional funding, if any, needed to continue performance of applicable line items up to the next scheduled date for allotment of funds identified in paragraph (j) of this clause, or to a mutually agreed upon substitute date. The notification will also advise the Contracting Officer of the estimated amount of additional funds that will be required for the timely performance of the item(s) funded pursuant to this clause, for subsequent period as may be specified in the allotment schedule in paragraph (j) of this clause, or otherwise agreed to by the parties. If after such notification additional funds are not allotted by the date identified in the Contractor's notification, or by an agreed substitute date, the Contracting Officer will terminate any item(s) for which additional funds have not been allotted, pursuant to the clause of this contract entitled "TERMINATION FOR THE CONVENIENCE OF THE GOVERNMENT".

(d) When additional funds are allotted for continued performance of the contract line item(s) identified in paragraph (a) of this clause, the parties will agree as to the period of contract performance which will be covered by the funds. The provisions of paragraph (b) through (d) of this clause will apply in like manner to the additional allotted funds and agreed substitute date, and the contract will be modified accordingly.

(e) If, solely by reason of failure of the Government to allot additional funds, by the dates indicated below, in amounts sufficient for timely performance of the contract line item(s) identified in paragraph (a) of this clause, the Contractor incurs additional costs or is delayed in the performance of the work under this contract and if additional funds are allotted, an equitable adjustment will be made in the price or prices (including appropriate target, billing, and ceiling prices where applicable) of the item(s), or in the time of delivery, or both. Failure to agree to any such equitable adjustment hereunder will be a dispute concerning a question of fact within the meaning of the clause entitled "disputes."

(f) The Government may at any time prior to termination allot additional funds for the performance of the contract line item(s) identified in paragraph (a) of this clause.

(g) The termination provisions of this clause do not limit the rights of the Government under the clause entitled "DEFAULT." The provisions of this clause are limited to work and allotment of funds for the contract line item(s) set forth in paragraph (a) of this clause. This clause no longer applies once the contract is fully funded except with

regard to the rights or obligations of the parties concerning equitable adjustments negotiated under paragraphs (d) or (e) of this clause.

(h) Nothing in this clause affects the right of the Government to this contract pursuant to the clause of this contract entitled "TERMINATION FOR CONVENIENCE OF THE GOVERNMENT."

(i) Nothing in this clause shall be construed as authorization of voluntary services whose acceptance is otherwise prohibited under 31 U.S.C. 1342.

(j) The parties contemplate that the Government will allot funds to this contract in accordance with the following schedule:

On execution of contract \$-- _____

(month) (day), (year) \$----

(month) (day), (year) \$----

(month) (day), (year) \$----

(End of clause)

252.237-7023 CONTINUATION OF ESSENTIAL CONTRACTOR SERVICES (OCT 2010)

(a) Definitions. As used in this clause-

(1) Essential contractor service means a service provided by a firm or individual under contract to DoD to support mission-essential functions, such as support of vital systems, including ships owned, leased, or operated in support of military missions or roles at sea; associated support activities, including installation, garrison, and base support services; and similar services provided to foreign military sales customers under the Security Assistance Program. Services are essential if the effectiveness of defense systems or operations has the potential to be seriously impaired by the interruption of these services, as determined by the appropriate functional commander or civilian equivalent.

(2) Mission-essential functions means those organizational activities that must be performed under all circumstances to achieve DoD component missions or responsibilities, as determined by the appropriate functional commander or civilian equivalent. Failure to perform or sustain these functions would significantly affect DoD's ability to provide vital services or exercise authority, direction, and control.

(b) The Government has identified all of the contractor services performed under this contract as essential contractor services in support of mission-essential functions.

(c)(1) The Mission-Essential Contractor Services Plan submitted by the Contractor, is incorporated in this contract.

(2) The Contractor shall maintain and update its plan as necessary. The Contractor shall provide all plan updates to the Contracting Officer for approval.

(3) As directed by the Contracting Officer, the Contractor shall participate in training events, exercises, and drills associated with Government efforts to test the effectiveness of continuity of operations procedures and practices.

(d)(1) Notwithstanding any other clause of this contract, the Contractor shall be responsible to perform those services identified as essential contractor services during crisis situations (as directed by the Contracting Officer), in accordance with its Mission-Essential Contractor Services Plan.

(2) In the event the Contractor anticipates not being able to perform any of the essential contractor services identified in accordance with paragraph (b) of this clause during a crisis situation, the Contractor shall notify the Contracting Officer or other designated representative as expeditiously as possible and use its best efforts to cooperate with the Government in the Government's efforts to maintain the continuity of operations.

(e) The Government reserves the right in such crisis situations to use Federal employees, military personnel, or contract support from other contractors, or to enter into new contracts for essential contractor services.

(f) Changes. The Contractor shall segregate and separately identify all costs incurred in continuing performance of essential services in a crisis situation. The Contractor shall notify the Contracting Officer of an increase or decrease in costs within ninety days after continued performance has been directed by the Contracting Officer, or within any additional period that the Contracting Officer approves in writing, but not later than the date of final payment under the contract. The Contractor's notice shall include the Contractor's proposal for an equitable adjustment and any data supporting the increase or decrease in the form prescribed by the Contracting Officer. The parties shall negotiate an equitable price adjustment to the contract price, delivery schedule, or both as soon as is practicable after receipt of the Contractor's proposal.

(g) The Contractor shall include the substance of this clause, including this paragraph (g), in subcontracts for the essential services.

(End of clause)

252.237-7024 NOTICE OF CONTINUATION OF ESSENTIAL CONTRACTOR SERVICES (OCT 2010)

(a) Definitions. Essential contractor service and mission-essential functions have the meanings given in the clause at 252.237-7023, Continuation of Essential Contractor Services, in this solicitation.

(b) The offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor services (all CLINs under this contract), during periods of crisis. The offeror shall--

(1) Identify provisions made for the acquisition of essential personnel and resources, if necessary, for continuity of operations for up to 30 days or until normal operations can be resumed;

(2) Address in the plan, at a minimum--

(i) Challenges associated with maintaining essential contractor services during an extended event, such as a pandemic that occurs in repeated waves;

(ii) The time lapse associated with the initiation of the acquisition of essential personnel and resources and their actual availability on site;

(iii) The components, processes, and requirements for the identification, training, and preparedness of personnel who are capable of relocating to alternate facilities or performing work from home;

(iv) Any established alert and notification procedures for mobilizing identified ``essential contractor service" personnel; and

(v) The approach for communicating expectations to contractor employees regarding their roles and responsibilities during a crisis.

(End of provision)

252.251-7000 ORDERING FROM GOVERNMENT SUPPLY SOURCES (AUG 2012)

(a) When placing orders under Federal Supply Schedules, Personal Property Rehabilitation Price Schedules, or Enterprise Software Agreements, the Contractor shall follow the terms of the applicable schedule or agreement and authorization. Include in each order:

(1) A copy of the authorization (unless a copy was previously furnished to the Federal Supply Schedule, Personal Property Rehabilitation Price Schedule, or Enterprise Software Agreement contractor).

(2) The following statement: Any price reductions negotiated as part of an Enterprise Software Agreement issued under a Federal Supply Schedule contract shall control. In the event of any other inconsistencies between an Enterprise Software Agreement, established as a Federal Supply Schedule blanket purchase agreement, and the Federal Supply Schedule contract, the latter shall govern.

(3) The completed address(es) to which the Contractor's mail, freight, and billing documents are to be directed.

(b) When placing orders under nonmandatory schedule contracts and requirements contracts, issued by the General Services Administration (GSA) Office of Information Resources Management, for automated data processing equipment, software and maintenance, communications equipment and supplies, and teleprocessing services, the Contractor shall follow the terms of the applicable contract and the procedures in paragraph (a) of this clause.

(c) When placing orders for Government stock on a reimbursable basis, the Contractor shall--

(1) Comply with the requirements of the Contracting Officer's authorization, using FEDSTRIP or MILSTRIP procedures, as appropriate;

(2) Use only the GSA Form 1948-A, Retail Services Shopping Plate, when ordering from GSA Self-Service Stores;

(3) Order only those items required in the performance of Government contracts; and

(4) Pay invoices from Government supply sources promptly. For purchases made from DoD supply sources, this means within 30 days of the date of a proper invoice (see also Defense Federal Acquisition Regulation Supplement (DFARS) 251.105). For purchases made from DoD supply sources, this means within 30 days of the date of a proper invoice. The Contractor shall annotate each invoice with the date of receipt. The Contractor's failure to pay may also result in the DoD supply source refusing to honor the requisition (see DFARS 251.102(f)) or in the Contracting Officer terminating the Contractor's authorization to use DoD supply sources. In the event the Contracting Officer decides to terminate the authorization due to the Contractor's failure to pay in a timely manner, the Contracting Officer shall provide the Contractor with prompt written notice of the intent to terminate the authorization and the basis for such action. The Contractor shall have 10 days after receipt of the Government's notice in which to provide additional information as to why the authorization should not be terminated. The termination shall not provide the Contractor with an excusable delay for failure to perform or complete the contract in accordance with the terms of the contract, and the Contractor shall be solely responsible for any increased costs.

(d) When placing orders for Government stock on a non-reimbursable basis, the Contractor shall—

(1) Comply with the requirements of the Contracting Officer's authorization; and

(2) When using electronic transactions to submit requisitions on a non-reimbursable basis only, place orders by authorizing contract number using the Defense Logistics Management System (DLMS) Supplement to Federal Implementation Convention 511R, Requisition; and acknowledge receipts by authorizing contract number using the DLMS Supplement 527R, Receipt, Inquiry, Response and Material Receipt Acknowledgement.

(e) Only the Contractor may request authorization for subcontractor use of Government supply sources. The Contracting Officer will not grant authorizations for subcontractor use without approval of the Contractor.

(f) Government invoices shall be submitted to the Contractor's billing address, and Contractor payments shall be sent to the Government remittance address specified below:

Contractor's Billing Address [include point of contact and telephone number]:

Government Remittance Address (include point of contact and telephone number) :

(End of clause)

I-1 MINIMUM INSURANCE REQUIREMENTS

(a) FAR Clause 52.228-5, Insurance - Work on a Government Installation, requires contractors to provide and maintain insurance during the entire period of the contract. The following identifies the kinds and minimum amounts of the insurance required.

(1) General Liability Insurance. The MCMC shall maintain bodily injury liability insurance in the minimum limits of \$500,000 per occurrence.

(2) Automobile Liability Insurance. The MCMC shall maintain automobile liability in the amounts of \$20,000 per occurrence for property damage, \$200,000 per person and \$500,000 per occurrence for bodily injury.

(3) Worker's Compensation and Employer's Liability. Contractors are required to comply with applicable Federal and State Worker's compensation and occupational disease statutes. If occupational diseases are not compensable under those statutes, they shall be covered under the employer's liability section of the insurance policy, except when contractor operations are so commingled with a contractor's commercial operations that it would not be practical to require this coverage. Employer's liability of at least \$100,000 shall be required, except that in states with exclusive or monopolistic funds that do not permit worker's compensation to be written by private carriers.

(b) The MCMC shall provide written certification to the Contracting Officer that the required insurance has been obtained within 30 days after contract award and evidence of continued coverage on an annual basis.

(c) The policy(ies) evidencing purchase of such insurance shall contain an endorsement that any cancellation or material change in the coverage adversely affecting the Government's interest shall not be effective unless the insurer or the MCMC gives written notice of the cancellation or change to the Contracting Officer at least 30 days prior to the effective date or the cancellation/change. When the coverage is provided by self-insurance, the MCMC shall not change nor decrease the coverage without the prior approval of the Contracting Officer.

Section J - List of Documents, Exhibits and Other Attachments

J-1 LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS:

- ATCH #1 Technical Library (will be provided at time of RFP issuance)
- ATCH #2 Department of Labor, Wage Determination WD-15-4539 (Rev.-5)
- ATCH #3 Collective Bargaining Agreement (CBA) Wage Determination (will be incorporated at time of contract award)
- ATCH #4 DD Form 254, Department of Defense Contract Security Classification
- ATCH #5 SOW Attachments/Samples
- ATCH #6 Government Furnished Property (GFP) List
- ATCH #7 Cost Model (proposal will be incorporated at time of contract award)
- ATCH #8 Technical Proposal (will be incorporated at time of contract award)
- ATCH #9 CDRLs DD Form 1423-1
- ATCH #10 Collective Bargaining Agreement (CBA) UNITED STEEL WORKERS (USW) (will be incorporated at time of contract award)

S Attachments. The following S-Attachments pertain to the Solicitation and will not become part of the resulting contract. They will drop off at time of contract award:

- ATCH S-1 Historical Program Data
- ATCH S-2 RFP/Industry Day Question Format
- ATCH S-3 Past Performance Questionnaire
- ATCH S-4 Non-Disclosure Agreement

Exhibit A CDRLs

CONTRACT DATA REQUIREMENTS LIST (CDRLs)			
CLIN	CDRL NO.	Description	SOW Reference / Frequency
X001	1001	RESERVED	
X001	1002	RESERVED	
X001	1003	Maintenance Management Office Manager Appointment Letter	2.B.1.a NLT 10 business days after contract award. Thereafter, NLT 5 business days after a change in personnel.

X001	1004	UND Delegation of Authority Letter	2.B1.c Within 10 business days of contract award. Within 10 business days of a new hire requiring authorization. NLT 10 business days after 1 January and 1 July of each year.
X001	1005	Assessment/Inspection Schedule	2.B.1.e Within 21 business days of contract award, changes to the internal inspection schedule, and 5 business days after 1 July of each year.
X001	1006	Internal Inspection Results	2.B.1.f Within 10 business days of completing inspection
X001	1007	Plan of Corrective Action	2.B.1.g Within 21 business days after conclusion of the inspection
X001	1008	DSI Authorization Letters	2.B.2.e Within 21 business days after contract award and NLT five business days after award of each applicable TO. Shipboard DSI NLT 30 calendar days prior of start of ship MMC or 60 calendar days following government provision of detailed ship plans, whichever is later.
X001	1009	Special Tool Allowance Letter	2.b.2.f NLT 21 business days after contract award and annually NLT 5 business days after 1 July.
X001	1010	RESERVED	

X001	1011	Reconciliation Schedule	2.B.3.b NLT 5 business days after 1 July.
X001	1012	Weekly On-Island Equipment Status Report	2.B.3.c NLT COB each Tuesday.
X001	1013	Annual Calibration Inventory Letter	2.B.3.d NLT 21 business days after contract award. Thereafter, NLT 30 business days after award of applicable TO.
X001	1014	Locally Tracked Calibration Detail Report	2.B.3.d (i) NLT 5 business days after start of each FY QTR per applicable TO.
X001	1015	RESERVED	
X001	1016	RESERVED	
X001	1017	RESERVED	
X001	1018	RESERVED	
X001	1019	RESERVED	
X001	1020	RESERVED	
X001	1021	RESERVED	
X001	1022	Baseline MMC MS Project w/COSIS	2.C.1.b.(ii).a As directed in the PCL
X001	1023	MS Project Change Control	2.C.1.b(ii).
X001	1024	Production status Charts	2.C.1.a Weekly
X001	1025	Annual LST COMM/ELEC PMCS Plan	2.C.1.b Within 30 days of contract award and annually by 1 October
X001	1026	RESERVED	
X001	1027	Respond to NCRs/NCTs	2.C.1.d.(i).(d) Within 1 business day.
X001	1028	Risk and Performance Policy (30 day)	2.D.1.b Draft within days of award. Final with 60 days of contract award.
X001	1029	Quality & Risk Control Plan	2.D.1.b Draft within days of award. Final with 60 days of contract award. Upon Revision
X001	1030	Program Personnel Support Plan	1.H.2.b Semi-Annually
X001	1031	Monthly Staffing Report	1.H.2.c Monthly

X001	2001	RESERVED	
X001	2002	RESERVED	
X002, X003	4001	Monthly Excess/Deficiency Report	4.A.1.a Monthly
X002, X003	4002	MCPP-N/MCPP-PHIL Weekly Class of Supply Report	4.A.1.a Weekly
X002, X003	5003	Draft TOECR (NAVMC 11355)	4.A.1.b As Required
X002, X003	5004	SL-3 Deficiency Report	4.D.6.c NLT 14 calendar days prior to the end of the production cycle (Px-14)
X002, X003	5005	Quarterly GA Recommended Stock Levels Report	4.A.2 Quarterly
X002, X003	5006	SECREP Excess and Deficiency Report	4.A.3.a. Monthly
X002, X003	5007	RIP Special Allowance Request	4.A.3.a.(i) Monthly
X002, X003	5008	Garrison Special Tool Allowance List	4.A.4 NLT the fifth business day of July
X002, X003	5009	NTV Priority Procurement List	4.A.5 NLT the fifth business day of July
X002, X003	5010	UURI / AAL Authorization Letter	4.A.6 Annually
X002, X003	5011	Supply / Maintenance Annual Spend Plan	4.A.7 Annually
X002, X003	5012	Supply / Maintenance Quarterly Spend Plan Update	4.A.7.a Quarterly
X002, X003	5013	RESERVED	
X002, X003	5014	RESERVED	
X002, X003	5015	RESERVED	
X002, X003	5016	GFE Procurement Request	4.B.5.a.(i) As Required
X002, X003	5017	Sourced CBRN Equipment Discrepancy Report	4.B.5.b.(ii) As Required
X002, X003	5018	Physical Inventory Control Plan (PICP)	4.C.1 Annually
X002, X003	5019	IMO Load Request	4.C.2.a As Required
X002, X003	5020	RO Nomination Package	4.C.2.b As Required
X002, X003	5021	PICP Consumer Level Account Inventory Results Report	4.C.2.c.(i) As Required
X002, X003	5022	PICP Intermediate Level Account Inventory Results Report	4.C.3.a.(ii) As Required
X002, X003	5023	RESERVED	
X002, X003	5024	Consolidated Asset Listing (CAL)	4.C.4.a at E+5 for each ship
X002, X003	5025	Monthly Afloat Armory Report	4.C.4.b Monthly
X002, X003	5026	Exercise CAL	6.J.4.b As Required

X002, X003	5027	COSIS Surveillance Plan	4.C.5.c Annually
X002, X003	5028	Monthly COSIS Surveillance Plan Update and Status Report	4.C.5.c.(i) Monthly
X002, X003	5029	Quarterly Shelf Life / Service Life Expiration Report	4.C.5.d Quarterly
X002, X003	5030	Request for Disposition, MRP, or Rollback	4.C.7.a As Required
X002, X003	5031	Notification of Missing, Lost, Stolen, or Damaged Government-Owned Assets	4.C.8 As Required
X002, X003	5032	DD Form 200	4.C.8.a As Required
X002, X003	5033	Contractor Investigation	4.C.8.b As Required
X002, X003	5034	SF-91 / SF-94	4.C.8.c As Required
X002, X003	5035	Voucher Request	4.C.9.a As Required
X002, X003	5036	GCSS-MC SUC vs NEIMS UIC Report	4.C.12 Monthly
X002, X003	5037	DD Form 2921	4.D.2 Daily
X002, X003	5038	Attainment Deficiency Report	4.D.3 Once per each MPS in Production Cycle
X002, X003	5039	RESERVED	
X002, X003	5040	Sustainment Block Status Report	4.D.5.g Once per each MPS in Production Cycle
X002, X003	5041	RESERVED	
X002, X003	5042	Armory Custodian Nomination Letter	4.D.10.a.(i) As Required
X002, X003	5043	Armory Access Nomination Letter	4.D.10.a.(ii) As Required
X002, X003	5044	GCSS-MC vs MCPIC Discrepancy Report	4.D.11 NLT E-1 for MPF vessels
X002, X003	5045	T-AKE Post Exercise Consumption List	4.G.3 As Required
X002, X003	5046	Annual Container Inventory Discrepancy List	4.H.2.a Annually
X002, X003	5047	Quarterly Container Projection Report	4.H.6 Quarterly
X002, X003	5048	Ammunition Container Seal Verification Report	4.I.1.a(i) Within 1 business day of Ammo Backload.
X002, X003	5049	MCPN-N Weekly Equipment Clearance Report	4.G.1.b(i) Weekly
X002, X003	5050	Outbound Ammunition Container Seal Verification Report	4.I.2.b Within 1 business day of Ammo Offload
X002, X003	5051	Monthly TOT Balance Report	4.I.3.a Monthly
X002, X003	5052	Unliquidated Orders Report	4.J.3.c Monthly
X002, X003	5053	RESERVED	
X002, X003	5054	RESERVED	
X002, X003	5055	Status of Funds Report	4.J.5.a Weekly
X002, X003	5056	Reimbursable Report	4.J.5.b. Monthly
X002, X003	5057	Contract Cost and Status Report	4.J.1.c Monthly
X002, X003	5058	AMAL/ADAL Spread Load	C.5. PX+30
X002, X003	5059	AMAL/ADAL Attainment Status Report	C.5. PX+30

X002, X003	5060	Medical Container Data Report	C.5. PX+30
X002, X003	5061	AMAL/ADAL Fly-in-Echelon (FIE) Report	C.5. PX+30
X002, X003	5062	RESERVED	
X002, X003	5063	Container Asset/Location Report	5.C.1 PX+30
X002, X003	5064	Hazardous Material Report	5.C.1 PX+30o 8i
X002	6000	Navy Personnel Roster	6.A.1/Within 30 Calendar days.
X002	6001	Navy Organizational Chart	6.A.1/Within 30 Calendar days.
X002	6002	Weekly Navy Status and Progress Report	6.A.3.d/Weekly
X002	6003	Missing, Lost, Stolen, Broken, Damaged or Unusable Navy Property/Government Furnished Equipment (GFE) Report	6.A.3.d/Within three (3) business days via email and 15 days for full written report.
X002	6004	Navy Responsible Individual (RI)/Custodian Reports	6.A.3.e/Quarterly
X002	6005	Navy GSA Vehicle Accident and Statement of Witness Report	6.A.4.a/Within one (1) hour.
X002	6006	Notification of Navy Leased Equipment Defects	6.A.4.a/Within four (4) hours.
X002	6007	Navy Training Forecast and Status Report	6.A.5/As required IAW the SOW.
X002	6008	Navy Staging and Storage Laydown Plan	6.A.6/Quarterly
X002	6009	Navy Actual Cost of Work Performed (ACWP) Report	6.B.3/Daily
X002	6010	Navy End of Ship MPF Maintenance Cycle (MMC) Life Cycle Cost Report	6.B.4/NLT 60 days after each MPS Embarkation.
X002	6011	Estimate At Completion (EAC) Report	6.B.6/Monthly
X002	6012	Follow on Fiscal Year Estimate At Completion (EAC) Report	6.B.6.a/Annually
X002	6013	Navy Invoice Report	6.B.7/Monthly
X002	6014	Physical Inventory Control Plan	6.C.4.a.iv/30 calendar days/Annually
X002	6015	Shelf Life Report	6.C.4.b/Quarterly
X002	6016	Shelf Life/Service Life Expiration Reports	6.C.5.c/Quarterly
X002	6017	Navy Weekly Status Report	6.C.13/Weekly
X002	6018	Navy Reconciliation Log Report	6.C.14/Bi-weekly
X002	6019	Logistics Over-the-Shore (LOTS) Rotational Pool (RP) Program	6.C.19/Update when rotated or revised.
X002	6020	Navy Deficiency Report	6.C.20/P-130
X002	6021	Navy DODAAC Documents Report	6.C.22/Daily
X002	6022	Purchasing System Material and Subcontract Report	6.C.23/Daily
X002	6023	Navy Unliquidated Obligations (ULO) Report	6.C.25/Monthly

X002	6024	Navy Ships Download Container Inventory and Container Discrepancy Report	6.D.1.a/Within five (5) days.
X002	6025	Container Ownership Database/Inventory Report	6.D.1.d/Within five (5) business days.
X002	6026	Navy Production Attainment Report	6.D.1.e/Weekly
X002	6027	Navy Production Assembly and Class IX Inventory Short List	6.D.1.g/Within three (3) business days .
X002	6028	Navy Containerized Maintenance Transfer Log	6.D.1.h/Bi-weekly
X002	6029	Navy Container Contents Packing List	6.D.5.b/NLT two (2) business days.
X002	6030	Navy End of Ship (EOS) Attainment Percentage Report	6.D.6.a/NLT five (5) business days.
X002	6031	Navy Assemblies and Class IX Shortage Report(s)	6.D.6.b/NLT five (5) business days.
X002	6032	Navy INLS, MPFUB, LARC, ABLTS, and LCM-8 Class IX Attainment Shortage Report	6.D.6.c/NLT five (5) business days.
X002	6033	Navy End of Production Container Report	6.D.6.d/Within five (5) business days.
X002	6034	Navy Consolidated Memorandum Receipt (CMR)	6.D.6.e/Quarterly
X002	6035	Navy Calibration Report	6.D.7/E-Day or seven (7) business days following EOS production cycle.
X002	6036	Navy Containers Itemized Repairs/Cost Estimate	6.D.8.j.i/Prior to being approved by NAV-P for repair.
X002	6037	Load Bank Form	6.E.3.b/Within five (5) business days.
X002	6038	Navy End of Ship CESE Maintenance Report	6.E.6/Within five (5) business days.
X002	6039	Navy Master Schedule	6.F.2/As required IAW the SOW.
X002	6040	Navy Watercraft Production Schedule	6.F.3/NLT the WDC-III for respective production period.
X002	6041	Joint Work Definition Conferences (WDC-I, WDC-II & WDC-III)	6.F.7/WDC-I NLT Offload +90 days, WDC-II NLT E-360 and WDC-III NLT E-345.
X002	6042	Navy Watercraft Test, Inspection, Maintenance and Monitoring Results Records	6.F.11/Within one (1) day of request from NAV-P.
X002	6043	Pre-Mat/Post-MAT Form	6.F.14,6.F.20 & 6.F.28/Within five (5) business days.

X002	6044	Navy Watercraft Oil Analysis Report	6.F.17/Within five (5) business days.
X002	6045	Navy Watercraft and ABLTS Load Test Certification(s)	6.F.18/For all periodic and situational load test requirements.
X002	6046	Fibrous and Wire Rope Service Life Data Sheet	6.F.19/NLT E-Day
X002	6047	Watercraft End of Ship Report for Deficiencies, Incomplete and Deferred Work	6.F.20, 6.F.47 & 6.F.47.a/NLT E-3
X002	6048	Craft Condition Found Report (CFR)	6.F.21.a, 6.H.1.e & 6.H.3/As required IAW the SOW.
X002	6049	Navy Watercraft and ABLTS Fuel Status Report	6.F.24/NLT E-21 Day
X002	6050	Selective Interchange Request Letter	6.F.26/Prior to ANY change of parts.
X002	6051	CFR, Corrosion Survey Report and INLS/MPFUB/LARC Paint Schedule and Deck Drawings	6.F.27/As required IAW Lighterage Milestones.
X002	6052	Navy Watercraft Checkpoints for Coating Systems Repairs	6.F.27.a/Within two (2) business days.
X002	6053	Navy Watercraft, LARCs and ABLTS Collateral Gear Inventory List	6.F.28/Within five (5) business days.
X002	6054	Navy Watercraft and ABLTS Movement Schedule	6.F.29.a/NLT three (3) business days prior to changes in the movement schedule.
X002	6055	Navy Watercraft and ABLTS Notice of Completion (NOC)	6.F.31 & 6.H.1.e/NLT five (5) business days.
X002	6056	Navy Watercraft Care-In-Stores	6.F.44/Upon request by NAV-P.
X002	6057	Watercraft Maintenance Status Report	6.F.48/Weekly
X002	6058	Navy OPTEST Form	6.F.50/Within (5) days.
X002	6059	Navy Watercraft Ship Set Readiness Report	6.F.51/NLT E+3
X002	6060	2K Transmittal Form	6.G.1/As required IAW the SOW.
X002	6061	Control System Support Monthly TR Inventory, Kitting and Delivery Status Report	6.H.1.d/Monthly
X002	6062	Navy Watercraft TR Control System Support (CSS) Material Cost Estimate	6.H.1.i/Annually
X002	6063	Control System Support (CSS) Monthly Shipping and CSS Shipping Invoices	6.H.2/Monthly
X002	6064	Unit Deployment Listing (UDL) End of Ship Report	6.K.3/IAW Government

			published Milestones in C.1
X002	6065	Navy Spread Load Change	6.K.5.b/Within (1) business day.
X002	6066	Navy Leased Equipment Accident Report	6.N.6/Within one (1) hour.
X002	6067	Organic GFE Status Report for MHE, WHE, and GSE	6.N.8/Monthly
X002	6068	WHP Appointment Letters	6.Q.1.a, 6.Q.1.b, 6.Q.1.c & 6.Q.1.d/Within 30 calendar days.
X002	6069	WHE Accident Investigation Report	6.Q.1.i/Within seven (7) calendar days.
X002	6070	WHE Near Misses and Other Unplanned Occurrence Reports	6.Q.1.j/Within four (4) hours.
X002	6071	Crane Metrics Report	6.Q.1.m/Monthly
X002	6072	Critical Lift Plans	6.Q.3/Prior to conducting all critical lifts.
X002	6073	WHP Monitoring Observation Report	6.Q.5/Monthly
X002	6074	Corrosion Survey Report	6.R.1.a/Within 60 calendar days.
X002	6075	Individual and Descriptive Scope of Work	6.R.1.b/Within 10 business days.
X002	6076	Itemized Cost Estimate	6.R.1.c/Within 10 business days.
X002	6077	Statement of Work for Reoccurring Support Tasks	6.R.2/Within 10 business days.
X002	6078	Itemized Cost Estimate for Reoccurring Support Tasks	6.R.2.a/Within 10 business days.
X002	6079	Statement of Work for Government Identified Maintenance Tasks ISO Organic Lighterage	6.R.3/Within 10 business days.
X002	6080	Itemized Cost Estimate for Repairs to Organic Equipment	6.R.3.a/Within 10 business days.
X002	6081	Navy Repair Log	6.R.4/Weekly
X003	6082	Navy Small Arms Monthly Weapons Inventory Report	6.C.15.a & 6.J.4/Monthly
X003	6083	Monthly Situation Report (SITREP)	6.J.9.a/Monthly
X003	6084	Semi Annual Startup (SASU) Report	6.J.9.b/Upon SASU completion.
X003	6085	Pre-Exercise Status Report	6.J.9.c/As required by the Exercise Support Letter.
X003	6086	Post Exercise Discrepancy Listing (PEDL)	6.J.9.d/NLT 10 business days.
X003	6087	Post Exercise Cost Estimate	6.J.9.e/NLT 10 calendar days.

X003	6088	Post Exercise After Action Report	6.J.9.f/NLT 15 calendar days.
X003	6089	120 Day Pre-MMC Report	6.J.9.g/NLT 120 calendar days.
X002, X003	6090	RESERVED	
X002, X003	6091	RESERVED	
X002, X003	6092	RESERVED	
X002, X003	6093	RESERVED	
X002, X003	7001	Shipboard Situation Report	7.H.1 Monthly
X002, X003	7002	Contractor's Resource and Support Plan	7.G.2 10 Days after RFP is issued
X002, X003	7003	Shipboard PGP Report	7.H.2 Monthly
X002, X003	7004	Shipboard Staffing Report	7.H.3 NLT COB Tuesday of each week
X002, X003	7005	Shipboard/MCPP-PHIL Pre-Exercise Status Report	7.H.5 Upon COTR and OPP OIC Boarding Ship or arriving at Land based storage facility
X002, X003	7006	Shipboard/MCPP-PHIL Post Exercise Discrepancy Listing and Cost Estimate	7.H.6 10 days after exercise/backload
X002, X003	7007	Shipboard Post Exercise After Action Report	7.H.8 NLT 15 calendar days after completion of an exercise or backload operation.
X002, X003	7008	Shipboard 120 day Pre-MMC Report	7.H.9 NLT 120 calendar days before scheduled MMC ship offload.
X002, X003	7009	RESERVED	
X002, X003	7010	AA&E Screening Forms	7.M within 30 calendar days of an employee boarding their assigned ship
X002, X003	7011	Shipboard Semi Annual Startup Report	7.H.4 NLT 15 business days upon SASU completion
X002, X003	8001	Local Element Appointment Letter	C.8.A.1 As Required
X002, X003	8002	COMSEC Personnel Access Roster	C.8.A.2 As Required
X002, X003	8003	KMI Incident Report	C.8.A.3 As Required

X002, X003	8004	EAP	C.8.A.4 Annual
X002, X003	8005	Semi-annual Inventory Results	C.8.B.2 Semi-annual
X002, X003	8006	Quarterly Inventory Results	C.8.B.3 Quarterly
X002, X003	8007	LE Change Inventory Results	C.8.B.4 As Required
X002, X003	8008	Monthly Spot Check Inventory Results	C.8.B.5 Monthly
X002, X003	8009	KMI Awareness Training Certificates	C.8.D.2 Annual
X002, X003	8010	SD 572	C.8.D.3 As Required
X002, X003	8011	Monthly Training Certificates and Attendance Roster	C.8.E.2 Monthly
X002, X003	9001	Hazardous Container Listing	9.C.2 As identified in the MMC POAM
X001	10001	RESERVED	
X001	10002	Permits and Licenses	10.A.2.c.ii , As required
X001	10003	Temporary Suspension of Downtime Accumulation	10.A.2.c.(4) , As required
X001	10004	Excessive Repair	10.A.2.c.(5) , As required
X001	10005	Selective Interchange Request	10.A.3.c , As required
X001	10006	Vehicle Accident Reports	10.A.3.c.i , As required
X001	10007	Monthly PM/Certification and Testing Schedule	10.A.3.c.i.2 , As required
X001	10008	Maintenance Report Responses	10.A.3.c , As required
X001	10009	Schedule of Testing and Certification	10.A.3.c , As required
X001	10010	Load Testing Certification	10.A.3.c , As required
X001	10011	Maintenance Inspection Specification and Record	10.A.3.c , As required
X001	10012	Maintenance of Non-Tactical Vehicles and Equipment (NTVE)	10.A.3.c , As required
X001	10013	RESERVED	
X001	10014	Accident Prevention Plan (APP)	10.B.1 , As required
X001	10015	APP Signature Log	10.B.1 , As required
X001	10016	Contractor Shutdown	10.B.1 , As required
X001	10017	Confined Space Entry Plan	10.B.1.a , As required
X001	10018	Multi-Purpose Machines and Material Handling Equipment Plan	10.B.1.b , As required
X001	10019	Fall Protection and Prevention Plan	10.B.1.c , At a minimum every 6 months or when changes in work habits.
X001	10020	Fall Protection Inspection Report	10.B.1.c , Annually

X001	10021	Control of Hardardous Energy (lockout/tagout)	10.B.1.d , As required
X001	10022	Activity Hazard Analysis/Job Hazard Assessment/Job Safety Assessment	10.B.2 , As required
X001	10023	Hot Work Permit	10.B.3 , As required
X001	10024	Personnel List for Explosive Safety	10.B.4.a , NLT last day of each quarter
X001	10025	Work Request	10.B.4.c , As required
X001	10026	Portable fire extinguisher inventory	10.B.8.a , And Annually
X001	10027	Fire Warden Roster	10.B.8.d , And Annually
X001	10028	Evacuation Routes	10.B.8.e , 10 calendar days after any changes
X001	10029	Fire-Drill After Action Report	10.B.8.f.i , As required
X001	10030	Accident and Damage Reporting	10.B.10 , As required
X001	10031	Radiation Safety Requirements	10.B.11.a , As required
X001	10032	Radiation Safety Requirements	10.B.11.d , As required
X001	10033	Radiation Safety Requirements	10.B.11.e , As required
X001	10034	Vehicle Licenses	10.B.12.b , As required
X001	10035	Mishap Report	10.B.12.d , As required
X001	10036	Safety Inspection and Monitoring Report	10.B.13 , As required
X001	10037	Third Party Inspection Notification	10.B.13.b , As required
X001	10038	Hazard Reporting	10.B.14.a , As required
X001	10039	Respiratory Protection Program	10.B.16 , As required
X001	10040	Environmental Coordinator Appointment Letter	10.C.2 , Anytime there is a change in the position
X001	10041	Update Air Database	10.C.3.a , Monthly
X001	10042	Paint or Paint Related Product Request	10.C.3.b , As required
X001	10043	Green House Gas Inventory	10.C.3.c , Annually
X001	10044	Ozone Depleting Substance Inventory	10.C.3.d , Quarterly
X001	10045	Stormwater Inspections	10.C.4.b.1 , Monthly

X001	10046	Hazardous Material List	10.C.5.a , As required
X001	10047	Exposure control Plan	10.C.5.b , Within 30 calendar days of change to the plan.
X001	10048	HAZMAT Inspection Form	10.C.5.d , Quarterly
X001	10049	Tank Maintenance Records	10.C.8.c , Monthly
X001	10050	Employee Environmental Training	10.C.9.c , As required
X001	10051	Green Procurement Report	10.C.11 , Monthly
X001	10052	Manatee After Action Log	10.C.13.c , Monthly
X001	10053	Response and Notifications.	10.C.18.a , As required
X001	10054	Spill Kit Inventory	10.C.18.c , Monthly
X002, X003	11001	Consumable Supply Report	11.A.6 / Monthly
X002, X003	11002	GOTS/COTS Accountability Report	11.B.3 / Quarterly
X002, X003	11003	D&F Form	11.F.1 / As Required
X002, X003	11004	IA Certificates	11.G / Annually

Section K - Representations, Certifications and Other Statements of Offerors

CLAUSES INCORPORATED BY REFERENCE

52.204-19	Incorporation by Reference of Representations and Certifications.	DEC 2014
52.222-56	Certification Regarding Trafficking in Persons Compliance Plan.	OCT 2020
252.225-7065	Restriction on Acquisition of Fuel for Overseas Contingency Operations	OCT 2024
252.247-7023	Transportation of Supplies by Sea	OCT 2024

CLAUSES INCORPORATED BY FULL TEXT

52.203-2 CERTIFICATE OF INDEPENDENT PRICE DETERMINATION (APR 1985)

(a) The offeror certifies that --

(1) The prices in this offer have been arrived at independently, without, for the purpose of restricting competition, any consultation, communication, or agreement with any other offeror or competitor relating to --

(i) Those prices,

(ii) The intention to submit an offer, or

(iii) The methods of factors used to calculate the prices offered:

(2) The prices in this offer have not been and will not be knowingly disclosed by the offeror, directly or indirectly, to any other offeror or competitor before bid opening (in the case of a sealed bid solicitation) or contract award (in the case of a negotiated solicitation) unless otherwise required by law; and

(3) No attempt has been made or will be made by the offeror to induce any other concern to submit or not to submit an offer for the purpose of restricting competition.

(b) Each signature on the offer is considered to be a certification by the signatory that the signatory --

(1) Is the person in the offeror's organization responsible for determining the prices offered in this bid or proposal, and that the signatory has not participated and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) of this provision; or

(2) (i) Has been authorized, in writing, to act as agent for the following principals in certifying that those principals have not participated, and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) of this provision _____ (insert full name of person(s) in the offeror's organization responsible for determining the prices offered in this bid or proposal, and the title of his or her position in the offeror's organization);

(ii) As an authorized agent, does certify that the principals named in subdivision (b)(2)(i) above have not participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) above; and

(iii) As an agent, has not personally participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) of this provision.

(c) If the offeror deletes or modifies subparagraph (a)(2) of this provision, the offeror must furnish with its offer a signed statement setting forth in detail the circumstances of the disclosure.

(End of Provision)

52.204-8 ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2025)

(a)(1) The North American Industry Classification System (NAICS) code for this acquisition is 811310.

(2) The small business size standard is \$12,500,000.

(3) The small business size standard for a concern that submits an offer, other than on a construction or service acquisition, but proposes to furnish an end item that it did not itself manufacture, process, or produce is 500 employees, or 150 employees for information technology value-added resellers under NAICS code 541519, if the acquisition--

(i) Is set aside for small business and has a value above the simplified acquisition threshold;

(ii) Uses the HUBZone price evaluation preference regardless of dollar value, unless the offeror waives the price evaluation preference; or

(iii) Is an 8(a), HUBZone, service-disabled veteran-owned, economically disadvantaged women-owned, or women-owned small business set-aside or sole-source award regardless of dollar value.

(b)(1) If the provision at 52.204-7, System for Award Management, is included in this solicitation, paragraph (d) of this provision applies.

(2) If the provision at 52.204-7, System for Award Management, is not included in this solicitation, and the Offeror has an active registration in the System for Award Management (SAM), the Offeror may choose to use paragraph (d) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The Offeror shall indicate which option applies by checking one of the following boxes:

[] Paragraph (d) applies.

[] Paragraph (d) does not apply and the offeror has completed the individual representations and certifications in the solicitation.

(c) (1) The following representations or certifications in SAM are applicable to this solicitation as indicated:

(i) 52.203-2, Certificate of Independent Price Determination. This provision applies to solicitations when a firm-fixed-price contract or fixed-price contract with economic price adjustment is contemplated, unless—

(A) The acquisition is to be made under the simplified acquisition procedures in Part 13;

(B) The solicitation is a request for technical proposals under two-step sealed bidding procedures; or

(C) The solicitation is for utility services for which rates are set by law or regulation.

- (ii) 52.203-11, Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions. This provision applies to solicitations expected to exceed \$150,000.
- (iii) 52.203-18, Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements--Representation. This provision applies to all solicitations.
- (iv) 52.204-3, Taxpayer Identification. This provision applies to solicitations that do not include the provision at 52.204-7, System for Award Management.
- (v) 52.204-5, Women-Owned Business (Other Than Small Business). This provision applies to solicitations that—
- (A) Are not set aside for small business concerns;
 - (B) Exceed the simplified acquisition threshold; and
 - (C) Are for contracts that will be performed in the United States or its outlying areas.
- (vi) 52.204-26, Covered Telecommunications Equipment or Services--Representation. This provision applies to all solicitations.
- (vii) 52.209-2, Prohibition on Contracting with Inverted Domestic Corporations--Representation.
- (viii) 52.209-5, Certification Regarding Responsibility Matters. This provision applies to solicitations where the contract value is expected to exceed the simplified acquisition threshold.
- (ix) 52.209-11, Representation by Corporations Regarding Delinquent Tax Liability or a Felony Conviction under any Federal Law. This provision applies to all solicitations.
- (x) 52.214-14, Place of Performance--Sealed Bidding. This provision applies to invitations for bids except those in which the place of performance is specified by the Government.
- (xi) 52.215-6, Place of Performance. This provision applies to solicitations unless the place of performance is specified by the Government.
- (xii) 52.219-1, Small Business Program Representations (Basic, Alternates I, and II). This provision applies to solicitations when the contract is for supplies to be delivered or services to be performed in the United States or its outlying areas, or when the contracting officer has applied part 19 in accordance with 19.000(b)(1)(ii).
- (A) The basic provision applies when the solicitations are issued by other than DoD, NASA, and the Coast Guard.
 - (B) The provision with its Alternate I applies to solicitations issued by DoD, NASA, or the Coast Guard.
 - (C) The provision with its Alternate II applies to solicitations that will result in a multiple-award contract with more than one NAICS code assigned.
- (xiii) 52.219-2, Equal Low Bids. This provision applies to solicitations when contracting by sealed bidding and the contract is for supplies to be delivered or services to be performed in the United States or its outlying areas, or when the contracting officer has applied part 19 in accordance with 19.000(b)(1)(ii).
- (xiv) 52.222-22, Previous Contracts and Compliance Reports. This provision applies to solicitations that include the clause at 52.222-26, Equal Opportunity.

(xv) 52.222-25, Affirmative Action Compliance. This provision applies to solicitations, other than those for construction, when the solicitation includes the clause at 52.222-26, Equal Opportunity.

(xvi) 52.222-38, Compliance with Veterans' Employment Reporting Requirements. This provision applies to solicitations when it is anticipated the contract award will exceed the simplified acquisition threshold and the contract is not for acquisition of commercial products or commercial services.

(xvii) 52.223-1, Biobased Product Certification. This provision applies to solicitations that require the delivery or specify the use of biobased products in USDA-designated product categories; or include the clause at 52.223-2, Reporting of Biobased Products Under Service and Construction Contracts.

(xviii) 52.223-4, Recovered Material Certification. This provision applies to solicitations that are for, or specify the use of, EPA- designated items.

(xix) 52.223-22, Public Disclosure of Greenhouse Gas Emissions and Reduction Goals--Representation. This provision applies to solicitations that include the provision at 52.204-7.

(xx) 52.225-2, Buy American Certificate. This provision applies to solicitations containing the clause at 52.225-1.

(xxi) 52.225-4, Buy American-Free Trade Agreements-Israeli Trade Act Certificate. (Basic, Alternates II and III.) This provision applies to solicitations containing the clause at 52.225-3.

(A) If the acquisition value is less than \$50,000, the basic provision applies.

(B) If the acquisition value is \$50,000 or more but is less than \$100,000, the provision with its Alternate II applies.

(C) If the acquisition value is \$100,000 or more but is less than \$102,280, the provision with its Alternate III applies.

(xxii) 52.225-6, Trade Agreements Certificate. This provision applies to solicitations containing the clause at 52.225-5.

(xxiii) 52.225-20, Prohibition on Conducting Restricted Business Operations in Sudan--Certification. This provision applies to all solicitations.

(xxiv) 52.225-25, Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran—Representation and Certification. This provision applies to all solicitations.

(xxv) 52.226-2, Historically Black College or University and Minority Institution Representation. This provision applies to solicitations for research, studies, supplies, or services of the type normally acquired from higher educational institutions.

(2) The following representations or certifications are applicable as indicated by the Contracting Officer:

[Contracting Officer check as appropriate.]

(i) 52.204-17, Ownership or Control of Offeror.

(ii) 52.204-20, Predecessor of Offeror.

(iii) 52.222-18, Certification Regarding Knowledge of Child Labor for Listed End Products.

(iv) 52.222-48, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment--Certification.

(v) 52.222-52 Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services--Certification.

(vi) 52.227-6, Royalty Information.

(A) Basic.

(B) Alternate I.

(vii) 52.227-15, Representation of Limited Rights Data and Restricted Computer Software.

(d) The Offeror has completed the annual representations and certifications electronically in SAM accessed through <https://www.sam.gov>. After reviewing the SAM information, the Offeror verifies by submission of the offer that the representations and certifications currently posted electronically that apply to this solicitation as indicated in paragraph (c) of this provision have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [offeror to insert changes, identifying change by clause number, title, date]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

FAR Clause	Title	Date	Change
-----	-----	-----	-----
-----	-----	-----	-----
-----	-----	-----	-----

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on SAM.

(End of provision)

52.209-7 INFORMATION REGARDING RESPONSIBILITY MATTERS (OCT 2018)

(a) Definitions. As used in this provision--

Administrative proceeding means a non-judicial process that is adjudicatory in nature in order to make a determination of fault or liability (e.g., Securities and Exchange Commission Administrative Proceedings, Civilian Board of Contract Appeals Proceedings, and Armed Services Board of Contract Appeals Proceedings). This includes administrative proceedings at the Federal and State level but only in connection with performance of a Federal contract or grant. It does not include agency actions such as contract audits, site visits, corrective plans, or inspection of deliverables.

Federal contracts and grants with total value greater than \$10,000,000 means--

(1) The total value of all current, active contracts and grants, including all priced options; and

(2) The total value of all current, active orders including all priced options under indefinite-delivery, indefinite-quantity, 8(a), or requirements contracts (including task and delivery and multiple-award Schedules).

Principal means an officer, director, owner, partner, or a person having primary management or supervisory responsibilities within a business entity (e.g., general manager; plant manager; head of a division or business segment; and similar positions).

(b) The offeror () has () does not have current active Federal contracts and grants with total value greater than \$10,000,000.

(c) If the offeror checked “has” in paragraph (b) of this provision, the offeror represents, by submission of this offer, that the information it has entered in the Federal Awardee Performance and Integrity Information System (FAPIS) is current, accurate, and complete as of the date of submission of this offer with regard to the following information:

(1) Whether the offeror, and/or any of its principals, has or has not, within the last five years, in connection with the award to or performance by the offeror of a Federal contract or grant, been the subject of a proceeding, at the Federal or State level that resulted in any of the following dispositions:

(i) In a criminal proceeding, a conviction.

(ii) In a civil proceeding, a finding of fault and liability that results in the payment of a monetary fine, penalty, reimbursement, restitution, or damages of \$5,000 or more.

(iii) In an administrative proceeding, a finding of fault and liability that results in--

(A) The payment of a monetary fine or penalty of \$5,000 or more; or

(B) The payment of a reimbursement, restitution, or damages in excess of \$100,000.

(iv) In a criminal, civil, or administrative proceeding, a disposition of the matter by consent or compromise with an acknowledgment of fault by the Contractor if the proceeding could have led to any of the outcomes specified in paragraphs (c)(1)(i), (c)(1)(ii), or (c)(1)(iii) of this provision.

(2) If the offeror has been involved in the last five years in any of the occurrences listed in (c)(1) of this provision, whether the offeror has provided the requested information with regard to each occurrence.

(d) The offeror shall post the information in paragraphs (c)(1)(i) through (c)(1)(iv) of this provision in FAPIS as required through maintaining an active registration in the System for Award Management, which can be accessed via <https://www.sam.gov> (see 52.204-7).

(End of provision)

52.230-1 COST ACCOUNTING STANDARDS NOTICES AND CERTIFICATION (JUN 2020)

Note: This notice does not apply to small businesses or foreign governments. This notice is in three parts, identified by Roman numerals I through III.

Offerors shall examine each part and provide the requested information in order to determine Cost Accounting Standards (CAS) requirements applicable to any resultant contract.

If the offeror is an educational institution, Part II does not apply unless the contemplated contract will be subject to full or modified CAS coverage pursuant to 48 CFR 9903.201-2(c)(5) or 9903.201-2(c)(6), respectively.

I. Disclosure Statement -- Cost Accounting Practices and Certification

(a) Any contract in excess of the lower CAS threshold specified in Federal Acquisition Regulation (FAR) 30.201-4(b) resulting from this solicitation will be subject to the requirements of the Cost Accounting Standards Board (48 CFR chapter 99), except for those contracts which are exempt as specified in 48 CFR 9903.201-1.

(b) Any offeror submitting a proposal which, if accepted, will result in a contract subject to the requirements of 48 CFR Chapter 99 must, as a condition of contracting, submit a Disclosure Statement as required by 48 CFR 9903.202. When required, the Disclosure Statement must be submitted as a part of the offeror's proposal under this solicitation unless the offeror has already submitted a Disclosure Statement disclosing the practices used in connection with the pricing of this proposal. If an applicable Disclosure Statement has already been submitted, the offeror may satisfy the requirement for submission by providing the information requested in paragraph (c) of Part I of this provision.

Caution: In the absence of specific regulations or agreement, a practice disclosed in a Disclosure Statement shall not, by virtue of such disclosure, be deemed to be a proper, approved, or agreed-to practice for pricing proposals or accumulating and reporting contract performance cost data.

(c) Check the appropriate box below:

* (1) *Certificate of Concurrent Submission of Disclosure Statement.* The offeror hereby certifies that, as a part of the offer, copies of the Disclosure Statement have been submitted as follows:

(i) Original and one copy to the cognizant Administrative Contracting Officer (ACO) or cognizant Federal agency official authorized to act in that capacity (Federal official), as applicable; and

(ii) One copy to the cognizant Federal auditor.

(Disclosure must be on Form No. CASB DS-1 or CASB DS-2, as applicable. Forms may be obtained from the cognizant ACO or Federal official.)

Date of Disclosure Statement: ____ Name and Address of Cognizant ACO or Federal Official Where Filed: ____

The offeror further certifies that the practices used in estimating costs in pricing this proposal are consistent with the cost accounting practices disclosed in the Disclosure Statement.

* (2) *Certificate of Previously Submitted Disclosure Statement.* The offeror hereby certifies that the required Disclosure Statement was filed as follows:

Date of Disclosure Statement: ____ Name and Address of Cognizant ACO or Federal Official Where Filed: ____

The offeror further certifies that the practices used in estimating costs in pricing this proposal are consistent with the cost accounting practices disclosed in the applicable Disclosure Statement.

* (3) *Certificate of Monetary Exemption.* The offeror hereby certifies that the offeror, together with all divisions, subsidiaries, and affiliates under common control, did not receive net awards of negotiated prime contracts and subcontracts subject to CAS totaling \$50 million or more in the cost accounting period immediately preceding the

period in which this proposal was submitted. The offeror further certifies that if such status changes before an award resulting from this proposal, the offeror will advise the Contracting Officer immediately.

* (4) *Certificate of Interim Exemption.* The offeror hereby certifies that

(i) the offeror first exceeded the monetary exemption for disclosure, as defined in (3) of this subsection, in the cost accounting period immediately preceding the period in which this offer was submitted and

(ii) in accordance with 48 CFR 9903.202-1, the offeror is not yet required to submit a Disclosure Statement. The offeror further certifies that if an award resulting from this proposal has not been made within 90 days after the end of that period, the offeror will immediately submit a revised certificate to the Contracting Officer, in the form specified under subparagraph (c)(1) or (c)(2) of Part I of this provision, as appropriate, to verify submission of a completed Disclosure Statement.

Caution: Offerors currently required to disclose because they were awarded a CAS-covered prime contract or subcontract of \$50 million or more in the current cost accounting period may not claim this exemption (4). Further, the exemption applies only in connection with proposals submitted before expiration of the 90-day period following the cost accounting period in which the monetary exemption was exceeded.

II. Cost Accounting Standards -- Eligibility for Modified Contract Coverage

If the offeror is eligible to use the modified provisions of 48 CFR 9903.201-2(b) and elects to do so, the offeror shall indicate by checking the box below. Checking the box below shall mean that the resultant contract is subject to the Disclosure and Consistency of Cost Accounting Practices clause in lieu of the Cost Accounting Standards clause.

* The offeror hereby claims an exemption from the Cost Accounting Standards clause under the provisions of 48 CFR 9903.201-2(b) and certifies that the offeror is eligible for use of the Disclosure and Consistency of Cost Accounting Practices clause because during the cost accounting period immediately preceding the period in which this proposal was submitted, the offeror received less than \$50 million in awards of CAS-covered prime contracts and subcontracts. The offeror further certifies that if such status changes before an award resulting from this proposal, the offeror will advise the Contracting Officer immediately.

Caution: An offeror may not claim the above eligibility for modified contract coverage if this proposal is expected to result in the award of a CAS-covered contract of \$50 million or more or if, during its current cost accounting period, the offeror has been awarded a single CAS-covered prime contract or subcontract of \$50 million or more.

III. Additional Cost Accounting Standards Applicable to Existing Contracts

The offeror shall indicate below whether award of the contemplated contract would, in accordance with subparagraph (a)(3) of the Cost Accounting Standards clause, require a change in established cost accounting practices affecting existing contracts and subcontracts.

(☐) yes(☐) no

(End of Provision)

The offeror shall check ``yes" below if the contract award will result in a required or unilateral change in cost accounting practice, including unilateral changes requested to be desirable changes.

() Yes () No

If the offeror checked ``Yes" above, the offeror shall--

(1) Prepare the price proposal in response to the solicitation using the changed practice for the period of performance for which the practice will be used; and

(2) Submit a description of the changed cost accounting practice to the Contracting Officer and the Cognizant Federal Agency Official as pricing support for the proposal.

(End of provision)

Section L - Instructions, Conditions and Notices to Bidders

CLAUSES INCORPORATED BY REFERENCE

52.204-7	System for Award Management	NOV 2024
52.204-16	Commercial and Government Entity Code Reporting	AUG 2020
52.204-18	Commercial and Government Entity Code Maintenance	AUG 2020
52.215-1	Instructions to Offerors--Competitive Acquisition	NOV 2021
52.215-16	Facilities Capital Cost of Money	JUN 2003
52.215-22	Limitations on Pass-Through Charges--Identification of Subcontract Effort	OCT 2009
52.222-24	Preaward On-Site Equal Opportunity Compliance Evaluation	FEB 1999
52.222-46	Evaluation Of Compensation For Professional Employees	FEB 1993
52.237-10	Identification of Uncompensated Overtime	MAR 2015
252.204-7024	Notice on the Use of the Supplier Performance Risk System	MAR 2023
252.216-7002 Alt A	Alternate A, Time-and-Materials/Labor-Hour Proposal Requirements--Other Than Commercial Acquisition With Adequate Price Competition	JAN 2023
252.227-7017	Identification and Assertion of Use, Release, or Disclosure Restrictions	JAN 2025

CLAUSES INCORPORATED BY FULL TEXT

52.215-20 REQUIREMENTS FOR CERTIFIED COST OR PRICING DATA AND DATA OTHER THAN CERTIFIED COST OR PRICING DATA (NOV 2021)—ALTERNATE IV (OCT 2010)

(a) Exceptions from certified cost or pricing data. In lieu of submitting certified cost or pricing data, offerors may submit a written request for exception by submitting the information described in FAR 15.403-1(b)(1) and (2).

(b) Provide data described below: The offeror shall prepare and submit certified cost or pricing data, and data other than certified cost or pricing data, in accordance with Table 15-2 of FAR 15.408.
(End of provision)

52.216-1 TYPE OF CONTRACT (APR 1984)

The Government contemplates award of a Cost Reimbursement/Firm Fixed Price Hybrid, Indefinite Delivery Indefinite Quantity contract resulting from this solicitation.

(End of provision)

52.233-2 SERVICE OF PROTEST (SEP 2006)

(a) Protests, as defined in section 33.101 of the Federal Acquisition Regulation, that are filed directly with an agency, and copies of any protests that are filed with the Government Accountability Office (GAO), shall be served on the Contracting Officer (addressed as follows) by obtaining written and dated acknowledgment of receipt from

United States Marine Corps

Blount Island Command
Attn: Timothy L. Rivers
5880 Channel View Blvd.
Jacksonville, FL 32226-3404

(b) The copy of any protest shall be received in the office designated above within one day of filing a protest with the GAO.

(End of provision)

52.237-1 SITE VISIT (APR 1984)

Offerors or quoters are urged and expected to inspect the site where services are to be performed and to satisfy themselves regarding all general and local conditions that may affect the cost of contract performance, to the extent that the information is reasonably obtainable. In no event shall failure to inspect the site constitute grounds for a claim after contract award.

(End of provision)

52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

<https://www.acquisition.gov/>

(End of provision)

L-1 PREPROPOSAL INFORMATION

Offerors must submit a request to obtain an electronic copy of the Contract Reference Library. A completed Non-Disclosure Agreement must be executed prior to issuance of the Contract Reference Library. Only one Contract Reference Library is permitted per Offeror; offerors are responsible for forwarding Non-Disclosure Agreements for joint venture entities and/or subcontractors prior to disseminating the Contract Reference Library. Requests must be submitted via e-mail to timthy.l.rivers@usmc.mil. Offerors must ensure that Contract Reference Library information is requested in a timely manner to permit adequate proposal development. The Government intends to deliver Contract Reference Library media to offerors by USPS overnight delivery, return receipt required. Please note information provided as "For Official Use Only". None of the regulations, manuals, technical orders, or other publications referenced in the Request for Proposal (RFP) will be issued with the solicitation. All documents referenced in the SOW, not otherwise available to the public, will be provided upon request.

An Industry Day and site visit will be held at the Blount Island Command, Jacksonville, Florida on 24 June 2025 at 09:00 AM EDT. Contractors are to assemble outside Building 109 at least 15 minutes prior to the start of the site-visit, where a Government representative will be available to escort participants to the appropriate location(s). All vendors are required to submit:

(1) Contractors planning to attend the site visit must submit their request to attend the site visit, including names of company and individual's attending, even if base access is not required. This is in order to ensure there are reasonable accommodations for all during the site visit.

(2) Contractors planning to attend the site visit must submit requests for access as follows:

(i) Access to Blount Island, Jacksonville FL: For security purposes, contractors wishing to visit the BICmd facility are required to provide a letter requesting access. The letter should be on official company/activity letterhead and must be signed by an official of the requesting organization (other than the visitor). BICmd visit requests must include the following information:

- Name of Visitor (Last, First, MI)
- Date and Place of Birth
- Proof of Citizenship (requests from non-U.S. citizens must be accompanied by legible copies (front and back) of work card showing expiration date.
- BICmd point of contact and telephone number (Timothy L. Rivers, 904-696-5360)
- Date and duration of visit (24 June 2025, One (1) day)
- Company telephone
- RFP number M67004-25-R-0007

(3) Visit request must be submitted via e-mail to timothy.l.rivers@usmc.mil by 12:00 PM EDT on 11 June 2025.

(4) Although a security clearance is not required for the site visit, all contractor representatives must be U.S. citizens and will be required to furnish a valid driver's license or other generally acceptable form of picture identification for issuance of a visitors pass allowing for entrance into the facility. All vehicles entering the installation must have a valid registration and insurance documentation or current rental agreement. Substitution of personnel is not allowed.

(5) Additional information regarding access to BICmd is available by phone at 904-636-3806/3809. Failure to submit the proper visit request information may result in denial of access to the facility. Additional site visits will not be scheduled as a result of such failure.

The Marine Corps Support Facility Blount Island main gate is located off Heckscher Drive to the immediate left just after crossing the causeway that accesses Blount Island. MCSF-BI occupies the eastern half of Blount Island and is collocated with the Jacksonville Port Authority (JaxPort) who owns the western half of the Island. Visitors without proper vehicle identification are required to check-in at the visitor's center adjacent to the main gate. Once through the Main Gate, proceed to Building 109. Directions from the main gate to Building 109 are available upon request at the visitor's center. Participants should allow at least one hour for check-in at the main gate and travel to the Blount Island location. Site Visit will begin in Building 109 promptly at 09:00 AM EDT. Participants arriving late will NOT be included in the Site Visit.

The purpose of the site visit is to allow contractors the opportunity to inspect the site of where the services will be performed to be better able to relate to the SOW requirements. The site visit, in conjunction with the work requirements identified in the SOW, should provide contractors a detailed understanding of the requirement.

The site visit is intended to be interactive and the Government will take questions as time permits. All questions and answers must be audible to all participants. All verbal answers will be provided in writing following the Industry Day event. Contractors must submit questions concerning, or request clarification via e-mail to timothy.l.rivers@usmc.mil no later than 8:00 AM on 2 July 2025. Comments and questions must reference Request for Proposal M67004-25-R-0007.

Failure of a contractor to submit questions regarding this requirement or to attend the Site Visit will be construed to mean that the contractor fully understands all requirements of the statement of work and Request for Proposal. In no event will failure of a contractor to submit questions or inspect the site constitute grounds for a claim after contract award.

L-2 NOTICE OF ORGANIZATIONAL CONFLICT OF INTEREST (OCI) AVOIDANCE FAR 9.5

The offeror's attention is directed to Section H, Paragraph H-16 relating to OCI.

L-3 PRE-AWARD SURVEY OF PROSPECTIVE CONTRACTOR

If your response to this solicitation is favorably considered, a survey team may contact your organization to determine your ability to perform. Current financial statements and other pertinent data should be available for Government review at that time, if not already on file with the office having cognizance over your facility. Examples of the areas that may be investigated and evaluated are listed below:

- | | |
|----------------------------------|---------------------------------------|
| 1. Technical Capability | 8. Transportation |
| 2. Production Capability | 9. Packaging |
| 3. Quality Assurance Capability | 10. Security Clearance |
| 4. Financial Capability | 11. Plant Safety |
| 5. Purchasing and Subcontracting | 12. Environmental/Energy Conservation |
| 6. Accounting Systems | 13. Other as appropriate |
| 7. Government Property Control | |

L-4 PROPOSAL PREPARATION INSTRUCTIONS TO OFFERORS (ITO)

1. GENERAL INSTRUCTIONS

The instructions in this section prescribe the format of proposals, and describe the approach for the development and presentation of the proposed data. The proposal shall include all of the information requested in the specific instructions. The offeror's initial proposal should contain the offeror's best terms from a technical and cost/price standpoint. Failure to include all information requested may adversely affect the evaluation or may cause the proposal to be rejected. A proposal that merely reiterates or promises to accomplish the requirements of the SOW will be considered unacceptable. In addition, offerors shall assume that the Government has no prior knowledge of their experience, and will base its evaluation on the information presented in the offeror's proposal and other obtained Past Performance Information. A proposal that is orderly and sufficiently documented will enable the Government to easily understand and perform a thorough and fair evaluation.

This section provides general guidance for preparing proposals as well as specific instructions on the format and content of the proposal. Each volume shall be complete in itself. Unless otherwise specified, any form of presentation, such as narrative, pictures, tables, graphs, schematics, logic and other functional block diagrams may be used to provide a concise description of information. The construction of each volume shall be separate and independent; each volume must stand on its own and therefore not require extensive searching throughout the document(s) to locate and evaluate each any items or area being evaluated.

1.1 Proprietary Information

Each offeror shall include a statement indicating whether it has made use of any proprietary or patent information in the Executive Summary. If use of such information is anticipated, the specific areas of use by the offeror and their subcontractors must be clearly defined, including whether limited or unlimited rights are applicable in accordance with DFARS 252.227-7013 and 252.227-7016.

2. ESTIMATED PERIOD OF PERFORMANCE FOR PROPOSAL PREPARATION

This solicitation covers a base ordering period of 60 months and the possibility of one 60 month optional ordering period IAW DFARS 217.204(e)(1)(B) and FAR 52.217-9 and a six month extension of contract services IAW FAR 52.217-8.

<u>Contractual Coverage</u>	<u>Period of Performance</u>
Phase-In	90 days after contract award
Base Ordering Period	After award date continuing for 5 years
Option 1	5 Year Ordering Period, to be exercised IAW FAR Clause 52.217-9
Extension of Services	6 months IAW FAR Clause 52.217-8

3. PROPOSAL FOCUS AREAS

The Government has identified the following areas of concern relative to the provision of the following services:

- Shipboard MCMC (USMC) Personnel Staffing (C.7): remote locations and operational tempo are challenges impacting shipboard staffing. Innovative solutioning is required to ensure that staffing is adequately designed to support MCPP shipboard requirements.
- Watercraft Maintenance Center (WMC) (Navy Technical (C.6): The requirement to subcontract services combined with local industry capability to support Intermediate and Depot level watercraft repairs impacts maintenance milestones with compounding effects to on time delivery of Navy Capability Sets. The Navy technical proposal should identify solutions that maximize the efficiency and effectiveness of watercraft maintenance operations.
- Production Planning and Control: Production planning and control is central in planning and executing maintenance schedules that are central to MCPP mission accomplishment. The Government is seeking a solution that demonstrates a clear and executable strategy that: enables accurate scheduling incorporating Government Accountable Property System of Record (APSR) data; continuously improves demand forecasting through the use technology and advanced analytic tools; supports capacity planning offering insights into resource allocation, production bottlenecks, and optimal alignment of capacity and production needs; supports adaptation of workflows in response to real-time operational change; and supports analysis of employee performance through measurement of assigned task completion.

The Government encourages solutions which will maximize facilities/resource availability, effectiveness and efficiencies associated with MCPP services.

4. PROPOSAL ORGANIZATION

A complete proposal is defined as one consisting of nine (9) separate volumes within the required page count, in the number of copies below. Strict compliance with these proposal preparation instructions will be considered in the evaluation of the proposal. Evaluators will read only up to the maximum number of pages specified. Pages in excess of the maximum will be removed from the proposal and destroyed.

4.1 Matrix Table

VOLUME	L-5 Section Number	TITLE	PAGE LIMIT	ORIGINAL CD	HARD COPIES	CD
I	5	VOLUME I EXECUTIVE SUMMARY		1	0	7
		Overview	10			
		Master Table of Contents <i>(all Volumes)</i>				

		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms Note: Additionally, one copy of the Executive Summary Overview shall be included in all volumes.	Unlimited			
II	6	VOLUME II MANAGEMENT PROPOSAL		1	0	6
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
		Management	40			
III	7	VOLUME III TECHNICAL PROPOSAL - USMC		1	0	6
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
		USMC Technical Methodology	50			
IV	8	VOLUME IV TECHNICAL PROPOSAL - NAVY		1	0	6
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
		Navy Technical Methodology	50			
V	9	VOLUME V PAST PERFORMANCE		1	0	6
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
	9.1	Past Performance Information	10			
	9.2	Past Performance Questionnaire	10			

VI	10	VOLUME VI COST/PRICE PROPOSAL		1	0	5
	10.1	Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
	10.2	Costs	Unlimited			
	10.3	Summary Descriptions & Narrative				
	10.4	Cost Breakout & Supporting Data by COST TYPE CLIN and SLIN				
	10.5	Other Information				
VII	11	VOLUME VII SMALL BUSINESS PARTICIPATION AND SUBCONTRACTING PLAN		1	0	3
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
	11.1	Small Business Participation	Unlimited			
	11.2	Small Business Subcontracting Plan				
VIII	12	VOLUME VIII PROPOSAL DOCUMENTATION		1	0	3
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
	12.1	Solicitation Submission	Unlimited			
	12.1.1	Required Documents				
	12.1.2	Exceptions to Terms and Conditions				
IX	13	VOLUME IX ORAL PRESENTATION		1	12	1
		Standard Proposal Information: Table of Contents List of Tables and Figures Glossary of Abbreviations & Acronyms	Unlimited			
	13.1	Identification of Presenters	30 Slides			
	13.2	Oral Presentation Briefing				
	13.3	Consent to Record				

4.2 Proposal Format

4.2.1 Guidance

(a) This section of the Instructions to Offerors (ITO) provides general guidance for preparing proposals as well as specific instructions on the format and content of the proposal.

(b) The offeror's proposal must include all data and information requested by the ITO and must be submitted in accordance with these instructions.

4.2.2 Price/Cost Information

All cost or pricing information shall be addressed ONLY in Volume VI, Cost/Price Proposal. Cost proposal information shall be provided in the format contained in paragraph 10. The CD-ROM shall contain both Adobe Acrobat (.pdf) and Excel (.xls) files for respective documents.

4.2.3 No Cross-Referencing

(a) Each volume shall be written on a stand-alone basis so that its contents may be evaluated without cross-referencing to other volumes of the proposal. The Manning Document required in the Executive Summary Overview shall be provided in an Microsoft excel format, and provide a cross reference to all CLINs; Offerors shall identify FTEs that support multiple CLINs and the level of support they provide to each CLIN. The Executive Summary, proposed Organizational Chart and Manning Document will not count towards individual volume page limitations. Offerors shall not include cost and/or pricing information in proposal volumes other than the Cost/Price Volume.

(b) Information required for proposal evaluation, which is not found in its designated volume, will be assumed to have been omitted from the proposal.

4.2.4 Table of Contents

(a) Each volume shall contain detailed Table of Contents to delineate the subparagraphs within that volume. Pages of the Offeror's proposal will be numbered sequentially with the exception of "exempt" pages identified below.

(b) The Table of Contents will not count against the page limitations for their respective volumes.

4.2.5 List of Tables and Figures

(a) Each volume shall list any tables and figures used within that volume.

(b) The List of Tables and Figures will not count against the page limitations for their respective volumes.

4.2.6 Glossary of Abbreviations and Acronyms

(a) One glossary shall be developed for the entire proposal and provided in each volume.

(b) Glossaries do not count against the page limitations for their respective volumes.

4.2.7 Electronic Copies (E-Copies)

(a) General requirements

(1) All electronic copies shall be submitted on CD-ROM in a protective sleeve

(2) Electronic file directory titles and organization shall reflect the titles and organization of these instructions.

(3) Each directory shall contain a Microsoft Word file with the Master Table of Contents for that directory.

(4) Offerors shall ensure electronic copies on CD-ROM are virus free.

(5) Electronic copies of each volume shall be compatible with the following available Government equipment and software products:

a. Adobe Acrobat

b. Windows 11

c. Microsoft Office Professional Suite

(6) Sound or video (e.g. MPEG) files shall **not** be embedded into the proposal files.

(b) Master copy CD-ROM requirements

- (1) Complete electronic copies of all volumes shall be submitted in Adobe Acrobat Portable Document File (.pdf) **searchable text format**. Complete electronic copies of Volume VI shall be submitted in both Adobe Acrobat Portable Document Files (.pdf) **searchable text format** and Microsoft Excel Files (.xls). All documents shall be submitted in a format that is not protected (password, filtered, hidden, format, structure, etc.) in a manner that would prohibit the Government from filtering, sorting, or otherwise evaluating all associated proposal information.
- (2) Duplicate CD-ROMs are required as specified above for each Volume.
- (3) Each CD-ROM and protective sleeve shall be clearly marked as to volume number, offeror's name, solicitation title, and solicitation number.

(c) Cost Breakdown CD-ROM requirements

- (1) All cost breakdown elements (COST TYPE) utilizing the Cost Model Workbook provided at Contract Attachment #7 is required with Volume VI proposal. The Cost Breakdown workbook shall also contain a spreadsheet which provides a summary of all CLINs, inclusive of FFP CLINs, subtotaled by each period within the Ordering Period (Base and Optional). The CD-ROM shall not be password protected or otherwise "locked" or "hidden" to permit thorough evaluation of proposal formulas.
- (2) Proposal Organization shall only include the completed cost proposal Microsoft Excel spreadsheet in Microsoft Excel format.
- (3) The Cost/Price Proposal CD-ROM and protective sleeve shall be clearly marked as "Cost/Price Proposal", volume number, copy number, offeror's name, solicitation title, and solicitation number.
- (4) Electronic copies of Cost/Price Proposal in Volume VI must lend itself to review and analysis by the Government. Electronic copies of .xls documents must include clearly visible formulas and must not include any hidden columns or rows. Offeror's cost breakdown spreadsheets must not be password protected.

4.2.8 Page Format Restrictions and Limitations

4.2.8.1 Page Format

(a) All pages shall include an appropriate header and footer which identifies the Solicitation number, contractor name and UEI number, date, volume number and page number. All paragraphs shall be uniquely numbered within each Volume of the proposal. **Offerors shall provide SOW cross-referencing in their proposal as applicable to facilitate evaluations and to demonstrate the Offeror's understanding of the requirement.**

(b) Text pages shall be portrait oriented. Graphics and tables may be landscape oriented if required to properly present the information.

(c) Pages shall be typed with at least single line spacing. Pages shall contain page numbers in the footer.

(d) No narrow or condensed fonts allowed. Times New Roman or Arial is required. The font size shall be no less than 12 point except for the following:

- (1) The reproduced sections of the solicitation document shall be as reproduced.
 - (2) The font shall be no smaller than 10 point for text in tables, charts, graphs, and figures.
 - (3) The font for table cell, chart, graph, or figure labels shall be no smaller than 10 point.
- (e) Margins on all four edges of each sheet will be at least one inch.
- (f) Proprietary statements, security markings, and page numbers can fall within the defined margin area.

4.2.8.2 Foldouts

(a) Legible tables, charts, graphs, diagrams, schematics and figures shall be used wherever practical to depict organizations, systems and layout, implementation schedules, design drawings, plans, etc.

(b) These displays shall be uncomplicated, legible and shall not exceed 11 x 17 inches in size if printed.

(c) Each printed side of a foldout will count as two pages (both sides printed will count as 4 pages).

(d) For tables, charts, graphs and figures, the font shall be no smaller than 10 point.

(e) All information (except documentation numbers, classification markings, and page numbers) shall be contained within an image area of 9 x 15.5 inches.

4.2.8.3 Page Limitations

(a) Page limitations shall be treated as maximums. What Counts as a Page: A page shall be an 8.5 x 11" sheet of paper (minimum of one inch margins). Foldouts will be counted as the appropriate number of pages based on an 8.5 x 11" sheet of paper. Pages shall include an appropriate header and footer which identifies the Solicitation number, contractor name as identified in the SAM and respective UEI number of offeror submitting the proposal, date, volume number and page number. In the event an offeror creates an ambiguity, the Government will exercise its own discretion in counting pages. All material shall be contained within the page limit identified for each volume, unless otherwise specified. All appendices, charts, graphs, diagrams, tables, photographs, drawings, etc. are included in the page count.

(b) If page limits are exceeded, the excess pages (1) will be destroyed; and (2) will not be read or considered in the evaluation of the proposal.

4.2.8.4 Pages Counted

(a) Each page shall be counted except the following. All pages exempt from the page count shall be marked as "exempt" and may contain a page number. Pages that are marked as exempt, but the Government determines that they do not meet the requirements of an exempt page, shall not be considered, and will be treated the same as pages in excess of the page count.

- (1) Cover pages
- (2) Table of Contents
- (3) List of Tables and Figures
- (4) Glossaries
- (5) Tabs
- (6) Dividers
- (7) Blank pages
- (8) Labor Category Descriptions/Position Descriptions
- (9) Resumes and letters of commitment
- (10) Continuation of Essential Contractor Services Plan

4.2.8.5 Distribution/Submission/Proposal Volumes

The original and e-copies shall be sent to the issuing office listed below on /before the date/time specified on the front page of the Standard Form 33 (except Volume IX, Oral Presentations). Mark the front of the envelope/box with the following: **"Proposal No. M67004-25-R-0007, ATTN: Timothy L. Rivers, Contracts Department, DO NOT OPEN IN MAIL ROOM."** Offerors are cautioned to strictly comply with all instructions within this solicitation to ensure submission of a complete proposal. Failure to furnish a complete proposal, at the time of proposal submission, may result in the proposal being unacceptable to the Government and elimination from consideration for award. The

Government will not accept any changes to the offeror's proposal after the closing date of the solicitation (See FAR 15.208 for further information regarding late proposals). All electronic media shall be identified, addressed, and delivered to the Contract Specialist at the following address:

U.S. Marine Corps
Blount Island Command
Attn: Timothy L. Rivers
5880 Channel View Blvd.
Jacksonville, FL 32226-3404

4.2.8.6 Proposal Due Date Schedule: Entire Contract Proposal is due at RFP closing (except Volume IX Oral Presentations); See SF33 Block 9.

4.2.8.7 Disposition of Unsuccessful Proposals

In compliance with FAR Subpart 4.8, the Government will retain the original of all unsuccessful proposals, all copies will be destroyed.

5. **VOLUME I – EXECUTIVE SUMMARY**

The Executive Summary is a concise narrative summary of the entire proposal, a highlight of any key or unique features, and an overview of the organizational concept which includes a discussion of critical/key subcontractors. Offeror's shall include a detailed, bulletized listing of all assumptions made in proposal development. Any summary of proposal information presented here shall not be considered as meeting the requirements for any portions of other volumes of the proposal.

6. **VOLUME II – MANAGEMENT PROPOSAL**

Offerors shall provide a Management Proposal that sets forth in the most comprehensive manner the offeror's management principles and practices, as they would apply to the MCPP, which will adhere to prescribed timelines and achieve an acceptable level of quality. Volume II shall address the following: Management Structure, Organizational and Staffing Strategies (to include shiftwork, cross utilization, exercise/contingency staffing, and overtime mitigation), quality control (early detection of deficiencies, trend analysis, and management involvement), production planning via Microsoft Project (SOW Attachment C.1-3 MMC Notional POAM), mission essential contractor services in accordance with DFARS 252.237-7023 and 252.237-7024, use of business intelligence technology (to include all business systems identified in the SOW), employee training plan, transition plan and schedule (Section H-21 of the contract). Offerors shall provide resumes and letters of commitment for key personnel. Offerors shall describe their hiring process to include a description of the timeline (number of days to hire) and milestones from vacancy of position to onboard. Offerors shall describe its proposed procedures associated with developing and reporting the Planned Value, Earned Value, Actual Cost and Estimate at Completion (EAC) Projections on a COST TYPE CLIN/SLIN basis. Offeror's shall describe their process and ability to respond quickly to time sensitive updates and their ability to share information related to the Actual Cost of Work Performed (ACWP) and EAC with the Government on a near real-time basis.

7. **VOLUME III – TECHNICAL PROPOSAL – USMC**

Offerors shall describe their relevant experience and capabilities to perform the MCPP requirements for tactical ground equipment (USMC and Navy) and USMC MCPP logistics operations, maintenance, maintenance administration, supply and distribution support requirements.

7.1 USMC Supply and Distribution. The USMC Technical Proposal must include a comprehensive Supply and Distribution methodology (Class I, Class II, Class III [Packaged], Class IV, Class V, Class VII, Class VIII, and Class IX) in compliance with SOW C.4, to include management of organic equipment essential for MMC operations. The offeror shall submit a comprehensive Supply/Distribution strategy that clearly describes how its

approach, methodology, and operational processes will ensure that all SOW requirements are completed within prescribed timelines at an acceptable level of quality for the following elements:

- Demand Planning of Materiel Requirements
- Procurement and Sourcing
- Inventory Management
- MMC Supply Production
- Container Management
- Transportation and Distribution Management

The offeror shall demonstrate an understanding of and ability to comply with the SOW requirements in the performance of supply support activities at the MMC site, while deployed aboard MPS, and at land-based prepositioning sites.

7.2 USMC Maintenance and Maintenance Management. The offeror shall submit a comprehensive Maintenance and Maintenance Management methodology in compliance with SOW C.2.B and C.3, describing how its approach and processes will ensure that all SOW requirements are completed within prescribed timelines at an acceptable level of quality. The offeror shall submit a detailed Maintenance/Maintenance Management strategy that clearly describes at a minimum each of the following elements:

- Limited Technical Inspections (LTI)
- Maintenance (Preventative and Corrective)
- Modifications
- Calibration
- Maintenance Administration

7.3 USMC Manning. The Offeror shall provide a workload matrix with analysis of manning levels by labor category (to include description of responsibilities for exempt employees) and by location to meet all USMC workload requirements. The workload matrix shall correlate and provide traceability to the required Employee Qualifications provided in SOW Attachment C.1-7. The workload matrix shall be segregated by supervisory levels (providing the proposed management: labor ratio) and operating locations; to include land-based prepositioning sites (MCPP-N and MCPP-PHIL), shipboard, and on-island MMC operations. This workload matrix information is in addition to and supported by the Manning Document required in the Executive Summary Overview.

Offerors shall describe the organizational structure and/or procedures associated with estimating and accounting support, to include identification of staff associated with estimating and accounting for COST TYPE CLINS/SLINS obligating USMC funding to ensure adequacy associated with segregation of costs. Labor Categories shall align with Collective Bargaining Agreement, Service Contract Act, and Area Wage Determinations Offerors shall provide a description of responsibilities for Exempt employees. It should be noted that historically, several labor categories have been understaffed due to higher-than-expected attrition, vacancies and/or fluctuating workload requirements due to the dynamic complexities of the MCPP. The Government has specific concerns related to the adequacy of staffing pertaining to USMC Shipboard requirements, Quality Control, Motor Transportation Maintenance, Database Administration, Corrosion Control requirements and Care of Supplies in Storage.

The Government encourages submission of solutions for Afloat Phase Shipboard personnel manning, which identify differing levels of full time and/or rotational personnel that ensures a high operational readiness of ME and responsive/scalable contingency/exercise support based on Government requirements on all deployed ships. In addition, the Government encourages submission of solutions for CRF optimization, which maximizes the use of Government provided facilities.

8. **VOLUME IV – TECHNICAL PROPOSAL – NAVY**

Offerors shall describe their relevant experience and capabilities to perform the MCPP requirements for supply chain support of Navy CESE, Navy containerized capability sets (CAPSETs, Navy organic assets and Navy water craft assigned to the MPF Program in compliance with C.6.. The offeror shall submit a detailed Navy Supply Methodology that clearly describes at a minimum each of the following elements:

- Procurement Sourcing
- Container CAPSET Production
- Inventory Management and Control
- Container Management and Repair
- Disposition/Distribution/Transportation
- Navy Supply Center (NSC)/Navy Warehousing
- Supply Administration
- GFE/GFM/GFP Accountability
- Interface/Interaction with USMC Supply effort

The offeror shall describe their Maintenance strategy to achieve prescribed timelines, at an acceptable level of quality for Navy watercraft, Navy Containerized assets and Navy owned organic equipment, including major MHE/WHE that is assigned to the MPF Program. The offeror shall describe their proposed partnering for intermediate and depot level repairs. The offeror shall submit a detailed Navy Maintenance Methodology that clearly describes at a minimum each of the following elements:

- Maintenance Requirements Package (MRP)
- SYSALTS/FSB/SOUM
- Work Definition Conference (WDC)
- Master Schedule, Schedule Management and Maintenance Model
- Repair Support Team (RST)/Strategy for Sub Contract Work
- Maintenance Administration (NTCSS OMMS-NG)
- Watercraft Corrosion Control and Coating systems maintenance
- Operations Support Team (OST)/Watercraft Berthing, Drydocking, Launching, Towing, Portage, Cross-decking and Watercraft Monitoring, Pre MAT & Post MAT
- Navy Watercraft Maintenance Center (WMC) / Preventive and Corrective Maintenance
- Control Systems Support (CSS)
- Quality Control (QC) for internal and external Capability Set production/maintenance

The Offeror shall provide a workload matrix with analysis of manning levels by labor category (to include description of responsibilities for exempt employees), intermittent support, and “Over and Above” requirements; the workload matrix shall correlate to the required Employee Qualifications provided in SOW Attachment C.1-7. The workload matrix shall be segregated by supervisory levels (providing the proposed management: labor ratio) and operating

locations to meet all dedicated Navy workload requirements; the workload matrix shall correlate and have traceability to the required Employee Qualifications provided in SOW Attachment C.1-7. Offerors shall describe the organizational structure and/or procedures associated with estimating and accounting support, to include identification of staff associated with estimating and accounting for COST TYPE CLINS/SLINS obligating Navy funding to ensure adequacy associated with segregation of costs. It should be noted that historically, several labor categories have been understaffed due to higher than expected attrition, vacancies and/or fluctuating workload requirements due to the dynamic complexities of the MCPP. The Government has specific concerns related to the adequacy of staffing pertaining to Navy Corrosion Control/Coating Systems maintenance and subcontract management support requirements. The Offeror shall provide the specific resourcing strategy for meeting the following intermittent manning requirements:

- Navy CESE maintenance, ashore and afloat
- Navy CESE COSIS
- Navy watercraft maintenance in the CRF
- Navy watercraft preparation/processes ISO offload/backload from/to MPS
- Navy watercraft monitoring (COSIS) program
- Navy watercraft Pre MAT, Post MAT and OPTESTs

The Government encourages submission of solutions for maintenance concepts, location(s) and teaming arrangement(s) associated with watercraft maintenance functions to gain maintenance responsiveness, reduce operating cost and improve schedule adherence.

9. VOLUME V – PAST PERFORMANCE

9.1 The Offeror shall provide relevant past performance information. Relevancy is defined as efforts of similar complexity, scope, period of performance, and magnitude performed during the last three years, to include relevant past performance of subcontractors proposed to perform important portion(s) of the requirement. Each Offeror can provide in its proposal any information regarding its (to include subcontractors) past performance of contracts similar to the Government's requirement that it would like the Government to consider. Such information may be in the nature of additional information to that which the Government has readily available, or which is already included in CPARS or other databases, or which the Offeror considers essential to the Government's evaluation or explanatory information of substandard or poor performance and the corrective actions taken to prevent a recurrence. The Government reserves the right to verify statements and representations made in the Offeror's proposal. The Offeror may include Federal, State and Local Government and private sector contracts. To obtain information, the Government may contact the points of contact listed by the Offeror; however the Government is not required to contact the points of contact provided by the Offeror and may limit the number of references it decides to contact. The Government is also free to contact references other than those provided by the Offeror to evaluate the Offeror's past performance. Offerors shall ensure that the information provided in Volume V is current and accurate by validating the phone numbers and email addresses for all points of contacts provided. The burden of providing thorough and complete past performance information remains with the offeror. Past performance of offerors complying with the requirements of FAR 52.219-8 and 52.219-9 shall also be submitted with this volume for evaluation.

Offerors should provide the following information:

Section 1 – Basic Past Performance Information

Name of Past Performance Effort

Name and Contact Information for Contracting Agency

Name(s) and Contact Information of COR(s) and Quality Assurance Representatives

Contract Number

Contract Type (COST TYPE, FFP, etc.)

Initial Contract Value
Total Contract Value (including all contract modifications to date)
Period of Performance
List of key subcontractors to include the estimated percentage and description of work performed

Section 2 – Relevance to Current Requirement

Describe the work products and/or services delivered to customers under this past performance.

Demonstrate the relevance by describing how this past performance correlates with the Requirements (i.e. SOW requirements) in terms of scope, magnitude, period of performance, and complexity.

9.2 Past Performance Questionnaire

Offerors shall complete Sections I and II of the questionnaire (Solicitation Attachment #3) for each relevant contract and e-mail to the Government/commercial assessor within 7 calendar days after issuance of the solicitation. The offeror shall e-mail the PPIS Questionnaire Letter to all points of contacts (POCs) the offeror has listed in the Past Performance Information Sheets. The POCs/assessors will complete the questionnaires and forward them by scanning and emailing directly to the Past Performance Evaluation Team no later than the RFP response date. Email to Timothy L. Rivers at timothy.l.rivers@usmc.mil. Respondents to the questionnaires shall not send the completed information sheets back to the offeror. Volume V Past Performance shall be submitted in accordance with the Final RFP.

10. **VOLUME VI – COST/PRICE PROPOSAL**

The purpose of the Cost/Price Proposal volume is to include all pertinent contract and cost information.

10.1 Standard Proposal Information

- (a) Provide a Table of Contents for Volume VI per ITO paragraph 4.2.5.
- (b) Provide a List of Tables and Figures for Volume VI per ITO paragraph 4.2.6.

10.2 Cost/Price

In accordance with FAR 15.403-3, information other than certified cost or pricing data is required to support the reasonableness, completeness and realism of proposed costs (realism is applicable to only COST TYPE CLINS) of this requirement. The Government retains the right to request additional supporting cost information through the course of the evaluation. The cost proposal shall contain a complete and traceable description of all costs which includes the Cost Model Workbook provided at Contract Attachment #7. Offerors shall provide a detailed description of the basis of the costs and shall provide all supporting data as appropriate to support reasonableness, completeness and realism (realism is applicable to only COST TYPE CLINs).

In addition, offerors shall provide a narrative of all proposal assumptions and specific details associated with the respective impacts of those assumptions. An offeror's proposal shall represent the offeror's best efforts to respond to the solicitation. Any inconsistency between promised performance and cost shall be explained in the proposal. For example, if unique and innovative approaches are the basis for an abnormally low cost, the nature of these approaches and their impact on cost must be explained. If an offeror proposed to absorb a portion of costs, he should explain the impact on price.

Subcontract Pricing Considerations in accordance with FAR 15.404-3. The prime contractor or proposed subcontractor(s) shall analyze costs/prices to establish reasonableness of proposed subcontract prices, and include the results and supporting documentation related to these analysis (es) in the cost proposal.

Compliance with the instructions is mandatory and failure to comply may result in rejection of your proposal. Note that unrealistically low or high proposed costs (COST TYPE), initially or subsequently, may be grounds for

eliminating a proposal from competition either on the basis that the offeror does not understand the requirement or has made an unrealistic proposal. The burden of proof for credibility of proposed costs rests with the offeror.

Offerors who submit uncompensated overtime shall comply with the requirements of FAR 52.237-10 Identification of Uncompensated Overtime. Offerors must conduct a workload analysis for all RFP labor requirements.

10.3 Summary Descriptions and Narrative

The offeror shall provide a summary description of their standard estimating system or methods used in the preparation of the cost proposal. The summary description shall cover separately each major cost element, e.g., Direct Labor, Indirect Labor, Other Direct Costs, etc. Also include any cost reductions made in your proposal that are attributed to commonality with other programs, company-funded efforts or capitalization of equipment.

10.3.1 Summary and Supporting Schedules

The completion of Schedule B to the solicitation, is mandatory. This section shall be rounded up to the nearest whole dollar. The offeror shall price each optional ordering period, although exercising of the options is at the sole discretion of the Government and not guaranteed.

10.3.2 Proposal Summary. A proposal summary shall be provided for each Contract CLIN and SLIN as identified in Schedule B (both COST TYPE and FFP), summarized by each year within the respective ordering period utilizing the Cost Model Workbook provided at Contract Attachment #7. The Phase-In Period shall be included in the summary for the Base Ordering Period, Period 1. Summary totals shall be provided for each period.

10.3.3 Employee Compensation Plan: Offeror's shall provide the proposed Employee Compensation Plan to include labor incentives associated with retention of shipboard and OCONUS employees (if applicable). Offeror's shall describe the basis for employee compensation for all proposed positions, to include overtime compensation. Positions designations which align with the Service Contract Labor Standards: Area Wage Determination or the Collective Bargaining Agreement must be clearly identified. Offeror's must explain, in detail, any variances from the stated minimum wages and benefits; assumptions which do not align with established law (Service Contract Labor Standards; Area Wage Determination (AWD)/Collective Bargaining Agreement (CBA) requirements) may be considered unreasonable by the Government. Offeror's must explain the basis for salaries and/or wages and benefits for employees which are exempt from the CBA and AWD. Compensation for Professional Employees shall be described as such to address concerns/issues as identified in FAR 52.222-46 Evaluation of Compensation for Professional Employees.

10.4 Cost Breakout and Supporting Data by COST TYPE CLIN and SLIN. The Cost Breakout totals for each CLIN/SLIN must correlate to the Proposal Summary utilizing the Cost Model Workbook provided at Contract Attachment #7.

10.4.1 Labor. The offeror shall provide labor rates by category of labor (not employee) and number of personnel within each category. Offerors shall identify the labor/skill mix associated with the requirements as well as the required number of hours by labor category. Each category must be clearly marked as CBA, Service Contract Wage Determination, and Professional/Exempt. The breakdown shall be by major cost element and must be consistent with the CLINS and SLIN summaries. Labor rates should be rounded to the nearest cent. Offeror's shall provide the calculation for the number of hours per person per year used in pricing direct labor costs. This calculation should include the total hours per person (usually 2080) less all hours estimated for non-productive costs (e.g., holidays, vacations, and sick days) and should include a factor for attrition and vacancies. Offerors shall describe, in detail, the calculation of productive hours used for direct labor. All loading factors, such as, fringe benefits rates, applicable overhead, general and administrative rates, facility capital cost of money, if applicable and fee, time phased from contract start to contract completion shall be provided. Include documentation from DCAA or other cognizant Government audit office if proposed labor rates are approved forward pricing rates. Offerors shall also provide the inflation/escalation rates for all years for Professional/Exempt employees. Offerors shall provide position/job descriptions for Professional/Exempt employees. Personnel subject to the CBA should be proposed in compliance

with the CBA conditions as required by 41 U.S.C. 6707(c) (FAR 22.1008-2). Escalation/inflation for Service Contract and CBA personnel will be accomplished by negotiation and modification of the contract each time a new wage determination is incorporated into the contract in accordance with FAR 52.222-43 Fair Labor Standards Act and Service Contract Labor Standards- Price Adjustment (Multiple Year and Option Contracts). All employee training labor and associated training costs shall be in accordance with the Offeror's Disclosure Statement.

10.4.2 Cost Reimbursable Material, Travel and Overtime. Materials and Travel associated with FFP CLINs shall be proposed within the respective FFP CLIN. Contractor Acquired Materials shall be reimbursed on the basis of actual costs (except as provided in FAR 31.205-26(e) and (f)); the Government will provide the estimated amount of contractor acquired materials associated with maintenance which will be accounted for in CLIN X0XX IAW DFARS 252.217-7028. Offeror's shall clearly identify Material Handling costs and appropriate indirect costs allocated which are allocable to direct materials in accordance with the offeror's usual accounting procedures as identified in the Offeror's Disclosure Statement. Material handling includes the expenses related to acquiring, transporting, receiving, inspecting, handling and storing materials. The COST TYPE LOE CLIN X005 provides direct labor to support these functions, therefore, offeror's who propose Material Handling indirect costs must show that the costs included in their indirect pools "clearly exclude direct labor employees and GFP/F" and must provide approval from DCAA. If the offeror proposes indirect rates on subcontracted services, they will comply with Section I clauses DFARS 252.215-7003 and DFARS 252.215-7004 and describe the added value (as well as the other requirements in the DFARS clauses) in their proposal. Fee is not permitted on Cost Reimbursable Material, Travel, or Overtime.

10.4.3 Other Direct Costs. Any "Other Direct Costs" required in support of COST TYPE should be proposed in accordance with the Offeror's Disclosure Statement. Safety Equipment and Uniforms for all contractor employees providing services under FFP CLINs and COST TYPE CLINs shall be proposed within FFP CLIN X001. The offeror shall identify and justify the requirement(s) any other direct costs not chargeable to the FFP CLINs.

10.4.4 Indirect Cost Rates. Each offeror shall provide a breakout of indirect rates by company fiscal year which aligns to each year of the respective ordering periods (Base and Optional). Ceiling rates will be established by DCMA/DCAA and implemented in accordance with DCMA/DCAA guidance. This requirement extends to all respective subcontractor indirect rates. In the event the final indirect cost rates are less than the negotiated ceiling rates, the negotiated rates will be reduced to conform to the lower rates. Offeror's must explain the methodology and base of applications/estimate for each rate (Fringe Benefit, Overhead, and G & A).

10.4.5 Segregation of Costs by Accounting Classification Reference Number (ACRN)/Funding Sources: Each offeror shall demonstrate the capability and explain accounting system processes associated with segregating costs by ACRN (for example, USMC and Navy ACRNs); offerors must provide a narrative and associated sample reports for all ACRNs by month, quarter, and Fiscal Year.

10.4.6 Subcontracts. Offerors shall provide a summary of the proposed and probable subcontractors exceeding \$350,000.00 showing the subcontractor, description of the item or service, type of contract (COST TYPE, FFP, etc.), contract value (breaking out cost and fee), hours, the basis for proposed pricing (competition, sole source, etc.) and a narrative as to the treatment of subcontractor costs in compliance with the current Disclosure Statement. The offeror shall also submit a subcontractor summary that includes the estimated percentage of individual subcontractor support in terms of contract value per year as compared to the overall contract value per year. Offerors shall identify proposed subcontractor support with the basis of other than full and open competition and provide a description of the supporting rationale associated with the requirement to exclude competition and the associated analysis to support fair and reasonable pricing. Offerors shall summarize any performance or cost incentives contemplated for the subcontractors.

10.4.7 Fee Structure. The limitations of FAR 15.404-4, FAR 16.306, and DFARS 216.306 apply to any proposed fee. The maximum total for fee is 10 percent of the estimated cost, excluding fee.

10.5 Other Information

The offeror shall provide the following information:

(a) Company Organization. The offeror shall identify the name, title, telephone number, facsimile number, and e-mail address of the person responsible for proposal clarifications, who can obligate your company contractually. Also identify those individuals authorized to negotiate with the Government.

(b) Defense Contract Audit Agency (DCAA). The offeror shall identify the cognizant DCAA field office that has oversight to the offeror's organization. Provide the name, title, address, telephone number, and e-mail address.

(c) Defense Contract Management Agency (DCMA). The offeror shall identify the cognizant DCMA field office and Administrative Contracting Officer that has oversight to the offeror's organization. Provide the name, title, address, telephone number, and e-mail address.

(d) Disclosure Statement/Cost Accounting Standards (CAS). Offerors shall provide a copy of their current Disclosure Statement, as well as identification of compliance with CAS, if applicable and any CAS violations and subsequent corrections. Offerors shall clearly identify and discuss any RFP requirements that do not align with their Disclosure Statement.

(e) Estimating and Accounting System(s). Offerors shall provide evidence of Government (DCMA) approval of their Estimating and Accounting Systems in accordance with DFARS 252.242-7005 Contractor Business Systems, which complies with the Disclosure Statement. The Offeror must describe their process for estimating and accruing labor, overtime, materials/subcontracts, and travel.

(f) Forward Pricing Rate Agreement (FPRA). Submit an approved forward pricing rate agreement (FPRA) for the cost proposal. In the absence of FPRA applicable to any Ordering Period/Year, Offeror's shall be limited to approved and published DCMA/DCAA Indirect Rate Ceilings.

(g) Purchasing System. Offerors shall provide documentation of DCMA approved purchasing system in compliance with DFARS 252.244-7001 Contractor Purchasing System Administration, which complies with the Disclosure Statement. In addition, the Offeror shall describe their process for control costs associated with materials and subcontracts to attain the best value for the required quality; the offeror must describe the proposed process for submission of proposed pricing to the government for approval, to include the information which will be submitted to substantiate the proposed pricing as fair and reasonable. Offeror's shall describe their process for conducting DLA research to conduct government system purchases in lieu of open/commercial market purchases. Offeror's must describe their processes associated with the management of reoccurring subcontract services to ensure competition. Offeror's shall describe their ability and proposed process to share information related to open market/commercial purchases with the Government on a near real-time basis.

(h) Subcontractor Information. The offeror shall submit a subcontractor summary that identifies the key elements described in (a) through (g), as applicable.

(i) Contractor Utilization of Business Systems. The offeror shall provide a narrative which discusses the proposed use of Contractor Business Systems (Estimating, Accounting, Purchasing, Material Management, and Property Management), to also include Microsoft Project, to develop Planned Value, Earned Value, and Actual Cost reporting and Estimate At Completion (EAC) Projections associated with the USMC and Navy ACRNs and individual Task Orders.

11. VOLUME VII – SMALL BUSINESS PARTICIPATION AND SUBCONTRACTING PLAN

This acquisition will require the successful offeror to comply with various regulations that promote social policy goals. These socio-economic regulations flow down to any subcontractor working under the successful offeror. The goals for this acquisition, provided below, are based on Department of Defense Subcontracting Goals and procurement history.

Small Business Concerns	20%
Small Disadvantaged Business	5%
Woman-Owned	4%
HUBZone	1%
Service-Disabled Veteran-Owned	1%

11.1 Small Business Participation

All offerors shall submit a Small Business Participation Proposal discussing the extent of participation of small businesses (SB) concerns and small disadvantaged business (SDB) concerns in performance of this contract. This

strategy is separate from, but shall be consistent with, the Small Business Subcontracting Plan and will be in accordance with the criteria found in DFARS 215.304. The offeror will address the following areas for SB concerns.

11.1.1 The extent to which such firms are specifically identified in proposals.

11.1.2 The extent of commitment to use such firms (for example, enforceable commitments are to be weighted more heavily than non-enforceable ones).

11.1.3 The complexity and variety of the work small firms are to perform.

11.1.4 The extent of the participation of such firms in terms of the value of the total acquisition.

11.2 Small Business Subcontracting Plan

All business identified as “Other than Small” are required to provide a discussion of how they plan to meet the Small Business Subcontracting goals as stated above. Adherence to FAR 52.219-9 Alternate II will fulfill this requirement; however, the plan must identify the small, small disadvantaged, women-owned, Veteran-Owned Small Business, Service-Disabled Veteran-Owned, and HUBZone small businesses on the offeror’s team. This plan will also specify the services the firms provide, to include the complexity and variety of the work these firms will perform. Finally, the offeror’s subcontracting plan will demonstrate the extent of its commitment to the use of the firms indicated above.

11.2.1 Subcontracting Plan Format Offerors are encouraged to read FAR 19.704, 19705-4, 52.219-9, DFARS 219.704, 219.705-4, and 252.219-7003. The contractor shall use the format required in 52.219-9.

12. **VOLUME VIII – PROPOSAL DOCUMENTATION**

12.1 Solicitation Submission

The purpose of this section is to provide information to the Government for preparing the contract document and supporting file.

12.1.1 Required Documents

The offeror shall complete, sign, and submit Standard Form (SF) 33 (Uniform Contract Format) Sections A, B, and K. An official having the authority to bind your company contractually must sign the SF33 and all SF30 amendments in accordance with FAR 4.102. The original copy of the SF33 and SF30s must bear an original signature. Offerors shall complete and submit DD 254 (Contract Attachment 4) at time of proposal.

12.1.2 Exceptions to Terms and Conditions

Offerors are advised that taking any exception to any of the requirements specified in this solicitation may result in their proposal being found unacceptable. Clarification of Government requirements should be handled by submitting a question/recommended change prior to the proposal due date. If the offeror still finds it necessary to take exception to any of the requirements specified in this solicitation, clearly indicate each exception along with a complete explanation of why the exception was taken and what benefit accrues to the Government. All exceptions to the solicitation requirements (Sections A through M), to include the SOW and supporting rationale shall be identified as such and consolidated into the solicitation exception section. This section is only required if the offeror takes exception to any requirement in the solicitation. This section will not be included in the proposal page limitation described above. In the event the offeror takes no exception to the stated requirements, a statement to this effect shall be included in the subject volume.

This information shall be provided in the format and content listed below in Table 12.1.

Solicitation Document	Paragraph/ Page	Requirement/ Portion	Rationale
-----------------------	-----------------	----------------------	-----------

Contract Clause, RFP paragraph, Solicitation Submission, ITO, etc.	Applicable Page and Paragraph Numbers	Identify the requirement or portion to which exception is taken	Justify why the requirement will not be met.
--	---------------------------------------	---	--

13. VOLUME IX – ORAL PRESENTATION

13.1 Identification of Presenters. The Offeror shall limit attendance at the Oral Presentation. Attendance shall be limited to no more than five key personnel for whom the offeror has submitted resumes with their initial proposal in response to this RFP. The offeror shall identify key personnel attending the oral presentations, however, the proposed Program Manager shall be the principle briefer. The Offeror shall be expected to answer government requests for clarification regarding any proposal volume.

13.2 Oral Presentation Briefing. Offerors shall provide a brief overview of their capabilities to execute contract requirements, to include proposed efficiencies that address Government identified areas of concern as well organizational structure and shiftwork strategy. Offerors shall identify any organizational and/or managerial strengths that will be leveraged to achieve successful performance. Offerors shall be permitted one hour to provide the Oral Presentations to the Government; offerors shall provide an electronic copy of the Powerpoint slide presentation for the Oral Presentation within 3 days prior to the scheduled briefing. Offerors shall provide 12 hard copies at the briefing. The Government may conduct Clarification question and answer session (limited exchange between the Government and offerors restricted to the oral presentation only) following the offeror's presentation; offerors must provide responses to the requested clarifications during this session, subsequent responses to requested clarifications related to the Oral Presentation will not be permitted. Oral presentations, along with the subsequent question and answer period, shall not be a medium for discussions, or result in changes to the offeror's proposal. Oral Presentations will be scheduled by the Government after receipt of proposal and prior to the determination of the Competitive Range (if established); The Government will provide 7 days notice of scheduled Oral Presentations. If there is any discrepancy between the oral presentation and the written proposal, the written proposal shall take precedence.

13.3 Consent to Record. Offeror's participation in the solicitation process constitutes the right of the government to record and otherwise independently memorialize the Oral Presentations. The briefing protocol requires all members of the Offeror's team entering the briefing room to leave all phones and other recording devices outside.

14. Plan Submissions

14.1 Mission-Essential Contractor Services Plan - The offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor services (all CLINs under this contract), during periods of crisis IAW 252.237-7023.

14.2 The MCMC shall provide a Quality Control Plan (QCP) no later than 01 November on an annual basis IAW SOW C.2.D.1.g.

15. Security Classification Requirements

15.1 All security classification requirements shall be fully identified, reviewed, and validated in accordance with Contract Attachment #4 (DD Form 254) prior to award of the IDIQ contract. Compliance with the DD Form 254 is mandatory to ensure all security requirements are met for the Marine Corps Prepositioning Program.

Section M - Evaluation Factors for Award

CLAUSES INCORPORATED BY REFERENCE

52.217-5	Evaluation Of Options	JUL 1990
252.225-7003	Report of Intended Performance Outside the United States and Canada--Submission with Offer	JAN 2025

M-1 BASIS FOR AWARD

This is a Best Value source selection conducted in accordance with FAR 15.3, as supplemented by the DFARS and NMCARS. The Government will use the tradeoff process to select the best overall offer, based upon an integrated assessment of the six evaluation criteria discussed in Section M-2. It is anticipated that one single award IDIQ contract shall be issued to the offeror who is deemed responsible in accordance with the FAR, as supplemented, whose proposal conforms to the solicitation's requirements (to include all stated terms, conditions, representations, certifications), and all other information required by Section L of the solicitation) and is judged, based on the evaluation factors to represent the best value to the Government. The Government seeks to award to the responsive, responsible offeror who gives the Marine Corps the greatest confidence it will best meet, or exceed, the requirements. This may result in an award to a higher rated, higher priced offeror, where the decision is consistent with the evaluation factors and the Source Selection Authority reasonably determines the technical superiority and/or overall business approach of the higher price offeror outweighs the cost difference. The SSA will base the source selection decision on an integrated assessment of proposals against all source selection criteria in the solicitation. While the Government source selection evaluation team and the SSA will strive for maximum objectivity, the source selection process, by its nature, is subjective, and therefore, professional judgment is implicit throughout the entire process. The Government reserves the right to award without discussions. The Offeror's proposal will be incorporated into the subsequent contract upon award; should any conflicts exist between the contract and the offeror's proposal, unless otherwise determined beneficial by the government, the contract terms and conditions will take precedence.

M-2 EVALUATION PROCEDURES

The objective of this source selection is to obtain a commercial source capable of providing operations, maintenance, and logistics support for the MCPP effort. Evaluation of proposals will be made by comparing proposal elements against the requirements and standards identified within the Statement of Work. Failure to comply with the solicitation requirements may provide justification for eliminating the offeror from the competitive range. A rating of Unacceptable in any factor is considered a deficiency which may only be corrected through discussions and may be the basis for exclusion from the competitive range if established. The evaluation will be performed by comparing each proposal to the evaluation criteria as described for Management Methodology, USMC and Navy Technical Methodologies, Past Performance, Cost/Price, and Small Business Participation and Subcontracting Plan areas and assigning a rating based on identified strengths, weaknesses, and deficiencies in consideration of the relative importance of the factors as stated.

“Strength” An aspect of an offeror's proposal that has merit or exceeds specified performance or capability requirement in a way that will be advantageous to the Government during contract performance.

“Weakness” A flaw in the proposal that increases the risk of unsuccessful contract performance. A “significant weakness” in the proposal is a flaw that appreciably increases the risk of unsuccessful contract performance. (See FAR 15.001).

“Deficiency” A material failure of a proposal to meet a Government requirement or a combination of significant weaknesses in a proposal that increases the risk of unsuccessful contract performance to an unacceptable level. (See FAR 15.001).

The Government may reject any proposal that is evaluated to be unrealistic in terms of program requirements, including contract terms and conditions, or unrealistically high or low cost when compared to Government estimates,

such that the proposal is deemed to reflect an inherent lack of competence or failure to comprehend the complexity and risks of the program.

M-3 EVALUATION CRITERIA AND FACTORS

1. EVALUATION AREAS

This section outlines the Evaluation Criteria the Government will consider in evaluating the offeror's capabilities and the proposals submitted in response to the solicitation. The proposal will be evaluated for merit and ability to satisfy the objectives of the acquisition on the criteria, factors listed herein and will be competitively rated on these criteria. cursory responses or responses which merely reiterate or reformulate the statement of work cannot be considered responsive to the requirements of the solicitation. Evidence of experience, capability, and qualifications which clearly demonstrate and support the offeror's claim are essential. The absence of such evidence will adversely influence the evaluation of the proposal. Award will be made to the offeror proposing the combination most advantageous to the Government based upon an integrated assessment of the evaluation factors described below.

FACTOR A: MANAGEMENT METHODOLOGY
FACTOR B: USMC TECHNICAL METHODOLOGY
FACTOR C: NAVY TECHNICAL METHODOLOGY
FACTOR D: PAST PERFORMANCE
FACTOR E: COST/PRICE
FACTOR F: SMALL BUSINESS PARTICIPATION AND SUBCONTRACTING

2. RELATIVE IMPORTANCE OF EVALUATION FACTORS

The following factors are listed in descending order of importance: Management, USMC Technical, Navy Technical, Past Performance, and Small Business Participation and Subcontracting. The non-cost/non-price factors when combined are significantly more important than cost/price.

M-4 EVALUATION FACTORS

The Offeror's Executive Summary Volume I will be evaluated in context of each Factor below.

1. FACTOR A: MANAGEMENT (VOLUME II); FACTOR B: USMC TECHNICAL (VOLUME III); AND FACTOR C: NAVY TECHNICAL (VOLUME IV)

The Government will rate the Management, USMC Technical, and Navy Technical proposals using the below adjectival ratings. Oral Presentations and Government identified Focus Areas IAW L-5.3 will be considered in the assessment of the offeror's understanding of the MCPP requirements as described in the RFP and associated applicable publications.

FACTOR RATING	DESCRIPTION
OUTSTANDING	Proposal indicates an exceptional approach and understanding of the requirements and contains multiple strengths, and risk of unsuccessful performance is low.
GOOD	Proposal indicates a thorough approach and understanding of the requirements and contains at least one strength, and risk of unsuccessful performance is low to moderate.
ACCEPTABLE	Proposal meets requirements and indicates an adequate approach and understanding of the requirements, and risk of unsuccessful performance is no worse than moderate.

MARGINAL	Proposal has not demonstrated an adequate approach and understanding of the requirements, and/or risk of unsuccessful performance is high.
UNACCEPTABLE	Proposal does not meet the requirements of the solicitation, and thus, contains one or more deficiencies, and/or risk of unsuccessful performance is unacceptable. Proposal is not awardable.

2. FACTOR D: PAST PERFORMANCE (VOLUME V)

Past Performance information will be used to evaluate offeror's prior performance conducting similar or directly related work. For evaluation of Past Performance the Government may use information from any sources available to it including, but not limited to, the Past Performance Information Retrieval System (PPIRS), Federal Awardee Performance and Integrity Information System (FAPIS), Electronic Subcontract Reporting System (eSRS), or other databases. The Government may review other relevant past performance information from other sources or conduct interviews tailored to the circumstances of the acquisition. Oral Presentations will be considered in the assessment of the offeror's past performance relevant to the MCPP requirements (to include proposed efficiencies that address Government identified areas of concern) as described in the RFP and associated applicable publications. In determining the rating for the past performance evaluation factor, the Government will give greater consideration to the efforts which the Government feels are most relevant to the Government's requirements in this RFP. There are two aspects to the past performance evaluation. The first is to evaluate the Offeror's (and subcontractors proposed to perform important portion(s) of the requirement) past performance information to determine how relevant a recent effort performed is to the effort to be acquired through the source selection. The second aspect of past performance evaluation is to determine how well the Offeror performed on the previous contracts. The information to be considered may include the Offeror's record of: (1) management (program management, management responsiveness, management of personnel, process management, and subcontract management); (2) cost performance and management on any previously performed cost reimbursable contracts; (3) administrative aspects of performance; (4) history of technical proficiency; and (5) commitment to customer satisfaction and business-like concern for interests of the customer (6) compliance with the requirements of FAR 52.219-8 Utilization of Small Business Concerns (all offerors) and 52.219-9 Small Business Subcontracting Plan (Offeror's identified as "Other than Small").

In addition to the prime contractor, the Government may consider work performed by subs, teaming partners, and joint ventures proposed. The Government may also consider available past performance information of proposed Key Personnel. The Government may also evaluate the Offeror's Past Performance in meeting Subcontracting goals. While the past performance information for subs will be considered, the Government intends to give more weight to the Offeror's past performance information over its subcontractor(s)' past performance information. Relevancy includes similarity of the past performance occurring within the last three years. Relevancy is defined in terms of:

1. Complexity: For past performance to be considered relevant, the level of dynamic complexity of the logistics services needs to be commensurate with the complexity of the services described in this RFP.
2. Magnitude/Dollar Value: Relevancy will be based on the contract award amount (order of magnitude) associated with the past performance when compared to the "order of magnitude" of effort described in the SOW.
3. Scope: Logistics services as described in the RFP.
4. Period of Performance: Any contract with a Period of Performance of less than 36 months will be deemed less than "very relevant."

With respect to relevancy, more relevant past performance is considered a stronger predictor of future success and will have more influence on the Government's past performance confidence assessment than past performance of lesser relevance. Past performance relevancy ratings are:

PAST PERFORMANCE RELEVANCY RATINGS	
RATING	DESCRIPTION

VERY RELEVANT	Present/past performance effort involved essentially the same scope and magnitude of effort and complexities this solicitation requires.
RELEVANT	Present/past performance effort involved similar scope and magnitude of effort and complexities this solicitation requires.
SOMEWHAT RELEVANT	Present/past performance effort involved some of the scope and magnitude of effort and complexities this solicitation requires.
NOT RELEVANT	Present/past performance effort involved little or none of the scope and magnitude of effort and complexities this solicitation requires.

The Government may, at its discretion, obtain and evaluate past performance information from sources other than those provided by the Offeror (e.g. Contractor Performance Assessment Reviews (CPARs), Past Performance Information Retrieval System (PPIRS), and Past Performance Questionnaires, etc.) to determine an Offeror's ability to successfully perform the requirements of the contract. Offeror(s) that do not have a record of relevant past performance will receive a neutral rating.

The Government will rate the Past Performance Factor using the below adjectival ratings:

PAST PERFORMANCE CONFIDENCE ASSESSMENTS RATINGS	
RATING	DESCRIPTION
SUBSTANTIAL CONFIDENCE	Based on the offeror's recent/relevant performance record, the Government has a high expectation that the offeror will successfully perform the required effort.
SATISFACTORY CONFIDENCE	Based on the offeror's recent/relevant performance record, the Government has a reasonable expectation that the offeror will successfully perform the required effort.
NEUTRAL CONFIDENCE	No recent/relevant performance record is available or the offeror's performance record is so sparse that no meaningful confidence assessment rating can be reasonably assigned. The offeror may not be evaluated favorably or unfavorably on the factor of past performance.
LIMITED CONFIDENCE	Based on the offeror's recent/relevant performance record, the Government has a low expectation that the offeror will successfully perform the required effort.
NO CONFIDENCE	Based on the offeror's recent/relevant performance record, the Government has no expectation that the offeror will be able to successfully perform the required effort.

3. FACTOR E: COST/PRICE (VOLUME VI)

For evaluation purposes, the offeror's cost/price will be the proposed cost/price for all CLINs. The government evaluation will include CLINs associated with the Optional Order period exclusive of the CLINs referenced above. Evaluation of Options shall not obligate the Government to exercise the Options. A price analysis (FFP CLINS) and cost realism analysis (COST TYPE CLINS) in accordance with FAR 15.404 will be performed on all offers received. The Government will evaluate line items and subline items to determine if the prices are unbalanced (FAR 15.404-1(g)). Cost will be assessed for reasonableness, realism, and completeness. The Government will evaluate the estimated cost (COST TYPE) and proposed fee of each offer for realism and reasonableness in accordance with FAR Subpart 15.4 and as described below. Any significant inconsistency, if unexplained, raises a fundamental issue of the offeror's understanding of the nature and scope of the work required and of his ability to perform the contract within the financial restraints therein and may be cause for rejection of the proposal. The burden of proof as to cost credibility rests with the offeror. This assessment may take the form of a narrative assessment and/or a Government analysis of costs associated with the proposal.

In evaluating the cost/price portions of the proposals, the Government will evaluate the offeror's proposed price/cost for completeness, reasonableness, and realism as identified below.

- **Completeness (COST TYPE/FFP)** – A thorough review of all elements of the proposal will be accomplished to assure total responsiveness to the solicitation requirements.
- **Reasonableness (COST TYPE/FFP)** – The offeror's proposal will be evaluated for reasonableness. Evaluation will include review of cost elements (COST TYPE CLINs) such as proposed labor rates, fringes, overhead rates, other direct costs, and fee. The offeror's proposed rates, accounting and estimating systems shall be verified with the cognizant Defense Contract Administration Service and Defense Contract Audit Agency. Formal audit will be requested if deemed appropriate.
- **Realism (COST TYPE)** – In accordance with FAR 15.404-1(d), the Government will perform a cost realism analysis by independently reviewing and estimating the specific elements of each offeror's proposed cost estimate to determine whether the estimated proposed costs elements are realistic for the work to be performed, reflect a clear understanding of the requirements, and are consistent with the unique methods of performance described in the offeror's technical proposals. A cost realism analysis will be used to determine the probable cost of performance for each offeror. The probable cost (COST TYPE) will be determined by adjusting each offeror's proposed cost, and fee when appropriate, to reflect any additions or reductions in cost elements to realistic levels based on the results of the cost realism analysis.

In the analysis of Completeness, Reasonableness (COST TYPE & FFP) and Realism (COST TYPE), the Government will conduct an in-depth analysis of the Cost and Price elements of the Offeror's proposal to include but not limited to the Offeror's: Employee Compensation Plan, Labor Hours, Indirect Rates, and Business Systems.

3.1 Employee Compensation Plan. The Government will consider whether the employee compensation proposed is realistic and reasonable for all work being performed under COST TYPE CLINs. The offeror's compensation plan, setting forth salaries and fringe benefits proposed for the professional employees who will work under the contract, will be assessed in accordance with FAR 52.222-46. In addition, variances from the stated minimum wages and benefits; assumptions which do not align with established law (Service Contract Labor Standards; Area Wage Determination (AWD)/Collective Bargaining Agreement (CBA) requirements) may be considered unreasonable by the Government. The Government may compare the compensation proposed to compensation plans for similar services provided at other comparable facilities.

3.2 Contractor Business Systems. Contractor Business Systems (Estimating, Accounting, Purchasing) will be assessed as it pertains to the ability of the Offeror to accurately estimate, purchase and account for MCPP costs under COST TYPE CLINs. The Government will also consider, in the assessment of Cost Reasonableness, Realism and Completeness, whether the Offeror's Business Systems have been approved or otherwise determined to be acceptable by the Government in accordance with DFARS 252.242-7005. In addition, the Government will assess the proposed use of Business Systems, to include Microsoft Project, to develop Budgetary (Planned Value), Earned Value, and Actual Cost reporting associated with the respective CLINs/SLINs and individual Task Orders.

4. FACTOR F: SMALL BUSINESS PARTICIPATION AND SUBCONTRACTING (VOLUME VII)

The Government will evaluate the Offeror's Small Business Participation (all offerors) and Small Business Subcontracting Plans ("Other than Small" businesses only) to assess the extent of participation of small businesses in the performance of the contract and Small Business Subcontracting Plan compliance with FAR 19.704. The Government will evaluate the extent to which offerors identify and commit to small business performance of the contract, whether as a joint venture, teaming arrangement or subcontractor. The evaluation of this factor will result in a rating of either Unacceptable, Marginal, Acceptable, Good or Outstanding.

An overall rating for Small Business Participation and Subcontracting will be assigned as follows:

RATING	DESCRIPTION
--------	-------------

OUTSTANDING	Proposal indicates an exceptional approach and understanding of the small business objectives.
GOOD	Proposal indicates a thorough approach and understanding of the small business objectives.
ACCEPTABLE	Proposal indicates an adequate approach and understanding of the small business objectives.
MARGINAL	Proposal has not demonstrated an adequate approach and understanding of the small business objectives.
UNACCEPTABLE	Proposal does not meet small business objectives.