

REVISIONS						
REV	SH	ZONE	ITEM	DESCRIPTION	DATE	APPVL SIG & ORG
0	-	-	-	PRELIMINARY RELEASE FOR DR		

NO.	DESCRIPTION	DWG NO.	REV.
REFERENCE PLANS			
SPECIAL NOTATIONS			
PRELIMINARY DRAWING ISSUED TO SUPPORT DRAFT RFP. DRAWING IS UNDER DEVELOPMENT, AND NOT APPROVED.			
RESERVATIONS:			
STINFO DESIGNATION			
DISTRIBUTION STATEMENT D: DISTRIBUTION AUTHORIZED TO DHS/CG/DOD AND THEIR CONTRACTORS FOR ADMINISTRATIVE AND OPERATIONAL PURPOSES; MM/DD/YYYY. OTHER REQUESTS SHALL BE REFERRED TO CG-SEA-A8.			
DESTRUCTION NOTICE: FOR UNCLASSIFIED, LIMITED DOCUMENTS, DESTROY BY ANY METHOD THAT WILL PREVENT DISCLOSURE OF CONTENTS OR RECONSTRUCTION OF THE DOCUMENT.			

69-HSC-L	ALL
ASSET CLASS	HULLS
APPLICABILITY	
DRAWN BY:	CHECKED BY:
-	-
DATE:	BHGI PROJ #:
-	-
UNITED STATES COAST GUARD WASHINGTON, D.C. 20593	
OFFICE OF NAVAL ENGINEERING	
69 FT HSC-L	
HOMELAND SECURITY CUTTER LIGHT	
MASTER EQUIPMENT LIST	
APP'D BY:	SIZE PROJECT NO. DWG. NO. REV
	N/A N/A 69-HSCL-083-001 0
DATE:	SCALE: NTS SHEET 1 OF 5

Date	Description	Author

GROUP	ITEM	PRODUCT NAME	QUANTITY	DESCRIPTION	VENDOR / MANUFACTURER	MODEL / PART NUMBER	DIMENSIONS (IN)			WEIGHT PER UNIT (LB)		POWER		LOCATION	
							L	W	H	DRY	WET	REQUIRED (kW VOLTAGE	AMPERAGE		
223	1	MPDE BATTERY CHARGER (24VDC)	2	120V INPUT, 24 VDC OUTPUT 45 AMP OUTPUT	NEWMAR	PT-24-45	5.6	9.6	14.8	15.2	-	1.44	120	12	ENGINE ROOM
223	2	MPDE BATTERY BANK	4	12V BATTERY 1500 CCA, 210 Ah EACH (TWO BANKS, 2 BATTERIES IN SERIES IN EACH)	CAT	153-5720	20.5	10.8	8.7	130	-	-	-	-	ENGINE ROOM
233	1	MAIN PROPULSION DIESEL ENGINE	2	670BHP B RATING	CAT	C18	73	44.6	51.2	4299	4636	-	-	-	ENGINE ROOM
233	2	HOTSTART (MPDE)	2		HOTSTART										ENGINE ROOM
241	1	REDUCTION GEAR	2	2.958 RATIO			21.1	25.2	28.27	758	803	-	-	-	ENGINE ROOM
243	1	SHAFT	2							1120	-	-	-	-	ENGINE ROOM
244	1	SHAFT BEARINGS	2							76	-	-	-	-	
245	1	PROPELLER	2	4 BLADE, 0.71 EAR, 45 IN						307	-	-	-	-	STERN
252	1	MAIN ENGINE CONTROL	2		CAT										ENGINE ROOM
252	2	REDUCTION GEAR CONTROL	2												ENGINE ROOM
256	1	KEEL COOLER (MPDE JACKETCOOLER)	2	CAT 18 JACKETCOOLER	FERNSTRUM	D1469U-Z	74.75	12.69	2.75	200	-	-	-	-	ENGINE ROOM HULL BOTTOM
256	1	KEEL COOLER (MPDE AFTERCOOLER)	2	CAT 18 AFTERCOOLER + GEAR	FERNSTRUM	D1851U-Z	56.75	16.44	2.75	209	-	-	-	-	ENGINE ROOM HULL BOTTOM
256	1	KEEL COOLER (SSDG COMBINED)	2	CAT 4.4 COMBINED	FERNSTRUM	CN1063U-Z	67.75	11.75	1.94		-	-	-	-	ENGINE ROOM HULL BOTTOM
259	1	SILENCER (MPDE)	2	12 TO 20 dBA NOISE REDUCTION	MIRATECH MAXIM	MSA10	48	16	16	108		-	-	-	EXHAUST TRUNK (P) (1) EXHAUST TRUNK (STBD) (1)
259	1	SILENCER (SSDG)	2	25 TO 32 dBA NOISE REDUCTION	MIRATECH MAXIM	MSA22	38	12	12	54		-	-	-	EXHAUST TRUNK (P) (1) EXHAUST TRUNK (STBD) (1)
261	1	FUEL FILTER, MPDE	2									-	-	-	ENGINE ROOM
261	2	FUEL FILTER, SSDG	2									-	-	-	ENGINE ROOM
311	1	SHIP SERVICE DIESEL GENERATOR	2	65 ekW @ 1800 RPM	CAT	C4.4	66.4	38.3	49	2885	3033	-	-	-	ENGINE ROOM
311	2	HOTSTART (SSDG)	2		HOTSTART										ENGINE ROOM
313	1	UNINTERRUPTIBLE POWER SUPPLY (UPS)	2	240VAC/24VDC											
313	2	SSDG BATTERY CHARGER (24VDC)	2	120V INPUT, 24 VDC OUTPUT 45 AMP OUTPUT	NEWMAR	PT-24-45U	5.6	9.6	14.8	15.2	-	1.44	120	12	ENGINE ROOM
313	3	SSDG STARTING BATTERY	4	12V BATTERY 650 CCA, 52 Ah (TWO BANKS, 2 BATTERIES IN SERIES IN EACH)	CAT	153-5656	10	6.9	8	39	-	-	-	-	ENGINE ROOM
314	1	TRANSFORMER, 240/120VAC	3	SINGLE PHASE, 60 HZ											
320	1	240VAC DISTRIBUTION LOAD CENTER	1												
320	2	240VAC DISTRIBUTION PANEL	2												
320	3	120VAC DISTRIBUTION PANEL (MAIN)	1												
320	4	120VAC DISTRIBUTION PANEL	4												
320	5	POWER TRANSFER PANEL	1												
320	6	24VDC DISTRIBUTION PANEL	1												
332	1	LED OVERHEAD LIGHT (925 LUMEN)	12	925 LUMEN / 5000K OVERHEAD LIGHT	HELLA MARINE	DURALED 50	8.74	3.78	0.98	0.84	-	0.012	24	0.5	VARIOUS
332	2	LED OVERHEAD LIGHT (370 LUMEN)	10	370 LUMEN / 5000K OVERHEAD LIGHT	HELLA MARINE	DURALED 36	6.97	3.94	1.18	0.76	-	0.007	24	0.3	VARIOUS
332	3	LED OVERHEAD LIGHT (280 LUMEN)	3	280 LUMEN / 6500K OVERHEAD LIGHT	HELLA MARINE	DURALED 20	6.97	3.94	1.18	0.76	-	0.004	24	0.17	VARIOUS
332	4	MIRROR LIGHT	2	520 LUMEN LIGHT/USB OUTLET FIXTURE	PHOENIX	LEDBM EFO-X003	14.5	4.5	3.6	3	-	0.014	120	0.12	T/S (1) DECK HEAD (1) FWD BERTH (4)
332	5	BUNK LIGHT	6	220 LUMEN LIGHT/USB OUTLET FIXTURE	ENERGY FOCUS	NSN: 6210-01-617-1310	16.625	4.0625	1.5	2.75	-	0.0028	120	0.02	STATEROOM (2)
332	6	SHOWER LIGHT	1	189 LUMEN FLUSH MOUNT LED FIXTURE	IMTRA	T-SERIES T-105	4.13	4.13	1.36	1	-	0.0047	24	0.20	T/S
332	7	DECK LIGHT	5	1200 LUMEN LED FIXTURE / 6500K	HELLA MARINE	FMS1200	9.57	1.49	2.59	1.32	-	0.014	24	0.58	DECKHOUSE (EXT)
332	8	FLOODLIGHT	2	7500 LUMEN LED FIXTURE	HELLA MARINE	RokLUME 380	7.05	4.02	5.8	5.62	-	0.084	24	3.50	DECKHOUSE (EXT)
332	9	BATTLE LANTERN	7		MCDERMOTT LIGHT	BHL-RCHG-BRKT-LED	4.5	6.625	8.25	8.16	-	-	-	-	VARIOUS
422	1	NAVIGATION LIGHTS SWITCH PANEL	1												
422	2	NAVIGATION LIGHTS	1												
422	3	MAGNETIC COMPASS	1	FLUSH MOUNT - 4 1/2 INCH FLAT CARD	RITCHIE	NAVIGATOR FN-201-WM	6.06	6.06	5.63	2.625	-		12/24		PILOTHOUSE
422	4	SEARCHLIGHT	1	LED, 1000W, 5000K, 2624'	IMTRA	DHR 230	10.90	10.90	24.30	25	-	0.075	120	0.63	DECKHOUSE (EXT)
422	5	SEARCHLIGHT CONTROL PANEL	1		IMTRA	DHPAN2019NF	5.51	4.13	1.97	2	-	0.02	24	0.83	PILOTHOUSE
422	6	NAVIGATION LIGHTS (PORT, STBD, STERN)	3	2NM	HELLA MARINE	NaviLED PRO	2.25	3.43	3.54	0.55	-	0.00216	24	0.09	DECKHOUSE (EXT)
422	7	NAVIGATION LIGHTS (MAST)	1	5NM	HELLA MARINE	NaviLED PRO MASTHEAD	2.25	3.43	3.54	0.55	-	0.00408	24	0.17	MAST
422	8	NAVIGATION LIGHTS SWITCH PANEL	1												PILOTHOUSE
424	1	TRANSDUCER (DEPTH/TEMP)	1	50/200 KHZ, 600W, 20DEG	RAYMARINE	SS60 AXIOM PRO 2 RVM SKU: E70656	3.50	3.50	3.94	3	-	-	-	-	THROUGH-HULL
426	1	CHARTPLOTTER	3	12" DISPLAY	RAYMARINE		9.18	14.1	8.77	15.5	-	0.02988	12/24		PILOTHOUSE

GROUP	ITEM	PRODUCT NAME	QUANTITY	DESCRIPTION	VENDOR / MANUFACTURER	MODEL / PART NUMBER	DIMENSIONS (IN)			WEIGHT PER UNIT (LB)		POWER		LOCATION		
							L	W	H	DRY	WET	REQUIRED (kW VOLTAGE	AMPERAGE			
	426	2	REMOTE INFORMATION DISPLAY	2	4" DISPLAY	RAYMARINE	I70S SKU: E70327-S2	4.33	4.33	1.72	0.5	-	0.0017	12	0.14	PILOTHOUSE
	426	3	SINGLE FREQUENCY GNSS RECEIVER	1	GPS ANTENNA	RAYMARINE	RS150 SKU: E70310	4.27	4.27	1.05	1.8	-	0.0004	12	0.03	DECKHOUSE (EXT)
	426	4	HEADING SENSOR / SENSOR CORE	1	AUTOPILOT SENSOR	RAYMARINE	EV-1 SKU: E70096	5.5	5.5	3.8	0.64	-	0.0004	12	0.03	DECKHOUSE (EXT)
	426	5	RADOME ANTENNA	1	24" HD COLOUR	RAYMARINE	RD4242HD-4KW SKU: E92143	25.7	25.7	9.7	22	-	0.06	12/24		DECKHOUSE (EXT)
	426	6	NMEA 2000 DUAL GATEWAY	3		ACTISENSE	NGX-1	3.58	2.72	0.94	0.25	-	0.00056	12/24		PILOTHOUSE
	426	7	NETWORK SWITCH	2	5 PORT GIGABIT NETWORK SWITH	RAYMARINE	RNS-5 SKU: A80731	11.26	2.86	2.18	0.79	-	0.003	12/24		PILOTHOUSE
	436	1	CENTRAL ALARM PANEL	1												
	436	2	BILGE ALARM	1												
	439	1	CCTV SYSTEM	1												VARIOUS
	441	1	LOUDHAILER	1												
	441	2	VHF RADIO SYSTEM	1	156.025 - 163.275 MHZ	STANDARD HORIZON	GX6000	6.8	6.9	4.3	3.7	-	0.069	12	5.75	PILOTHOUSE
	441	3	HANDHELD RADIO SYSTEM	2		MOTOROLA	APX-5000 CP370						0.1	12		PILOTHOUSE
	461	1	SONAR MODULE	1	UP TO 1 KW RMS 50 KHZ/200 KHZ FREQUENCY	RAYMARINE	SKU: E70297	3.3	11.79	8.1	3.16	-	0.0306	12/24		PILOTHOUSE
	494	1	WEATHER STATION	1	10 HZ GPS POSITION	RAYMARINE	AIRMAR 200WX SKU: A80755	2.83	2.83	5.16	0.7	-	0.0009	12/24		DECKHOUSE (EXT)
	512	5	VENTILATION FAN, SUPPLY (REPLENISHMENT)	1	4" CENTRIFUGAL FAN 240 CFM	CENTEK	500-304242	9.65	4.43	9.65	7	-	0.13	24	5.5	PILOTHOUSE
	512	6	VENTILATION FAN, EXHUAST (HEAD)	1	4" CENTRIFUGAL FAN 165 CFM	CENTEK	500-304242	9.65	4.43	9.65	7	-	0.13	24	5.5	HEAD
	512	7	VENTILATION FAN, SUPPLY (ENGINE ROOM)	2	18" AXIAL FAN 5500 CFM EACH	CFM	AID180-A150A05	24.00	22.00	22.00	155	-	2.24	230	5.62	ENGINE ROOM (2)
	512	8	VENTILATION FAN, EXHAUST (AUX MACH SPACE)	1	14" AXIAL FAN 470 CFM, TWO-SPEED	CFM	AID140-A150A10	20.00	17.50	17.50	88	-	0.19	230	0.47	AUXILIARY MACHINERY ROOM
	512	9E	DUCT HEATER (REPLENISHMENT)	2	2.5 KW EACH	INDEECO	QUA / QUZ	CUSTOM FIT WITHIN DUCTWORK				-	2.5	120	20.83	PILOTHOUSE
	512	10E	DUCT HEATER (AUX MACHINERY ROOM)	2	2.5 KW EACH	INDEECO	QUA / QUZ	CUSTOM FIT WITHIN DUCTWORK				-	2.5	120	20.83	AUXILIARY MACHINERY ROOM
	512	11E	CONVECTION HEATER	2	0.5 KW EACH	INDEECO	CONVECTOR, SIZE 1	26.00	4.50	6.00	13	-	0.5	120	4.17	T/S (1)DECK HEAD (1)
	512	12E	CONVECTION HEATER	1	0.5 KW	INDEECO	CONVECTOR, SIZE 1	26.00	4.50	6.00	13	-	0.5	120	4.17	FOREPEAK
	512	13E	UNIT HEATER	2	2.5 KW EACH	INDEECO	IUH	13.00	15.00	17.00	45	-	2.5	120	20.83	ENGINE ROOM (2)
	512	14E	UNIT HEATER	2	1.5 KW EACH	INDEECO	IUH	13.00	15.00	17.00	45	-	1.5	120	12.5	AUXILIARY MACHINERY ROOM (2)
	512	15E	UNIT HEATER	1	1 KW	INDEECO	IUH	13.00	15.00	17.00	45	-	1	120	8.33	LAZARETTE
	512	17	FIRE DAMPER	2								-	-	-	-	ENGINE ROOM (2)
	512	18	FIRE DAMPER	2								-	-	-	-	ENGINE ROOM (2)
	512E	19	REHEATER (PILOTHOUSE)	2	2 KW EACH	INDEECO	CUSTOM	CUSTOM FIT WITHIN DUCTWORK				-	2.75	120	22.92	PILOTHOUSE
	512E	20	REHEATER (FWD BERTHING)	1	0.75 KW	INDEECO	CUSTOM	CUSTOM FIT WITHIN DUCTWORK				-	0.75	120	6.25	FWD BERTHING
	512E	21	REHEATER (MESS, BERTHING)	1	2.5 KW	INDEECO	CUSTOM	CUSTOM FIT WITHIN DUCTWORK				-	2	120	16.67	MESS
	514	1	CHILLER	2	48,000 btu/h	DOMETIC	MCGX90	30.84	17.37	31.07			5.13	230	22.3	AUXILIARY MACHINERY SPACE
					CHILLED WATER RECIRCULATION PUMP, HORIZONTAL END SUCTION, 21 GPM AT 50 FT TDH, 1-1/2"x1-1/4"-5, 3.875" BRONZE IMPELLER, CAST IRON PUMP HOUSING, BRONZE FITTED, CARBON/SIL-CARBIDE MECHANICAL SEAL, EPR ELASTOMERS, 316 SST HARDWARE 3/4-HP		3642 / 3742 1 X 1-1/4 - 5									
	514	2	CHILLED WATER PUMP	1	120VAC, 1PH, 3500 RPM, TEFC MOTOR	GOULDS	1BF20734O	17.375	6.75	8.25	67		0.75	120	6.21	AUXILIARY MACHINERY SPACE
	514	4	CHILLED WATER EXPANSION TANK	1									-	-	-	AUXILIARY MACHINERY SPACE
	514	5	FAN COIL UNIT (PILOTHOUSE)	2	MAX 24,000 BTU/H EACH at nominal condition. 1.5 KW INTERNAL HEATER	DOMETIC	AP12	16.34	13.00	14.57	34.17		0.35	230	1.55	PILOTHOUSE
	514	6	FAN COIL UNIT (FWD BERTHING)	1	MAX 12,480 BTU/H at nominal condition. 1 KW INTERNAL HEATER	DOMETIC	AP8, fan at 1/2 speed.	22.24	12.99	16.93	28.66		0.2	230	0.86	FWD BERTHING
	514	7	FAN COIL UNIT (MESS, SR)	1	MAX 24,000 BTU/H at nominal condition. 1.5 KW INTERNAL HEATER	DOMETIC	AP12	16.34	13.00	14.57	34.17		0.35	230	1.55	MESS
	514	8	FAN COIL UNIT (WORKSHOP)	1	MAX 12,480 BTU/H at nominal condition. 1 KW INTERNAL HEATER	DOMETIC	AP8, fan at 1/2 speed.	16.34	13.00	14.57	28.66		0.2	230	0.86	WORKSHOP
	520	1	BALLAST / WASHDOWN / FIRE PUMP	1	60 GPM, 60 psi	GOULDS	50SPH20	23.08	8.63	13.25	155		3.73	230		ENGINE ROOM

							DIMENSIONS (IN)			WEIGHT PER UNIT (LB)		POWER				
GROUP	ITEM	PRODUCT NAME	QUANTITY	DESCRIPTION	VENDOR / MANUFACTURER	MODEL / PART NUMBER	L	W	H	DRY	WET	REQUIRED (kW	VOLTAGE	AMPERAGE	LOCATION	
	520	1	BALLAST DISCHARGE PUMP	1	26 GPM 3500 RPM	GOULDS	3642 / 3742 1 X 1-1/4 - 5	17.38	6.75	8.25	67		0.56	120	4.66	ENGINE ROOM
	520	1	SW STRAINER	1								-	-	-	ENGINE ROOM	
	521	1	FM HOSE REEL AND NOZZLE	2											DECKHOUSE (EXT)	
	521	1	SW Service Pump	1	3HP at 40 GPM at 38 PSI	AMPCO	ZC2	19.19	6.5	10	145				ENGINE ROOM	
						3642 / 3742 1 X 1-1/4 - 5										
	524	1	AUX SW COOLING PUMP	1	20 GPM	GOULDS	1 X 1-1/4 - 5	17.38	6.75	8.25	67			120	4.66	
	524	1	AUX SW COOLING STRAINER	1	20 GPM											
	528	1	A/C CONDENSATE PUMP	2	33 GPM	RULE	2000	4.25	4.25	6	2.94	0.096	24	4	VARIOUS	
	529	1	BILGE PUMP	6	66 GPM	RULE	4000	4.88	4.88	7.75	5.5	0.1656	24	6.9	VARIOUS	
	529	2	P-100 PUMP	1	100 GPM							-	-	-		
	530	1	POTABLE WATER PUMP	1	4 GPM, 40 PSI	JABSCO	PAR-MAX HD4 Q402J-115S-3A	9.40	4.1	3.8	5.6	0.12	24	5	UNDER MESS	
	530	2	POTABLE WATER PRESSURE TANK	1												
	530	3	HOT WATER TANK	1												
	530	6	POTABLE WATER TANK	2	250 GALLONS EACH							-	-	-	1ST PLAT OTBD	
						3642 / 3742 1 X 1-1/4 - 5										
	532	1	FRESHWATER COOLING PUMP	1	33 GPM	GOULDS	1 X 1-1/4 - 5	17.38	6.75	8.25	67	0.56	120	4.66		
					33 GPM											
	532	2	FRESHWATER COOLING HEAT EXCHANGER	1	29 KW											
	541	1	FUEL LIFT PUMP	1	250 GPH	FASS	IND250G									
	541	1	FUEL FILTERS	1	480 GPH	RACOR	7804MA	8.73	6.57	19.8	25					
	541	1	FUEL QUICK CLOSING CUTOUT VALVES	3												
					10 MIN DISCHARGE ONE 20L N2 CYLINDER ONE 50L WATER CYLINDER	MARIOFF	MAU-50	24.37	9.53	62.36	150	260	0.24	24	10	AUXILIARY MACHINERY ROOM
	555	1	WATERMIST ACCUMULATOR UNIT	1												
	555	2	FIRE DETECTION SYSTEM	1												
	556	4	DECK MACHINERY HPU	1	25 HP, 100 GAL	APPLETON	CUSTOM					18.64	240	44.85	AUX MACHINERY SPACE	
	556	5	DECK MACHINERY CONTROL SYSTEM	1											AUX MACHINERY SPACE	
	561	1	STEERING HPU	1	3 HP, 10 GAL	JASTRAM	JQ-251208A	22	18	31.375	858.92	1145.52	2.24	230	5.62	
	561	2	STEERING SYSTEM MOTOR STARTER & ALARM PANEL	1		JASTRAM										
	562	1	RUDDERS	2	CUSTOM FIT										STERN	
					3000 LB PULL CAPACITY											
	573	2	CROSS-DECK WINCH	2	ELECTRIC ACTUATION	WARN	DC3000/85252	21.36	9.96	8.7	83	-	2.88	24	120	AFT WORKING DECK
	573	3	CROSS-DECK WINCH CONTROL PACK	2		WARN	39603	10.50	6.00	6.50	4.6	-	0.084	24	3.5	AFT WORKING DECK
	573	6	CHAIN STOPPER	2								-	-	-	AFT WORKING DECK	
	581	1	WINDLASS/CAPSTAN	1	50 FPM										FOREPEAK	
	581	2	ANCHOR	1		FORTRESS	FX-55				32	-			FWD DECK	
	583	1	LIFE RING	3	24-INCH DIA	DATREX	DX024RD	24	24	4	3				DECKHOUSE (EXT) P/S, AFT WORKING DECK	
	583	2	LIFE RING BRACKET	3	24"	DATREX	DX1524M	24	24	4	13				DECKHOUSE (EXT) P/S, AFT WORKING DECK	
	583	3	LIFE RAFT	2	USCG APPROVED INFLATABLE 10-PERSON	REVERE	45-REV-CPT-10LP	37	25	14	198				DECKHOUSE (EXT) P/S	
	586	1	BOW THRUSTER	1	16" DIA										UNDER FWD BERTHING	
	586	2	BOW THRUSTER VARIABLE FREQUENCY DRIVE	1												
					4500 LB AT 16 FT											
	589	1	KNUCKLEBOOM CRANE	1	HYDRAULIC ACTUATION	APPLETON	KB20-21	SEE NOTES			8400	-	-	-	-	AFT WORKING DECK
	593	1	VACUUM GENERATOR	1	6 FT VERTICAL LIFT	DOMETIC	VG4	19.5	9.13	14	14.5	-	0.072	24	4	UNDER MESS
	593	2	SEWAGE DISCHARGE PUMP	1	10 GPM, 20 FT HEAD	JABSCO	18690-000	14.81	5.69	7.25	19	17	0.6	120	7.2	UNDER MESS
	593	3	SEWAGE TANK	2	250 GALLONS EACH	CUSTOM FIT						-	-	-	UNDER MESS	
	593	4	TOILET	2	VACUUM	DOMETIC	4700 VACUFLUSH	21.5	14.75	19	35	0.02	24	1	HEAD (1)/T/S (1)	
	625	1	PILOTHOUSE WINDOW WIPER SYSTEM	1											DECKHOUSE (EXT)	
	625	2	PILOTHOUSE WINDOW WASH SYSTEM	1											DECKHOUSE (EXT)	
	651	1	POTABLE WATER CHILLER	1	1.5 GPH	ELKAY	ERS11Y	17	7	14	33	0.014	120	0.012	MESS	
	651	2	COFFEEMAKER	1											MESS	
	651	3	REFRIGERATOR	1											MESS	