

PERFORMANCE WORK STATEMENT (PWS) GROUNDS MAINTENANCE

**Columbus AFB
Columbus Mississippi
Effective 1 October 2026**



GROUNDS MAINTENANCE PWS TABLE OF CONTENTS

1. DESCRIPTION OF SERVICES	
1.1. MAINTAIN IMPROVED GROUNDS	4
1.2. MAINTAIN SEMI-IMPROVED GROUNDS	8
1.3. MAINTAIN BIRD AREA STRIKE HAZARD	10
1.4. MAINTAIN UN-IMPROVED GROUNDS	11
1.5. MAINTAIN VEGETATIVE BEDS, INERT BEDS AND RELATED AREAS	11
1.6. MAINTAIN SURFACE DRAINAGE DITCHES	11
1.7. SPECIAL REQUIREMENTS	12
2. SERVICES SUMMARY	14
2.1. QUALITY CONTROL.	15
2.2. QUALITY ASSURANCE.	16
2.3 PERFORMANCE ASSESSMENT	16
2.4. PERIODIC PROGRESS MEETINGS.	16
3. GOVERNMENT FURNISHED PROPERTY AND SERVICES	
3.1. FACILITIES	17
3.2. UTILITIES	17
3.3. MATERIALS	17
3.4. SECURITY, FIRE, AND MEDICAL SERVICES	17
3.5. TELEPHONE	18
3.6. SOLID WASTE COLLECTION AND DISPOSAL.	18
4. GENERAL INFORMATION	18
4.1. MISSION	18
4.2. BACKGROUND	18
4.3. DAMAGE TO GOVERNMENT BUILDINGS, EQUIPMENT, OR VEGETATION	18
4.4. ENVIRONMENTAL REQUIREMENTS	18
4.5. PERMITS, LICENSES AND CERTIFICATIONS	22
4.6. HOURS OF OPERATION	22
4.7. BASE CLOSURES	22
4.8. SECURITY REQUIREMENTS	23
4.9. PERFORMANCE OF SERVICE DURING CRISIS OR HEIGHTENED SECURITY	223
4.10. SPECIAL QUALIFICATIONS	24
4.11. INTERFACES	234

4.12. CONTRACTING OFFICER AND CONTRACTING OFFICER’S REPRESENTATIVE (QUALITY ASSURANCE PERSONNEL)	23
4.13. WORK APPROVALS	24
4.14. SAFETY REQUIREMENTS AND REPORTS	24
4.15. RESERVED	24
4.16. WEAPONS, FIREARMS, AND AMMUNITION	24
4.17. Freedom of Information Act Program (FOIA). The Contractor shall comply with DoD Regulation 5400.7-R/Air Force Supplement, <i>DoD Freedom of Information Act Program</i> , requirements. The regulation sets policy and procedures for the disclosure of records to the public and for marking, handling, transmitting, and safeguarding <i>For Official Use Only (FOUO)</i> material. The contractor shall comply with AFI 33-332, <i>Air Force Privacy Act Program</i> , when collecting and maintaining information protected by the Privacy Act of 1974 authorized by Title 10, United States Code, <i>Armed Forces</i> , and Section 8013, <i>Secretary of the Air Force</i> .	25
4.18. RECORDS MANAGEMENT AND ADMINISTRATIVE SUPPORT.	24
5. ADDENDUM - CONTRACTOR LABOR HOURS REPORTING	25
6. COMBATING TRAFFICKING IN PERSONS	256
7. INVOICING/PAYMENT AND RECEIPT ACCEPTANCE	256
8. SMOKING IN AETC FACILITIES	256
9. INHERENTLY GOVERNMENT FUNCTIONS	257
 APPENDIX A – GROUNDS WORKLOAD ESTIMATES:	 27
APPENDIX B – AREA MAPS OR SITE PLANS “MAP TABLE OF CONTENTS:	30
APPENDIX C – DATA REQUIREMENTS	31
APPENDIX D – DEFINITIONS AND ABBREVIATIONS	32
APPENDIX E - RESERVED	35
APPENDIX F - RESERVED	36

- 1. DESCRIPTION OF SERVICES.** The Contractor shall provide non-personal services, to include all personnel, equipment, tools, supervision, and other items and services necessary to ensure that grounds maintenance is performed at Columbus Air Force Base (CAFB) and Shuqualak Auxiliary Airfield, MS in a manner that will promote the growth of healthy grass, trees, shrubs, and plants and present a clean, neat, and professional appearance. The Contractor's performance will be based on the Contracting Officer (CO) and Contracting Officer's Representative's (COR) evaluations and on the results required by the Service Summary (SS) and not the frequency or method of performance. It is at the Contractor's discretion to determine the frequencies to attain the levels of service at the best value. The evaluation of results will be based on COR performance assessment and customer complaints. Final results of the evaluations will be the determining factor for the success or failure of this contract. The Contractor shall comply with applicable federal, regional, state, and local laws as well as commercial standards.

The Growing Season at Columbus AFB is considered to be 1 March through 31 October. All damage caused by the Contractor or its employees to government property and personal property (to include facilities, fences, equipment, trees and shrubs, etc.) due to Contractor operations shall be repaired or replaced by the Contractor within 15 days after identification/notification at no additional cost to the Government. If a plant should die or become unhealthy due to damage, the Contractor shall be responsible for replacing the damaged plant with a plant of same size and type. Plant replacement shall occur within 15 days after identification or notification or as otherwise agreed to by the parties.

Fence lines identified shall be trimmed to prevent vegetation growth in the fence, including removal of vegetation growing up the links of the fence. All areas shall be trimmed concurrent with mowing. Application of nonselective herbicides to control

grass, weeds and vegetation around obstacles to include fence lines, fire hydrants light poles, etc...shall only be allowed with the COR approval.

1.1. MAINTAIN IMPROVED GROUNDS. Improved grounds are identified in Appendices A and B. Improved grounds are Areas that require more frequent maintenance such as cantonment areas, parade grounds, drill fields, schools, athletic areas, and living areas. These areas shall be all inclusive unless otherwise separated in bid schedule.

1.1.1. Mow. The Contractor shall mow all improved grounds to look well-manicured with a neat and professional appearance. Shall maintain grass and vegetation in lawns between two (2) and four (4) inches (including seed heads) in height, uniform in appearance, free of skips, gaps, rutting, or scalping. Shall pick up debris and litter prior to mowing any area. Shall remove or mulch grass clippings, when clumps or rows of clippings remain after mowing, before leaving work area.

1.1.1.1. Athletic Areas. These are improved areas that include baseball diamonds, running tracks, soccer fields, and tennis courts. Contractor shall maintain the growth of grass height in these areas between two (2) and four (4) inches. The Contractor's equipment shall not come in contact with the running track. The Contractor shall establish a separate fertilizer application program for Athletic Areas according to paragraph **1.1.7., Fertilization.**

1.1.1.2. Playgrounds. These are specialized types of improved areas and do not include grassed areas. They include play boxes with slides and gymnasium type equipment for children. The Contractor shall eliminate weeds and debris in all playground areas. Contractor shall remove grass, weeds, leaves and unwanted debris from areas containing fall zone bedding to maintain a neat appearance. Fall zone bedding shall be replenished with mulch by the Contractor as needed. Playgrounds are identified in Appendix B, Map 09 of 19.

1.1.1.3. Petroleum-Oil Lubricants (POL) Area. Grounds contained inside fence area at POL Operations will be considered improved grounds. This area is a specialized type of improved grounds. Within the POL yard there are numerous stands of pipe that are configured above ground to provide petroleum, oil, and lubricants to and from the airfield. This area requires increased use of hand-held equipment similar to weed-eater type equipment. Chemical trimming may be used in accordance with 1.1.3.1. This is also a controlled access area.

1.1.1.4. Enhanced Areas. These are the improved areas most likely to receive customer complaints. These areas include the points of entry to CAFB and the areas that are visited most frequently by Distinguished Visitors (DVs). Areas are identified in Appendix B, Map 11 of 19.

1.1.1.5. Temporary Living Facilities/FAM Camp (TLFs). The Contractor shall perform all necessary grounds maintenance within the boundaries of a unit to meet the performance standards for improved areas. A unit is defined as a single address (one-half of a duplex building). The unit boundary is either 50 feet (+/- 10 feet) from the concrete slab or half-way between the slab and the adjacent slabs (whichever is shorter) and extends to the centerline of the street at the front of slab

and to the perimeter fence at the back of the slab. Grounds maintenance for these units shall include, but is not limited to, mowing, edging, servicing planter beds, and tree maintenance. Tree maintenance shall also include the removal of any low-level branches from trees within the boundaries of the yard for that unit as directed by the COR. A low branch is defined as one that is within eight (8) feet of ground level or within three (3) feet of the unit roofline. The Contractor shall also remove or mulch all yard debris from the areas within the boundaries of each unit. Fenced in back yards shall be maintained unless there is a pet or person currently in the fenced-in area. This includes, but is not limited to: leaves, litter, pine needles, pine cones, sweet gum balls, grass clippings, animal waste, etc. Note that this requirement includes the curb and street areas extending to the centerline of the street as well as patios, porches, carports, landings, etc.

1.1.2. Edge. Contractor shall edge sidewalks, driveways, street edges, curbs, and other hard surfaced areas located within improved grounds during mowing or when vegetation extends onto hard surface by more than 2 inches. Grass and vegetation height shall match surrounding area vegetation height. Grass and/or other vegetation shall be cut back no more than half (1/2) inch from the surface being edged, maintaining an even contour with the edged surface, uniform in appearance and free of scalping, rutting, and uneven or rough cutting.

1.1.3. Trim. Contractor shall trim grass and vegetation around trees, shrubs, buildings, planter beds, fences, poles, fire hydrants, parking lot bumper blocks, boulders, and other fixed obstacles and temporary obstacles/objects on improved grounds. Trimming height shall match surrounding area grass height. All areas shall be trimmed concurrent with mowing or when height exceeds four (4) inches. Shall remove or mulch grass clippings, when visible after trimming, before leaving work area.

1.1.3.1. Chemical Trimming. The Contractor may substitute chemical trimming with contact herbicides for mechanical trimming except when used around sprinkler heads, trees, shrubs, hedges, and other vegetation. When chemical trimming is used, the vegetation shall not be eradicated beyond six (6) inches from the obstruction. Unless approved by the COR, Chemical trimming does not apply to Plant Growth regulators. All herbicides must be EPA registered and applied by a certified applicator in accordance with DoDI 4150.7, "DoD Pest Management Program." The Contractor shall obtain approval from the Government prior to application.

1.1.4. Weed Control. The Contractor shall limit pest/weed control to noxious or invasive species control. Weed control is defined as the process of controlling or eliminating unwanted plant material. The Contractor shall control weeds in improved areas. Any herbicides used shall be applied in strict compliance with the manufacturer's label instructions and in accordance with CAFB's Integrated Pest Management Program. The Contractor shall repair/replace any grassed areas, trees, shrubs, flowers, or bushes that have been damaged by improper spraying procedures.

1.1.4.1. Plant Growth Regulators (OPTIONAL). The Contractor may elect to use plant growth regulators to reduce the amount of work required to maintain the standards specified in this PWS. Plant growth regulators retard vegetation growth and are typically applied with weed control chemicals to kill faster growing vegetation (e.g., Bahia grass) to encourage slower growing

vegetation (e.g., Bermuda grass) to become the dominant species in areas to be mowed. If used, the Contractor must apply the chemical in strict compliance with the manufacturer's label instructions and in accordance with CAFB's Integrated Pest Management Program. The Contractor shall repair/replace any grassed areas, trees, shrubs, flowers, or bushes that have been damaged by improper spraying. The Contractor shall meet with the Base Pest Management Coordinator to ensure the DoD Measure of Merits for the Pounds of Active Ingredients has not been breached before any chemical procedures take place.

Plant Growth Regulators shall only be used after soil testing is complete and has determined that areas to be treated have adequate growth conditions to support desirable vegetation.

1.1.5. Remove Debris/Police Grounds. The contractor shall perform general litter patrol in areas of improved grounds identified in Appendix A and B. Remove and dispose of natural debris, (tree limbs, dry brush, etc.), and man-made debris. Police areas as needed to maintain a neat and professional appearance. Seasonal leaves are not part of this debris removal.

1.1.5.1. RESERVED.

1.1.6. Leaf Removal/Mulch. The contractor shall mulch in place leaves in areas of improved grounds to maintain a neat and professional appearance. Leaf removal to be included natural debris (i.e., Tree limbs and dry brush), and man-made debris. The COR will notify the Contractor when each of the leaf removals specified in Appendix A will be conducted. Leaf removal/mulching shall be completed within two (2) days upon issuance of direction for this special requirement. Leaves must be disposed in accordance with the base solid waste management plan.

1.1.7. Fertilization. The fertilization program is only required on the Athletic Fields. The Contractor shall have a pH adjustment and fertilizer application program. The Contractor shall perform a laboratory test of the soil in Athletic Fields and apply fertilizer and other soil amendments to make soil condition suitable for the vegetation being treated. The Government does not provide soil data and the Contractor shall be for the associated costs. The Contractor shall submit a fertilization plan to the COR for approval prior to any application.

1.1.8. RESERVED

1.1.9. RESERVED

1.1.10. Prune Shrubs, Hedges and Other Plants. Shall prune/trim shrubs and other plants to maintain their natural growth characteristics and enhance the beauty and health of the plant. Shall maintain hedges to their natural, mature height and shape. Shrubs, plants, hedges, and ground cover/vines shall be pruned/trimmed three (3) inches away from buildings, fences, curbing, sidewalks, and other fixed obstacles. All ground cover and plants shall be kept within the bed borders. All plants around landscape and ground lights shall be pruned/trimmed to allow light usage for its intended purpose. Shrubs and hedges located on street corners, curb easements, etc., shall be pruned/trimmed to keep from obstructing view of oncoming traffic. Areas beneath shrubs

and hedges shall be kept free (clean) of all grass, weeds, vegetation, and debris. Volunteer tree growth seedlings shall be removed at no additional cost to the Government.

1.2. MAINTAIN SEMI-IMPROVED GROUNDS. Semi-improved grounds are identified in Appendices A and B. THE CONTRACTOR SHALL:

1.2.1. Mow. Maintain vegetation height between four (4) and ten (10) inches (including seed heads) in all semi-improved grounds areas. Where possible, maintain adjacent areas at or near the same grass height. Pricing for all items listed under paragraph 1.2 shall be all inclusive unless otherwise separated in bid schedule.

1.2.1.1. Specialized Types of Semi-Improved Grounds

1.2.1.1.1. Airfield. This is a specialized type of semi-improved area. This area includes three (3) runways, numerous taxiways, Runway Control Stations (RCSs), runway lighting, overruns, radar sites, wind socks, navigational lighting, alert areas, glide slope lighting, and other above-ground obstacles associated with aircraft industry. The area begins five (5) feet from the outside of the runway lights and is parallel to the edges of runways and taxiways. This area also includes a twenty (20) foot circumference around distance markers on CAFB. There is also one (1) runway and two (2) RCSs located at Shuqualak Auxiliary Field. Airfield operations are conducted in conjunction with Base Operations, which controls all ground traffic on the airfield.

1.2.1.1.2. Equipment. Remove equipment from the airfield area at the end of each day. Further, do not place or park equipment within one-hundred-fifty (150) feet of runways and fifty (50) feet of taxiways during the workday.

1.2.1.1.3. Vegetation. Vegetation shall be maintained in accordance with Bird Aircraft Strike Hazard (BASH) standards. This includes maintaining a uniform grass height between seven (7) and fourteen (14) inches. The Contractor should note that small patches may be allowed to grow beyond fourteen (14) inches to prevent significant damage and hazards caused by mowing when ground is wet with advisement of the COR, Wing Safety, and the United States Department of Agriculture. The visual glide slope indicators shall be completely free of vegetation obstruction, including grass seed heads, at all times. Chemical trimming is permissible to maintain this standard around the glide slope indicators.

1.2.1.1.4. Foreign Object (FO), Debris, and Litter removal. The Contractor shall remove from airfield pavements any FO resulting from grounds maintenance operations. The Contractor shall remove and dispose of mowing debris (e.g., grass clippings) and litter before the close of the business day; however, debris and litter within one-hundred (100) feet of any airfield pavement shall be removed during mowing operations. The Contractor may mulch clippings provided that clippings are not visible after mowing is complete.

1.2.1.1.5. Aircraft Emergencies. The Contractor shall clear the runway area for emergency recovery of aircraft within fifteen (15) minutes of notice from Airfield Management. After

termination of the emergency, Airfield Management will give the Contractor approval to resume work. If a recall of vehicles is required due to an emergency and radio contact cannot be obtained, the control tower will attempt to get the vehicles attention by flashing the Runway Lights. If the edge lights begin flashing the individual(s) must exit the runway immediately then contact the tower for further instruction.

1.2.1.1.6. Wet Areas. The Contractor should be careful when using riding mowers in low-lying areas that are soft after significant rain. The Contractor may use other means (e.g., flotation tires, smaller equipment, push mowers, hand-powered tools, weed eaters) to accomplish the requirements in the PWS. The Contractor shall be responsible for repairing any ruts or damage caused by contract equipment at no additional cost to the Government. Map of wet areas is included in Appendix B, Maps 14 and 18 of 19.

1.2.1.2. Combinations of Improved and Semi-Improved Areas

1.2.1.2.1. Restricted Areas/Munitions Storage. This is a secure area (i.e., gated/fenced) and entered only after a request for specific employee entry has been signed by the COR, to include both improved and semi-improved areas. This area includes ammo bunkers, which are large domes in the earth, and buildings that are used to house the instruments and supplies for this area. Grounds within fifty (50) feet of the ammo bunkers and around buildings shall be maintained according to the performance standards for improved areas (reference paragraph 1.1). The Contractor shall maintain all other grounds within this area so that the grass height is between four (4) and seven (7) inches and, therefore, does not create a fire hazard. The Contractor shall maintain the vegetation cover on the steep sloped bunkers of the ammo bunkers (Facilities 1820, 1822, 1824, and 1826) so that the height is between two (2) and four (4) inches and in a way that does not cause erosion to occur. At the top of the sloped ammo bunkers the area near the vents shall be maintained at the improved standard of two (2) through four (4) inches and extend out to five (5) feet around the vents to serve as a fire break. This area shall be cleared of all grass clippings and any other debris. If the Contractor's efforts cause damage or erosion to the ammo bunkers, then timely repairs shall be accomplished by the Contractor at no additional cost to the Government. Repairs shall result in a situation at least equal to the original condition.

1.2.1.2.2. Perimeter Fence Area. This is located adjacent to both improved and semi-improved areas and is defined as the area inside CAFB and Shuqualak Auxiliary Field within ten (10) feet of the perimeter fence (where applicable) and all of the fencing around the perimeter of both locations. **NEW REQUIREMENT:** The Contractor shall be responsible for the initial clearing of 3 feet above the top of the Perimeter Fence (Columbus only) along with keeping the area maintained throughout the life of the contract. The Contractor shall maintain identified fenced areas, which include the radiological and perimeter fence areas, so that the fence is free from all vegetation growth and shall trim any vegetation (e.g., trees, shrubs, and vines) that encroaches through the fence. The Contractor shall also maintain a five (5) foot wide area adjacent to the POL fence identified in Appendix B, Map 2 of 19, free from vegetation. **If it is determined by the Contractor that providing this clearance may be detrimental to the health of a shrub or tree, the Contractor shall contact the COR for his/her determination. The government will then contact the land owner**

for permission before any further action is taken. When fenced areas are adjacent to improved areas, then they shall be maintained according to the mowing standards for improved areas; otherwise, they shall be maintained according to the mowing standards for semi-improved areas. If approved chemicals are used to treat and prevent vegetation growth, the Contractor shall not exceed six (6) inches on ground areas at the base of the fence. Contractor shall be responsible for any damage that is incurred to property on either side of maintained fences, to include the fence itself.

1.2.2. Trim. Trim grass and vegetation around trees, shrubs, buildings, fences, vegetative/planter beds, poles, fire hydrants, parking lot bumper blocks, boulders, and other fixed and temporary obstacles/objects on grounds. Trimming height shall match surrounding area grass height. All areas shall be trimmed concurrent with mowing or when vegetation exceeds ten (10) inches.

1.2.2.1. RESERVED

1.3. Mow Bird Aircraft Strike Hazard (BASH). Maintain grass and vegetation height between seven (7) and fourteen (14) inches in BASH areas as shown in Appendices A and B. Maintain a uniform appearance in all areas. Where possible, maintain adjacent areas at or near the same grass heights.

1.3.1. Airfield Coordination. Coordinate all activities on the airfield by contacting Airfield Management. Work will be accomplished only after Airfield Management has approved the requested dates/times.

1.3.2. Flightline Driver's Training. The Contractor's employees shall complete training prior to operating vehicles or mowers on the flightline. The Government will provide training to drivers who require flightline access at no cost to the Contractor on an as-needed basis. All employees working on airfield grounds shall have an AF Form 483, *Certificate of Competency* (flightline driver's license), with them at all times. Contractor vehicles shall have a valid privately owned vehicle (POV) pass issued by Airfield Management prior to operating on the flightline. No equipment will be left unattended while working in these areas. Ensure all foreign objects and debris produced by grounds maintenance is cleared off of all taxiways, runways, and aircraft parking aprons before leaving the work area.

1.3.3. Airfield Tower Communications. The Contractor shall maintain constant two-way radio contact with the control tower and Airfield Management when operating near runways, overruns, and taxiways. The Contractor shall maintain contact with the control tower when operating on or within one-hundred-fifty (150) feet of the runway. The Contractor shall respond immediately to all directions from airfield personnel. The Contractor shall provide all communication equipment required for this contract. The Government shall provide the transceiver frequency to the Contractor. All equipment shall be VHF type with a minimum five-mile range and shall have private line capability. The Contractor shall be responsible for any changes to radio types that the base makes in the course of this contract, e.g., frequency changes.

1.3.4. Airfield Fixed Objects. The Contractor shall cut a ten (10) foot wide path between four inches and six inches in height around the perimeter of the airfield pavement to include trimming around runway and taxiway lights and other fixed obstacles and temporary obstacles/objects. Grass or vegetation shall not extend over the edge of the paved areas by more than two (2) inches. All areas shall be trimmed concurrent with mowing or when height exceeds six (6) inches. Mulch or remove clippings when visible after trimming before leaving work area.

1.4. MAINTAIN UN-IMPROVED GROUNDS. The Contractor shall maintain un-improved grounds as identified in Appendices A and B. Maintain grass and vegetation in un-improved grounds to prevent woody encroachment. The Contractor shall maintain un-improved grounds twice per year to a height not to exceed fourteen (14) inches.

1.4.1. Fire Lanes. The Contractor shall maintain a thirty (30) foot wide fire lane at both CAFB and the Shuqualak Auxiliary. This area should be mowed two (2) times a year, once in May and once in October.

1.5. MAINTAIN VEGETATIVE BEDS, INERT BEDS AND RELATED AREAS. The Contractor shall maintain vegetative beds, inert beds, and related areas as identified in Appendices A and B to present a neat and professional appearance. Maintenance activities may include, but are not limited to fertilizing, watering, weeding, mulching, and repairing or replacing damaged plants and shrubs. When replacing plants, shrubs, and performing repairs, conform to good Xeriscaping practices for the area. Dead plants and shrubs within these beds shall be removed by the contractor after receiving permission from the COR.

1.5.1. Planter/Flower Beds. These areas are specialized types of improved areas. These areas include shrubs, hedges, ground cover, and flowers. These areas are generally mulched with wood chips or shredded bark and are of varying sizes. Mulch should be uniform and even with the height of the border. Maintenance shall include, but is not limited to: weeding, edging, and trimming in and around planter beds, replacing dead plants, turning mulch, and trimming trees, shrubs, and hedges. Planter beds shall be free of weeds. Vegetation shall not extend past one inch (1”) over any boundary or border. COR will have the final determination on the removal of questionable objects. The Contractor shall replace any plants damaged by the Contractor. The Government will provide any other plants if required. The Contractor shall repair/replace any mulch or landscape surfaces damaged by the removal of undesirable vegetation to at least the original condition. Planter beds are identified in Appendix B, Map 10 of 19.

1.6. MAINTAIN SURFACE DRAINAGE DITCHES. The Contractor shall maintain surface drainage ditches to be free of shrubs, trees, and trash for continuous flow of water. Maintenance activities shall be based on requirement to keep the ditches free-flowing and not be based upon level of grounds maintenance of the adjacent grounds. Drainage ditches require special attention to prevent erosion. To address environmental concerns, vertical banks of ditches shall be maintained to standard primarily using boom mowers. Weed-eaters, push mowers, and similar equipment may be used around fixed obstacles. **Limit spray retardant/herbicide to ONLY riprap and horizontal areas of ditches.** The bottom of ditch lines are considered horizontal.

Retardant/herbicide shall only be used after approval from COR and 14 CES Entomology. Drainage ditches to be maintained are identified in Appendix B, Maps 14 and 18 of 19.

1.6.1. Drainage Ditches in Bash Areas. Ditches shall be clear and obstacle free. The vegetation height within the ditches shall be maintained to a maximum of fourteen (14) inches, with it being ideal to have no vegetation within the waterline of ditches to hinder drainage. To address environmental concerns, ditches shall be maintained to standard using procedures outlined in paragraph 1.6. Vegetation shall be removed as often as necessary to maintain flow and discourage use by birds.

1.7. SPECIAL REQUIREMENTS

The contractor shall be responsible for removing all debris generated from all tree related operations. All non-emergency work shall be completed within 5 workdays from the order date unless noted otherwise by the COR.

1.7.1. Trees

The Contractor shall limit pruning or trimming trees, removal of trees and/or stumps to safety or AT/FP emergencies only. The Contractor shall identify to COR all trees that require pruning or trimming for safety or health reasons. Prune or trim trees previously identified after receiving direction from the CO or COR. Pruning or trimming shall be accomplished in accordance with the American National Standards Institute (ANSI) A300 Part 1 industry standards. Shall remove or cutback branches that conflict with normal traffic or safety. Minimum safety clearances are: fourteen (14) feet over streets, twelve (12) feet over driveways, eight (8) feet over walk areas, four (4) feet over buildings, and one (1) foot from buildings. Shall remove trees that pose threats to structures or buildings. Topping and de-horning are not permitted. Trimming or pruning of trees that touch or hang over energized utility poles or power lines is the responsibility of the government or a designated contractor. Shall notify COR if trees need to be trimmed from around power lines. The COR will notify appropriate base agency. Remove all debris generated from trimming or pruning operations. This service is issued by direction of the CO or COR and must be completed within five (5) workdays from notification, unless otherwise directed by the CO or COR.

1.7.1.1. RESERVED

1.7.1.2. Tree Standards. Perform all tree work in accordance with contract specifications and the ANSI A300 tree care standards, latest edition, unless otherwise directed by the CO or COR.

1.7.1.2.1. ANSI A300 - Standard Practices for Tree Care Operations:

ANSI A300 – Standard Practices for Tree Care Operations including referenced Combined Federal Regulations

ANSI A300 (Part 1) – Pruning

ANSI A300 (Part 3) – Supplemental Support Systems

ANSI Z60.1 – American Standard for Nursery Stock

ANSI Z133.1 – *Safety Requirements*

1.7.1.3. Emergency Spot Pruning/Trimming. The Contractor shall complete an emergency spot pruning/trimming within one (1) workday from the time the Contractor receives notification. Typically, emergency spot pruning/trimming includes removal of dead and/or broken limbs or removal of limbs for required clearances.

1.7.1.4. Tree, Shrub, and Stump Removal. The Contractor shall limit removal of trees and/or stumps to safety or AT/FP emergencies only. Tree, shrub, and stump removal shall only be accomplished after direction by the CO or COR. Perform stump and perimeter root removal by cutting and grinding all growth to a minimum of eight (8) inches below grade, and removing all debris. Stumps shall be ground within five (5) days after approval of dig permit. Stump-grinding debris shall be removed and the hole filled with topsoil to match existing grade the same day grinding is performed. Trees identified for removal shall be considered within the following categories based on their diameter: Large, Medium, Small and Sapling. The diameter of the tree shall be determined by measuring four and one-half (4.5) feet above the ground. Trees with multiple trunks shall be measured as follows: All trunk diameters shall be measured. The largest trunk diameter shall be recorded. Each remaining trunk diameter shall be halved. All values will then be added together to obtain the final tree diameter.

Large Trees:	N/A
Medium Trees:	Diameter 24” to less than 36”, remove within 10 workdays from the date directed to perform the work.
Small Trees:	Diameter 3” to less than 24”, remove within 10 work days from the date directed to perform the work.
Saplings:	N/A

1.7.1.5. RESERVED

1.7.2. RESERVED

1.7.3. RESERVED

1.7.4. RESERVED

1.7.5. RESERVED

2. SERVICES SUMMARY

The contract service requirements are summarized in performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimally acceptable levels of service for each requirement. The SS and the Contractor’s Quality Control Plan (QCP) provide information on contract requirements, the expected level of Contractor performance and the expected method of Government validation and confirmation of services provided. These

thresholds are critical to mission success. Procedures as set forth in the FAR 52.212-4 (a), *Contract Terms and Conditions - Commercial Items, Inspection/Acceptance*, will be used to remedy all deficiencies. During the first 30 days of the contract, two additional errors on each Performance Objective shall be allowed in an effort to identify normal phase-in problems.

Table 1

Performance Objective	PWS Para	Performance Threshold	Method of Assessment
S-1 Maintain Improved Grounds a. Mow b. Edge c. Trim d. Leaf Removal e. Prune Shrubs	1.1, inclusive	Satisfactory: 5 defects Unsatisfactory: 6 or more	Periodic surveillance, Valid customer complaint
SS-2 Maintain Semi-Improved Grounds a. Mow Non-Airfield semi-improved areas b. Trim Non-Airfield semi-improved areas	1.2, inclusive	Satisfactory: 4 defects Unsatisfactory: 5 or more	Periodic surveillance, Valid customer complaint
SS-3 Maintain Airfield Grounds a. Mow Airfield semi-improved areas b. Trim Airfield semi-improved areas c. Mow/Trim Runway/Taxiway Edge Lights, Signs, and Structures	1.2, inclusive	Satisfactory: 2 defects Unsatisfactory: 3 or more	Periodic surveillance, Valid customer complaint

SS-4 Maintain Un-Improved Grounds	1.3, inclusive	Satisfactory: 1 defect Unsatisfactory: 2 or more	100% Inspection
SS-5 Maintain Vegetative Beds, Inert Beds and Related Areas	1.4	Satisfactory: 3 defects Unsatisfactory: 4 or more	Periodic surveillance, Valid customer complaint

2.1. QUALITY CONTROL. The Contractor shall provide a written description of the quality control system to include identification of the commercial practices and procedures to be used, such as those of the Professional Grounds Management Society (PGMS), Tree Care Industry Association, American Society of Landscape Architects, ANSI, and local Extension Offices of the Federal Cooperative Extension Service. The Contractor shall include the inspection system requirements of the FAR 52.246-4, *Inspection of Services-Fixed-Price*, in this document. Shall develop a plan and implement procedures to identify, prevent, and ensure non-performance and repeat of defective service does not occur. A written QCP shall be submitted to the CO for review and feedback. The plan shall be submitted no later than the pre-performance conference. The plan shall specifically address the Contractor's strategy to provide quality workmanship and continual process improvement, and for correcting deficiencies as required.

2.1.1. Grounds Maintenance Plan. The Contractor shall prepare an annual grounds maintenance plan. The plan shall describe how and when the tasks listed in Services Summary shall be accomplished. A typed copy of the plan shall be made available to the COR for acceptance within ten (10) business days of the contract start date and the beginning of each fiscal year thereafter. The Contractor shall include its intended use of all chemical agents within this plan and shall specify what weed control methods (i.e., non-selective systemic herbicide use, selective systemic herbicide use, pre-emergent herbicide use, and/or mechanical weed control using shovels, hoes, etc.) shall be implemented. It shall also include the mowing schedule for the airfield areas, which must be approved by the Base Operations manager. The Contractor shall submit updated plans as needed during the year to the COR.

2.1.2. Annual Inspection Schedules. The Contractor shall submit an annual inspection schedule to the COR within ten (10) business days of the contract start date and the beginning of each fiscal year thereafter. This schedule shall detail when the Contractor will be inspecting QCP items during each month.

2.2. QUALITY ASSURANCE. The Government shall inspect and evaluate the Contractor's performance to ensure services are received in accordance with requirements set forth in this contract. The CO or COR shall inspect by validating actual work performance, physically

checking an attribute of the completed task, checking a management information report, investigating customer complaints, conferring with facility managers, or otherwise inspecting the task or its results to determine whether or not performance meets the standards contained in this PWS. The CO or COR will use the Contractor's work schedule or modified version thereof, to record surveillance results. Results of the surveillance then become the official Air Force record of the Contractor's performance. When a performance threshold has not been met or Contractor performance has not been accomplished, the CO or the COR will initiate either a Corrective Action Report (CAR) or a Contract Discrepancy Report (CDR). The Contractor shall respond to the COR IAW instructions provided and return it to the Contract Officer within 1 calendar day of receipt.

2.3 PERFORMANCE ASSESSMENT

2.3.1. Periodic Assessments. This method requires the COR to employ a "spot check" style of evaluation based on the Contractor's schedule. Periodic assessments will be conducted and may be adjusted, based on quality trends. Any unsatisfactory inspection (defect) result will be recorded, and the Contractor shall re-perform the service after notification by the CO or COR. Failing to meet the performance threshold as outlined in the SS for any of these Performance Objectives in any one month period shall result in a warning or letter of concern from the CO. Failing to meet the Performance Threshold as outlined in the SS of these Performance Objectives in any combination for any two, or more consecutive or non-consecutive months during a contract period shall constitute an immediate Progress Meeting with the Multi-functional Team. All remedies shall be in accordance with the FAR 52.212-4 (a), *Contract Terms and Conditions - Commercial Items, Inspection/Acceptance*.

2.3.2. 100% Inspection. This method requires the COR to inspect the service each time it occurs. Results will be annotated on the inspection schedule. Any and all deficiencies will be documented and the Contractor shall re-perform service immediately, if appropriate, or within 24 hours at no increase in contract amount.

2.4. PERIODIC PROGRESS MEETINGS. The CO, Functional Services Manager (FSM), COR, or other Government personnel as deemed appropriate, and the Contractor shall meet as necessary to discuss the Contractor's performance. The following issues shall be discussed: opportunities to improve the contract, any modifications required of the contract, unsatisfactory inspections and trends against each Performance Objective observed, positive performance and steps taken by the Contractor to prevent unsatisfactory occurrences in the future. The Contractor shall provide insight into any identified adverse trends and corrective actions. COR will provide Contractor a copy of the agenda of discussion items, as developed by the CO, at least three (3) workdays prior to the meeting. The minutes of these meetings will be reduced to writing, signed by the CO and any other signatures as deemed appropriate, distributed to the functional area and the Contractor. Should the Contractor not concur with the minutes, the Contractor shall provide a written notification to the CO identifying areas of non-concurrence for resolution.

2.4.1. Periodic progress meetings will be scheduled on an as-needed basis.

3. GOVERNMENT FURNISHED PROPERTY AND SERVICES

3.1. FACILITIES. The Government will provide the facilities identified below for Contractor use in support of the requirements of this contract. The facilities are provided “as is.” The Contractor shall obtain approval via a Civil Engineer Work Request, AF Form 332, with CO or COR coordination prior to making any changes to the facilities. Such changes will be at no cost to the Government unless otherwise approved by the CO. The Contractor shall ensure facilities are maintained in a neat, clean and professional manner. The CO reserves the right to reallocate and relocate assigned facilities during the term of the Contract. Upon completion or termination of this contract, or upon such reallocations or relocations, return facilities to the Government in the same condition as received, fair wear and tear and approved modifications.

3.1.1. Floor Space. Approximately 1,920 square feet of floor space are provided in Building 370. The facility is located on map: See Appendix B, Map 19 of 19.

3.1.2. Exterior Space. Approximately 19,000 square feet of exterior space are provided within the CE yard behind facility 366 along with a fuel storage area located in the aggregate yard. The facility is located on map: See Appendix B, Map 19 of 19. Exterior space adequate for a tractor, bush hog and fuel storage tank is available at Shuqualak Auxiliary Field.

3.2. UTILITIES. The Government will furnish electricity, water, and sewage as necessary for accomplishment of work in accordance with this contract. All facilities do not receive the same utility services. The Contractor shall not change or modify any utility system or component, or connect any Contractor property, equipment or system without prior CO review and approval. The Contractor shall practice energy conservation in the Government-provided facilities.

3.3. MATERIALS. The Government will provide the following materials: Mulch, Top Soil, and Wood Chips used for planter bed, tree maintenance and playground maintenance as covered by the scope of this PWS.

3.4. SECURITY, FIRE, AND MEDICAL SERVICES. The Government will provide police and fire protection. In the event of a medical emergency, Contractor shall call “911” and request to be transferred to “Columbus AFB 911”. Base Fire Department will respond and contact off base ambulance service for transporting an injured employee to a local hospital.

3.5. TELEPHONE. The Government will provide one (1) telephone line in the Government provided facility for Contractor use in making local commercial calls and on base calls in support of contract requirements. Long distance calls and toll calls are not authorized on Government phones.

3.6. SOLID WASTE COLLECTION AND DISPOSAL. The Contractor shall use existing bulk containers to dispose of trash or solid waste generated from accomplishment of services detailed in this PWS. The Contractor shall adhere to all CAFB recycling programs to include disposal of yard/tree waste in specified dumpster collection stations or at the recycling collection center on

base. The COR will identify these specific dumpsters for yard/tree waste and help locate CAFB recycling procedures.

4. GENERAL INFORMATION

4.1. MISSION

The overall Civil Engineer mission at CAFB and Shuqualak Auxiliary Field is to plan, maintain, operate, and protect the infrastructure, facilities, and environment for assigned airmen, families, and civilian employees.

4.2. BACKGROUND.

CAFB holds a pilot graduation once every three (3) weeks throughout the year. It should be assumed that a DV would be in attendance at each graduation; therefore, special attention shall be placed on the appearance of the base prior to each graduation. The COR will notify the Contractor of the graduation dates.

4.3. DAMAGE TO GOVERNMENT BUILDINGS, EQUIPMENT, OR VEGETATION. Damages to Government buildings, equipment, or vegetation are addressed in clause 52.237-2 – “Protection of Government Buildings, Equipment, and Vegetation.” NOTE: MOWERS SHALL AVOID NON-RUBBERIZED AREAS WHEN CROSSING PATHS ON THE BLAZE FIT TRAIL.

4.4. ENVIRONMENTAL REQUIREMENTS. In addition to all applicable Federal, State and local environmental codes and regulations, the following specific guidance is provided:

4.4.1. Hazardous Materials. The Contractor shall approve all hazardous materials brought on-site by the contractor prior to use. The contractor shall obtain approval using the application requirements of the AF Form 3952. Once the process is implemented and contractor is trained, the contractor may submit the AF Form 3952 electronically. The CO has the right to prohibit the use of hazardous materials it deems to be especially hazardous to human health and the environment. In the event the CO does not approve a hazardous material for use, the CO may provide the contractor a list of suitable substitutes; however, the contractor shall retain responsibility for finding an acceptable substitute. The Contractor shall take appropriate actions in accordance with base procedures to comply with waste minimization and pollution prevention practices and policies.

4.4.1.1. Spill Control. The Contractor shall maintain spill control material **on hand** at all times sufficient to contain a worst-case spill, both volume and hazard level.

4.4.1.2. The Contractor shall be responsible for compliance with all federal, state, and local environmental laws and requirements.

4.4.1.3. CAFB is subject to Federal, state, and local inspections to maintain compliance with environmental and safety protection laws. An inspection by the Environmental Protection Agency (EPA) or Mississippi Department of Environmental Quality (MDEQ), or any other environmental or safety enforcement agency may include questioning and inspection of Contractor personnel, sites and processes. If environmental or safety enforcement agencies come to inspect the installation, Contractors shall complete and provide documentation as requested by the COR. This documentation may include verification of any training required by federal, state, or local regulations.

4.4.1.4. If a Notice of Violation (NOV) is issued to the Government or Contractor due to the Contractor's error or omission, the Contractor shall be held liable for damages to include fines, penalties, and/or corrective actions imposed by federal, state, or local agencies.

4.4.1.5. Environmental Management System (EMS)

4.4.1.5.1. The Contractor shall submit EMS information, including program plan and required training documentation, to the CAFB EMS Manager upon request.

4.4.1.5.2. If the Contractor chooses not to be included as part of the base's program, then the Contractor shall implement an EMS for the work to be performed under this PWS that complies with International Organization for Standardization (ISO) 14001, *Standards for Environmental Management Systems*, and includes the following elements: scope/policy, planning, implementation and operation, checking and corrective action, and management review. However, certification of the Contractor's EMS is not required. The Contractor shall ensure that significant impacts to the environment are mitigated, minimized, or monitored.

4.4.1.5.3. The QCP shall show how established objectives and targets will be met to mitigate/minimize any significant environmental impacts for Contractor-operated facilities/processes. This may require the Contractor to provide additional equipment and/or manpower. For example, Contractor personnel may be assigned to the EMS Implementation Team or Cross-Functional Team.

4.4.1.5.4. The Contractor shall ensure all employees receive initial EMS awareness training within 90 days of employment. In addition, employees whose work has a significant impact on the environment (e.g., those who will apply chemicals) shall receive specialized training within 30 days of assignment. All training must be documented and maintained for the duration of the contract. Contract employees may be included in the base's EMS training program, if requested. The EMS training is conducted on an as-needed basis. However, the Contractor shall maintain all training records.

4.4.1.6. Environmental Spills. If the Contractor spills or releases any substance listed in 40 Code of Federal Regulation (CFR) Part 302, *Designation, Reportable Quantities, and Notification*, into the environment, the Contractor shall immediately report the incident to the Installation Management Flight (14 CES/CEI) in accordance with local procedures and notify the COR. The

Contractor shall be liable for containment and environmental cleanup of the spill or release of such substance(s). The Contractor shall furnish containers for hazardous waste in accordance with Sections 500-819 of 49 CFR 178, *Specifications for Packagings*. All transfers of hazardous waste shall be conducted by the Contractor under the direction of and processed through the Installation Management Flight. If the Contractor is unable to begin cleanup within 15 minutes of the spill, the Government reserves the right to begin the cleanup, continue cleanup efforts/actions until the Contractor can properly take over. All cost incurred by the Government until the Contractor is capable of taking control, as determined by the CO, shall be the responsibility of the Contractor. The Contractor shall ensure equipment, material, and personnel who are trained for spill recovery are available to meet response time and cleanup requirements. The Contractor, at his own expense, shall remove and properly dispose of contaminated soil, replacing it with uncontaminated topsoil and restoring the grounds to their original condition. The Contractor shall not dispose of contaminated soil, hazardous materials or wastes on CAFB and is responsible for providing 14 CES/CEIE with documentation for any such waste shipped off base.

4.4.2. Herbicides. All herbicides shall be approved prior to use by the installation. The Contractor shall submit proposed list of herbicides, with intended uses, and Material Data Safety Sheet for each herbicide in accordance with installation procedures. The COR will assist Contractor with the submission. The Contractor shall use reasonable care to avoid releasing herbicides in a manner which may cause environmental damage to Government structures, equipment, land, water, or other natural resources. If the Contractor's failure to use reasonable care causes damage to any of this property, the Contractor shall replace or repair the damage at no expense to the Government as the CO directs. Contractor shall not apply any herbicides without receiving specific permission from the base, routed through COR, for each application. Contractor requests for herbicide application shall be in accordance with local base procedures.

4.4.2.1. Herbicide Storage and Mixing. Herbicides may be stored on CAFB in approved storage facility provided by Contractor. Herbicides shall be loaded away from drainage systems, buildings, etc. The Contractor shall not purchase, store, mix, or apply any chemical weed control agent without specific prior written approval from the Government. Herbicide mixing may be performed at the Entomology Shop, Building 1120. At no cost to the Contractor and during normal business hours, the Government Entomology Shop mixing facility may be used concurrent with Government use.

4.4.2.2. Monthly reports. The Contractor shall submit a report to the COR within ten (10) working days of the end of each month listing all herbicide applications made. The Contractor shall include herbicide name, use concentration, amount applied, date, and detailed location of use. A DD Form 1532, *Pest Management Maintenance Record*, will be provided on request to facilitate record keeping.

4.4.2.3. Inspections. The Contractor shall be subject to inspection by federal, state, or local agencies.

4.4.3. Hazardous Materials Inventory. The Contractor shall maintain an up-to-date hazardous material inventory with copies of Material Safety Data Sheets (MSDSs) for all materials used on the job site. The Contractor shall maintain a complete copy of all approved MSDSs and AF Forms 3952, *Chemical Hazardous Material Request Authorization Form*.

4.4.4. Hazardous Materials Management. The Contractor shall remove all hazardous materials by the end of each workday. The Contractor shall not conduct process treatments (e.g., paint thinner solvent recycling) on base.

4.4.4.1. Used Oil Collection Program. Contractor shall be responsible for establishing a Used Oil Collection Program that includes an area for collection of used oil and filters. The Contractor shall appoint a Collection Point Manager and an alternate. All Contractor personnel appointed under this program shall successfully complete the required training at no additional cost to the Government. Normally, such training will be offered by 14 CES/CEI during normal duty hours. Contractor shall meet with 14 CES/CEIE after contract start date to discuss the Contractor's responsibility in disposing of used oil and filters into the used oil collection point.

4.4.5. Final Report. The Contractor shall submit a final inventory, not later than ten (10) working days following termination/completion of this contract, of all hazardous materials used since the last hazardous usage report to the CO or COR. The final inventory will list all hazardous materials used, total amount of each used, and a description of the disposition of any remaining hazardous material.

4.4.6. Green Waste Disposal

4.4.6.1. The Contractor shall transport green waste collected on CAFB and Shuqualak Auxiliary Field which is less than 8 inches in diameter to the horizontal wood processor site at the direction of 14 CES/CEIE. Green waste greater than 8 inches in diameter shall be removed by the Contractor if resulting from tree removal under the contract. Since the site is a controlled area, the Contractor shall coordinate delivery with 14 CES/CEIE to gain access unless instructed otherwise by the COR.

4.4.6.1.1. The Contractor shall weigh all green waste hauled to the horizontal wood processor site at the Base scales (facility 150). One copy of the weight ticket shall be dropped off at the Recycle Center, facility 151, prior to transporting to the horizontal wood processor site, and one copy of each ticket must be turned in to the QCP no more than five (5) business days after the end of each month.

4.5. PERMITS, LICENSES AND CERTIFICATIONS. The Contractor shall, unless otherwise specified in this contract, obtain necessary permits, licenses, and certifications; give all required notices; and comply with applicable Federal, State, and local laws, codes, and regulations in performance of the requirements of this contract. The Contractor shall maintain records of such requirements and make the documentation available to the Government for review upon request.

4.6. HOURS OF OPERATION. Perform grounds maintenance services during normal duty hours which are 6:30 AM to 4:15 PM, Mondays through Fridays, excluding federal holidays, unless otherwise required in the contract or approved by the CO. If weather prohibits the contractor from working during normal duty hours, deviations outside of normal duty hours will be required to meet contract requirements. The Contractor will be notified of any scheduling conflicts that involve Air Force mission requirements by the COR. When the Contractor's work schedule conflicts with an Air Force mission requirement, advise the CO and reschedule the work to minimize disruption.

4.6.1. Federal Holidays

- 1 January (New Year's Day)
- 3rd Monday in January (Martin Luther King, Jr.'s Birthday)
- 3rd Monday in February (Presidents' Day)
- Last Monday in May (Memorial Day)
- Juneteenth
- 4 July (Independence Day)
- 1st Monday in September (Labor Day)
- 2nd Monday in October (Columbus Day)
- 11 November (Veterans Day)
- 4th Thursday in November (Thanksgiving Day)
- 25 December (Christmas Day)
- Any other holidays as declared by Executive Order

4.7. Base Closures. Work scheduled, but not accomplished, because of base closure due to weather, exercises, or actual alert, shall be accomplished as soon as possible after reopening the base.

4.8. SECURITY REQUIREMENTS. The Contractor shall comply with AFFARS 5352.242-9000, *Contractor Access to Air Force Installations*, security requirements. These regulations are available for review in the Contracting Office. Contractors shall obtain a base identification credential prior to gaining access to the base in accordance with AFFARS 5352.242-9000. Contractor employees will be required to obtain and display identification badges. Anticipate delays in getting commercial vehicles on base and allow time for commercial vehicles to reach their destination by driving designated routes at posted speed limits throughout the base. Procedures for commercial vehicle access to the base are subject to change without prior notice. The Information Protection office will process the list of applicants to determine who may already meet NACI requirements. All potential contract employees will report to the 14 CES Security Manager to in-process. Initial security training will be conducted at this time.

4.9. PERFORMANCE OF SERVICE DURING CRISIS OR HEIGHTENED SECURITY. In the event of crisis or heightened security continue performance as directed by the CO or COR. The contract price and delivery schedule may be adjusted to reflect any change of work that may

be directed. This service is not determined to be essential for performance during crisis according to DODI 3020.37.

4.10. SPECIAL QUALIFICATIONS. The Contractor will provide an On-Site Contract Manager to handle the daily operations of this contract. Provide telephone numbers of On-Site Contract Manager and alternate(s) for after duty hours. The contract manager and alternate(s) shall be able to read, write, speak and understand English, or an interpreter shall be provided to work alongside the contract manager or alternate(s) at no additional cost to the Government. The contract manager or alternate(s) shall have full authority to act for the contractor on all contract matters relating to the daily operation of this contract. The contract manager shall fully understand the requirements of the work to be performed under this PWS.

4.10.1. The contractor's employees shall present a neat, professional appearance and be easily recognized as a contractor employees.

4.10.2. The Government is authorized to restrict the employment under the contract of any Contractor employee or prospective Contractor employee, who is identified as a potential threat to the health, safety, security, general well-being, or operational mission of the installation and its population.

4.10.3. The contractor shall not employ any person who is an employee of the United States Government if the employment of that person would create a conflict of interest. The contractor shall not employ any person who is an employee of the Department of the Air Force, either military or civilian, unless such person seeks and receives approval.

4.11. INTERFACES

4.11.1. Contact Information. The Contractor shall provide the names and telephone numbers of the Contractor's on-site primary and alternate managers responsible for all requirements of the PWS to the CO and COR. The telephone numbers shall be for contact both during and after duty-hours.

4.11.2. Interference of Government Activity. The Contractor shall not unduly interfere with regularly scheduled Government operational activities in the performance of contract requirements. In the event a Government supervisor so requests, the Contractor shall temporarily cease work in the area and report the instructions, to include name of the Government person involved, to the CO or COR immediately by the most expedient means. Shall notify the CO or COR verbally of disputes with customers or other base Contractors and follow-up in writing.

4.12. CONTRACTING OFFICER AND CONTRACTING OFFICER'S REPRESENTATIVE (QUALITY ASSURANCE PERSONNEL). The CO will appoint a primary and alternate COR for management of the day-to-day activities of the contract. The

identity, title, and authority of this representative will be provided in writing to the Contractor after contract award.

4.13. WORK APPROVALS. The Contractor shall obtain an approved Work Clearance Request for all work which involves excavation or welding in accordance with installation procedures. Other approvals may be required. COR will provide training at beginning of the contract on the procedure to submit the various base approval requests. Contractor shall inform COR of any proposed excavation or welding work prior to beginning the permit process. Digging permits are processed by calling “811” Mississippi One Call System.

4.14. SAFETY REQUIREMENTS AND REPORTS. The Contractor shall perform work and maintain equipment in a safe manner as required by Occupational Safety and Health Administration (OSHA) Safety and Health Requirements. The equipment shall be inspected periodically by the COR to ensure general safety measures are met. Shall provide a completed copy of required Accident Investigation Reports to the CO or COR within five calendar days of each occurrence.

4.15. RESERVED

4.16. Weapons, Firearms, and Ammunition. Contractor employees are prohibited from possessing weapons, firearms or ammunition, on themselves or within their contractor-owned or privately-owned vehicle while on CAFB.

4.17. Freedom of Information Act Program (FOIA). The Contractor shall comply with DoD Regulation 5400.7-R/Air Force Supplement, *DoD Freedom of Information Act Program*, requirements. The regulation sets policy and procedures for the disclosure of records to the public and for marking, handling, transmitting, and safeguarding *For Official Use Only (FOUO)* material. The contractor shall comply with AFI 33-332, *Air Force Privacy Act Program*, when collecting and maintaining information protected by the Privacy Act of 1974 authorized by Title 10, United States Code, *Armed Forces*, and Section 8013, *Secretary of the Air Force*.

4.18. Records Management and Administrative Support. The Contractor shall ensure all records, files, documents and working papers provided by the Government and/or generated for the Government in the performance of this contract remain Government property and are maintained in accordance with established Federal Records Act, Public Law 81-754, Department of Defense (DoD). Government owned records will be segregated from the company-owned records. Actions to destroy Government records can only be based on authorized records disposition schedule (RDS) located at <https://www.my.af.mil/afrims/afrims/afrims/rims.cfm>. If there is no disposition, records will be maintained until disposition is established. All reports, records, files, documents, maintenance policies/operating instructions and working papers shall be made available to the COR, as requested.

5. ADDENDUM - CONTRACTOR LABOR HOURS REPORTING

5.1. [The Enterprise Contractor Manpower Reporting Application \(eCMRA\)](#) was de-commissioned 19 June 2020 and the data collection functionality has transitioned to the System for Award Management (SAM) (<https://www.sam.gov/SAM/>). The Service Contract Reporting (SCR) opened 16 October 2020.

The contractor shall report ALL contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract. The contractor shall completely fill in all required data fields using the following web address: <https://www.sam.gov/SAM/>.

5.2. REPORTING INPUTS: Inputs will be for the labor executed during the period of performance for each Government Fiscal Year (FY), which runs 1 October through 30 September. While inputs may be reported any time during the FY, all data shall be reported no later than 31 October of each calendar year.

5.3. REPORTING PERIOD: Contractors are required to input data by 31 October of each year.

5.4. USES AND SAFEGUARDING OF INFORMATION: Information from the secure web site is considered to be proprietary in nature when the contract number and Contractor identity are associated with the direct labor hours and direct labor dollars. At no time will any data be released to the public with the Contractor name and contract number associated with the data.

5.5. [See](#) the attachments for the instructions and Frequently Asked Questions.



SCR Guidebook (8
October 2020).pdf



DoD Service
Contract Reporting

6. COMBATING TRAFFICKING IN PERSONS

The United States Government has adopted a zero tolerance policy regarding trafficking in persons. Contractors and contractor employees shall not engage in severe forms of trafficking in persons during the period of performance of the contract; procure commercial sex acts during the period of performance of the contract; or use forced labor in the performance of the contract. The Contractor shall notify its employees of the United States Government's zero tolerance policy and the actions that will be taken against employees for violations of this policy. Such actions may include, but are not limited to, removal from the contract, reduction in benefits, or termination of employment. The Contractor shall take appropriate action, up to and including termination, against employees or subcontractors that violate the US Government policy as described at FAR 22.17, *Combating Trafficking in Persons*.

7. INVOICING/PAYMENT AND RECEIPT/ACCEPTANCE

In accordance with DFARS 252.232-7003, *Electronic Submission of Payment Requests and Receiving Reports*, the Contractor shall submit/process payment requests (invoices, Receiving Reports or combos) and receipt/acceptance documents via Wide Area WorkFlow e-Business Suite/Procurement Integrated Enterprise Environment (PIEE). Additional information regarding PIEE is available at: <https://piee.eb.mil/piee-landing>. The Contractor should review the training residing on PIEE to gain a better understanding of submitting and processing payment requests.

8. SMOKING IN AETC FACILITIES

Contractors are advised that the Commander, Air Education and Training Command (AETC), has placed restrictions on the smoking of tobacco products in AETC facilities. AFI 48-104, *Tobacco Free Living*, outlines the procedures used to control smoking in our facilities. Contractor employees and visitors are subject to the same restrictions as government personnel. Smoking is permitted only in designated smoking areas.

9. INHERENTLY GOVERNMENTAL FUNCTIONS

THE CONTRACTOR SHALL NOT PERFORM INHERENTLY GOVERNMENTAL FUNCTIONS AS DEFINED IN FEDERAL ACQUISITION REGULATION (FAR) SUBPART 7.5, *INHERENTLY GOVERNMENTAL FUNCTIONS*.

APPENDIX A – GROUNDS WORKLOAD ESTIMATES:

ITEM	DESCRIPTION	ESTIMATED QUANTITIES		ESTIMATED WORKLOAD	
		Quantity	Unit	Growing Season	Non-Growing Season
	Following Items Apply to Columbus Air Force Base, Columbus, MS (Items 1-25)				
1	Improved Grounds	350	AC	8 months	4 months
2	Edging	111,090	LF	8 months	4 months
3	Trimming	205,556*	LF	8 months	4 months
4	Playgrounds	42,000	SF	8 months	4 months
5	Athletic Fields	7	AC	8 months	4 months
6	Debris Removal and Policing	350	AC	Daily	
7	Leaf Removal	175	AC	6 Per Year	
8	Fertilizer and Aeration and/or Lime (Athletic Fields)	4.5	AC	2 Per Year	
9	Prune Shrubs and Other Plants	11,500	EA	As Needed	0
10	Temporary Living Facilities (TLFs)	20	EA	8 months	4 months

11	Semi-improved Grounds (excluding BASH areas) (includes Perimeter Fence)	370	AC	8 months	4 months
12	Semi-improved Grounds BASH area	1381	AC	8 months	4 months
13	Mow Un-Improved Grounds	12	AC	2 Per Year	
14	Flower, Rock Beds, and Related Areas	23,865	SF	8 months	4 months
15	Surface Drainage Ditches	37	AC	8 months	4 months
16	RESERVED (Snow/Ice Removal)	N/A			

APPENDIX A (Continued)

ITEM	DESCRIPTION	ESTIMATED QUANTITIES		ESTIMATED WORKLOAD	
		Quantity	Unit	Growing Season	Non- Growing Season
17	Tree Pruning	150	EA	As Needed	
18	RESERVED (Emergency Tree Pruning)	N/A			
19	Tree and Stump Removal, Large	0	EA		
20	Tree and Stump Removal, Medium	20	EA	As Needed	
21	Tree and Stump Removal, Small	20	EA	As Needed	
22	RESERVED (Emergency Tree/Stump Removal)	N/A			
23	RESERVED (Special Cuts)	N/A			
24	RESERVED (Plant Trees, Shrubs, Vegetative Beds)	N/A			
Items 25-30 Apply to Auxiliary Air Force Base, Shuqualak, MS					
25	Improved Grounds	3	AC	8 months	4 months
26	Trimming/Edging	1,365	LF	8 months	4 months
27	Semi-Improved/BASH area	445	AC	8 months	4 months

28	Surface Drainage Ditches	14	AC	8 months	4 months
29	Perimeter Fence	36,600	LF	8 months	4 months
30	Unimproved Grounds (includes Perimeter Fence	30	AC	2 Per Year	
Item 31 Applies to the Medical Group					
31	Improved Grounds	4	AC	8 months	4 months

AC – Acre LF – Linear Foot MO – Month
EA – Each MI – Mile SF – Square Foot
*Includes all Trimming

APPENDIX B – AREA MAPS OR SITE PLANS “Map Table of Contents:

See attached “*.pdf” file for actual drawings.

MAP TABLE OF CONTENTS	
<u>DESCRIPTION</u>	<u>DWG#</u>
CAFB IMPROVED AREAS, O&M	1 of 19
CAFB IMPROVED AREAS, POL	2 of 19
CAFB IMPROVED AREAS, TLF	3 of 19
CAFB IMPROVED AREAS (DETAILED AREAS)	4-7 of 19
CAFB IMPROVED AREAS (MEDICAL AREAS)	8 of 19
CAFB IMPROVED AREAS, PLAYGROUNDS	9 of 19
CAFB PLANTER BEDS	10 of 19
CAFB ENHANCED AREAS	11 of 19
CAFB SEMI-IMPROVED AREAS	12 of 19
CAFB UNIMPROVED AREAS	13 of 19
CAFB WET AREAS & DRAINAGE DITCHES	14 of 19
SHUQUALAK IMPROVED AREAS	15 of 19
SHUQUALAK SEMI-IMPROVED/BASH AREAS	16 of 19
SHUQUALAK UNIMPROVED AREAS	17 of 19
SHUQUALAK WET AREAS & DRAINAGE DITCHES	18 of 19
CAFB FURNISHED FACILTIES	19 of 19

APPENDIX C – DATA REQUIREMENTS

The Contractor shall provide the data as indicated below to the COR or appropriate subject matter expert. All reports, submittals, logs, and information provided to the Government shall be electronic and compatible with Microsoft Office, such as Excel, Word, and others. “Compatible” means the document can be opened using the appropriate Microsoft Office component without any discernible effect on the text (e.g., loss of data) or the formatting of the document:

Item	Description	Format	Frequency
1.	Contractor’s Quality Control Plan	Contractor Format	Original and changes as occurring
2.	Work Performed	Mutually agreed upon format	Daily report
3.	Damage and Injury Reports	As required by law	Each Occurrence, within 5 days of incident
4.	Hazardous Materials/Herbicides Inventory and Usage Report	Contractor Format	Monthly, NLT 10th business day of each month
5.	Fuels Usage Report	Mutually agreed upon format	Monthly, Contractors file
6.	Soils Report	Contractor Format	Prior to fertilization
7.	Employee Listing	Contractor Format	Monthly, NLT 5th business day of each month
8.	Green Waste Disposal	Weight Tickets	Monthly, NLT 5th business day of each month
9.	Grounds Maintenance Plan	Contractor Format	Annually, NLT 10 business days prior to start of each fiscal year
10.	Annual Inspection Schedule	Contractor Format	Annually, NLT 10 business days prior to start of each fiscal year

APPENDIX D – DEFINITIONS AND ABBREVIATIONS

Definitions:

1. Scalping – Areas where the grass is mowed too close to the ground because of uneven ground underneath. When grass is mowed too close to the ground it frequently appears as an unsightly yellow scar. Typically scalping occurs when mowing on hill sides and around obstacles on uneven terrain.
2. Xeriscaping - A landscaping method that employs drought-resistant plants in an effort to conserve resources, especially water, and reduce yard trimmings.
3. Pocket Urban Forests – A landscaping technique of planting indigenous local trees and shrubs in clusters to cut down on large open areas of grass that are regularly maintained. This method would be practical on-bases that receive a large amount of rainfall, and as a result do not irrigate.
4. Seed Head Inhibitor – An agent or combination of agents applied to grass areas prone to the production of seed heads to suppress the seed heads and reduce the frequency of mowing required.
5. Rutting – Visible marks left on the grounds from the wheels of mowing and edging equipment.
6. Topping – The reduction of a tree’s size using heading cuts that shorten limbs or branches back to a predetermined crown limit. Topping is not an acceptable pruning practice.
7. Lion’s Tailing – The removal of an excessive number of inner, lateral branches from parent branches. Lion’s tailing is not an acceptable pruning practice.
8. Types of Pruning:
 - a. Cleaning – Selective pruning to remove one or more of the following parts: dead, diseased, and/or broken branches.
 - b. Thinning – Selective pruning to reduce density of live branches.
 - c. Raising – Selective pruning to provide vertical clearance.
 - d. Reduction – Selective pruning to decrease the height and/or spread.
9. Branch Bark Ridge – The raised area of bark in the branch crotch that marks where the branch and parent meet.
10. Caliper – The diameter of a tree measured at a point 6 inches above the ground line if the resulting measurement is no more than 4 inches. If the resulting measurement is more than 4 inches, the measurement is made at a point 12 inches above the ground line.

APPENDIX D Cont.

11. Diameter Breast Height (DBH) – The diameter of a tree measured at a point 4.5 feet above the ground line.

12. Trimming – Cutting of grass and other vegetation around grounds obstacles that prevent mowing.

13. Grass – the term “grass” as it relates to mowing, trimming, edging, and other grounds maintenance activities indicated in Appendices A and B includes grasses and/or other vegetation (such as weeds, etc.). There may be occasions when actual grasses are dormant or dead, yet weeds or other vegetation are still growing in the areas which necessitates mowing, trimming, edging, etc. of those non-grass vegetation types.

14. Healthy – fit, good trim, good shape, and not diseased.

15. Natural, mature height – Normally considered 10 years growth. However it varies based on plant type.

16. Woody encroachment – any woody species growing in a grass dominated area.

17. Day – calendar day, unless otherwise specified.

Abbreviations:

AETC – Air Education and Training Command

AF – Air Force

AFI – Air Force Instruction

ANSI – American National Standards Institute

AT – Anti-terrorism

BASH – Bird Aircraft Strike Hazard

CAFB

CAR

CDR – Contract Discrepancy Report

CFR – Code of Federal Regulations

CLIN – Contract Line Item Number

CO – Contracting Officer

COR – Contracting Officer’s Representative

DBH – Diameter Breast Height

DoD – Department of Defense

DV – Distinguished Visitor

EPA

EMS

FAR – Federal Acquisition Regulation

FP – Force Protection

FO

HQ – Headquarters

IAW – in accordance with

IPM – Integrated Pest Management

ISO
MDEQ
MSDS – Material Safety Data Sheet
NOV
PGMS – Professional Grounds Management Society
POL
POV – Personally Owned Vehicle
PPE – Personal Protective Equipment
PWS – Performance Work Statement
QCP
QTY – Quantity
RCS
SAM
SCR
SS – Service Summary
VHF – Very High Frequency

APPENDIX E - RESERVED

APPENDIX F - RESERVED