

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.							
A. CONTRACT LINE ITEM NO. TBD		B. EXHIBIT A		C. CATEGORY TDP TM OTHER: MISC			
D. SYSTEM/ITEM CALIBRATION		E. CONTRACT / PR NO. N66604-26-SIMACQ-NPT-70-0101		F. CONTRACTOR KEYSIGHT TECHNOLOGIES			
1. DATA ITEM NO. A001		2. TITLE OF DATA ITEM: TECHNICAL REPORT – STUDY/SERVICES		3. SUBTITLE RECEIPT INSPECTION REPORT			
4. AUTHORITY (Date Acquisition Document No.) DI-MISC-80508B (See Block 16)		5. CONTRACT REFERENCE SOW Para# 4.1		6. REQUIRING OFFICE NUWCDIVNPT, Code 70			
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED D See Block 16	10. FREQUENCY ASREQ (See Block 16)	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION *			
8. APP CODE N/A		11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION N/A	a. ADDRESSEE	b. COPIES		
					Draft	Final	
					Reg	Repro	
16. REMARKS BLOCK 4: DI-MISC-80508B is tailored as follows: Paragraph 2(c) – Attachments shall include photographic documentation of all damage to shipping containers and damage to equipment contained therein. BLOCK 9: DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only, operational or administrative use, 08 April 2026. Other requests for this document shall be referred to Commanding Officer, Naval Undersea Warfare Center Division Newport, 1176 Howell Street, Newport, RI 02841-1708, ATTN: Metrology and Calibration Laboratory. WARNING: This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. BLOCK 10: The Contractor shall submit the Technical Report - Study/ Services (Receipt Inspection Report) upon receipt of damaged shipping container and/or equipment damaged in shipment to the Contractor's facility. BLOCK 12: The Contractor shall submit the Technical Report – Study/ Services (Receipt Inspection Report) within 7 days of receipt of damaged shipping container and/or damaged equipment. BLOCK 14: Contractor shall provide electronic copy to all addressees. NUWCDIVNPT TPOC (CODE 7013)				NUWCDIVNPT TPOC (CODE 7013)	0	1	0

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

G. PREPARED BY:

H. DATE

I. APPROVED BY

J. DATE

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.								
A. CONTRACT LINE ITEM NO. TBD		B. EXHIBIT A		C. CATEGORY TDP TM OTHER: QCIC				
D. SYSTEM/ITEM CALIBRATION		E. CONTRACT / PR NO. N66604-26-SIMACQ-NPT-70-0101			F. CONTRACTOR KEYSIGHT TECHNOLOGIES			
1. DATA ITEM NO. A002	2. TITLE OF DATA ITEM: ACCEPTANCE TEST REPORT (ATR)			3. SUBTITLE CERTIFICATE OF CALIBRATION				
4. AUTHORITY (Date Acquisition Document No.) DI-QCIC-81891		5. CONTRACT REFERENCE SOW Para# 4.2.5, 4.2.9, 4.3.1, 4.3.2, 4.3.3			6. REQUIRING OFFICE NUWC DIVNPT, Code 70			
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED D	10. FREQUENCY ASREQ (See Block 16)	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION *				
8. APP CODE N/A	See Block 16	11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION N/A	a. ADDRESSEE		b. COPIES		
						Draft	Final	
						Reg	Repro	
16. REMARKS				NUWC DIVNPT TPOC (CODE 7013)		0	1	0
BLOCK 9: DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only, operational or administrative use, 08 April 2026. Other requests for this document shall be referred to Commanding Officer, Naval Undersea Warfare Center Division Newport, 1176 Howell Street, Newport, RI 02841-1708, ATTN: Metrology and Calibration Laboratory. WARNING: This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. BLOCK 10: The Contractor shall provide the original ATR (Certificate of Calibration) for each piece of equipment calibrated. BLOCK 12: ATR (Certificate of Calibration) is enclosed with the equipment shipped to the Government and immediately stored in the Keysight Support Portal (Infoline) after the ATR (Certificate of Calibration) is created by the calibration facility (Keysight Service Center). BLOCK 14: ATR (Certificate of Calibration) will be managed through the Keysight Support Portal (Infoline).								
15. TOTAL —————>		0	1	0				
G. PREPARED BY:		H. DATE		I. APPROVED BY		J. DATE		

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.							
A. CONTRACT LINE ITEM NO. TBD		B. EXHIBIT A		C. CATEGORY TDP TM OTHER: QCIC			
D. SYSTEM/ITEM CALIBRATION		E. CONTRACT / PR NO. N66604-26-SIMACQ-NPT-70-0101		F. CONTRACTOR KEYSIGHT TECHNOLOGIES			
1. DATA ITEM NO. A003	2. TITLE OF DATA ITEM: CALIBRATION CERTIFICATE			3. SUBTITLE CALIBRATION MEASUREMENT REPORT			
4. AUTHORITY (Date Acquisition Document No.) DI-QCIC-80798C* (See Block 16)		5. CONTRACT REFERENCE SOW Para# 4.2.5, 4.2.9, 4.3.1, 4.3.2, 4.3.3		6. REQUIRING OFFICE NUWCDIVNPT, Code 70			
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED D	10. FREQUENCY ASREQ (See Block 16)	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION *			
8. APP CODE N/A	11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION N/A	a. ADDRESSEE	b. COPIES	Draft	Final	
					Reg	Repro	
16. REMARKS BLOCK 4: DI-QCIC-80798C is tailored as follows: Paragraph 3.m – Point-by-point measurement uncertainty, and depending on calibration type, Test Uncertainty Ratio (TUR) or identification of a Probability of False Acceptance (PFA) less than or equal to 2% is provided for calibration types that include uncertainties. If the calibration measurement report type requires an uncertainty and the measurement does not meet either a TUR of greater than or equal to 4:1 or provide a PFA less than or equal to 2% and Probability of False Reject (PFR) less than or equal to 15%, it shall be annotated on the calibration report for that measurement. BLOCK 9: DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only, operational or administrative use, 08 April 2026. Other requests for this document shall be referred to Commanding Officer, Naval Undersea Warfare Center Division Newport, 1176 Howell Street, Newport, RI 02841-1708, ATTN: Metrology and Calibration Laboratory. WARNING: This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. BLOCK 10: The Contractor shall provide a Calibration Certificate (Calibration Measurement Report) for each piece of equipment calibrated/repared. BLOCK 12: Calibration Certificates (Calibration Measurement Reports) are stored in the Keysight Support Portal (Infoline) immediately after the Acceptance Test Report (ATR) (Certificate of Calibration) is created by the calibration facility (Keysight Service Center). Only the ATR (Certificate of Calibration) is enclosed with the equipment shipped to the Government. Calibration Certificate (Calibration Measurement Report) is available online in the Keysight Support Portal (Infoline). BLOCK 14: Calibration Certificate (Calibration Measurement Report) will be managed through the Keysight Support Portal (Infoline).			NUWCDIVNPT TPOC (CODE 7013)	0	1	0	
15. TOTAL ———>				0	1	0	
G. PREPARED BY:		H. DATE		I. APPROVED BY		J. DATE	

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 0704-0188				
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.										
A. CONTRACT LINE ITEM NO. TBD		B. EXHIBIT A		C. CATEGORY TDP TM OTHER: MGMT						
D. SYSTEM/ITEM CALIBRATION			E. CONTRACT / PR NO. N66604-26-SIMACQ-NPT-70-0101		F. CONTRACTOR KEYSIGHT TECHNOLOGIES					
1. DATA ITEM NO. A004		2. TITLE OF DATA ITEM: GOVERNMENT PROPERTY (GP) INVENTORY REPORT			3. SUBTITLE INVENTORY REPORT					
4. AUTHORITY (Date Acquisition Document No.) DI-MGMT-80441D (See Block 16)			5. CONTRACT REFERENCE SOW Para# 7.0		6. REQUIRING OFFICE NUWCDIVNPT, Code 70					
7. DD 250 REQ LT		9. DIST STATEMENT REQUIRED D		10. FREQUENCY ASREQ (See Block 16)		12. DATE OF FIRST SUBMISSION ASREQ (See Block 16)				
8. APP CODE N/A		See Block 16		11. AS OF DATE N/A		13. DATE OF SUBSEQUENT SUBMISSION N/A				
16. REMARKS BLOCK 4: DI-MGMT-80441D is tailored as follows: Omit Paragraphs 3.C and 3.E. BLOCK 9: DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only, operational or administrative use, 08 April 2026. Other requests for this document shall be referred to Commanding Officer, Naval Undersea Warfare Center Division Newport, 1176 Howell Street, Newport, RI 02841-1708, ATTN: Metrology and Calibration Laboratory. WARNING: This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. BLOCK 10: The Contractor shall submit the Government Property (GP) Inventory Report within 10 days upon request from the Government. BLOCK 12: The Contractor shall submit the Government Property (GP) Inventory Report within 10 days upon request from the Government. BLOCK 14: Submit to GFP Accountability Mailbox, nuwc_newport_gfp_accountability_mailbox@us.navy.mil and Technical Point of Contact (TPOC) listed in CLAUSE G-242-H001.						14. DISTRIBUTION *				
						a. ADDRESSEE		b. COPIES		
								Draft	Final	
								Reg	Repro	
						NUWCDIVNPT TPOC (CODE 7013)		0	1	0
						NUWCDIVNPT 107		0	1	0
						15. TOTAL ———>		0	2	0

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE