

CLASS JUSTIFICATION AND APPROVAL
FOR USE OF OTHER THAN FULL AND OPEN COMPETITION
FOR ONLY ONE RESPONSIBLE SOURCE

1. CONTRACTING ACTIVITY:

Department of the Navy, Naval Facilities Engineering Command, Pacific, Joint Base Pearl Harbor-Hickam, Hawaii.

2. DESCRIPTION OF THE ACTION BEING APPROVED:

Request approval to include proprietary specifications to specify by brand name Federal Signal Mass Notification Remote Terminal Unit UVRI-B UltraVoice® for DPRI Guam Projects (56 projects) from [REDACTED], Attachment (A). The brand name description is essential to the activity's requirements, thereby precluding consideration of a product manufactured by any other company.

The estimated cost of construction for the fifty six (56) contemplated fixed price construction contracts is [REDACTED], of which [REDACTED] [REDACTED] will be for the procurement of the Federal Signal Mass Notification Remote Terminal Unit UVRI-B UltraVoice®. This justification covers only the portion of the acquisition of the Federal Signal Mass Notification Remote Terminal Unit UVRI-B UltraVoice®.

3. DESCRIPTION OF SUPPLIES/SERVICES:

The proposed Indoor Remote Interface Controllers will be based on the Federal Signal Mass Notification Remote Terminal Unit UVRI-B UltraVoice®. The government needs to install new Indoor Remote Terminal Units for 56 projects. The purpose/function of the proposed equipment is to receive transmission signal from the Mass Notification System and disseminate internal broadcasting messaging to building occupants in the event of an emergency to protect life by instructing people of the necessary and appropriate action.

The Government's estimated cost for the indoor controllers is [REDACTED] based on the assumption of one controller per building at a unit cost of [REDACTED] ea. as provided by the Naval Information Warfare Center (NIWC) Contracting Officer's Representative (COR).

4. STATUTORY AUTHORITY PERMITTING OTHER THAN FULL AND OPEN COMPETITION:

The statutory authority 10 U.S.C. 2304 (c)(1) – Only one responsible source and no other supplies or services will satisfy agency requirements.

5. RATIONALE JUSTIFYING USE OF CITED STATUTORY AUTHORITY:

Award to another source would result in substantial duplication cost to the Government that is not expected to be recovered by competition.

The Federal Signal Mass Notification Remote Terminal Unit UVRI-B UltraVoice® provides the required communication “bridge” between a Wide Area (Outdoor) and indoor mass notification systems (MNS). This “bridge”, provided by the UVRI-B UltraVoice® also provides required interface with each of its associated building’s fire alarm panel and designed to provide remote control status and monitoring. Features include:

- 7 built-in warning signals
- Indoor use
- Flexible communications, IP standard/radio or cellular optional
- 12VDC and 120/240VAC operation with 12VDC battery back up
- Seven factory installed siren tones
- Removeable SD card for local storage of voice/tone messages
- Capable of storing over 4000 voice/tone messages
- Built-in IP interface with downloadable voice and tone messages
- Built in 2-watt amplifier and speaker
- Optional 100-watt amplifier
- Relay outputs for control of external devices, i.e. visual, door locks
- Eight inputs for activation of announcement alerts or alarms
- Audio out for public address interface
- Fire panel interface
- Self-diagnostics with reporting for major system components
- Secure 128- and 256-bit encryption options
- Local microphone access
- Can be configured for ambient noise monitoring with an external microphone
- UL and cUL Listed

Subj: CLASS JUSTIFICATION AND APPROVAL FOR USE OF OTHER THAN FULL AND OPEN COMPETITION FOR ONLY ONE RESPONSIBLE SOURCE

- CSFM Approved

The requirements of the installation and operational requirements of a MNS is included in UFC 4-021-01 Design and O&M: Mass Notification Systems and applies to all projects under the DPRI Guam Program. Other installations throughout the island have already had (or is in the process of having) their systems retrofitted via an Installation Design Plan (IDP) by Naval Information Warfare Center (NIWC) to replace legacy systems with the Federal Signal brand that brings the base MNS up to the current UFC standards, Authority to Operate (ATO), accreditation specifications, and naval facilities performance standards. In addition to the interface features and operational characteristics requirements, Federal Signal currently is the only system to meet all three requirements for NAVFAC ATPF; UFCs, Performance Specifications (PSPEC), and have an ATO.

The Wide Area MNS and individual building indoor systems will be tied into the exterior portion of the system which currently will receive transmitted signals from the Joint Region Marianas (JRM) Operations Center and also the JRM Region Dispatch Center, both located in JRM HQs, (██████) at Nimitz Hill. Future Base and Admin & Comm Facility (██████) may be responsible for running the base emergency operations including an Emergency Operations Center (EOC), at which time will still have connectivity back to the JRM Operations Center. This facility will require the systems to receive all messages “pushed” through with assurance to ensure critical messaging is disseminated to building occupants in the event of an emergency to protect life by instructing people of the necessary and appropriate action. JRM Operations Center currently controls all the bases and will include future MCBG.

If an other than FedSig component is procured for the DPRI Guam Build-up, replacement of required compatible equipment at the communication hub (JRM Operations Center, JRM RDC and Emergency Operation Centers) including existing installations facilities that are already fitted with FedSig Remote Terminal Units in-place, would need to be replaced and/or retrofitted at a cost in excess of ██████. This cost is over ██████ times the cost of the proposed manufacturer for DPRI Guam Projects at MCBG and results in substantial duplication cost to the Government that is not expected to be recovered by competition.

6. DESCRIPTION OF EFFORTS MADE TO SOLICIT OFFERS FROM AS MANY OFFERORS AS PRACTICABLE:

The following market research was conducted for J&A No. 20-013 and is being applied to the subject Class J&A. On 23 April 2020, an announcement was published on the beta System for Award Management (SAM) website in accordance with DFARS 206.302-1 to identify other potential sources of supply that can provide the Mass Notification Remote Terminal Unit with equal performance and listing/approval requirements as the Federal Signal Mass Notification Remote Terminal Unit UVRI-B Ultra Voice®. No responses were received in response to this announcement. Therefore, there are no other known manufacturers of the Mass Notification Remote Terminal Unit other than the Federal Signal Mass Notification Remote Terminal Unit UVRI-B Ultra Voice® that is compatible with the existing system for the DPRI Guam Projects (56 projects), Attachment (A).

Subj: CLASS JUSTIFICATION AND APPROVAL FOR USE OF OTHER THAN FULL AND OPEN COMPETITION FOR ONLY ONE RESPONSIBLE SOURCE

7. DETERMINATION OF FAIR AND REASONABLE COST:





The Contracting Officer has determined that the anticipated cost to the Government of the supplies covered by this Class J&A will be fair and reasonable.

8. ACTIONS TO REMOVE BARRIERS TO FUTURE COMPETITION:

Although the utilization of a brand name in these projects is indicated by this Class J&A, each future project that includes Mass Notification Remote Terminal Unit UVRI-B UltraVoice® will conduct the same market survey to ascertain the availability of new technology that may provide for other sources to meet the Government's needs. Should any other potential sources of supply for compatible Indoor Remote Terminal Unit be submitted during the source selection process, the Government will consider them as applicable.

CERTIFICATIONS AND APPROVAL

I certify that the facts and representation under my cognizance which are included in this Justification and its supporting acquisition planning documents, except as noted herein are complete and accurate to the best my knowledge and belief.

 
 _____ Phone No. _____ Date _____


I have determined this Justification is legally sufficient.

[REDACTED] Phone No. [REDACTED]
[REDACTED] Date 5 JUN 20

I certify that this Justification is accurate and complete to the best of my knowledge and belief.

Upon the basis of the above justification, I hereby approve the solicitation of the proposed procurement(s) described herein using other than full and open competition, pursuant to the authority of 10 U.S.C. 2304 (c)(1).

Phone No. _____ Date _____

ATTACHMENT A – LIST OF DPRI GUAM PROJECTED PROJECTS

[illegible]

