

C.1 INTRODUCTION

The Federal Aviation Administration (FAA), in accordance with FAA Order 1600.69D, has a requirement to procure Contract Security Officer (CSO) services to increase physical security and safeguard FAA employees, facilities, and United States Government property and assets from loss, theft, damage, unauthorized use, criminal acts, espionage, sabotage, and terrorism. A well-trained, armed, and equipped CSO force provides management with an effective means for implementing and monitoring the provisions of the Facility Security Management Program (FSMP). When CSOs are required, they will conduct visitor and vehicle control and screening, monitor or respond to facility cameras and alarms from intrusion detection systems, perform magnetometer and x-ray screening, and other duties as outlined in this Statement of Work (SOW). Under the awarded contract, the CSO Service Provider, hereafter “Contractor,” must provide CSO services as tasked.

C.2 SCOPE

The Contractor must furnish all labor, supervision, materials, equipment, transportation, training, and management necessary to provide CSO services in accordance with the stated requirements, except where any Government Furnished Equipment (GFE) or Information (GFI) is specifically identified herein or elsewhere in the contract. The Contractor must implement all necessary scheduling, personnel, and equipment control procedures to ensure timely accomplishment of all CSO service requirements.

C.3 GENERAL REQUIREMENTS

The Contractor must meet the following:

- a. The Contractor’s primary business must be providing armed 24/7 (24 hours per day, seven (7) days per week) CSO services.
- b. The Contractor must have at least five (5) or more consecutive years of documented experience in providing armed 24/7 CSO services in each of four or more states concurrently.
- c. The Contractor must provide written evidence of armed 24/7 CSO services to large facilities similar to FAA Security Level 4 staffed facility that has over 450 employees and over 150,000 square feet of space.
- d. If a state covered by this Contract requires a license or permit to perform armed CSO services, Contractor must provide evidence of those active licenses or permits. See C.10.

The Contractor must make sure that performance of CSO services are carried out in a manner that causes minimal interruption or interference with proper execution of government business.

The Contracting Officer (CO) will appoint a Contracting Officer’s Representative (COR) for the contract. The COR will represent the CO throughout the period of performance, at all locations included under the contract, and may visit Contractor or CSO training facilities. The COR will review all aspects of and recommend approval or disapproval of invoices; monitor Contractor performance; initiate or respond to reports of concerns to the CO; and respond to, communicate with, and/or meet with the Contractor or FAA authorities as needed on behalf of the CO.

The individual Facility Manager (FM) will designate an Alternate Technical Representative (ATR) who will be appointed by the CO to act as liaison between the COR and the Contractor and/or representatives from other FAA facilities or organizations. The ATR will be the day-to-day contractual authority for routine matters at their site but may not alter requirements of the contract or obligate the Government financially. In the event of an emergency that would require a temporary modification to the Post or Guard Orders, the FAA ATR may issue Special Orders for immediate action. For example, the FAA ATR may temporarily reassign the security officer to another location on-site during a catastrophic emergency in coordination with the COR.

Throughout this SOW, the ATR is assumed to represent the Facility Manager in all matters.

C.3.1. SUITABILITY

The appropriate Government representative will review the documents listed below to determine CSOs suitability to stand post on this contract:

- a. SF 85-P, Questionnaire for Public Trust Positions
- b. FD-258, Fingerprint Cards
- c. Certificate of Citizenship
- d. Certificate of Education
- e. Proof of Minimum Age
- f. Applicable State or local jurisdiction licensing
- g. Copies of Background Investigation Transmittal letters

C.3.2 REQUIREMENT TO STAND POST

The Contractor must provide the following documents to the COR at least thirty (30) days prior to the CSO standing post. These documents are required for incumbent and newly hired officers:

- a. Contractor Security Officer Manual (SOM) Acknowledgement.
- b. FAA suitability contractor's applicant determination letter
- c. Background police check (seven (7) years)
- d. Five (5) years employer check and documentation of eligibility
- e. Certification of physical qualification and
- f. Drug test screening results using the contract required substances and cutoff levels.
- g. Firearms qualification certification.
- h. Proof of citizenship.
- i. Proof of education.
- j. Proof of minimum age.
- k. Applicable state or local jurisdiction licensing/permits.
- l. Certification of written and oral communication skills.
- m. Red Cross-approved CPR, first aid, and automated external defibrillator (AED) certification.
- n. Baton Certification.
- o. Oleoresin Capsicum (OC) certification.
- p. Handcuffing technique certification.
- q. Guard Permit (if applicable).
- r. Weapon Permit (if applicable).
- s. Signed and dated certification of compliance with Lautenberg Amendment.
- t. Formal training as required herein.

- u. Checklist of all documents on the on-site and reviewed lists, indicating that each was properly reviewed, signed by the Contractor's Program Manager for the contract.

C.3.3. ONSITE RECORDS

The Contractor will maintain a current hard copy of certain individual CSO records required for review upon request by the ATR, COR, CO and/or FAA Security Servicing Element (SSE). The Contractor must maintain on-site copies at each FAA facility of:

- a. Contractor Security Officer Manual (SOM) officer acknowledgement form.
- b. Facility Post Order officer acknowledgement form. (Section J, Attachment J.10)
- c. Facility Security Plan (FSP) & Occupant Emergency Plan (OEP) officer acknowledgement form. (Section J, Attachment J.11)
- d. Annual Firearms qualification certification.
- e. Applicable state or local jurisdiction licensing.
- f. American Red Cross-approved CPR, first aid, and automated external defibrillator (AED) certification.
- g. Baton Certification.
- h. Oleoresin Capsicum (OC) certification
- i. Handcuffing technique certification.
- j. Guard Permit (if applicable).
- k. Weapon Permit (if applicable).
- l. Signed and dated certification of compliance with Lautenberg Amendment.
- m. Formal training as required herein.
- n. Certification of written and oral communication
- o. Checklist of all documents in the on-site and reviewed lists, indicating that each was properly reviewed, signed by the Contractor's Program Manager for the contract.

Each FAA facility has an onsite lockable storage cabinet that must be used to store individual CSO records. Access to the cabinet will be strictly controlled by the Contractor and access granted to the FM, ATR, COR, CO, or FAA SSE only upon request by one or more of these individuals. The Contractor must view the identification of Government personnel requesting access to guard records and record the names of anyone granted access in the guard's daily log.

C.4 CSO SERVICES

C.4.1 BASIC SERVICES

CSOs may be required to perform several functions at the same time. The Contractor must provide the functions and duties described in all C.4.1 subsections below which are classified as Basic Services as listed in Section B. The CSO shift schedule for Basic Services is outlined in Section J, Attachment J.1 Facility Post Exhibits.

Specific detailed procedures and process requirements for each facility will be contained in the site-specific Task Order and the Facility Post Orders (refer to **Section C.5.1**) and provide guidance for that facility.

The Contractor must not perform any personal services under the awarded contract. The Government will not directly supervise Contractor employees. The applicable Contractor employee supervisor will give all individual Contractor employee assignments and daily work direction. If the Contractor believes any Government action or communication has been given that would create a personal services relationship between the Government and any Contractor employee, the Contractor must promptly notify the CO of this communication or action.

In addition, CSO services specifically exclude the delivery of mail within the facility or between offices. The CSOs must screen mail and parcels by X-Ray where such machines are provided or as described in the Post Order, but must not sort, deliver, and/or place mail in mailboxes. The Contractor must not perform any inherently Governmental actions under the awarded contract. No Contractor employee will hold him or herself out to be a Government employee, agent, or representative. A Contractor employee must not state orally or in writing at any time that he or she is acting on behalf of the Government. In all communications with third parties in connection with this requirement, Contractor employees must identify themselves as Contractor employees and specify the name of the company for which they work. In all communications with other Government contractors in connection with this requirement, the Contractor employee must state that they have no authority in any way to change the contract.

The Contractor must ensure that all employees working on the contract and/or Task Orders are informed of the substance of this direction regarding the prohibition on performing personal services and the prohibition on performing inherently Governmental actions. Nothing in this statement limits the Government's rights in any way under any other provision of the contract. The substance of this direction must be included in all subcontracts at any tier.

C.4.1.1 Access Control

The Contractor's CSOs must provide courteous, timely service while maintaining control of all personnel and vehicles entering the facility in accordance with the local Facility Security Plan (FSP) and the applicable Task Order(s). The ATR may alter access and egress control requirements according to changes in National Terrorism Advisory System (NTAS) and/or General Notice (GENOT).

Additional requirements, if any, will be included in individual Task Orders and Facility Post Orders. The Contractor must act in compliance with appropriate industry or company standards of professionalism as it relates to access control. This includes but is not limited to the following:

- a. Stand post at entry/exit gates designated by the ATR to verify all persons' identification and conduct inquiries and surveillance of suspicious items, packages, and people.
- b. Perform a daily test of the walk-through metal detection, hand-held metal detector, and x-ray machines to ensure all devices are operable.
- c. As defined by the ATR, ensure individuals do not depart with government material unless they are authorized to do so.
- d. Verbally challenge individuals who are approaching restricted areas.
- e. Operate traffic control checkpoints.
- f. Coordinate the receipt, issuance, and tracking of all keys, key cards, lock combinations, etc.
- g. Operate all electronic security equipment in accordance with the Facility Post Orders.

C.4.1.2 Screening**C.4.1.2.1 Screening of Vehicles, Visitors, and Mail**

The Contractor must deny entry of any unauthorized person(s), property, or vehicles to area(s) defined in the Facility Post Orders. All posts must be staffed in accordance with contract requirements. During the time periods posts are not staffed, the posts must be considered part of the perimeter and controlled by the roving patrol. Authorized personnel or vehicles must be allowed entry after they have been properly screened. The CSO must minimize traffic congestion during peak periods of personnel arrivals/departures in compliance with the Facility Post Orders.

The CSO must evaluate and process visitors, mail, and packages using metal detection and x-ray equipment where provided. In the absence of an x-ray machine, CSOs will hand-inspect bags, packages, and mail.

C.4.1.2.2 Screening Procedures

- a. Screened mail and parcels must be controlled by the CSO at the facility guard house. CSOs are not permitted to deliver packages to facility personnel.
- b. Check packages, briefcases, containers, or any other hand-carried items in the possession of visitors for weapons and illegal or other contraband items. Very Important Persons (VIPs) specifically identified by the FM in person will be screened only as directed by the FM.
- c. Operate metal detectors/magnetometers to inspect visitors and deliveries for prohibited items as described in Post Orders.
- d. Operate x-ray machine to inspect visitors' packages, equipment, and hand-carried articles for prohibited items as described in Post Orders.
- e. Conduct vehicle inspections, which may include searching under seats, in the trunk, and under the vehicle as described in Post Orders.
- f. Conduct broader or more detailed screening as directed by the ATR in response to the security posture.

C.4.1.3 Visitor Processing

Issue visitor badges to visitors as described in Facility Post Orders.

C.4.1.4 Patrol and Response

The CSO must conduct roving patrols as specified in the Facility Post Orders. Roving patrols must be conducted on foot unless otherwise described in the Facility Post Orders. The CSO conducting the roving patrol must be continuously on the alert for unsafe or suspicious situations. The CSO must restrict admission to the unsafe area and notify the FM and the ATR.

In the event of a catastrophic incident, the CSO must immediately summon appropriate response forces and then notify the FM and other government personnel as prescribed by the Facility Post Orders, assist in minimizing the effects thereof, and assist in restoring the area to a safe condition as soon as possible. In any instance where the CSO determines an emergency exists, he or she must call 911 and inform facility staff that first responders have been summoned.

The patrolling CSO will use a Government-furnished electronic tour system to log rounds while patrolling the property. The electronic tour system provides a means to record the time when the CSO reaches certain points on the tour. Checkpoints are commonly placed at the extreme ends of the tour route and at critical points. The electronic tour system helps ensure that the CSO makes his or her appointed rounds at the correct intervals and can offer a record for legal or insurance reasons.

A check must be made of the entire facility perimeter to detect unauthorized entry (attempted or actual) or other suspicious activities. Routes and times must be varied to avoid establishing a set pattern. The CSO must conduct these checks as prescribed in Facility Post Orders. The CSOs are prohibited from conducting CCTV or personal vehicle patrols in lieu of regular foot patrols.

In the case of emergency conditions, the ATR may direct the CSO supervisor to temporarily divert CSOs from his/her normal roving patrol duties to respond to the emergency conditions. Those employees must return to his/her normally assigned duties when released from the emergency by the ATR.

In any instance where direction is given by the ATR to alter normal patrol activities, all pertinent facts concerning the deviation must be recorded in the patrol log. During the roving patrol, the CSOs must:

- a. Inspect physical security safeguards, including door and window locks, fences, and sensors.
- b. Inspect facilities for hazards, mechanical problems, and unsafe conditions, and report problems to appropriate authorities.
- c. Ensure that all security equipment is activated and operating properly, including lock and key/card systems.
- d. Close and secure open windows or doors in unoccupied spaces, gates, or other access points.
- e. Manually open and close heavy gates and doors.
- f. Conduct patrols in accordance with routes and schedules contained in the Facility Post Orders.
- g. Record changes to the security status of the facility in the post log and inform the ATR or duty FAA facility manager of such changes when immediate attention may be required.
- h. Patrol locations in areas that are potentially hazardous to the public (e.g., construction sites and attractive nuisances).
- i. Inspect the perimeter, property, and buildings for hazards, intruders, and suspicious activities.
- j. Observe the environment for suspicious vehicles or persons on or around Federal property.
- k. Review maps, floor plans, diagrams, or other information to become familiar with facility and property boundaries.
- l. Evacuate individuals from dangerous and/or life-threatening situations.
- m. Guide and assist First Responders (e.g., with scene management or security).
- n. Administer cardio-pulmonary resuscitation (CPR).
- o. Administer/deploy automatic external defibrillator (AED).
- p. Assess the medical condition of injured individuals.
- q. Perform basic first aid in response to emergencies.

- r. Use fire extinguisher to put out a minor fire.
- s. Request emergency assistance in response to traffic accidents.
- t. Assist in conducting accident and incident scene searches and investigations (e.g., check visitor logs, tapes) in search of relevant evidence and information to determine the facts of the situation in accordance with Facility Post Orders.
- u. Follow directions to and respond to emergency and routine calls for service until the situation is resolved or until relieved by a higher authority.
- v. Investigate the source of suspicious odors and sounds.
- w. Pursue fleeing individuals to the edge of facility property and notify 911.

C.4.1.5 Control Operations

- a. Provide written or verbal situation reports regarding security-related information (e.g., accidents, bomb threats, unlawful acts, characteristics of individuals).
- b. Report potentially threatening situations and violations of law and security procedures.
- c. Check radio and/or communication equipment.
- d. Respond to or monitor security and fire alarms and closed-circuit television to detect security risks, threats, or prohibited items carried by visitors.

C.4.1.6 Common Tasks

- a. Provide directions or information to tenants or visitors.
- b. Advise persons relative to problems, situations, etc.
- c. Explain rules, regulations, and procedures to individuals.
- d. Conduct on-the-spot interviews of witnesses to obtain descriptions of possible suspects or description of events and persons surrounding security incidents for reporting to first responders and/or Government authorities.
- e. Collect information about stolen or missing property or suspicious activities to aid investigations.
- f. Advise the Site Supervisor or the duty facility manager of potentially hazardous conditions.
- g. Raise and lower the flag in a respectful and appropriate manner.
- h. Locate and review documents and information (e.g., logs, lists).
- i. Read memos and other written material issued by the ATR to maintain knowledge.
- j. Take detailed field notes so reports and/or log entries can be completed.
- k. Provide backup assistance to other CSOs.
- l. Recognize and report unsolicited contacts (telephone, in person, and by mail) to determine suspected criminal and/or suspicious activity that poses a potential threat to the organization's facilities or personnel.
- m. Interview and assess suspicious persons.
- n. Draw and discharge weapon to protect self or third party on FAA property.
- o. Participate in firearms training and demonstrate proficiencies.
- p. Care for and maintain firearms.
- q. Participate in training in the use of chemical agents, restraining devices, and batons for use in emergency situations.
- r. Use OC (Oleoresin Capsicum) chemical in gel or foam spray pattern only to temporarily incapacitate a violent individual in accordance with state and local laws.
- s. Use baton as a defensive weapon or to temporarily disable a violent individual.

- t. Inventory physical objects (e.g., keys, keycards, vehicles, visitor badges) and log accordingly.
- u. Testify in court regarding criminal activity or other incidents.
- v. Participate in work-related training.
- w. Report misconduct of other Contract Security Officers.

C.4.1.7 Inspections

C.4.1.7.1 Buildings and Grounds

Assigned CSOs must visually and physically inspect all buildings, accessible ground-floor windows, exterior doors, government vehicles, lights, locks, signs, etc., and report any that are damaged, non-operational, or not secured. While such inspections are primarily to detect unsecured facilities, the CSO must also immediately report to the appropriate authorities any fire, flooding, or other conditions that could result in damage to buildings/equipment or injuries to personnel. The CSOs must not disturb papers on desks, open desk drawers or cabinets, erase blackboards, or use Government equipment unless specifically authorized.

C.4.1.7.2 Vehicles

Conduct inspections of vehicles in accordance with Facility Post Orders. Prior to facility/compound entry, all visitor or commercial vehicles must be inspected in accordance with the Facility Post Orders or as directed by the ATR to ensure no unauthorized vehicles, personnel, or materials enter the facility. Inspections will be conducted in a professional, safe, and courteous manner while maintaining control of all personnel and vehicles during inspection.

Vehicle inspection requirements will vary according to NTAS/GENOT. The Contractor must supply any necessary safety equipment/material to conduct vehicle inspection. Inspections of vehicles must be conducted in the area designated for vehicle inspection in accordance with local procedures. Inspections include, but are not limited to, the interior of the vehicle cab, bed/box, trunk, trailer, under the hood, and underside of the vehicle.

C.4.1.8 Execute Colors

The CSO may be required to raise and lower the United States Flag (and other flags as directed by the ATR) at the locations and times indicated in the Facility Post Order and Presidential and local directive.

C.4.1.9 Traffic, Parking, and Pedestrian Control

The CSO must direct traffic and control lights as described in Facility Post Orders. Abandoned or suspicious occupied vehicles must be reported promptly. Vehicles parked in prohibited zones, which require removal by towing, must also be reported to the Site Supervisor or the ATR.

C.4.1.10 Escort Services

The CSO will not provide escort duties for visitors. The CSO may need to escort deliveries to the loading dock and to keep the loading operation under observation, as described in the Facility Post Orders.

C.4.1.11 Gate/Building Openings

The CSO must open and close gate(s) and building(s) within the time parameters as specified by the Facility Post Orders or as directed by the ATR. The CSO must maintain a record of all-nonscheduled gate/building openings and/or closings. The CSO may be directed by the ATR to temporarily close parking areas and direct traffic during special events.

C.4.1.12 Key/Access Control Cards/Combination Control

The CSO must receive, secure, issue, and account for all keys/access cards or combinations issued to them for access to buildings, offices, equipment, gates, etc. Prior to starting work, the CSO must sign a receipt or enter into the Daily Log all keys/access control cards/combinations issued by the Government. The CSO must maintain records in accordance with the Facility Post Orders, which show how many keys and access cards are in existence, whose possession they are in, and who has knowledge of and access to combinations. These records must be made available to the ATR or other Government authority when identified as such by the ATR upon request.

Keys must not be duplicated, transferred to another person, or removed from the facility. Any loss of keys, access control cards, or combinations will be immediately reported to the ATR or Site Supervisor.

C.4.1.13 Temporary Badges

The CSO must comply with Facility Post Orders on issuance of temporary passes and temporary badges to Government employees, authorized visitors, contractors, and vendors. The CSO must courteously and promptly process visitors, issue appropriate identification badges to authorized visitors, and record required information. Vehicle passes must either be denied or issued after proper screening and validation.

C.4.1.14 Private Property

The use of certain private property (e.g., audio and video recording devices, cameras, etc.) is prohibited on the facility unless authorized by the FM. A list of prohibited items and the procedures for the handling of those items will be in provided in the Post Orders.

The CSO must maintain a list of lost items, accept found items, and secure them until they can be transferred to the proper authorities, the FM, or the facility Security Coordinator (SC) for disposition.

C.4.2 TEMPORARY ADDITIONAL CSO SERVICES (TAS)

The Contractor may be required to conduct these services on an as-needed basis. If needed by FAA, these services will be ordered via Task Order.

C.4.2.1 Random Screening

In accordance with FAA Order 1600.69D, FAA/DOT personnel in possession of a valid FAA/DOT ID media, who are authorized unescorted access to the facility, are not screened under normal security conditions, but may be screened during periods of heightened security.

However, all individuals are subject to random inspections under 41 CFR 101-20.301, which states that packages, briefcases, and other containers in the immediate possession of visitors, employees, or other persons arriving on, working at, visiting, or departing from Federal property are subject to inspection. These inspections include individuals walking into a facility, employees entering a perimeter turnstile, or individuals occupying a vehicle on FAA property.

The Contractor may be required to conduct a period of random screenings at each facility, for four (4) hours once per week on an as needed basis. To facilitate this effort, an additional two (2) CSOs will be present at the facility during the screening activity. If needed by FAA, these services will be ordered via Task Order.

Personnel screening will follow standard visitor screening protocols already in effect at FAA facilities and documented in the Facility Security Plan and Post Orders. The CSO will be required to document associated activities of employee/vehicle screening at each site for data collection/tracking purposes.

C.4.2.2 Roving Patrols

The Contractor may be required to conduct a period of roving patrols at select facilities, for eight (8) hours/day for five (5) days per week, Monday through Friday, on an as needed basis. To facilitate this effort, an additional one (1) CSO will be present at the facility. If needed by FAA, these services will be ordered via Task Order.

The CSO will patrol the facility perimeter and secure areas and conduct continuous inspections of the entire area to detect unauthorized entry or other suspicious activities. These inspections include facility doors and windows, locks, fences, and sensors. Inspection for hazards, mechanical problems, and unsafe conditions will also be required. This Roving Patrol is separate from the patrol and response requirement listed in C.4.1.4.

C.5 SECURITY OFFICER OPERATIONS

C.5.1 Post Orders

Facility Post Orders are available on site. Site Supervisors must ensure that all CSO personnel are trained on the contents of these orders.

The instructions in the Facility Post Orders are specific to the FAA location and can be in the form of general, special, and/or temporary orders. These orders describe the duties and actions that the CSO is to carry out under specified conditions at all individual posts/patrols as required by the contract.

- a. General Orders. Instructions that concern the CSOs as a whole and are applicable at all posts and patrols. They also cover such items as performance of contract CSO duties and responsibilities, facility access procedures, notification requirements, etc.
- b. Special Orders. Instructions that prescribe the responsibilities of a particular post or patrol. Each post or patrol will have special orders issued concerning the location, duties, and hours staffed.
- c. Temporary Orders. Instructions that are issued for a short period covering a special or temporary situation and including emergencies.

C.5.2 Security Officer Manual (SOM)

The Contractor must develop and issue a current and comprehensive Contractor SOM to each CSO. The manual is intended to be a Contractor-employee manual and will contain the basic guidance issued by the Contractor to its employees concerning supervisory and employee responsibilities, matters of dress, interaction with visitors and FAA employees, discipline, patrolling, first aid, emergency responsibilities, detention of suspects and arrest powers, courtesy, communications, and chain of command.

Each CSO must acknowledge the receipt of the SOM in writing. The signed receipt form must be maintained in the CSO's on-site file.

C.5.3 Security Officer Manual (SOM Contents)

The Contractor must issue a SOM to each CSO within 60 days after contract award. If the Contractor hires a CSO after the 60-day time period, the new CSO must receive the SOM within five days of employment with the Contractor. A copy of the SOM must be maintained at each post location. The SOM is intended to be a Contractor-employee manual and will contain the basic guidance issued by the Contractor to its employees acting under the contract. Because it describes or may govern CSO behavior or actions under this requirement, the SOM must be coordinated and approved by the CO and COR prior to issuance.

The Security Officer Manual must include the following topics and other important aspects deemed important to the work functions of a CSO:

- a. General company policy, rules, and regulations.
- b. Chain of command.
- c. Concepts of facility protection.
- d. Legal aspects of facility protection.
- e. Detention of suspects and arrest powers.
- f. Patrol techniques.
- g. Access and traffic control.
- h. Detection of methods of sabotage.
- i. Fire prevention and protection.
- j. Communication.
- k. Report writing.
- l. Handling of safety hazards and bomb threats.
- m. Care and handling of firearms.
- n. Firearms qualification and certification.
- o. First aid.
- p. Wearing of the prescribed uniform.
- q. Standards of conduct and discipline.
- r. Courtesy and professionalism.
- s. Interaction with visitors and FAA employees.
- t. Medical examinations of CSOs and certification of acceptability.
- u. Physical condition.
- v. Protection and reporting of classified information incidents.
- w. Emergency responsibilities.

- x. Active shooter and violence in workplace incidents.
- y. Occupancy Emergency Plan.
- z. Contingency Plan.

A detailed review of the SOM must be provided as part of each employee's initial training and each time the manual is modified. No CSO will be assigned to duty unless he/she is thoroughly knowledgeable of and understands the SOM. The SOM may be modified to reflect required changes in the Government's CSO requirements.

C.6 STAFFING

The Contractor must ensure that all CSO personnel meet the following requirements:

C.6.1 Site Supervisor

Supervisory personnel must have a minimum of two (2) years of facility protection experience at a level commensurate with the scope of work of the awarded contract. In addition, the supervisor must meet the Qualifications set forth in **Section C.7** below.

A Site Supervisor is required at all sites, is the Contractor's day-to-day representative on site, and must ensure CSO staff compliance with all contract requirements.

The Site Supervisor is a CSO standing post and must meet the requirements of **Sections C.3** and **C.7** of this SOW.

C.6.1.1 Supervisor Responsibilities

The supervisor must ensure that: each post is staffed as required, employees are properly uniformed and present a neat appearance, each employee is familiar with his/her post and duties, and each employee is fully certified.

The CSO's supervisory personnel must be available at all times to receive and implement orders or special instructions from the CO/COR/ATR during emergency situations concerning matters which affect the operation, protection, and/or security of assigned areas.

The Supervisor must:

- a. Exercise individual judgment as to scheduling and utilizing CSO personnel.
- b. Provide the ATR with a current list of available qualified CSOs.
- c. Serve as the primary contact point between the Contractor and the ATR. The supervisor must receive all instructions and ensure the CSO force properly implements them.
- d. Receive complaints or reports of violations of CSO instructions from the ATR, COR, and/or FM, and initiate corrective action. The supervisor must resolve complaints about contractor policy, uniforms, etc. from CSO personnel.
- e. Conduct a security orientation on individual conduct and responsibility for CSO personnel prior to his/her duty assignments.
- f. The guards must receive final approval from the COR before applying for a PIV badge.

g. When inspecting the CSO employees, the supervisor must ensure that:

- 1) A current copy of the regulations and instructions pertaining to the CSO post, the Contractor's SOM, and Facility Post Orders are immediately available at each post of duty.
- 2) Each CSO understands and complies with the Contractor's SOM, Facility Security Plan, and Facility Post Orders.
- 3) The supervisor, upon notification that a firearm has been discharged, must take the following actions:
 - i. Ensure that the ATR and appropriate local authorities are notified immediately.
 - ii. Provide a written follow-up report of the incident to the ATR and the CO or COR within four (4) hours.

The Contractor must ensure that the Site Supervisor has sufficient time outside of their standing shift time to conduct these required inspections and carry out his/her supervisory responsibilities in accordance with the SOW. Supervisory duties must be conducted after the supervisor shift has ended.

C.6.2 Security Officer Requirements

The Contractor must provide qualified personnel to meet the site staffing requirements. The specific staffing requirements for each site will be provided in the Section J Attachment J.1 Facility Post Exhibits. All CSO personnel must meet the qualifications in Section C.7. At no time may a CSO leave his/her post until properly relieved. A guard found to be lacking in any certification must be promptly replaced by the Contractor at the Contractor's sole expense. The period when the post was staffed by a guard who is missing a certification will be considered unfilled and must not be invoiced for payment.

C.6.3 Emergency Security Services - Recall System

The Contractor must provide an employee recall system with the capability of contacting and recalling up to three (3) off duty personnel per shift. Personnel must be on-site within two (2) hours of the Contractor's receipt of the CO or COR recall authorization. Situations which may result in recalls include riots, civil disturbances, or other large gatherings of people where, in the opinion of the Government and/or local law enforcement, a threat exists to life and property. The CO or COR will notify the contractor for additional personnel as required.

C.7 QUALIFICATIONS

All CSOs must be hired at the Guard II Labor Category. The CSOs must be persons specifically hired, organized, trained, and equipped to protect personnel, assets, and facilities. The following basic qualifications must apply to all individuals employed or being considered for employment as a CSO.

C.7.1 Citizenship

All CSO personnel must be U.S. citizens.

C.7.2 Personal Traits

General Standards.

The Contractor will assign to FAA facilities only CSOs hired, organized, trained, equipped, and armed to the specific requirements of this SOW.

- a. All CSOs assigned to FAA facilities must:
 - 1) Meet all federal, state, and local requirements for CSOs.
 - 2) Meet the requirements of this SOW.
 - 3) Exercise sound judgment, meet and deal with people in a positive manner, and maintain poise and self-control under stress.
 - 4) Input and retrieve data using a computerized security system, and read, understand, and apply printed instructions, rules, detailed orders, and training materials.
 - 5) Be at least 21 years of age at the time of employment.
 - 6) Have earned a high school diploma or General Education Development (GED) Certificate from a duly accredited institution.
- b. All CSOs assigned to FAA facilities must meet at least one (1) or more of the following requirements for experience:
 - 1) Three (3) years of security experience within the past five (5) years OR
 - 2) Associate Degree in a related field plus one (1) year of security experience OR
 - 3) Three (3) years of military experience (active, reserve or National Guard either be currently serving or have been honorably discharged) OR
 - 4) Successful completion of a State certified Police Officer's Standard Training (POST) certification course OR
 - 5) Possess a reasonable combination of one (1) through three (3) as agreed to by the COR.
- c. Prior to assigning a CSO to an FAA facility, the Contractor will certify in writing to the COR that the individual possesses the following communication skills:
 - 1) Speaks English fluently.
 - 2) Reads and understands written English in reports, orders, guidelines, and instructions.
 - 3) Writes official reports in English that are grammatically correct and technically accurate.

C.7.3 Convictions

The Contractor must ensure that no employee has a felony conviction. Persons convicted of or under indictment for a misdemeanor crime of domestic violence under 18 U.S.C. § 922 are prohibited from employment as an armed/unarmed CSO. Requirements may fall under other FAA Regulations prohibiting employment. Where contracts require access to airport operations areas, the Contractor must comply with the Transportation Security Administration (TSA) Regulation 49 CFR 1542, Airport Security.

C.7.4 Pre-Employment Investigation

The Contractor is required to conduct or have conducted a pre-employment suitability investigation for each individual. The investigation must include the following:

- a. Search of police files in the area of residence, including previous addresses.
- b. Inquiries of former employers for a period of five (5) years.

- c. Information that may reflect on the suitability of the CSO to perform security duties under this SOW.
- d. Search of available Federal and State Sex Offender registries.

The Contractor must provide the results of the investigative reports for all CSOs to the COR no later than thirty (30) days prior to beginning duty. Where the records exist for incumbent CSOs, the Contractor may utilize the existing records provided the investigation has been completed within the previous five (5) years from the start of the period of performance.

C.7.5 Personnel and Industrial Security Requirements

The Contractor must submit the name, date and place of birth, and social security number (SSN) for each employee who will be assigned any function at an FAA facility to the COR, or to the Personnel Security Specialist (PSS) designated by the COR, no later than thirty (30) calendar days prior to beginning duty as an FAA CSO.

All applicants must successfully pass a Federal Bureau of Investigations (FBI) fingerprint check prior to receiving an interim federal suitability determination and reporting for duty.

All CSO applicants must successfully pass an Office of Personnel Management Tier 1 investigation. Any employee given interim suitability approval who later receives an unfavorable Tier 1 investigation report will be removed immediately. Each individual CSO must be able to obtain a FAA Contractor Employee identification badge with unescorted entry. The contractor must immediately report to the CO/COR any subsequent derogatory information on any employed CSO. This includes any arrest, unauthorized CUI disclosure, or other violations of FAA policy or directives as contained in AMS contract clauses.

Each applicant must appear in person before a FAA Trusted Agent with two (2) forms of identification as identified in Office of Management and Budget Circular I-9.

Where classified CSO task orders are required, the COR will notify the Contractor of the appropriate CSO investigative requirements. Access to classified national security information is not normally required in the performance of this SOW.

The completed forms are to be submitted to the PSS thirty (30) calendar days prior to reporting for duty. A copy of the transmittal letter will be sent to and maintained by the ATR until the results of the investigation are received. Investigative information developed by the government on contractor employees is releasable only in accordance with applicable regulations.

Information relating to national security is only releasable to individuals with a valid need to know and appropriate levels of access.

In the event derogatory/adverse-suitability information is discovered, the CO will notify the Contractor of appropriate actions to be taken.

C.8 MEDICAL AND DRUG TEST REQUIREMENTS**C.8.1 Medical Standards**

The Contractor must ensure that the CSOs working under this SOW meet the medical and physical requirements described below.

- a. Contractor must require CSOs to undergo a pre-employment medical/physical examination and every three (3) years thereafter. A licensed physician must administer examinations and document results on the Certification of Physical Qualification; refer to Attachment J.9.
- b. Contractor must ensure a licensed physician fully and accurately completes Attachment J.9 for each CSO based on medical standards and essential job functions set forth in this SOW. CSOs must meet health certification requirements listed in the CSO Medical Questionnaire.
- c. CSOs must meet following medical standards:

Table 5-3. CSO Medical Standards

Category	Standard
Vision	Binocular corrected to 20/30 or better. No peripheral vision deficits, night blindness, or other conditions that adversely affects job functions.
Hearing	Average hearing across 500, 1000, 2000, and 3000 Hz of 25 decibels or less and at 4000 and 5000 Hz of 45 decibels or less. If a hearing aid is used for testing, it must be worn on duty. No equilibrium disorders.
Speech	No impediment that interferes with communication to a degree that adversely affects job functions.
Cardiovascular	Aerobic capacity of 9 metabolic equivalent (MET) or 31.5 ml/kg/min VO ₂ max during standardized capacity test for six (6) minutes.
Musculoskeletal	Full range of motion and able to get down to and up from a kneeling position. Lift 40 pounds from floor to waist, bench press 40% of bodyweight.
Respiratory	Must be cleared to use disposable particulate respirators meeting N95 National Institute for Occupational Safety and Health (NIOSH) standards.
Other Physical Systems	Includes gastrointestinal, genitourinary, endocrine, metabolic, hematological, neurological, psychiatric, and dermatological systems. Must not interfere with safe and efficient completion of job functions.
Medications	The prolonged use (e.g., beyond 10 calendar days) of narcotics, sedative hypnotics, barbiturates, or amphetamines prescribed for a persistent or recurring underlying condition is a disqualifying factor.

CSOs must be physically able to perform tasks and/or functions listed below in the performance of assigned duties:

- a. Frequent and prolonged walking, standing, sitting, stair climbing, and stooping up to twelve (12) hours either indoors or outdoors, during daytime or nighttime. Outdoor posts may require an individual to withstand extreme heat, humidity, cold, and/or severe weather (e.g., snow, sleet, rain, hail, wind).

- b. Frequent contact with general public, law enforcement, and dispatch center requiring an ability to speak clearly and distinctly and remain calm in stressful situations (e.g., confrontations with angry, distraught, disturbed, or violent persons).
- c. Ability to remain on post up to four (4) consecutive hours without sitting, eating, or relieving bladder/bowels.
- d. Ability to remain alert for up to twelve (12) hours with the ability to mentally and physically react quickly to a variety of unexpected and dangerous situations. Use of senses (sight, hearing, smell, touch) is necessary to discern unusual or dangerous situations.
- e. Ability to use post security equipment, e.g. (metal detectors, X-rays, CCTV); ability to use handcuffs, baton, and firearm) at any time while on duty.
- f. Ability to read post assignments, write reports, and respond to both routine and emergency dispatches/orders.
- g. Ability to subdue violent or potentially violent or disturbed individuals, or intervene in a crisis (e.g., provide emergency First Aid and/or resuscitation while waiting for arrival of paramedics or other emergency personnel).
- h. Occasional running, sprinting, lifting heavy weights, moving heavy objects, climbing stairs (e.g., in responding to emergencies, ensuring timely and complete facility evacuations, giving pursuit, etc.).
- i. Contractor must remove individuals deemed incapable of performing above tasks or functions within this SOW.
- j. Contractor must be responsible for encouraging and promoting employees assigned to the awarded contract to maintain an ongoing and regular program of physical fitness at no cost to Government.

C.8.2 Initial and Recurring Screening for Illegal Drugs

CSOs must submit to a urine drug screening as part of initial and recurring medical examinations. Employees are screened for the following substances at cutoff levels listed below:

Initial test analyte	Initial test cutoff 1	Confirmatory test analyte	Confirmatory test cutoff concentration
Marijuana metabolites (THCA) 2	50 ng/mL3	THCA	15 ng/mL
Cocaine metabolite (Benzoylecgonine)	150 ng/mL3	Benzoylecgonine	100 ng/mL
Codeine/Morphine	2,000 ng/mL	Codeine Morphine	2000 ng/mL 2000 ng/mL
Hydrocodone/Hydromorphone	300 ng/mL	Hydrocodone Hydromorphone	100 ng/mL 100 ng/mL
Oxycodone/Oxymorphone	100 ng/mL	Oxycodone Oxymorphone	100 ng/mL 100 ng/mL
6-Acetylmorphine	10 ng/mL	6-Acetylmorphine	10 ng/mL
Phencyclidine	25 ng/mL	Phencyclidine	25 ng/mL
Amphetamine/Methamphetamine	500 ng/mL	Amphetamine Methamphetamine	250 ng/mL 250 ng/mL
MDMA 4 /MDA 5	500 ng/mL	MDMA MDA	250 ng/mL 250 /mL

- a. The contractor must perform random drug screenings at all sites. Ten percent of all CSOs assigned to each site awarded under this contract must undergo quarterly drug screenings in addition to the tri-annual medical requirement.
- b. The contractor must provide the COR with consolidated quarterly reports detailing the frequency and results of random drug screenings on the 10th day of January, April, July, and October each year.
- c. CSOs must resubmit to a urine drug screening upon renewal of physical forms every three (3) years.
- d. Drug screening methodology must conform to U.S. the Department of Health and Human Services Substance Abuse and Mental Health Services Administration's (SAMHSA) "Mandatory Guidelines for Federal Workplace Drug Testing Programs."
- e. The Government strongly urges Contractor to use laboratories listed on SAMHSA's "Current List of Laboratories Which Meet Minimum Standards to Engage in Urine Drug Testing for Federal Agencies."
- f. If the Contractor chooses to use a laboratory not shown on SAMHSA's current list, Contractor must verify that the laboratory's methodology conforms to SAMHSA's guidelines prior to utilizing that laboratory to perform drug screenings.
- g. Other drug testing methods (hair, sweat patch, etc.) are commercially available but are not acceptable for purposes of this requirement due to widely varying standards of testing and laboratory reliability results.
- h. The Government reserves right to modify contract to permit use of alternative methods if SAMHSA issues guidelines on alternative drug screening methods.
- i. The Applicant/Employee must be automatically disqualified from working under this or any other FAA security force services contract if the presence of a positive reading for any substance listed in the above chart is at or above the designated cutoff level for that substance.
- j. The Contractor must not permit an applicant/employee to take multiple tests in order to receive an acceptable reading, as most drugs metabolize within a short period, ranging from several hours to several days.

C.8.3 Government-Requested Screening

- a. The CO and/or COR will request urine drug screenings, in writing or via email, to the Contractor's Program Manager when the Government has reasonable belief that a contract employee is on duty and under the influence of an intoxicating substance and/or when the Contractor independently identifies circumstances where probable cause exists.
- b. The Contractor must conduct Government-requested urine drug screenings in similar fashion to random drug screenings. Upon receipt of a written or emailed request from the CO or COR, the Contractor's Program Manager must arrange for the test as soon as possible, but no later than three (3) working days. The Contractor must pay the contract employee their normal hourly rate/salary for time associated with screening. Each screening must follow guidelines described in Section C.8.

- c. Contract employees identified for Government-requested urine drug screenings may continue working under contract until the Contractor receives test results. If the results of any urine drug screening are negative, the Contractor will be required to submit a Request for Equitable Adjustment for reimbursement. If the results are positive, the Contractor must immediately remove the contract employee(s) with a positive reading from the contract and immediately inform the COR and CO of results. The Contractor must bear all expenses relating to testing for employee(s) with a positive reading.
- d. The Government will permanently disqualify any contract employee who undergoes either a random or Government-requested urine drug screening and tests positive (meets or exceeds acceptable cutoff levels) for any substances listed in Section C.8.2 from working under this or any other FAA security force services contract.
- e. The Contractor must not permit any employee to take multiple tests in order to receive an acceptable test result, as most drugs metabolize within a short period ranging from several hours to several days.

C.9 STANDARDS OF CONDUCT

The Contractor must maintain satisfactory standards of employee competency, conduct, appearance, and integrity, and be responsible for taking disciplinary action against employees, as necessary. Each Contractor employee is expected to adhere to standards of conduct that reflect positively upon themselves, their employer, the FAA, and the Federal Government.

The Government reserves the right to request the Contractor remove an employee from the awarded contract for failure to comply with the standards of conduct. The Contractor must initiate immediate action to replace such an employee to maintain continuity of services at no additional cost to the Government.

The Standards of Conduct and Discipline must be included in the SOM.

C.9.1 Disorderly Conduct

Disorderly conduct, use of abusive or offensive language, quarreling, intimidation by words or action causing discord and confusion among co-workers, or fighting will not be condoned.

Violations of the Hatch Act will not be tolerated and will be grounds for removal from this contract. Also prohibited is participation in disruptive activities which interfere with normal and efficient Government operations.

CSO personnel are to be professional at all times in his/her interaction with other CSOs, visitors, contractors, and Government employees. This requirement does not allow conversations that might be interpreted as being of a personal, invasive, or harassing nature that might contribute to a “hostile work environment.”

The Government reserves the right for the CO to direct the Contractor remove an employee from the contract for disorderly conduct.

The Government reserves the right for the CO to direct the Contractor to remove an employee from the site at the request of the Facility Manager (FM).

C.9.2 Neglect of Duties

The Government reserves the right for the CO to direct that the Contractor remove an employee from the contract for neglect of duties. This includes, but is not limited to, sleeping on duty, intoxication, unreasonable delays or failures to carry out assigned tasks, conducting personal affairs during duty hours, and/or refusing to render assistance or cooperate in upholding the integrity of the work site security.

Conducting personal affairs includes using Government-furnished or personal electronic devices for talking, internet browsing, reading, or sending non-job related email, texting, and blogging.

C.9.3 Criminal Actions

Contractor employees are subject to criminal prosecution for violations under federal law as defined by Title 18 United States Code and any other applicable state, local, and/or federal laws.

C.9.4 Weapon Draw or Discharge

The Government reserves the right for the CO to direct that the Contractor remove an employee from the awarded contract for unnecessary draw(s) of weapon and/or accidental discharge of a firearm or OC. This removal may be permanent or temporary based upon the conclusion of an investigation of the incident by the Contractor and acceptance of the findings by the CO. All weapon draws should be documented and report filed.

C.10 LICENSING**C.10.1 Contract Facility Licensing Requirements**

LID	Type	Name of Facility	City	State	Business License	Weapon Permit	Security Officer Agency Permit	Security Officer Permit
C90	TRACON	Chicago TRACON	Elgin	IL	YES	YES	YES	YES
D10	TRACON	Dallas TRACON	Dallas/Fort Worth	TX	YES	YES	YES	YES
DFW	ATCT-E	Dallas Fort Worth ATC-E	Dallas/Fort Worth	TX	YES	YES	YES	YES
DFW	ATCT-W	Dallas Fort Worth ATC-W	Dallas/Fort Worth	TX	YES	YES	YES	YES
DTW	ATCT	Detroit ATCT	Detroit	MI	YES	YES	YES	YES
I90	TRACON	Houston TRACON	Houston	TX	YES	YES	YES	YES
IAH	ATCT	George Bush ATCT	Houston	TX	YES	YES	YES	YES

MSP	ATCT	Minneapolis ATCT	Minneapolis	MN	YES	YES	YES	YES
ORD	ATCT	Chicago ATCT	Chicago	IL	YES	YES	YES	YES
ZAB	ARTCC	Albuquerque ATCT	Albuquerque	NM	YES	YES	YES	YES
ZAU	ARTCC	Chicago ARTCC	Aurora	IL	YES	YES	YES	YES
ZFW	ARTCC	Dallas ARTCC	Fort Worth	TX	YES	YES	YES	YES
ZHU	ARTCC	Houston ARTCC	Houston	TX	YES	YES	YES	YES
ZID	ARTCC	Indianapolis ARTCC	Indianapolis	IN	YES	YES	YES	YES
ZKC	ARTCC	Kansas City ARTCC	Olathe	KS	YES	YES	YES	YES
ZMP	ARTCC	Minneapolis ARTCC	Farmington	MN	YES	YES	YES	YES
ZOB	ARTCC	Cleveland ARTCC	Oberlin	OH	YES	YES	YES	YES

C.10.2 State and Local Licenses

As used in this SOW, the term “State” includes all fifty states, the District of Columbia, and the territories of Guam and Puerto Rico.

C.10.2.1 Licensing of Security Officers

The Contractor must ensure all CSOs possess the appropriate state weapons permits and state armed/unarmed CSO certifications needed to perform CSO services in his/her respective state of employment at least thirty (30) days prior to standing post. CSOs are not immune from applicable state regulations.

All CSOs must be fully trained, qualified, and certified or licensed as appropriate before standing post. The Federal government is not responsible for the cost associated with the licensing fees.

C.10.2.2 Licensing of Firearms Instructors

The CSOs must be trained and certified by licensed firearms instructors who have current certifications from the state, where such certifications exist. In the event that the state does not certify firearms instructors, the Contractor must propose to the FAA a certification authority. The FAA will advise the Contractor of the acceptability of the proposed certification authority.

The Contractor must provide the COR with the instructor's completed certification documentation for review and approval. A copy of the certification document must be maintained in the CSO files at each facility where CSO services are provided.

The properly licensed firearms instructor must witness each CSO firearm qualification and legibly sign each firearms certification form as discussed in **Section C.15.3**.

C.11 AUTHORITY AND JURISDICTION

The authority of CSOs to detain or make arrests comes from individual state law as it pertains to the rights of private citizens. By virtue of his or her employment under the awarded contract, each member of the CSO force will be under a duty to exercise that authority in the manner authorized by the awarded contract, including the SOM. The CSO force will be familiar with and comply with the limits of the jurisdiction and the use of physical force as defined in the SOM.

C.12 RECORDS AND REPORTS

The Contractor must maintain records and prepare reports as set forth by this SOW. The Contractor must maintain a copy of all required reports on site and make them available for inspection by the Government at all times.

C.12.1 Incident Reporting

Incident reporting is required to identify and assess any loss and damage to FAA property and facilities. The reports provide essential data that describes the type of incidents associated with a facility and is a key element in the development of the FAA Facility Security Management Program. The objective of the incident reporting process is to provide a timely and accurate flow of data concerning the nature and frequency of adverse events that occur at FAA facilities. All incidents must be reported immediately to the COR and the ATR but must also follow the reporting protocol according to the facility post orders and always within 24 hours.

Below is a list of examples of incidents that are to be reported to the ATR and Site Supervisor. This list is not all encompassing but is intended as a guide.

EXAMPLES OF REPORTABLE INCIDENTS

Arson	Loss of Government Equipment	Stalking
Assault	Loss of ID Media	Suspicious Person/Item
Bomb Threat	Loss of Keys/Electronic Access Media	Suspicious Vehicle
Burglary	Misuse of Government Property	Terrorism
Civil Disturbance	Murder	Vehicle Theft
Drug Use	Rape/Sexual Assault	Violence in the Workplace
Kidnapping	Robbery	Weapons Possession
Larceny within Facility	Sabotage	Weapon Discharged on Property
Larceny within Vehicle	Security System Outage	Vandalism (includes no loss of service to an air navigation facility, true light, or signal)

The nature and severity of an incident determines the need for increased detail if needed beyond the listing below. The written incident report submitted by the supervisor must contain the following information at a minimum:

- a. Complete description of the incident.
- b. Name and duty assignment of the individual discovering the incident.
- c. Time of the incident (local time/date/day).
- d. Location of incident.
- e. Activity in which the individual was engaged when the incident was discovered.
- f. Injury, fatalities, or property damage resulting from the incident.
- g. Names of any witnesses that have or may have knowledge of the incident.
- h. Any response from emergency personnel.
- i. Notification of Facility Manager or Designated Representative.

C.12.2 Reporting of Firearm Discharge(s) or Discharge of Oleoresin Capsicum (OC)**C.12.2.1 Verbal Notification**

The CSO must verbally notify the duty Security Operations Center (SOC) immediately of any incidents involving the discharge of a firearm or OC by any individual(s) including CSO personnel. The COR, ATR, and Site Supervisor must be notified immediately after reporting the incident to the duty FM in accordance with the Facility Post Orders. If shots are fired near or at the facility, its personnel, or CSOs, law enforcement must immediately be summoned by calling 911 whether or not an injury is noticed.

If there is injury resulting from a discharged firearm or OC emergency personnel must be notified immediately.

C.12.2.2 Written Notification

The Contractor must ensure that a written report for all facility incidents involving the discharge of a firearm or OC is submitted to the ATR and Site Supervisor within four (4) hours of the incident.

This report is mandatory regardless of whether or not personal injury resulted from the discharge and will include:

- a. Name and duty assignment of the individual having custody of the firearm or OC.
- b. Time of the discharge (date/day/hour).
- c. Location.
- d. Weapon serial number (if a firearm).
- e. Date last qualified/trained.
- f. Reason for the discharge.
- g. If local law enforcement notified and whether they responded.
- h. Activity in which the individual was engaged when the discharge occurred.
- i. Injury, fatalities, or property damage resulting from the discharge.
- j. Names of any witnesses that have or may have knowledge of the incident.

The Contractor will be held legally responsible for the actions of their personnel.

C.12.3 Complaints/Threats

The Contractor must record complaints from any person concerning security, safety, or law enforcement within the Government's jurisdiction. These complaints must be promptly reported to the ATR for resolution and disposition. The Contractor must act to prevent crime against persons or property without waiting for a specific complaint. Response to bomb threats must be in accordance with the FSP and Facility Post Orders.

C.12.4 Traffic Accidents

The Contractor must immediately notify the local police of accidents, and must assist, as required, in redirecting traffic, placing warning flares, and other safety protective actions.

C.12.5 Security Incidents

The Contractor must ensure that all security violations are properly documented by use of an Incident Report Form and reported to the ATR.

C.12.6 Investigations

Periodically, the Contractor may be required to make written and oral statements to the FAA Office of Security and Hazardous Materials Safety (ASH), the Federal Bureau of Investigation (FBI), or other agencies due to the nature of a particular incident. Any written statements provided must be considered a report under the terms of the awarded contract.

C.12.7 Weekly Work Schedule

The Contractor must provide a weekly work schedule, which indicates specific hours of the day that each post will be staffed, the CSO's name, and the number of personnel per post. Other known requirements, such as scheduled escort duties and scheduled fire/evacuation drills, must also be shown on the schedule. The Contractor must submit this work schedule to the ATR and COR by Friday of the previous week. Changes to the work schedule must be submitted to the ATR and COR at least three (3) business days prior to the start of the proposed change. The schedules must also be posted in the guardhouse.

C.13 UNIFORMS AND EQUIPMENT

The Contractor must provide employees all necessary equipment to perform their duties in a competent, capable, and efficient manner. Equipment must meet or exceed all minimum standards set by the National Institute of Justice.

The Contractor must make the following equipment available to CSO personnel to perform normal functions:

Uniform Components	Description	Color
Boots Pair	Quarter	Black
Cap	Baseball Style	Black
Cap	Faux Fur Trooper Style	Black
Double Magazine Case or Speed Loader Case	Nylon, Compatible with Specified Weapon	Black
Duty Belt "Keepers"	Nylon	Black
Expandable or Straight Police Baton	With Holder	Black
Glove and Micro-shield Pouch	Nylon, Slide on Belt Type, Holds Set of Single Use Disposable Gloves and One (1) Single Use Disposable Micro-shield	Black
Gloves Winter	Pair	Black
Handcuff Case	Nylon	Black
Handcuffs and Keys	Meets NIJ 0307.01	
Jacket Winter	Patrol Type	Black
Jacket	Nylon Windbreaker	Black
Key Strap with Flap	Nylon	Black
Level II Firearm Retention Holster	Nylon, Slide on Belt Type with Hammer Safety Strap (Left/Right as Required)	Black
Micro-shield	Single Use, Disposable	

Oleoresin Capsicum (OC) or Combination OC– CS Orthoclorobenzaimalonitrile Canister	2.0 ounces Non-Flammable Flip Top Safety Canister with gel or foam Spray Pattern	
Oleoresin Capsicum (OC) case	Nylon, Slide on Belt Type	Black
Pistol belt	Nylon without Shoulder Strap	Black
Polo Shirt, long sleeve	Insignia, Shoulder Patch	
Polo Shirt, short sleeve	Insignia, Shoulder Patch	
BDU Tactical Pants	All Season Weight	
Whistle	With Chain Attachment	
Flashlight	With holder 2-D Cell	

C.13.1 Firearms

C.13.1.1 Government Furnished Equipment - Provided Firearms and Ammunition

Contractor will provide CSOs, including part-time and reserve CSOs, with his/her own pistol. The following firearm calibers may be provided: .38 Special, .40 S&W, or a 9mm (9x19mm) revolver or pistol. Each facility will use only one caliber of weapon. Use of personal weapons is strictly prohibited. No other types of weapons must be used. Only the handgrips and sights of a firearm may be modified to meet the needs of the user, but if modified, qualification must be performed with the changed item(s) in place, not simply removed and reinstalled before and after qualification. The firearm assigned to a CSO must be appropriate for the dominant hand of the CSO, e.g., the pistol's safety and magazine release must be ambidextrous or configured for a left-hand dominant CSO or a right-hand dominant CSO as appropriate.

C.13.1.1.1. Caliber 9mm

The overall size must not exceed 7.5" long, 5.5" high, and 1.5" wide, and weigh no more than 30 oz. excluding the magazine. The authorized caliber is 9mm and no larger. The magazines (three for each pistol) must hold a minimum of 10 rounds and not more than 17. The pistol must be able to be fired without a magazine inserted into the weapon. The magazine must fall free (unloaded) when the magazine catch is activated. The double-action only trigger pull must not exceed 12 pounds nor be less than 5 pounds. The pistol may be either a traditional double-action only or a striker-fired design.

The pistol must have a dark, corrosive-resistant finish and must be capable of being fired without the manipulation of an external safety or cocking lever. Passively operated grip or trigger safeties are acceptable. The normal function of the pistol must be double-action only or striker-fired design. The pistol must be operable by a right or left-handed user. The use of a polymer-framed pistol is acceptable. There is not a requirement for an all-metal firearm.

All safeties must be internal or passive. An inertial interlocked firing pin will be the primary safety to positively prevent movement of the firing pin unless the trigger is pulled completely through its entire length of travel. The sights must be drift adjustable and be luminous night sights, one (1) dot on the front sight, and two (2) dots on the rear sight, which appear as three (3) illuminated dots when the weapon is held at arm's length. The illuminated dots must not be visible when viewed from the muzzle end of the pistol. The color of the illuminated dots must be green. The illumination materials for the night sight must comply with Nuclear Regulatory Commission standards.

Ammunition type authorized: 110- 147 grain, Jacketed Hollow Points (if local statutes permit).

C.13.1.1.2. Caliber .38 Special

The overall size must not exceed 10.5" long, 5.5" high, and 1.55" wide, and weigh no more than 42 oz. or less than 35 oz. empty with a four (4) inch non-ported, semi or fully shrouded (lugged) barrel. The pistol may be capable of firing .38 Special cartridges. The cylinder must hold six (6) rounds and be opened with the manipulation of just one release. The double-action trigger pull must not exceed twelve (12) pounds nor be less than five (5) pounds.

The pistol must have a blued or stainless steel finish and must be capable of being fired without the manipulation of an external safety. The normal function of the pistol must be double-action with the capability of being fired in a single-action mode. The pistol must be operable by a right or left-handed user. Except for grips and small internal parts, it must be an all-metal firearm. All safeties must be internal and passive. A transfer bar-type mechanism will be the primary safety to positively prevent contact between the hammer and firing pin or hammer and cartridge primer unless the trigger is pulled completely through its entire length of travel. The sights must be fixed front and fixed, drift, or fully adjustable rear.

Ammunition type authorized: 110 – 135 grain, Jacketed Hollow Point (if local statutes permit).

C.13.1.1.3. Caliber .40

The overall size must not exceed 7.5" long, 5.5" high, and 1.5" wide, and weigh no more than 30 oz. excluding the magazine. The caliber authorized is .40 and not any larger. The magazines (three (3) for each pistol) must hold a minimum of ten (10) rounds and not more than fifteen (15). The pistol must be able to be fired without a magazine inserted into the weapon. The magazine must fall free (unloaded) when the magazine catch is activated. The double-action only trigger pull must not exceed twelve (12) pounds nor be less than five (5) pounds. The pistol may be either a traditional double-action only or a striker-fired design.

The pistol must have a dark, corrosive-resistant finish and must be capable of being fired without the manipulation of an external safety or cocking lever. Passively operated grip or trigger safeties are acceptable. The normal function of the pistol must be double-action only. The pistol must be operable by a right or left-handed user. The use of a polymer-framed pistol is acceptable. There is not a requirement for an all-metal firearm. All safeties must be internal or passive. An inertial interlocked firing pin will be the primary safety to positively prevent movement of the firing pin unless the trigger is pulled completely through its entire length of travel.

The sights must be drift adjustable and be luminous night sights, one (1) dot on the front sight, and two (2) dots on the rear sight, which appear as three (3) illuminated dots when the weapon is held at arm's length. The illuminated dots must not be visible when viewed from the muzzle end of the pistol. The color of the illuminated dots must be green. The illumination materials for the night sight must comply with Nuclear Regulatory Commission standards.

Ammunition type authorized: 155-180 grain, Jacketed Hollow Point (if local statutes permit).

C.13.1.2. Other Firearm Requirements

Only upon successful completion of the required firearms qualification and compliance with certification requirements will the Contractor furnish a firearm to the CSO. The CSO must carry the same weapon by serial number and the same ammunition by manufacturer, brand name, series, projectile type and weight, and manufacturer's catalog/product number, that he or she used on the qualifying firing range. The ammunition must comply with Section C.13.1.2.f. During qualification, even if civilian clothes are worn, the shooter will wear same type of duty belt and carry all equipment that he or she carries on post including all items not related to shooting.

- a. The Contractor must ensure all firearms are cleaned at least quarterly to ensure optimum operating condition. The Contractor must clean firearms more frequently if weather conditions warrant. The Contractor must provide all needed cleaning supplies for this function. Unless firearms are stored on FAA property, all cleaning will take place off FAA property. Cleaning must not be done during labor hours charged to the FAA. A record will be maintained on-site by the supervisor of the weapons cleaned by the CSO.
- b. Only the handgrips and sights of a firearm may be modified to meet the needs of the user. However, if modified, qualification must be performed with the changed item(s) in place, not simply removed and reinstalled before and after qualification.
- c. The Contractor must provide a list of serial numbers of firearms that will be used on the awarded contract to the ATR prior to the period of performance start date. The Contractor must maintain this list and notify the ATR immediately if it changes.
- d. The Contractor must provide ammunition for authorized firearms. Each CSO must be issued sufficient rounds to fill three (3) magazines or cylinders of the appropriate caliber ammunition. Ammunition must be kept clean to ensure its safe and effective use. Ammunition must be of U.S. commercial manufacture only (no "reloads"). All ammunition used at a specific site will be the same type by the same manufacturer.
- e. Ammunition must meet the weapon's manufacturer's recommended specifications. The use of specialized (e.g., green tip) or enhanced (+P, +P+, etc.) ammunition is not authorized.
- f. The Contractor must provide one hundred (100) rounds of the appropriate caliber and type of ammunition stored on site in a container furnished by the Contractor, acceptable for ammunition storage. The ammunition must be available to FAA contracted CSOs in case of emergencies. Ammunition must be stored separately from the weapons in a separate locked drawer of the weapons container or a separate ammunition container. The ammunition container key must be secured by an on-duty CSO and documented in an approved Facility Post Orders. Magazines or speed loaders may remain loaded while stored.

- g. Loading. A clearing barrel or similar check-and-clear bullet trap will be provided by the Government for use when loading and unloading all types of firearms.
- h. Storage. The FAA prefers that the Contractor not use FAA facilities for the storage of firearms. However, firearms used by FAA CSOs may be stored on FAA property. These firearms will be stored unloaded in a Government provided container. The firearms container need not be in a locked room, but must be out of sight of visitors and facility personnel. However, the container must be continuously monitored by CSO personnel. When not in use, the container will be locked. Combinations will be changed when compromised, when someone knows the combination leaves, and/or annually, whichever occurs first. The Combination Change Form, SF-700, must be used to document combination changes. The Contractor must provide the ATR a current list of the serial numbers of all firearms stored on FAA property.

C.13.2 Radio Communications

The Contractor must furnish all necessary multi-channel radio transceiver communications equipment so that shift supervisors and the FAA facility can contact each employee on duty. The Contractor must comply with appropriate Federal Regulations to obtain all necessary frequencies and permits for equipment operation. The exact CSO force frequencies must be coordinated with and approved by the ATR prior to operation to prevent interference with Government operations. “Citizens Band” frequencies are unacceptable.

The Contractor must have one (1) radio for each CSO on duty, the facility, and a backup radio. The Contractor also must have extra batteries, battery chargers, and if required and if approved by the ATR, base stations or repeaters on site.

C.13.3 Radio/Telephonic Communications

The Contractor must provide equipment capable of establishing radio/telephonic communications within one (1) minute with the local Fire Department dispatcher, ambulance service, and transportation dispatcher (for wrecker service). This equipment must be functional and maintained by the Contractor at all times. A Contractor-issued cell phone may be used to meet this requirement provided signal strength is sufficient for reasonable use.

C.14 TRAINING

Members of the CSO incumbent force, who will use new weapons, as well as new hires, must successfully complete required initial training within thirty (30) calendar days of their assignment to duty for the awarded contract. Note that the initial CSO training is in addition to required firearms weapons training as required by local or state governments and by this SOW.

The Contractor must certify in writing to the COR that CSOs have satisfactorily completed instruction in each of the required subjects or have equivalent training by virtue of previous training or experience within 30 days before they begin work. This certification must list employees by name and must whether include evidence of previous training and experience, if any, are used in lieu of initial training under the awarded contract. A similar certification must be provided for each subsequently hired new employee within thirty (30) calendar days after they begin work.

The CO or COR may request that the Contractor's CSO staff participate in FAA sponsored training. This training is other than the training required elsewhere throughout C.14 etc.

C.14.1 Initial Training

All CSOs The Contractor must provide all pre-performance training, and is responsible for all associated expenses to include, but not limited to, state fees, license fees, and certification fees. A reasonable degree of proficiency and knowledge of the specific CSO skills identified are required under this SOW. Contractor's employees must meet training requirements for state-level armed/unarmed CSOs in the state where they are working. A state-certified trainer must perform state-required training.

Nothing in this SOW prevents the Contractor from establishing or participating in additional internal or external CSO training of their development or choosing.

For facilities in a state with no state certification requirements, the contractor must provide a training plan for CSOs. This training plan must be reviewed in advance by the COR and approved by the CO. The training must include, at a minimum, the following topics:

- a. Jurisdiction and Authority. Training sessions must include description of the CSO responsibilities and authority with respect to detention, apprehension, inspection, seizure, and use of deadly force.
- b. Use of deadly force. Deadly force may be used only in those circumstances where the CSO reasonably believes that either they or another person are in imminent danger of death or serious bodily harm.
- c. Secondary use of force.
 - 1) At least four (4) hours on the use of Oleoresin Capsicum (OC) gel or foam (lecture and hands-on training).
 - 2) At least four (4) hours on the use of the baton (lecture and hands-on training).
 - 3) Handcuff techniques and safe use of handcuffs (lecture and hands-on training).
- d. First Aid, CPR and AEDs. Provide documentation of current certification from the American Red Cross only. Training and certification must include a full-in-person course curriculum. Online training from American Red Cross certifications are not allowed on this contract. First Aid documentation must be provided to the COR at the beginning of the performance period and must be renewed every two (2) years from the date of completion.
- e. Human Interaction – Communication skills and human behavior that lead to effective security job performance.
- f. Workplace Safety – Special emphasis on any hazardous materials stored at the facility.

The Contractor must submit documentation of successful completion of this training by each CSO to the COR thirty (30) days prior to the CSO standing post. If the CSO is an incumbent, the new contractor may use the CSO existing training certifications to meet this requirement. The Contractor must maintain a record of all initial CSO training records/certifications for inspection by the Government on demand. The Contractor must provide the name and location of the training facility, date/times training courses were conducted, and who conducted the training.

C.14.2 Refresher Training

The Contractor must provide refresher training annually. As refresher training is completed, the Contractor must submit documentation of successful completion of this training by each CSO to the COR. Contractor must maintain a record of all initial and refresher CSO training records/certifications for inspection by the Government on demand. Security officers must satisfy state requirements in addition to the awarded contract for annual refresher training. The Contractor must provide refresher training of a minimum of twenty (20) hours annually, of which at least eight (8) hours will be firearms training and re-qualification. Refresher training topics can include but are not limited to the following:

- a. Human Interaction. Provides good communication skills and understanding of human behaviors that have a large impact on effective job performance in providing security.
- b. Use of deadly force. Firearms training must consist of at least eight (8) hours of classroom and twenty- four (24) hours of live fire training, and must include safe handling, cleaning, loading, and unloading of the weapon.
- c. Secondary use of force.
 - 1) At least four (4) hours on the use of Oleoresin Capsicum (OC) gel or foam (lecture and hands-on training).
 - 2) At least four (4) hours on the use of the baton (lecture and hands-on training).
 - 3) Handcuff techniques and safe use of handcuffs (lecture and hands-on training).
- d. Entry control procedure.
- e. Apprehension techniques.
- f. Vehicle search techniques.
- g. Local and state-applicable legal statutes.
- h. Weapons familiarization.
 - 1) Care and Cleaning of Firearms. The training will be in accordance with the manufacturer's instructions.
 - 2) Use of Firearms. Training provided must include a section on the use of deadly force.
- i. Jurisdiction and Authority. Training sessions must include descriptions of the CSO responsibilities and authority with respect to detention, apprehension, inspection, seizure, and use of deadly force.
- j. First Aid and CPR. Provide documentation of current certification from the American Red Cross only. Training and certification must include a full-in-person course curriculum. Online training from American Red Cross are not allowed on this contract. First Aid documentation must be provided to the COR at the beginning of the performance period and must be renewed every two (2) years from the date of completion.
- k. Emergency Equipment. Training must include the use of emergency equipment such as fire extinguishers.
- l. Operational Instructions. Training must include the facility's layout, particularly stairways, fire doors, pipelines, sprinkler systems, sprinkler control valves and fire hoses, fire extinguishers and fire alarm systems, general, special, and temporary orders, FSP, and the SO manual.
- m. Security and Contingency Situations. Training must include how to recognize and appropriately react to emergency situations involving work place violence, bomb threats, sabotage, terrorism, hostage situations, and other criminal activity.

- n. Work Place Safety. Training must include the safety requirements with special emphasis on any volatile materials stored within the confines of the facility.
- o. Facility Access Control Procedures. Training must include the guidelines and procedures for personnel and vehicle access control.
- p. Communications. Training must include the proper use of primary, alternative, and emergency communications equipment.
- q. Reports. Training must include the proper methodology for completing reports associated with CSO operations.
- r. Metal Detection and X-Ray Equipment.
- s. Manual inspection of hand carried bags and packages.
- t. Security Management Systems. The Government provides operator training for FAA security systems. General security system training provided by the Contractor must include familiarization in the use and control of typical electronic security equipment.
- u. Sexual Harassment.
- v. Confliction resolution.
- w. Ethics.
- x. Terrorism, Anti-terrorism, and Weapons of Mass Destruction.
- y. Workplace violence.
- z. Bomb Threats and Incidents.
- aa. Hostage Situations.
- bb. Crime scene protection.
- cc. Active Shooter.
- dd. Visitor screening.

The Contractor must submit documentation of successful completion of refresher training by each CSO to the COR thirty (30) days after completion. The contractor must also update the onsite records to reflect updated certifications and training documentation.

C.15 FIREARMS QUALIFICATION – GENERAL

The Contractor must ensure that each CSO required to carry a firearm is trained and successfully completes the Firearms Qualifications described in **Section C.15.2**. The Contractor must ensure that all CSOs complete thirty-two (32) hours of initial firearms training consisting of eight (8) hours of classroom and twenty-four (24) hours of live fire instruction. At least eight (8) hours annual refresher training and reasonable practice firing prior to the first of the two (2) re-qualification attempts must be conducted prior to annual re-qualification.

A qualifying score is 80% or better. A qualifying session consists of no more than two (2) attempts to qualify. If the CSO is unsuccessful in the first attempt, an immediate second attempt may be made. Unqualified CSOs must not staff an FAA post. It is the Contractor's choice whether to continue retraining a CSO towards qualification or requalification beyond the Government-funded two (2) attempts.

The FAA reserves the right to witness firearm qualifications. The Contractor must notify the COR thirty (30) days prior to scheduled qualification/requalification.

C.15.1 Firearms Instructor Certifications

Each CSO must be certified/re-certified by a Firearms Instructor who is licensed in accordance with **Section C.10.2.2**. CSOs must be certified using only the course of qualification provided in **Section C.15.2**. Certifications/re-certifications that does not comply with this SOW will be invalid and the CSO will be immediately removed from his/her post. The FAA will not be held liable for any costs incurred in the replacement of the CSO.

C.15.2 Firearms Qualification (Attachment J.7)

Firearm qualification must, at a minimum, occur once every 365 days. Contractor personnel must qualify with the identical firearm and type of ammunition that will be used during regular duty.

- a. Range qualification must be accomplished on a recognized law enforcement or other approved range under the supervision of a certified firearms instructor. The minimum passing score must be 80%, or 200 points out of a possible 250.
- b. The CSO qualifying or requalifying must present Attachment J.7, Security Officer Firearms Qualification Course of Fire to the licensed firearms instructor for completion and signature. This form, in conjunction with the local firearms instruction completion form, must be signed by both the Security Officer and the instructor, and will be used to document compliance with the firearms qualification requirements of this SOW. A copy of Attachment J.7 must be retained at the CSO's assigned facility with other CSO records.
- c. Each qualifier must wear and use the duty gear that is assigned for daily use, including holster and reloading devices or aides (e.g., speed loaders).
- d. The following is the Federal Protective Service course of fire for their Handgun Qualification Course. This course of fire will be used to qualify CSO personnel.

Firearms: Contract-authorized handgun

Ammunition: Contract-authorized: Fifty (50) rounds

Target: Immigration and Custom Enforcement (ICE) Target

Stages will be completed in sequential order and fired as a hot range. Once prepared for duty carry, the CSO/shooter will be responsible for maintaining full magazines throughout course of fire, reloading on command, and when otherwise necessary.

C.15.3 Firearms Certification

Contractor firearms instructors must be state certified in the state where the CSOs perform their FAA CSO duties. The instructor must have a current and valid certification to conduct firearms qualifications and training. Security Officer Firearm certification must be in writing and include the following:

- a. Name of CSO
- b. Score attained
- c. Model and serial number of gun
- d. Date of qualification
- e. Course of fire used for qualification
- f. Name and location of range
- g. Name of certification source
- h. Printed name and signature of the licensed firearms instructor who witnessed and is certifying the qualification.

The Contractor must not issue a firearm to its employees until the CSO has successfully completed the firearms qualification and training requirements.

C.15.4 Required Actions

Contractor weapons and ammunition must be surrendered to a duly credentialed law enforcement officer upon request for examination.

C.15.5 Failure to Comply with Certification Requirements

The Contractor must comply with all certification requirements of this SOW. Failure to comply may result in termination of the awarded contract.

C.16. PROHIBITIONS**C.16.1 Possession of Privately Owned Firearms in or on Government Owned or Leased Property**

No person, including a CSO, is authorized to carry personally owned firearms on his or her person or store them in privately owned vehicles while in or on FAA-owned, FAA-leased, or GSA-leased property.

C.16.2 Use of Force and Deadly Force

The use of force or deadly force is authorized only when the CSO has cause based on the totality of the circumstances to believe that another person poses an imminent threat of causing death or serious bodily injury to the CSO or others. CSOs must use only such force as is necessary to overcome any opposing force or threat by rendering the person(s) incapable of continuing the activity which prompted the use of such force or weapon. The CSO may escape to a safer position, if able, to prevent further injuries and/or death.

A firearm must only be drawn when it is believed that the use of deadly force may become immediately necessary.

Firing at a fleeing person is prohibited.

Firing from or at a moving vehicle is prohibited.

Firing warning shots is prohibited.

C.16.3 Employment of Government Personnel

The Contractor must not hire off-duty Federal Government employees.

C.17 GENERAL INFORMATION**C.17.1 Place of Performance/Hours of Operation**

The facility ATR will determine shift start/stop times in conjunction with the FM and this SOW. CSOs must not exceed forty (40) hours per week to include related Post Associated Time (PAT). PAT is defined as time required for weapons/equipment issue and turn in, and pre- and post-shift briefings (Security guard mount).

CSOs must have at least eight (8) hours of non-duty time between shifts. The maximum number of consecutive hours a CSO may work is twelve (12) to ensure that the CSO remains alert and that safety issues do not develop. The Contractor must provide shift relief for CSOs during meals and scheduled breaks as required by state and local law.

C.18 PROGRAM MANAGEMENT

The Contractor must provide a description of the program management process for central management, liaison, and communications between the Government and the contractor. The Contractor must manage the total work effort associated to assure adequate and timely completion of these services. Included in this function will be a full range of management duties including, but not limited to, training, planning, scheduling, report preparation, establishing and maintaining records, and quality control.

The Contractor must perform unannounced inspections of their CSO performance at least once a month during each CSO shift. The supervisor will ensure that the CSOs are adhering to facility post order orders and Contractor's SOM. The Contractor will provide a monthly written report to the COR documenting these inspections. The COR may determine specific inspection times as required. The date and time must be noted in the FAA CSO log.

C.18.1 Program Management Plan

The Contractor must provide a Program Management Plan (PMP) which provides a description of the program management processes for central management and liaison and communications between the Government and the contractor.

The Program Management Plan must, in the Contractor's format, address at a minimum the following topics:

- a. Management relationship between the Prime Contractor and its sub-contractors, to include combining of resources in the event of an emergency.
- b. Organizational structure that illustrates the hierarchy of contractors with their roles and responsibilities.
- c. Communications procedures that describe the process of distributing information from the FAA and ensuring that issues that arise are passed to the appropriate management level within the organization and resolved quickly and efficiently.
- d. Escalation procedures that will ensure the resolution of issues that may arise at a facility. This will include the identification of person who will address issues, by title if not by specific name.

- e. The processes for handling staffing shortfalls due to personnel transfer, resignation, or any other factor which results in an FAA facility's Security Officer staffing falling below the required levels.

C.18.2 Transition Plan

The Contractor must provide a Transition Plan, which provides a description of the processes, and procedures for transitioning FAA facilities from existing guard services to security officer services under this solicitation.

The Transition Plan must, in the Contractor's format, address at a minimum the following topics:

- a. The transition strategy that will be implemented by the Contractor. This strategy will discuss the sequence of sites to be transitioned within the proposed Service Area and the methodology for determining that sequence.
- b. The Transition Timeline, which will illustrate the key transition events that must occur prior to a CSO assuming a watch at 0001 on the day that the Contractor assumes responsibility for the CSO services at each facility. The timeline will discuss/illustrate those events which may be concurrent and which must be sequential. The timeline must include the processing time for Government Suitability Determinations/Clearances for personnel.
- c. Critical path activities must be discussed with an indication of which activity may have a "work-around" if the activity may not be achievable when planned.
- d. Government required involvement must be specified.
- e. The process of interviewing/hiring and training/certifying incumbent CSOs from the existing vendor.
- f. Failure to make progress during this Transition Period may lead to termination under the Default clause.

C.18.3 Quarterly Contract Status Report

The Contractor must provide the CO and COR with a quarterly contract status report that will provide the FAA with information on the status of the contract and the Contractor's assessment of issues and solutions. The first report will be due to the FAA 60 days after award and every quarter thereafter.

The report must include at a minimum the following:

- a. Notification of personnel changes/issues (hires, dismissal or duty station changes, etc.),
- b. Incidents that have occurred during the preceding quarter as well as unresolved issues or concerns,
- c. Status of annual/recurring training including a schedule of planned firearms certifications/re-certifications,
- d. Status of random drug testing, and
- e. SOW compliance presented by the Quality Assurance/Control manager.

C.18.4 Special Provisions**C.18.4.1 Temporary Removal of Security Officer Personnel Posing an Imminent Threat**

The CO may direct the Contractor to temporarily remove immediately any individual from duty who poses an imminent threat to safety of personnel or Government resources. Temporary removal of CSO personnel does not relieve the Contractor of any performance requirements or create an entitlement to an equitable adjustment.

C.18.4.2 Permanent Removal of Contract Security Officer Personnel

The Government reserves the right to permanently exclude any individual from performance under the awarded contract for the following:

- a. Performance consistently fails to meet standards as confirmed by the COR.
- b. Egregious conduct. Such conduct includes, but is not limited to, falsifying reports or statements; mishandling weapons; loss, destruction, or irresponsible use of government equipment; or other criteria identified in this SOW. A single instance of egregious behavior, as confirmed by the COR, may be sufficient for the CO to direct the Contractor to remove a CSO from the contract.

When instructed by the CO, the Contractor must immediately remove the individual from the facility. Permanent removal of CSO personnel does not relieve the contractor of any performance requirements or create an entitlement to an equitable adjustment. The Contractor must not, without the COR or Contracting Officer's consent, reinstate on the awarded contract any employee who has been permanently removed.

C.19 QUALITY MANAGEMENT

The contractor must have a Quality Assurance/Control (QA/QC) manager designated in writing. The signed designation document must be provided to the COR within seven (7) days of designation. This individual will have the responsibility for monitoring the quality of services provided to the FAA and reporting their findings in the contract status briefing. At a minimum, the QA/QC manager will report on the status of compliance with the provisions of this SOW, including all training and firearms certifications/re-certifications.

C.20 ACROYNM LIST**A**

AED	Automatic External Defibrillator
ASH	FAA Office of Security and Hazardous Materials Safety
ATR	Alternate Technical Representative

C

CCTV	Closed-Circuit Television
CLIN	Contract Line Item Number
CO	Contracting Officer
COR	Contracting Officer's Representative
CPR	Cardio-pulmonary Resuscitation
CR	Cost Reimbursable

F

FAA	Federal Aviation Administration
FBI	Federal Bureau of Investigations
FD-258	Fingerprint Card
FFP	Firm Fixed Price
FM	Facility Manager
SC	Security Coordinator
FSMP	Facility Security Management Program
FSP	Facility Security Plan

G

GED	General Education Development
GENOT	General Notice
GFE	Government Furnished Equipment
GFI	Government Furnished Information
GSA	General Services Administration

H

Hz	Hertz
----	-------

I

ICE	Immigration and Customs Enforcement
IDIQ	Indefinite Delivery Indefinite Quantity

M

MET	Metabolic Equivalent
MM	Millimeter

N

NACI	National Agency Check with Inquiries
NIOSH	National Institute for Occupational Safety and Health
NSOP	National Security Officer Program

O

OC	Oleoresin Capsicum
----	--------------------

P

PMR	Program Management Review
POST	Police Officer's Standard Training PSS Personnel Security Specialist

Q

QA/QC	Quality Assurance/Control
-------	---------------------------

S

SAMHSA	Substance Abuse and Mental Health Services Administration
--------	---

SECON	Security Conditions
SF-85P	Questionnaire for Public Trust Positions
SL	Security Level
SO	Security Officer
SOC	Security Operations Center
SOM	Security Officer Manual
SOW	Statement of Work
SSE	Servicing Security Element
SSN	Social Security Number

T	
TSA	Transportation Security Administration

V	
VIP	Very Important Person